

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
石森直樹, 筒井裕之	慢性腎臓病と冠動脈イベント	伊藤 浩 吉川純一	新・心臓病診療プラクティス 12 冠動脈疾患の病態に迫る	文光堂	東京	2008	57-61
内藤博昭	4.心臓・脈管系(1)画像診断法 の特性(2)心臓計測(3)疾患ご との検査法の選択とその画像 情報	中村仁信	放射線画像医学	医歯薬出版株式会社	東京	2009	191-205
内藤博昭	CTによる心筋組織性状の評 価	川名正敏 坂井晶子	心血管CTパーフェクト ガイド	中山書店	東京	2010	124-126
内藤博昭	心臓の解剖・病理	川名正敏 坂井晶子	心血管CTパーフェクト ガイド	中山書店	東京	2010	142-147
二藤部 丈司, 久保田 功	VI章 機序・病態 5 移植心での検討	鎌倉史郎	Brugada 症候群 -病態解明から診断・治 療指針の決定-	メジカル ビュー社	東京	2009	144-147
渡邊 哲, 久保田 功	不整脈 脚ブロック	友池仁暢 総編集	最新循環器診療マニユアル	中山書店	東京	2009	313-316
宮本卓也, 渡邊 哲, 久保田 功	運動負荷心電図の結果を鵜呑 みにすることなかれ	山科 章	循環器検査のグノーテーイ ・セアウトン	株式会社 シナジー	東京	2009	9-13

渡邊哲, 久保田功	第4章.各疾患のみかたと対応 D.虚血性心疾患 2.急性冠症候群 ③心筋梗塞の長期予後と再発防止	永井良三, 川名正敏, 許俊鋭, 長谷川昭, 広井透雄, 三田村秀雄, 山下武志	循環器研修ノート	診断と治 療社	東京	2010	571-573
Iwamoto N, Harada-Shiba M.	Intratracheal gene transfer using polyplex nanomicelles and their application to cardiology.	Victor R. Preedy	Nanomedicine and Cardiovascular System	Science Publishers	New Hampshire, USA	未定	未定

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Watanabe Y, Kashiwagi N, Yamada N, Higashi M, Fukuda T, Morikawa S, Onishi Y, Iihara K, Miyamoto S, Naito H.	Subtraction 3D CT Angiography with the Orbital Synchronized Helical Scan Technique for the Evaluation of Postoperative Cerebral Sneurysms Treated with Cobalt-Alloy Chips.	Am J Neuroradiol.	29	1071-1075	2008
Tsuda E, Yasuda T, Naito H.	Vasospastic angina in Kawasaki disease.	Journal of Cardiology	51	65-69	2008
Uotani K, Yamada N, Kono A.K, Taniguchi T, Sugimoto K, Fujii M, Kitagawa A, Okita Y, Naito H, Sugimura K.	Preoperative Visualization of the Artery of Adamkiewicz by Intra-Arterial CT Angiography.	AJNR	29(2)	314-318	2008
東 将浩, 福田哲也, 魚谷健祐, 神崎 歩, 河野忠文, 渡邊嘉之, 山田直明, 木曾啓祐, 内藤博昭	血栓閉鎖型大動脈解離の偽腔外膜側の遅延造影	臨床放射線	53(1)	217-222	2008

東 将浩, 内藤博昭	心血管疾患診療のエクセレンス	日本医師会雑誌	137特別号(1)	S10	2008
原口 亮, 堀尾秀之, 黒田嘉宏, 増田 泰, 黒田知宏, 大城 理, 内藤博昭, 東 将浩, 中沢一雄 内藤博昭	MR位相コントラスト法による左室心筋の局所ひずみ速度解析 血管を画像で診る -ここまできた血管撮影法-	電子情報通信学会論文誌 知っておきたい循環器病あれこれ	J91-D(7)	1818-1828	2008
内藤博昭	高安病: 診断と治療の現状; 放射線科	高安病発見から1世紀-記念公開講座の記録-	76	1-16	2009
* 東 将浩, 堀 祐郎, 中澤哲郎, 神崎 歩, 福田哲也, 山田直明, 魚谷健祐, 木曾啓祐, 内藤博昭, 坪 宏一	Dual source CTを用いた冠動脈CTA	臨床放射線	54(1)	163-169	2009
* Watanabe Y, Uotani K, Nakazawa T, Higashi M, Yamada N, Hori Y, Kanzaki S, Fukuda T, Itoh T, Naito H.	Dual-energy direct bone removal CT angiography for evaluation of intracranial aneurysm or stenosis: comparison with conventional digital subtraction angiography.	Eur Radiol.	19	1019-1024	2009
* Uotani K, Watanabe Y, Higashi M, Nakazawa T, Kono KA, Hori Y, Fukuda T, Kanzaki S, Yamada N, Itoh T, Sugimura K, Naito H.	Dual-energy CT head bone and hard plaque removal for quantification of calcified carotid stenosis: utility and comparison with digital subtraction angiography. 心筋梗塞	Eur Radiol.	19	2060-2065	2009
植田初江, 内藤博昭		臨床放射線	56(1)	1-18	2011
Kokubo Y, Okamura T, Yoshimasa Y, Miyamoto Y, kawanishi K, Kotani Y, Okayama A, Tomoike H.	Impact of metabolic syndrome components on the incidence of cardiovascular disease in a general urban Japanese population: the Suita Study.	Hypertens Res.	31(11)	2027-2035	2008

Yang J, Kamide K, Kokubo Y, Takiuchi S, Horio T, Yasuda H, Miwa Y, Yoshii M, Yoshihara F, Nakamura S, Nakahara H, Tomoike H, Miyata T, Kawano Y.	Association of hypertension and its complications with variations in the xanthine dehydrogenase gene.	Hypertens Res.	31(5)	931-940	2008
Ohara T, Kim J, Asakura M, Asanuma H, Nakatani S, Hashimura K, Kanzaki H, Funahashi T, Tomoike H, Kitakaze M.	Plasma adiponectin is associated with plasma brain natriuretic peptide and cardiac function in healthy subjects.	Hypertens Res.	31(5)	825-831	2008 May
Hirata Y, Sata M, Makiuchi Y, Morikane K, Wada A, Okabe N, Tomoike H.	Comparative analysis of <i>Micrococcus luteus</i> isolates from blood cultures of patients with pulmonary hypertension receiving epoprostenol continuous infusion.	J Infect Chemother.	15 (6)	424-425	2009
Kamakura S, Ohe T, Nakazawa K, Aizawa Y, Shimizu A, Horie M, Ogawa S, Okumura K, Tsuchihashi K, Sugi K, Makita N, Hagiwara N, Inoue H, Atarashi H, Aihara N, Shimizu W, Kurita T, Suyama K, Noda T, Satomi K, Okamura H, Tomoike H.	for the Brugada Syndrome Investigators in Japan. Long-term prognosis of probands with brugada-pattern ST-elevation in leads V1-V3	Circ Arrhythm Electro physiol.	2	495-503	2009
Hiura Y, Shen CS, Kokubo Y, Okamura T, Morisaki T, Tomoike H, Yoshida T, Sakamoto H, Goto Y, Nonogi H, Iwai N.	Identification of genetic markers associated with high-density lipoprotein-cholesterol by genome-wide screening in a Japanese population. - the Suita study-	Circ J.	73	1119-1126	2009
*Tsukamoto O, Fujita M, Kato M, Yamazaki S, Asano Y, Ogai A, Okazaki H, Asai M, Nagamachi Y, Maeda N, Shintani Y, Minamino T, Asakura M, Kishimoto I, Funahashi T, Tomoike H, Kitakaze M.	Natriuretic peptides enhance the production of adiponectin in human adipocytes and in patients with chronic heart failure.	J Am Coll Cardiol.	53(22)	2070-2077	2009

* Miura Y, Fukumoto Y, Shiba N, Miura T, Shimada K, Iwama Y, Takagi A, Matsusaka H, Tsutsumi T, Yamada A, Kinugawa S, Asakura M, Okamatsu S, Tsutsui H, Daida H, Matsuzaki M, Tomoike H, Shimokawa H.	Prevalence and clinical implication of metabolic syndrome in chronic heart failure.	Circ J.	74(12)	2612-2621	2010
Kataoka Y, Miyazaki S, Yasuda S, Nagaya N, Noguchi T, Yamada N, Morii I, Kawamura A, Doi K, Miyatake K, Tomoike H, Kangawa K.	The first clinical pilot study of intravenous adrenomedullin administration in patients with acute myocardial infarction.	J Cardiovasc Pharmacol.	56(4)	413-419	2010
Tabara Y, Kohara K, Kita Y, Hirawa N, Katsuya T, Ohkubo T, Hiura Y, Tajima A, Morisaki T, Miyata T, Nakayama T, Takashima N, Nakura J, Kawamoto R, Takahashi N, Hata A, Soma M, Imai Y, Kokubo Y, Okamura T, Tomoike H, Iwai N, Ogiwara T, Inoue I, Tokunaga K, Johnson T, Caulfield M, Munroe P, Uemura S, Ueshima H, Miki T.	Common variants in the ATP2B1 gene are associated with susceptibility to hypertension: the Japanese Millennium Genome Project.	Hypertension	56(5)	973-980	2010
Hiura Y, Tabara Y, Kokubo Y, Okamura T, Miki T, Tomoike H, Iwai N.	A genome-wide association study of hypertension-related phenotypes in a Japanese population.	Circ J.	74(11)	2353-2359	2010
Tabara Y, Kohara K, Kawamoto R, Hiura Y, Nishimura K, Morisaki T, Kokubo Y, Okamura T, Tomoike H, Iwai N, Miki T.	Association of four genetic loci with uric acid levels and reduced renal function: the J-SHIPP Suita study.	Am J Nephrol.	32(3)	279-286	2010
JCS Joint Working Group	Guidelines for diagnosis and treatment of patients with vasospastic angina (coronary spastic angina) (JCS 2008): digest version.	Circ J.	74(8)	1745-1762	2010

Yamamoto K, Uchida S, Kitano K, Fukuhara N, Okumura-Kitajima L, Gunji E, Kozakai A, Tomoike H, Kojima N, Asami J, Toyoda H, Arai M, Takahashi T, Takahashi K.	TS-071, (1S)-1,5-anhydro-1-[5-(4-ethoxybenzyl)-2-methoxy-4-methylphenyl]-1-thio-D-glucitol hydrate, is a novel, potent and selective renal sodium-glucose cotransporter 2 (SGLT2) inhibitor with anti-hyperglycemic activity.	Br J Pharmacol.		2011
Hiura Y, Fukushima Y, Kokubo Y, Okamura T, Goto Y, Nonogi H, Takahashi R, Iwai N.	Effects of the y chromosome on cardiovascular risk factors in Japanese men.	Hypertens Res.	1687-1694	2008 Sep
Hiura Y, Fukushima Y, Yuno M, Sawamura H, Kokubo Y, Okamura T, Tomoike H, Goto Y, Nonogi H, Takahashi R, Iwai N.	Validation of the association of genetic variants on chromosome 9p21 and 1q41 with myocardial infarction in a Japanese population.	Circ J.	1213-1217	2008 Aug
Otsuka Y, Noguchi T, Goto Y, Nonogi H, Yamada N.	Hyperintensity on T2-weighted magnetic resonance imaging in Takotsubo cardiomyopathy.	Int J Cardiol.	113-116	2008 Oct 30
野口輝夫, 後藤葉一	検査に伴うリスク管理	呼吸と循環	119-128	2008.2
後藤葉一	透析患者のリハビリテーション:心臓リハビリテーションの立場から	冠疾患誌	46-49	2008
谷本貴志・後藤葉一・上石哲生・片岡有・岩永善高・野口輝夫・森井功・安田聡・川村淳・宮崎俊一・野々木宏	亜急性期に左室内圧較差を生じた一過性左室中部 収縮異常(たこつぼ心筋障害型)の再発例	心臓	1-6	2008
後藤葉一	わが国における急性心筋梗塞症の診療に関する実態調査:PCIと心臓リハビリテーションの普及実態	冠疾患誌	1-6	2008

安達裕一・小西治美・丸次敦子・楠木沙織・小林加代子・平尾仁衣奈・福井教之・後藤葉一	急性心筋梗塞症回復期心臓リハビリテーションに参加した高齢患者の退院後継続の規定因子	心臓リハビリテーション(JJCR)	13(2)	365-368	2008.6
楠木沙織・丸次敦子・小林加代子・平尾仁衣奈・小西治美・福井教之・安達裕一・後藤葉一	退院後に心臓リハビリテーションに参加しない急性心筋梗塞症患者における主観的妨げ要因の検討	冠疾患誌	14	206-210	2008
後藤葉一, 上月正博, 上嶋健治, 牧田 茂, 安達 仁, 横井宏佳, 大宮一人, 三河内弘, 横山広行, 代田浩之, 岩坂壽二, 齋藤宗晴	急性心筋梗塞全国実態調査に基づく心臓リハビリテーション1セッションあたり参加患者数の検討: 施設基準および採算性を念頭に	心臓リハビリテーション (JJCR)	14(2)	336-344	2009
後藤葉一	心臓リハビリテーション: エビデンスと展望	J Cardiol Jpn Ed.	3	195-215	2009
後藤葉一, 野口輝夫, 川上利香, 中西道郎, 伊吹宗晃, 大塚頼陸, 野々木 宏	心臓リハビリテーションを組み込んだ急性心筋梗塞地域連携パスの試み: 全国実態調査結果を踏まえた将来展望.	心臓	41	1205-1215	2009
Niizuma S, Iwanaga Y, Yahata T, Goto Y, Kita T, Miyazaki S, Nakahama H.	Plasma B-type natriuretic peptide levels reflect the presence and severity of stable coronary artery disease in chronic haemodialysis patients.	Nephrol Dial Transplant.	24	597-603	2009
Adachi T, Nakanishi M, Otsuka Y, Nishimura K, Hirokawa G, Goto Y, Nonogi H, Iwai N. *Goto Y	Plasma microRNA 499 as a biomarker of acute myocardial infarction Exercise training in post-CABG patients at low prognostic risk. Beyond recovery from surgery.	Clinical Chemistry Circ J.	56(7) 74	1183-1185 2548-2549	2010 2010

Hiura Y, Tabara Y, Kokubo Y, Okamura T, Goto Y, Nonogi H, Miki T, Tomoike H, Iwai N.	Association of the Functional Variant in the 3-Hydroxy-3-Methylglutaryl-Coenzyme A Reductase Gene With Low-Density Lipoprotein-Cholesterol in Japanese.	Circ J.	74	518-522	2010
*Kamakura T, Kawakami R, Nakanishi M, Ibuki M, Ohara T, Yanase M, Aihara N, Noguchi T, Nonogi H, Goto Y.	Efficacy of out-patient cardiac rehabilitation in low prognostic risk patients after acute myocardial infarction in primary intervention era.	Circ J.	75	315-321	2011
Wada T, Abe M, Yagi N, Kokubu N, Kasahara Y, Kataoka Y, Otsuka Y, Goto Y, Nonogi H.	Coronary vasospasm secondary to allergic reaction following food ingestion: a case of type I variant Koumis syndrome.	Heart Vessels.	25	263-266	2010
Nagaoka I, Shimizu W, Itoh H, Yamamoto S, Sakaguchi T, Oka Y, Tsuji K, Ashihara T, Ito M, Yoshida H, Ohno S, Makiyama T, Miyamoto Y, Noda T, Kamakura S, Akao M, Horie M.	Mutation site dependent variability of cardiac events in Japanese LQT2 form of congenital long-QT syndrome.	Circ J.	72(5)	694-699	2008 May
Sakaguchi T, Shimizu W, Itoh H, Noda T, Miyamoto Y, Nagaoka I, Oka Y, Ashihara T, Ito M, Tsuji K, Ohno S, Makiyama T, Kamakura S, Horie M.	Age- and genotype-specific triggers for life-threatening arrhythmia in the genotyped long QT syndrome.	J Cardiovasc Electrophysiol.	19(8)	794-799	2008 Aug
Okada S, Makino H, Nagumo A, Sugisawa T, Fujimoto M, Kishimoto I, Miyamoto Y, Kikuchi-Taura A, Soma T, Taguchi A, Yoshimasa Y.	Circulating CD34-positive cell number is associated with brain natriuretic peptide level in type 2 diabetic patients.	Diabetes Care	31(1)	157-158	2008 Jan
*Miyamoto Y, Morisaki H, Kokubo Y, Yamanaka I, Tomoike H, Okayama A, Yoshimasa Y, Morisaki T.	Resistin gene variations are associated with the metabolic syndrome in Japanese men.	Obes Res Clin Pract.	3	65-74	2009

* Miyamoto Y, Morisaki H, Yamanaka I, Kokubo Y, Masuzaki H, Okayama A, Tomoike H, Nakao K, Okamura T, Yoshimasa Y, Morisaki T.	Association study of 11 β -hydroxysteroid dehydrogenase type 1 gene polymorphisms and metabolic syndrome in urban Japanese cohort.	Diabetes Res Clin Pract.	85	132-138	2009
* Okamura T, Kokubo Y, Watanabe M, Higashiyama A, Ono Y, Miyamoto Y, Yoshimasa Y, Okayama A.	Triglycerides and non-high-density lipoprotein cholesterol and the incidence of cardiovascular disease in an urban Japanese cohort: the Suita study.	Atherosclerosis.	209(1)	290-294	2010
* Sugisawa T, Kishimoto I, Kokubo Y, Makino H, Miyamoto Y, Yoshimasa Y	Association of plasma B-type natriuretic peptide levels with obesity in a general urban Japanese population: the Suita study	Endocrine Journal	57(8)	727-733	2010
* Kokubo Y, Okamura T, Watanabe M, Higashiyama A, Ono Y, Miyamoto Y, Furukawa Y, Kamide K, Kawanishi K, Okayama A, Yoshimasa Y	The combined impact of blood pressure category and glucose abnormality on the incidence of cardiovascular diseases in a Japanese urban cohort: the Suita study	Hypertension Research	33	1238-1243	2010
Mishima T, Iwabuchi K, Fujii S, Tanaka S, Ogura H, Watano-Miyata K, Ishimori N, Andoh Y, Nakai Y, Iwabuchi C, Ato M, Kitabatake A, Tsutsui H, Onoe K.	Allograft inflammatory factor-1 augments macrophage phagocytotic activity and accelerates the progression of atherosclerosis in ApoE ^{-/-} mice.	Int J Mol Med.	21(2)	181-187	2008
Sato Y, Dong J, Imagawa S, Ishimori N, Furumoto T, Tsutsui H, Sobel BE, Fujii S.	Impact of statins on modulation by insulin of expression of plasminogen activator inhibitor type-1.	Coron Artery Dis.	19(5)	355-361	2008
Dong J, Ishimori N, Paigen B, Tsutsui H, Fujii S.	Role of modulator recognition factor 2 in adipogenesis and leptin expression in 3T3-L1 cells.	Biochem Biophys Res Commun.	366(2)	551-555	2008

筒井裕之	高血圧に心疾患を合併する病態と治療	循環plus	8(11)	2-6	2008
石森直樹, 筒井裕之	高コレステロール血症・高LDL血症	臨牀と研究	85(8)	7-10	2008
石森直樹, 川嶋 望, 筒井裕之	大規模臨床試験 心筋梗塞 PROVE-J試験	日本臨牀	66(増刊号8)	347-351	2008
川嶋 望, 後藤大祐, 相馬孝光, 筒井裕之	虚血性心疾患の臨床的特徴	日本臨牀,	66(増刊号9)	354-357	2008
筒井裕之	心血管リスクとしての慢性腎臓病	看護学雑誌	72(12)	1030-1032	2008
Kishimoto N, Okita K, Takada S, Sakuma I, Saijo Y, Chiba H, Ishii K, Kishi R, Tsutsui H.	Lipoprotein metabolism, insulin resistance, and adipocytokine levels in Japanese female adolescents with a normal body mass index and high body fat mass.	Circ J.	73(3)	534-539	2009
Naya M, Tsukamoto T, Morita K, Katoh C, Nishijima K, Komatsu H, Yamada S, Kuge Y, Tamaki N, Tsutsui H.	Myocardial beta-adrenergic receptor density assessed by 11C-CGP12177 PET predicts improvement of cardiac function after carvedilol treatment in patients with idiopathic dilated cardiomyopathy.	J Nucl Med.	50(2)	220-225	2009
Suga T, Okita K, Morita N, Yokota T, Hirabayashi K, Horiuchi M, Takada S, Takahashi T, Omokawa M, Kinugawa S, Tsutsui H.	Intramuscular metabolism during low-intensity resistance exercise with blood flow restriction.	J Appl Physiol.	106	1119-1124	2009
Tsuchihashi-Makaya M, Hamaguchi S, Kinugawa S, Yokota T, Goto D, Yokoshiki H, Kato N, Takeshita A, Tsutsui H, JCARE-CARD Investigators.	Characteristics and outcomes of hospitalized patients with heart failure and reduced vs preserved ejection fraction. Report From the Japanese Cardiac Registry of Heart Failure in Cardiology (JCARE-CARD).	Circ J.	73(10)	1893-1900	2009

Satoh H, Kishi R, Tsutsui H.	Metabolic syndrome is a significant and independent in Japanese Subjects.	Hypertens Res.	32	1067-1071	2009
Ohmura K, Ishimori N, Ohmura Y, Tokuhara S, Nozawa A, Horii S, Andoh Y, Fujii S, Iwabuchi K, Onoe K, Tsutsui H.	Natural killer T cells are involved in adipose tissues inflammation and glucose intolerance in diet-Induced obese mice.	Arterioscler Thromb Vasc Biol.	30(2)	193-199	2010
*Hamaguchi S, Furumoto T, Tsuchihashi-Makaya M, Goto K, Goto D, Yokota T, Kinugawa S, Yokoshiki H, Takeshita A, Tsutsui H, JCARE-CARD Investigators.	Hyperuricemia predicts adverse outcomes in patients with heart failure.	Int J Cardiol.			2010
*Oyama N, Goto D, Sasaki T, Tsutsui H, Tamaki N, Terae S, Shirato H.	64-Slice MDCT imaging of endocardial cushion defect associated with other cardiac and extracardiac abnormalities	J Cardiovasc Comput Tomogr.	4(3)	218-220	2010
Hamaguchi S, Tsuchihashi-Makaya M, Kinugawa S, Goto D, Yokota T, Goto K, Yamada S, Yokoshiki H, Takeshita A, Tsutsui H, JCARE-CARD Investigators.	Body mass index is an independent predictor of long-term outcomes in patients hospitalized with heart failure in Japan.	Circ J.	74(12)	2605-2611	2010
Hamaguchi S, Kinugawa S, Tsuchihashi-Makaya M, Goto K, Goto D, Yokota T, Yamada S, Yokoshiki H, Takeshita A, Tsutsui H.	Spirolactone use at discharge was associated with improved survival in hospitalized patients with systolic heart failure.	Am Heart J.	160(6)	1156-1162	2010
Ikeda A, Konta T, Takasaki S, Hao Z, Suzuki K, Sato H, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I.	In a non-diabetic Japanese population, the combination of macroalbuminuria and increased urine beta 2-microglobulin predicts a decline of renal function: the Takahata study	Nephrol Dial Transplant.	24(3)	841-847	2009 Mar

Ishino M, Takeishi Y, Niizeki T, Watanabe T, Nitobe J, Miyamoto T, Miyashita T, Kitahara T, Suzuki S, Sasaki T, Bilim O, Kubota I.	Risk stratification of chronic heart failure patients by multiple biomarkers: implications of BNP, H-FABP, and PTTX3.	Circ J.	72(11)	1800-1805	2008 Nov
Niizeki T, Takeishi Y, Watanabe T, Nitobe J, Miyashita T, Miyamoto T, Kitahara T, Suzuki S, Sasaki T, Bilim O, Ishino M, Kubota I.	Relation of serum heart shock protein 60 level to severity and prognosis in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy.	Am J Cardiol.	102(5)	606-610	2008 Sep
Shibata Y, Abe S, Inoue S, Takabatake N, Igarashi A, Takeishi Y, Sata M, Kubota I.	Altered expression of antimicrobial molecules in cigarette smoke-exposed emphysematous mice lungs.	Respirology	13(7)	1061-1065	2008 Nov
Arimoto T, Sukekawa H, Harada M, Takayama S, Ikeno E, Nisugi K, Takeishi Y, Kubota I.	Short cardiac iodine-123-metaiodobenzylguanidine imaging protocol in heart failure.	Circ J.	72(7)	1106-1111	2008 Jul
Kitahara T, Takeishi Y, Harada M, Niizeki T, Suzuki S, Sasaki T, Ishino M, Bilim O, Nakajima O, Kubota I.	High-mobility group box 1 restores cardiac function after myocardial infarction in transgenic mice.	Cardiovasc Res.	80(1)	40-46	2008 Oct
Okuyama H, Hirono O, Tamura H, Nishiyama S, Takeishi Y, Kayama T, Kubota I.	Usefulness of intensity variation in the left atrial appendage with contrast echocardiography to predict ischemic stroke recurrence in patients with atrial fibrillation.	Am J Cardiol.	101(11)	1630-1637	2008 Jun
Tokairin Y, Shibata Y, Sata M, Abe S, Takabatake N, Igarashi A, Ishikawa T, Inoue S, Kubota I.	Enhanced immediate inflammatory response to streptococcus pneumoniae in the lungs of mice with pulmonary emphysema.	Respirology	13(3)	324-332	2008 May
Arimoto T, Sukekawa H, Takayama S, Ikeno E, Takeishi Y, Kubota I.	Electroanatomical mapping in partial atrial standstill for visualization of atrial viability and a suitable pacing site.	Pacing Clin Electrophysiol.	31(4)	509-512	2008 Apr

Ishikawa M, Konta T, Hao Z, Takasaki S, Abiko H, Takahashi T, Ikeda A, Ichikawa K, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I.	Relationship between antinuclear antibody and microalbuminuria in the general population: the Takahata study.	Clin Exp Nephrol.	12(3)	200-206	2008 Jun
Niizeki T, Takeishi Y, Kitahara T, Arimoto T, Ishino M, Bilim O, Suzuki S, Sasaki T, Nakajima O, Walsh RA, Goto K, Kubota I.	Diacylglycerol kinase- ϵ restores cardiac dysfunction under chronic pressure overload: a new specific regulator of G α signaling cascade.	Am J Physiol Heart Circ Physiol.	295(1)	H245-H255	2008 Jul
* Niizeki T, Takeishi Y, Kitahara T, Suzuki S, Sasaki T, Ishino M, Kubota I.	Combination of conventional biomarkers for risk stratification in chronic heart failure.	J Cardiol.	53(2)	179-187	2009
Abiko H, Konta T, Hao Z, Takasaki S, Suzuki K, Ichikawa K, Shibata Y, Takeishi Y, Kawata S, Kato T, Kubota I.	Factors correlated with plasma renin activity in general Japanese population.	Clin Exp Nephrol.	13(2)	130-137	2009
Takabatake N, Toriyama S, Igarashi A, Tokairin Y, Takeishi Y, Konta T, Inoue S, Abe S, Shibata Y, Kubota I.	A novel polymorphism in CDC6 is associated with the decline in lung function of ex-smokers in COPD.	Biochem Biophys Res Commun.	381(4)	554-559	2009
Kaneko K, Hirono O, Yuuki K, Tamura H, Ishino M Daidouji H, Ito H, Kubota I.	Complete atrioventricular block due to venous stent migration from innominate vein to right ventricle: A case report.	J Cardiol.	53(3)	453-457	2009
Ichikawa K, Konta T, Emi M, Toriyama S, Takasaki S, Ikeda A, Shibata Y, Takabatake N, Takeishi Y, Kato T, Kawata S, Kubota I.	Genetic polymorphisms of paraoxonase-1 are associated with chronic kidney disease in Japanese Women.	Kidney Int.	76(2)	183-189	2009
Igarashi A, Shibata Y, Yamauchi K, Osaka D, Takabatake N, Abe S, Inoue S, Kimura T, Yamaguchi Y, Ishizaki J, Hanasaki K, Kubota I.	Gly80Ser polymorphism of phospholipase A2-IIID is associated with cytokine inducibility in A549 cells.	Respiration	78(3)	312-321	2009
Suzuki K, Konta T, Takasaki S, Ikeda A, Ichikawa K, Sato H, Shibata Y, Watanabe T, Kato T, Kawata S, Kubota I.	High variability of albuminuria in nondiabetic population: the Takahata Study.	Clin Exp Nephrol.	13(5)	452-459	2009

Takasaki S, Konta T, Shiomi K, Kubota I.	Quiz page October 2009. Tetramine poisoning. Neurologic symptoms in a dialysis patients after ingesting seafood.	Am J Kidney Dis.	54(4)	A37-39	2009
Yamauchi K, Shibata Y, Kimura T, Abe S, Inoue S, Osaka D, Sato M, Igrashi A, Kubota I.	Azithromycin suppresses interleukin-12p40 expression in lipopolysaccharide and interferon- γ stimulated macrophages.	Int J Biol Sci.	5(7)	667-678	2009
Tamura H, Watanabe T, Nishiyama S, Sasaki S, Arimoto T, Takahashi H, Shishido T, Miyashita T, Miyamoto T, Nitobe J, Hirono O, Kubota I.	Increased left atrial volume index predicts a poor prognosis in patients with heart failure.	J Card Fail.	17(3)	210-216	2011
Kutsuzawa D, Arimoto T, Watanabe T, Nitobe J, Miyamoto T, Miyashita T, Shishido T, Takahashi H, Nishiyama S, Kubota I.	Persistent abnormal value of late potential in Brugada syndrome associated with hypokalemia.	Ann Noninvasive Electrocardiol.	16(1)	104-106	2011
* Katoh S, Shishido T, Kutsuzawa D, Arimoto T, Netsu S, Funayama A, Ishino M, Niizeki T, Nishiyama S, Takahashi H, Miyashita T, Miyamoto T, Nitobe J, Watanabe T, Kubota I.	Iodine-123-metiodobenzylguanidine imaging can predict future cardiac events in heart failure patients with preserved ejection fraction.	Ann Nucl Med.	24(9)	679-686	2010
Bilim O, Takeishi Y, Kitahara T, Ishino M, Sasaki T, Suzuki S, Shishido T, Kubota I.	Serum YKL-40 predicts adverse clinical outcomes in patients with chronic heart failure.	J Card Fail.	16(11)	873-879	2010
Hasegawa H, Arimoto T, Iwayama T, Kutsuzawa D, Nishiyama S, Nitobe J, Watanabe T, Sadahiro M, Kubota I.	Images in cardiovascular medicine. Silent myocardial ischemia in adult Bland-White-Garland syndrome.	Circ J.	74(10)	2239-2240	2010
* Nishiyama S, Watanabe T, Arimoto T, Takahashi H, Shishido T, Miyashita T, Miyamoto T, Nitobe J, Shibata Y, Konta T, Kawata S, Kato T, Fukao A, Kubota I.	Trends in coronary risk factors among patients with acute myocardial infarction over the last decade: the Yamagata AMI registry.	J Atheroscler Thromb.	17(9)	989-998	2010

Tamura H, Watanabe T, Hirono O, Nishiyama S, Sasaki S, Shishido T, Miyashita T, Miyamoto T, Nitobe J, Kayama T, Kubota I.	Low wall velocity of left atrial appendage measured by trans-thoracic echocardiography predicts thrombus formation caused by atrial appendage dysfunction.	J Am Soc Echocardiogr.	23(5)	545-552	2010
佐久間亨, 阿南郁子, 福田国彦	Beyond 64-slice MDCT Dual Source CT.	日獨医報	55	36-42	2010
Ota M, Anan I, Morimoto S, Minai K, Komukai K, Ogawa T, Kawai M, Hongo K.	Severe lasting coronary spasm detected by multi-detector row computed tomography.	International Journal of Cardiology	in press		2010
Umehara M, Yamaguchi A, Itakura S, Suenaga M, Sakaki Y, Nakashiki K, Miyata M, Tei C.	Repeated Waon therapy improves pulmonary hypertension during exercise in patients with severe chronic obstructive pulmonary disease.	Journal of Cardiology	51	106-113	2008
Miyata M, Kihara T, Kubozono T, Ikeda Y, Shinsato T, Izumi T, Matsuzaki M, Yamaguchi T, Kasanuki H, Daida H, Nagayama M, Nishigami K, Hirata K, Kihara K, Tei C.	Beneficial effects of Waon therapy on patients with chronic heart failure: Results of a prospective multicenter study.	Journal of Cardiology	52	79-85	2008
Kihara T, Fukudome T, Ikeda Y, Shinsato T, Kubozono T, Fujita S, Kuwahata S, Hamasaki S, Torii H, Lee S, Toda H, Tei C.	Waon Therapy Improves the Prognosis of Patients with Chronic Heart Failure.	Journal of Cardiology accepted 7 Nov 2008 (in press)			
Eto H, Miyata M, Shirasawa T, Akasaki Y, Hamada N, Nagaki A, Orihara K, Biro S, Tei C.	The long-term effect of angiotensin II type 1a receptor deficiency on hypercholesterolemia-induced atherosclerosis.	Hypertens Res.	31	1631-1642	2008
Kajiya T, Orihara K, Hamasaki S, Oba R, Hirai H, Nagata K, Kumagai T, Ishida S, Oketani N, Ichiki H, Kuwahata S, Fujita S, Uemura N, Tei C.	Toll-like receptor 2 expression level on monocytes in patients with viral infections: monitoring infection severity.	J Infect.	57	249-259	2008

Kim WS, Minagoe S, Mizukami N, Zhou X, Yoshinaga K, Takasaki K, Yuasa T, Kihara K, Hamasaki S, Otsuji Y, Kisanuki A, Tei C.	No reflow-like pattern in intramyocardial coronary artery suggests myocardial ischemia in patients with hypertrophic cardiomyopathy.	J Cardiol.	52	7-16	2008
Matsushita T, Ishida S, Oketani N, Ichiki H, Ninomiya Y, Hamasaki S, Tei C.	A technique for diagnosis of accessory pathway using the H-H and A-A intervals of the first entrained cycle during ventricular overdrive pacing.	Am J Cardiol.	102	197-202	2008
*Ninomiya Y, Hamasaki S, Saihara K, Ishida S, Kataoka T, Ogawa M, Orihara K, Oketani N, Fukudome T, Okui H, Ichiki T, Shinsato T, Kubozono T, Mizoguchi E, Ichiki H, Tei C.	Comparison of effect between nitrates and calcium channel antagonist on vascular function in patients with normal or mildly diseased coronary arteries.	Heart Vessels	23	83-90	2008
Okui H, Hamasaki S, Ishida S, Kataoka T, Orihara K, Fukudome T, Ogawa M, Oketani N, Saihara K, Shinsato T, Shirasawa T, Mizoguchi E, Kubozono T, Ichiki H, Ninomiya Y, Matsushita T, Nakasaki M, Tei C.	Adiponectin is a better predictor of endothelial function of the coronary artery than HOMA-R, body mass index, immunoreactive insulin, or triglycerides.	Int J Cardiol.	126	53-61	2008
Ichiki H, Hamasaki S, Nakasaki M, Ishida S, Yoshikawa A, Kataoka T, Ogawa M, Saihara K, Okui H, Orihara K, Shinsato T, Oketani N, Shirasawa T, Ninomiya Y, Kuwahata S, Fujita S, Takumi T, Iriki Y, Yoshino S, Matsushita T, Tei C.	Relationship between hyperglycemia and coronary vascular resistance in non-diabetic patients.	Int J Cardiol. (in press)			

Shirasawa T, Miyata M, Eto H, Hamada N, Akasaki Y, Miyauchi T, Furusho Y, Orihara K, Hamasaki S, Aronow BJ, Smith JD, Tei C.	Deficiency of clusterin inhibits neointimal hyperplasia after vascular injury.	J Atheroscler Thromb.	16	772-781	2009
Kubozono T, Miyata M, Ueyama K, Nagaki A, Hamasaki S, Kusano K, Kubozono O, Tei C.	Association between arterial stiffness and estimated glomerular filtration rate in the Japanese general population.	J Atheroscler Thromb.	16	840-845	2009
Ueyama K, Miyata M, Kubozono T, Nagaki A, Hamasaki S, Ueyama S, Tei C.	Noninvasive indices of arterial stiffness in hemodialysis patients.	Hypertens Res.	32	716-720	2009
*Hamada N, Miyata M, Eto H, Shirasawa T, Akasaki Y, Nagaki A, Tei C.	Tacrolimus-eluting stent inhibits neointimal hyperplasia via calcineurin/NFAT signaling in porcine coronary artery model.	Atherosclerosis	208	97-103	2010
Saijara K, Hamasaki S, Ishida S, Kataoka T, Yoshikawa A, Orihara K, Ogawa M, Oketani N, Fukudome T, Atsuchi N, Shinsato T, Okui H, Kubozono T, Ichiki H, Kuwahata S, Mizoguchi E, Fujita S, Takumi T, Ninomiya Y, Tomita K, Tei C.	Enjoying hobbies is related to desirable cardiovascular effects.	Heart Vessels	25	113-120	2010
*Ichiki H, Hamasaki S, Nakasaki M, Ishida S, Yoshikawa A, Kataoka T, Ogawa M, Saihara K, Okui H, Orihara K, Shinsato T, Oketani N, Shirasawa T, Ninomiya Y, Kuwahata S, Fujita S, Takumi T, Iriki Y, Yoshino S, Matsushita T, Tei C.	Relationship between hyperglycemia and coronary vascular resistance in non-diabetic patients.	Int J Cardiol.	141	44-48	2010
Kuwahata S, Fujita S, Orihara K, Hamasaki S, Oba R, Hirai H, Nagata K, Ishida S, Kataoka T, Oketani N, Ichiki H, Iriki Y, Saihara K, Okui H, Ninomiya Y, Tei C.	High expression level of Toll-like receptor 2 on monocytes is an important risk factor for arteriosclerotic disease.	Atherosclerosis	209	248-254	2010

Kuwahata S, Hamasaki S, Ishida S, Kataoka T, Yoshikawa A, Orihara K, Ogawa M, Oketani N, Saihara K, Okui H, Shinsato T, Kubozono T, Ichiki H, Fujita S, Takumi T, Yoshino S, Nakazaki M, Miyata M, Tei C.	Effect of uric acid on coronary microvascular endothelial function in women: association with eGFR and ADMA.	J Atheroscler Thromb.	17	259-269	2010
Ishikane S, Ohnishi S, Yamahara K, Sada M, Harada K, Mishima K, Iwasaki K, Fujiwara M, Kitamura S, Nagaya N, Ikeda T.	Allogenic Injection of Fetal Membrane-Derived Mesenchymal Stem Cells Induces Therapeutic Angiogenesis in a Rat Model of Hind Limb Ischemia.	Stem cells	26	2625-2633	2008
* Kamiya C, Nakatani S, Hashimoto S, Masuda Y, Neki R, Ikeda T.	Role of Echocardiography in Assessing Pregnant Women With and Without Heart Disease.	Journal of echocardiography	Vol.6, No.2	29-38	2008
池田智明, 根木玲子	先天性心疾患と妊娠—どこまで可能になったか— — 進歩する心臓研究—	Tokyo Heart Journal通巻52号	Vol. X X VIII No.2	26-35	2008
根木玲子, 池田智明	先天性心疾患の妊娠・出産のリスクと管理	Heart View	Vol.12 No.10	72-75	2008
桂木真司, 池田智明	分娩監視装置モニターの読み方—分娩時リアルタイムマネージメント—	臨床婦人科産科永井書店	vol.96	271-277	2008
* Wang D, Crotti L, Shimizu W, Pedrazzini M, Cantu F, Filippo P, Kishiki K, Miyazaki A, Ikeda T, Schwartz P, Alfred L, George Jr.	Malignant Perinatal Variant of long-QT Syndrome Caused by a Profoundly Dysfunctional Cardiac Sodium Channel	Circ Arrhythmia Electrophysiol.	1	370-378	2008
池田智明, 根木玲子, 菅幸 恵, 高橋 淳, 飯原弘二, 宮本 亨	もやもや病における硬膜外麻酔下無痛分娩	脳神経外科ジャーナル	18(5)	376-382	2009
池田智明	胎児機能不全—実例と解説—	日本産科婦人科学会雑誌	61(7)	1306-1316	2009

池田智明	産科医と麻酔科医のさらなる連携の 為に:母体死亡研究班の成果と新しい 胎児心拍数パターン評価法	麻酔	58	S21-S31	2009
池田智明	心臓病をもった女性の妊娠と分娩	心臓・日本心臓財団	41(4)	377	2009
池田智明, 菅 幸恵	胎児心拍数モニターの意義一過去か ら現在までを振り返って	臨床検査	53(4)	409-415	2009
Okamura T, Watanabe M.	The relationship between white blood cell count and risk of hypertension in populations with high prevalence of smoking.	Hypertens Res.	31(7)	1279-81	2008
岡村智教, 東山 綾	心血管イベントにおける危険因子と は? -NIPPON DATA80より-	Vascular Medicine	4(3)	198-203	2008
Okamura T, Higashiyama A.	Risk-prediction tools for cardiovascular disease based on Japanese cohort studies.	Hypertens Res.	32	1053-1054	2009
*Okamura T, Kokubo Y, Watanabe M, Higashiyama A, Miyamoto Y, Yoshimasa Y, Okayama A.	Low-density lipoprotein cholesterol and non-high-density lipoprotein cholesterol and the incidence of cardiovascular disease in an urban Japanese cohort study: The Suita study.	Atherosclerosis	203	587-592.	2009
*Higashiyama A, Okamura T, Ono Y, Watanabe M, Kokubo Y, Okayama A.	Risk of Smoking and Metabolic Syndrome for Incidence of Cardiovascular Disease Comparison of Relative Contribution in Urban Japanese Population: The Suita Study	Circ J.	73	2258-2263	2009
Kokubo Y, Kamide K, Okamura T, Watanabe M, Higashiyama A, Kawanishi K, Okayama A, Kawano Y.	Impact of high-normal blood pressure on the risk of cardiovascular disease in a Japanese urban cohort: the Suita study.	Hypertension	52(4)	652-9	2008 Oct

Fujii H, Takiuchi S, Kawano Y, Fukagawa M.	Putative role of asymmetric dimethylarginine in microvascular disease of kidney and heart in hypertensive patients.	Am J Hypertens.	21(6)	650-6	2008 Jun
Kawano Y, Horio T, Matayoshi T, Kamide K.	Masked hypertension: subtypes and target organ damage.	Clin Exp Hypertens.	30(3)	289-96	2008 Apr
Iwashima Y, Horio T, Kamide K, Rakugi H, Ogiwara T, Kawano Y.	Pulmonary venous flow and risk of cardiovascular disease in essential hypertension.	J Hypertens.	26(4)	798-805	2008 Apr
Niizuma S, Takiuchi S, Okada S, Horio T, Kamide K, Nakata H, Yoshihara F, Nakamura S, Kawano Y, Nakahama H, Iwanaga Y, Nakatani S.	Decreased coronary flow reserve in haemodialysis patients.	Nephrol Dial Transplan.	23(7)	2324-2328	2008 Jul Epub 2008 Jan 30
Nishida H, Horio T, Suzuki Y, Iwashima Y, Kamide K, Kangawa K, Kawano Y.	Plasma adrenomedullin as an independent predictor of future cardiovascular events in high-risk patients: comparison with C-reactive protein and adiponectin.	Peptides	29(4)	599-605	2008 Apr
Nakamura S, Ishibashi-Ueda H, Suzuki C, Nakata H, Yoshihara F, Nakahama H, Kawano Y.	Renal artery stenosis and renal parenchymal change in patients with abdominal aortic aneurysm proven by autopsy.	Kidney Blood Pres Res.	32	11-16	2009
Kamide K, Yang J, Matayoshi T, Takiuchi S, Horio T, Yoshii M, Miwa Y, Yasuda H, Yoshihara F, Nakamura S, Nakahama H, Kawano Y.	Genetic polymorphisms of L-type calcium channel $\alpha 1C$ and $\alpha 1D$ subunit genes are associated with sensitivity to the antihypertensive effect of L-type dihydropyridine calcium channel blockers.	Circ J.	73	732-740	2009