

III 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表・平成20-22年度

雑誌

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|--|------------------------------|-------|-------------|------|
| Yoshiga, Y., Goto, D., Segawa, S., Horikoshi, M., Hayashi, T., Matsumoto, I., Ito, S., Taniguchi, S., and Sumida, T. | Activation of natural killer T cells by α -carba-GalCer (RCAI-56), a novel synthetic glycolipid ligand, suppresses murine collagen-induced arthritis. | Clin. Exp. Immunol. | | in press | |
| Segawa, S., Goto, D., Yoshiga, Y., Horikoshi, M., Sugihara, M., Hayashi, T., Chino, Y., Matsumoto, I., Ito, S., and Sumida, T. | NK1.1+ gdT cells attenuates IL-18 plus IL-2-induced murine interstitial lung disease. | Am. J. Res. Cell. Mol. Biol. | | in press | |
| Hikami, K., Kawasaki, A., Koga, M., Ito, S., Hayashi, T., Matsumoto, I., Tsutsumi, A., Kusaoi, M., Takasaki, Y., Hashimoto, H., Arinami, T., Sumida, T., and Tsuchiya, N. | Association of a functional polymorphism in the 3' untranslated region of SP11 with systemic lupus erythematosus. | Arthritis Rheum. | | in press | |
| Kawasaki, A., Ito, S., Furukawa, H., Hayashi, T., Goto, D., Matsumoto, I., Ohashi, J., Graham, R.R., Matsuta, K., Behrens, T.W., Tohma, S., Takasaki, Y., Hashimoto, H., Sumida, T., and Tsuchiya, N. | Association of TNFAIP3 interacting protein 1, TNIP1 with systemic lupus erythematosus in a Japanese population: a case-control association study. | Arthritis Reas. Ther. | 12(5) | R174 | 2010 |
| Iizuka, M., Wakamatsu, E., Matsumoto, I., Tsuboi, H., Nakamura, Y., Hayashi, T., Goto, D., Ito, S., and Sumida, T. | M3 muscarinic acetylcholine receptor reactive immune response induces Sjogren's syndrome-like sialoadenitis. | J. Autoimmunity | 35 | 383-389 | 2010 |
| Shen, N., Fu, Q., Deng, Y., Qian, X., Zhao, J., Kaufman, K.M., Tang, Y., Chen, J-Y, Yang, W., Wong, M., Kawasaki, A., Tsuchiya, N., Sumida, T., Kawaguchi, Y., Yum C-Y, Takasaki, Y., Hashimoto, H., Harley, J.B., Guthridge, J.M., Grossman, J.M., Cantor, R.M., Song, Y.W., Bae, S., Cehn, S, Hahn, B.H., Lau, Y.L., and Tsao, B.P. | Gender specific association of X-linked TLR7 with male systemic lypus erythematosus. | Proc. Natl. Acad. Sci. | 107 | 15838-15843 | 2010 |
| Tsuboi, H., Matsumoto, I., Wakamatsu, E., Iizuka, M., Nakamura, Y., Hayashi, T., Goto, D., Ito, S., and Sumida, T. | The new epitopes of anti-M3 muscarinic acetylcholine receptor antibodies in patients with Sjogren's syndrome. | Clin. Exp. Immunol. | 162 | 53-61 | 2010 |
| Sumida, T., Tsuboi, H., Iizuka, M., Nakamura, Y., and Matsumoto, I. | Functionla role of M3 muscarinic acetylcholine receptor (m3R) reactive T cells and anti-M3R autoantibodies in patients with Sjogren's syndrome. | Autoimmunity Reviews | 9 | 615-617 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|---|----------------------|-----|---------|------|
| Tashiro, T., Nakagawa, R., Inoue, S., Omori-Miyake, M., Chiba, T., Fujii, S-I, Shimizu, K., Mori, K., Yoshiga, Y., <u>Sumida, T.</u> , Watarai, H., and Taniguchi, M. | Induction of Th1-biased cytokine production by α -carba-GalCer, a neoglycolipid ligand for natural killer T cells. | Int. Immunol. | 22 | 319-328 | 2010 |
| Segawa, S., Goto, D., Yoshiga, Y., Sugihara, M., Hayashi, T., Chino, Y., Matsumoto, I., Ito, S., Ito, S., and <u>Sumida, T.</u> | Inhibition of TGF- β signaling attenuates IL-18 plus IL-2-induced interstitial lung disease. | Clin. Exp. Immunol. | 160 | 394-402 | 2010 |
| Chen, Q., Lamphier, M., Muramoto, K., Ding, Y., Ynag, H., Mackey, M., Li, W., Liu, D., Inoue, Y., Massaki, N., Patel, T., Groom, A., Reynolds, D., Perron, S., Shiota, H., Matsumoto, I., <u>Sumida, T.</u> , Spyvec, M., Schiller, S., ZGusovsky, F., and Marc, K. | Prostaglandin E2 stimulation of EP4 promotes Th1 differentiation and Th17 expansion and is critical for autoimmune disease. | Br. J. Pharmacol. | 160 | 292-310 | 2010 |
| Iwanami, K., Matsumoto, I., Tanaka, Y., Inoue, A., Minami, R., Hayashi, T., Goto, D., Ito, S., Nishimura, Y., and <u>Sumida, T.</u> | Altered peptide ligands inhibit glucose-6-phosphate isomerase (GPI) peptide-induced arthritis. | Arthritis Res. Ther. | 11 | R167 | 2009 |
| Wang, Y., Ito, S., Chino, Y., Goto, D., Matsumoto, I., Murata, H., Tsutsumi, A., Uchida, K., Usui, J., Yamagata, K., and <u>Sumida, T.</u> | Analysis of cytokine balance in lupus nephritis by laser-microdissection. | Clini. Exp. Immunol. | 159 | 1-10 | 2009 |
| Inoue, A., Matsumoto, I., Tanaka, Y., Iwanami, K., Goto, D., Ito, S., and <u>Sumida, T.</u> | Role of tumor necrosis factor- α - induced adipose-related protein in autoimmune arthritis. | Arthritis Res. Ther. | 11 | R118 | 2009 |
| Segawa, S., Goto, D., Yoshiga, Y., Hayashi, T., Matsumoto, I., Ito, S., and <u>Sumida, T.</u> | The decrement of soluble CD1d proteins affects the function of NKT cells in patients with rheumatoid arthritis. | Int. J. Mol. Med. | 24 | 481-486 | 2009 |
| Tanaka, Y., Matsumoto, I., Iwanami, K., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and <u>Sumida, T.</u> | B cells have crucial role as autoantibody producers in arthritis mediated by glucose-6-phosphate isomerase. | Clin. Exp. Immunol. | 155 | 285-294 | 2009 |
| Ito, I., Kawasaki, A., Ito, S., Hayashi, T., Goto, D., Matsumoto, I., Tsutsumi, A., Hom, G., Graham, R.R., Takasaki, Y., Hashimoto, H., Ohashi, J., Behrens, T.W., <u>Sumida, T.</u> , and Tsuchiya, N. | Replication of the association between C8orf13-BLK region and systemic lupus erythematosus in a Japanese population. | Arthritis Rheum. | 60 | 553-558 | 2009 |
| Iwanami, K., Matsumoto, I., Tanaka, Y., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and <u>Sumida, T.</u> | Arthrogenic T cell epitope in glucose-6-phosphate isomerase (GPI)-induced arthritis. | Arthritis Res. Ther. | 10 | R130 | 2008 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|---|-----------------------------|-----|-------------|------|
| Kawasaki, A., Ito, I., Hikami, K., Ohashi, J., Hayashi, T., Goto, D., Matsumoto, I., Ito, S., Tsutsumi, A., Koga, M., Arinami, T., Graham, R. R., Hom, G., Takasaki, Y., Hashimoto, H., Behrens, T.W., <u>Sumida, T.</u> , and Tsuchiya, N. | Association of STAT4 polymorphisms with systemic lupus erythematosus in a Japanese population. | Arthritis Res. Ther. | 10 | R113 | 2008 |
| Matsumoto, I., Zhang, H., Yasukochi, T., Iwanami, K., Tanaka, Y., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and <u>Sumida, T.</u> | Therapeutic effects of antibodies to TNF α and IL-6 and CTLA-4 Ig in mice with glucose-6-phosphate isomerase-induced arthritis. | Arthritis Res. Ther. | 10 | R66 | 2008 |
| Yoshiga, Y., Goto, D., Segawa, S., Ohnishi, Y., Matsumoto, I., Ito, S., Tsutsumi, A., Taniguchi, M., and <u>Sumida, T.</u> | NKT cells are novel accelerator of IL-17 in the pathogenesis of collagen-induced arthritis. | Int. J. Mol. Med. | 22 | 369-374 | 2008 |
| Iwanami, K., Matsumoto, I., Watanabe, Y., Mihara, M., Ohsugi, Y., Mamura, M., Goto, D., Ito, S., Tsutsumi, A., Kishimoto, T., and <u>Sumida, T.</u> | Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase. | Arthritis Rheum. | 58 | 754-763 | 2008 |
| Matsui, H., Tsutsumi, A., Sugihara, M., Suzuki, T., Iwanami, K., Kohno, M., Goto, D., Matsumoto, I., Ito, S., and <u>Sumida, T.</u> | Expression of Visfatin (pre-B cell colony-enhancing factor) gene in patients with rheumatoid arthritis. | Ann. Rheum. Dis. | 67 | 571-572 | 2008 |
| Nakamura, Y., Wakamatsu, E., Tomiita, M., Kohno, Y., Yokoka, J., Goto, D., Ito, S., Matsumoto, I., Tsutsumi, A., and <u>Sumida, T.</u> | High prevalence of autoantibodies to muscarinic 3 acetylcholine receptor in patients with juvenile Sjogren's syndrome. | Ann. Rheum. Dis. | 67 | 136-137 | 2008 |
| Kiwamoto T, Ishii Y, Morishima Y, Yoh K, Kikuchi N, Haraguchi N, Masuko H, Kawaguchi M, Nomura A, Sakamoto T, <u>Takahashi S.</u> , and Hizawa N. | Blockade of cysteinyl leukotriene-1 receptors efficaciously suppresses airway remodeling in Th2-biased mice. | Clin. Exp. Allergy. | 41 | 116-128 | 2011 |
| Li, Y.J., Takizawa, H., Azuma, A., Kohyama, T., Yamauchi, Y., <u>Takahashi, S.</u> , Yamamoto, M., Kawada, T., Kudoh, S., and Sugawara, I. | Nrf2 is closely related to allergic airway inflammatory responses induced by low-dose diesel exhaust particles in mice. | Clin. Immunol. | 137 | 234-241 | 2010 |
| Mizuki, S., Oishi, H., Zhang, M.C., Kamogawa, J., Miyazaki, T., Ono, M., <u>Takahashi, S.</u> , Yamamoto, H., and Nose, M. | Genetic heterogeneity in rheumatoid arthritis mouse models induced by extrinsic and intrinsic factors. | Pathol. Int. | 60 | 430-437 | 2010 |
| Togayachi, A., Kozono, Y, Ikehara Y, Ito H, Suzuki N, Tsunoda Y, Abe S, Sato T, Nakamura K, Suzuki M, Goda HM, Ito M, Kudo T, <u>Takahashi S.</u> , and Narimatsu H. | Lack of lacto/neolacto-glycolipids enhances the formation of glycolipid-enriched microdomains, resulting in hyperactivation of B cells. | Proc. Natl. Acad. Sci. USA. | 107 | 11900-11905 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|--|------------------------------------|----------|-------------|------|
| Haraguchi, N., Ishii, Y., Morishima, Y., Yoh, K., Matsuno, Y., Kikuchi, N., Sakamoto, T., <u>Takahashi, S.</u> , and Hizawa, N. | Impairment of host defense against disseminated candidiasis in mice overexpressing GATA-3. | Infect. Immun. | 78 | 2302-2311 | 2010 |
| Honda, S.I., Kurita, N., Miyamoto, A., Cho, Y., Usui, K., Takeshita, K., <u>Takahashi, S.</u> , Yasui, T., Kikutani, H., Kinoshita, T., Fujita, T., Tahara-Hanaoka, S., Shibuya, K., and Shibuya, A. | Enhanced humoral immune responses against T-independent antigens in Fc[alpha]/(micro)R-deficient mice. | Proc. Natl. Acad. Sci. USA. | 106 | 11230-11235 | 2009 |
| Shimohata, H., Yamada, A., Yoh, K., Ishizaki, K., Morito, N., Yamagata, K., and <u>Takahashi, S.</u> | Overexpression of T-bet in T-cell accelerates autoimmune glomerulonephritis in mice with a dominant Th1 background. | J. Nephrol. | 22 | 123-129 | 2009 |
| Yano, M., Kuroda, N., Han, H., Meguro-Horike, M., Nishikawa, Y., Kiyonari, H., Maemura, K., Yanagawa, Y., Obata, K., <u>Takahashi, S.</u> , Ikawa, T., Satoh, R., Kawamoto, H., Mouri, Y., and Matsumoto, M. | Aire controls differentiation program of thymic epithelial cells in the medulla for the establishment of self-tolerance. | J. Exp. Med. | 205 | 2827-2838 | 2008 |
| Li, Y.J., Takizawa, H., Azuma, A., Kohyama, T., Yamauchi, Y., <u>Takahashi, S.</u> , Yamamoto, M., Kawada, T., Kudoh, S., and Sugawara, I. | Disruption of Nrf2 enhances susceptibility to airway inflammatory responses induced by low-dose diesel exhaust particulate in mice. | Clin. Immunol. | 128 | 366-373 | 2008 |
| <u>Koyasu, S.</u> and Moro, K. | Type 2 innate immune responses and the natural helper cell. | Immunology | in press | | |
| <u>Koyasu, S.</u> and Moro, K. | Innate Th2-type immune responses and the Natural Helper Cell, a newly identified lymphocyte population. | Curr. Opin. Allergy Clin. Immunol. | in press | | |
| Chiba, S., Nagai, T., Hayashi, T., Baba, Y., Nagai, S. and <u>Koyasu, S.</u> | Listerial invasion protein internalin B promotes the entry into ileal Peyer's patches <i>in vivo</i> . | Microbiol. Immunol. | 55 | 123-129 | 2011 |
| <u>Koyasu, S.</u> , Moro, K., Tanabe, M. and Takeuchi, T. | Natural Helper Cells: a new player in the innate immune response against helminth infection. | Adv. Immunol. | 108 | 21-44 | 2010 |
| Arimura, Y., Ezaki, T., Koyanagi, M., Uchiyama, T., <u>Koyasu, S.</u> and Yagi, J. | Reduced T cell expansion by a superantigen due to impaired B cell development in mice deficient for the p85 α regulatory subunit of PI3K. | J. Leuc. Biol. | 87 | 493-500 | 2010 |
| Moro, K., Yamada, T., Tanabe, M., Takeuchi, T., Ikawa, T., Kawamoto, H., Furusawa, J.-I., Ohtani, M., Fujii, H. and <u>Koyasu, S.</u> | Innate production of Th2 cytokines by adipose tissue-associated c-Kit+Sca-1+ lymphoid cells. | Nature | 463 | 540-544 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|--|-------------------|-----|-------------|------|
| Nagamatsu, K., Kuwae, K., Konaka, T., Nagai, S., Watanabe, M., Yoshida, S., Mimuro, H., <u>Koyasu, S.</u> and Abe, A. | Bordetella evades the host immune system by inducing IL-10 through a type III effector, BopN. | J. Exp. Med. | 206 | 3073-3088 | 2009 |
| Gilio, K., Munnix, I. C., Mangin, P., Cosemans, J. M. Feijge, M. A., van der Meijden, P. E., Olieslagers, S., Chrzanoska-Wodnicka, M. B., Lillian R., Schoenwaelder, S., <u>Koyasu, S.</u> , Sage, S. O., Jackson, S. P. and Heemskerk, J. W. | Non-redundant roles of phosphoinositide 3-kinase isoforms α and β in glycoprotein VI-induced platelet signaling and thrombus formation. | J. Biol. Chem. | 284 | 33750-33762 | 2009 |
| Jinushi, M., Sato, M., Kanamoto, A., Itoh, A., Nagai, S., <u>Koyasu, S.</u> , Dranoff, G. and Tahara, H. | Milk fat globule EGF-8 blockade triggers tumor destruction through coordinated cell-autonomous and immune-mediated mechanisms. | J. Exp. Med. | 206 | 1317-1326 | 2009 |
| Matsui, T., Nakata, N., Nakatani, A., Nagai, S. and <u>Koyasu, S.</u> | Inflammatory cytokine and hypoxia contribute to fluoro-2-deoxy glucose uptake by cells involved in pannus formation in rheumatoid arthritis. | J. Nuc. Med. | 50 | 908-914 | 2009 |
| Suzuki, M., Mimuro, H., Kiga, K., Fukumatsu, M., Ishijima, N., Morikawa, H., Nagai, H., <u>Koyasu, S.</u> , Gilman, R. H., Kersulyte, D., Berg, D. E. and Sasakawa, C. | The non-phosphorylated status of CagA is pivotal for <i>Helicobacter pylori</i> pathogenesis. | Cell Host Microb. | 5 | 23-34 | 2009 |
| Matsuda, S., Mikami, Y., Ohtani, M., Fujiwara, M., Hirata, Y., Minowa, A., Terauchi, Y., Kadowaki, T. and <u>Koyasu, S.</u> | Critical role of class IA PI3K for c-Rel expression in B lymphocytes. | Blood | 113 | 1037-1044 | 2009 |
| Ota, T., Aoki-Ota, M., Tsunoda, K., Nishikawa, T., <u>Koyasu, S.</u> and Amagai, M. | Autoreactive B cell elimination by pathogenic IgG to the autoantigen: implications for peripheral tolerance. | Int. Immunol. | 20 | 1351-1360 | 2008 |
| Sawatani, Y., Miyamoto, T., Nagai, S., Maruya, M., Imai, J., Miyamoto, K., Fujita, N., Ninomiya, K., Suzuki, T., Iwasaki, R., Toyama, Y., Shinohara, M., <u>Koyasu, S.</u> and Suda, T. | The role of DC-STAMP in maintenance of immune tolerance through regulation of dendritic cell function. | Int. Immunol. | 20 | 1259-1268 | 2008 |
| Ohtani, M., Nagai, S., Kondo, S., Mizuno, S., Nakamura, K., Tanabe, M., Takeuchi, T., Matsuda, S. and <u>Koyasu, S.</u> | mTOR and GSK3 differentially regulate LPS-induced IL-12 production in dendritic cells. | Blood | 112 | 635-643 | 2008 |
| Fujii, Y., Matsuda, S., Takayama, G. and <u>Koyasu, S.</u> | ERK5 is involved in TCR-induced apoptosis through the modification of Nur77. | Genes Cells | 13 | 411-419 | 2008 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|--|---|----------|---------|------|
| Doi, T., Obayashi, K., Kadowaki, T. Fujii, H. and Koyasu, S. | PI3K is a negative regulator for IgE production. | Int. Immunol. | 20 | 499-508 | 2008 |
| Suzue, K., Kobayashi, S., Takeuchi, T., Suzuki, M. and Koyasu, S. | Critical role of dendritic cells in determining the Th1/Th2 balance and the disease outcome upon <i>Leishmania major</i> infection. | Int. Immunol. | 20 | 337-343 | 2008 |
| Yoshiga Y, Goto D, Segawa S, Horikoshi M, Hayashi T, <u>Matsumoto I</u> , Ito S, Taniguchi S, Sumida T. | Activation of natural killer T cells by α -carba-GalCer (RCAl-56), a novel synthetic glycolipid ligand, suppresses murine collagen-induced arthritis. | Clin. Exp. Immunol. | in press | | |
| Akashi N, <u>Matsumoto I</u> , Tanaka Y, Inoue A, Yamamoto K, Tanaka Y, Umeda N, Hayashi T, Goto D, Ito S, Sekiguchi K, Sumida T. | Comparative suppressive effect in models of autoimmune arthritis by tyrosine kinase inhibitors imatinib and nilotinib. | Mod. Rheumatol | in press | | |
| Hikami K, Kawasaki A, Ito I, Koga M, Ito S, Hayashi T, <u>Matsumoto I</u> , Tsutsumi A, Kusaai M, Takasaki Y, Hashimoto H, Arinami T, Sumida T, Tsuchiya N. | Association of a functional polymorphism in the 3' untranslated region of SPI1 with systemic lupus erythematosus. | Arthritis Rheum. | in press | | |
| Kawasaki A, Ito S, Furukawa H, Hayashi T, Goto D, <u>Matsumoto I</u> , Kusaai M, Ohashi J, Graham R R, Matsuta K, Behrens T W, Tohma S, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N. | Association of TNIP1 with systemic lupus erythematosus in a Japanese population : a case-control association study. | Arthritis Res. Ther. | 12 | R174 | 2010 |
| Tsuboi H, Wakamatsu E, Iizuka M, Nakamura Y, Sugihara M, Suzuki T, Ogishima H, Hayashi T, Goto D, Ito S, <u>Matsumoto I</u> , Sumida T. | Importance of serine727 phosphorylated STAT1 in IFN γ -induced signaling and apoptosis of human salivary gland cells. | International Journal of Rheumatic Diseases | in press | | |
| Iizuka M, Wakamatsu E, Tsuboi H, Nakamura Y, Hayashi T, Matsui M, Goto D, Ito S, <u>Matsumoto I</u> , Sumida T. | M3 muscarinic acetylcholine receptor reactive immune response induces Sjogren's syndrome-like sialoadenitis. | J.Autoimmunity | 35 | 383-389 | 2010 |
| Horikoshi M, Suzuki T, Sugihara M, Kondo Y, Tsuboi H, Uehara T, Hama M, Takase K, Ohno S, Ishigatsubo Y, Yoshida Y, Sagawa A, Ikeda K, Ota T, <u>Matsumoto I</u> , Ito S, Sumida T. | Comparison of low-field dedicated extremity magnetic resonance imaging with articular ultrasonography in patients with rheumatoid arthritis. | Mod. Rheumatol. | 20 | 556-560 | 2010 |
| Hayashi T, Ito S, Goto D, <u>Matsumoto I</u> , Sumida T. | Elevated level of serum cystatin-C concentration is a useful predictor for myelosuppression induced by methotrexate for treatment of rheumatoid arthritis. | Mod Rheumatol. | 20 | 548-555 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|---|---|--------|-------------------|------|
| Tsuboi H, <u>Matsumoto I</u> , Wakamatsu E, Nakamura Y, Iizuka M, Hayashi T, Goto D, Ito S, Sumida T. | New epitopes and function of anti-M3 muscarinic acetylcholine receptor antibodies in patients with Sjogren's syndrome. | Clin. Exp. Immunol. | 162 | 53-61 | 2010 |
| Ogishima H, Ito S, Tsutsumi A, Sugihara M, Goto D, <u>Matsumoto I</u> , Obata-Yasuoka M, Hamada H, Yoshikawa H, Takahashi H, Murashima A, Sumida T. | High dose unfractionated heparin therapy in a pregnant patient with antiphospholipid syndrome: a case report | International Journal of Rheumatic Diseases | 13 | e32-35 | 2010 |
| Kawasaki A, Ito I, Ito S, Hayashi T, Goto D, <u>Matsumoto I</u> , Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N. | Association of TNFAIP3 polymorphism with susceptibility to systemic lupus erythematosus in a Japanese population. | Journal of Biomedicine and Biotechnology. | 207578 | Epub 2010 May 27. | 2010 |
| Sumida T, Tsuboi H, Iizuka M, Nakamura Y, <u>Matsumoto I</u> . | Functional role of M3 muscarinic acetylcholine receptor (M3R) reactive T cells and anti-M3R autoantibodies in patients with Sjogren's syndrome. | Autoimmunity Reviews | 9 | 615-617 | 2010 |
| Suzuki T, Ito S, Handa S, Kose K, Okamoto Y, Minami M, Sugihara M, Horikoshi M, Tsuboi H, Hayashi T, Goto D, <u>Matsumoto I</u> , Sumida T. | New low-field extremity MRI, compactScan: comparison with whole body 1.5 tesla conventional MRI. | Mod. Rheumatol. | 20 | 331-336 | 2010 |
| Segawa S, Goto D, Yoshiga Y, Sugihara M, Hayashi T, Chino Y, <u>Matsumoto I</u> , Ito S, Sumida T. | Inhibition of transforming growth factor- β signaling attenuates IL-18 plus IL-2-induced interstitial lung disease in mice. | Clin. Exp. Immunol. | 160 | 394-402 | 2010 |
| Ito I, Kawasaki A, Ito S, Kondo Y, Sugihara M, Horikoshi M, Hayashi T, Goto D, <u>Matsumoto I</u> , Tsutsumi A, Takasaki Y, Hashimoto H, Matsuta K, Sumida T, Tsuchiya N. | Replication of association between FAM167A(C8orf13)-BLK region and rheumatoid arthritis in a Japanese population. | Ann Rheum Dis. | 69 | 936-937 | 2010 |
| Chen Q, Muramoto K, Masaaki N, Ding Y, Yang H, Mackey M, Li W, Inoue Y, Ackermann K, Shirota H, <u>Matsumoto I</u> , Spyvee M, Schiller S, Sumida T, Gusovsky F, Lamphier M. | A novel antagonist of the prostaglandin E(2) EP(4) receptor inhibits Th1 differentiation and Th17 expansion and is orally active in arthritis models. | Br J Pharmacol. | 160 | 292-310 | 2010 |
| Wang Y, Ito S, Chino Y, Goto D, <u>Matsumoto I</u> , Murata H, Tsutsumi A, Hayashi T, Uchida K, Usui J, Yamagata K, Sumida T. | Laser Microdissection-based Analysis of Cytokine Balance in the Kidneys of Patients with Lupus Nephritis. | Clin. Exp. Immunol. | 159 | 1-10 | 2010 |
| Umeda N, Ito S, Hayashi T, Goto D, <u>Matsumoto I</u> , Sumida T. | A patient with rheumatoid arthritis who had a normal delivery under etanercept treatment. | Intern. Med | 49 | 187-9 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|--|---------------------|-----|-----------|------|
| Iwanami K, <u>Matsumoto I</u> , Yoshiga Y, Inoue A, Kondo Y, Yamamoto K, Tanaka Y, Minami R, Hayashi T, Goto D, Ito S, Nishimura Y, Sumida T. | Altered peptide ligands inhibit arthritis induced by glucose-6-phosphate isomerase peptide. | Arthritis Res Ther. | 11 | R167 | 2009 |
| Inoue A, <u>Matsumoto I</u> , Tanaka Y, Iwanami K, Kanamori A, Ochiai N, Goto D, Ito S, Sumida T. | Tumor necrosis factor alpha-induced adipose-related protein expression in experimental arthritis and in rheumatoid arthritis. | Arthritis Res Ther. | 11 | R118 | 2009 |
| Segawa S, Goto D, Yoshiga Y, Hayashi T, <u>Matsumoto I</u> , Ito S, Sumida T. | Low levels of soluble CD1d protein alters NKT cell function in patients with rheumatoid arthritis. | Int. J. Mol. Med. | 24 | 481-486 | 2009 |
| Kawaguchi Y, Nakamura Y, <u>Matsumoto I</u> , Nishimagi E, Kamatani N, Satoh T, Kuwana M, Sumida T, Hara M. | Muscarinic-3 acetylcholine receptor autoantibody in patients with systemic sclerosis: contribution to severe gastrointestinal tract dysmotility | Ann Rheum Dis. | 68 | 710-714 | 2009 |
| Tsutsumi A, Kobayashi T, Ito S, Goto D, <u>Matsumoto I</u> , Yoshie H, Sumida T. | Mannose binding lection gene polymorphisms and the severity of chronic periodontitis. | Jap.J.Clin.Immunol | 32 | 48-52 | 2009 |
| Horikoshi M, Ito S, Ishikawa M, Umeda N, Kondo Y, Tsuboi H, Hayashi T, Goto D, <u>Matsumoto I</u> , Sumida T. | Efficacy of mizoribine pulse therapy in patients with rheumatoid arthritis who show reduced or insufficient response to infliximab. | Mod Rheumatol | 19 | 229-234 | 2009 |
| Suzuki T, Ito S, Handa S, Kose K, Okamoto Y, Minami M, Hayashi T, Goto D, <u>Matsumoto I</u> , Sumida T. | A new low-field extremity magnetic resonance imaging and proposed compact MRI score- Evaluation of anti-tumor necrosis factor biologics on rheumatoid arthritis. | Mod Rheumatol | 19 | 358-365 | 2009 |
| Kondo Y, Ito S, Ohi Y, Satou H, Hiraoka T, Tsuboi H, Sugihara M, Hayashi T, Goto D, <u>Matsumoto I</u> , Sumida T. | A case of atypical Cogan's Syndrome with aortitis. | Intern. Med | 48 | 1093-1097 | 2009 |
| Wakamatsu E, <u>Matsumoto I</u> , Yoshiga Y, Hayashi T, Goto D, Ito S, Sumida T. | Altered peptide ligands regulate type II collagen-induced arthritis in mice. | Mod Rheumatol | 19 | 366-371 | 2009 |
| Tanaka-Watanabe Y, <u>Matsumoto I</u> , Iwanami K, Inoue A, Goto D, Ito S, Tsutsumi A, Sumida T. | B cell play crucial role as antigen presenting cells and collaborating with inflammatory cytokines in glucose-6-phosphate isomerase-induced arthritis. | Clin Exp Immunol. | 155 | 285-294 | 2009 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|---|---------------------|----|-----------|------|
| Ito I, Kawasaki A, Ito S, Hayashi T, Goto D, <u>Matsumoto I</u> , Tsutsumi A, Hom G, Graham RR, Takasaki Y, Hashimoto H, Ohashi J, Behrens TW, Sumida T, Tsuchiya N. | Replication of the Association between C8orf13-BLK Region and Systemic Lupus Erythematosus in a Japanese Population. | Arthritis Rheum. | 60 | 553-558 | 2009 |
| Iwanami K, <u>Matsumoto I</u> , Tanaka Y, Inoue A, Goto D, Ito S, Tsutsumi A, Sumida T. | Arthritogenic T cell epitope in glucose-6-phosphate isomerase (GPI)-induced arthritis. | Arthritis Res Ther. | 10 | R130 | 2008 |
| Furuya T, <u>Matsumoto I</u> , Tsuchiya N, Hakoda M, Ichikawa N, Higami K, Nanke Y, Sumida T, Kamatani N, Kotake S. | Anti-glucose-6-phosphate isomerase, anti-cyclic citrullinated peptide antibodies and HLA-DRB1 genotypes in Japanese patients with early rheumatoid arthritis. | Clin Exp Rheumatol. | 26 | 918-921 | 2008 |
| Kawasaki A, Ito I, Hikami K, Ohashi J, Hayashi T, Goto D, <u>Matsumoto I</u> , Ito S, Tsutsumi A, Koga M, Arinami T, Robert R Graham, Geoffrey Hom, Takasaki Y, Hashimoto H, Timothy W Behrens, Sumida T, Tsuchiya N. | Role of STAT4 polymorphisms in systemic lupus erythematosus in a Japanese population: a case-control association study of STAT1-STAT4 region. | Arthritis Res Ther. | 10 | R113 | 2008 |
| Ishii W, Ito S, Kondo Y, Tsuboi H, Mamura M, Goto D, <u>Matsumoto I</u> , Tsutsumi A, Sumida T, Okoshi Y, Hasegawa Y, Kojima H, Sakashita S, Aita K, Noguchi M. | Intravascular large B-cell lymphoma with acute abdomen as a presenting symptom in a patient with systemic lupus erythematosus. | J Clin Oncol. | 26 | 1553-1555 | 2008 |
| Iwanami K, <u>Matsumoto I</u> , Watanabe Y, Mihara M, Ohsugi Y, Mamura M, Goto D, Ito S, Tsutsumi A, Kishimoto T, Sumida T. | Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase. | Arthritis Rheum. | 58 | 754-763 | 2008 |
| <u>Matsumoto I</u> , Zhang H, Yasukochi T, Iwanami K, Tanaka Y, Inoue A, Goto D, Ito S, Tsutsumi A, Sumida T. | Therapeutic effects of antibodies to TNF alpha and IL-6 and CTLA-4 Ig in mice with glucose-6-phosphate isomerase-induced arthritis. | Arthritis Res Ther. | 10 | R66 | 2008 |
| Matsui H, Tsutsumi A, Sugihara M, Suzuki T, Iwanami K, Kohno M, Goto D, <u>Matsumoto I</u> , Ito S, Sumida T. | Visfatin(pre-B cell colony-enhancing factor) gene expression in patients with rheumatoid arthritis | Ann Rheum Dis. | 67 | 571-572 | 2008 |
| Wang Y, Ito S, Chino Y, Iwanami K, Yasukochi T, Goto D, <u>Matsumoto I</u> , Hayashi T, Uchida K, Sumida T. | Use of Laser Microdissection in the Analysis of Renal-infiltrating T cells in MRL/lpr Mice. | Mod Rheumatol. | 18 | 385-393 | 2008 |
| Yoshiga Y, Goto D, Segawa S, Ohnishi Y, <u>Matsumoto I</u> , Ito S, Tsutsumi A, Taniguchi M, Sumida T. | Invariant NKT cells produce IL-17 through IL-23-dependent and -independent pathways with potential modulation of Th17 response in collagen-induced arthritis. | Int J Mol Med. | 22 | 369-374 | 2008 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|--|---|----------|---------|------|
| Nakamura Y, Wakamatsu E, Matsumoto I, Tomiita M, Kohno Y, Mori M, Yokota S, Goto D, Ito S, Tsutsumi A, Sumida T. | High prevalence of autoantibodies to muscarinic-3 acetylcholine receptor in patients with juvenile-onset Sjogren's syndrome. | Ann Rheum Dis. | 67 | 136-137 | 2008 |
| Suzuki T, Tsutsumi A, Suzuki E, Sugihara M, Muraki Y, Hayashi T, Chino Y, Goto D, Matsumoto I, Ito S, Sumida T. | Tristetraprolin(TTP) gene polymorphisms in patients with rheumatoid arthritis and healthy individuals | Mod. Rheumatol | 18 | 472-479 | 2008 |
| 松本功 | サイトカインのすべて TGF-β | 臨床免疫・アレルギー科 増刊号 | in press | | |
| 松本功 | 薫風吹く膠原病診療—臨床を駆ける進歩の風—シェーグレン症候群 | 内科 | in press | | |
| 松本功 | K/BxNマウス—血清移入関節炎— | Clinical Calcium | in press | | |
| 松本功 | 関節リウマチにおける自己抗体の病態への関与 | リウマチ科 | in press | | |
| 井上明日香, 松本功, 住田孝之 | TIARPによる炎症性サイトカインの産生抑制 | 臨床免疫・アレルギー科 | in press | | |
| 松本功 | 関節リウマチを疑ったら 診断治療のupdateと鑑別すべき膠原病—シェーグレン症候群— | medicina | in press | | |
| 明石直嗣, 松本功, 住田孝之 | 関節リウマチ治療におけるイマチニブの可能性 | 分子リウマチ治療 | 3 | 179-182 | 2010 |
| 松本功, 井上明日香, 田中陽子 | 関節炎におけるTNFα-induced adipose related protein (TIARP) | リウマチ科 | 44 | 354-360 | 2010 |
| 坪井洋人, 松尾直美, 飯塚麻菜, 中村友美, 松本功, 住田孝之 | シェーグレン症候群におけるM3ムスカリン作動性アセチルコリン受容体抗体のエピトープと機能解析 | 日本臨床免疫学会雑誌 | 33 | 222-228 | 2010 |
| 明石直嗣, 松本功, 住田孝之 | RAの治療標的としてのimmunoproteasome | Frontiers in Rheumatology & Clinical Immunology | 4 | 181-184 | 2010 |
| 松本功, 井上明日香, 田中陽子, 明石直嗣, 岩波慶一, 住田孝之 | TNF・誘導分子TIARPと自己免疫疾患 | Mebio | 27 | 68-75 | 2010 |
| 住田孝之, 坪井洋人, 飯塚麻菜, 中村友美, 松本功 | M3R反応性T細胞とシェーグレン症候群 | Mebio | 27 | 84-93 | 2010 |
| 松本功 | 膠原病—病態への新たなアプローチと治療展開—関節リウマチの分子標的と制御 | 最新医学 | 65 | 960-964 | 2010 |
| 松本功 | 実験的関節炎に対するリボゾームを用いた抗原特異的治療戦略 | リウマチ科 | 43 | 385-393 | 2010 |
| 飯塚麻菜, 若松英, 松本功, 坪井洋人, 中村友美, 松井稔, 住田孝之 | シェーグレン症候群の病態形成におけるM3ムスカリン作動性アセチルコリン受容体に対する自己免疫応答の解明 | 日本臨床免疫学会雑誌 | 33 | 87-91 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|---|---|----------|---------|------|
| 井上明日香、 <u>松本功</u> 、住田孝之 | 自己免疫関節炎におけるTNF- α -induced adipose related protein(TIARP)の役割 | 医学のあゆみ | 232 | 818-819 | 2010 |
| <u>松本功</u> | 関節炎における自己抗体の病因的意義 | 最新医学 | 65 | 280-285 | 2010 |
| <u>松本功</u> | 新規関節リウマチ治療薬開発における動物モデルの有用性 | リウマチ科 | 42 | 574-581 | 2009 |
| <u>松本功</u> | 抗GPI抗体は関節リウマチの病態に関与しているか? | 分子リウマチ治療 | 2(3) | 105-109 | 2009 |
| 山村隆、上阪等、 <u>松本功</u> | 内科学とTranslational research (座談会) | Frontiers in Rheumatology & Clinical Immunology | 3 | 65-73 | 2009 |
| <u>松本功</u> 、岩波慶一 | GPI誘導性関節炎におけるIL-6/IL-17の役割 | Frontiers in Rheumatology & Clinical Immunology | 3 | 82-86 | 2009 |
| 井上明日香、 <u>松本功</u> 、岩波慶一、田中陽子、住田孝之 | TNF α 依存性関節炎モデル(GPI誘導性関節炎)におけるTNF α -induced adipose related protein (TIARP) | 日本臨床免疫学会雑誌 | 32 | 15-19 | 2009 |
| <u>松本功</u> 、岩波慶一 | 自己免疫性関節炎におけるIL-6/IL-17の役割 | リウマチ科 | 41 | 96-103 | 2009 |
| 住田孝之、伊藤聡、半田晋也、鈴木豪、杉原誠人、坪井洋人、河野美佳、近藤裕也、堀越正信、梅田直人、林太智、後藤大輔、 <u>松本功</u> 、岡本嘉一、吉岡大、巨瀬勝美 | ついに登場！次世代の診断ツール:コンパクトMRI | 分子リウマチ治療 | 1(1) | 26-32 | 2008 |
| 近藤裕也、伊藤聡、大井雄一、佐藤英樹、坪井洋人、杉原誠人、後藤大輔、 <u>松本功</u> 、堤明人、住田孝之 | 大動脈炎を合併したatypical Cogan症候群の一例 | 関東リウマチー興味ある症例とその問題点ー | 41 | 58-65 | 2008 |
| 村上洋介、 <u>上阪等</u> | 関節炎におけるTREM-1の役割 | リウマチ科 | 44(1) | 61-68 | 2010 |
| 村上洋介、 <u>上阪等</u> | 【自己免疫疾患の発症における関与分子】自己免疫疾患の発症とTREM-1 | 臨床免疫・アレルギー科 | 53(5) | 447-454 | 2010 |
| 村上洋介、 <u>上阪等</u> | 【疾患の制御 臨床から免疫へ】炎症増強因子としてのTREM-1 | 日本臨床免疫学会誌 | 32(4) | 242-248 | 2009 |
| Nakashioya H, Nakano K, Watanabe N, Miyasaka N, Matsushita S, <u>Kohsaka H.</u> | Therapeutic effect of D1-like dopamine receptor antagonist on collagen-induced arthritis of mice. | Mod Rheumatol | in press | | |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|--|------------------------|----------|-----------|------|
| Toyomoto M, Ishido S, Miyasaka M, Sugimoto H, <u>Kohsaka H.</u> | Anti-arthritis effect of E3 ubiquitin ligase, c-MIR, expression in the joints. | Int Immunol | in press | | |
| Seki I, Suzuki M, Miyasaka, N, <u>Kohsaka H.</u> | Expression of CD45 isoforms correlates with differential proliferative responses of peripheral CD4+ and CD8+ T cells. | Immunol Lett | 129(1) | 39-46 | 2010 |
| Murakami, Y. Akahoshi, T. Aoki, N. Toyomoto, M. Miyasaka, N. <u>Kohsaka, H.</u> | Intervention of an inflammation amplifier, triggering receptor expressed on myeloid cells 1, for treatment of autoimmune arthritis | Arthritis Rheumatism | 60(6) | 1615-1623 | 2009 |
| Nonomura, Y., Mizoguchi, F., Suzuki, A., Nanki, T., Kato, H., Miyasaka, N., <u>Kohsaka, H.</u> | Hypoxia-induced Abrogation of Contact-dependent Inhibition of Rheumatoid Arthritis Synovial Fibroblast Proliferation | J Rheumatol | 36(4) | 698-705 | 2009 |
| Matsudaira T, Tsuzuki S, Wada A, Suwa A, <u>Kohsaka H.</u> , Tomida M, and Ito Y | Automated microfluidic assay system for autoantibodies causing autoimmune diseases using a photoimmobilized autoantigen microarray | Biotechnol Progress | 24(6) | 1384-1392 | 2008 |
| Fujieda Y, Kataoka H, Odani T, Otomo K, Kato M, Fukaya S, Oku K, Horita T, Yasuda S, Atsumi T, <u>Koike T.</u> | Clinical features of reversible posterior leukoencephalopathy syndrome in patients with systemic lupus erythematosus. | Mod Rheumatol | in press | | |
| Yamada H, Atsumi T, Amengual O, <u>Koike T.</u> Furuta I, Ohta K, Kobashi G | Anti-beta2 glycoprotein-I antibody increases the risk of pregnancy-induced hypertension: a case-controlled study. | J Reprod Immunol. | 84(1) | 95-99 | 2010 |
| Nakamura A, Shimizu C, Nagai S, Yoshida M, Aoki K, Kondo T, Miyoshi H, Wada N, Tajima T, Terauchi Y, Yoshioka N, <u>Koike T.</u> | Problems in diagnosing atypical Gitelman's syndrome presenting with normomagnesaemia | Clin Endocrinol (Oxf). | 72(2) | 272-276 | 2010 |
| Miyoshi H, Souza SC, Endo M, Sawada T, Perfield JW 2nd, Shimizu C, Stancheva Z, Nagai S, Strissel KJ, Yoshioka N, Obin MS, <u>Koike T.</u> Greenberg AS | Perilipin overexpression in mice pro | J Lipid Res. | 51(5) | 975-982 | 2010 |
| Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, Atsumi T, <u>Koike T.</u> Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K. | The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population | Arthritis Rheum. | 62(2) | 574-579 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|--|---------------------|-------|-----------|------|
| Kondo T, Yasumoto A, Arita K, Sugita J, Shigematsu A, Okada K, Takahata M, Onozawa M, Kahata K, Takeda Y, Obara M, Yamamoto S, Endo T, Nishio M, Sato N, Tanaka J, Hashino S, <u>Koike T</u> , Asaka M, Imamura M. | Successful treatment of acute myelogenous leukemia with favorable cytogenetics by reduced-intensity stem cell transplantation. | Int J Hematol. | 91(2) | 310-321 | 2010 |
| Suzuki E, Amengual O, Atsumi T, Oku K, Hashimoto T, Kataoka H, Horita T, Yasuda S, Ieko M, Fukushima K, <u>Koike T</u> | Increased expression of phospholipid scramblase 1 in monocytes from patients with systemic lupus erythematosus. | J Rheumatol. | 37(8) | 1639-1645 | 2010 |
| Ieko M, Yoshida M, Naito S, Nakabayashi T, Kanazawa K, Mizukami K, Mukai M, Atsumi T, <u>Koike T</u> | Increase in plasma thrombin-activatable fibrinolysis inhibitor may not contribute to thrombotic tendency in antiphospholipid syndrome because of inhibitory potential of antiphospholipid antibodies toward TAFI activation | Int J Hematol. | 91 | 776-783 | 2010 |
| Nanjo K, Nagai S, Shimizu C, Tajima T, Kondo T, Miyoshi H, Yoshioka N, <u>Koike T</u> | Identification and functional analysis of novel calcium-sensing receptor gene mutation in familial hypocalciuric hypercalcemia. | Endocrine J. | 57(9) | 787-792 | 2010 |
| Takahata M, Hashino S, Okada K, Onozawa M, Kahata K, Sugita J, Shigematsu A, Kondo T, Yamamoto S, Endo T, Nishio M, Ito Y, Tanaka J, <u>Koike T</u> , Asaka M, Imamura M. | Reduced intensity conditioning regimen with fludarabine, busulfan, and low-dose TBI(Flu-BU2-TBI): Clinical efficacy in high-risk patients | Am J Hematol. | 84 | 243-248 | 2010 |
| Fukae J, Kon Y, Henmi M, Sakamoto F, Narita A, Shimizu M, Tanimura K, Matsuhashi M, Kamishima T, Atsumi T, <u>Koike T</u> . | Change of synovial vascularity in a single finger joint assessed by power Doppler sonography correlated with radiographic change in rheumatoid arthritis: Comparative study of a novel quantitative score with a semiquantitative score. | Arthritis Care Res. | 62(5) | 657-663 | 2010 |
| Kamishima T, Fujieda Y, Atsumi T, Mimura R, <u>Koike T</u> , Terae S, Shirato H. | Contrast-Enhanced Whole Body Joint MR Imaging in Patients with Unclassified Arthritis Developing Early Rheumatoid Arthritis in 2 Years: Feasibility Study and Correlation with MR Imaging Findings of the Hands. | Am J Roentgenol. | 195 | 287-292 | 2010 |
| Endo T, Fujimoto K, Nishio M, Yamamoto S, Obara M, Sato N, <u>Koike T</u> | Clearance of hepatitis C virus after changing the HAART regimen in a patient infected with hepatitis C virus and the human immunodeficiency virus. | J Med Virol. | 81(6) | 979-982 | 2009 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|---|-----------------------------|---------|-----------|------|
| Fukae J, Shimizu M, Kon Y, Tanimura K, Matsuhashi M, Kamishima T, <u>Koike T.</u> | Screening for rheumatoid arthritis with finger joint power Doppler ultrasonography: quantification of conventional power Doppler ultrasonographic scoring | Mod Rheumatol | 19 | 502-506 | 2009 |
| Hashimoto S, Yamada K, Kawata T, Mochizuki T, Schnermann JB, <u>Koike T.</u> | Abnormal Autoregulation and Tubuloglomerular Feedback in Prediabetic and Diabetic OLETF rats | Am J Physiol Renal Physiol. | 296 | 598-604 | 2009 |
| Nakamura A, Terauchi Y, Ohyama S, Kubota J, Shimazaki H, Nambu T, Takamoto I, Kubota N, Eiki J, Yoshioka N, Kadowaki T, <u>Koike T.</u> | Impact of small-molecule glucokinase activator on glucose metabolism and beta-cell mass. | Endocrinology. | 150(3) | 1147-1154 | 2009 |
| Yamada H, Atsumi T, Kobashi G, Ota C, Kato EH, Tsuruga N, Ohta K, Yasuda S, <u>Koike T.</u> , Minakami H. | Antiphospholipid antibodies increase the risk of pregnancy-induced hypertension and adverse pregnancy outcomes | J Reprod Immunol. | 79 | 188-195 | 2009 |
| Oku K, Atsumi T, Bohgaki M, Amengual O, Kataoka H, Horita T, Yasuda S, <u>Koike T.</u> | Complement activation in patients with primary antiphospholipid syndrome | Ann Rheum Dis | 68(6) | 1030-1035 | 2009 |
| Nishio M, Endo T, Fujimoto K, Yamamoto S, Obara M, Yamaguchi K, Takeda Y, Goto H, Kasahara I, Sato N, <u>Koike T.</u> | FCGR3A-158V/F polymorphism may correlate with the levels of immunoglobulin in patients with non-Hodgkin's lymphoma after rituximab treatment as an adjuvant to autologous stem cell transplantation | Eur J Haematol. | 82(2) | 143-147 | 2009 |
| Yoshioka N, Kurihara Y, Manda N, Komori K, Kato M, Kijima H, Wada N, Yanagisawa K, Aoki S, Ono Y, <u>Koike T.</u> | Step-up therapy with biphasic insulin aspart-70/30-Sapporo 1-2-3 study | Diabetes Res Clin Pract | 85(1) | 47-52 | 2009 |
| Kunieda T, Nakanishi N, Matsubara H, Ohe T, Okano Y, Kondo H, Nishimura M, Shirato K, Tanabe N, Homma S, Yoshida S, Inokuma S, Kodama M, <u>Koike T.</u> , Hishida H | Effects of Long-Acting Beraprost Sodium (TRK-100STP) in Japanese Patients With Pulmonary Arterial Hypertension | Int Heart J | 50(4) | 513-529 | 2009 |
| Horita T, Atsumi T, Yoshida N, Nakagawa H, Kataoka H, Yasuda S, <u>Koike T.</u> | STAT4 single nucleotide polymorphism, rs7574865 G/T, as a risk for antiphospholipid syndrome | Ann Rheum Dis | 68(8) | 1366-1367 | 2009 |
| Nakagawa H, Yasuda S, Matsuura E, Kobayashi K, Ieko M, Kataoka H, Horita T, Atsumi T, <u>Koike T.</u> | Nicked β 2-glycoprotein I binds angiotatin 4.5 (plasminogen kringle 1-5) and attenuates its antiangiogenic property. | Blood | 114(12) | 2553-2559 | 2009 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|---|-------------------------------|---------|---------|------|
| Kasahara I, Nishio M, Yamamoto S, Endo T, Fujimoto K, Yamaguchi K, Takeda Y, Goto H, Sato N, Koike T | Cord blood transplantation with a reduced-intensity conditioning regimen for patients with relapsed aggressive multiple myeloma after cytoreduction with bortezomib | Int J Hematol | 90(3) | 413-415 | 2009 |
| Nishio M, Endo T, Nakao S, Sato N, Koike T. | Reversible cardiomyopathy due to secondary hemochromatosis with multitransfusions for severe aplastic anemia after successful non-myeloablative stem cell transplantation | Int J Cardiol. | 127 | 400-401 | 2009 |
| Kataoka H, Atsumi T, Hashimoto T, Horita T, Yasuda S, Koike T | Polymyalgia rheumatica as the manifestation of unclassified aortitis | Mod Rheumatol | 18(1) | 105-108 | 2009 |
| Bohgaki T, Atsumi T, Koike T. | Autoimmune disease after autologous hematopoietic stem cell transplantation. | Autoimmun Rev. | 7(3) | 198-203 | 2009 |
| Okamoto T, Atsumi T, Shimizu C, Yoshioka N, Koike T. | The potential role of macrophage migration inhibitory factor on the migration of vascular smooth muscle cells | J Atheroscler Thromb. | 15(1) | 13-19 | 2008 |
| Kon Y, Atsumi T, Hagiwara H, Furusaki A, Kataoka H, Horita T, Yasuda S, Amengual O, Koike T. | Thrombotic microangiopathy in patients with phosphatidylserine dependent antiprothrombin antibodies and antiphospholipid syndrome. | Clin Exp Rheumatol | 26(1) | 129-132 | 2008 |
| Atsumi T, Horita T, Minori T, Koike T | Exchange of information in Rheumatology between East and West : From Man'yo-shu to the Future. | Arthritis Rheum. | 58(2) | 140-142 | 2008 |
| Shigematsu A, Kondo T, Yamamoto S, Sugita J, Onozawa M, Kahata K, Endo T, Shiratori S, Ota S, Obara M, Wakasa K, Takahata M, Takeda Y, Tanaka J, Hashino S, Nishio M, Koike T, Asaka M, Imamura M | Excellent outcome of allogeneic hematopoietic stem cell transplantation using a conditioning regimen with medium-dose VP-16, cyclophosphamide and total-body irradiation for adult patients with acute lymphoblastic leukemia | Biol Blood Marrow Transplant | 14(5) | 568-575 | 2008 |
| Bohgaki M, Tsukiyama T, Nakajima A, Maruyama S, Watanabe M, Koike T, Hatakeyama S | Involvement of Ymer in suppression of NF-kappaB activation by regulated interaction with lysine-63-linked polyubiquitin chain | Biochim Biophys Acta. | 1783(5) | 826-837 | 2008 |
| Shiratori S, Yasumoto A, Tanaka J, Shigematsu A, Yamamoto S, Nishio M, Hashino S, Morita R, Takahata M, Onozawa M, Kahata K, Kondo T, Ota S, Wakasa K, Sugita J, Koike T, Asaka M, Kasai M, Imamura M. | A retrospective analysis of allogeneic hematopoietic stem cell transplantation for adult T cell leukemia/lymphoma (ATL): clinical impact of graft-versus-leukemia/lymphoma effect. | Biol Blood Marrow Transplant. | 14 | 817-823 | 2008 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|---|--|------------------------|--------|-----------|------|
| Goto H, Nishio M, Kumano K, Fujimoto K, Yamaguchi K, <u>Koike T.</u> | Discrepancy between disease activity and levels of vascular endothelial growth factor in a patient with POEMS syndrome successfully treated with autologous stem-cell transplantation | Bone Marrow Transplant | 42(9) | 627-629 | 2008 |
| Fukaya S, Yasuda S, Hashimoto T, Oku K, Kataoka H, Horita T, Atsumi T, <u>Koike T.</u> | Clinical features of haemophagocytic syndrome in patients with systemic autoimmune diseases: analysis of 30 cases | Rheumatology. | 47(11) | 1686-1691 | 2008 |
| Oku K, Atsumi T, Amengual O, <u>Koike T.</u> | Antiprothrombin antibody testing: detection and clinical utility | Semin Thromb Hemost | 34(4) | 335-339 | 2008 |
| Nishio M, Endo T, Fujimoto K, Yamamoto S, Obara M, Yamaguchi K, Takeda Y, Goto H, Kasahara I, Sato N, <u>Koike T</u> | FCGR3A-158V/F polymorphism may correlate with the levels of immunoglobulin in patients with non-Hodgkin's lymphoma after rituximab treatment as an adjuvant to autologous stem cell transplantation. | Eur J Haematol. | 82(2) | 143-147 | 2008 |
| Chang, Y-J., H. Y. Kim, L. A. Albacker, H.-H. Lee, N. Baumgarth, S. Akira, P. Savage, S. Endo, <u>T. Yamamura</u> , J. Maaskant, N. Kitano, A. Singh, A. Bhatt, G. Besra, P. van den Elzen, B. Appelmek, R. W. Franck, G. Chen, R. DeKruyff, M. Shimamura, P. Illarionov, and D. Umetsu | Influenza A infection in suckling mice expands a population of NKT cells that protects mice as adults from airway hyperreactivity | J. Clin. Invest. | 121 | 57-69 | 2010 |
| Miyake S, <u>Yamamura T</u> | Ghrelin: friend of Foe for Neuroinflammation. | Discov. Med. | 8 | 64-7 | 2009 |
| Croxford J.L, <u>Yamamura T</u> | Back to the future for multiple sclerosis therapy: Focus on current and emerging disease-modifying therapeutic strategies. | Immunotherapy | 1 | 403-23 | 2009 |
| Klemann C, Raveney B.J.E, Oki S, <u>Yamamura T</u> | Retinoid signals and Th17-mediated pathology. | Jpn. J. Clin. Immunol. | 32 | 20-28 | 2009 |
| Fujita M, Otsuka T, Mizuno M, Tomi C, <u>Yamamura T</u> , Miyake S. | Carcinoembryonic antigen-related cell adhesion molecule 1 modulates experimental autoimmune encephalomyelitis via an iNKT cell-dependent mechanism. | Am. J. Pathol. | 175 | 1116-23 | 2009 |
| Theil M.M, Miyake S, Mizuno M, Tomi C, Croxford J.L, Hosoda H, Theil J, von Hoersten S, Yokote H, Chiba A, Lin Y, Oki S, Akamizu T, Kangawa K, <u>Yamamura T</u> | Suppression of experimental autoimmune encephalomyelitis by Ghrelin. | J. Immunol. | 183 | 2859-66 | 2009 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|---|--|-----|-----------|------|
| Klemann C, Raveney B.J.E, Klemann A.K, Ozawa T, von Hörsten S, Shudo K, Oki S, Yamamura T | Synthetic retinoid AM80 inhibits Th17 cells and ameliorates EAE. | Am. J. Pathol. | 174 | 2234-45 | 2009 |
| Satoh J.I, Tabunoki H, Yamamura T | Molecular network of the comprehensive multiple sclerosis brain-lesion proteome. | Mult. Scler. | 15 | 531-41 | 2009 |
| Ishizu T, Kira J.I, Osoegawa M, Fukazawa T, Kikuchi S, Fujihara K, Matsui M, Kohriyama T, Sobue G, Yamamura T, Itoyama Y, Saida T, Sakata K. | Heterogeneity and continuum of multiple sclerosis phenotypes in Japanese according to the results of the fourth nationwide survey. | J.Neurol. Sci. | 280 | 22-28 | 2009 |
| Osoegawa M, Kira J, Fukazawa T, Fujihara K, Kikuchi S, Matsui M, Kohriyama T, Sobue G, Yamamura T, Itoyama Y, Saida T, Sakata K, Ochi H, Matsuoka T. | Temporal changes and geographical differences in multiple sclerosis phenotypes in Japanese: nationwide survey results over 30 years. | Mult. Scler. | 15 | 159-173 | 2009 |
| Araki, M., S. Miyake, and T. Yamamura | Synthetic glycolipid ligands for human iNKT cells as potential therapeutic agents for immunotherapy | Curr. Medicinal. Chem. | 15 | 2337-2345 | 2008 |
| Okamoto, T., M. Ogawa, Y. Lin, M. Murata, S. Miyake, and T. Yamamura | Treatment of Neuromyelitis Optica: Current Debate | Therapeutic Advances in Neurological Disorders | 1 | 43-52 | 2008 |
| Aranami, T. and T. Yamamura | Th17 cells and autoimmune encephalomyelitis (EAE/MS) | Allergol. Int. | 57 | 115-120 | 2008 |
| Yokote, H., S. Miyake, J.L. Croxford, S. Oki, H. Mizusawa, and T. Yamamura | NKT cell-dependent amelioration of a mouse model of multiple sclerosis by altering gut flora | Am. J. Pathol. | 173 | 1714-1723 | 2008 |
| Shimamura, M., Y-Y. Huang, R. Migishima, M. Yokoyama, T. Saitoh, and T. Yamamura | Localization of NK1.1+ invariant V α 19 TCR+ cells in the liver with potential to promptly respond to TCR stimulation | Immunol. Lett | 121 | 38-44 | 2008 |
| Satoh, J-i., T. Misawa, H. Tabunoki, and T. Yamamura | Molecular network analysis of T-cell transcriptome suggests aberrant regulation of gene expression by NF- κ B as a biomarker for relapse of multiple sclerosis | Dis Markers | 25 | 27-35 | 2008 |
| Doi, Y., S. Oki, T. Ozawa, H. Hohjoh, S. Miyake, and T. Yamamura | Orphan nuclear receptor NR4A2 expressed in T cells from multiple sclerosis mediates production of inflammatory cytokines | Proc Natl Acad Sci U S A | 105 | 8381-8386 | 2008 |
| 三宅幸子, 山村 隆 | NKT細胞と多発性硬化症 | Mebio | 27 | 94-101 | 2010 |
| 能登大介, 山村 隆 | 免疫性神経疾患の免疫学 | 内科 | 105 | 756-761 | 2010 |
| 荒浪利昌, 山村 隆 | 炎症とT細胞サブセット. 特集抗体療法 | 治療学 | 44 | 11-13 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|---|--|------|-----------|------|
| 山村 隆 | 多発性硬化症. 連載 サイトカインと炎症性疾患・自己免疫疾患—その病態における役割と治療展開—. | 炎症と免疫 | 18 | 87-91 | 2010 |
| 山村 隆, 横手裕明, 三宅幸子 | 腸内細菌と自己免疫. | Current Insights in Neurological Science | 17 | 10-1 | 2009 |
| 大木伸司, 山村 隆 | 多発性硬化症の病態解析から治療標的の同定へ. | Jpn. J. Clin. Immunol. | 32 | 214-22 | 2009 |
| 宮崎雄生, 山村 隆 | NKT細胞と自己免疫. | 医学のあゆみ(最新・自己免疫疾患Update-研究と治療の最前線) | 3230 | 651-6 | 2009 |
| 大木伸司, 山村 隆 | 多発性硬化症の病態形成とオーファン核内受容体NR4A2. | 臨床免疫・アレルギー科 | 52 | 111-8 | 2009 |
| 山村 隆, 千葉健治 | 自己免疫疾患の治療薬開発—病態の多様性を見据えて. | Yakugaku Zasshi | 129 | 647-8 | 2009 |
| 山村 隆 | 多発性硬化症の分子標的医薬開発の現状. | BRAIN and NERVE | 61 | 923-8 | 2009 |
| Myouzen K, Kochi Y, Shimane K, <u>Fujio K</u> , Okamura T, Okada Y, Suzuki A, Atsumi T, Ito S, Takada K, Mimori A, Ikegawa S, Yamada R, Nakamura Y, Yamamoto K | Regulatory polymorphisms in EGR2 are associated with susceptibility to systemic lupus erythematosus | Hum Mol Genet. | 19 | 2313-20 | 2010 |
| <u>Fujio K</u> , Okamura T, Yamamoto K | The family of IL-10-secreting CD4+ T cells | Adv Immunol. | 105 | 99-130 | 2010 |
| Okamoto A, <u>Fujio K</u> , Yamamoto K | The future of lupus therapy modulating autoantigen recognition. | Lupus. | 19 | 1474-81 | 2010 |
| Okamura T, <u>Fujio K</u> , Shibuya M, Sumitomo S, Shoda H, Sakaguchi S, Yamamoto K. | CD4+CD25-LAG3+ regulatory T cells controlled by the transcription factor Egr-2. | Proc Natl Acad Sci U S A. | 106 | 13974-9 | 2009 |
| <u>Ishikawa S.</u> | Children's immunology, what can we learn from animal studies (3): Impaired mucosal immunity in the gut by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD): A possible role for allergic sensitization. | J. Toxicol. Sci. | 34 | 349-361 | 2009 |
| Abe J, Ueha S., Suzuki J., Tokano Y., Matsushima K., and <u>Ishikawa S.</u> | Increased Foxp3+CD4+ regulatory T cells with intact suppressing activity but altered cellular localization in murine lupus. | Am. J. Pathol. | 173 | 1682-1692 | 2008 |
| Iwata S, Saito K, Tokunaga M, Yamaoka K, Nawata M, Yukawa S, Hanami K, Fukuyo S, Miyagawa I, Kubo S, <u>Tanaka Y.</u> | Phenotypic changes of lymphocytes in patients with systemic lupus erythematosus who are in longterm remission after B cell depletion therapy with rituximab. | J Rheumatol | | in press | |
| <u>Tanaka Y.</u> , Takeuchi T, Mimori T, Saito K, Nawata M, Kameda H, Nojima T, Miyasaka N, Koike T. | Discontinuation of infliximab after attaining low disease activity in patients with rheumatoid arthritis, RRR (remission induction by remicade in RA) study. | Ann Rheum Dis | 69 | 1286-1291 | 2010 |

| 発表者氏名 | 論文タイトル名 | 発表雑誌名 | 巻 | 頁 | 出版年 |
|--|--|------------------|----|-----------|------|
| Sawamukai N, Yukawa s, Saito K, Nakayamada S, Kambayashi T, <u>Tanaka Y.</u> | Mast cell-derived tryptase inhibits apoptosis of human rheumatoid synovial fibroblasts via rho-mediated signaling. | Arthritis Rheum | 62 | 952-959 | 2010 |
| Nakayamada S, Fujimoto T, Nonomura A, Saito K, Nakamura S, <u>Tanaka Y.</u> | Usefulness of initial histological features for stratifying Sjogren's syndrome responders to mizoribine therapy. | Rheumatology | 48 | 1279-82 | 2009 |
| Iwata S, Saito K, Yamaoka K, Tsujimura S, Nawata M, Suzuki K, Hanami K, <u>Tanaka Y.</u> | Effects of anti-TNF- α antibody infliximab in refractory entero-Bechet's disease. | Rheumatology | 48 | 1012-1013 | 2009 |
| Tanikawa R, Okada Y, Nakano K, Tnikawa t, Hirashima M, Yamauchi A, Hosokawa R, <u>Tanaka Y.</u> | Interaction of galectin-9 with lipid rafts induces osteoblast proliferation through the c- Src/ERK signaling pathway. | J Bone Miner Res | 23 | 278-286 | 2008 |
| Tsujimura S, Saito K, Nawata M, Nakayamada S, <u>Tanaka Y.</u> | Overcoming drug resistance induced by P-glycoprotein on lymphocytes in patients with refractory rheumatoid arthritis. | Ann Rheum Dis | 67 | 380-388 | 2008 |
| Takeuchi T, Tatsuki T, Nogami N, Ishiguro N, <u>Tanaka Y.</u> , Yamanaka H, Harigai M, Ryu J, Inoue K, Kondo H, Inokuma S, Kamatani N, Ochi T, Koike T | Post-marketing surveillance of the safety profile of infliximab in 5,000 Japanese patients with rheumatoid arthritis. | Ann Rheum Dis | 67 | 189-195 | 2008 |