

診療-治療の進歩とその有用性(扉). Medical Practice 27(2):195, 2010

錦井秀和, 栗田尚樹, 千葉 滋. この症例から何を学ぶか Burkittリンパ腫?? 腫瘍細胞の表現型解析が診断と予後予測に有用であった一例. Medical Practice 27(2):342-347, 2010

原口 京子, 千葉 滋. NK細胞とNotchシグナル. 臨床免疫・アレルギー科. 53(3):329-336, 2010

2) 海外 論文発表 2008

Ma F, Kambe N, Dan W, Shinoda G, Fujino H, Umeda K, Fujisawa A, Ma L, Suemori H, Nakatsuji N, Miyachi Y, Torii R, Tsuji K, Heike T, Nakahata T: Direct Development of Functionary Mature Tryptase/Chymase Double-Positive Connective Tissue-Type Mast Cells from Primate Embryonic Stem Cells. Stem Cells 26:706-714, 2008

Masunaga A, Mitsuya T, Kadofuku T, Iwamoto S, Manabe A, Zaike Y, Tsuchida M, Nakahata T: Mutation analysis of AML 1 gene in pediatric primary myelodysplastic syndrome and juvenile myelomonocytic leukemia. Leuk Res 32: 995-997, 2008.

Ito M, Kobayashi K, Nakahata T: NOD/Shi-scid IL2r γ null (NOG) Mice More Appropriate for Humanized Mouse Models. Curr. Top. Microbiol. Immunol. 324:54-76, 2008

Ma F, Ebihara Y, Umeda K, Sakai H, Hanada S, Hong Z, Zaike Y, Tsuchida E, Nakahata T, Nakauchi H, Tsuji K: Generation of functional erythrocytes from human embryonic stem cell-derived definitive hematopoiesis. PNAS 105(35) 13087-13092, 2008

Kamitsuji Y, Kuroda J, Kimura S, Toyokuni S, Watanabe K, Ashihara E, Tanaka H, Yui Y, Watanabe M, Matsubara H, Mizushima Y, Hiraumi Y, Kawata E, Yoshikawa T, Maekawa T, Nakahata T, Adachi A: The Bcr-Abl kinase

inhibitor INNO-406 induces autophagy and different modes of cell death execution in Bcr-Abl-positive leukemias. Cell Death and Differ (2008) 15, 1712-1722

Tsuiji S, Yoshimoto M, Takahashi K, Noda Y, Nakahata T, Heike T: Side population cells contribute to the genesis of human endometrium. Fertility and Sterility 90(2) 1528-1537, 2008

Yabe M, Sako M, Yabe H, Osugi Y, Kurosawa H, Nara T, Tokuyama M, Adachi S, Kobayashi C, Yanagimachi M, Ohtsuka Y, Nakazawa Y, Ogawa C, Manabe A, Kojima S, Nakahata T: A conditioning regimen of busulfan, fludarabine, and melphalan for allogeneic stem cell transplantation in children with juvenile myelomonocytic leukemia. Pediatr Transplant 12:862-867, 2008

Tsuchiya A., Heike T., Baba S., Fujino H., Umeda K., Matsuda Y., Nomoto M., Ichida T., Aoyagi Y., Nakahata T.: Sca-1⁺ endothelial cells (SPECs) reside in the portal area of the liver and contribute to rapid recovery from acute liver disease. Biochem. Biophys. Res. Com. 365:595-601, 2008.

Saito M., Nishikomori R., Kambe N., Fujisawa A., Tanizaki H., Takeichi K., Imagawa T., Iehara T., Takada H., Matsubayashi T., Tanaka H., Kawashima K., Kagami S., Kawai T., Okafuji I., Yoshioka T., Adachi S., Heike T., Miyachi Y., Nakahata T.: Disease-associated CIAS1 mutations induce monocyte death, revealing low-level mosaicism in mutation-negative cryopyrin-associated periodic syndrome patients. Blood 111:2132-2141, 2008.

Kosaka Y., Sano K., Kobayashi R., Ayukawa H., Kaneko T., Yabe H., Tsuchida H., Mugishima M., Ohara A., Morimoto A., Otsuka Y., Ohga S., Bessho F., Nakahata T., Tsukimoto I., Kojima S.: Prospective multicenter trial comparing repeated immunosuppressive therapy with stem cell transplantation from an alternative donor as second-line treatment for children with

severe and very severe aplastic anemia. *Blood* 111:1054-1059, 2008.

Kanegane H., Itazawa T., Saito M., Nishikomori R., Makino T., Shimizu T., Adachi Y., Nakahata T., Miyawaki T.: A CIAS1 mutation in a Japanese girl with familial cold autoinflammatory syndrome. *Eur J Pediatr.* 167:245-247, 2008.

Honda Y, Manabe A, Tsuchida M, Zaike Y, Masunaga A, Inoue M, Kobayashi R, Ohtsuka Y, Kikuchi A, Nakahata T: Clinicopathological characteristics of erythroblast-rich RAEB and AML M6a in children. *Int J Hematol* 88:524-529, 2008

Kusunoki T, Morimoto T, Nishikomori R, Heike T, Ito M, Hosoi S, Nakahata T.: Obesity and the prevalence of allergic diseases in schoolchildren. *Pediatr Allergy Immunol.* 19(6):527-34 2008 Sep

Okano T, Nakagawa T, Kita T, Kada S, Yoshimoto M, Nakahata T, Ito J.: Bone marrow-derived cells expressing Iba1 are constitutively present as resident tissue macrophages in the mouse cochlea. *J Neurosci Res.* 86(8):1758-67 2008 Jun

Yorifuji J, Yorifuji T, Tachibana K, Nagai S, Kawai M, Momoi T, Nagasaka H, Hatayama H, Nakahata T.: Craniotabes in normal newborns: the earliest sign of subclinical vitamin D deficiency. *J Clin Endocrinol Metab.* 93(5):1784-8 2008 May

Yamanaka Y., Kumada T., Heike T., Shibata M., Takaoka Y., Kitano A., Shiraiishi K., Kato T., Nagato M., Okawa K., Furushima K., Nakao K., Aizawa S., Nakamura Y., Taketo M.M. Nakahata T.: Loss of Borealin/DasraB leads to defective cell proliferation, p53 accumulation and early embryonic lethality. *Mech. Develop.* 125:4441-450, 2008.

Nakajima H, Sakakibara Y, Tambara K, Marui A, Yoshimoto M, Premaratne GU, Lin X, Kanemitsu N, Sakaguchi G, Ikeda T, Nishimura K, Nakahata T, Komeda M.: Delivery route in bone marrow cell

transplantation should be optimized according to the etiology of heart disease. *Circ J.* 72(9):1528-35. 2008 Sep

Nagao K, Ohta T, Hinohara A, Tahara T, Hagiwara T, Maeda Y, Yoneya T, Sohma Y, Heike T, Nakahata T, Inagaki Y, Nishikawa M.: Expression profile analysis of aorta-gonad-mesonephros region-derived stromal cells reveals genes that regulate hematopoiesis. *Biochem Biophys Res Commun.* 377(1):205-9 2008 Dec

Hiramatsu H, Morishima T, Nakanishi H, Mizushima Y, Miyazaki M, Matsubara H, Kobayashi M, Nakahata T, Adachi S: Successful treatment of a patient with Klinefelter's syndrome complicated by mediastinal germ cell tumor and AML(M7). *Bone Marrow Transplant.* 41(10): 907-908 May 2008

Awaya T, Kato T, Shibata M, Yamanaka Y, Nakahata T: Deterioration on magnetic resonance imaging despite good clinical recovery after viral encephalitis. *Pediatric Neurology* 38(3): 218-220 Mar 2008

Nagao K, Ohta T, Tahara T, Hagiwara T, Naeda Y, Yoneyaya T, Sohma Y, Heike T, Nakahata T, Inagaki Y, Nishikawa M: Expression profile analysis of aorta-gonad-mesonephros region-derived stromal cells reveals genes that regulate hematopoiesis. *Biochem Biophys Res Commun,* 2008, 377: 205-209

Shimura, K., Ashihara, E., Shimazaki, C., Matsunaga, S., Taniguchi, K., Uchiyama, H., Matsumoto, Y., Kimura, S., Matsubara, H., Taniwaki, M., Maekawa, T.: Kinetics of circulating endothelial progenitors in patients with sclerodermatous chronic graft-versus-host disease. *Biol Blood Marrow Transplant,* 14(4):426-437, 2008.

Kuroda, J., Kimura, S., Kamitsuji, Y., Yokota, A., Ashihara, E., Kawata, E., Takeuchi, M., Tanaka, R., Tanaka, H., Matsumoto, Y., Andreeff, M., Taniwaki, M., Maekawa, T.: ABT-737 is a useful component

of combinatory chemotherapies for chronic myelogenous leukaemias with diverse drug resistance mechanisms. *Brit J Haematol*, 140(2):181-190, 2008.

Deguchi, Y., Kimura, S., Ashihara, E., Niwa, T., Hodohara, K., Fujiyama, Y., Maekawa, T. Comparison of imatinib, dasatinib, nilotinib, and INNO-406 in imatinib-resistant cell lines. *Leuk Res*, 32(6):980-983, 2008.

Kuroda, J., Kamitsuji, Y., Kimura, S., Ashihara, E., Nakagawa, Y., Kawata, E., Takeuchi, M., Murotani, Y., Yokota, A., Tanaka, R., Andreeff, M., Taniwaki, M., Maekawa, T.: Anti-myeloma effect of Homoharringtonine with concomitant targeting of multiple myeloma-promoting molecules, Mcl-1, XIAP and b-catenin. *Int J Hematol*, 87(5):507-515, 2008.

Kitawaki, T., Kadowaki, N., Kondo, T., Ishikawa, T., Ichinohe, T., Teramukai, S., Fukushima, M., Kasai, Y., Maekawa, T., Uchiyama, T.: Potential of dendritic cell immunotherapy for relapse after allogeneic hematopoietic stem cell transplantation, shown by WT1 peptide- and keyhole limpet hemocyanin-pulsed, donor-derived dendritic cell vaccine for acute myeloid leukemia. *Am J Hematol*. 83(4):315-317, 2008.

Morinaga, K., Yamauchi, T., Kimura, T., Maekawa, T., Ueda, T.: Overcoming imatinib resistance using Src inhibitor CGP76030, Abl inhibitor nilotinib, and Abl/Lyn inhibitor INNO-406 in newly established K562 variants with *BCR-ABL* gene amplification. *Int J Cancer*, 122(11):2621-2627, 2008.

Tanaka, R., Kuroda, J., Stevenson, W., Ashihara, E., Ishikawa, T., Taki, T., Kobayashi, Y., Kamitsuji, Y., Kawata, E., Takeuchi, M., Murotani, Y., Yokota, A., Hirai, M., Majima, S., Taniwaki, M., Maekawa, T., Kimura S.: Detection of the V617F mutation in JAK2 using a novel, fully automated, SNP super-rapid detector. *Leuk Res*, 32(9):1462-1467, 2008.

Muramatsu, H., Kimura, S., Ichinohe, T., Ashihara, E., Ishikawa, T., Maekawa, T., Uchiyama, T.: Consulting clinic for related family donors in hematopoietic stem cell transplantation. *Bone Marrow Transplant*, 41(12):1073-1075, 2008.

Kamitsuji, Y., Kuroda, J., Kimura, S., Toyokuni, S., Watanabe, K., Ashihara, E., Tanaka, H., Watanabe, M., Matsubara, H., Mizushima, Y., Hiraumi, Y., Kawata, E., Yoshikawa, T., Maekawa, T., Nakahata, T., Adachi, S.: Modes of cell death execution and autophagy by INNO-406, a Bcr-Abl kinase inhibitor, in Bcr-Abl-positive leukemias. *Cell Death Diff*, 15(11):1712-1722, 2008.

Kawata, E., Ashihara, E., Kimura, S., Takenaka, K., Sato, K., Tanaka, R., Yokota, A., Murotani, Y., Kamitsuji, Y., Takeuchi, M., Kuroda, J., Tanaka, F., Yoshikawa, T., Maekawa, T.: Administration of PLK-1 siRNA with atelocollagen prevents the growth of liver metastases of lung cancer. *Mol Cancer Therapeutics*, 7(9):2904-2912, 2008.

Okano, A., Ashihara, E., Shimazaki, C., Uchiyama, H., Inaba, T., Taniguchi, K., Maekawa, T., Taniwaki, M.: Predictive parameters for granulocyte colony-stimulating factor-induced peripheral blood stem cell mobilization. *J Apheresis Sci*, 23:171-177, 2008.

Matsumura I, Mizuki M, Kanakura Y. :Roles for deregulated receptor tyrosine kinases and their downstream signaling molecules in hematologic malignancies. *Cancer Sci* 99:479-485, 2008

Yokota T, Oritani K, Garrett KP, Kouro T, Nishida M, Takahashi I, Ichii M, Satoh Y, Kincade PW, Kanakura Y. : Soluble Frizzled-related protein 1 is estrogen inducible in bone marrow stromal cells and suppresses the earliest events in lymphopoiesis. *J Immunol* 181:6061-72, 2008

Satoh Y, Matsumura I, Tanaka H, Ezoe S, Fukushima K, Tokunaga M, Yasumi M, Shibayama H, Mizuki M, Era T, Okuda T, Kanakura Y. AML1/RUNX1 works as a negative regulator of c-Mpl in hematopoietic stem cells. *J Biol Chem* 283:30045-30056, 2008

Shizusawa T, Shibayama H, Murata S, Saitoh Y, Sugimoto Y, Matsumura I, Ogawa H, Sugiyama H, Fukuhara S, Hino M, Kanamaru A, Yamauchi A, Aozasa K, Kanakura Y. : The expression of anamorsin in diffuse large B cell lymphoma: Possible prognostic biomarker for low IPI patients. *Leuk Lymphoma* 49:113-121, 2008

Ichii M, Oritani K, Yokota T, Nishida M, Takahashi I, Shirogane T, Ezoe S, Saitoh N, Tanigawa R, Kincade PW, Kanakura Y. : Regulation of human B lymphopoiesis by the transforming growth factor-beta superfamily in a newly established coculture system using human mesenchymal stem cells as a supportive microenvironment. *Exp Hematol* 36:587-597, 2008

Isohashi K, Tatsumi M, Higuchi I, Inoue A, Nakajo K, Ishikawa J, Shimosegawa E, Kanakura Y, Nakamura H, Hatazawa J. : 18F-FDG-PET in patients with malignant lymphoma having long-term follow-up: staging and restaging, and evaluation of treatment response and recurrence. *Ann Nucl Med* 22:795-802, 2008

Sasaki H, Hayakawa J, Terai Y, Kanemura M, Tanabe-Kimura A, Kamegai H, Seino-Noda H, Ezoe S, Matsumura I, Kanakura Y, Sakata M, Tasaka K, Ohmichi M. : Difference between genomic actions of estrogen versus raloxifene in human ovarian cancer cell lines. *Oncogene* 27:2737-2745, 2008

Suzuki T, Tomonaga M, Miyazaki Y, Nakao S, Ohyashiki K, Matsumura I, Kohgo Y, Niitsu Y, Kojima S, Ozawa K. Japanese epidemiological survey with consensus statement on Japanese guidelines for treatment of iron overload in bone marrow failure syndromes. *Int J Hematol* 88:30-35, 2008

Takahashi H, Sugita S, Shimizu N, Mochizuki M. : A high viral load of Epstein-Barr virus (EBV) DNA in ocular fluids in a HLA-B27 negative acute anterior uveitis patient with psoriasis. *Jap J Ophthalmol.* 52(2):136-138, 2008.

Sugita S, Shimizu N, Watanabe K, Mizukami, Morio T, Sugamoto Y and Mochizuki M. Use of multiplex PCR and real-time PCR to detect human herpes virus genome in ocular fluids of patients with uveitis. *Br J Haematol.* 92(7):928-932, 2008.

Kido S, Sugita S, Horie S, Miyanaaga M, Miyata K, Shimizu N, Morio T and Mochizuki M. Association of varicella zoster virus load in the aqueous humor with clinical manifestations of anterior uveitis in herpes zoster ophthalmicus and zoster sine herpette. *Br J Haematol.* 92(4):505-8. 2008.

Yajima M, Imadome K, Nakagawa A, Watanabe S, Terashima K, Nakamura H, Ito M, Shimizu N, Honda M, Yamamoto N, Fujiwara S. A new humanized mouse model of Epstein-Barr virus infection that reproduces persistent infection, lymphoproliferative disorder, and cell-mediated and humoral immune responses. *J Infect Dis.* 198(5):673-82, 2008.

Ichikawa M, Goyama S, Asai T, Kawazu M, Nakagawa M, Takeshita M, Chiba S, Ogawa S, Kurokawa M : AML1/Runx1 Negatively Regulates Quiescent Hematopoietic Stem Cells in Adult Hematopoiesis. *J Immunol* 180(7):4402-4408, Apr 1, 2008.

Matsuoka S, Oike Y, Onoyama I, Iwama A, Arai F, Takubo K, Mashimo Y, Oguro H, Nitta E, Ito K, Miyamoto K, Yoshiwara H, Hosokawa K, Nakamura Y, Gomei Y, Iwasaki H, Hayashi Y, Matsuzaki Y, Nakayama K, Ikeda Y, Hata A, Chiba S, Nakayama KI, Suda T. Fbxw7 acts as a critical fail-safe against premature loss of hematopoietic stem cells and development of T-ALL. *Genes Dev* 22(8):986-991, Apr 15, 2008.

Suzuki T, Izutsu K, Kako S, Ohta S, Hangaishi A, Kanda Y, Motokura T, Chiba S, Kurokawa M: A case of adult Langerhans cell histiocytosis showing successfully regenerated osseous tissue of the skull after chemotherapy. *Int J Hematol* 87(3):284-288, Apr, 2008.

Asano-Mori Y, Kanda Y, Oshima K, Kako S, Shinohara A, Nakasone H, Sato H, Watanabe T, Hosoya N, Izutsu K, Asai T, Hangaishi A, Motokura T, Chiba S, Kurokawa M: Clinical features of late cytomegalovirus infection after hematopoietic stem cell transplantation. *Int J Hematol* 87(3):310-318, Apr, 2008.

Yoshimi A, Nannya Y, Sakata-Yanagimoto M, Oshima K, Takahashi T, Kanda Y, Motokura T, Chiba S, Kurokawa M: A myeloablative conditioning regimen for patients with impaired cardiac function undergoing allogeneic stem cell transplantation: Reduced cyclophosphamide combined with etoposide and total body irradiation. *Am J Hematol* 83(8):635-639, Apr, 2008.

Kijima M, Yamaguchi T, Ishifune C, Maekawa Y, Koyanagi A, Yagita H, Chiba S, Kishihara K, Shimada M, Yasutomo K: Dendritic cell-mediated NK cell activation is controlled by Jagged2-Notch interaction. *Proc Natl Acad Sci USA* 105(19):7010-7015, May, 2008.

Ishiura H, Morikawa M, Hamada M, Watanabe T, Kako S, Chiba S, Motokura T, Hangaishi A, Shibahara J, Akahane M, Goto J, Kwak S, Kurokawa M, Tsuji S: Lymphomatoid granulomatosis involving central nervous system successfully treated with rituximab alone. *Arch Neurol* 65(5):662-665, May, 2008.

Asano-Mori Y, Kanda Y, Oshima K, Kako S, Shinohara A, Nakasone H, Sato H, Watanabe T, Hosoya N, Izutsu K, Asai T, Hangaishi A, Motokura T, Chiba S, Kurokawa M: Long-term ultra-low-dose acyclovir against varicella-zoster virus reactivation after allogeneic hematopoietic stem cell transplantation.

Am J Hematol 83(3):472-476, Jun, 2008.

Yoshimi A, Izutsu K, Takahashi M, Kako S, Oshima K, Kanda Y, Motokura T, Chiba S, Momose T, Ohtomo K, Kurokawa M: Conventional allogeneic hematopoietic stem cell transplantation for lymphoma may overcome the poor prognosis associated with a positive FDG-PET scan before transplantation. *Am J Hematol* 83(6):477-481, Jun, 2008.

Sakata-Yanagimoto M, Nakagami-Yamaguchi E, Saito T, Kumano K, Yasutomo K, Ogawa S, Kurokawa M, Chiba S: Coordinated regulation of transcription factors through Notch2 is an important mediator of mast cell fate. *Proc Natl Acad Sci USA* 105(22):7839-7844, Jun, 2008.

Nagai S, Asai T, Watanabe T, Oshima K, Hangaishi A, Kanda Y, Motokura T, Chiba S, Aoki S, Ohtomo K, Kurokawa M: Simultaneous appearance of central nervous system relapse and subarachnoid hemorrhage during the treatment for acute promyelocytic leukemia. *Ann Hematol* 87(7):593-595, Jun, 2008.

Takeshita M, Ichikawa M, Nitta E, Goyama S, Asai T, Ogawa S, Chiba S, Kurokawa M: AML1-Evi-1 specifically transforms hematopoietic stem cells through fusion of the entire Evi-1 sequence to AML1. *Leukemia* 22(6):1241-1249, Jun, 2008.

Yoshimi A, Kumano K, Motokura T, Takazawa Y, Oota S, Chiba S, Takahashi T, Fukayama M, Kurokawa M: ESHAP therapy effective in a patient with Langerhans cell sarcoma. *Int J Hematol* 87(5):532-537, Jun, 2008.

Moriyama Y, Sekine C, Koyanagi A, Koyama N, Ogata H, Chiba S, Hirose S, Okumura K, Yagita H: Delta-like 1 is essential for the maintenance of marginal zone B cells in normal mice but not in autoimmune mice. *Int Immunol* 20(6):763-773, Jun, 2008.

Suzuki HI, Hangaishi A, Hosoya N, Watanabe T, Kanda Y, Motokura T, Chiba S, Kurokawa M: Herpes simplex encephalitis and

subsequent cytomegalovirus encephalitis after chemoradiotherapy for central nervous system lymphoma: a case report and literature review. *Int J Hematol* 87(5):538-541, Jun, 2008.

Suzuki HI, Izutsu K, Watanabe T, Oshima K, Kanda Y, Motokura T, Chiba S, Kurokawa M: Late-onset pneumatosis cystoides intestinalis associated with non-infectious pulmonary complications after allogeneic hematopoietic stem cell transplantation. *Int J Hematol* 88(1):116-118, Jul, 2008.

Kataoka K, Yamamoto G, Nannya Y, Yoshimi A, Okada S, Asai T, Kumano K, Hangaishi A, Takahashi T, Chiba S, Kurokawa M: Successful engraftment following HLA-mismatched cord blood transplantation for patients with anti-HLA Abs. *Bone Marrow Transplant* 42(2):129-130, Jul, 2008.

Suzuki HI, Suzuki T, Kamiyo A, Oota S, Sato H, Hangaishi A, Takahashi T, Kanda Y, Motokura T, Chiba S, Kurokawa M: Antileukemic immunity associated with antineutrophil antibody production after allogeneic hematopoietic SCT for myeloid/NK-cell precursor acute leukemia. *Bone Marrow Transplant* 42(4):285-287, Aug, 2008.

Goyama S, Yamamoto G, Sato T, Ichikawa M, Ogawa S, Chiba S, Kurokawa M: Evi-1 is a critical regulator for hematopoietic stem cells and transformed leukemic cells. *Cell Stem Cell* 3(2):207-220, Aug, 2008.

Nannya Y, Yokota H, Sato Y, Yamamoto G, Asai T, Ichikawa M, Watanabe T, Kumano K, Hangaishi A, Takahashi T, Chiba S, Yatomi Y, Kurokawa M: Molecular and cytogenetic response of chronic myelogenous leukemia treated with imatinib mesylate: one institutional experience in Japan. *Int J Hematol* 88(2):159-164, Aug, 2008.

Oshima K, Kanda Y, Kako S, Asano-Mori Y, Watanabe T, Motokura T, Chiba S, Shiraki K, Kurokawa M: Case report: persistent

cytomegalovirus (CMV) infection after haploidentical hematopoietic stem cell transplantation using in vivo alemtuzumab: emergence of resistant CMV due to mutations in the UL97 and UL54 genes. *J Med Virol* 80(10):1769-1775, Oct, 2008.

Yoshimi A, Asai T, Hangaishi A, Takahashi T, Chiba S, Kurokawa M: Hemorrhagic cystitis in a patient receiving gemtuzumab ozogamicin for relapsed acute promyelocytic leukemia after cord blood transplantation. *Ann Hematol* 87(10):851-852, Oct, 2008.

Maekawa Y, Minato Y, Ishifune C, Kurihara T, Kitamura A, Kojima H, Yagita H, Sakata-Yanagimoto M, Saito T, Taniuchi I, Chiba S, Sone S, Yasutomo K: Notch 2 integrates signaling by the transcription factors RBP-J and CREB1 to promote T cell cytotoxicity. *Nat Immunol* 9(10):1140-1147, Oct, 2008.

Kanda Y, Okamoto S, Tauchi T, Kizaki M, Inokuchi K, Yabe M, Yokoyama K, Ito Y, Kimura Y, Higashihara M, Bessho M, Ando K, Chiba S, Kurokawa M, Oshimi K, Dan K, Ohyashiki K, Ikeda Y; for the Tokyo STI Study Group (TSSG). Multicenter prospective trial evaluating the tolerability of imatinib for Japanese patients with chronic myelogenous leukemia in the chronic phase: Does body weight matter? *Am J Hematol* 83(11):835-839, Nov, 2008.

Nakagawa K, Kanda Y, Yamashita H, Nakagawa S, Sasano N, Ohtomo K, Oshima K, Kumano K, Ban N, Minamitani Y, Kurokawa M, Chiba S: Ovarian shielding allows ovarian recovery and normal birth in female hematopoietic SCT recipients undergoing TBI. *Bone Marrow Transplant* 42(10):697-699, Nov, 2008.

2009

Watanabe M, Adachi S, Matsubara H, Imai T, Yui Y, Mizushima Y, Hiraumi Y, Watanabe K, Kamitsuji Y, Toyokuni S, Hosoi H, Sugimoto T, Toguchida J, Nakahata T: Induction of autophagy in malignant rhabdoid tumor

cells by the histone deacetylase inhibitor FK228 through AIF translocation. *Int J Cancer*:124, 55-67, 2009

Matsubara H, Watanabe M, Imai T, Yui Y, Mizushima Y, Hiraumi Y, Kamitsuji Y, Watanabe K, Nishijo K, Toguchida J, Nakahata T, Adachi S.: Involvement of extracellular signal-regulated kinase activation in human osteosarcoma cell resistance to the histone deacetylase inhibitor FK228 [(1S, 4S, 7Z, 10S, 16E, 21R)-7-ethylidene-4, 21-bis(propan-2-yl)-2-oxa-12, 13-dithia-5, 8, 20, 23-tetraazabicyclo[8.7.6]tricos-16-ene-3, 6, 9, 19, 22-pentone]. *J Pharmacol Exp Ther.* 328(3):839-48, 2009.

Okafuji I, Nishikomori R, Kanazawa N, Kambe N, Fujisawa A, Yamazaki S, Saito M, Yoshioka T, Kawai T, Sakai H, Tanizaki H, Heike T, Miyachi Y, Nakahata T.: Role of the NOD2 genotype in the clinical phenotype of Blau syndrome and early-onset sarcoidosis. *Arthritis Rheum.* 60(1):242-50 2009.

Niwa A, Umeda K, Awaya T, Yui Y, Matsubara H, Hiramatsu H, Watanabe KI, Adachi S, Itoh T, Uemoto S, Nakahata T: Successful autologous peripheral blood stem cell transplantation with a double-conditioning regimen for recurrent hepatoblastoma after liver transplantation. *Pediatr Transplant.* 13(2): 259-262, 2009.

Hiraumi Y, Iwai-Kanai E, Baba S, Yui Y, Kamitsuji Y, Mizushima Y, Matsubara H, Watanabe M, Watanabe KI, Toyokuni S, Matsubara H, Nakahata T, Adachi S.: Granulocyte colony-stimulating factor protects cardiac mitochondria in the early phase of cardiac injury. *Am J Physiol Heart Circ Physiol.* 296:H823-H832, 2009.

Chang H, Yoshimoto M, Umeda K, Iwasa T, Mizuno Y, Fukada SI, Yamamoto H, Motohashi N, Suzuki YM, Takeda S, Heike T, Nakahata T.: Generation of transplantable, functional satellite-like cells from

mouse embryonic stem cells. *FASEB J.* 23:1907-1919, 2009.

Fukushima-Shintani M, Suzuki KI, Iwatsuki Y, Abe M, Sugasawa K, Hirayama F, Kawasaki T, Nakahata T.: AKR-501 (YM477) a novel orally-active thrombopoietin receptor agonist. *Eur J Haematol.* 82(4):247-254, 2009.

Higashi A.Y., Ikawa T, Muramatsu M, Economides A.N., Niwa A, Okuda T, Murphy AJ., Rojas J, Heike T, Nakahata T, Kawamoto H, Kita T, Yanagita M.: Direct hematological toxicity and illegitimate chromosomal recombination caused by the systemic activation of CreER^{T2}. *J Immunol.* 182:5633-5640, 2009.

Hasegawa D., Manabe A., Yagasaki H., Ohtsuka Y., Inoue M., Kikuchi A., Ohara A., Tsuchida M., Kojima S., Nakahata T.: Treatment of Childhood MDS Study Group Trial (MDS99). *Pediatr. Blood Cancer* 53:1011-1015, 2009.

Yokoo N., Baba S., Kaichi S., Niwa A., Mima T., Doi H., Yamanaka S., Nakahata T., Heike T.: The effects of cardioactive drugs on cardiomyocytes derived from human induced pluripotent stem cells. *Biochem. Biophys. Res. Com.* 387(3):482-488, 2009..

Kusunoki T, Morimoto T, Nishikomori R, Yasumi T, Heike T, Fujii T, Nakahata T.: Changing Prevalence and Severity of Childhood Allergic Diseases in Kyoto, Japan, from 1996 to 2006. *Allergol Int.* 58(4): 543-548, 2009.

Kusunoki T, Morimoto T, Nishikomori R, Heike T, Fujii T, Nakahata T.: Allergic status of schoolchildren with food allergy to eggs, milk or wheat in infancy. *Pediatr Allergy Immunol.* 20(7):642-647, 2009.

Nie C, Sato K, Misawa N, Kitayama H, Fujino H, Hiramatsu H, Heike T, Nakahata T, Tanaka Y, Ito M, Koyanagi Y: Selective infection of CD(4)+ effector memory T lymphocytes leads to preferential depletion of memory T lymphocytes in R5 HIV-infected humanized

- NOD/SCID/IL-2R γ ^{null} mice. *Virology* 394: 64-72, 2009.
- Kato M, Sanada M, Kato I, Sato Y, Takita J, Takeuchi K, Niwa A, Chen Y, Nakazaki K, Nomoto J, Asakura Y, Muto S, Tamura A, Iio M, Akatsuka Y, Hayashi Y, Mori H, Igarashi T, Kurokawa M, Chiba S, Mori S, Ishikawa Y, Okamoto K, Tobinai K, Nakagama H, Nakahata T, Yoshino T, Kobayashi Y, Ogawa S: Frequent inactivation of A20 in B-cell lymphomas. *Nature* 459:712-716, 2009.
- Niwa A., Umeda K., Chang H., Saito M., Okita K., Takahashi K., Nakagawa M., Yamanaka S., Nakahata T., Heike T: Orderly Hematopoietic Development of Induced Pluripotent Stem Cells via Flk-1⁺ Hemoangiogenic Progenitors. *J. Cell. Physiol.* 221:367-377, 2009.
- Miyara M., Yoshioka Y., Kitoh A., Shima T., Wing K., Niwa A., Perizot C., Taflin C., Heike T., Valeyre D., Mathian A., Nakahata T., Yamaguchi T., Nomura T., Ono M., Amoura Z., Gorochoff G., Sakaguchi S.: Functional delineation and differentiation dynamics of human CD4⁺ T cells expressing the FoxP3 transcription factor. *Immunity* 30:899-911, 2009.
- Yoshimoto M, Heike T, Chang H, Kanatsu-Shinohara M, Baba S, Varnau JT, Shinohara T, Yoder MC, Nakahata T: Bone marrow engraftment but limited expansion of hematopoietic cells from multipotent germline stem cells derived from neonatal mouse testis. *Exp Hematol* 37:1400-1410, 2009.
- Mizuno Y, Chang H, Umeda K, Niwa A, Iwasa T, Awaya T, Fukuda S, Yamamoto H, Yamanaka S, Nakahata T, Heike T: Generation of skeletal muscle stem/progenitor cells from murine induced pluripotent stem cells. *FASEB J* 24:2245-2253, 2009.
- Yuasa, T., Sato, K., Ashihara, E., Takeuchi, M., Tsuchiya, N., Habuchi, T., Maekawa, T., Kimura, S.: Intravesical administration of gd T cells successfully prevents the growth of bladder cancer in the murine model. *Cancer Immunol Immunotherapy*, 58(4):493-502, 2009.
- Koto, K., Horie, N., Kimura, S., Murata, H., Sakabe, T., Matsui, T., Koto, K., Watanabe, M., Adachi, S., Maekawa, T., Fushiki, S., Kubo, T.: Clinical relevant dose of zoledronic acid inhibits spontaneous lung metastasis in a murine osteosarcoma model. *Cancer Lett*, 274(2):271-278, 2009.
- Ashihara, E., Kawata, E., Nakagawa, Y., Shimazaki, C., Kuroda, J., Tanaka, R., Yokota, A., Murotani, Y., Takeuchi, M., Kamitsuji, Y., Inaba, T., Taniwaki, M., Kimura, S., Maekawa, T.: β -catenin siRNA successfully suppressed progression of multiple myeloma in a mouse model. *Clin Cancer Res*, 15(8):2731-2738, 2009.
- Matsumoto, S., Tanaka, F., Sato, K., Kimura, S., Maekawa, T., Hasegawa, S., Wada, H.: Monitoring with a non-invasive bioluminescent in vivo imaging system of pleural metastasis of lung carcinoma. *Lung Cancer*, 66(1):75-9, 2009.
- Tsubakimoto, Y., Yamada, H., Yokoi, H., Takata, H., Kawahito, H., Matsui, A., Urano, N., Nozawa, Y., Hirai, H., Imanishi, J., Ashihara, E., Maekawa, T., Takahashi, T., Okigaki, M., Matsubara, H.: Angiotensin AT1 receptor on bone marrow stem cells that regulates monocyte/macrophage lineage differentiation from hematopoietic stem cell. *Arterioscler Thromb Vasc Biol.* 29(10):1529-1536, 2009.
- Kaido, T., Egawa, H., Tsuji, H., Ashihara, E., Maekawa, T., Uemoto, S.: In-hospital mortality in adult recipients of living donor liver transplantation: experience of 576 consecutive cases at a single center. *Liver Transpl* 15(11):1420-1425, 2009.
- Yokota T, Oritani K, Butz S, Kokame K, Kincade PW, Miyata T, Vestweber D, Kanakura Y.: The endothelial antigen ESAM marks primitive hematopoietic progenitors throughout life in mice. *Blood*

113:2914-2923, 2009

Fukushima K, Matsumura I, Ezoe S, Tokunaga M, Yasumi M, Satoh Y, Shibayama H, Tanaka H, Iwama A, Kanakura Y.

FIP1L1-PDGFRalpha imposes eosinophil lineage commitment on hematopoietic stem/progenitor cells.

J Biol Chem 284:7719-7732, 2009

Akiyama M, Kashiwagi H, Todo K, Moroi M, Berndt, MC, Kojima H, Kanakura Y, Tomiyama Y. : Presence of platelet-associated anti-GPVI autoantibodies and restoration of GPVI expression in patients with GPVI deficiency. J Thromb Haemost 7:1373-1383, 2009

Tatsumi M, Sugahara H, Higuchi I, Fukunaga H, Nakamura H, Kanakura Y, Hatazawa J. : Standardized uptake value on FDG-PET as a marker for disease activity in patients with non-Hodgkin's lymphoma: comparison with serum soluble interleukin-2 receptor values. Int J Clin Oncol 14:150-158, 2009

Wada N, Ikeda J, Kohara M, Ogawa H, Hino M, Fukuhara S, Kanamaru A, Sugiyama H, Kanakura Y, Morii E, Aozasa K. : Diffuse large B-cell lymphoma with a high number of epithelioid histiocytes (lymphoepithelioid B-cell lymphoma): a study of Osaka Lymphoma Study Group. Virchows Arch 455:285-293, 2009

Ishikawa J, Maeda T, Matsumura I, Yasumi M, Ujiie H, Masaie H, Nakazawa T, Mochizuki N, Kishino S, Kanakura Y. : Antifungal activity of micafungin in serum. Antimicrob Agents Chemother 53:4559-4562, 2009

Nakamichi I, Shimazu K, Ikeda J, Yamauchi A, Ishiko J, Mizuki M, Kanakura Y, Aozasa K. : Intravascular lymphomatosis initially suspected from uterine cytology: a case report. Acta Cytol 53:198-200, 2009

Miyagawa S, Matsumiya G, Funatsu T, Yoshitatsu M, Sekiya N, Fukui S, Hoashi T, Hori M, Yoshikawa H, Kanakura Y, Ishikawa

J, Aozasa K, Kawaguchi N, Matsuura N, Myoui A, Matsuyama A, Ezoe S, Iida H, Matsuda H, Sawa Y. Combined autologous cellular cardiomyoplasty using skeletal myoblasts and bone marrow cells for human ischemic cardiomyopathy with left ventricular assist system implantation: report of a case. Surg Today 39:133-136, 2009

Yajima M, Imadome KI, Nakagawa A, Watanabe S, Terashima K, Nakamura H, Ito M, Shimizu N, Yamamoto N, Fujiwara S. T Cell-Mediated Control of Epstein-Barr Virus Infection in Humanized Mice. J Infect Dis. 200(10):1611-1615, 2009.

Imadome K, Shimizu N, Yajima M, Watanabe K, Nakamura H, Takeuchi H, Fujiwara S. : CD40 signaling activated by Epstein-Barr virus promotes cell survival and proliferation in gastric carcinoma-derived human epithelial cells. Microbes Infect. 11(3):429-433, 2009.

Fukushima K, Matsumura I, Ezoe S, Tokunaga M, Yasumi M, Satoh Y, Shibayama H, Tanaka H, Iwama A, Kanakura Y. : FIP1L1-PDGFRalpha imposes eosinophil lineage commitment on hematopoietic stem/progenitor cells. J Biol Chem. 20 : 284 (12) : 7719-32, 2009. Mar

Yokota T, Oritani K, Butz S, Kokame K, Kincade PW, Miyata T, Vestweber D, Kanakura Y. : The endothelial antigen ESAM marks primitive hematopoietic progenitors throughout life in mice. 26:113(13):2914-23 ,2009 Mar

Tabata S, Shimoji S, Murase K, Takiuchi Y, Inoue D, Kimura T, Nagai Y, Mori M, Togami K, Kurata M, Ito K, Hashimoto H, Matsushita A, Nagai K, Takahashi T :Successful allogeneic bone marrow transplantation for myelodysplastic syndrome complicated by severe pulmonary alveolar proteinosis, The Japanese Society of Hematology 2009

Mori M, Togami K, Fujita H, Inoue D, Kimura T, Shimoji S, Nagai Y, Tabata S, Kurata M, Ito K, Hashimoto H, Matsushita A, Nagai K, Kaji S, Takahashi T. : Successful

- allogeneic bone marrow transplantation for chronic myelomonocytic leukemia complicated by refractory aortitis. *Bone Marrow Transplant*. 2009 Aug 31.
- Inoue D, Nagai Y, Kimura T, Shimoji S, Mori M, Togami K, Tabata S, Kurata M, Matsushita A, Ito K, Hashimoto H, Maruoka H, Yamashita E, Nagai K, Imai Y, Shirane H, Takahashi T.: Refractory de novo myeloid sarcoma: a case report and therapeutic strategy based on bone marrow minimal residual disease. *Int J Hematol*. 2009 Jul;90(1):120-3.
- Nakano N, Nishiyama C, Yagita H, Koyanagi A, Akiba H, Chiba S, Ogawa H, Okumura K: Notch signaling confers antigen-presenting cell functions on mast cells. *J Allergy Clin Immunol* 123(1):74-81, Jan, 2009.
- Ogawa S, Matsubara A, Onizuka M, Kashiwase K, Sanada M, Kato M, Nannya Y, Akatsuka Y, Satake M, Takita J, Chiba S, Saji H, Maruya E, Inoko H, Morishima Y, Kodera Y, Sasazuki T. Japan Marrow Donation Program (JMDP). Exploration of the genetic basis of GVHD by genetic association studies. *Biol Blood Marrow Transplant* 15(1 Suppl):39-41, Jan, 2009.
- Kataoka K, Nannya Y, Hangaishi A, Imai Y, Chiba S, Takahashi T, Kurokawa M: Influence of pretransplantation serum ferritin on nonrelapse mortality after myeloablative and nonmyeloablative allogeneic hematopoietic stem cell transplantation. *Biol Blood Marrow Transplant* 15(2):195-204, Feb, 2009.
- Ishigaki T, Sudo K, Hiroshima T, Miharada K, Ninomiya H, Chiba S, Nagasawa T, Nakamura Y: Human hematopoietic stem cells can survive in vitro for several months. *Adv Hematol* 2009:936761, Feb, 2009.
- Yoshimi M, Nannya Y, Watanabe T, Asai T, Ichikawa M, Yamamoto G, Kumano K, Hangaishi A, Imai Y, Takahashi T, Chiba S, Kurokawa M: Acute eosinophilic pneumonia is a non-infectious lung complication after allogeneic hematopoietic stem cell transplantation. *Int J Hematol* 89(2):244-248, Mar, 2009.
- Kijima M, Iwata A, Maekawa Y, Uehara H, Izumi K, Kitamura A, Yagita H, Chiba S, Shiota H, Yasutomo K. Jagged1 suppresses collagen-induced arthritis by indirectly providing a negative signal in CD8+ T cells. *J Immunol* 182(6):3566-3572, Mar, 2009.
- Haraguchi K, Suzuki T, Koyama N, Kumano K, Nakahara F, Matsumoto A, Yokoyama Y, Sakata-Yanagimoto M, Masuda S, Takahashi T, Kamijo A, Takahashi K, Takanashi M, Okuyama Y, Yasutomo K, Sakano S, Yagita H, Kurokawa M, Ogawa S, Chiba S: Notch activation induces the generation of functional NK cells from human cord blood CD34-positive cells devoid of IL-15. *J Immunol* 182(10):6168-6178, May 15, 2009.
- Lee S-y, Kumano K, Nakazaki K, Sanada M, Matsumoto A, Yamamoto G, Nannya Y, Suzuki R, Ota S, Ota Y, Izutsu K, Sakata-Yanagimoto M, Hangaishi A, Yagita H, Fukayama M, Seto M, Kurokawa M, Ogawa S, Chiba S: Gain-of-function mutations and copy number increases of Notch2 in diffuse large B-cell lymphoma. *Cancer Sci* 100(5):920-926, May, 2009.
- Kato M, Sanada M, Kato I, Sato Y, Takita J, Takeuchi K, Niwa A, Chen Y, Nakazaki K, Nomoto J, Asakura Y, Muto S, Tamura A, Iio M, Akatsuka Y, Hayashi Y, Mori H, Igarashi T, Kurokawa M, Chiba S, Mori S, Ishikawa Y, Okamoto K, Tobinai K, Nakagama H, Nakahata T, Yoshino T, Kobayashi Y, Ogawa S: Frequent inactivation of A20 in B-cell lymphomas. *Nature* 459(7247):712-716, Jun 4, 2009.
- Yokoyama Y, Suzuki T, Sakata-Yanagimoto M, Kumano K, Higashi K, Takato T, Kurokawa M, Ogawa S, Chiba S: Derivation of functional mature neutrophils from human embryonic stem cells. *Blood* 113(26):6584-6592, Jun 25, 2009.
- Sanada M, Suzuki T, Shih LY, Otsu M, Kato M, Yamazaki S, Tamura A, Honda H, Sakata-Yanagimoto M, Kumano K, Oda H,

Yamagata T, Takita J, Gotoh N, Nakazaki K, Kawamata N, Onodera M, Nobuyoshi M, Hayashi Y, Harada H, Kurokawa M, Chiba S, Mori H, Ozawa K, Omine M, Hirai H, Nakauchi H, Koeffler HP, Ogawa S: Gain-of-function of mutated c-Cbl tumor suppressor associated with myeloid neoplasms having 11q UPD. *Nature* 460(7257):904-908, Aug 13, 2009.

Yoshimi A, Takahashi T, Motokura T, Yatomi Y, Chiba S, Kurokawa M: Hemoperitoneum due to spontaneous rupture of the left gastroepiploic artery in a patient with hemophilia A. *Ann Hematol* 88(8):811-812, Aug, 2009.

Masuda S, Kumano K, Suzuki T, Tomita T, Iwatsubo T, Natsugari H, Tojo A, Shibutani M, Mitsumori K, Hanazono Y, Ogawa S, Kurokawa M, Chiba S: Dual antitumor mechanisms of Notch signaling inhibitor in a T cell acute lymphoblastic leukemia xenograft model. *Cancer Science* 100(12):2444-2450, Dec, 2009.

2010

Morishima T., Watanabe K., Niwa A., Fujino H., Matsubara H., Adachi S., Suemori H., Nakahata T., Heike T.: Neutrophil differentiation from human-induced pluripotent stem cells. *J. Cell. Physiol.* in press.

Ueno H, Blanck JP, Sidney J, Zurawski SM, Bourdery L, Bentebibel SE, Zurawski G, Nicewander D, Heike T, Nakahata T., Arai K, Arai N, Blankenship D, Sette A, Banchereau J: Circulating CD4+ T cells Specific for H5 Hemagglutinin in Healthy Subjects. *J. Infectious Diseases* in press

Kusunoki T, Morimoto T, Nishikomori R, Yasumi T, Heike T., Fujii T, Nakahata T.: The effect of past food avoidance due to allergic symptoms on the growth of children at school age. *Allergology International.* in press.

Suzuki N, Yumura-Yagi K, Yoshisa M, Hara

J, Nishimura S, Kudoh T, Tawa A, Usami I, Tanizawa A, Hori H, Ito Y, Miyaji R, Oda M, Kato K, Hamamoto K, Osugi Y, Hashii Y, Nakahata T., Horibe K: Outcome of childhood acute lymphoblastic leukemia with induction failure treated by the Japan Association of Childhood Leukemia Study (JACLS) ALL F-protocol. *Pediatric Blood Cancer.* 54(1):71-78, 2010.

Kato I., Umeda K., Awaya T., Yui Y., Niwa A., Fujino H., Matsubara H., Watanabe K., Heike T., Adachi N., Endo H., Mizukami T., Nuno H., Nakahata T., Adachi S.: Successful treatment of refractory donor lymphocyte infusion-induced immune-mediated pancytopenia by Rituximab. *Pediatr Blood Cancer.* 54: 329-331, 2010.

Sakai H, Ito S, Nishikomori R, Takaoka Y, Kawai T, Saito M, Okafuji I, Yasumi T, Heike T., Nakahata T.: A case of early-onset sarcoidosis with a six-base deletion in the NOD2 gene. *Rheumatology (Oxford).* 49: 194-196, 2010.

Kubota M., Adachi S., Usami I., Okada M., Kitou T., Shiota M., Taniguchi Y., Tanizawa A., Nanbu M., Hamahata K., Fujino H., Matsubara K., Wakazono Y., Nakahata T.: Characterization of chronic idiopathic thrombocytopenic purpura in Japanese children: a retrospective multi-center study. *Int. J. Hematol.* 91:252-257, 2010.

Takeuchi M., Kimura S., Kuroda J., Ashihara E., Kawatani M., Osada H., Umezawa K., Yasui E. Imoto M., Tsuruo T., Yokota A., Tanaka R., Nagao R., Nakahata T., Fujiyama Y., Maekawa T.: Glyoxalase-I is a novel target against Bcr-Abl+ leukemic cells acquiring stem-like characteristics in a hypoxic environment. *Cell Death Diff.* 17:1211-1220, 2010.

Mizushima Y., Taki T., Shimada A., Yui Y., Hiraumi Y., Matsubara H., Watanabe M., Watanabe K., Kamitsuji Y., Hayashi Y., Tsukimoto I., Kobayashi R., Horibe K., Tawa A., Nakahata T., Adachi S.: Prognostic significance of the BAALC

- isoform pattern and CEBPA mutations in pediatric acute myeloid leukemia with normal karyotype: a study by the Japanese Childhood AML Cooperative Study Group. *Int. J. Hematol.* 91:831-837, 2010.
- Mizuno Y., Chang H., Umeda K., Niwa A., Iwasa T., Awaya T., Fukada S., Hiroshi Yamamoto H., Yamanaka S., Nakahata T., Heike T.: Generation of skeletal muscle stem/progenitor cells from murine induced pluripotent stem cells. *FASEB J.* 24:2245-2253, 2010.
- Kuroda Y., Kitada M., Wakao S., Nishikawa K., Tanimura Y., Makinoshima H., Goda M., Akashi H., Inutsuka A., Niwa A., Nabeshima Y., Nakahata T., Nabeshima Y., Fujiyoshi Y., Dezawa M.: Muse cells - unique multipotent cells in human mesenchymal cell populations. *Proc. Natl. Acad. Sci. USA* 107:8639-8643, 2010.
- Matsuda K., Taira C., Sakashita K., Saito S., Yanagisawa MT., Yanagisawa R., Yoza Nakazawa Y., Shiohara M., Fukushima K., Oda M., Honda T., Nakahata T., Koike K.: Long-term survival after non-intensive chemotherapy in some juvenile myelomonocytic leukemia patients with *CBL* mutations, and the possible presence of normal individuals with the mutations. *Blood* 115:5429-5431, 2010.
- Matsuse D., Kitada M., Kohama M., Nishikawa K., Makinoshima H., Wakao S., Fujiyoshi Y., Heike T., Nakahata T., Akutsu H., Umezawa A., Harigae H., Kita J., Dezawa M.: Human umbilical cord-derived mesenchymal stromal cells differentiate into functional Schwann cells that sustain peripheral nerve regeneration. *J. Neuropathol. Exp. Neurol.* 69:973-985, 2010.
- Kumada T., Yamanaka Y., Kitano A., Shibata M., Awaya T., Kato T., Okawa K., Abe T., Oshima N., Nakahata T., Heike T.: Ttyh1, a Ca²⁺-binding protein localized to the endoplasmic reticulum, is required for early embryonic development. *Develop. Dynam.* 239:2233-2245, 2010.
- Iwasa T., Baba S., Doi H., Kaichi S., Yokoo N., Mima T., Kanatsu-Shinohara M., Shinohara T., Nakahata T., Heike T.: Neonatal mouse testis-derived multipotent germline stem cells improve the cardiac function of acute ischemic heart mouse model. *Biochem. Biophys. Res. Com.* (2010), doi:10.1016/j.bbrc.2010.07.131.
- Yui Y., Itoh K., Yoshioka K., Naka N., Watanabe M., Hiraumi Y., Matsubara H., Watanabe K., Sano K., Nakahata T., Adachi S.: Mesenchymal mode of migration participates in pulmonary metastasis of mouse osteosarcoma LM8. *Clin Exp Metastasis* DOI 10.1007/s10585-010-9352-x
- Morishima T, Watanabe K, Niwa A, Fujino H, Matsubara H, Adachi S, Suemori H, Nakahata T., Heike T.: Neutrophil differentiation from human-induced pluripotent stem cells. *J Cell Physiol* 2010 in press
- Kaichi S, Takaya T, Morimoto T, Sunagawa Y, Kawamura T, Ono K, Shimatsu A, Baba S, Heike T., Nakahata T., Hasegawa K.: Cyclin-dependent kinase 9 forms a complex with GATA4 and is involved in the differentiation of mouse ES cells into cardiomyocytes. *J Cell Physiol.* 226:248-254: 2010
- Kaichi S, Hasegawa K, Takaya T, Yokoo N, Mima T, Kawamura T, Morimoto T, Ono K, Baba S, Doi H, Yamanaka S, Nakahata T., Heike T.: Cell line-dependent differentiation of induced pluripotent stem cells into cardiomyocytes in mice. *Cardiovasc Res.* 88:314-323: 2010
- Iwasa T, Baba S, Doi H, Kaichi S, Yokoo N, Mima T, Kanatsu-Shinohara M, Shinohara T, Nakahata T., Heike T.: Neonatal mouse testis-derived multipotent germline stem cells improve the cardiac function of acute ischemic heart mouse model. *Biochem Biophys Res Commun.* 400:27-33: 2010
- Kumada T, Yamanaka Y, Kitano A, Shibata M, Awaya T, Kato T, Okawa K, Abe T, Oshima N,

- Nakahata T, Heike T: Ttyhl, a Ca(2+)-binding protein localized to the endoplasmic reticulum, is required for early embryonic development. *Dev Dyn.* 239:2233-2245: 2010
- Yokota, A., Kimura, S., Tanaka, R., Takeuchi, M., Yao, H., Sakai, K., Nagao, R., Kuroda, J., Kamitsuji, Y., Kawata, E., Ashihara, E., Maekawa, T: Osteoclasts are involved in the maintenance of dormant leukemic cells. *Leuk Res.* 34: 793-799, 2010.
- Taniguchi, K., Shimazaki, C., Ochiai, N., Maruya, E., Akatsuka, Y., Ashihara, E., Maekawa, T., Taniwaki, M., Saji, H.: Modified elispot assay may predict T-cell hyporesponsiveness to non-inherited maternal antigens in healthy individuals. *Int J Lab Hematol.* 32(1 Pt 1):e163-168, 2010.
- Ohsaka, A., Kikuta, A., Ohto, H., Ohara, A., Ishida, A., Osada, K., Kimitamari, A., Iwai, A., Kai, T., Maekawa, T., Hoshi, Y.: Guidelines for safety management of granulocyte transfusion in Japan. *Int J Hematol.* 91(2):201-208, 2010.
- Yokoi H, Yamada H, Tsubakimoto Y, Takata H, Kawahito H, Kishida S, Kato T, Matsui A, Hirai H, Ashihara E, Maekawa T, Iwai M, Horiuchi M, Ikeda K, Takahashi T, Okigaki M, Matsubara H.: Bone marrow AT1 augments neointima formation by promoting mobilization of smooth muscle progenitors via platelet-derived SDF-1 α . *Arterioscler Thromb Vasc Biol.* 30(1):60-67, 2010.
- Ashihara, E., Kawata, E., Maekawa, T: Future prospect of RNA interference for cancer therapies. *Curr Drug Targets.* 11(3):345-360, 2010. Review
- Tada, N., Hinotsu, S., Urushihara, A., Kita, F., Kai, T., Takahashi, S., Kato, S., Takanashi, M., Ito, K., Sawai, H., Maekawa, T., Kosugi, S., Kawakami, K.: The current status of umbilical cord blood collection in Japanese medical centers: survey from the obstetricians *Int J Hematol* (in press, 2010)
- Ito, K., Aoyama, T., Fukiage, K., Otsuka, S., Furu, M., Jin, Y., Nasu, A., Ueda, M., Kasai, Y., Ashihara, E., Kimura, S., Maekawa, T., Kobayashi, A., Yoshida, S., Niwa, H., Otsuka, T., Nakamura, T., Toguchida, J.: A novel method to isolate mesenchymal stem cells from bone marrow in a closed system using a device made by non-woven fabric. *Tissue Eng Part C Methods* 16(1):81-91, 2010.
- Koto, K., Murata, H., Kimura, S., Horie, N., Matsui, T., Nishigaki, Y., Ryu, K., Sakabe, T., Itoi, M., Ashihara, E., Maekawa, T., Fushiki, S., Kubo, T.: Zoledronic acid inhibits proliferation of human fibrosarcoma cells with induction of apoptosis, and shows combined effects with other anticancer agents. *Oncol Rep.* 24(1):233-239, 2010.
- Sekimoto, M., Imanaka, Y., Shirai, T., Sasaki, H., Komeno, T., Lee, J., Yoshihara, K., Ashihara, E., Maekawa, T.: Risk-adjusted assessment of incidence and quantity of blood use in acute-care hospitals in Japan: an analysis using administrative data. *Vox Sanguinis.* 98:538-546, 2010.
- Takeuchi, M., Kimura, S., Kuroda, J., Ashihara, E., Kawatani, M., Osada, H., Umezawa, K., Yasui, E., Imoto, M., Tsuruo, T., Yokota, A., Tanaka, T., Nagao, R., Nakahata, T., Fujiyama, Y., Maekawa, T.: Glyoxalase-I induction during hypoxia adaptation in Bcr-Abl positive leukaemic cells. *Cell Death Diff.* 7:1211-1220, 2010.
- Takeuchi, M., Kimura, S., Ashihara, E., Maekawa, T.: Dual BCR-ABL/LYN tyrosine kinase inhibitor, INNO-406. *Drug of the Future* (in press, 2010).
- Kamio, N., Hirai, H., Ashihara, E., Tenen, D.G., Maekawa, T., Imanishi, J.: Use of bicistronic vectors in combination with flow cytometry to screen for effective small interfering RNA target sequences. *Biochem Biophys Res Commun.*

393(3):498-503, 2010.

Kawata, E., Ashihara, E., Nakagawa, Y., Kiuchi, T., Ogura, M., Yao, H., Sakai, K., Tanaka, R., Yokota, A., Takeuchi, M., Kimura, S., Hirai, H., Maekawa, T. : A combination of a DNA-chimera siRNA against PLK-1 and zoledronic acid suppresses the growth of malignant mesothelioma cells in vitro. *Cancer Lett*, 294(2):245-253. 2010.

Tanaka, R., Squires, M.S., Kimura, S., Yokota, A., Mallet, K., Smyth, T., Thompson, N.T., Nagao, R., Yamauchi, T., Ashihara, E., Ottmann, O.G., Lyons, J.F., Maekawa, T. : Activity of the multi-targeted kinase inhibitor, AT9283, in imatinib-resistant BCR-ABL positive leukemic cells. *Blood*, 116(12):2089-2095, 2010.

Ushiki, T., Kondoh, S., Ashihara, E., Tanaka, S., Masuko, M., Hirai, H., Kimura, S., Aizawa, Y., Maekawa, T., Hiraoka M. : Noninvasive tracking of donor cell homing by near-infrared fluorescence imaging shortly after bone marrow transplantation. *PLoS One*, 5(6):e11114, 2010.

Ryu, K., Murata, H., Koto, K., Horie, N., Matsui, T., Nishigaki, Y., Sakabe, T., Takeshita, H., Itoi, M., Kimura, S., Ashihara, E., Maekawa, T., Fushiki, S., Kubo, T. : Combined effects of bisphosphonate and radiation on osteosarcoma cells. *Anticancer Res*. 30(7):2713-2720, 2010.

Hamaguchi, M., Seno, T., Yamamoto, A., Kohno, M., Kadoya, M., Ishino, H., Ashihara, E., Kimura, S., Tsubakimoto, Y., Takata, H., Yoshikawa, T., Maekawa, T., Kawahito, Y. : Loxoprofen sodium, a non-selective NSAID, reduces atherosclerosis in mice by reducing inflammation. *J Clin Biochem Nutr*. 47(2):138-147, 2010.

Sakai, K., Kawata, E., Ashihara, E., Nakagawa, Y., Yamauchi, A., Yao, H., Nagao, R., Tanaka, R., Yokota, A., Takeuchi, M., Hirai, H., Kimura, S., Hirashima, M.,

Yoshimura, N., Maekawa, T. : Galectin-9 ameliorates acute graft-versus-host disease through the induction of T-cell apoptosis. *Eur J Immunol* (in press, 2010)

Yamamoto, A., Ashihara, A., Nakagawa, Y., Obayashi, H., Ohta, M., Hara, H., Adachi, T., Seno, T., Kadoya, M., Hamaguchi, M., Ishino, H., Kohno, M., Maekawa, T., Kawahito, Y. : Allograft inflammatory factor-1 is overexpressed and induces fibroblast chemotaxis in the skin of sclerodermatous GVHD in a murine model. *Immunology letter* (in press, 2010)

Kitawaki, T., Kadowaki, T., Fukunaga, K., Kasai, Y., Maekawa, T., Ohmori, K., Maekawa, R., Takashige, K., Nieda, M., Yokokawa, K., Itoh, T., Shimizu, A., Tada, H., Kuzushima, K., Ishikawa, T., Uchiyama, T. : Phase I/IIa clinical trials of dendritic cell-based immunotherapy for acute myeloid leukemia in elderly patients using autologous apoptotic leukemic cells or a heteroclitic WT1 peptide as antigens. *Brit J Haematol* (in press, 2010)

Tada, N., Hinotsu, S., Urushihara, H., Kita, F., Kai, S., Takahashi, T.A., Kato, S., Takanashi, M., Ito, K., Sawai, H., Maekawa, T., Kosugi, S., Kawakami, K. : The current status of umbilical cord blood collection in Japanese medical centers: survey of obstetricians. *Transfusion and Apheresis Science* (in press, 2010) .

Takeuchi, M., Ashihara, E., Yamazaki, Y., Kimura, S., Nakagawa, Y., Tanaka, R., Yao, H., Nagao, R., Hayashi, Y., Hirai, H., Maekawa, T. : Rakicidin A effectively induces apoptosis in hypoxia adapted Bcr-Abl positive leukemic cells. *Cancer Sci* (in press, 2010)

Kawata, E., Ashihara, E., Maekawa, T. : RNA Interference against polo-like kinase-1 in advanced non-small cell lung cancers. *J Clin Bioinformatics* (in press, 2010), review

Kamio, N., Hirai, H., Ashihara, E., Tenen, D.G., Maekawa, T., Imanishi, J. : Use of

bicistronic vectors in combination with flow cytometry to screen for effective small interfering RNA target sequences. *Biochem Biophys Res Commun.* 393(3):498-503, 2010.

Ashihara, E., Kawata, E., Maekawa, T. : Future prospect of RNA interference for cancer therapies. *Curr Drug Targets.* 11(3):345-360, 2010. Review

Fujino H, Fujita N, Hamamoto K, Oobu S, Kita M, Tanaka A, Matsubara H, Watanabe KI, Heike T, Adachi S. : Ring/marker chromosome derived from chromosome 7 in childhood acute megakaryoblastic leukemia with monosomy 7. *Int J Hematol.* 92:286-390: 2010

Nakamichi N, Wada N, Kohara M, Fukuhara S, Sugiyama H, Ogawa H, Hino M, Kanamaru A, Kanakura Y, Morii E, Aozasa K. Polymorphous lymphoproliferative disorder: a clinicopathological analysis. *Virchows Arch* 456:269-276, 2010

Chihara T, Wada N, Kohara M, Matsui T, Masaya H, Maeda T, Shibayama H, Kanakura Y, Tani M, Morii E, Aozasa K. : Peripheral T-cell lymphoma of Lennert type complicated by monoclonal proliferation of large B-cells. *Pathol Res Pract* 206:185-190, 2010

Wada N, Kohara M, Ikeda J, Hori Y, Fujita S, Okada M, Ogawa H, Sugiyama H, Fukuhara S, Kanamaru A, Hino M, Kanakura Y, Morii E, Aozasa K. : Diffuse large B-cell lymphoma in the spinal epidural space: A study of the Osaka Lymphoma Study Group. *Pathol Res Pract* 206:439-444, 2010

Nakaoka H, Sakata Y, Yamamoto M, Maeda T, Arita Y, Shioyama W, Nakaoka Y, Kanakura Y, Yamashita S, Komuro I, Yamauchi-Takahara K. : Pulmonary hypertension associated with bone marrow transplantation. *J Cardiol cases* 2:23-27, 2010

Nagai T, Takeuchi J, Dobashi N, Kanakura Y, Taniguchi S, Ezaki K, Nakaseko C,

Hiraoka A, Okada M, Miyazaki Y, Motoji T, Higashihara M, Tsukamoto N, Kiyoi H, Nakao S, Shinagawa K, Ohno R, Naoe T, Ohnishi K, Usui N: Imatinib for newly diagnosed chronic-phase chronic myeloid leukemia: results of a prospective study in Japan. *Int J Hematol* 92:111-117, 2010

Tokunaga M, Ezoe S, Tanaka H, Satoh Y, Fukushima K, Matsui K, Shibata M, Tanimura A, Oritani K, Matsumura I, Kanakura Y. : BCR-ABL but not JAK2 V617F inhibits erythropoiesis through the Ras signal by inducing p21CIP1/WAF1. *J Biol Chem.* 285 (41): 31774-82, 2010

Matsumura I, Tanaka H, Kanakura Y. : Effects of excessive iron on hematopoiesis *J of Stem Cells.* in prece

Matsumura I, Tanaka H, Kanakura Y. : Improved hematopoiesis by iron chelation therapies. *Trends in Cell & Mol Biol.* in press

Matsumura I, Tanaka H, Kanakura Y. Effects of excessive iron on hematopoiesis *Porphilins.* in press

Hara M, Mizote I, Nakaoka Y, Tanaka H, Asano Y, Sakata Y, Komuro I: A case of non-cardiogenic acute pulmonary edema in a patient with POEMS syndrome-associated pulmonary arterial hypertension. *Ann Hematol.* in press

Yamanaka Y., Tagawa H., Takahashi N., Watanabe A., Guo Y-M., Iwamoto K., Yamashita J., Saitoh H., Kameoka Y., Shimizu N., Ichinohasama R., and Sawada K. : Aberrant overexpression of microRNAs activate AKT signaling via down-regulation of tumor suppressors in natural killer-cell lymphoma/leukemia. *Blood.* 114(15): 3265 - 3275, 2010.

Miyagawa Y., Kiyokawa N., Ochiai N., Imadome K., Horiuchi Y., Onda K., Yajima M., Nakamura H., Katagiri Y., Okita H., Morio T., Shimizu N., Fujimoto J. and Fujiwara S. Ex vivo expanded cord blood CD4 T lymphocytes exhibit a distinct

expression profile of cytokine-related genes from those of peripheral blood origin. *Immunology*. 128(3):405-419, 2010.

Miyana M, Sugita S, Shimizu N, Morio T, Miyata K, Maruyama K, Kinoshita S, Mochizuki M. A significant association of viral loads with corneal endothelial cell damage in cytomegalovirus anterior uveitis. *Br J Ophthalmol*. 94(3):336-340, 2010.

Chan KK, Shen L, Au WY, Yuen HF, Wong KY, Guo T, Wong ML, Shimizu N, Tsuchiyama J, Kwong YL, Liang RH, Srivastava G. Interleukin-2 induces NF-kappaB activation through BCL10 and affects its subcellular localization in natural killer lymphoma cells. *J Pathol*. 221(2):164-74, 2010.

Sato S, Kozuma Y, Hasegawa Y, Kojima H, Chiba S, Ninomiya H: Enhanced expression of CD71, transferrin receptor, on immature reticulocytes in patients with paroxysmal nocturnal hemoglobinuria. *Int J Lab Hematol* 32:e137-e143, Jan, 2010.

Okada S, Nannya Y, Ota S, Takazawa Y, Yamamoto G, Kumano K, Izutsu K, Takahashi T, Chiba S, Kurokawa M: Cutaneous T-cell lymphoma (mycosis fungoides) relapsed with different immunological phenotype after bone marrow transplant. *Br J Dermatol* 162(1):229-230, Jan, 2010.

Nakahara F, Sakata-Yanagimoto M, Komeno Y, Kato N, Uchida T, Haraguchi K, Kumano K, Harada Y, Harada H, Kitaura J, Ogawa S, Kurokawa M, Kitamura T, Chiba S: Hes1 immortalizes committed progenitors and plays a role in blast crisis transition in chronic myelogenous leukemia. *Blood* 115(14):2872-2881, Apr 8, 2010

Sugumito K, Maekawa Y, Kitamura A, Nishida J, Koyanagi A, Yagita H, Kojima H, Chiba S, Shimada M, Yasutomo K: Notch2 signaling is required for potent anti-tumor immunity in vivo. *J Immunol* 184(9):4673-4678, May 1, 2010.

Doki K, Homma M, Hori T, Tomita T, Hasegawa Y, Ito S, Fukunaga K, Kaneko M, Chiba S, Sumida T, Ohkohchi N, Kohda Y: Difference in blood tacrolimus concentration between ACMIA and MEIA in samples with low haematocrit values. *J Pharm Pharmacol* 62(9):1185-1188, Oct, 2010.

Miyake Y, Okoshi Y, Machino T, Chiba S: Treatment of central nervous system lymphoma in rats with intraventricular rituximab and serum. *Int J Hematol* 92(3):474-480, Oct, 2010.

Taoka K, Okoshi Y, Sakamoto N, Takano S, Matsumura A, Hasegawa Y, Chiba S: A nonradiation-containing, intermediate-dose methotrexate regimen for elderly patients with primary central nervous system lymphoma. *Int J Hematol* 92(4):617-623, Nov, 2010.

Sakata-Yanagimoto M, Sakai T, Miyake Y, Saito TI, Maruyama H, Morishita Y, Nakagami-Yamaguchi E, Kumano K, Yagita H, Fukayama M, Ogawa S, Kurokawa M, Yasutomo K, Chiba S: Notch2 signaling is required for proper mast cell distribution and mucosal immunity in the intestine. *Blood*, in press

Kurita N, Nishikii H, Nakamoto R, Nakamura N, Kondo Y, Okoshi Y, Suzukawa K, Hasegawa Y, Yokoyama Y, Noguchi M, Chiba S: A highly therapy-resistant case with "B-cell lymphoma unclassifiable with features intermediate between diffuse large B-cell lymphoma and Burkitt lymphoma" showing strong BCL2 staining, otherwise indistinguishable from Burkitt lymphoma. *J Exp Hematol*, in press

学会発表 2008

Yoshida N, Yagasaki H, Kosaka Y, Kobayashi R, Yabe H, Kaneko T, Tsuchida M, Ohara A, Nakahata T, Kojima S: Predicting Response to Immunosuppressive Therapy in Childhood Aplastic Anemia. 50th Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY December 6-9, San Francisco, California

Tanaka H, Matsumura I, Satoh Y, Ezoe S, Nakahata T, Kanakura Y: Wnt/ β -Catenin Pathway Affects the Cell-Fate Decisions of Hematopoietic Stem/Progenitor Cells Modulating the Epigenetic States of Various Essential Transcription Factors. 50 th Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY December 6-9, San Francisco, California

Hirabayashi S, Manabe A, Watanabe S, Zaike Y, Tsuchida M, Masunaga A, Yoshimi A, Ito M, Kikuchi A, Tsuji K, Ohara A, Kojima S, Nakahata T: Myelodysplastic Syndrome (MDS) and Myeloproliferative Disease (MPD) in Children: A Prospective Registration of 222 Cases. 50 th Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY December 6-9, San Francisco, California

Kamio T, Ito E, Ohara A, Kosaka Y, Tsuchida M, Mugishima H, Yabe H, Morimoto A, Ohga S, Yagasaki H, Bessho F, Nakahata T, Kojima S: Relapse of Children with Aplastic Anemia after Immunosuppressive Therapy. 50 th Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY December 6-9, San Francisco, California

Takeuchi M, Kimura S, Kuroda J, Ushiki T, Kawatani M, Osada H, Umezawa K, Yasui E, Imoto M, Tsuruo T, Hodohara K, Nakahata T, Fujiyama Y, Maekawa T: Glyoxalase -I Inhibition Eliminates Hypoxia-Adapted CML Cells Resistant to Imatinib, Dasatinib, and INNO-406. 50 th Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY December 6-9, San Francisco, California

Kusunoki T, Morimoto T, Mishikomori R, Heike T, Hosoi S, Nakahata T: Allergic status of schoolchildren with food allergy to egg, milk or wheat in infancy. The 2008 annual meeting of American Academy of Asthma, Allergy & Immunology, 2008.3

Saito M, Nishikomori R, Kambe N, Sakai H, Kawai T, Kitano A, Takaoka Y, Heike T, Kanegane H, Nakahata T: Nationwide surveillance of chronic infantile

neurological cutaneous and articular syndrome in Japan. The Fifth International Congress on Familial Mediterranean Fever and Systemic Autoinflammatory Diseases, 2008.4

Maekawa, T.: On the cutting edge of cellular and molecular therapeutics developed in Kyoto university hospital. (Invited Plenary Lecture). The Annual Symposium 2008 of the Korean Society for Laboratory Medicine (Seoul, Korea) (April 10, 2008)

Ito K, Aoyama T, Otsuka S, Fikiage K, Jin Y, Nasu A, Ueda M, Kasai Y, Ashihara E, Kimura S, Maekawa T, Kobayashi A, Yoshida S, Otsuka T, Nakamura T, Toguchida J: Development of a new device using the non-woven fabrics for isolation of mesenchymal stem cells from bone marrow. The 6th International Society for Stem Cell Research Annual Meeting (Philadelphia, USA) (June 13, 2008)

Aoyama T, Kakinoki R, Ikeguchi R, Goto K, Furu M, Ito K, Mitsui H, Ueda M, Kasai Y, Ashihara E, Kimura S, Maekawa T, Nakamura T, Toguchida J: Clinical trial of the new treatment for osteonecrosis using autologous bone marrow stromal cells. International Symposium on Regenerative Medicine-Tenth Anniversary of Institute for Frontier Medical Sciences (Kyoto, Japan) (December 4, 2008)

Nagao R, Kimura S, Ashihara E, Takeuchi M, Tanaka R, Yokota A, Yao H, Strovel JW, Cholody WM, Maekawa T: A novel beta-catenin inhibitor, AV65 suppresses the growth of CML cell lines which acquire imatinib-resistance because of Abl kinase domain mutations including T315I and hypoxia-adaptation. The American Society of Hematology 50th Annual Meeting and Exposition (ASH) (Moscone Center, San Francisco, California, USA) (December 6, 2008) (Abstract#1081) Blood 112:11(suppl): 395, 2008.

Tanaka R, Squires MS, Kimura S, Yokota A, Mallett K, Smyth T, Thompson NT, Nagao R,

Yamauchi T, Ashihara E, Lyons JF, Maekawa T: Activity of the Multi-Targeted Kinase Inhibitor, AT9283 on Imatinib-Resistant CML Models. The American Society of Hematology 50th Annual Meeting and Exposition (ASH) (Moscone Center, San Francisco, California, USA) (December 6, 2008) (Abstract#1104) Blood 112:11(supple): 403, 2008.

Yokota A, Kimura S, Tanaka R, Nagao R, Sakai K, Yao H, Takeuchi M, Kawatani M, Osada H, Ashihara E, Maekawa T: Roles of Osteoclasts in Leukemic Cells. The American Society of Hematology 50th Annual Meeting and Exposition (ASH) (Moscone Center, San Francisco, California, USA) (December 8, 2008) (Abstract#3184) Blood 112:11(supple): 1092, 2008.

Takeuchi M, Kimura S, Kuroda J, Ashihara E, Kawatani M, Osada H, Umezawa K, Yasui E, Imoto M, Tsuruo T, Hodohara K, Nakahata T, Fujiyama Y, Maekawa T: Glyoxalase-I inhibition eliminates hypoxia-adapted CML cells resistant to imatinib, dasatinib, and INNO-406. The American Society of Hematology 50th Annual Meeting and Exposition (ASH) (Moscone Convention Center, San Francisco, CA, USA) (December 8, 2008) (Abstract#3185) Blood 112: 11(supple): , 2008

Matsumura I

Effects of iron overload on hematopoiesis The 8th International Porphyrin-Heme Symposium (2008. 10. 16-17, Shimane, Japan)

Ezoe S, Matsumura I, Kanakura Y NAD-dependent histone deacetylase, SIRT1, plays essential roles in the maintenance of hematopoietic stem cells International Society of Hematology World Congress XXXII (2008. 10. 19-23, Bangkok, Thailand)

Kanakura Y, Ohyashiki K, Shichishima T, Okamoto S, Ando K, Ninomiya H, Kawaguchi T, Nakao S, Nakakuma H, Nishimura J, Kinoshita T, Bedrosian C, Valentine ME, Ozawa K, Omine M

Safety and efficacy of the terminal complement Inhibitor Eculizumab in Japanese patients with paroxysmal nocturnal hemoglobinuria: Aegis phase II clinical study results The American Society of Hematology 50th Annual meeting (2008. 12. 6-9, San Francisco, USA)

Yokota T, Oritani K, Butz S, Kokame K, Kincade PW, Miyata T, Vestweber D, Kanakura Y

The endothelial antigen ESAM marks hematopoietic stem cells throughout life in mice The American Society of Hematology 50th Annual meeting (2008. 12. 6-9, San Francisco, USA)

Ezoe S, Matsumura I, Tanaka H, Satoh Y, Yokota T, Oritani K, Kanakura Y NAD-dependent histone deacetylase, SIRT1, plays essential roles in the maintenance of hematopoietic stem cells The American Society of Hematology 50th Annual meeting (2008. 12. 6-9, San Francisco, USA)

Tadokoro S, Shiraga M, Kashiwagi H, Kamae T, Akiyama M, Nakazawa T, Kanakura Y, Tomiyama Y

A role for α -actinin in inside-out α IIb β 3 signaling The American Society of Hematology 50th Annual meeting (2008. 12. 6-9, San Francisco, USA)

Satoh Y, Tanaka H, Yokota T, Ezoe S, Oritani K, Kanakura Y

Roles for the AML1/RUNX1 point mutation in the pathogenesis of MDS/AML The American Society of Hematology 50th Annual meeting (2008. 12. 6-9, San Francisco, USA)

Murakami Y, Ohta R, Inoue N, Shichishima T, Nishimura J, Kanakura Y, Kinoshita T, Expression of HMGA2 in blood cells from patients with paroxysmal nocturnal hemoglobinuria The American Society of Hematology 50th Annual meeting (2008. 12. 6-9, San Francisco, USA)

Fox CP, Shimizu N. LMP2A AS A TARGET FOR T CELL RECOGNITION IN EBV-ASSOCIATED T AND NK CELL TUMOURS EBV Association General meeting, November 2008, Guangzhou, China.

Chiba S, Kumano K, Masuda S: Dual anti-tumor mechanisms of Notch signaling inhibitor in a xenograft model. Notch and Cancer (2008.10.6 ギリシャ、Athens)

Suzukawa K, Nemoto N, Chiba S: 急性白血病における Notch シグナル異常 Aberrant Nocth sinal in acute leukiemia. 8th International Conference of Anticancer research (2008.10.21 ギリシャ、コス島)

Sakata-Yanagimoto M, Nakahara F, Kato T, Kitamura T, Chiba S: Notch signaling as a therapeutic target of cancer. 第 15 回日韓癌ワークショップ (2008.12.13 韓国、Daejeon)

2009

Kato M, Sanada M, Kato I, Sato Y, Takita J, Kawahara R, Takeuchi K, Niwa A, Chen Y, Nakazaki K, Nomoto J, Asakura Y, Akatsuka Y, Hayashi Y, Igarashi T, Kurokawa M, Chiba S, Mori S, Ishikawa Y, Okamoto K, Tobinai K, Nakagama H, Nakahata T, Yoshino T, Kobayashi Y, Ogawa S, : Aberration of Genes Regulating NF Kappa B Pathway in B-Cell Malignant Lymphoma. 51st Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY, December5-8, 2009, New Orleans, Louisiana

Niwa A, Fujino H, Umeda K, Saida S, Adachi S, Ito M, Heike T, Nakahata T,.: Blockage of SDF-1-CXCR4 Axis by AMD 3100 Can Be a Novel Therapy for Acute Lymphoblastic Leukemia by Targeting the Extramedullary Sites of Leukemia Cells. 51st Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY, December5-8, 2009, New Orleans, Louisiana

Takeuchi M, Kimura S, Kuroda J, Ashihara E, Kawatani M, Osada H, Umezawa K, Yasui E, Imoto M, Tsuruo T, Yokota A, Tanaka R, Nagao R, Nakataha T, Fujiyama Y, Maekawa T,.: Hypoxia-Adapted CML Cells Are More Primitive Population and Are Eradicated by Glyoxalase-1 Inhibitors. 51st Annual Meeting of the AMERICAN SOCIETY of

HEMATOLOGY, December5-8, 2009, New Orleans, Louisiana

Niwa A, Fukatsu T, Umeda K, Kato I, Sakai H, Morishima T, Okita K, Yamanaka S, Heike T, Nakahata T,.: Analyzing the Stepwise Developmental Pathway Form ES/IPS Cells to Functional Mature Erythrocytes. 51st Annual Meeting of the AMERICAN SOCIETY of HEMATOLOGY, December5-8, 2009, New Orleans, Louisiana

Nakahata T: Clinical applications of various stem cells. The Fourth iCeMS International Symposium(Integrated Physical/Chemical Biology of The Cell: From Genes to Membrane Systems) May 27-29(28),2009 Hotel Fujita Kyoto

Nakahata T: Future of regenerative medicine with various stem cell. Morning Symposium 3-2 Regenerative Medicine, The 9th World Congress on Inflammation July 6-10,2009 Keio Plaza Hotel, Tokyo

Nakahata T: Future of regenerative medicine with various stem cell. Plenary Lecture, The 3rd International Symposium of Lysosomal Storage Diseases. Sep. 26-27,2009 Nagoya Noh Theater, Nagoya

Awaya T, Chang H, Mizuno Y, Niwa A, Iwasa T, Umeda K, Fukuda S, Yamamoto H, Motohashi N, Miyagoe-Suzuki Y, Takeda S, Yamanaka S, Nakahata T, Heike T: Derivation of engraftable myogenic precursors from murine ES/iPS cell. 第 8 回 日 筋 肉 ジ ス ト ロ フ ィ ー シ ン ポ ジ ウ ム、 2009.7

Maekawa T: Molecular target and cellular therapeutics developed in the department of transfusion medicine and cell therapy. MD Anderson Cancer Center & Kyoto Univ. Grad. School of Medicine International Symposium 2009 (Kyoto University Alumni Hall, Kyoto, Japan) (March 22, 2009)

Ikeguchi R, Kakinoki R, Aoyama T, Goto K, Maekawa T, Nakamura T, Toguchida J: Clinical application of bone marrow stromal cells to avascular necrosis of the femoral head combined with vascularized

iliac bone graft. American society for reconstructive microsurgery, Annual scientific meeting (Maui, Hawaii, USA) (Jan. 12, 2009)

Satake S, Hirai H, Shime N, Ashihara E, Inaba T, Fujita N, Maekawa T, Imanishi J: Flow Cytometric Dissection of Mouse Granulopoiesis in Response to Fungal Sepsis. The 49th International Conference on Antimicrobial Agents and Chemotherapy 《 San Francisco, USA》 (Sep. 12-15, 2009)

Kawahito Y, Hamaguchi M, Seno T, Yamamoto A, Khno M, Thubouchi Y, Kadoya M, Ishino H, Kimura s, Ashihara E, Maekawa T. Inflammation and atherosclerosis. The 9th World Congress on Inflammation. Tokyo, Japan) (July 6-10, 2009)

Ushiki T, Kizaka-Kondoh S, Ashihara E, Tanaka S, Hirai H, Kimura S, Maekawa T, Hiraoka M: A novel approach for dynamic analysis of transplanted hematopoietic stem/progenitor cells in vivo by near-infrared fluorescence imaging. 2009 World Molecular Imaging Congress (Montreal, Canada) (September 23-26, 2009)

Kamio N, Hirai H, Ashihara E, Maekawa T, Tenen DG, Imanishi J: A FACS-based method for screening of effective small interfering RNA target sequences. Joint Symposium of the 5th Annual Meeting of the Oligonucleotide Therapeutics Society and the 19th Antisense Symposium (Fukuoka, Japan) (November 4, 2009)

Hirai H, Kamio N, Matsusue A, Ogino S, Kimura N, Satake S, Ashihara E, Maekawa T, Tenen DG, Imanishi J: CREB Is Involved in the Regulation of C/EBP β ; During 'emergency' Granulopoiesis. The American Society of Hematology 51st Annual Meeting and Exposition (New Orleans, USA) (December 5, 2009)

Sakai K, Kawata E, Ashihara E, Yamauchi A, Kimura S, Hirai H, Hirashima M, Yoshimura N, Maekawa T : Galectin-9 Ameliorates

Acute GVHD by Inducing T-cell Apoptosis and Increasing Regulatory T cell. The American Society of Hematology 51st Annual Meeting and Exposition (ASH) (Ernest N. Morial Convention Center, New Orleans, USA) (December 5, 2009)

Takeuchi M, Kimura S, Kuroda J, Ashihara A, Kawatani M, Osada H, Umezawa K, Yasui E, Imoto M, Tsuruo T, Yokota A, Tanaka R, Nagao R, Nakahata T, Fujiyama Y, Maekawa T : Hypoxia-Adapted CML cells are more primitive population and are eradicated by Glyoxalase-1 Inhibitors. ※publication 番号未定 The American Society of Hematology 51st Annual Meeting and Exposition (ASH) (Ernest N. Morial Convention Center, New Orleans, USA) (December 6, 2009)

Yao H, Ashihara A, Nagao R, Kimura S, Hirai H, Strovel JW, Padia J, Cholody WM, Maekawa T : AV-65, a Novel Inhibitor of the Wnt/ β -catenin Signaling Pathway, Inhibits the Proliferation of Myeloma Cells. (publication #: 2866) The American Society of Hematology 51st Annual Meeting and Exposition (ASH) (Ernest N. Morial Convention Center, New Orleans, USA) (December 6, 2009)

Tanaka R, Kimura S, Hosomi T, Hirai M, Nagao R, Yokota A, Takeuchi M, Yao H, Sakai K, Adachi S, Hirai H, Ashihara E, Maekawa T : Automated and Rapid Detection of BCR-ABL Kinase Domain Mutations in IM Resistant Patients with Ph⁺ Leukemias. The American Society of Hematology 51st Annual Meeting and Exposition (ASH) (Ernest N. Morial Convention Center, New Orleans, USA) (December 6, 2009)

Nagao R, Ashihara A, Kimura S, Yao H, Takeuchi M, Yokota A, Tanaka R, Hirai H, Strovel JW, Padia J, Cholody WM, Maekawa T : ?Inhibition of Wnt/ β -Catenin Signaling by AV65 Treatment Caused Cell Cycle Arrest and Induced Caspase-Independent or -Dependent Apoptosis in CML Cells. The American Society of Hematology 51st Annual Meeting and Exposition (ASH) (Ernest N. Morial