

	Virchow's triad.				
Sobue S, S Nemoto S, Murakami M, Ito H, Kimura A, Gao S, Furuhashi A, Takagi A, Kojima T, Nakamura M, Ito M, Suzuki M, Banno Y, Nozawa Y, Murate T	Implications of sphingosine kinase 1 expression level for the cellular sphingolipid rheostat: relevance as a marker for daunorubicin sensitivity of leukemia cells.	Int J Hematol	87(3)	266-275	2008
Nakayama T, Matsushita T, Yamamoto K, Mutsuga N, Kojima T, A Katsumi, Nakao N, JE Sadler, Naoe T, H Saito H	Identification of amino acid residues responsible for von Willebrand factor binding to sulfatide by charged-to-alanine-scanning mutagenesis.	Int J Hematol	87(4)	363-370	2008
Kashiwagi T, Mstsushita T, Ito Y, Hirashima K, Sanda N, Fujimori Y, Yamada T, Okumura K, Takagi A, Murate T, Katsumi A, Takamatsu J, Yamamoto K, Naoe T, Kojima T	L1503R is a member of group I mutation and has dominant-negative effect on secretion of full-length VWF multimers: an analysis of two patients with type 2A von Willebrand disease.	Haemophilia	14(3)	556-563	2008
Ozlu F, Kyotani M, Taskin E, Ozcan K, Kojima T, Matsushita T, Yapicioğlu H, Takagi A, Saşmaz I, Satar M, Narli N	A neonate with homozygous protein C deficiency with a homozygous Arg178Trp mutation.	J Pediatr Hematol Oncol	30	608-611	2008
Fujimori Y, Okimatsu H, Kashiwagi T, Sanda N, Okumura K, Takagi A, Nagata K, Murate T, Uchida A, Node K, Saito H, Kojima T	Molecular Defects Associated with Antithrombin Deficiency and Dilated Cardiomyopathy in a Japanese Patient.	Inter Med	47(10)	925-931	2008
Okumura K, Fujimori Y, Takagi A, Murate T, Ozeki	Skewed X chromosome inactivation in fraternal female twins	Haemophilia	14(5)	1088-1093	2008

M, Yamamoto K, A Katsumi A, Mstsushita T, Naoe T, Kojima T	results in moderately severe and mild haemophilia B.				
Sobue S, Murakami M, Banno Y, Ito H, Kimura A, Gao S, Furuhata A, Takagi A, Kojima T, Suzuki M, Nozawa Y, Murate T	v-Src oncogene product increases sphingosine kinase 1 expression through mRNA stabilization: alteration of AU-rich element-binding proteins.	Oncogene	27(46)	6023-60 33	2008
Tanizaki R, Katsumi A, Kiyoi H, Kunishima S, Iwasaki T, Ishikawa Y, Kobayashi M, Abe A, Matsushita T, Watanabe T, Kojima T, Kaibuchi K, Kojima S, Naoe T	Mutational analysis of SOS1 in acute myeloid leukemia.	Int J Hematol	88(4)	460-462	2008
Iwasaki T, Katsumi A, Kiyoi H, Tanizaki R, Ishikawa Y, Ozeki K, Kobayashi M, Abe A, Matsushita T, Watanabe T, Amano M, Kojima T, Kaibuchi K, T Naoe T	Prognostic implication and biological roles of RhoH in acute myeloid leukaemia.	Eur J Haematol	81(6)	454-460	2008
Suehisa E, Kawasaki T, Toku M	Impaired binding of thrombin to thrombomodulin is associated with risk of deep vein thrombosis.	Thromb Res	123(1)	85-92	2008
Yasunaga C, Suehisa E, Toku M, Kawasaki T, Hidaka Y	Frequencies of mild factor V, VII and X deficiencies in a Japanese population.	Blood Coagul Fibrinolysis	19(6)	597-600	2008
Ugaki H, Enomoto T, Fujiwara K, Kimura T, Kawasaki T	Safety and efficacy of lower-dose unfractionated heparin for prophylaxis of deep	Blood Coagul Fibrinolysis	19(6)	585-589	2008

	vein thrombosis and pulmonary embolism in an Asian population.				
Yamane A, Nakamura T, Suzuki H, Ito M, Ohnishi Y, Ikeda Y, Miyakawa Y	Interferon- $\alpha$ 2b-induced thrombocytopenia is caused by inhibition of platelet production but not proliferation and endomitosis in human megakaryocytes.	Blood	112	542-560	2008
Nogami W, Yoshida H, Koizumi K, Yamada H, Abe K, Arimura A, Yamane N, Takahashi K, Yamane A, Oda A, Tanaka Y, Takemoto H, Ohnishi Y, Ikeda Y, Miyakawa Y	The effect of a novel, small non-peptidyl molecule butyramide on human thrombopoietin receptor and megakaryopoiesis.	Haematologica	9310	1495-1504	2008
Kobayashi T, Wada H, Nishioka N, Yamamoto M, Matsumoto T, Tamaru T, Nomura S, Masuya M, Mori Y, Nakatani K, Nishikawa M, Katayama N, Nobori T	ADAMTS13 Related Markers and Von Willebrand Factor in Plasma from Patients with Thrombotic Microangiopathy (TMA)	Thromb Res	121 (6)	849-854	2008
Kaneko T, Wada H, Onishi K, Abe Y, Ota S, Yamada N, Matsumoto T, Katayama N, Sudou A, Uchida A, Nobori T	Cut off values of D-dimer and FDP in plasma for the diagnosis of thrombosis	Vascular Disease Prevention	5 (1)	81-88	2008
Nomura H, Wada H, Mizuno T, Katayama N, Abe Y, Noda M, Nakatani K, Matsumoto T, Ota S, Yamada N, Sudou A, Uchida A, Nobori T	Negative predictive value of D-dimer for diagnosis of venous thromboembolism	Int J Hematol	87 (3)	250-255	2008
Tsuji A, Wada H, Matsumoto T, Abe	Elevated levels of soluble fibrin in	Int J Hematol	88 (4)	448-453	2008

Y, Ota S, Yamada N, Sugiyama T, Sudo A, Onishi K, Nakatani K, Uchida A, Ito M, Suzuki K, Nobori T:	patients with venous thromboembolism				
Wada H, Matsumoto T, Abe Y, Hatada T, Ota S, Yamada N, Sudo A, Nakatani K, Uchida A, Masaaki Ito, Suzuki K, Nobori T:	Elevated levels of soluble fibrin in patients with thrombosis or a prethrombotic state	Vascular Disease Prevention	5(2)	227-233	2008
Kobayashi T, Nakabayashi M, Ishikawa M, Adachi T, Kobashi G, Maeda M, Ikenoue T.	Pulmonary thromboembolism in Obstetrics and Gynecology increased by 6.5 fold over the last decade in Japan.	Circ J	72(5)	753-756	2008
Kobayashi T	Venous thromboembolism in Asian countries.	Proceedings of JSPS Asian Core Program		35-141	2008
Ota S, Wada H, Abe Y, Yamada E, Sakaguchi A, Nishioka J, Hatada T, Ishikura K, Yamada N, Sudo A, Uchida A, Nobori T	Elevated levels of prothrombin fragment 1+2 indicate high risk of thrombosis.	Clinical and Applied Thrombosis/Hemostasis	14	279-285	2008
Fujimoto N, Onishi K, Dohi K, Tanabe M, Kurita T, Takamura T, Yamada N, Nobori T, Ito M	Hemodynamic characteristics of patients with diastolic heart failure and hypertension.	Hypertens Res	31	1727-1735	2008
Kato S, Onishi K, Yamanaka T, Takamura T, Dohi K, Yamada N, Wada H, Nobori T, Ito M	Exaggerated Hypertensive Response to Exercise in Patients with Diastolic Heart Failure.	Hypertension Research	31	679-684	2008
Dohi K, Onishi K, Gorcsan J, Lopez-Candales A, Takamura T, Ota S, Yamada N, Ito M	Role of radial strain and displacement imaging to quantify wall motion dyssynchrony in patients with left	Am J Cardiol	101	1206-1211	2008

	ventricular mechanical dyssynchrony and chronic right ventricular pressure overload.				
Ota S, Yamada N, Tsuji A, Ishikura K, Nakamura M, Isaka N, Ito M	The Günther-Tulip retrievable IVC filter: clinical experience in 118 consecutive patients.	Circ J	72	287-292	2008
Iwasaki H, Okamoto R, Kato S, Konishi K, Mizutani H, Yamada N, Isaka N, Nakano T, Ito M	High glucose induces plasminogen activator inhibitor-1 expression through Rho/ Rho-kinase-mediated NF- $\kappa$ B activation in bovine aortic endothelial cells.	Atherosclerosis	196	22-28	2008
Uemura M, Fujimura Y, Matsumoto M, Ishizashi H, Kato S, Matsuyama T, Isonishi A, Ishikawa M, Yagita M, Morioka C, Yoshiji H, Tsujimoto T, Kurumatani N, Fukui H.	Comprehensive analysis of ADAMTS13 in patients with liver cirrhosis.	Thromb Haemost	99	1019-1029	2008
Shida S, Nishio K, Sugimoto M, Mizuno T, Hamada M, Kato S, Matsumoto M, Okuchi K, Fujimura Y, Yoshioka A.	Functional imaging of shear-dependent activity of ADAMTS13 in regulating mural thrombus growth under whole blood flow conditions.	Blood	111	1295-1298	2008
Kokame K, Aoyama Y, Matsumoto M, Fujimura Y, Miyata T.	Inherited and <i>de novo</i> mutations of <i>ADAMTS13</i> in a patient with Upshaw-Schulman syndrome.	J Thromb Haemost	6	213-215	2008
Horii M, Uemura S, Uemura M, Matsumoto M, Ishizashi H, Imagawa K, Iwama	Acute Myocardial Infarction as a Systemic Prothrombotic Condition Evidenced by	Heart and Vessels	23	301-307	2008

H, Takeda Y, Kawata H, Nakajima T, Fujimura Y, Saito Y.	Increased von Willebrand Factor Protein Over ADAMTS13 Activity in Coronary and Systemic Circulation.				
Morioka C, Uemura M, Matsuyama T, Matsumoto M, Kato S, Ishikawa M, Ishizashi H, Fujimoto M, Sawai M, Yoshida M, Mitoro A, Yamao J, Tsujimoto T, Yoshiji H, Urizono Y, Hata M, Nishio K, Okuchi K, Fujimura Y, Fukui H.	Plasma ADAMTS13 activity parallels the APACHE II score, reflecting an early prognostic indicator for patients with severe acute pancreatitis.	Scand J Gastroenterol	43	1387-13 96	2008
Takahashi H, Kuwana M, Amagai M	A single helper T-cell clone is sufficient to commit polyclonal naïve B cells to produce pathogenic IgG in experimental pemphigus	J Immunol	181 (3)	1740-17 45	2009
Uemura M, Fujimura Y, Matsuyama T, Matsumoto M, Ishikawa M, Ishizashi H, Tsujimoto T, Yoshiji H, Fukui H.	Potential roles of ADAMTS13 in the progression of alcoholic hepatitis.	Current Drug Abuse Reviews	1	188-196	2008
Zakarija A, Kwaan HC, Moake JL, Bandarenko N, Pandey DK, Mckoy JM, Yarnold PR, Raisch DW, Winters JL, Raife TJ, Cursio JF, Luu TH, Richey EA, Fisher MJ, Ortel TL, Tallman MS, Zheng XL, Matsumoto M, Fujimura Y,	Ticlopidine- and clopidogrel- associated thrombotic thrombocytopenic purpura (TTP): review of clinical, laboratory, epidemiological, and pharmacovigilance findings (1989-2008).	Kidney Int	75	S20-S24	2009

Bennett C.					
Fujimura Y, Matsumoto M, Kokame K, Isonishi A, Soejima K, Akiyama N, Tomiyama J, Kazuhiko Natori K, Kuranishi Y, Imamura Y, Inoue N, Higasa S, Seike M, Kozuka T, Hara M, Wada H, Murata M, Ikeda Y, Miyata T, George JN.	Pregnancy-induced thrombocytopenia and TTP, and the risk of fetal death, in Upshaw-Schulman syndrome: a series of 15 pregnancies in 9 genotyped patients.	Br J Haematol	144	742-754	2009
Satoh T, Pandey JP, Okazaki Y, Asahi A, Kawakami Y, Ikeda Y, Kuwana M	Single nucleotide polymorphism of interleukin-1 $\beta$ associated with <i>Helicobacter pylori</i> infection in immune thrombocytopenic purpura	Tissue Antigens	73(4)	353-357	2009
Kawaguchi Y, Nakamura Y, Matsumoto I, Nishimaki, E, Satoh T, Kuwana M, Sumida T, Hara M	Muscarinic-3 acetylcholine receptor autoantibody in patients with systemic sclerosis: contribution to severe gastrointestinal tract dysmotility	Ann Rheum Dis	68(5)	710-714	2009
Matsuyama T, Kuwana M, Matsumoto M, Isonishi A, Inokuma S, Fujimura Y	Heterogeneous pathogenic processes of thrombotic microangiopathies in patients with connective tissue diseases	Thromb Haemost	102(2)	371-378	2009
Kuwana M, Okazaki Y, Kaburaki J	Long-term beneficial effects of statins on vascular manifestations in patients with systemic sclerosis	Mod Rheumatol	19(5)	530-535	2009
Suzuki S, Utsugisawa K, Yoshikawa H, Motomura M,	Autoimmune targets to heart and skeletal muscles in myasthenia gravis	Arch Neurol	66(11)	1334-1338	2009

Matsybara S, Yokoyama K, Nagae Y, Maruta T, Satoh T, Sato H, Kuwana M, Suzuki N					
Kawaguchi Y, Ota Y, Kawamoto M, Ito I, Tsuchiya N, Sugiura T, Katsumata Y, Soejima M, Sato S, Hasegawa M, Fujimoto M, Takehara K, Kuwana M, Yamanaka H, Hara M	Association study of a polymorphism of the <i>CTGF</i> gene and susceptibility to systemic sclerosis in the Japanese population	Ann Rheum Dis	68(12)	1921-19 24	2009
Seta N, Kobayashi S, Hashimoto H, Kuwana M	Characterization of autoreactive T-cell clones to myeloperoxidase in patients with microscopic polyangiitis and healthy individuals	Clin Exp Rheumatol	27(5)	826-829	2009
Satoh T, Ishikawa O, Ihn H, Endo H, Kawaguchi Y, Sasaki T, Goto D, Takahashi K, Takahashi H, Misaki Y, Mimori T, Muro Y, Yazawa N, Sato S, Takehara K, Kuwana M	Clinical usefulness of anti-RNA polymerase III antibody measurement by enzyme-linked immunosorbent assay	Rheumatology	48(12)	1570-15 74	2009
Shirasugi Y, Ando K, Hashino S, Nagasawa T, Kurata Y, Kishimoto Y, Iwato K, Ohtsu T, Berger DP	A phase II, open-label, sequential-cohort, dose-escalation study of romiplostim in Japanese patients with chronic immune thrombocytopenic purpura	Int J Hematol	90	157-165	2009
Akiyama M, Kashiwagi H, Todo K, Moroi M, Berndt MC, Kojima H,	Presence of platelet-associated anti-glycoprotein (GP)VI autoantibodies	J Thromb Haemost	7(8)	1373-13 83	2009



Kanakura Y, Tomiyama Y.	and restoration of GPVI expression in patients with GPVI deficiency.				
Arnold DM, Kuwana M, et al.	Platelet count response to <i>H. pylori</i> treatment in patients with immune thrombocytopenic purpura with and without. <i>pylori</i> infection: a systematic review.	Haematologica	94	850-856	2009
Ito N, Wada H, Matsumoto M, Fujimura Y, Murata M, Izuno T, Sugita M, Ikeda Y.	National questionnaire survey of TMA.	Int J Hematol	90	328-335	2009
Kobayashi T, Wada H, Usui M, Sakurai H, Matsumoto T, Nobori T, Katayama N, Uemoto S, Ishizashi H, Matsumoto M, Fujimura Y, Isaji S.	Decreased ADAMTS13 levels in patients with living donor liver transplantation.	Thromb Res	124	541-545	2009
Sudo A, Wada H, Nobori T, Yamada N, Ito M, Niimi R, Hasegawa M, Suzuki K, Uchida A	Cut-off values of D- dimer and soluble fi brin for prediction of deep vein thrombo sis after orthopaedi c surgery.	Int J Hematol	89 (5)	572-576	2009
M Miyachi, H Yazawa, M Furukawa, K Tsuboi, M Ohtake, T Nishizawa, K Hashimoto, T Yokoi, T Kojima, Takashi Murate, M Yokota, T Murohara, Y Koike , K Nagata	Exercise training alters left ventricular geometry and attenuates heart failure in dahl salt-sensitive hypertensive rats.	Hypertension	53(4)	701-707	2009
K Yamamoto, K Takeshita, T Kojima, J Takamatsu	Stress-induced PAI-1 expression is suppressed by pitavastatin in vivo.	Int J Hematol	89(4)	553-554	2009

A Takagi, R Tanaka, D Nakashima, Y Fujimori, T Yamada, K Okumura, T Murate, M Yamada, Y Horikoshi, K Yamamoto, A Katsumi, T Matsushita, T Naoe, T Kojima	Definite diagnosis in Japanese patients with protein C deficiency by identification of causative PROC mutations.	Int J Hematol	89(4)	555-557	2009
K Yamamoto, S Shibayama, K Takeshita, T Kojima, J Takamatsu	A novel cholesterol absorption inhibitor, ezetimibe, decreases adipose-derived and vascular PAI-1 expression in vivo.	Thromb Res	124(5)	644-645	2009
A Furuhata, A Kimura, K Shide, K Shimoda, M Murakami, H Ito, S Gao, K Yoshida, Y Tagawa, K Hagiwara, A Takagi, T Kojima, M Suzuki, A Abe, T Noae, T Murate	p27 deregulation by Skp2 overexpression induced by the JAK2V617 mutation.	Biochem Biophys Res Commun	383(4)	411-416	2009
A Furuhata, M Murakami, H Ito, S Gao, K Yoshida, S Sobue, R Kikuchi, T Iwasaki, A Takagi, T Kojima, M Suzuki, A Abe, T Noae, T Murate	GATA-1 and GATA-2 binding to 3' enhancer of WT1 gene is essential for its transcription in acute leukemia and solid tumor cell lines.	Leukemia	23(7)	1270-1277	2009
T Yamada, Y Fujimori, A Suzuki, Y Miyawaki, A Takagi, T Murate, M Sano, T Matsushita, H Saito, T Kojima	A novel missense mutation causing abnormal LMAN1 in a Japanese patient with combined deficiency of factor V and factor VIII.	Am J Hematol	84(11)	738-742	2009
Ishiwata, A., Mimuro, J., Mizukami, H., Kashiwakura, Y.,	Liver-restricted expression of the canine factor VIII gene facilitates	J Gene Med	11(11)	1020-1029	2009

Takano, K., Ohmori, T., Madoiwa, S., Ozawa, K., Sakata, Y.	prevention of inhibitor formation in factor VIII-deficient mice.				
Madoiwa, S., Yamauchi, T., Kobayashi, E., Hakamata, Y., Dokai, M., Makino, N., Kashiwakura, Y., Ishiwata, A., Ohmori, T., Mimuro, J., Sakata, Y.	Induction of factor VIII-specific unresponsiveness by intrathymic factor VIII injection in murine hemophilia A.	J Thromb Haemost	7(5)	811-824	2009
Miyata T, Sato Y, Ishikawa J, Okada H, Takeshita S, Sakata T, Kokame K, Kimura R, Honda S, Kawasaki T, Suehisa E, Tsuji H, Madoiwa S, Sakata Y, Kojima T, Murata M, Ikeda Y.	Prevalence of genetic mutations in protein S, protein C and antithrombin genes in Japanese patients with deep vein thrombosis.	Thromb Res	124(1)	14-18	2009
T. Yin, T. Miyata	Venous thromboembolic risk and protein S deficiency: ethnic difference and remaining issues	J Geriatr Cardiol	6(1)	12-20	2009
S. Honda, H. Shirotani-Ikejima , S. Tadokoro, Y. Maeda, T. Kinoshita, Y. Tomiyama, T. Miyata	Integrin-linked kinase associated with integrin activation.	Blood	113(21)	5304- 5313	2009
F. Banno, AK. Chauhan, K. Kokame, J. Yang, S. Miyata, DD. Wagner, T. Miyata	The distal carboxyl-terminal domains of ADAMTS13 are required for regulation of in vivo thrombus formation.	Blood	113(21)	5323- 5329	2009
J. Ishikawa, H. Okada, H. Kato, S.	Association of Asn221Ser mutation in	Blood Coagul Fibrinolysis	20(1)	22-26	2009

Takeshita, S. Honda, T. Kawasaki, E. Suehisa, H. Tsuji, S. Madoiwa, Y. Sakata, T. Kojima, M. Murata, Y. Ikeda, Y. Kokubo, T. Okamura, H. Tomoike, T. Miyata	tissue factor pathway inhibitor- $\beta$ with plasma total tissue factor pathway inhibitor level.				
M. Akiyama, S. Takeda, K. Kokame, J. Takagi, T. Miyata	Production, crystallization and preliminary crystallographic analysis of an exosite-containing fragment of human von Willebrand factor-cleaving proteinase ADAMTS13.	Acta Cryst	65(7)	739-742	2009
M. Akiyama, S. Takeda, K. Kokame, J. Takagi, T. Miyata	Crystal structures of the non-catalytic domains of ADAMTS13 reveal multiple discontinuous exosites for von willebrand factor.	Proc Natl Acad Sci USA	106(46)	19274-19279	2009
Sakuma M, Nakamura M, Yamada N, Ota S, Shirato K, Nakano T, Ito M, Kobayashi T	Venous Thromboembolism: Deep Vein Thrombosis with Pulmonary Embolism, Deep Vein Thrombosis Alone, and Pulmonary Embolism Alone	Circ J	73	305-309	2009
Ota S, Yamada N, Tsuji A, Ishikura K, Nakamura M, Ito M	Incidence and Clinical Predictors of Deep Vein Thrombosis in Patients Hospitalized with Heart Failure in Japan	Circ J	73	1513-1517	2009
Matsubara Y, Saito E, Suzuki H, Watanabe N, Murata M, Ikeda Y	Generation of megakaryocytes and platelets from human subcutaneous adipose tissues	Biochem Biophys Res Commun	378	716-720	2009
Kwasaki T	Medical Standards Seen from the Perspective	Annals of Vascular	2	17-20	2009

	of Changes in Academic Society Themes: Investigation of a Lawsuit Concerning the Prevention of Venous Thromboembolism.	Diseases			
Tadokoro S, Nakazawa T, Kamae T, Kiyomizu K, Kashiwagi H, Honda S, Kanakura Y, Tomiyama Y	A potential role for $\alpha$ -actinin in inside-out $\alpha$ IIb $\beta$ 3 signaling.	Blood	117(1)	250-258	2011
Kashiwagi H, Kiyomizu K, Kamae T, Nakazawa T, Tadokoro S, Takiguchi S, Doki Y, Kanakura Y, Tomiyama Y	Molecular analysis of a patient with type I Glanzmann thrombasthenia and clinical impact of the presence of anti- $\alpha$ IIb $\beta$ 3 alloantibodies.	Int J Hematol	93(1)	106-111	2011
Suzuki-Inoue K, Inoue O, Ding G, Nishimura S, Hokamura K, Eto K, Kashiwagi H, Tomiyama Y, Yatomi Y, Umemura K, Shin Y, Hirashima M, Ozaki Y	Essential in vivo roles of the C-type lectin receptor CLEC-2: Embryonic/Neonatal lethality of CLEC-2-deficient mice by blood/lymphatic misconnections and impaired thrombus formation of CLEC-2-deficient platelets.	J Biol Chem	285(32)	24494-2 4507	2010
Sugihara S, Katsutani S, Deckmyn H, Fujimura K, Kimura A	Roles of Src-like adaptor protein 2 (SLAP-2) in GPVI-mediated platelet activation SLAP-2 and GPVI signaling.	Thromb Res	126	e276-e2 85	2010
Yamaguchi Y, Takahashi H, Satoh T, Okazaki Y, Mizuki N, Takahashi K, Ikezawa Z, Kuwana M	Natural killer cells control a T helper 1 response in patients with Behçet' s disease	Arthritis Res Ther	12(3)	R80	2010
Furuya Y, Satoh T, Kuwana M	Interleukin-6 as a potential therapeutic target for pulmonary	Int J Rheumatol	2010	720305	2010

	arterial hypertension				
Sato S, Kuwana M	Clinically amyopathic dermatomyositis	Curr Opinion Rheumatol	22(6)	639-643	2010
Furuya Y, Okazaki Y, Kaji K, Sato S, Takehara K, Kuwana M	Mobilization of endothelial progenitor cells by intravenous cyclophosphamide in patients with systemic sclerosis: potential association with efficacy for interstitial lung disease	Rheumatology	49(12)	2375-2380	2010
Yamaguchi Y, Okazaki Y, Seta N, Satoh T, Takahashi K, Ikezawa Z, Kuwana M	Enhanced angiogenic potency of monocytic endothelial progenitor cells in patients with systemic sclerosis	Arthritis Res Ther	12(6)	R205	2010
Hamaguchi Y, Kuwana M, Hoshino K, Hasegawa M, Kaji K, Matsushita T, Komura K, Nakamura M, Koderama M, Suga M, Higashi A, Ogusu K, Tsutusi K, Furusaki A, Tanabe H, Sasaoka S, Muro Y, Yoshikawa M, Ishiguro N, Ayano M, Muroi E, Fujikawa K, Umeda Y, Kawase M, Mabuchi E, Asano Y, Sodemoto K, Seishima M, Yamada H, Sato S, Takehara K, Fujimoto M	Clinical correlations with dermatomyositis-specific autoantibodies in adult Japanese patients with dermatomyositis: a multi-centre, cross-sectional study	Arch Dermatol			In press
Nomura S, Kurata Y, Tomiyama Y, Takubo T, Hasegawa M, Saigo K, Nishikawa M, Higasasa S, Maeda Y, H	Effects of bisphosphonate administration on the bone mass in immune thrombocytopenic purpura patients under treatment with	Clin Appl Thromb Hemost	16	622-627	2010

ayashi K	th steroids.				
Fujimura Y, Matsumoto M	Registry of 919 patients with thrombotic microangiopathies across Japan: Database of Nara Medical University during 1998-2008.	Inter Med	49	7-15	2010
Sato A, Hoshi Y, Onuma M, Sato R, Tsunematsu Y, Isonishi A, Matsumoto M, Fujimura Y, Imaizumi M	A 9-month-old infant with acquired idiopathic thrombotic thrombocytopenic purpura caused by inhibitory IgG-autoantibody to ADAMTS13.	Pediatr Hemat Oncol	27	56-61	2010
Uemura M, Fujimura Y, Ko S, Matsumoto M, Nakajima Y, Fukui H	Pivotal role of ADAMTS13 function in liver diseases.	Int J Hematol	91	20-29	2010
Kosugi N, Tsurutani Y, Isonishi A, Hori Y, Matsumoto M, Fujimura Y	Influenza A infection triggers thrombotic thrombocytopenic purpura by producing the anti-ADAMTS13 IgG inhibitor.	Inter Med	49	689-693	2010
Hiura H, Matsui T, Matsumoto M, Hori Y, Isonishi A, Kato S, Iwamoto T, Mori T, Fujimura Y	Proteolytic fragmentation and sugar chains of plasma ADAMTS13 purified by a conformation-dependent monoclonal antibody.	J Biochem	148	403-411	2010
Ito-Habe N, Wada H, Matsumoto M, Fujimura Y, Murata M, Izuno T, Sugita M, Ikeda Y	A second national questionnaire survey of TMA.	Int J Hematol	92	68-75	2010
Ishikawa M, Uemura M, Matsuyama T, Matsumoto M, Ishizashi H, Kato S, Morioka C, Fujimoto M, Kojima H, Yoshiji H, Tsujiimoto T, Takimura C, Fujimura Y, Fukui	Potential Role of Enhanced Cytokemia and Plasma Inhibitor on the Decreased Activity of Plasma ADAMTS13 in Patients With Alcoholic Hepatitis: Relationship to Endotoxemia.	Alcohol Clin Exp Res	34	S25-S33	2010

H					
Okamoto K, Wada H, Hatada T, Uchiyama T, Kawasugi K, Mayumi T, Gando S, Kushimoto S, Seki Y, Madoiwa S, Asakura H, Koga S, Iba T, Maruyama I, Japanese Society of Thrombosis Hemostasis/DIC subcommittee	Frequency and hemostatic abnormalities in pre-DIC patients	Thromb Res	126	74-78	2010
Takenitsu T, Wada H, Hatada T, Ohmori Y, Ishikura K, Takeda T, Sugiyama T, Yamada N, Maruyama K, Katayama N, Isaji S, Shimpo H, Kusunoki M, Nobori T	Prospective evaluation of three different diagnostic criteria for disseminated intravascular coagulation	Thromb Haemost	105	40-44	2011
Ito-Habe N, Wada H, Matsumoto T, Ohishi K, Toyoda H, Ishikawa E, Nomura S, Komada Y, Ito M, Nobori T, Katayama N	Elevated Von Willebrand factor propeptide for the diagnosis of thrombotic microangiopathy and for predicting a poor outcome	Int J Hematol	93	47-52	2011
Hikari Miura, Koji Hashida, Hirofumi Sudo, Yoshitaka Awa, Mika Takarada-Iemata, Koichi Kokame, Tetsuya Takahashi, Masayasu Matsumoto, Yasuko Kitao, Osamu Hori	Deletion of Herp facilitates degradation of cytosolic proteins	Genes Cells	15 (8)	843-853	2010
Yuji Shono, Chiaki Yokota, Yuji Kuge, Shinsuke Kido, Akina Harada, Koichi Kokame, Hiroyasu Inoue,	Gene expression associated with an enriched environment after transient focal ischemia	Brain Res			In press



Mariko Hotta, Kenji Hirata, Hideo Saji, Nagara Tamaki, Kazuo Minematsu					
Suzuki A, Sanda N, Miyawaki Y, Fujimori Y, Yamada T, Takagi A, Murate T, Saito H, Kojima T	Down-regulation of <i>PROS1</i> gene expression by 17 $\beta$ -estradiol via estrogen receptor $\alpha$ (ER $\alpha$ )-Sp1 interaction recruiting receptor-interacting protein140 and the corepressor-HDAC3 complex.	J Biol Chem	285(18)	13444-1 3453	2010
Okada H, Kunishima S, Hamaguchi M, Takagi A, Yamamoto K, Takamatsu J, Matsushita T, Saito H, Kojima T, Yamazaki T	A novel splice site mutation in intron C of <i>PROS1</i> leads to markedly reduced mutant mRNA level, absence of thrombin-sensitive region, and impaired secretion and cofactor activity of mutant protein S.	Thromb Res	125(5)	e246-e2 50	2010
Okada H, Toyoda Y, Takagi A, Saito H, Kojima T, Yamazaki T	Activated protein C resistance in the Japanese population due to homozygosity for the factor V R2 haplotype.	Int J Hematol	91(3)	549-550	2010
Miyawaki Y, Suzuki A, Fujimori Y, Takagi A, Murate T, Suzuki N, Katsumi A, Naoe T, Yamamoto K, Matsushita T, Takamatsu J, Kojima T	Severe hemophilia A in a Japanese female caused by an F8-intron 22 inversion associated with skewed X chromosome inactivation.	Int J Hematol	92(2)	405-408	2010
Ito H, Yoshida K, Murakami M, Hagiwara K, Sasaki N, Kobayashi M,	Heterogeneous sphingosine-1-phospha te lyase gene expression and its regulatory mechanism	Biochim Biophys Acta	1811	119-128	2011

Takagi A, Kojima T, Sobue S, Suzuki M, Tamiya-Koizumi K, Nakamura M, Banno Y, Nozawa Y, Murate T	in human lung cancer cell lines.				
Katsumi A, Kiyoi H, Abe A, Tanizaki R, Iwasaki T, Kobayashi M, Matsushita T, Senga T, Kohno T, Kojima T, Kaibuchi K, Hamaguchi M, Naoe T	FLT3/ITD regulates leukaemia cell adhesion through $\alpha 4 \beta 1$ integrin and Pyk2 signaling.	Eur J Haematol			In press
Madoiwa S, Tanaka H, Nagahama Y, Dokai M, Kashiwakura Y, Ishiwata A, Sakata A, Yasumoto A, Ohmori T, Mimuro J, Sakata Y	Degradation of cross-linked fibrin by leukocyte elastase as alternative pathway for plasmin-mediated fibrinolysis in sepsis-induced disseminated intravascular coagulation.	Thromb Res			In press
Ohmori T, Kashiwakura Y, Ishiwata A, Madoiwa S, Mimuro J, Honda S, Miyata T, Sakata Y	Vinculin activates inside-out signaling of integrin $\alpha IIb\beta 3$ in Chinese hamster ovary cells. Biochem Biophys Res Commun.	Biochem Biophys Res Commun	400 (3)	323-328	2010
Ohmori T, Kashiwakura Y, Ishiwata A, Madoiwa S, Mimuro J, Furukawa Y, Sakata Y	Vinculin is indispensable for repopulation by hematopoietic stem cells, independent of integrin function.	J Biol Chem	285 (41)	31763-31773	2010
Ishiwata A, Mimuro J, Mizukami H, Kashiwakura Y, Yasumoto A, Sakata A, Ohmori T, Madoiwa S, Ono F, Shima M, Yoshioka A, Ozawa K, Sakata	Mutant macaque factor IX T262A: a tool for hemophilia B gene therapy studies in macaques	J Thromb Res	125 (6)	533-537	2010

Y					
Mimuro J, Mizuta K, Kawano Y, Hishikawa S, Hamano A, Kashiwakura Y, Ishiwata A, Ohmori T, Madoiwa S, Kawarasaki H, Sakata Y	Impact of acute cellular rejection on coagulation and fibrinolysis biomarkers within the immediate post-operative period in pediatric liver transplantation.	Pediatr Transplant	14(3)	369-376	2010
Suehisa E, Kawasaki T, Toku M, Hidaka Y	Low level of factor V is associated with development of deep-vein thrombosis in Japanese patients.	Thromb Res	125	128-133	2010
Kawasaki T, Suehisa E, Toku M, Torita S, Minami M	Effect of beraprost sodium on coagulation in peripheral arterial disease.	Jpn J Thromb Hemost	21(6)	623-625	2010
M Mitsuguro, T. Sakata, A. Okamoto, S. Kameda, Y. Kokubo, Y. Tsutsumi, M. Sano, T. Miyata	Usefulness of antithrombin deficiency phenotypes for risk assessment of venous thromboembolism: type I deficiency as a strong risk factor for venous thromboembolism.	Int J Hematol	92(3)	468-473	2010
S. Matsumoto, K. Kamide, F. Banno, N. Inoue, N. Mochizuki, Y. Kawano, T. Miyata	Impact of RGS2 deficiency on the therapeutic effect of telmisartan in angiotensin II-induced aortic aneurysm	Hypertension Research	33(12)	1244-1249	2010
K. Kamide, Y. Kokubo, J. Yang, S. Takiuchi, T. Horio, S. Matsumoto, M. Banno, T. Matayoshi, H. Yasuda, Y. Miwa, F. Yoshihara,	Association of intima-media thickening of carotid artery with genetic polymorphisms of the regulator of G-protein signaling 2 gene in patients with hypertension and in the general population	Hypertension Research			In press

S. Nakamura, H. Nakahama Y. Iwashima, R. Oguro, M. Ohishi, H. Rakugi, T. Okamura, T. Miyata, Y. Kawano					
S. Kameda, T. Sakata, Y. Kokub, M. Mitsuguro, A. Okamoto, M. Sano, T. Miyata	Association of platelet aggregation with lipid levels in the Japanese population: the Suita Study.	J Atheroscler Thromb			In press
Teramoto T, Shimada K, Uchiyama S, Sugawara M, Goto Y, Yamada N, Oikawa S, Ando K, Ishizuka N, Yamazaki T, Yokoyama K, et al	Rationale, design, and baseline data of the Japanese Primary Prevention Project (JPPP)-a randomized, open-label, controlled trial of aspirin versus no aspirin in patients with multiple risk factors for vascular events.	Am Heart J	159	361-369	2010
Kato J, Mori T, Yokoyama K, et al	Safety and efficacy of high-dose ranimutine, cytarabine, etoposide and CY (MCVAC) regimen followed by autologous peripheral blood stem cell transplantation for high-risk diffuse large B-cell lymphoma.	Bone Marrow Transplant		Advance online publication	2010
Hirai K, Sugimura M, Ohashi R, Suzuki K, Itoh H, Sugihara K, Kanayama N	A rapid activated protein C sensitivity test as a diagnostic marker for a suspected venous thromboembolism in pregnancy and puerperium.	Gynecol Obstet Invest	January 20	1-8	2011