

杉本郁夫、太田 敬	救急診療と血管検査 - 血管検査：医師の立場から -	Vascular Lab	6	169-173	2009
太田 敬、岩田博英	血管疾患の診断とモダリティ- 7. 下肢静脈：表在 1, 機能検査	Vascular Lab	5	194-8	2009
杉本郁夫、太田 敬、石橋宏之、岩田博英、山田哲也、只越雅夫、肥田典之、折本有貴	間歇性跛行患者における日常運動状況の検討	日本血管外科学会雑誌	18	43-48	2009
杉本郁夫、太田 敬	間歇性跛行評価ツールであるWIQの使用法	脈管学	49	9-13	2009
杉本郁夫、太田 敬	間歇性跛行に対する運動療法	診断と治療	97	2417-21	2009
太田 敬	脈管専門医	Vascular Lab	7	15-19	2010
杉本郁夫、太田 敬	特集- PADをどうみるか- PADのベッドサイド診断	Cardiac Practice	21	35-42	2010
太田 敬	特集- 腹部・臓器出血の診断と治療「10腹部大動脈瘤による出血」	外科	72	1077-82	2010
太田 敬、石橋宏之、杉本郁夫、岩田博英、川西 順、山田哲也、只腰雅夫、肥田典之、折本有貴	脈管専門医にとってのバスキュラーラボ	脈管学	50	35-40	2010
杉本郁夫、太田 敬、石橋宏之、岩田博英、川西 順、山田哲也、只腰雅夫、肥田典之、折本有貴	臨床症状と動脈閉塞所見からみた重症下肢虚血症例の検討	脈管学	50	683-86	2010
Ikuo Sugimoto, Takashi Ohta, Hiroyuki Ishibashi, Hirohide Iwata, Tetsuya Yamada, Masao Takakoshi, Noriyuki Hida, YukiOrimoto	Conservative treatment for patients with intermittent claudication	International Angiology	29suppl. 1	55-60	2010
H. Shigematsu, T. Nishibe, Y. Obitsu, K. Matsuzaki, A. Ishida, T. Miyata, S. Shindo, K. Hida, T. Ohta, M. Ando, T. Kawasaki, T. Yasugi, T. Matsumoto	Three-year cardiovascular events and disease progress in patients with peripheral arterial disease: results from the Japan Medication Therapy for Peripheral Arterial Disease (J-METHOD)	International Angiology	29suppl. 1	2-13	2010
有村義宏	ANCA 関連血管炎 膠原病診断のブレークスルー- 早期診断・早期治療のポイント-	臨床雑誌「内科」	101	641-648	2008
有村義宏	腎疾患 診断と治療の進歩 II. 検査データの見方- 自己抗体.	日内会誌	97	71-77	2008
有村義宏	血管炎の検査.	Vascular Lab	5	322-325	2008

有村義宏, 軽部美穂	血管炎と悪性腫瘍.	リウマチ科	40	86-92	2008
有村義宏	肺血管炎の基礎と臨床 ウェゲナー肉芽腫症	呼吸器科	14	275-282	2008
Joh K, Muso E, Shigematsu H, Nose M, Nagata M, Arimura Y, Yumura W, Wada T, Nitta K, Makino H, Taguma Y, Kaneoka H, Suzuki Y, Kobayashi M, Koyama A, Usui J, Hashimoto H, Ozaki S, Tomino Y, Yamagata K.	Renal pathology of ANCA-related vasculitis: proposal for standardization of pathological diagnosis in Japan.	Clin Exp Nephrol.	12	277-91,	2008
有村義宏	膠原病診療の最近の進歩と今後の展望-血管炎症候群.	MEDICO	39	449-451	2008
Yoshihiro Arimura	Anti-neutrophil cytoplasmic antibody (ANCA) associated asculitis.	International Medical News, International Medical Society of Japan.	431	8-11	2008
有村義宏	ANCA関連血管炎.	日本国際医学協会誌	431	3	2008
有村義宏	日本人の降圧療法を考える-わが国発のエビデンスからのメッセージ.	Pharma Medica	26	98	2008
尾崎承一, 中林公正, 有村義宏, 長澤浩平, 野島美久, 廣村桂樹	血管炎症候群の診療ガイドライン V. 結節性多発動脈炎.	Circulation Journal	72	1289-1296	2008
川嶋聡子, 有村義宏, 中林公正, 山田 明	MPO-ANCA関連血管炎における糸球体内MPO陽性細胞および細胞外MPOについての腎病理組織学的検討.	日腎会誌	51	56-67	2009
有村義宏, 川嶋聡子, 吉原堅	ANCA関連血管炎とRPGN.	日腎会誌	51	88-93	2009
小西文晴, 大塚貴子, 渡邊沙也花, 川嶋聡子, 福岡利仁, 軽部美穂, 吉原 堅, 要 伸也, 有村義宏, 山田 明	広範囲の下腿皮膚潰瘍を生じたMPO-ANCA陽性Churgstrauss症候群 (CSS) の1例.	日本内科学会関東地方会	560	18	2009
有村義宏	免疫抑制療法と免疫療法一薬の上手な使い方—腎炎, 腎症の免疫抑制療法. 総論	腎と透析	66	927-930	2009
岩澤彰子, 池谷紀子, 齋藤督芸, 要伸也, 有村義宏, 山田明, 小川勝	症例報告 維持透析導入後も18年間MPO-ANCA高値が維持し、肺胞出血で再燃した顕微鏡的多発血管炎の1例.	透析会誌	42 (10)	777-783	2009
吉原堅, 有村義宏	抗好中球細胞質抗体-ANCA.	診断と治療	97 (9)	1911-1915	2009

有村義宏	尿からさぐる病態と疾患-潜血（血尿）	腎と透析	67 (6)	736-740	2009
有村義宏	膠原病一血管炎。	腎と透析	臨時増刊号	379-383	2009
Koyama A, Yamagata K, Makino H, Arimura Y, Wada T, Nitta K, Nihei H, Muso E, Taguma Y, Shigematsu H, Sakai H, Tomino Y, & Matsuo S	A nationwide survey of rapidly progressive glomerulonephritis in Japan: etiology, prognosis and treatment diversity. Japan RPGN Registry Group.	Clin Exp Nephrol.	13 (6)	633-50	2009
Nakabayashi K, Arimura Y, Yoshihara K, Fukuoka T, Karube M, Yamato T, Koji H, Ikegaya N, Ohtuka T, Kawashima S, Sudo M & Yamada A	Classification of clinical subtypes, patient survival, kidney prognosis, and relapse in patients with MPO-ANCA-associated vasculitis: a single-center experience.	Mod Rheumatol.	19 (4)	420-6	2009
Nakabayashi K, Sumiishi A, Sano K, Fujitoka Y, Yamada A, Karube M, Koji H, Arimura Y & Nagasawa T	Tubulointerstitial nephritis without glomerular lesions in three patients with myeloperoxidase-ANCA-associated vasculitis.	Clin Exp Nephrol.	13	605-613	2009
吉原堅, 有村義宏	ANCAの力価と病態。	腎と透析	68 (1)	95-99	2010
有村義宏	顕微鏡的多発血管炎。	腎と透析	68 (1)	47-51	2010
有村義宏	ANCA関連血管炎・膠原病による腎障害の免疫抑制療法。	Pharma Medica	28 (2)	39-44	2010
有村義宏, 川嶋聡子, 吉原堅	顕微鏡的多発血管炎の腎障害。	腎と透析	68 (2)	246-251	2010
小西文春, 渡邊沙也花, 大塚貴子, 軽部美穂, 要伸也, 狩野葉子, 有村義宏, 川嶋聡子, 福岡利仁, 吉原堅, 山田明	広範囲の血疱・下腿皮膚潰瘍を生じたANCA陽性Churg-Strauss症候群の1例。	臨床リウマチ	22 (2)	229-235	2010
有村義宏	全身性エリテマトーデス 第4章 管理・治療 補助療法：透析治療。	最新医学社	67 (4)	:197-203	2010
有村義宏	内科疾患の診断基準病型分類・重症度 IV. 腎臓 ループス腎炎。	南江堂	105 (6)	1104-1109	2010
有村義宏	膠原病と腎障害 血管炎による腎障害のup	Nephrology Frontier	9 (3)	44-49	2010
有村義宏	ANCA関連血管炎：腎炎治療と腎予後。	リウマチ科	44 (3)	314-321	2010

Kurata A, Arimura Y, Iwasawa A, Kawashima S, Ikegaya N, Kojima K, Fujioka Y, Nakabayashi K, Yamada A.	Identification of MPO-positive capillaries of the pleura by immunohistochemistry in MPO-ANCA associated vasculitis.	Pathol Int.	60(9)	626-9	2010
Yamashita M, Otsuka F, Mukai T, Otani H, Inagaki K, Miyoshi T, Goto J, Yamamura M, Makino H:	Simvastatin antagonizes tumor necrosis factor-alpha inhibition of bone morphogenetic proteins-2-induced osteoblast differentiation by regulating Smad signaling and Ras/Rho-mitogen-activated protein kinase pathway.	J Endocrinol	196(3)	601-613	2008
山村昌弘	解説 TNF阻害薬の有効性の違いはどこからくるのか -インフリキシマブ, エタネルセプト, アダリムマブ, セトリスマブの異なるアポトーシス誘導能.	リウマチ科	39(5)	459-464	2008
恒川日南子, 雑候正泰, 岩城正佳, 向井知之, 山村昌弘	インフリキシマブの早期導入で良好な経過を示しているBehcet病ぶどう膜炎の症例.	臨床眼科	62(8)	1293-1296	2008
山村昌弘	話題 ループス腎炎の尿バイオマーカー.	リウマチ科	40(3)	298-302	2008
山村昌弘	私の処方 顕微鏡的多発血管炎の治療.	モダンフイジシャン	29(1)	114	2009
山村昌弘	診療の秘訣 関節リウマチの診断における抗CCP抗体の使い方.	モダンフイジシャン	29(2)	256	2009
Kuhara T, Watanabe D, Iwahori Y, Tamada Y, Yamamura M, Matsumoto Y.	Psoriasisiform and pustular eruption induced by etanercept and infliximab.	Eur J Dermatol	19(4)	388-389	2009
Koike R, Harigai M, Atsumi T, Amano K, Kawai S, Saito K, Saito T, Yamamura M, Matsubara T, Miyasaka N:	Japan College of Rheumatology 2009 guidelines for the use of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, in rheumatoid arthritis.	Mod Rheumatol	19(4)	351-357	2009
山村昌弘	連載 サイトカインと炎症性疾患・自己免疫疾患-その病態における役割と治療展開-. 第1回 関節リウマチ.	炎症と免疫	17(2)	223-230	2009
山村昌弘	特集 内科医が診る関節リウマチ-State of Art-. 関節リウマチの治療薬の適応と禁忌-TNF阻害療法施行ガイドライン	内科	103(4):	664-668	2009

山村昌弘	診断指針と活用の実際 関節リウマチに対する生物学的製剤の適正使用.	日本内科学会誌	98 (4)	894-898	2009
山村昌弘	解説 ANCA関連血管炎のアウトカム-欧州血管炎グループ (EUVAS) によるシステマティックレビュー	リウマチ科	42 (2)	223-228	2009
山村昌弘	Q&A HBVキャリアの関節リウマチの治療.	日本医事新報	4438	78-79	2009
山村昌弘	特集 関節リウマチ-早期治療のインパクトとピットフォール. 治療薬解説 メトトレキサート-関節リウマチにおける使い方とリスクマネジメント.	Current Therapy	27 (6)	62-67	2009
向井知之, 高橋美裕希, 服部大哉, 河島昌典, 岩堀祐介, 山村昌弘	中年期に診断された胸筋鎖関節病変を伴う強直性脊椎炎の2例.	日本脊痛関節炎学会誌	1 (2)	69-73	2009
山村昌弘	特集 わが国で使用可能な関節リウマチに対する生物学的製剤のエビデンスを整理する. トシリズマブ-欧米のエビデンス (CHARISMA, OPTION, TOWARD, AMBITION, RADIATE, LITHE試験).	リウマチ科	42 (3)	295-301	2009
Li H, Yoneda M, Takeyama M, Sugita I, Tsunekawa H, Yamada H, Watanabe D, Mukai T, Yamamura M, Iwaki M, Zako M	Effect of Infliximab on Tumor Necrosis Factor-Alpha-Induced Alterations in Retinal Microvascular Endothelial Cells and Retinal Pigment Epithelial Cells.	<i>J Ocul Pharmacol Ther</i>	26 (6)	549-556	2010
山村昌弘	特集 研修医のための膠原病診療ガイド. II. 各論: 頻度の高い膠原病. 4 血管炎症候群.	臨床研修ブライテイス	10 (3)	55-61	2010
山村昌弘	広範囲血液・尿化学検査免疫学的検査第7版-その数値をどう読むか-. X プラスタノイド, サイトカイン, 増殖因子, ケモカイン. 概論: サイトカインの種類と機能-各種疾患における病態生理学的役割.	日本臨床	68 (増刊号5)	231-234	2010
山村昌弘	解説 ANCA関連血管炎の新たな分類方法について-ACR分類基準, Chapel Hill分類からWattsらの分類アルゴリズムまで.	リウマチ科	44 (1)	112-118	2010
Iwata Y, Furuichi K, Kitagawa K, Hara A, Okumura T, Kokubo S, Shimizu K, Sakai N, Sagara A, Kurokawa Y, Ueha S, Matsushima K, Kaneko S, Wada T	Involvement of CD11b ⁺ GR-1 ^{low} cells in autoimmune disorder in MRL- <i>Fas</i> ^{lpr} mouse	Clin Exp Nephrol	14	411-417	2010

Yamagata K, Makino H, Akizawa T, Iseki K, Itoh S, Kimura K, Koya D, Narita I, Mitarai T, Miyazaki M, Tsubakihara Y, Watanabe T, Wada T, Sakai O; Advisory Committee for FROM-J	Design and methods of a strategic outcome study for chronic kidney disease: Frontier of Renal Outcome Modifications in Japan	Clin Exp Nephrol	14	144-151	2010
Kimura A, Ishida Y, Wada T, Hisaoka T, Morikawa Y, Sugaya T, Mukaida N, Kondo T	The Absence of Interleukin-6 Enhanced Arsenite-Induced Renal Injury by Promoting Autophagy of Tubular Epithelial Cells with Aberrant Extracellular Signal-Regulated Kinase Activation	Am J Pathol	176	40-50	2010
Sakai N, Furuichi K, Shinozaki Y, Yamauchi H, Toyama T, Kitajima S, Okumura T, Kokubo S, Kobayashi M, Takasawa K, Takeda S, Yoshimura M, Kaneko S, Wada T	Fibrocytes are involved in the pathogenesis of human chronic kidney disease	Human Pathol	41	672-678	2010
Wada T, Sakai N, Sakai Y, Matsushima K, Kaneko S, Furuichi K.	Involvement of bone marrow-derived cells in kidney fibrosis	Clin Exp Nephrol		in press	2010
Koyama A, Yamagata K, Makino H, Arimura Y, Wada T, Nitta K, Nihei H, Muso E, Taguma Y, Shigematsu H, Sakai H, Tomino Y, Matsuo S; Japan RPGN Registry Group	A nationwide survey of rapidly progressive glomerulonephritis in Japan: etiology, prognosis and treatment diversity	Clin Exp Nephrol	13	633-650	2009
Menke J, Iwata Y, Rabacal WA, Basu R, Yeung YG, Humphreys BD, Wada T, Schwartzing A, Stanley ER, Kelley VR	CSF-1 signals directly to renal tubular epithelial cells to mediate repair in mice	J Clin Invest	119	2330-2342	2009
Popivanova BK, Kostadinova FI, Furuichi K, Shamekh MM, Kondo T, Wada T, Egashira K, Mukaida N	Blockade of a chemokine, CCL2, reduces chronic colitis-associated carcinogenesis in mice	Cancer Res	69	7884-7892	2009
Furuichi K, Kaneko S, Wada T	Chemokine/chemokine receptor-mediated inflammation regulates pathologic changes from acute kidney injury to chronic kidney disease	Clin Exp Nephrol	13	9月14日	2009

Iwata Y, Furuichi K, Sakai N, Yamauchi H, Shinozaki Y, Shu K, Kurokawa Y, Toyama T, Kitajima S, Okumura T, Yamada S, Maruyama I, Matsushima K Shuichi Kaneko S, Wada T	Dendritic cells contribute to autoimmune kidney injury in MRL- <i>Fas/pr</i> mice	J Rheum	36	306-314	2009
Furuichi K, Wada T, Kaneko S, Murphy PM	Role of chemokines in renal ischemia /reperfusion injury	Frontiers in Bioscience	13	4021-4028	2008
Wada T	Predicting outcome of IgA nephropathy by use of urinary epidermal growth factor: monocyte chemotactic peptide 1 ratio	Nat Clin Pract Nephrol	4	184-185	2008
Sakai N, Wada T, Matsushima K, Kaneko S	Fibrocyte: New participant in the pathogenesis of renal fibrosis	Inflammation and Regeneration	28	20-26	2008
Wada T, Matsushima K, Kaneko S	The role of chemokines in glomerulonephritis	Frontiers in Bioscience	13	3966-3974	2008
Sakai N, Wada T, Iwai M, Horiuchi M, Matsushima K, Kaneko S	The renin-angiotensin system contributes to renal fibrosis through regulation of fibrocytes	J Hypertens	26	780-790	2008
Furuichi K, Wada T, Kitajima S, Toyama T, Okumura T, Hara A, Kawachi H, Shimizu F, Sugaya T, Mukaida N, Narumi S, Matsushima K, Kaneko S	IFN-inducible Protein 10 (CXCL10) Regulates Tubular Cell Proliferation in Renal Ischemia-Reperfusion Injury	Nephron Exp Nephrol	109	c29-38	2008
Furuichi K, Gao JL, Horuk R, Wada T, Kaneko S, Murphy PM.	Chemokine Receptor CCR1 Regulates Inflammatory Cell Infiltration after Renal Ischemia-Reperfusion Injury	J Immunol	181	8670-8676	2008
Yokoyama H, Kawaguchi T, Wada T, Takahashi Y, Higashi T, Yamazaki S, Fukuhara S, Akiba T, Akizawa T, Asano Y, Kurokawa K, Saito A for JDOPPS Investigators Group.	Biocompatibility and permeability of dialyzer membranes do not affect anemia, erythropoietin dosage or mortality in Japanese patients on chronic non-reuse hemodialysis: a prospective cohort study from the J-DOPPS II study.	Nephron Clin Pract	109	c100-108	2008

Joh K, Muso E, Shigematsu H, Nose M, Nagata M, Arimura Y, Yumura W, Wada T, Nitta K, Makino H, Taguma Y, Kaneoka H, Suzuki Y, Kobayashi M, Koyama A, Usui J, Hashimoto H, Ozaki S, Tomino Y, Yamagata K.	Renal pathology of ANCA-related vasculitis: proposal for standardization of pathological diagnosis in Japan.	Clin Exp Nephrol	12	277-291	2008
Takeuchi T, Tatsuki Y, Nogami Y, Ishiguro N, Tanaka Y, Yamanaka H, Kamatani N, Harigai M, Ryu J, Inoue K, Kondo H, Inokuma S, Ochi T, Koike T	Postmarketing surveillance of the safety profile of infliximab in 5000 Japanese patients with rheumatoid arthritis.	Ann Rheum Dis	67	189-94	2008
Nii T, Kubota T, Nanki T, Komano Y, Harigai M, Kohsaka H, Hirose W, Nagasaka, K, Sakurai T, Miyasaka N	Reevaluation of antibody titers 1 year after influenza vaccination in patients with rheumatoid arthritis receiving TNF blockers	Mod Rheumatol [Epub ahead of print]	N/A	N/A	2008
針谷正祥	生物学的製剤の副作用と対策	Progress in Medicine	28 (1)	65-69	2008
針谷正祥	関節リウマチにおけるエタネルセプトとメトトレキサート併用は安全か-エタネルセプト全例調査結果の解析方法	リウマチ科	39 (1)	21-26	2008
針谷正祥	〈治療薬の使い方とリスクマナー・レジメン〉生物学的製剤の適応とリスクマナー・レジメン	内科	101 (4)	698-703	2008
針谷正祥	自己免疫疾患のサイトカインネットワーク	臨床検査	52 (5)	489-495	2008
針谷正祥	アバタセプト(オレンシア) (次世代の生物学的製剤)	分子リウマチ治療	1 (2)	29-31	2008
針谷正祥	TNF阻害薬の有用性と問題点	細胞	40 (9)	21-26	2008
駒野有希子、針谷正祥	生物学的製剤と感染症リスク	Frontiers in Rheumatology & Clinical Immunology	2 (1)	22-26	2008
針谷正祥、田中みち	副作用がでたら? (特集 生物学的製剤の使い方をやさしく教えます! ~インフリキシマブとエタネルセプト~)	分子リウマチ治療	1 (1)	14-17	2008
駒野有希子、針谷正祥	日本発のエビデンスをどう読むか? PAT研究	分子リウマチ治療	1 (2)	18-21	2008
長坂憲治、針谷正祥	膠原病治療に伴う日和見感染症の治療と予防 (膠原病に伴発する病態・疾病とその治療の進め方)	Medical Practice	25 (8)	1369-72	2008

駒野有希子、針谷正祥	関節リウマチに対する生物学的製剤～その効果と安全性～	看護技術	54(13)	19-24	2008
針谷 正祥	感染症。(PART.4 リウマチ・膠原病の合併症) Pneumocystis jiroveci pneumonia in patients with rheumatoid arthritis treated with infliximab: A retrospective review and case-control study of 21 patients	からだの科学 (リウマチ・膠原病のすべて) Arthritis Rheum	2 5 6 61(3)	144-7 305-12	2008 2009
Komano Y, Harigai M, Koike R, Sugiyama H, Ogawa J, Saito K, Sekiguchi N, Inoo M, Onishi I, Ohashi H, Amamoto F, Miyata M, Ohtsubo H, Hiramatsu K, Iwamoto M, Minota S, Matsuoka N, Kageyama G, Imaizumi K, Tokuda H, Okochi Y, Kudo K, Tanaka Y, Takeuchi T, Miyasaka N.	Postmarketing surveillance of the safety and effectiveness of etanercept in Japan	J Rheumatol	36(5)	898-906	2009
Koike T, Harigai M, Inokuma S, Inoue K, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Freundlich B, Suzukawa M.	Japan College of Rheumatology 2009 guidelines for the use of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, in rheumatoid arthritis	Mod Rheumatol	19	351-357	2009
Koike R, Harigai M, Atsumi T, Amano K, Kawai S, Saito K, Saito T, Yamamura M, Matsubara T, Miyasaka N.	ステロイドと他剤との相互作用	モダンフイジシヤン	29(5):	573-576	2009
針谷正祥	合併症症例における抗リウマチ薬の選択とリスクマネージメント(特集 関節リウマチ-治癒を目指す治療の新時代へ)	最新医学	64(5)	78(1034)-83(1039)	2009
針谷正祥	生物学的製剤による副作用 予防とリスクマネージメント ニューモシスチス肺炎。	内科	103(4)	711-714	2009
駒野有希子、針谷正祥	多発性筋炎・皮膚筋炎	薬局増刊号(病氣と薬パーフェクトBOOK 2009)	60(4)	699-700	2009
針谷正祥		Pharma Medica	28(3)	39-42	2010
野々村美紀、針谷正祥	生物学的製剤の副作用と使用上の注意点(特集 関節リウマチ治療の最前線-現状と展望)				
針谷正祥、駒野有希子	生物学的製剤大規模試験のエビデンス-我が国における試験を中心に-REAL研究	日本臨床 増刊号 関節リウマチ(第2版)	68(5)	339-342	2010

長坂憲治、針谷正祥	ステロイドはリウマチに良い?悪い?(特集 関節リウマチの治療～ベシーックな治療薬と最新薬のハーモニー～)	Modern Physician	30(8)	1042-1045	2010
田中みち、針谷正祥	生物学的製剤の安全使用に向けて。(関節リウマチ・治療/実地診療における薬の使いかたと留意点)	Medical Practice	27(12)	2121-2127	2010
酒井良子、針谷正祥	関節リウマチにおけるMTXの安全性-REAL研究より (特集 関節リウマチ治療におけるメトトレキサートMTXの新たな位置づけ)	リウマチ科	44(5)	520-524	2010
針谷正祥	炎症性サイトカイン阻害と感染症(抗体療法確立された炎症性疾患へのアプローチ)	治療学	44(2)	74-76	2010
針谷正祥	治療目標-目標達成に向けた治療(Treat to Target)のエビデンスと実際(特集 関節リウマチ” 治療をめざす” 最新治療コンセンサス)	医学のあゆみ	234(1)	14-19	2010
針谷正祥	CTLA4-IgによるT細胞共刺激阻害薬-abatacept(関節リウマチの新しい治療)	メデイカル・サイエンス・ダイジェスト	36(9)	12(960)-15(963)	2010
Fujita Y, Fujii T, et al	Aseptic meningitis in mixed connective tissue disease: cytokine and anti-U1RNP antibodies in cerebrospinal fluids from two different cases.	Mod Rheumatol	18	184-188	2008
村上 孝作、藤井 隆夫、ほか	膠原病を疑ったときの診断の進め方. リウマトイド因子. 抗CCP抗体が陽性・陰性の臨床的意義	Medicina	45	64-67	2008
村上 孝作、藤井 隆夫	膠原病の診断、治療開始とフォローの実際. 成人Still病.	Medicina	45	100-103	2008
藤井 隆夫	膠原病診療のプレークスルー-早期診断・早期治療のポイント-混合性結合組織病.	内科	101	654-659	2008
藤井 隆夫	SLEの免疫異常の解明. SLEにおける抗核抗体の病原性.	最新医学	63	912-917	2008
藤井 隆夫	混合性結合組織病における肺高血圧症の新規治療.	Medical Practice	25	1405-1409	2008

藤井 隆夫	一般医に必要なリウマチ診療の知識. 関節外病変.	総合臨床	57	2855-2861	2008
Fujii T, et al	Vaccination with autoreactive CD4+Th1 clones in lupus-prone MRL/Mp-Faslpr/lpr mice.	J Autoimmunity	33	123-134	2009
Ito Y, Fujii T, et al	$\gamma\delta$ T cells are the predominant source of IL-17 in the affected joints of collagen-induced arthritis, but not in rheumatoid arthritis.	Arthritis Rheum	60	2294-2303	2009
Toshiyuki Kitaori, Hiromu Ito, Hiroyuki Yoshitomi, Tomoki Aoyama, Takao Fujii, Tsuneyo Mimori, Takashi Nakamura.	Severe erosive arthropathy requiring surgical treatments in systemic lupus erythematosus.	Mod Rheumatol	19	431-436	2009
Sumiyuki Mii, Ritsuko Kobayashi, Toshiaki Nakano, Harumi Harada, Masato Okada, Yukio Matsui, Takao Fujii, Hikaru Eto.	A histopathologic study of mechanic's hands associated with dermatomyositis: a report of five cases.	Int J Dermatol	48	1117-1182	2009
藤井 隆夫、岡本 洋子、小林 勝哉、井上 治久、高橋 良輔、三森 経世.	内科医が診る関節リウマチ -State of Art-、生物学的製剤は進行性多巣性白質脳症 (PML) を誘発するか？	内科	4	725-728	2009
藤井 隆夫、三森 経世、小林 民雄、山下 雅樹、恒川 伸二、藤井 義久、清水 喜久男.	リウマチ性疾患の診療で行われる臨床検査. 抗U1RNP抗体と抗Sm抗体 -改良型ELISAについて-	リウマチ科	41	459-463	2009
藤井 隆夫.	膠原病・リウマチ性疾患診療のより深い理解を目指して. I. 診断を下すために. 4. 持続する炎症所見への対応.	日本内科学会誌	98	2440-2445	2009
Sato T, Fujii T, et al	Anti-U1 RNP antibodies in cerebrospinal fluid are associated with central neuropsychiatric manifestations in systemic lupus erythematosus and mixed connective tissue disease.	Arthritis Rheum	62	37730-3740	2010
Nakashima R, Fujii T, et al.	The RIG-I-like receptor IFIH1/MDA5 is a dermatomyositis-specific autoantigen identified by the anti-CADM-140 antibody.	Rheumatology	49	433-440	2010

Ohmura K, Fujii T, et al.	Anti-citrullinated peptide antibody-negative RA is a genetically distinct subset: a definitive study using only bone-erosive ACPA-negative rheumatoid arthritis.	Rheumatology	49	2298-2304	2010
Suzuki K, Tamaru J, Okuyama A, Kameda H, Amano K, Nagasawa H, Nishi E, Yoshimoto K, Setoyama Y, Kaneko K, Osada H, Honda N, Sasaki Y, Itoyama S, Tsuzaka K, Takeuchi T	IgG4-positive multi-organ lymphoproliferative syndrome manifesting as chronic symmetrical sclerosing dacryosialadenitis with subsequent secondary portal hypertension and remarkable IgG4-linked IL-4 elevation.	Rheumatology	49	1789-1791	2010
Nagasawa H, Kameda H, Sekiguchi N, Amano K, Takeuchi T	Normalisation of physical function by infliximab in patients with RA: factors associated with normal physical function.	Clin Exp Rheumatol	28	365-372	2010
Nagasawa H, Kameda H, Sekiguchi N, Amano K, Takeuchi T	Differences between the Health Assessment Questionnaire Disability Index (HAQ-DI) and the modified HAQ (mHAQ) score before and after infliximab treatment in patients with rheumatoid arthritis.	Mod Rheumatol	20	337-342	2010
Ichikawa Y, Saito T, Yamanaka H, Akizuki M, Kondo H, Kobayashi S, Oshima H, Kawai S, Hama N, Yamada H, Mimori T, Amano K, Tanaka Y, Matsuoka Y, Yamamoto S, Matsubara T, Murata N, Asai T, Suzuki Y.	Clinical activity after 12 weeks of treatment with nonbiologics in early rheumatoid arthritis may predict articular destruction 2 years later.	J Rheumatol	37	723-729	2010
天野 宏一	インフリキシマブ	Modern Physician	30	1065-1067	2010
天野 宏一	新たな免疫抑制剤15-deoxyspergualinによる Wegener肉芽腫症の治療	リウマチ科	43	648-651	2010
天野 宏一	治癒をめざしたTNF阻害剤の使い方	医学のあゆみ	234	82-87	2010
天野 宏一	STREAM試験	リウマチ科	44	51-54	2010
天野宏一	P38 MAPK阻害薬	分子リウマチ	11	18-21	2010
奥山あゆみ、天野宏一	RAにおける抗TNF療法（インフリキシマブ）に対する投与時反応の予測と遺伝子多型	リウマチ科	43	154-159	2010
天野宏一	抗リウマチ剤（DMARDs）	総合リハビリテーション	38	233-236	2010
天野宏一	インフリキシマブ	Pharma Medica	28	15-17	2010

Ogawa H, Kameda H, Amano K, Takeuchi T	Efficacy and safety of cyclosporine A in patients with refractory systemic lupus erythematosus.	Lupus	19	162-169	2010
Koike R, Harigai M, Atsumi T, Amano K, Kawai S, Saito K, Saito T, Yamamura M, Matsubara T, Miyasaka N	Japan College of Rheumatology 2009 guidelines for the use of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, in rheumatoid arthritis.	Mod Rheumatol	19	351-357	2009
Tanino M, Matoba R, Nakamura S, Kameda H, Amano K, Okayama T, Nagasawa H, Suzuki K, Matsubara K, Takeuchi T	Prediction of efficacy of anti-TNF biologic agent, infliximab, for rheumatoid arthritis patients using a comprehensive transcriptome analysis of white blood cells.	Biochem Biophys Res Commun	387	261-265	2009
Kameda H, Amano K, Nagasawa H, Ogawa H, Sekiguchi N, Takei H, Suzuki K, Takeuchi T	Notable difference between the development of vertebral fracture and osteonecrosis of the femoral head in patients treated with high-dose glucocorticoids for systemic rheumatic diseases.	Intern Med	48	1931-1938	2009
Suzuki K, Kameda H, Amano K, Nagasawa H, Takei H, Sekiguchi N, Nishi E, Ogawa H, Tsuzaka K, Takeuchi T	Prediction of efficacy of anti-TNF biologic agent, infliximab, for rheumatoid arthritis patients using a comprehensive transcriptome analysis of white blood cells.	Rheumatol Int	29	431-436	2009
Nagasawa H, Kameda H, Sekiguchi N, Amano K, Takeuchi T	Improvement of the HAQ score by infliximab treatment in patients with RA: Its association with disease activity and joint destruction.	Mod Rheumatol	19	166-172	2009
Suzuki K, Nagasawa H, Kameda H, Amano K, Kondo T, Itoyama S, Tanaka Y, Takeuchi T.	Severe acute thrombotic exacerbation in two cases with anti-phospholipid syndrome after retreatment with rituximab in phase I/II clinical trial for refractory systemic lupus erythematosus.	Rheumatology	48	198-199	2009
天野宏一、竹内勤	関節リウマチに対する分子標的薬	腎と透析	67	620-625	2009
天野宏一、竹内勤	関節リウマチの関連マーカー	診断と治療	97	1907-1910	2009
天野宏一	アバタセプト	最新医学	64	1051-1057	2009
天野宏一	顕微鏡的多発血管炎（肺胞出血）	内科（増大号）	103	1488-1491	2009

天野宏一、竹内勤	Behcet病～膠原病科から	Clinical Neuroscience	28	192-193	2009
天野宏一、竹内勤	関節リウマチ寛解への個別化医療	治療学	43	299-301	2009
天野宏一	生物学的製剤	日本臨床	67	593-598	2009
天野宏一	免疫抑制薬の臨床応用実践論～全身性エリテマトーデス	炎症と免疫	17	231-234	2009
天野宏一、竹内勤	側頭動脈炎	日本臨床別冊、領域別症候群シリーズ：呼吸器症候群		414-416	2009
Sekiguchi N, Kawauchi S, Furuya T, Inaba N, Matsuda K, Ando S, Ogasawara M, Aburatani H, Kameda H, Amano K, Abe T, Ito S, Takeuchi T.	Messenger RNA expression profile in peripheral blood cells from RA patients following treatment with an anti-TNFα monoclonal antibody, infliximab.	Rheumatology	47	780-788	2008
Tanaka Y, Takeuchi T, Inoue E, Saito K, Sekiguchi N, Sato E, Nawata M, Kameda H, Iwata S, Amano K, Yamanaka H.	Retrospective study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: one-year clinical outcome (RECONFIRM-2).	Mod Rheumatol	18	146-152	2008
Takeuchi T, Yamanaka H, Inoue E, Nagasawa H, Nawata M, Ikari K, Saito K, Sekiguchi N, Sato E, Kameda H, Iwata S, Mochizuki T, Amano K, Tanaka Y.	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: One-year outcome of joint destruction (RECONFIRM-2J).	Mod Rheumatol	18	447-454	2008
亀田秀人, 関口直哉, 長澤逸人, 天野宏一, 竹内勤	最初の生物学的製剤に不応または有害事象発現時の対応.	臨床リウマチ	20	250-253	2008
天野宏一	スチロイド薬、免疫抑制薬や生物学的製剤投与中の感染症	内科	102	914-917	2008
天野宏一、竹内勤	生物学的製剤	小児科診療	71	2233-2238	2008
天野宏一	TNF阻害薬は血管炎に対して有効か？	リウマチ科	40	38-43	2008
天野宏一	生物学的製剤	最新医学別冊；新しい診断と治療のABC 8		205-216	2008

山田秀裕、林彩子、前田聡彦	TNF阻害薬による難治性血管炎の治療	リウマチ科	39(1)	36-40	2008
山田秀裕	Wegener肉芽腫症 新版処方計画法	総合臨床	57増刊	514-517	2008
山田秀裕、伊東宏、小俣正美	膠原病及び血管炎を疑うとき	呼吸器科	13(4)	303-307	2008
山田秀裕、勝山直興、殿岡久美子	難治性血管炎に対する生物学的製剤を用いた治療戦略	リウマチ科	39(5)	428-431	2008
山田秀裕	顕微鏡的多発血管炎の病態と治療	呼吸器科	14(4)	269-274	2008
尾崎承一、安藤太三、居石克夫、磯部光章、太田敬、小林茂人、重松宏、種本和雄、中島康雄、山田秀裕、他	血管炎症候群の診療ガイドライン	Circulation Journal	72	1253-1346	2008
山田秀裕	ウェゲナー肉芽腫症診療—最近の動向—	呼吸	28(2)	133-137	2009
山田秀裕、尾崎承一	血管炎症候群	日本臨床	67(3)	507-510	2009
山田秀裕、尾崎承一	小型血管炎	別冊日本臨床 呼吸器症候群(第2版) II 脈管学	別冊 49(1)	401-403 75-79	2009 2009
山田秀裕	難治性血管炎の新規治療法	リウマチ科	42(2)	159-163	2009
山田秀裕、尾崎承一	顕微鏡的多発血管炎に伴う間質性肺炎の診断と治療	医学のあゆみ	230(9)	746-749	2009
永淵裕子、山田秀裕	過敏性血管炎	日本臨床	67(11)別冊	2148-2151	2009
Ooka S., Maeda A., Ito H., Omata M., Yamada H., Ozaki S.	Treatment of refractory retrobulbar granuloma with rituximab in a patient with ANCA-negative Wegener's granulomatosis: a case report.	Mod Rheumatol	19	80-83	2009
山田秀裕	血管炎の国際動向	腎と透析	68(1)	27-31	2010
山田秀裕	顕微鏡的多発血管炎の長期治療成績と生命予後	リウマチ科	43(4)	373-377	2010
山田秀裕	血管炎治療体系の展開	炎症と免疫	18(5)	66-70	2010
Nakano S, Morimoto S, Suzuki J, Nozawa K, Amano H, Tokano Y, Takasaki Y	Role of pathogenic auto-antibody production by Toll-like receptor 9 of B cells in active systemic lupus erythematosus.	Rheumatology	47	145-149	2008

Watanabe T, Suzuki J, Mitsuo A, Nakano S, Tamayama Y, Katagiri A, Amano H, Morimoto S, Tokano Y, Takasaki Y	Striking alteration of some populations of T/B cells in systemic lupus erythematosus: relationship to expression of CD62L or some chemokine receptors.	Lupus	17	26-33	2008
Nozawa K, Fritzler MJ, Ikeda K, Takasaki Y, Satoh M, Chan EKL	Differential Anti-Golgi Complex Autoantibody Production Following Murine Lactate Dehydrogenase-Elevating Virus Infection.	Immunopharmacol Immunotoxicol	30	13-25	2008
Kawasaki A, Kyogoku C, Ohashi J, Miyashita R, Hikami K, Kusaoi M, Tokunaga K, Takasaki Y, Hashimoto H, Behrens TW, Tsuchiya N	Association of IRF5 polymorphisms with systemic lupus erythematosus in a Japanese population: Support for a crucial role of intron 1 polymorphisms.	Arthritis Rheum	58	826-834	2008
Mamegano K, Kuroki K, Miyashita R, Kusaoi M, Kobayashi S, Matsuta K, Maenaka K, Colonna M, Ozaki S, Hashimoto H, Takasaki Y, Tokunaga K, Tsuchiya N	Association of LILRA2 (ILT1, LIR7) splice site polymorphism with systemic lupus erythematosus and microscopic polyangiitis.	Genes Immun	9	214-223	2008
Katagiri A, Ando T, Kon T, Yamada M, Iida N, Takasaki Y	Cavitary lung lesion in a patient with systemic lupus erythematosus: an unusual manifestation of cytomegalovirus pneumonitis.	Mod Rheumatol	18	285-289	2008
Sekigawa I, Kaneda K, Kaneko H, Takasaki Y, Takamori K, Ogawa H	Detection of serum IgE class anti-SSA antibodies in mothers with foetal loss.	Rheumatol Int	28	623-626	2008
Kawasaki M, Kaneda K, Kaneko H, Sekigawa I, Takasaki Y, Ogawa H	Two cases of dermatomyositis associated with interstitial pneumonia: a comprehensive study of gene expression.	Clin Exp Rheumatol	26	379-380	2008
Sekigawa I, Yanagida M, Iwabuchi K, Kaneda K, Kaneko H, Takasaki Y, Jung G, Sone S, Tanaka Y, Ogawa H, Takamori K	Protein biomarker analysis by mass spectrometry in patients with rheumatoid arthritis receiving anti-tumor necrosis factor-alpha antibody therapy.	Clin Exp Rheumatol	26	261-267	2008
Amano H, Furuhashi N, Tamura N, Tokano Y, Takasaki Y	Hypocomplementemic urticarial vasculitis with Jaccoud's arthropathy and valvular heart disease: case report and review of the literature.	Lupus	17	837-841	2008

Yamaji K, Kim YJ, Tsuda H, Takasaki Y	Long-term Clinical Outcomes of Synchronized Therapy With Plasmapheresis and Intravenous Cyclophosphamide Pulse Therapy in the Treatment of Steroid-resistant Lupus Nephritis.	Ther Apher Dial	12	298-305	2008
Katagiri A, Morimoto S, Nakiri Y, Nakano S, Mitsu A, Suzuki J, Amano H, Nozawa K, Asano M, Tokano Y, Hashimoto H, Takasaki Y	Decrease in CD4+CD25+ and CD8+CD28+ T cells in interstitial pneumonitis associated with rheumatic disease.	Mod Rheumatol	18	562-569	2008
高崎芳成, 縄田益之, 松平 蘭, 松下雅和	ユニキヤップ エリア 抗Sm抗体, 抗SS-A抗体, 抗Jo-1抗体および抗dsDNA抗体の臨床的有用性の評価.	医学と薬学	59	263-270	2008
縄田益之, 景山倫彰, 小笠原均, 森本真司, 池田 真, 田村直人, 高崎芳成	蛋白漏出性胃腸症を認めた全身性エリテマトーデスの一例.	関東リウマチ	41	18-25	2008
郭 江涛, 山路 健, 小笠原均, 高崎芳成	膠原病・リウマチ内科におけるベータエツト病 患者102症 例の臨床的特徴の解析	順天堂医学	54	474-479	2008
高崎芳成	リウマチ・膠原病の疫学.	からだの科学	256	6-9	2008
高崎芳成	膠原病患者の妊娠.	JIM	18	228-230	2008
高崎芳成	混合性結合組織病.	総合臨床	57 (増刊)	1320-1323	2008
高崎芳成	膠原病の免疫異常と自己抗体産生のメカニズム.	臨床検査	52	497-503	2008
高崎芳成	全身性エリテマトーデスとToll-like receptor (TLR).	臨床免疫・アレルギー科	49	439-446	2008
高崎芳成	難治性ループス腎炎.	最新医学	63	930-938	2008
高崎芳成	全身性エリテマトーデス.	内科	101	1404-1407	2008
高崎芳成	混合性結合組織病.	内科	101	1433-1436	2008
高崎芳成	血管炎とは.	Vascular Lab	5	10-13	2008
高崎芳成	非ステロイド抗炎症薬 (NSAIDs) / ステロイド薬の使い方.	CLINICIAN	55	56-61	2008
小林茂人, 橋本博史, 田村直人, 池田 真, 高崎芳成	反応性関節炎における微生物感染の役割.	日本脊椎関節炎研究会誌	1	23-29	2008

高崎芳成	Wegener肉芽腫症.	内科	102	988-993	2008
高崎芳成	血清反応陰性脊椎関節症の治療.	日内会誌	97	2437-2443	2008
松下雅和, 高崎芳成	抗プロテアソーム抗体.	リウマチ科	40	255-263	2008
Nozawa K, Fritzler MJ, Takasaki Y, Wood MR, Chan EKL	Co-clustering of Golgi complex and other cytoplasmic organelles to crescentic region of half-moon nuclei during apoptosis.	Cell Biol Int	33	148-157	2009
Nozawa K, Ikeda K, Satoh M, Reeves WH, Stewart CM, Li YC, Yen TJ, Rios RM, Takamori K, Ogawa H, Sekigawa I, Takasaki Y, Chan EK	Autoantibody to NA14 is an independent marker primarily for Sjogren's syndrome.	Front Biosci	14	3733-3739	2009
Morimoto S, Tokano Y, Nakano S, Watanabe T, Tamayama Y, Mitsuo A, Suzuki J, Kaneko H, Sekigawa I, Takasaki Y	Chemoattractant mechanism of Th1 cells in class III and IV lupus nephritis.	Autoimmunity	42	143-149	2009
Ito I, Kawasaki A, Ito S, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Hom G, Graham RR, Takasaki Y, Hashimoto H, Ohashi J, Behrens TW, Sumida T, Tsuchiya N	Replication of the association between the C8orf13-BLK region and systemic lupus erythematosus in a Japanese population.	Arthritis Rheum	60	553-558	2009
Ogasawara M, Oda K, Yamaji K, Takasaki Y	Polyarticular septic arthritis with bilateral psoas abscesses following acupuncture.	Acupunct Med	27	81-82	2009
Santiago-Raber ML, Amano H, Amano E, Baudino L, Otani M, Lin Q, Nimmerjahn F, Verbeek JS, Ravetch JV, Takasaki Y, Hirose S, Izui S	Fcγ receptor-dependent expansion of a hyperactive monocyte subset in lupus-prone mice.	Arthritis Rheum	60	2408-2417	2009
Matsushita M, Matsudaira R, Ikeda K, Nawata M, Tamura N, Takasaki Y	Anti-proteasome activator 28α is a novel anti-cytoplasmic antibody in patients with systemic lupus erythematosus and Sjögren's syndrome.	Mod Rheumatol	19	622-628	2009
Nozawa K, Fujishiro M, Kawasaki M, Kaneko H, Iwabuchi K, Yanagida M, Suzuki F, Miyazawa K, Takasaki Y, Ogawa H, Takamori K, Sekigawa I	Connective tissue growth factor promotes articular damage by increased osteoclastogenesis in patients with rheumatoid arthritis.	Arthritis Res Ther	11	R174	2009

Kawasaki M, Sekigawa I, Nozawa K, Kaneko H, Takasaki Y, Takamori K, Ogawa H	Changes in the gene expression of peripheral blood mononuclear cells during the menstrual cycle of females is associated with a gender bias in the incidence of systemic lupus erythematosus.	Clin Exp Rheumatol	27	260-266	2009
青木きよ子, 高谷真由美, 田邊雅美, 高崎芳成	外来通院中の全身性エリテマトーデス患者の認 知する療養上の困難と関連要因。	順天堂大学医療看護学部 医療看護 研究	5	30-39	2009
渡邊朋子, 李鍾碩, 天野浩文, 高崎芳成	インスリン受容体異常症にループス腎炎を合併 した男性の一例。	関東リウマチ	42	183-193	2009
箕輪健太郎, 名切 裕, 李 鍾碩, 天野浩文, 森 本真司, 田村直人, 戸叶嘉明, 高崎芳成	ニューモシスチス肺炎の予防基準の有用性に関 する検討。	日本臨床免疫学会誌	32	256-262	2009
高崎芳成	TRIM21 is an IgG receptor that is structurally, thermodynamically, and kinetically conserved.	分子リウマチ治療	2	41	2009
高崎芳成	Ro52 functionally interacts with IgG1 and regulates its quality control via the ERAD system.	分子リウマチ治療	2	41	2009
高崎芳成	リウマチ・膠原病の疫学。	日本臨床	67	458-462	2009
高崎芳成	膠原病と自己抗体。	臨床リウマチ	21	5-12	2009
松下雅和, 高崎芳成	難治性疾患における自己抗体。	東京内科医会誌	24	191-196	2009
高崎芳成	ステロイド薬の使い方とピットフォール。	Current Therapy	27	25-29	2009
高崎芳成	抗CCP抗体—早期RAの診断と予後の予測に役立 つか。	リウマチ科	41	451-458	2009
高崎芳成	美容形成術と膠原病肺病変。	第47回臨床呼吸器カンファレンス 報告集 ヒト・アジュバント病およ び異物誘起性肺疾患		20-25	2009
池田圭吾, 田村直人, 高崎芳成	SLEにおけるmicroRNA。	リウマチ科	42	127-132	2009

高崎芳成	インフリキシマブ—欧米のエビデンス (ATTRACT, ASPIRE, TNF20, BeSt).	リウマチ科	42	249-256	2009
鈴木侑子, 綱田益之, 松平 蘭, 松下雅和, 天野浩文, 田村直人, 高崎芳成	治療抵抗性Wegener肉芽腫症の3例.	東京内科医学会誌	24	187-190	2009
Ogasawara H, Kageyama M, Yamaji K, Takasaki Y	The possibility that autoimmune disease can be induced by a molecular mimicry mechanism between autoantigen and human endogenous retrovirus.	Lupus	19	111-113	2010
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, Atsumi T, Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K	The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum	62	574-579	2010
Matsuyama N, Morimoto S, Tokano Y, Amano H, Nozawa K, Isonuma H, Hashimoto H, Takasaki Y	The Long-Term Prognosis of Lupus Nephritis Patients Treated with Intravenous Cyclophosphamide.	Inter Med	49	823-828	2010
Ito I, Kawasaki A, Ito S, Kondo Y, Sugihara M, Horikoshi M, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Takasaki Y, Hashimoto H, Matsuta K, Sumida T, Tsuchiya N	Replication of association between FAM167A(C8orf13)-BLK region and rheumatoid arthritis in a Japanese population.	Ann Rheum Dis	69	936-937	2010
Nakano S, Morimoto S, Suzuki S, Watanabe T, Amano H, Takasaki Y	Up-regulation of the endoplasmic reticulum transmembrane protein UNC93B in the B cells of patients with active systemic lupus erythematosus.	Rheumatology	49	876-881	2010
Kon T, Yamaji K, Sugimoto K, Ogasawara M, Kenpe K, Ogasawara H, Yang KS, Tsuda H, Matsumoto T, Hashimoto H, Takasaki Y	Investigation of pathological and clinical features of lupus nephritis in 73 autopsied cases with systemic lupus erythematosus.	Mod Rheumatol	20	168-177	2010
Ando S, Amano H, Amano E, Minowa K, Watanabe T, Nakano S, Nakiri Y, Morimoto S, Tokano Y, Lin Q, Hou R, Ohtsuji M, Tsurui H, Hirose S, Takasaki Y	FTY720 exerts a survival advantage through the prevention of end-stage glomerular inflammation in lupus-prone BXSB mice.	Biochem Biophys Res Commun	94	804-810	2010