

2. 学会発表

1. Y. Tanaka. Clinical development and Phase III studies of tocilizumab. 7th International Congress on Autoimmunity, Ljubljana, Slovenia. 平成 22 年 5 月 5—9 日
2. Y. Tanaka, M. Suzuki, H. Nakamura, S. Toyoizumi, SH. Zwillich. The oral JAK inhibitor tasocitinib (CP-690,550 (CP)) in combination with methotrexate (MTX) is efficacious in a dose-dependent manner in active rheumatoid arthritis (RA). The Annual European Congress of Rheumatology 2010, Rome, Italy. 平成 22 年 6 月 15—19 日
3. Y. Tanaka, T. Takeuchi, T. Mimori, N. Miyasaka, T. Koike. The possibility of maintaining low disease activity after discontinuation of infliximab in RA patients: An interim report for the second year of the RRR study. The Annual European Congress of Rheumatology 2010, Roma, Italy, 平成 22 年 6 月 15—19 日
4. Tanaka Y. Paradigm shift of the treatment of rheumatoid arthritis by TNF-targeting biologics. The 14th International Congress of Immunology (ICI), Kyoto. 平成 22 年 8 月 22-27 日
5. Tanaka Y. B cell depletion in systemic lupus erythematosus. The 14th International Congress of Immunology (ICI), Kyoto, 平成 22 年 8 月 22-27 日
6. Y. Tanaka, M. Harigai, T. Takeuchi, H. Yamanaka, N. Ishiguro, K. Yamamoto, TMU. Rahman, T. Yoshinari, N. Miyasaka, T. Koike. Golimumab, a Human Anti-TNF α Monoclonal Antibody Administered Subcutaneously Every Four Weeks in Patients with Active Rheumatoid Arthritis Despite Methotrexate Therapy: 24-Week Results of Clinical and Radiographic Assessments. The 74th National Meeting of American College of Rheumatology, Atlanta, USA, 平成 22 年 11 月 6—12 日
7. Y. Tanaka, T. Takeuchi, T. Mimori, N. Miyasaka, T. Koike. Discontinuation of infliximab therapy is possible after acquiring remission in patients with rheumatoid arthritis (RA): first report on RRR (remission induction by remicade in RA) study. The Annual European Congress of Rheumatology 2009, Copenhagen 平成 21 年 6 月
8. Y. Tanaka, M. Suzuki, H. Nakamura, S. Toyoizumi, S. H. Zwillich. The oral Jak inhibitor CP-690,550 in combination with methotrexate is efficacious, safe and well tolerated in Japanese patients with active rheumatoid arthritis with an inadequate response to MTX alone. The Annual European Congress of Rheumatology 2009, Copenhagen 平成 21 年 6 月
9. Tanaka Y., Yamamoto K, Takeuchi T, Nishimoto N, Miyasaka N, Sumida T, Sawda T, Kohsaka H, Matsumoto I, Saito K, Koike T. A 2 year-extended follow-up of the phase I/II trial of rituximab for treatment of refractory systemic lupus erythematosus. Annual European Congress of Rheumatology EULAR 2008, Paris 平成 20 年 6 月 11—14 日
10. Tanaka Y., Tokunaga M, Nawata M, Iwata S, Nakano K, Yamaoka K, Mima T, Nishimoto N, Saito K. Different mechanisms are involved in different organ manifestation in SLE: learning from treatments with rituximab (anti-CD20) therapy. The 72nd National Meeting of American college of Rheumatology, San Francisco. 平成 20 年 10 月 25—29 日

H. 知的財産権の出願・登録状況（予定を含む）

1. 特許の取得
特になし
2. 実用新案登録
特になし
3. その他
特になし

III. 研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表雑誌名	巻	頁	出版年
Kochi Y, Thabet MM, Suzuki A, Okada Y, Daha NA, Toes REM, Huizinga TWJ, Myouzen K, Kubo M, Yamada R, Nakamura Y, <u>Yamamoto K.</u>	PADI4 polymorphism predisposes male smokers to rheumatoid arthritis	Ann Rheum Dis.		in press	
Okada Y, Suzuki A, Yamada R, Kochi Y, Shimane K, Myouzen K, Kubo M, Nakamura Y, <u>Yamamoto K.</u>	HLA-DRB1*0901 lowers anti-cyclic citrullinated peptide antibody levels in Japanese patients with rheumatoid arthritis.	Ann Rheum Dis.	69	1569-70	2010
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, Atsumi T, Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, <u>Yamamoto K.</u>	The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum.	62	574-79	2010
Kochi Y, Suzuki A, Yamada R, <u>Yamamoto K.</u>	Ethnogenetic heterogeneity of rheumatoid arthritis-implications for pathogenesis.	Nat Rev Rheumatol.	6	290-5	2010
Kochi Y, Okada Y, Suzuki A, Ikari K, Terao C, Takahashi A, Yamazaki K, Hosono N, Myouzen K, Tsunoda T, Kamatani N, Furuichi T, Ikegawa S, Ohmura K, Mimori T, Matsuda F, Iwamoto T, Momohara S, Yamanaka H, Yamada R, Kubo M, Nakamura Y, <u>Yamamoto K.</u>	A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility.	Nat Genet.	42	515-9	2010
Myouzen K, Kochi Y, Shimane K, Fujio K, Okamura T, Okada Y, Suzuki A, Atsumi T, Ito S, Takada K, Mimori A, Ikegawa S, Yamada R, Nakamura Y, <u>Yamamoto K.</u>	Regulatory polymorphisms in EGR2 are associated with susceptibility to systemic lupus erythematosus.	Hum Mol Genet.	19	2313-20	2010
Fujio K, Okamura T, <u>Yamamoto K.</u>	The family of IL-10 secreting CD4+ T cells.	Advances in Immunology.	105	99-130	2010
Okamoto A, Fujio K, <u>Yamamoto K.</u>	The future of lupus therapy modulating autoantigen recognition.	Lupus	19	1474	2010
Okamura T, Fujio K, Shibuya M, Sumitomo S, Shoda H, Sakaguchi S, <u>Yamamoto K.</u>	CD4+CD25-LAG3+ regulatory T cells controlled by the transcription factor Egr-2.	Proc Natl Acad Sci USA.	106	13974-79	2009
Okada Y, Yamada R, Suzuki A, Kochi Y, Shimane K, Myouzen K, Kubo M, Nakamura Y, <u>Yamamoto K.</u>	Contribution of a haplotype in the HLA region to anti-cyclic citrullinated peptide antibody positivity in rheumatoid arthritis, independently of HLA-DRB1.	Arthritis Rheum.	60	3582-90	2009
Kochi Y, Suzuki A, Yamada R, <u>Yamamoto K.</u>	Genetics of rheumatoid arthritis: underlying evidence of ethnic differences.	J Autoimmun.	32	158-62	2009
Shimane K, Kochi Y, Yamada R, Okada Y, Suzuki A, Miyatake A, Kubo M, Nakamura Y, <u>Yamamoto K.</u>	A single nucleotide polymorphism in the IRF5 promoter region is associated with susceptibility to rheumatoid arthritis in the Japanese population.	Ann Rheum Dis.	68	377-83	2009
Suzuki A, Yamada R, Kochi Y, Sawada T, Okada Y, Matsuda K, Kamatani Y, Mori M, Shimane K, Takahashi A, Tsunoda T, Miyatake A, Kubo M, Kamatani N, Nakamura Y, <u>Yamamoto K.</u>	Functional SNPs in CD244 gene increase the risk of rheumatoid arthritis in a Japanese population.	Nat Genet.	40	1224-9	2008

Okamoto A, Fujio K, van Rooijen N, Tsuno NH, Takahashi K, Tsurui H, Hirose S, Elkorn KB, <u>Yamamoto K</u> .	Splenic phagocytes promote responses to nucleosomes in (NZB x NZW) F1 mice.	J Immunol.	181	5264-71	2008
Bohgaki M, Matsumoto M, <u>Atsumi T</u> , Kondo T, Yasuda S, Horita T, Nakayama KI, Okumura F, Hatakeyama S, Koike T.	Plasma gelsolin facilitates interaction between $\beta 2$ glycoprotein I and $\alpha 5\beta 1$ integrin.	J Cell Mol Med	In press		
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, <u>Atsumi T</u> , Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K.	The association of a non-synonymous SNP in the TNFAIP3 gene with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum	62	574-79	2010
Yamada H, <u>Atsumi T</u> , Amengual O, Koike T, Furuta I, Ohta K, Kobashi G.	Anti-beta2 glycoprotein-I antibody increases the risk of pregnancy-induced hypertension: a case-control study.	J Reprod Immunol	84	95-99,	2010
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, <u>Atsumi T</u> , Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K.	The association of a non-synonymous SNP in the TNFAIP3 gene with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum	62	574-9	2010
Fukae J, Kon Y, Henmi M, Sakamoto F, Narita A, Shimizu M, Tanimura K, Matsuhashi M, Kamishima T, <u>Atsumi T</u> , Koike T.	Change of Synovial Vascularity in Single Finger Joint assessed by Power Doppler sonography correlated with radiographic change in Rheumatoid Arthritis.	Arthritis Care Res	62	657-63	2010
Suzuki E, Amengual O, <u>Atsumi T</u> , Oku K, Hashimoto T, Kataoka H, Horita T, Yasuda S, Ieko M, Fukushima K, Koike T.	Increased expression of Phospholipid Scramblase 1 in monocytes from patients with systemic lupus erythematosus.	J Rheumatol	37	1639-45	2010
Myouzen K, Kochi Y, Shimane K, Fujio K, Okamura T, Okada Y, Suzuki A, <u>Atsumi T</u> , Ito S, Takada K, Mimori A, Ikegawa S, Yamada R, Nakamura Y, Yamamoto K.	Regulatory polymorphisms in EGR2 are associated with susceptibility to systemic lupus erythematosus.	Hum Mol Genet	19	2313-20	2010
<u>Atsumi T</u> , Koike T.	Antiprothrombin antibody: why do we need more assays?	Lupus	19	436-9	2010
Horita T, <u>Atsumi T</u> , Yoshida N, Nakagawa H, Kataoka H, Yasuda S and Koike T	STAT4 single nucleotide polymorphism, rs7574865 G/T, as a risk for antiphospholipid syndrome.	Ann Rheum Dis	68	1366-67	2009
Bohgaki T, <u>Atsumi T</u> , Bohgaki M, Furusaki A, Kondo M, Sato-Matsumura K, Abe R, Kataoka H, Horita T, Yasuda S, Amasaki Y, Nishio M, Sawada K, Shimizu H, Koike T	Immunological reconstitution after autologous hematopoietic stem cell transplantation in patients with systemic sclerosis: relationship between clinical benefits and intensity of immunosuppression.	J Rheumatol	36	1240-48	2009
Yamada H, <u>Atsumi T</u> , Kobashi G, Ota C, Kato EH, Tsuruga N, Ohta K, Yasuda S, Koike T, Minakami H	Antiphospholipid antibodies increase the risk of pregnancy-induced hypertension and adverse pregnancy outcomes.	J Reprod Immunol	79	188-95	2009
Harris AA, Kamishima T, Horita T, <u>Atsumi T</u> , Fujita N, Omatsu T, Onodera Y, Terae S, Koike T, Shirato H.	Splenic Volume in Systemic Lupus Erythematosus.	Lupus	18	1119-20	2009
Sakai Y, <u>Atsumi T</u> , Ieko M, Amengual O, Furukawa S, Furusaki A, Bohgaki M, Kataoka H, Horita T, Yasuda S, Koike T.	The effects of phosphatidylserine dependent antiprothrombin antibody on thrombin generation.	Arthritis Rheum	60	2457-67	2009

Kiyohara C, Washio M, Horiuchi T, Tada Y, Asami T, Ide S, <u>Atsumi T</u> , Kobashi G, Takahashi H.	Cigarette smoking, STAT4 and TNFRSF1B polymorphisms, and systemic lupus erythematosus in a Japanese population.	J Rheumatol	36	2195-203	2009
Nakagawa H, Yasuda S, Matsuura E, Kobayashi K, Ieko M, Kataoka H, Horita T, <u>Atsumi T</u> , Koike T.	Nicked beta2-glycoprotein I binds angiostatin4.5 (plasminogen kringle 1-5) and attenuates its anti-angiogenic property.	Blood	114	2553-59	2009
Oku K, <u>Atsumi T</u> , Bohgaki M, Kataoka H, Horita T, Yasuda S, Koike T.	Complement activation in patients with primary antiphospholipid syndrome.	Ann Rheum Dis	68	1030-35	2009
Koike R, Harigai M, <u>Atsumi T</u> , Amano K, Kawai S, Saito K, Saito T, Yamamura M, Matsubara T, Miyasaka N.	Japan College of Rheumatology 2009 guidelines for the use of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, in rheumatoid arthritis.	Mod Rheumatol	19	351-57	2009
Bohgaki T, <u>Atsumi T</u> , Koike T.	Autoimmune disease after autologous hematopoietic stem cell transplantation.	Autoimmun Rev	7	198-203	2008
Kataoka H, <u>Atsumi T</u> , Hashimoto T, Horita T, Yasuda S, Koike T.	Polymyalgia rheumatica as the manifestation of unclassified aortitis.	Mod Rheumatol	18	105-8	2008
<u>Atsumi T</u> , Horita T, Minori T, Koike T.	Exchange of information in Rheumatology between East and West : From Man'yo-shu to the Future.	Arthritis Rheum	58	S140-2	2008
Kon Y, <u>Atsumi T</u> , Hagiwara H, Furusaki A, Kataoka H, Horita T, Yasuda S, Amengual O, Takao K.	Thrombotic microangiopathy in patients with phosphatidylserine dependent antiprothrombin antibodies and antiphospholipid syndrome.	Clin Exp Rheumatol	26	129-32	2008
Oku K, <u>Atsumi T</u> , Amengual O, Koike T.	Antiprothrombin antibody testing: detection and clinical utility.	Semin Thromb Hemost	34	335-9	2008
Takizawa Y, Inokuma S, Tanaka Y, Saito K, <u>Atsumi T</u> , Hirakata M, Kameda H, Hirohata S, Kondo H, Kumagai S, Tanaka Y.	Clinical characteristics of cytomegalovirus infection in rheumatic diseases: multicentre survey in a large patient population.	Rheumatology	47	1373-8	2008
Fukaya S, Yasuda S, Hashimoto T, Oku K, Kataoka H, Horita T, <u>Atsumi T</u> , Koike T.	Clinical Features of Haemophagocytic Syndrome in Patients with Systemic Autoimmune Diseases: Analysis of 30 Cases.	Rheumatology	47	1686-91	2008
渡部龍, 石井智徳, 張替秀郎	当科におけるChurg-Strauss症候群12例の臨床病理学的検討	臨床リウマチ		in press	2011
Okuzaki T, Fukushima T, Tougan T, <u>Ishii T</u> , Kobayashi S, Yoshizaki K, Akita T, Nojima H.	GenopalTM: A Novel Hollow Fibre Array for Focused Microarray Analysis	DNA RESEARCH	17	369-79	2010
Watanabe R, <u>Ishii T</u> , Harigae H	Churg-sauss syndrome with exophthalmos and orbital bone destruction.	Intern Med	49	1263-4	2010
Watanabe R, <u>Ishii T</u> , Harigae H	Severe pharyngeal edema in systemic lupus erythematosus	Intern Med	49	1263-4	2010

Watanabe R, Shirai T, Tajima Y, Ohguchi H, Onishi Y, Fujii H, Takasawa N, <u>Ishii T</u> , Harigae H	Pregnancy-associated thrombotic thrombocytopenic purpura with anti-centromere antibody-positive Raynaud's Syndrome	Intern Med	49	1229-32	2010
Shirai T, Hirabayashi Y, Watanabe R, Tajima Y, Fujii H, Takasawa N, <u>Ishii T</u> , Harigae H	The use of tacrolimus for recurrent lupus enteritis: a case report.	J Med Case Reports	24	150	2010
Irie E, Shirota Y, Suzuki C, Tajima Y, Ishizawa K, Kameoka J, Harigae H, <u>Ishii T</u>	Severe hypogammaglobulinemia persisting for 6 years after treatment with rituximab combined chemotherapy due to arrest of B lymphocyte differentiation together with alteration of T lymphocyte homeostasis	Int J Hematol	91	501-8	2010
Hirabayashi Y, Oka Y, Ikeda T, Fujii H, <u>Ishii T</u> , Sasaki T, Harigae H	The endoplasmic reticulum stress-inducible protein, Herp, is a potential triggering antigen for anti-DNA response	J Immunol	184	3276-83	2010
Hirabayashi Y, <u>Ishii T</u>	Clinical efficacy of tocilizumab in patients with active rheumatoid arthritis in real clinical practice	Rheumatol Int	30	1041-8	2010
渡部龍, <u>石井智徳</u> , 張替秀郎	肺高血圧症の臨床における最新薬物治療】膠原病専門医が診る肺高血圧症 ボセンタンと免疫抑制療法が奏功した原発性シェーグレン症候群にともなう肺動脈性肺高血圧症の1例	モダンフィジシャン 臨時増刊号	30	66-68	2010
Shirai T, Takahashi R, Tajima Y, Kohata K, Yamamoto J, Fujii H, Takasawa N, Ishizawa K, Ichinohasama R, <u>Ishii T</u> , Harigae H	Peripheral T cell lymphoma with a high titer of proteinase-3-antineutrophil cytoplasmic antibodies that resembled Wegener's granulomatosis	Intern Med	48	2041-	2009
Oka Y, Kameoka J, Hirabayashi Y, Takahashi R, <u>Ishii T</u> , Sasaki T, Harigae H	Reversible bone marrow dysplasia in patients with systemic lupus erythematosus	Intern Med	47	737-42	2008
Matsuyama, Y., Nagashima, T., Honne, K., Kamata, Y., Iwamoto, M., <u>Okazaki, H.</u> , Sato, K., Ozawa, K., Minota, S.	Successful treatment of a patient with rheumatoid arthritis and IgA-kappa multiple myeloma with tocilizumab	Internal Medicine		in press	2011
Matsuyama, Y., <u>Okazaki, H.</u> , Tamemoto, H., Kimura, H., Kamata, Y., Nagatani, K., Nagashima, T., Hayakawa, M., Iwamoto, M., Yoshio, T., Tominaga, S., Minota, S.	Increased levels of interleukin 33 in sera and synovial fluid from patients with active rheumatoid arthritis.	Journal of Rheumatology	37	18-25	2010
Matsumoto, K., Nagashima, T., Takatori, S., Kawahara, Y., Yagi, M., Iwamoto, M., <u>Okazaki, H.</u> , Minota, S.	Glucocorticoid and cyclosporine refractory adult onset Still's disease successfully treated with tocilizumab.	Clinical Rheumatology	28	485-7	2009
Nagashima, T., Hoshino, M., Shimoji, S., Morino, N., Kamimura, T., <u>Okazaki, H.</u> , Minota, S.	Protein-losing gastroenteropathy associated with primary Sjögren's syndrome: a characteristic oriental variant.	Rheumatology International	29	817-20	2009
Aoki, Y., Iwamoto, M., Kamata, Y., Nagashima, T., Yoshio, T., <u>Okazaki, H.</u> , Minota, S.	Prognostic indicators related to death in patients with pneumocystis pneumonia associated with collagen vascular diseases.	Rheumatology International	29	1327-30	2009
Shiraishi, Y., Shibahara, H., Koriyama, J., Hirano, Y., <u>Okazaki, H.</u> , Minota, S., Suzuki, M.	Incidence of antisperm antibodies in males with systemic autoimmune diseases	American Journal of Reproductive Immunology	61	183-9	2009
Hayakawa, M., Hayakawa, H., Matsuyama, Y., Tamemoto, H., <u>Okazaki, H.</u> , Tominaga, S.	Mature interleukin-33 is produced by calpain-mediated cleavage in vivo.	Biochemical and Biophysical Research Communications	387	218-22	2009
木村洋貴, <u>岡崎仁昭</u>	総合内科専門医の育成のために リウマチ膠原病を守備領域にするために(解説)	日本内科学会雑誌	98	1417-23	2009

Kamata, Y., Iwamoto, M., Aoki, Y., Kishaba, Y., Nagashima, T., Nara, H., Kamimura, T., Tanaka, A., Yoshio, T., <u>Okazaki</u> , H., Minota, S.	Massive intractable pericardial effusion in a patient with systemic lupus erythematosus treated successfully with pericardial fenestration alone.	Lupus	17	1033-5	2008
Nagashima, T., Okubo-Fombacher, H., Aoki, Y., Kamata, Y., Kimura, H., Kamimura, T., Nara, H., Iwamoto, M., Yoshio, T., <u>Okazaki</u> , H., Minota, S.	Increase in plasma levels of adiponectin after administration of anti-tumor necrosis factor agents in patients with rheumatoid arthritis	Journal of Rheumatology	35	936-8	2008
岡崎仁昭	生涯教育の担い手としての総合内科専門医	日本内科学会雑誌	97	Sep-22	2008
Segawa, S., Goto, D., Yoshiga, Y., Horikoshi, M., Sugihara, M., Hayashi, T., Chino, Y., Matsumoto, I., Ito, S., and <u>Sumida</u> , T.	NK1.1+ gdT cells attenuates IL-18 plus IL-2-induced murine interstitial lung disease.	Am. J. Res. Cell. Mol. Biol.		in press	
Hikami, K., Kawasaki, A., Koga, M., Ito, S., Hayashi, T., Matsumoto, I., Tsutsumi, A., Kusaoi, M., Takasaki, Y., Hashimoto, H., Arinami, T., <u>Sumida</u> , T., and Tsuchiya, N.	Association of a functional polymorphism in the 3' untranslated region of SPII with systemic lupus erythematosus.	Arthritis Rheum.		in press	
Kawasaki, A., Ito, S., Furukawa, H., Hayashi, T., Goto, D., Matumoto, I., Ohashi, J., Graham, R.R., Matsuta, K., Behrens, T.W., Tohma, S., Takasaki, Y., Hashimoto, H., <u>Sumida</u> , T., and Tsuchiya, N.	Association of TNFAIP3 interacting protein 1, TNIP1 with systemic lupus erythematosus in a Japanese population: a case-control association study.	Arthritis Reas. Ther.	12	R174	2010
Iizuka, M., Wakamatsu, E., Matsumoto, I., Tsuboi, H., Nakamura, Y., Hayashi, T., Goto, D., Ito, S., and <u>Sumida</u> , T.	M3 muscarinic acetylcholine receptor reactive immune response induces Sjogren's syndrome-like sialadenitis.	J. Autoimmunity	35	383-89	2010
Shen, N., Fu, Q., Deng, Y., Qian, X., Zhao, J., Kaufman, K.M., Tang, Y., Chen, J-Y., Yang, W., Wong, M., Kawasaki, A., Tsuchiya, N., <u>Sumida</u> , T., Kawaguchi, Y., Yum C-Y., Takasaki, Y., Hashimoto, H., Harley, J.B., Guthridge, J.M., Grossman, J.M., Cantor, R.M., Song, Y.W., Bae, S., Cehn, S., Hahn, B.H., Lau, Y.L., and Tsao, B.P.	Gender specific association of X-linked TLR7 with male systemic lupus erythematosus.	Proc. Natl. Acad. Sci.	107	15838-43	2010
Tsuboi, H., Matumoto, I., Wakamatsu, E., Iizuka, M., Nakamura, Y., Hayashi, T., Goto, D., Ito, S., and <u>Sumida</u> , T.	The new epitopes of anti-M3 muscarinic acetylcholine receptor antibodies in patients with Sjogren's syndrome.	Clin. Exp. Immunol.	162	53-61	2010
<u>Sumida</u> , T., Tsuboi, H., Iizuka, M., Nakamura, Y., and Matsumoto, I.	Functionla role of M3 muscarinic acetylcholine receptor (m3R) reactive T cells and anti-M3R autoantibodies in patients with Sjogren's syndrome.	Autoimmunity Reviews	9	615-17	2010
Tashiro, T., Nakagawa, R., Inoue, S., Omori-Miyake, M., Chiba, T., FUJII, S-I., Shimizu, K., Mori, K., Yoshiga, Y., Sumida, T., Watarai, H., and Taniguchi, M.	Induction of Th1-biased cytokine production by a-carba-GalCer, a neoglycolipid ligand for natural killer T cells.	Int. Immunol.	22	319-28	2010
Segawa, S., Goto, D., Yoshiga, Y., Sugihara, M., Hayashi, T., Chino, Y., Matsumoto, I., Ito, S., Ito, S., and <u>Sumida</u> , T.	Inhibition of TGF- β signaling attenuates IL-18 plus IL-2-induced interstitial lung disease.	Clin. Exp. Immunol.	160	394-402	2010
Chen, Q., Lamphier, M., Muramoto, K., Ding, Y., Ynag, H., Mackey, M., Li, W., Liu, D., Inoue, Y., Massaki, N., Patel, T., Groom, A., Reynolds, D., Perron, S., Shirota, H., Matsumoto, I., <u>Sumida</u> , T., Spyvee, M., Schiller, S., ZGusovsky, F., and Marc, K.	Preostaglandin E2 stimulation of EP4 promotes Th1 differentiation and Th17 expansion and is critical for autoimmune disease.	Br. J. Pharmacol.	160	292-310	2010
Iwanami, K., Matsumoto, I., Tanaka, Y., Inoue, A., Minami, R., Hayashi, T., Goto, D., Ito, S., Nishimura, Y., and <u>Sumida</u> , T.	Altered peptide ligands inhibit glucose-6-phosphate isomerase (GPI) peptide-induced arthritis.	Arthritis Res. Ther.	11	R167	2009

Wang, Y., Ito, S., Chino, Y., Goto, D., Matsumoto, I., Murata, H., Tsutsumi, A., Uchida, K., Usui, J., Yamagata, K., and <u>Sumida, T.</u>	Analysis of cytokine balance in lupus nephritis by laser-microdissection.	Clini. Exp. Immunol.	159	1-10	2009
Inoue, A., Matsumoto, I., Tanaka, Y., Iwanami, K., Goto, D., Ito, S., and <u>Sumida, T.</u>	Role of tumor necrosis factor- α -induced adipose-related protein in autoimmune arthritis.	Arthritis Rheu. Ther.	11	R118	2009
Segawa, S., Goto, D., Yoshiga, Y., Hayashi, T., Matsumoto, I., Ito, S., and <u>Sumida, T.</u>	The decrement of soluble CD1d proteins affects the function of NKT cells in patients with rheumatoid arthritis.	Int. J. Mol. Med.	24	481-86	2009
Tanaka, Y., Matsumoto, I., Iwamami, K., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and <u>Sumida, T.</u>	B cells have crucial role as autoantibody producers in arthritis mediated by glucose-6-phosphate isomerase.	Clin. Exp. Immunol.	155	285-94	2009
Ito, I., Kawasaki, A., Ito, S., Hayashi, T., Goto, D., Matsumoto, I., Tsutsumi, A., Hom, G., Graham, R.R., Takasaki, Y., Hashimoto, H., Ohashi, J., Behrens, T.W., <u>Sumida, T.</u> , and Tsuchiya, N.	Replication of the association between C8orf13-BLK region and systemic lupus erythematosus in a Japanese population.	Arthritis Rheum.	60	553-58	2009
Iwanami, K., Matsumoto, I., Tanaka, Y., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and <u>Sumida, T.</u>	Arthrogenic T cell epitope in glucose-6-phosphate isomerase (GPI)-induced arthritis.	Arthritis Res. Ther.	10	R130	2008
Kawasaki, A., Ito, I., Hikami, K., Ohashi, J., Hayashi, T., Goto, D., Matsumoto, I., Ito, S., Tsutsumi, A., Koga, M., Arinami, T., Graham, R. R., Hom, G., Takasaki, Y., Hashimoto, H., Behrens, T.W., <u>Sumida, T.</u> , and Tsuchiya, N.	Association of STAT4 polymorphisms with systemic lupus erythematosus in a Japanese population.	Arthritis Res. Ther.	10	R113	2008
Matsumoto, I., Zhang, H., Yasukochi, T., Iwanami, K., Tanaka, Y., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and <u>Sumida, T.</u>	Therapeutic effects of antibodies to TNFa and IL-6 and CTLA-4 Ig in mice with glucose-6-phosphate isomerase-induced arthritis.	Arthritis Res. Ther.	10	R66	2008
Yoshiga, Y., Goto, D., Segawa, S., Ohnishi, Y., Matsumoto, I., Ito, S., Tsutsumi, A., Taniguchi, M., and <u>Sumida, T.</u>	NKT cells are novel accelerator of IL-17 in the pathogenesis of collagen-induced arthritis.	Int. J. Mol. Med.	22	369-74	2008
Iwanami, K., Matsumoto, I., Watanabe, Y., Mihara, M., Ohsugi, Y., Mamura, M., Goto, D., Ito, S., Tsutsumi, A., Kishimoto, T., and <u>Sumida, T.</u>	Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase.	Arthritis Rheum.	58	754-63	2008
Matsui, H., Tsutsumi, A., Sugihara, M., Suzuki, T., Iwanami, K., Kohno, M., Goto, D., Matsumoto, I., Ito, S., and <u>Sumida, T.</u>	Expression of Visfatin (pre-B cell colony-enhancing factor) gene in patients with rheumatoid arthritis.	Ann. Rheum. Dis.	67	571-72	2008
Nakamura, Y., Wakamatsu, E., Tomiita, M., Kohno, Y., Yokoka, J., Goto, D., Ito, S., Matsumoto I., Tsutsumi, A., and <u>Sumida, T.</u>	High prevalence of autoantibodies to muscarinic 3 acetylcholine receptor in patients with juvenile Sjogren's syndrome.	Ann. Rheum. Dis.	67	136-37	2008
K. Yokota, F. Miyoshi, K. Sato, Y. Asanuma, Y. Akiyama, <u>T. Mimura</u> .	Geranylgeranyl-pyrophosphate Regulates Secretion of Pentraxin 3 and Monocyte Chemoattractant Protein-1 from Rheumatoid Fibroblast-like Synoviocytes in Distinct Manners.	Clin Exp Rheumatol in press.		in press	
Tanaka J, Oda H, <u>Mimura T</u> , Honda C, Oohara H, Kawasaki H, Kondo A, Wada Y.	Innovative radiographic system to improve the sharpness of radiographs: could a phase-shift effect contribute to improved image-quality for plain computed radiographs for general use?	Jpn J Radiol.	28	79-85	2010

三村俊英	副腎皮質ステロイド 関節リウマチ	日本臨床	68	356-60	2010
Yokota K, Akiyama Y, Adachi D, Shindo Y, Yoshida Y, Miyoshi F, Arai E, Kuramochi A, Tsuchida T, <u>Mimura T</u>	Subcutaneous panniculitis-like T-cell lymphoma accompanied by Sjögren's syndrome.	Scand J Rheumatol	38	494-95	2009
Yamamoto A, Sato K, Miyoshi F, Shindo Y, Yoshida Y, Yokota K, Nakajima K, Akiba H, Asanuma Y, Akiyama Y, <u>Mimura T</u> .	Analysis of cytokine production patterns of peripheral blood mononuclear cells from a rheumatoid arthritis patient successfully treated with rituximab.	Mod Rheumatol.	20	183-87	2009
秋山雄次、三村俊英	関節リウマチの診断と治療	MEDICAMENT NEWS	1977		2009
Yokota K, Akiyama Y, Asanuma Y, Miyoshi F, Sato K, <u>Mimura T</u> .	Efficacy of tacrolimus in infliximab-refractory progressive rheumatoid arthritis.	Rheumatol Int.	29	459-61	2008
Yokota K, Akiyama Y, Sato K, Shindo Y, Yoshida Y, Miyoshi F, Akiba H, Nakajima K, Asanuma Y, <u>Mimura T</u> .	Vasculo-Behçet's disease with non-traumatic subcapsular hematoma of the kidney and aneurysmal dilatations of the celiac and superior mesenteric arteries.	Mod Rheumatol.	18	615-18	2008
Suzuki K, Kameda H, Amano K, Nagasawa H, Takeii H, Nishi E, Okuyama A, Tsuzaka K, and <u>Takeuchi T</u> .	Single center prospective study of tacrolimus efficacy and safety in the treatment of various manifestations in systemic lupus erythematosus.	Rheumatology Int		in press	
Yoshimoto K, Setoyama Y, Tsuzaka K, Abe T, and <u>Takeuchi T</u> .	Reduced expression of TCR zeta is involved in the abnormal production of cytokines by peripheral T cells of patients with systemic lupus erythematosus.	J Biomed Biotechnol.		in press	
Ogawa H, Kameda H, Amano K, and <u>Takeuchi T</u> .	Efficacy and safety of cyclosporine A in patients with refractory systemic lupus erythematosus in a daily clinical practice.	Lupus	19	162-69	2010
Suzuki K, Tamari J, Okuyama A, Kameda H, Amano K, Nagasawa H, Nishi, E, Yoshimoto K, Setoyama Y, Kaneko K, Osada H, Honda N, Yasaki Y, Itoyama S, Tsuzaka K, and <u>Takeuchi T</u> .	IgG4-positive multi-organ lymphoproliferative syndrome manifesting as chronic symmetrical sclerosing dacryosialo-adenitis with subsequent secondary portal hypertension and remarkable IgG4-linked IL-4 elevation.	Rheumatology	49	1789-91	2010
Suzuki K, Kameda H, Kondo K, Tanaka Y, and <u>Takeuchi T</u> .	Sever acute thrombotic exacerbation in two cases with of anti-phospholipid syndrome after retreatment with rituximab in phase I/II clinical trial for refractory systemic lupus erythematosus.	Rheumatology	48	198-99	2009
Suzuki K, Kameda H, Amano K, Nagasawa H, Sekiguchi H, Nishi E, Ogawa H, Tsuzaka K, and <u>Takeuchi T</u> .	Single Center Prospective Study for Efficacy and Safety of Tacrolimus in Rheumatoid Arthritis.	Rheumatology Int	29	431-6	2009
Nishimoto N, Miyasaka N, Yamamoto K, Kawai S, <u>Takeuchi T</u> , and Azuma J.	Long-term safety and efficacy of tocilizumab, an anti-interleukin(IL)-6 receptor monoclonal antibody, in monotherapy, in patients with rheumatoid arthritis (the STREAM study): evidence of safety and efficacy in a 5-year extension study.	Ann Rheum Dis	68	1580-84	2009
<u>Takeuchi T</u> , Miyasaka N, Inoue K, Abe T, and Koike T.	Impact to through serum level on Radiographic and Clinical Response to Infliximab plus Methotrexate in Patients with Rheumatoid Arthritis: results from the RISING Study.	Mod Rheumatology	19	478-87	2009

Tanino M, Matoba R, Nakamura S, Kameda H, Amano K, Okayama T, Nagasawa H, Suzuki K, Matsubara K, and <u>Takeuchi T</u> .	Prediction of efficacy of anti-TNF biologic agent, infliximab, for rheumatoid arthritis patients using a comprehensive transcriptome analysis of white blood cells.	Biochem Biophys Research Comm	387	261-65	2009
Tsuzaka K, Itami Y, Kumazawa C, Suzuki M, Setoyama Y, Yoshimoto K, Suzuki K, Abe T, and <u>Takeuchi T</u> .	The conservative sequences in 3'UTR of TCRz mRNA regulate the production of TCRz and TCR/CD3 complex in SLE T cells.	Biochemical Biophysical Research Communications	367	311-17	2008
Suzuki K, Setoyama Y, Yoshimoto K, Tsuzaka K, Abe T, <u>Takeuchi T</u>	Effect of Interleukin 2 on synthesis of B cell activating factor belonging to the tumor necrosis factor family (BAFF) in human peripheral blood mononuclear cells,	Cytokine,	44	44-48	2008
高橋裕子、越智久さこ、柳井敦、山下裕之、伊藤健司、 <u>三森明夫</u>	10年間持続した活動性がTocilizumab治療で寛解した成人発症Still病の1例	日内会誌	99	130-32	2010
Muto G, Takahashi Y, Yamashita H, <u>Mimori A</u>	A patient with intravascular lymphoma presenting with cerebral infarction and a high serum MPO-ANCA level	Mod Rheumatol	Epub, Oct8		2010
Kobayashi M, Takahashi Y, Yamashita H, Kaneko H, <u>Mimori A</u>	Benefit and a possible risk of tocilizumab therapy for adult-onset Still's disease accompanied by macrophage-activation syndrome	Mod Rheumatol	Epub, Ahg26		2010
Okudaira N, Iijima K, Koyama T, Minemoto Y, Kano S, <u>Mimori A</u> , Ishizaka Y	Induction of long interspersed nucleotide element-1 (L1) retrotransposition by 6-formylindolo [3,2-b] carbazole (FICZ), a tryptophan photoproduct	Proc Natl Acad Sci USA	107	18487-92	2010
Takahashi Y, Haga S, Ishizaka Y, <u>Mimori A</u>	Autoantibodies to angiotensin converting enzyme 2 in patients with connective tissue diseases	Arthritis Res Ther	12	R85	2010
Testempassi E, Kubota K, Ito K, Morooka M, Ito K, Masuda-Miyata Y, Yamashita H, Itoh K, <u>Mimori A</u> , Kuroki H	Constrictive tuberculous pericarditis diagnosed using 18F-fluorodeoxy- glucose positron emission tomography: a report of two cases	Ann Nucl Med	24	421-25	2010
Ito K, Kubota K, Morooka M, Hasuo K, Kuroki H, <u>Mimori A</u>	Clinical impact of 18F-FDG PET/CT on the management and diagnosis of infectious spondylitis	Nucl Med Commun	31	691-98	2010
Takahashi Y, Mizoue T, Suzuki A, Yamashita H, Kunimatsu J, Itoh K, <u>Mimori A</u>	Time of initial appearance of renal symptoms in the course of systemic lupus erythematosus as a prognostic factor for lupus nephritis	Modern Rheumatol	19	293-301	2009
Kubota K, Ito K, Morooka M, Mitsumoto T, Kurihara K, Yamashita H, Takahashi Y, <u>Mimori A</u>	Whole-body FDG-PET/CT on rheumatoid arthritis of large joints	Ann Nucl Med	23	783-91	2009
Kaneko Y, Suwa A, <u>Hirakata M</u> , Ikeda Y, Kuwana M	Clinical associations with autoantibody reactivities to individual components of U1 small nuclear ribonucleoprotein.	Lupus	19	307-12	2010
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, <u>Hirakata M</u>	The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum	62	574-9	2010
平形道人	抗アミノアシルtRNA合成酵素抗体は筋炎と関連しているか	分子リウマチ	3	1-6	2010

平形道人	抗Jo-1(ヒスチジルtRNA合成酵素)抗体	日本臨床	68 巻 増 刊6	551-54	2010
平形道人	抗PL-7抗体、抗PL-12抗体およびその他の 抗アミノアシルtRNA合成酵素抗体	日本臨床	68 巻 増 刊6	555-59	2010
平形道人, 諏訪昭	抗Ku抗体	日本臨床	68 巻 増 刊6	572-74	2010
平形道人	炎症性筋疾患における血清中BAFFの臨床的意義	リウマチ科	43	521-25	2010
平形道人	筋疾患の治療/多発性筋炎・皮膚筋炎	からだの科学	265	180-85	2010
平形道人	重要な臨床病態と適切な治療/多発性筋炎・皮膚筋炎	カレントテラピー	28	31-38	2010
Suwa A, Hirakata M, Kaneko Y, Sato S, Suzuki Y, Kuwana M	Successful treatment of refractory polymyositis with the immunosuppressant mizoribine: Case report.	Clinical Rheumatology	28	227-29	2009
Takada T, Hirakata M, Suwa A, Kaneko Y, Kuwana M, Ishihara T, Ikeda Y	Clinical and histopathological features of myopathies in Japanese patients with anti-SRP autoantibodies.	Modern Rheumatol	19	156-64	2009
平形道人	薬の選び方・使い方のエッセンス/多発性筋炎・皮膚筋炎	治療	91	1185-91	2009
平形道人	最新・自己免疫疾患Update—研究と治療の最前線/多発性筋炎・皮膚筋炎	医学のあゆみ	230	737-45	2009
平形道人	代表的な自己免疫疾患/多発性筋炎・皮膚筋炎	Cefiro	10	25-32	2009
Tokuda H, Sakai F, Yamada H, Johkoh T, Imamura A, Dohi M, Hirakata M, Yamada T, Kamatani N, Kikuchi Y, Sugii S, Takeuchi T, Tateda K, Goto H	Clinical and radiological features of pneumocystis pneumonia in patients with rheumatoid arthritis, in comparison with methotrexate pneumonitis and pneumocystis pneumonia in acquired immunodeficiency syndrome: a multicenter study.	Intern Med	47	915-23	2008
Takizawa Y, Inokuma S, Tanaka Y, Saito K, Atsumi T, Hirakata M, Kameda H, Hirohata S, Kondo H, Kumagai S, Tanaka Y	Clinical characteristics of cytomegalovirus infection in rheumatic diseases: Multicenter survey in a large patient population.	Rheumatology	47	1373-78	2008
平形道人	処方計画法「多発性筋炎・皮膚筋炎」	総合臨床(増刊)	57	1299-304	2008
平形道人	膠原病における自己抗体	臨床検査	52	504-10	2008

平形道人	抗アミノアシルtRNA合成酵素(ARS)抗体とその臨床的意義-抗ARS抗体関連肺病変など	日本胸部臨床	567	359-69	2008
Nakano S, Morimoto S, Suzuki S, Watanabe T, <u>Amano H</u> , Takasaki Y.	Up-regulation of the endoplasmic reticulum transmembrane protein UNC93B in the B cells of patients with active systemic lupus erythematosus.	Rheumatology (Oxford).	49	876-81	2010
Shimane K, Kochi Y, Horita T, Ikari K, <u>Amano H</u> , Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, Atsumi T, Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K.	The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum.	62	574-79	2010
Santiago-Raber ML, <u>Amano H</u> , Amano E, Fossati-Jimack L, Swee LK, Rolink A, Izui S.	Evidence that Yaa-induced loss of marginal zone B cells is a result of dendritic cell-mediated enhanced activation.	J Autoimmun.	34	349-55	2010
Matsuyama N, Morimoto S, Tokano Y, <u>Amano H</u> , Nozawa K, Isonuma H, Hashimoto H, Takasaki Y.	The long-term prognosis of lupus nephritis patients treated with intravenous cyclophosphamide.	Intern Med.	49	823-8	2010
Ando S, <u>Amano H</u> , Amano E, Minowa K, Watanabe T, Nakano S, Nakiri Y, Morimoto S, Tokano Y, Lin Q, Hou R, Ohtsuji M, Tsurui H, Hirose S, Takasaki Y.	FTY720 exerts a survival advantage through the prevention of end-stage glomerular inflammation in lupus-prone BXSB mice.	Biochem Biophys Res Commun.	394	804-10	2010
Morimoto S, Watanabe T, Lee S, <u>Amano H</u> , Kanamaru Y, Ohsawa I, Tomino Y, Takasaki Y.	Improvement of rapidly progressive lupus nephritis associated MPO-ANCA with tacrolimus.	Mod Rheumatol.	20	291-4	2010
Lin Q, Hou R, Sato A, Ohtsuji M, Ohtsuji N, Nishikawa K, Tsurui H, <u>Amano H</u> , Amano E, Sudo K, Nishimura H, Shirai T, Hirose S.	Inhibitory IgG Fc receptor promoter region polymorphism is a key genetic element for murine systemic lupus erythematosus.	Autoimmunity.	34	356-63	2010
天野 浩文	SLEの疾患活動性の評価法と問題点-SLEDAI(original, SLEDAI-2K)とBILAG(classicと2004など)	リウマチ科	43	585-92	2010
Santiago-Raber ML, <u>Amano H</u> , Amano E, Baudino L, Otani M, Lin Q, Nimmerjahn F, Verbeek JS, Ravetch JV, Takasaki Y, Hirose S, Izui S.	Fcgamma receptor-dependent expansion of a hyperactive monocyte subset in lupus-prone mice.	Arthritis Rheum	60	2408-17	2009
Minowa K, Nakiri Y, Lee S, <u>Amano H</u> , Morimoto S, Tamura N, Tokano Y, Takasaki Y.	Examination of availability of the criteria for protective therapy against Pneumocystis pneumonia	Nihon Rinsho Meneki Gakkai Kaishi	32	256-62	2009
天野 浩文	SLEモデルマウスとYaa遺伝子	リウマチ科	42	198-204	2009
<u>Amano H</u> , Furuhata N, Tamura N, Tokano Y, Takasaki Y.	Hypocomplementemic Urticular Vasculitis with Jaccoud's Arthropathy and Valvular Heart Disease (case report and review of the literature).	Lupus	17	837-41	2008
Nakano S, Morimoto S, Suzuki J, Nozawa K, <u>Amano H</u> , Tokano Y, Takasaki Y	Role of pathogenic auto-antibody production by Toll-like receptor 9 of B cells in active systemic lupus erythematosus.	Rheumatology	47	145-9	2008
Watanabe T, Suzuki J, Mitsuo A, Nakano S, Tamayama Y, Katagiri A, <u>Amano H</u> , Morimoto S, Tokano Y, Takasaki Y.	Striking alteration of some populations of T/B cells in systemic lupus erythematosus: relationship to expression of CD62L or some chemokine receptors.	Lupus	17	26-33	2008

Katagiri A, Morimoto S, Nakiri Y, Nakano S, Mitsu A, Suzuki J, <u>Amano H</u> , Nozawa K, Asano M, Tokano Y, Hashimoto H, Takasaki Y.	Decrease in CD4(+)CD25 (+) and CD8 (+)CD28 (+) T cells in interstitial pneumonitis associated with rheumatic disease.	Mod Rheumatol.	18	562-9	2008
Lin Q, Hou R, Sato A, Ohtsuji M, Ohtsuji N, Nishikawa K, Tsurui H, Amano H, Amano E, Sudo K, Nishimura H, Shirai T, and <u>Hirose S</u> .	Inhibitory IgG Fc receptor promoter region polymorphism is a key genetic element for systemic lupus erythematosus.	J Autoimmun.	34	356-63	2010
Ando S, Amano H, Amano E, Minowa K, Watanabe T, Nakano S, Nakiri Y, Morimoto S, Tokano Y, Lin Q, Hou R, Ohtsuji M, Tsurui H, <u>Hirose S</u> , and Takasaki Y.	FTY720 exerts a survival advantage through the prevention of end-stage glomerular inflammation in lupus-prone BXSB mice.	Biochem Biophys Res Commun.	249	804-10	2010
Shimura E, Hozumi N, Kanagawa O, Charnbon P, Freddy Radtke F, <u>Hirose S</u> , and Nakano N.	Epidermal precancerous cellular dysregulation triggers inhabitant $\gamma\delta$ T cells to initiate immune responses.	Int Immunol.	22	329-40	2010
Kitabatake M, Igarashi H, Toda T, Ohtsuji M, Tsurui H, <u>Hirose S</u> , and Sakaguchi N.	Over-expression of protein phosphatase subunit G5PR that suppresses JNK-mediated apoptosis caused the increase of B-1 cells associated with autoimmunity.	Int Immunol.	22	(Suppl. 1) :i119	2010
Amano H, Amano E, Ando S, Minowa K, Morimoto S, <u>Hirose S</u> , Izui S, and Takasaki Y.	The role of complement and B cell antigen receptor on the development of marginal zone B cells in lupus-prone mice.	Int Immunol.	22	(Suppl. 1) :i124	2010
Hou R, Sato A, Lin Q, Ohtsuji M, Adachi T, <u>Hirose S</u> , and Tsubata T.	Effect of CD72c allotype on SLE susceptibility.	Int Immunol.	22	(Suppl. 1) :i126	2010
Tsurui H and <u>Hirose S</u> .	Phagocytosis specific autofluorescence in marginal metalophilic macrophage and marginal zone macrophage.	Int Immunol.	22	(Suppl. 1) :iii39	2010
Obata M, Fujiwara R, Fujii T, Kodera Y, Ohtsuji M, Shirai T, <u>Hirose S</u> , and Nishimura H.	Mechanism of Th-cell tolerance induced with the tolerogenic protein antigen conjugated with polyethylene glycol.	Int Immunol.	22	(Suppl. 1) :iv56	2010
Hou R, Ohtsuji M, Ohtsuji N, Zhang L, Adachi T, <u>Hirose S</u> , Tsubata.T.	Centromeric interval of chromosome 4 derived from C57BL/6 mice accelerates type 1 diabetes in NOD.CD72b congenic mice.	Biochem Biophys Res Commun.	380	193-97	2009
Abe Y, Ohtsuji M, Ohtsuji N, Lin Q, Tsurui H, Nakae S, Shirai T, Sudo K, and <u>Hirose S</u> .	Ankylosing enthesitis associated with up-regulated IFN- γ and IL-17 production in (BXSB x NZB) F1 male mice; a new mouse model.	Mod Rheum.	19	316-22	2009
Santiago-Raber M-L, Amano H, Amano E, Baudino L, Otani M, Lin Q, Nimmerjahn F, Sjef Verbeek J, Ravetch JV, Takasaki Y, <u>Hirose S</u> , and Izui S.	FcgR-dependent expansion of a hyperactive monocyte subset in lupus-prone mice.	Arthritis Rheum.	60	2408-17	2009
Kamimura Y, Kobori H, Piao J, Hashiguchi M, Matsumoto K, <u>Hirose S</u> , and Azuma M.	Possible involvement of soluble B7-H4 in T cell-mediated inflammatory immune responses.	Biochem Biophys Res Commun.	389	349-53	2009
Tsukamoto H, Ohtsuji M, Shiroiwa W, Lin Q, Nakamura K, Tsurui H, Jiang Y, Sudo K, Nishimura H, Shirai T, and <u>Hirose S</u> .	Aberrant genetic control of invariant TCR-bearing NKT cell function in New Zealand mouse strains: possible involvement in SLE pathogenesis.	J Immunol.	180	4530-39	2008
Moriyama Y, Sekine C, Koyanagi A, Koyama N, Ogata H, Chiba S, <u>Hirose S</u> , Okumura K, and Yagita H.	Delta-like 1 is essential for the maintenance of marginal zone B cells in normal mice but not in autoimmune mice.	Int Immunol.	20	763-73	2008

Baudino L, Yoshinobu K, Morito N, Kikuchi S, Fossati-Jimack L, Morley BJ, Vyse TJ, Hirose S, Jørgensen, TN, Tucker RM, Roark CL, Kotzin BL, Evans LH, and Izui S.	Dissection of genetic mechanisms governing the expression of serum retroviral gp70 implicated in murine lupus nephritis.	J Immunol.	181	2846-54	2008
Okamoto A, Fujio K, van Rooijen N, Tsuno NH, Takahashi T, Tsurui H, <u>Hirose S</u> , Elkow KB, and Yamamoto K.	Splenic phagocytes promotes to nucleosomes in (NZB x NZW) F1 mice.	J Immunol.	181	5264-71	2008
Shimane, K., Kochi, Y., Horita, T., Ikari, K., Amano, H., Hirakata, M., Okamoto, A., <u>Yamada, R.</u> , Myouzen, K., Suzuki, A., Kubo, M., Atsumi, T., Koike, T., Takasaki, Y., Momohara, S., Yamanaka, H., Nakamura, Y., Yamamoto, K.	The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population	Arthritis Rheum	62	574-9	2010
Hirosawa, K., Kawaguchi, T., Matsuda, F., <u>Yamada, R.</u>	Estimation of P-value of MAX test with double triangle diagram for 2 x 3 SNP case-control tables	Genet Epidemiol	34	543-51	2010
Takahashi, M., Saenko, V. A., Rogounovitch, T. I., Kawaguchi, T., Drozd, V. M., Takigawa-Imamura, H., Akulevich, N. M., Ratanajaraya, C., Mitsutake, N., Takamura, N., Danilova, L. I., Lushchik, M. L., Demidchik, Y. E., Heath, S., <u>Yamada, R.</u> , Lathrop, M., Matsuda, F., Yamashita, S.	The FOXE1 locus is a major genetic determinant for radiation-related thyroid carcinoma in Chernobyl	Hum Mol Genet	19	2516-23	2010
Nakanishi, H., Hayashi, H., <u>Yamada, R.</u> , Yamashiro, K., Nakata, I., Shimada, N., Ohno-Matsui, K., Mochizuki, M., Ozaki, M., Yoshitake, S., Kuriyama, S., Saito, M., Iida, T., Matsuo, K., Matsuda, F., Yoshimura, N.	Single Nucleotide Polymorphisms in Promoter Region of Matrix Metalloproteinase 1, 2, and 3 in Japanese with High Myopia	Invest Ophthalmol Vis Sci	51	4432-6	2010
Y Kochi, A Suzuki, <u>R Yamada</u> , K Yamamoto	Genetics of rheumatoid arthritis : underlying evidence of ethnic differences	J Autoimmun	32	3-4	2009
H Nakanishi, <u>R Yamada</u> , N Gotoh, H Hayashi, A Otani, A Tsujikawa, K Yamashiro, N Shimada, K Ohno-Matsui, M Mochizuki, M Saito, K Saito, T Iida, F Matsuda, N Yoshimura	Absence of association between COL1A1 polymorphisms and high myopia in the Japanese population	Invest Ophthalmol Vis Sci	50	544-50	2009
Y Kochi, K Myouzen, <u>R Yamada</u> , A Suzuki, T Kurosaki, Y Nakamura, K Yamamoto	FCRL3, an autoimmune susceptibility gene, has inhibitory potential on B-cell receptor-mediated signaling	J Immunol	183	5502-10	2009
Okada, <u>Yamada</u> , Suzuki, Kochi, Shimane, Myouzen, Kubo, Nakamura, Yamamoto	Contribution of a haplotype in the HLA region to anti-cyclic citrullinated peptide antibody positivity in rheumatoid arthritis, independently of HLA-DRB1.	Arthritis Rheum	60	3582-90	2009
N Gotoh, H Nakanishi, H Hayashi, <u>R Yamada</u> , A Otani, A Tsujikawa, K Yamashiro, H Tamura, M Saito, K Saito, T Iida, F Matsuda, N Yoshimura	ARMS2 (LOC387715) variants in Japanese patients with exudative age-related macular degeneration and polypoidal choroidal vasculopathy	Am J Ophthalmol	147	1037-41	2009
H Nakanishi, <u>R Yamada</u> , N Gotoh, H Hayashi, K Yamashiro, N Shimada, K Ohno-Matsui, M Mochizuki, M Saito, T Iida, K Matsuo, K Tajima, N Yoshimura, F Matsuda	A genome-wide association analysis identified a novel susceptible locus for pathological myopia at 11q24.1	PLoS Genet	5	e1000660	2009
Y Okada, A Suzuki, <u>R Yamada</u> , Y Kochi, K Shimane, K Myouzen, M Kubo, Y Nakamura, K Yamamoto	HLA-DRB1*0901 lowers anti-cyclic citrullinated peptide antibody levels in Japanese patients with rheumatoid arthritis	Ann Rheum Dis.	69	1569-70	2010

R Yamada, Y Okada	An optimal dose-effect mode trend test for SNP genotype tables	Genet Epidemiol	33	114-27	2009
R Yamada	How to measure genetic heterogeneity	Journal of Physics conference series		197	2009
K Shimane, Y Kochi, <u>R Yamada</u> , Y Okada, A Suzuki, A Miyatake, M Kubo, Y Nakamura, K Yamamoto	A single nucleotide polymorphism in the IRF5 promoter region is associated with susceptibility to rheumatoid arthritis in the Japanese population	Ann Rheum Dis	68	377-83	2009
M Wada, H Marusawa, <u>R Yamada</u> , A Nasu, Y Osaki, M Kudo, M Nabeshima, Y Fukuda, T Chiba, F Matsuda	Association of genetic polymorphisms with interferon-induced haematologic adverse effects in chronic hepatitis C patients	J Viral Hepat	16	388-96	2009
<u>Yamada R.</u> & Okada, Y	An optimal dose-effect mode trend test for SNP genotype tables.	Genet Epidemiol.	33	114-27	2009
<u>Yamada R.</u>	Primer: SNP-associated studies and what they can teach us.	Nature clinical practice.	4	210-7	2008
Suzuki, A.; Yamada, R.; Kochi, Y.; Sawada, T.; Okada, Y.; Matsuda, K.; Kamatani, Y.; Mori, M.; Shimane, K.; Hirabayashi, Y.; Takahashi, A.; Tsunoda, T.; Miyatake, A.; Kubo, M.; Kamatani, N.; Nakamura, Y.; Yamamoto, K	Functional SNPs in CD244 increase the risk of rheumatoid arthritis in a Japanese population.	Nat Genet.	40	1224-9	2008
Shimane, K.; Kochi, Y.; <u>Yamada, R.</u> ; Okada, Y.; Suzuki, A.; Miyatake, A.; Kubo, M.; Nakamura, Y.; Yamamoto, K.	A single nucleotide polymorphism in the IRF5 promoter region is associated with susceptibility to rheumatoid arthritis in the Japanese patients.	Annals of the rheumatic diseases.	e-pub		2008
Okada, Y.; Mori, M.; <u>Yamada, R.</u> ; Suzuki, A.; Kobayashi, K.; Kubo, M.; Nakamura, Y.; Yamamoto, K.	SLC22A4 Polymorphism and Rheumatoid Arthritis Susceptibility: A Replication Study in a Japanese Population and a Metaanalysis.	J.Rheumatol	35	1723-8	2008
Nakayama-Hamada, M., Suzuki, A., Furukawa, H., <u>Yamada, R.</u> & Yamamoto, K.	Citrullinated fibrinogen inhibits thrombin-catalyzed fibrin polymerization.	J. Biochem.	144	393-8	2008
Gotoh, N., <u>Yamada, R.</u> , Matsuda, F., Yoshimura, N. & Iida, T.	Manganese Superoxide Dismutase Gene (SOD2) Polymorphism and Exudative Age-related Macular Degeneration in the Japanese Population.	Am. J. Ophthalmol.	146	146	2008
Chihara N, Aranami T, Sato W, <u>Miyazaki Y</u> , Miyake S, Okamoto T, Ogawa M, Toda T, Yamamura T.	Interleukin 6 signaling promotes anti-aquaporin 4 autoantibody production from plasmablasts in neuromyelitis optica.	Proc Natl Acad Sci USA		in press	
Noto D, Takahashi K, <u>Miyake S</u> , Yamada M	In vitro differentiation of lineage-negative bone marrow cells into microglia-like cells.	Eur J Neurosci	31	1155-63	2010
Theil MM, <u>Miyake S</u> , Mizuno M, Tomi C, Croxford J, Hosoda H, Theil J, von Horsten S, Yokote H, Chiba A, Lin Y, Oki S, Akamizu T, Kanagawa K, Yamamura T	Suppression of experimental autoimmune encephalomyelitis by Ghrelin.	J Immunol.	83	2859-66	2009

Fujita M, Otsuka T, Mizuno M, Tomi C, Yamamura T, <u>Miyake S</u>	Carcinoembryonic antigen-related cell adhesion molecule 1 modulates experimental autoimmune encephalomyelitis via iNKT cell-dependent mechanism.	Ame J Patho	175	1116-23	2009
Miyake S, Yamamura T	Ghrelin: friend or foe for neuroinflammation.	Deicov Med	8	64-67	2009
Dondji B, Deak E, Goldsmith-Pestana K, Perez-Jimenez E, Esteban M, <u>Miyake S</u> , Yamamura T, McMahon-Pratt D	Intradermal NKT cell activation during DNA priming in heterologous prime-boost vaccination enhances T cell responses and protection against Leishmania.	Eur J Immunol	38	706-19	2008
Doi Y, Oki S, Ozawa T, Hohjoh H, <u>Miyake S</u> , Yamamura T	Orphan nuclear receptor NR4A2 expressed in T cells from multiple sclerosis mediates production of inflammatory cytokines.	Proc Natl Acad Sci USA	105	8381-86	2008
Sekine C, Sugihara T, <u>Miyake S</u> , Hirai H, Yoshida M, Miyasaka N, Kohsaka H	Successful treatment of animal models of rheumatoid arthritis with small-molecule cyclin-dependent kinase inhibitors.	J Immunol	180	1954-61	2008
Yokote H, <u>Miyake S</u> , Croxford JL, Oki S, Mizusawa H, Yamamura T	NKT cell-dependent amelioration of a mouse model of multiple sclerosis by altering gut flora.	Ame J Patho	173	1714-23	2008
Araki M, <u>Miyake S</u> , Yamamura T	Synthetic glycolipid ligands for human iNKT cells as potential therapeutic agents for immunotherapy.	Curr Med Chem	15	2337-45	2008
Okamoto T, Ogawa M, Lin Y, Murata M, <u>Miyake S</u> , Yamamura T	Treatment of neuromyelitis optica: Current debate.	Therapeutic Advances Neurol	1	43-52	2008
Ando T, Nagai K, Chikada M, Okamoto K, Kurokawa MS, Kobayashi T, <u>Kato T</u> , Makuuchi H.	Proteomic analyses of aortic wall in patients with abdominal aortic aneurysm.	J Cardiovasc Surg.		in press.	
Koitabashi K, Okamoto K, Arito M, Sato T, Nagai K, Kurokawa MS, Suematsu N, Yasuda T, Kimura K, <u>Kato T</u> .	Micro-Sieving: Isolation of Whole Glomeruli from a Single Renal Needle Biopsy Sample. Nephron. Clinical practice.	Nephron. Clinical practice.	117	c225-c29	2010
Karasawa R, Kurokawa MS, Yudoh K, Masuko K, Ozaki S, Kato T.	Peroxiredoxin 2 is a novel autoantigen for anti-endothelial cell antibodies in systemic vasculitis.	Clin Exp Immunol.	161	495-70	2010
Ooka S, Nakano H, Matsuda T, Okamoto K, Suematsu N, Kurokawa MS, Ohtani-Kaneko R, Masuko K, Ozaki S, <u>Kato T</u> .	Proteomic surveillance of autoantigens in patients with Behcet's disease by a proteomic approach.	Microbiol Immunol.	54	354-61	2010
Fukasawa M, Okamoto K, Nakamura M, Mikami K, Shimada S, Tanaka Y, Nagai K, Arito M, Kurokawa MS, Masuko K, Suematsu N, Koizuka I, <u>Kato T</u> .	Proteomic analysis of the rat cerebellar flocculus during vestibular compensation.	J Vestib Res.	19	83-94	2010
Xiang Y, Kurokawa MS, Kanke M, Takakuwa Y, <u>Kato T</u> .	Peptidomics: identification of pathogenic and marker peptides.	Methods in molecular biology (Clifton, N.J.).	615	259-71	2010
Masuko K, Murata M, Yudoh K, Shimizu H, Beppu M, Nakamura H, <u>Kato T</u> .	Prostaglandin E2 regulates the expression of connective tissue growth factor(CTGF/CCN2)in human osteoarthritic chondrocytes via the EP4 receptor.	BMC Res Notes.	3		2010

Hatsugai M, Kurokawa MS, Kouro T, Nagai K, Arito M, Masuko K, Suematsu N, Okamoto K, Ito F, <u>Kato T</u> .	Protein profiles of peripheral blood mononuclear cells are useful for differential diagnosis of ulcerative colitis from Crohn's disease.	J Gastroenterol.	45	488-500	2010
Kaneshiro N, Xiang Y, Nagai K, Kurokawa MS, Okamoto K, Arito M, Masuko K, Yudoh K, Yasuda T, Suematsu N, Kimura K, <u>Kato T</u> .	Comprehensive analysis of short peptides in sera from patients with IgA nephropathy.	Rapid Commun Mass Spectrom.	23	3720-28	2009
Iizuka N, Okamoto K, Matsushita R, Kimura M, Nagai K, Arito M, Kurokawa MS, Masuko K, Suematsu N, Hirohata S, <u>Kato T</u> .	Identification of autoantigens specific for systemic lupus erythematosus with central nerve system involvement.	Lupus.	19	717-26	2009
Yudoh K, Karasawa R, Masuko K, <u>Kato T</u> .	Water-soluble fullerene (C60) inhibits the development of arthritis in the rat model of arthritis.	International Journal of Nanomedicine.	4	217-25	2009
Yudoh K, Karasawa R, Masuko K, <u>Kato T</u> .	Water-soluble fullerene(C60) inhibits the osteoclast differentiation and bone destruction in arthritis.	International Journal of Nanomedicine.	4	233-39	2009
Masuko K, Murata M, Yudoh K, <u>Kato T</u> , Nakamura H.	Anti-inflammatory effects of hyaluronan in arthritis therapy -not just for viscosity.	International Journal of General Medicine.	2	77-81	2009
Masuko K, Murata M, Suematsu N, Okamoto K, Yudoh K, Shimizu H, Beppu M, Nakamura H, <u>Kato T</u> .	A suppressive effect of prostaglandin E2 on the expression of SERPINE1/plasminogen activator inhibitor-1 in human articular chondrocytes: An in vitro pilot study.	Rheumatology Research and Reviews.	1	9-15	2009
Katano M, Okamoto K, Arito M, Kawakami Y, Kurokawa MS, Suematsu N, Shimada S, Nakamura H, Xiang Y, Masuko K, Nishioka K, Yudoh K, <u>Kato T</u> .	Implication of GM-CSF induced neutrophil gelatinase-associated lipocalin in pathogenesis of rheumatoid arthritis revealed by proteome analysis.	Arthritis Res Ther.	11	R3	2009
Murata M, Yudo K, Nakamura H, Chiba J, Okamoto K, Suematsu N, Nishioka K, Beppu M, Inoue K, <u>Kato T</u> , Masuko K.	Hypoxia upregulates the expression of angiopoietin-like-4 in human articular chondrocytes: role of angiopoietin-like-4 in the expression of matrix metalloproteinases and cartilage degradation.	J Orthop Res.	27	50-57.	2009
Duc PA, Yudoh K, Masuko K, <u>Kato T</u> , Nishioka K, Nakamura H.	Development and characteristics of pannus-like soft tissue in osteoarthritic articular surface in rat osteoarthritis model.	Clin Exp Rheumatol.	26	589-95	2008
Okunuki Y, Usui Y, Kezuka T, Hattori T, Masuko K, Nakamura H, Yudoh K, Goto H, Usui M, Nishioka K, <u>Kato T</u> , Takeuchi M.	Proteomic surveillance of retinal autoantigens in endogenous uveitis: implication of esterase D and brain type creatine kinase as novel autoantigens.	Molecular Vision.	14	1094-104	2008
Fujisawa H, Ohtani-Kaneko R, Naiki M, Okada T, Masuko K, Yudoh K, Suematsu N, Okamoto K, Nishioka K, <u>Kato T</u> .	Involvement of Post-Translational Modification of Neuronal Plasticity-Related Proteins in Hyperalgesia Revealed by a Proteomic Analysis.	Proteomics.	8	1706-19	2008
Nishimoto N.	Interleukin-6 as a therapeutic target in candidate inflammatory diseases.	Clin Pharmacol Ther	87	483-48	2010
Lee H, Sugino H, <u>Nishimoto N</u> .	Cytokine networks in systemic lupus erythematosus.	Journal of Biomedicine and Biotechnology	Article ID6762 84.DOI: 10.1155 /2010/676284	2010	
Sugino H, Lee H, <u>Nishimoto N</u> .	DNA microarray analysis of rheumatoid arthritis susceptibility genes identified by genome-wide association studies (GWAS)..	Arthritis Res Ther	12	401	2010

西本憲弘, 李 慧敏.	炎症性免疫疾患におけるDNAマイクロアレイを用いた網羅的遺伝子発現の解析.	臨床遺伝子学	65	178-88	2010
Ishikawa S, Mima T, Aoki C, Yoshio-Hoshino N, Adachi Y, Imagawa T, Mori M, Tomiita M, Iwata N, Murata T, Miyoshi M, Takei S, Aihara Y, Yokota S, Matsubara K, <u>Nishimoto N.</u>	Abnormal expression of the genes involved in cytokine networks and mitochondrial function in systemic juvenile idiopathic arthritis identified by DNA microarray analysis.	Ann Rheum Dis	68	264-72	2009
Nakahara H, Mima T, Hoshino Yoshio-Naoko, Matsushita M, Hashimoto J, <u>Nishimoto N.</u>	A case report of a patient with refractory adult-onset Still's disease who successfully treated with Tocilizumab over 6years .	Mod Rheumatol	19	69-72	2009
Mima T, Ishikawa S, Aoki C, Yoshio-Hoshino N, Adachi Y, Imagawa T, Mori M, Tomiita M, Iwata N, Murata T, Miyoshi M, Takei S, Aihara Y, Yokota S, Matsubara K, <u>Nishimoto N.</u>	Interleukin-11 and paired immunoglobulin-like type 2 receptor alpha expression correlates with the number of joints with active arthritis in systemic juvenile idiopathic arthritis.Februy .	Ann Rheum Dis	68	286-87	2009
Lee H, Mima T, Sugino H, Aoki C, Hoshino-N.Y, Matsubara K, <u>Nishimoto N.</u>	Interactions among type I and type II interferon, tumor necrosis factor, and β -estradiol in the regulation of immune response-related gene expressions in systemic lupus erythematosus .	Arthritis Res Ther	11R 1	1-10.	2009
Yokota S, Imagawa T, Mori M, Miyamae T, Aihara Y, Takei S, Iwata N, Umebayashi H, Murata T, Miyoshi M, Momiiita M, <u>Nishimoto N</u> , Kishimoto T.	Efficacy and safety of tocilizumab in patients with systemic-onset juvenile idiopathic arthritis: a randomised, double-blind, placebo-controlled, withdrawal phase III trial.	Lancet	371	998-1006	2008
Iwata S, Saito K, Tokunaga M, Yamaoka K, Nawata M, Yukawa S, Hanami K, Fukuyo S, Miyagawa I, Kubo S, <u>Tanaka Y.</u>	Phenotypic changes of lymphocytes in patients with systemic lupus erythematosus who are in longterm remission after B cell depletion therapy with rituximab.	J Rheumatol		in press	
Sawamukai N, Yukawa s, Saito K, Nakayamada S, Kambayashi T, <u>Tanaka Y.</u>	Mast cell-derived tryptase inhibits apoptosis of human rheumatoid synovial fibroblasts via rho-mediated signaling.	Arthritis Rheum	62	952-59	2010
Tanaka Y, Takeuchi T, Mimori T, Saito K, Nawata M, Kameda H, Nojima T, Miyasaka N, Koike T.	Discontinuation of infliximab after attaining low disease activity in patients with rheumatoid arthritis, RRR (remission induction by remicade in RA) study.	Ann Rheum Dis	69	1286-91	2010
Iwata S, Saito K, Yamaoka K, Tsujimura S, Nawata M, Suzuki K, Hanami K, <u>Tanaka Y.</u>	Effects of anti-TNF- α antibody infliximab in refractory entero-Behcet's disease.	Rheumatology	48	1012-13	2009
Nakayamada S, Fujimoto T, Nonomura A, Saito K, Nakamura S, <u>Tanaka Y.</u>	Usefulness of initial histological features for stratifying Sjogren's syndrome responders to mizoribine therapy.	Rheumatology	48	1279-82	2009
Takeuchi T, Tatsuki T, Nogami N, Ishiguro N, <u>Tanaka Y</u> , Yamanaka H, Harigai M, Ryu J, Inoue K, Kondo H, Inokuma S, Kamatani N, Ochi T, Koike T	Post-marketing surveillance of the safety profile of infliximab in 5,000 Japanese patients with rheumatoid arthritis.	Ann Rheum Dis	67	189-95	2008
Tsujimura S, Saito K, Nawata M, Nakayamada S, <u>Tanaka Y.</u>	Overcoming drug resistance induced by P-glycoprotein on lymphocytes in patients with refractory rheumatoid arthritis.	Ann Rheum Dis	67	380-88	2008
Tanikawa R, Okada Y, Nakano K, Tnikawa t, Hirashima M, Yamauchi A, Hosokawa R, <u>Tanaka Y.</u>	Interaction of galectin-9 with lipid rafts induces osteoblast proliferation through the c-Src/ERK signaling pathway.	J Bone Miner Res	23	278-86	2008

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名・出版地	頁	出版年
Amengual O, <u>Atsumi T.</u> , Koike T.	Antiphospholipid antibodies and the Antiphospholipid syndrome	Columbus F	New Research on Autoantibodies	Nova Science Publishers, NY, USA	in press	
<u>Atsumi T.</u> , Amengual O, Koike T	Antiphospholipid syndrome: pathogenesis.	Lahita RG	Systemic Lupus Erythematosus 5th edition.	Academic Press, San Diego	945-66	2010
渥美達也	抗リン脂質抗体症候群	竹内勤	全身性エリテマトーデス	最新医学社・東京	16-23	2010
渥美達也	抗リン脂質抗体症候群	三森経世	リウマチ・膠原病内科クリニックスタンダード	文光堂・東京	189-92	2010
渥美達也	抗DNA抗体、抗リン脂質抗体	和田攻、大久保昭行、矢崎義雄、大内尉義	臨床検査ガイド2009-2010	文光堂・東京	691-93	2009
渥美達也	抗リン脂質抗体症候群	横田千津子、池田宇一、大越教夫	病気と薬 パーフェクトBOOK 2009	南山堂・東京	693-95	2009
渥美達也	抗リン脂質抗体症候群の治療は？	金倉譲、木崎昌弘、鈴木律朗、神田善伸	EBM血液疾患の治療2010-2011	中外医学社・東京	466-70	2009
<u>Atsumi T.</u> , Amengual O, Koike T.	Etiopathology of the Antiphospholipid syndrome,	Tanaka K, Davie EW	Recent Advances in Thrombosis and Haemostasis 2008.	Springer Japan KK, Tokyo	521-35	2008
渥美達也	抗リン脂質抗体症候群	池田宇一、大越教夫、横田千津子	病気と薬 パーフェクトBOOK 2008	南山堂・東京	710-12	2008
渥美達也	めまい、意識障害を反復する65歳女性	橋本博史	New専門医を目指すケース・メソッド・アプローチ 膜原病・リウマチ	日本医事新報社・東京	99-107	2008
渥美達也	後天性血栓傾向	小澤敬也、直江知樹、坂田洋一	講義録 血液・造血器疾患学	メディカルビュー社・東京	289-91	2008
張替秀郎、石井智徳	炎症、アレルギー疾患	上月正博	薬・栄養・運動の知識 内部障害のケアのために	南江堂	200-11	2010
松山泰、岡崎仁昭	プロテアソーム阻害薬によるループスモルマウスの治療	宮坂信之	リウマチ科 42	科学評論社・東京	190-7	2009
松山泰、岡崎仁昭	強皮症におけるpseudo-obstructionの診断と治療	宮坂信之	リウマチ科 39	科学評論社・東京	312-6	2008
岡崎仁昭	目でみるトレーニング 認定内科医・認定内科専門医受験のための151題	岡崎仁昭	目でみるトレーニング 認定内科医・認定内科専門医受験のための151題	医学書院・東京	全頁(責任編集)	2008

三村俊英	膠原病および類縁疾患 関節リウマチに伴うアミロイドーシス(AAアミロイドーシス)		今日の治療指針	医学書院	755-56	2011
秋山雄次、 三村俊英	結核	西本憲弘	トリズマブ ケーススタディー	メディカルビュー	24-29	2010
三森明夫	疲労・全身倦怠感	金澤一郎、永井良三	今日の診断指針 第6版	医学書院・東京	15-16	2010
三森明夫	関節リウマチの関節外症状	宮坂信之	関節リウマチ第2版、日本臨床	日本臨床社・東京	215-17	2010
三森明夫	ガイドライン/治療の手引き	竹内勤	全身性エリテマトーデス	最新医学社・東京	229-35	2010
三森明夫	関節穿刺と関節液検査	三森常世	リウマチ膠原病クリニックスタンダード	分光堂・東京	47-50	2010
三森明夫	Weber-Cristian 病	高久史麿	家庭医学大全	法研・東京	2689-90	2010
三森明夫	結節性紅斑をきたすリウマチ性疾患	リウマチ学会	リウマチ病学テキスト	リウマチ財団・東京	432-35	2010
三森明夫	膠原病とりウマチ性疾患	山本一彦	看護のための最新医学講座 第2版 11巻 免疫・アレルギー疾患	中山書店・東京	104-19	2009
三森明夫	化膿性関節炎・フェルティー症候群・関節リウマチ(など34項目)	寺島裕夫	標準傷病名事典	医学通信社・東京	490-92, 497-504	2009
高橋裕子、 三森明夫	側頭動脈炎	橋本博史	専門医を目指すケースメソッド アプローチ4. 膠原病・リウマチ	日本医事新報社・東京	262-68	2008
三森明夫、 秋葉正文	関節リウマチ	渡辺明治、 福井富穂	今日の病態栄養療法	南光堂・東京	359-62	2008
平形道人	KL-6	和田攻、南裕子、 小峰光博	看護大事典 第2版	医学書院、 東京	73	2010
平形道人	SP-A	和田攻、南裕子、 小峰光博	看護大事典 第2版	医学書院、 東京	108	2010
平形道人	多発性筋炎/皮膚筋炎	亀山正邦、 高久史麿	「今日の診断指針(第6版)」	医学書院、東京	1245-49	2010