

Yanase T, Fan W, Kyoya K, Liu M, Takayanagi R, Kato S, Nawata H	Androgens and metabolic syndrome: lessons from androgen receptor knock out (ARKO) mice.	J Steroid Biochem Mol Biol	109 (3-5)	254-257	2008
Gondo S, Okabe T, Tanaka T, Morinaga H, Nomura M, Takayanagi R, Nawata H, Yanase T	Adipose tissue-derived and bone marrow-derived mesenchymal cells develop into different lineage of steroidogenic cells by forced expression of steroidogenic factor 1.	Endocrinology	149 (9)	4717-4725	2008
Fan W, Yanase T, Nishi Y, Chiba S, Okabe T, Nomura M, Yoshimatsu H, Kato S, Takayanagi R, Nawata H	Functional potentiation of leptin-STAT3 signaling by the androgen receptor.	Endocrinology	149 (12)	6028-6036	2008
Maeda Y, Inoguchi T, Tsubouchi H, Sawada F, Sasaki S, Fujii M, Saito R, Yanase T, Shimabukuro M, Nawata H, Takayanagi R	High prevalence of peripheral arterial disease diagnosed by low ankle-brachial index in Japanese patients with diabetes: The Kyushu Prevention Study for Atherosclerosis.	Diabetes Res Clin Pract	82(3)	378-82	2008
Wu Y-L, Chuang H-H, Kou YR, Lee T-S, Lu S-H, Huang Y-C, Nishi Y, Yanase T	Regulation of LH-receptor and PGF2a signaling by the regulator of G protein signaling 2 (RGS2) in human and mouse granulosa cells.	Chinese J of Physiology	51(5)	282-291	2008
Okuhara K, Abe S, Kondo T, Fujita K, Koda N, Mochizuki H, Fujieda K, Tajima T	Four Japanese patients with adrenal hypoplasia congenita and hypogonadotropic hypogonadism caused by DAX-1 gene mutations: mutant DAX-1 failed to repress steroidogenic acute regulatory protein (StAR) and luteinizing hormone beta-subunit gene promoter activity.	Endocr J	55(1)	97-103	2008
Kojima-Ishii K, Fujiwara I, Katsumata N, Kanno J, Ogawa E, Tsuchiya S	Hypospadias in a male patient with 21-hydroxylase deficiency.	Endocr J	55(6)	1051-1054	2008
Tanabe M, Kouzmenko AP, Ito S, Sawatsubashi S, Suzuki E, Fujiyama S, Yamagata K, Zhao Y, Kimura S, Ueda T, Murata T, Matsukawa H, Takeyama KI, Kato S	Activation of facultatively silenced Drosophila loci associates with increased acetylation of histone H2AvD.	Genes to Cells	13	1279-1288	2008
Zhao Y, Lang G, Ito S, Bonnet J, Metzger E, Sawatsubashi S, Suzuki E, Le Guezennec X, Stunnenberg HG, Krasnov A, Georgieva SG, Sc R, Takeyama K, Kato S, Tora L, Devys D	A TFTC/STAGA module mediates histone H2A and H2B deubiquitination, coactivates nuclear receptors, and counteracts heterochromatin silencing.	Mol Cell	29	92-101	2008
Okada M, Takezawa S, Mezaki Y, Yamaoka I, Takada I, Kitagawa H, Kato S	Switching of chromatin-remodelling complexes for oestrogen receptor-alpha.	EMBO Rep	9	563-568	2008

Yokoyama A, Takezawa S, Schule R, Kitagawa H, Kato S	Transrepressive function of TLX requires the histone demethylase LSD1.	Mol Cell Biol	28	3995-4003	2008
Kimura S, Sawatsubashi S, Ito S, Kouzmenko A, Suzuki E, Zhao Y, Yamagata K, Tanabe M, Ueda T, Fujiyama S, Murata T, Matsukawa H, Takeyama K, Yaegashi N, Kato S	Drosophila arginine methyltransferase 1 (DART1) is an ecdysone receptor corepressor.	Biochem Biophys Res Commun	371	889-893	2008
Ohtake F, Baba A, Fujii-Kuriyama Y, Kato S	Intrinsic AhR function underlies cross-talk of dioxins with sex hormone signalings.	Biochem Biophys Res Commun	370	541-546	2008
Kouzmenko AP, Takeyama K, Kawasaki Y, Akiyama T, Kato S	Ligand-dependent interaction between estrogen receptor α and adenomatous polyposis coli.	Genes to Cells	13	723-730	2008
Akimoto C, Kitagawa H, Matsumoto T, Kato S	Spermatogenesis-specific association of SMCY and MSH5.	Genes to Cells	13	623-633	2008
Kouzmenko AP, Takeyama K, Kawasaki Y, Akiyama T, Kato S	Truncation mutations abolish chromatin-associated activities of adenomatous polyposis coli.	Oncogene	27	4888-4899	2008
Matsumoto T, Shiina H, Kawano H, Sato T, Kato S	Androgen receptor functions in male and female physiology.	J Steroid Biochem Mol Biol	109	236-241	2008
Murata T, Suzuki E, Ito S, Sawatsubashi S, Zhao Y, Yamagata K, Tanabe M, Fujiyama S, Kimura S, Ueda T, Matsukawa H, Kouzmenko A, Furutani T, Kuranaga E, Miura M, Takeyama K, Kato S	RNA-binding protein hoip accelerates polyQ-induced neurodegeneration in Drosophila.	Biosci Biotechnol Biochem	72	2255-2261	2008
Yamashita T, Ohneda O, Nagano M, Iemitsu M, Makino Y, Tanaka H, Miyauchi T, Goto K, Ohneda K, Fujii-Kuriyama Y, Poellinger L, Yamamoto M	Abnormal heart development and lung remodeling in mice lacking the hypoxia-inducible factor-related basic helix-loop-helix PAS protein NEPAS.	Mol Cell Biol	28(4)	1285-1297	2008
Kagawa T, Watanabe N, Mochizuki K, Numari A, Ikeno Y, Itoh J, Tanaka H, Arias IM, Mine T	Phenotypic differences in PFIC2 and BRIC2 correlate with protein stability of mutant Bsep and impaired taurocholate secretion in MDCK II cells.	Am J Physiol Gastrointest Liver Physiol	294 (1)	G58-67	2008
Yoshikawa N, Shimizu N, Sano M, Ohnuma K, Iwata S, Hosono O, Fukuda K, Morimoto C, Tanaka H	Role of the hinge region of glucocorticoid receptor for HEXIM1-mediated transcriptional repression.	Biochem Biophys Res Commun	371 (1)	44-49	2008
Yamochi T, Ohnuma K, Hosono O, Tanaka H, Kanai Y, Morimoto C	SSA/Ro52 autoantigen interacts with Dcp2 to enhance its decapping activity.	Biochem Biophys Res Commun	370 (1)	195-199	2008

Shimizu N, Yoshikawa N, Wada T, Handa H, Sano M, Fukuda K, Suematsu M, Sawai T, Morimoto C, Tanaka H	Tissue and context dependent modulation of hormonal sensitivity of glucocorticoid responsive genes by hexamethylene bisacetamide inducible protein 1.	Mol Endocrinol	22 (12)	2609-2623	2008
Shibata S, Nagase M, Yoshida S, Kawarazaki W, Kurihara H, Tanaka H, Miyoshi J, Takai Y, Fujita T	Modification of mineralocorticoid receptor function by Rac1 GTPase: implication in proteinuric kidney disease.	Nat Med	14 (12)	1370-1376	2008
Hozawa S, Nakamura T, Nakano M, Adachi M, Tanaka H, Takahashi Y, Tetsuya M, Miyata N, Soma H, Hibi T	Induction of matrix metalloproteinase-1 gene transcription by tumour necrosis factor alpha via the p50/p50 homodimer of nuclear factor-kappa B inactivated human hepatic stellate cells.	Liver Int	28 (10)	1418-1425	2008
Leung AM, Sasano H, Nishikwa T, McAneny DB, Malabanan AO	Multiple unilateral adrenal adenomas in a patient with primary hyperaldosteronism.	Endocr Pract	14 (1)	76-79	2008
Yokote K, Bujo H, Hanaoka H, Shinomiya M, Mikami K, Miyashita Y, Nishikawa T, Kodama T, Tada N, Saito Y	Multicenter collaborative randomized parallel group comparative study of pitavastatin and atorvastatin in Japanese hypercholesterolemic patients-Collaborative study of Hypercholesterolemia drug Intervention and their Benefits for Atherosclerosis prevention (CHIBA study).	Atherosclerosis		on line release	2008
Nakamura Y, Suzuki T, Arai Y, Sasano H	Nuclear Receptor DAX1 in Human Prostate Cancer: A Novel Independent Biological Modulator.	Endocr J		in press	2008
Tamura Y, Adachi J, Chiba Y, Mori S, Takeda K, Kasuya Y, Murayama T, Sawabe M, Sasano H, Araki A, Ito H, Horiuchi T	Primary aldosteronism due to unilateral adrenal microadenoma in an elderly patient: efficacy of selective adrenal venous sampling.	Intern Med	47	37-42	2008
Leung AM, Sasano H, Nishikwa T, McAneny DB, Malabanan AO	Multiple unilateral adrenal adenomas in a patient with primary hyperaldosteronism.	Endocr Pract	14	76-79	2008
Nigawara T, Kageyama K, Sakihara S, Takayasu S, Kawahara M, Imai A, Ohyama C, Usui T, Sasano H, Suda T	A male case of nonclassical 21-hydroxylase deficiency first manifested in his sixties with adrenocortical incidentaloma.	Endocr J	55	291-297	2008
Morimoto R, Satoh F, Murakami O, Hirose T, Totsune K, Imai Y, Arai Y, Suzuki T, Sasano H, Ito S, Takahashi K	Expression of adrenomedullin 2/intermedin in human adrenal tumors and attached non-neoplastic adrenal tissues.	J Endocrinol	198	175-183	2008

Okii K, Yamane K, Sakashita Y, Kamei N, Watanabe H, Toyota N, Shigeta M, Sasano H, Kohno N	Primary aldosteronism and hypercortisolism due to bilateral functioning adrenocortical adenomas.	Clin Exp Nephrol	12	382-7	2008
Baba Y, Beppu T, Imai K, Masuda T, Iyama KI, Sasano H, Baba H	A case of adrenal rest tumor of the liver: Radiological imaging and immunohistochemical study of steroidogenic enzymes.	Hepato Res	38	1154-1158	2008
Murakami M, Ohba T, Xu F, Satoh E, Miyoshi I, Suzuki T, Takahashi Y, Takahashi E, Watanabe H, Ono K, Sasano H, Kasai N, Ito H, Iijima T	Modified sympathetic nerve system activity with over-expression of the voltage-dependent calcium channel beta 3 subunit.	J Biol Chem	283	24554- 24560	2008
Morimoto R, Satoh F, Murakami O, Totsune K, Saruta M, Suzuki T, Sasano H, Ito S, Takahashi K	Expression of peptide YY in human brain and pituitary tissues.	Nutrition	24	878-884	2008
Sakamoto N, Tojo K, Saito T, Fujimoto K, Isaka T, Tajima N, Ikeda K, Yamada H, Furuta N, Sasano H	Coexistence of Aldosterone Producing Adrenocortical Adenoma and Pheochromocytoma in an Ipsilateral Adrenal Gland.	Endocr J		in press	2008
Oka R, Kobayashi J, Yagi K, Tani H, Miyamoto S, Asano A, Hagishita T, Mori M, Moriuchi T, Kobayashi M, Katsuda S, Kawashiri M, Nohara A, Takeda Y, Mabuchi H, Yamagishi M	Reassessment of the cutoff values of waist circumference and visceral fat area for identifying Japanese subjects at risk for the metabolic syndrome.	Diabetes Res Clin Practice	79	474-481	2008
Sakamoto A, Ishibashi-Ueda H, Sugamoto Y, Higashikata T, Miyamoto S, Kawasiri M, Yagi K, Konno S, Fujino N, Ino H, Takeda Y, Yamagishi M	Expression and function of ephrin-B1 in human cognate receptor EphB2 in human atherosclerosis: from an aspect of chemotaxis.	Clin Sci	114	643-650	2008
Ueshiba H, Yoshino G	Effects of celiprolol on insulin resistance and steroid hormones in essential hypertension.	Therapeutic Research	29(4)	569-575	2008
Ueshiba H, Yoshino G	Effects of long-term administration of azelnidipine on insulin resistance and adrenal androgens.	Therapeutic Research	29(7)	1175-1181	2008
Tajima T, Ohtake A, Hoshino M, Amemiya S, Sasaki N, Ishizu K, Fujieda K	OTX2 loss of function mutation causes anophthalmia and combined pituitary hormone deficiency with a small anterior and ectopic posterior pituitary.	J Clin Endocrinol Metab	94(1)	314-319	2009

Al-Haggar M, Bakr A, Tajima T, Fujieda K, Hammad A, Soliman O, Darwish A, Al-Said A, Yahia S, Abdel-Hady D	Familial hypomagnesemia with hypercalciuria and nephrocalcinosis: unusual clinical associations and novel claudin16 mutation in an Egyptian family.	Clin Exp Nephrol		in press	2009
Fukami M, Nishimura G, Homma K, Nagai T, Hanaki K, Uematsu A, Ishii T, Numakura C, Sawada H, Nakacho M, Kowase T, Motomura K, Haruna H, Nakamura M, Ohishi A, Adachi M, Tajima T, Hasegawa Y, Hasegawa T, Horikawa R, Fujieda K, Ogata T	Cytochrome P450 Oxidoreductase Deficiency: Identification and Characterization of Biallelic Mutations and Genotype-Phenotype Correlations in 35 Japanese Patients.	J Clin Endocrinol Metab		in press	2009
Yamada K, Ogata-Kawata H, Matsuura K, Kagawa N, Takagi K, Asano K, Haneishi A, Miyamoto K	ZHX2 and ZHX3 repress cancer markers in normal hepatocytes.	Front Biosci	14 (10)	3724-3732	2009
Goto M, Katsumata N	X-linked adrenal hypoplasia congenita caused by a novel intronic mutation of the DAX-1 gene.	Horm Res	71(2)	120-124	2009
Fujiki R, Chikanishi T, Hashiba W, Ito H, Takada I, Roeder RG, Kitagawa H, Kato S	Nuclear protein GlcNAcylation facilitates retinoic acid-induced granulopoiesis through histone activating methylation.	Nature		in press	2009
Suzuki E, Zhao Y, Ito S, Sawatsubashi S, Murata T, Furutani T, Shirode Y, Yamagata K, Tanabe M, Kimura S, Ueda T, Fujiyama S, Lim J, Matsukawa H, Kouzmenko AP, Aigaki T, Tabata T, Takeyama K, Kato S	Aberrant E2F activation by polyglutamine expansion of androgen receptor in SBMA neurotoxicity.	Proc Natl Acad Sci USA		in press	2009
Imai Y, Nakamura T, Matsumoto T, Takaoka K, Kato S	Molecular mechanisms underlying the effects of sex steroids on bone and mineral metabolism.	J Bone Miner Metab		in press	2009
Imai Y, Kondoh S, Kouzmenko A, Kato S	Regulation of bone metabolism by nuclear receptors.	Mol Cell Endocrinol		in press	2009
Ohtake F, Fujii-Kuriyama Y, Kato S	AhR acts as an E3 ubiquitin ligase to modulate steroid receptor functions.	Biochem Pharmacol		in press	2009
Kouzu-Fujita M, Mezaki Y, Sawatsubashi S, Matsumoto T, Yamaoka I, Yano T, Taketani Y, Kitagawa H, Kato S	Coactivation of estrogen receptor β by gonadotropin-induced cofactor G1OT-4.	Mol Cell Biol	29	83-92	2009
Sone M, Shibata H, Homma K, Tamura N, Akahira J, Hamada S, Yahata M, Fukui N, Itoh H, Sasano H, Nakao K	Close examination of steroidogenesis disorders in a DOC- and progesterone-producing adrenocortical carcinoma.	Endocrine	35	25-33	2009

Nagasaki S, Suzuki T, Miki Y, Akahira JI, Shibata H, Ishida T, Ohuchi N, Sasano H	Chicken obalbumin upstream promoter transcription factor II in human breast carcinoma: a possible regulator of lymphangiogenesis via VEGF-C expression.	Cancer Science		in press	2009
Nakamura Y, Gang HX, Suzuki T, Sasano H, Rainey WE	Adrenal changes associated with adrenarche.	Rev Endocr Metab Disord	10(1)	19-26	2009
Ye P, Yamashita T, Pollock DM, Sasano H, Rainey WE	Contrasting Effects of Eplerenone and Spironolactone on Adrenal Cell Steroidogenesis.	Horm Metab Res	41	35-39	2009
Nakamura Y, Vargas Morris C, Sasano H, Rainey WE	DAX-1A (NR0B1A) Expression Levels are Extremely Low Compared to DAX-1 (NR0B1) in Human Steroidogenic Tissues.	Horm Metab Res	41	30-34	2009
Sone M, Shibata H, Homma K, Tamura N, Akahira J, Hamada S, Yahata M, Fukui N, Itoh H, Sasano H, Nakao K	Close examination of steroidogenesis disorders in a DOC- and progesterone-producing adrenocortical carcinoma.	Endocrine J	35	25-33	2009
Ebisawa T, Tojo K, Tajima N, Kamio M, Oki Y, Ono K, Sasano H	Immunohistochemical Analysis of 11-beta-Hydroxysteroid Dehydrogenase Type 2 and Glucocorticoid Receptor in Subclinical Cushing's Disease due to Pituitary Macroadenoma.	Endocr Pathol	19	252-260	2009
Oka R, Miura K, Sakurai M, Nakamura K, Yagi K, Miyamoto S, Moriuchi T, Mabuchi H, Yamagishi M, Takeda Y, Hifumi S, Inazu A, Nohara A, Kawashiri M, Kobayashi J	Comparison of waist circumference with body mass index for predicting abdominal adipose tissue.	Diabetes Res Clin Practice	83(1)	100-105	2009
Sone M, Shibata H, Homma K, Tamura N, Akahira J, Hamada S, Yahata M, Fukui N, Itoh H, Sasano H, Nakao K	Close examination of steroidogenesis disorders in a DOC- and progesterone-producing adrenocortical carcinoma.	Endocrine	35	25-33	2009
Goto M, Katsumata N.	X-linked adrenal hypoplasia congenita caused by a novel intronic mutation of the DAX-1 gene.	Horm Res	71(2)	120-124	2009
Dateki S, Hizukuri K, Tanaka T, Katsumata N, Katavetin P, Ogata T.	An immunologically anomalous but considerably bioactive GH produced by a novel GH1 mutation (p.D116E).	Eur Jendocrinol	161(2)	301-306	2009
Hiramatsu R, Matoba S, Fujisawa M, Kanai Azuma M, Tsunekawa N, Kurohmaru M, Morohashi K, Wilhelm D, Koopman P, Kanai Y	A critical time window of Sry action in gonadal sex determination.	Development	136	129-138	2009

Yokoyama C, Komatsu T, Ogawa H, Morohashi K, Azuma M, Tachibana T	Generation of rat monoclonal antibodies specific for Ad4BP/SF-1.	Hybridoma	28	113-119	2009
Zubair M, Oka S, Parker K.L, Morohashi K	Transgenic expression of Ad4BP/SF-1 in fetal adrenal progenitor cells leads to ectopic adrenal formation.	Mol Endocrinol	23	1657-1667	2009
Ogawa H, Komatsu T, Hiraoka Y, Morohashi K	Transcriptional suppression by transient recruitment of ARIP4 to sumoylated nuclear receptor Ad4BP/SF-1.	Mol Biol Cell	20	4235-4245	2009
Tajima T, Fujiwara F, Fujieda K	A novel heterozygous mutation of steroidogenic factor-1 (SF-1/Ad4BP) gene (NR5A1) in a 46, XY disorders of sex development (DSD) patient without adrenal failure	Endocr J.	56(4)	619-624	2009
Fukami M, Nishimura G, Homma K, Nagai T, Hanaki K, Uematsu A, Ishii T, Numakura C, Sawada H, Nakacho M, Kowase T, Motomura K, Haruna H, Nakamura M, Ohishi A, Adachi M, Tajima T, Hasegawa Y, Hasegawa T, Horikawa R, Fujieda K, Ogata T	Cytochrome P450 oxidoreductase deficiency: identification and characterization of biallelic mutations and genotype-phenotype correlations in 35 Japanese patients.	J Clin Endocrinol Metab	94(5)	1723-1731	2009
Matsuo K, Mukai T, Suzuki S, Fujieda K	Prevalence and Risk Factors of Vitamin D Deficiency Rickets in Hokkaido, Japan,	Pediatr Int,	51	559-562	2009
Tajima T, Ohtake A, Hoshino M, Amemiya S, Sasaki N, Ishizu K, Fujieda K	OTX2 loss of function mutation causes anophthalmia and combined pituitary hormone deficiency with a small anterior and ectopic posterior pituitary	J Clin Endocrinol Metab.	94	314-319	2009
Al-Haggar M, Bakr A, Tajima T, Fujieda K, Hammad A, Soliman O, Darwish A, Al-Said A, Yahia S, Abdel-Hady D	Familial hypomagnesemia with hypercalciuria and nephrocalcinosis: unusual clinical associations and novel claudin 16 mutation in an Egyptian family.	Clin Exp Nephrol,	13	288-294	2009
Tajima T, Yorifuji T, Ishizu K, Fujieda K	A novel mutation (V101A) of the LHX4 gene in a Japanese patient with combined pituitary hormone deficiency.	Exp Clin Endocrinol Diabetes	in press		2009
Yazawa, T., Inaoka, Y., Mizutani, T., Kuribayashi, M., Umezawa, A., Miyamoto, K.	Liver Receptor Homolog-1 regulates the transcription of steroidogenic enzymes and induces the differentiation of mesenchymal stem cells into steroidogenic cells.	Endocrinology	150(8)	3885-3893	2009
Omura M, Nishikawa T	Adrenal venous sampling is essential for detecting unilateral or bilateral adrenal lesion in primary aldosteronism,	Endocrine Journal	56	533	2009
Zhu A, Yoneda T, Demura M, Karashima S, Usukura M, Yamagishi M, Takeda Y.	Effect of mineralocorticoid receptor blockade on the renal renin-angiotensin system in Dahl salt-sensitive hypertensive rats	J Hypertension	27	800-805	2009

Usukura M, Zhu A, Yoneda T, Karashima S, Yagi K, Yamagishi M, Takeda Y	Effects of a high-salt diet on adipocyte glucocorticoid receptor and 11 β -hydroxysteroid dehydrogenase 1 in salt-sensitive hypertensive rats.	Steroids	74	978-982	2009
Takeda Y.	Effects of eplerenone, a selective mineralocorticoid receptor antagonist, on clinical and experimental salt-sensitive hypertension	Hypertension Res	32	321-324	2009
Ye P, Yamashita T, Pollock DM, Sasano H, Rainey WE	Contrasting Effects of Eplerenone and Spironolactone on Adrenal Cell Steroidogenesis.	Horm Metab Res	41	35-39	2009
Nakamura Y, Vargas Morris C, Sasano H Rainey WE	DAX-1A (NR0B1A) Expression Levels are Extremely Low Compared to DAX-1(NR0B1) in Human Steroidogenic Tissues.	Horm Metab Res	41	31-34	2009
Nakamura Y, Gang HX, Suzuki T, Sasano H Rainey WE	Adrenal changes associated with adrenarche	Rev Endocr Metab Disord	10	19-26	2009
Sone M, Shibata H, Homma K, Tamura N, Akahira J, Hamada S, Yahata M, Fukui N, Itoh H, Sasano H, Nakao K	Close examination of steroidogenesis disorders in a DOC- and progesterone-producing adrenocortical carcinoma	Endocrine	35	25-33	2009
Sakamoto N, Tojo K, Saito T, Fujimoto K, Isaka T, Tajima N, Ikeda K, Yamada H, Furuta N, Sasano H	Coexistence of Aldosterone-Producing adrenocortical adenoma and Pheochromocytoma in an ipsilateral adrenal gland.	Endocr J	56	213-219	2009
Ebisawa T, Tojo K, Tajima N, Kamio M, Oki Y, Ono K, Sasano H	Immunohistochemical Analysis of 11 β -hydroxysteroid Dehydrogenase Type 2 and Glucocorticoid Receptor in Subclinical Cushing's Disease due to Pituitary Macroadenoma	Endocr Pathol	19	252-260	2009
Takayama K, Tsutsumi S, Suzuki T, Horie-Inoue K, Ikeda K, Kaneshiro K, Fujimura T, Kumagai J, Urano T, Sakaki Y, Shirahige K, Sasano H, Takahashi S, Kitamura T, Ouchi Y, Aburatani H, Inoue S	Amyloid precursor protein is a primary androgen target gene that promotes prostate cancer growth	Cancer Res	69	137-142	2009
Nakamura M, Miki Y, Akahira JI, Morimoto R, Satoh F, Ishidoya S, Arai Y, Suzuki T, Hayashi Y, Sasano H	An Analysis of Potential Surrogate Markers of Target-Specific Therapy in Archival Materials of Adrenocortical Carcinoma	Endocr Pathol.	20	17-23	2009
Nigawara T, Sakihara S, Kageyama K, Terui K, Takayasu S, Hatakeyama S, Ohyama C, Sasano H, Suda T	Endothelial cyst of the adrenal gland associated with adrenocortical adenoma: preoperative images simulate carcinoma	Intern Med	48	235-240	2009

Kimura T, Usui T, Inamoto S, Minamiguchi S, Okuno H, Sasano H, Hagiwara H, Nagata D, Tagami T, Naruse M, Shimatsu A	Image in endocrinology. Pheochromocytoma with Subclinical Cushing's Syndrome Caused by Corticomedullary Mixed Tumor of the Adrenal Gland.	J Clin Endocrinol Metab.	94	746-747	2009
Nakamura Y, Hornsby PJ, Casson P, Morimoto R, Satoh F, Xing Y, Kennedy MR, Sasano H, Rainey WE	Type 5 17beta-hydroxysteroid dehydrogenase (AKR1C3) contributes to testosterone production in the adrenal reticularis	J Clin Endocrinol Metab	94	2192-2198	2009
Nakamura Y, Xing Y, Sasano H, Rainey WE	The mediator complex subunit 1 enhances transcription of genes needed for adrenal androgen production.	Endocrinology	150	4145-4153	2009
Nagasaki S, Miki Y, Akahira J, Suzuki T, Sasano H	Transcriptional regulation of 17beta-hydroxysteroid dehydrogenase type 12 by SREBP-1	Mol Cell Endocrinol.	307	163-168	2009
Miyoshi Y, Oue T, Oowari M, Soh H, Tachibana M, Kimura S, Kiyohara Y, Yamada H, Bessyo K, Mushiake S, Homma K, Hasegawa T, Sasano H, Ozono K	A Case of Pediatric Virilizing Adrenocortical Tumor Resulting in Hypothalamic-pituitary Activation and Central Precocious Puberty Following Surgical Removal	Endocr J	56	975-982	2009
Sasano H	Steroid hormones are produced at the sites of action	Endocr J	56	825-826	2009
Hong Y, Li H, Ye J, Miki Y, Yuan YC, Sasano H, Evans DB, Chen S	Epitope characterization of an aromatase monoclonal antibody suitable for the assessment of intratumoral aromatase activity	PLoS One.	4	8050	2009
Nomura M, Sasano H, Okada Y, Watanabe T, Sakamoto S, Sakiyama Y, Sakamoto R, Abe I, Horiuchi T, Yanase T, Takayanagi R	Adrenal failure caused by a retroperitoneal malignant mesothelioma	Intern Med	48	2109-2114	2009
J.Suzuki, M.Ueno, M.Uno, Y.Hirose, Y.Zenimaru, S.Takahashi, JI.Osuga, S.shibashi, M.Takahashi, M.Hirose, M.Yamada, Kraemer FB, I.Miyamori	Effects of hormone-sensitive lipase disruption on cardiac energy metabolism in response to fasting and refeeding	Am J Physiol Endocrinol Metab	297	E1115-E1124	2009
Y.Umeda, Y.Demura, T.Ishizaki, S.Ameshima, I.Miyamori, Y.Saito, T.Tsuchida, Y.Fujibayashi, H.Okazawa	Dual-time-point 18F-FDG PET imaging for diagnosis of disease type and disease activity in patients with idiopathic interstitial pneumonia	Eur J Nucl Med Mol Imaging	36 (7)	1121-1130	2009
T.Konoshita, N.Kato, Fuchs S, S.Mizuno, C.Aoyama, M.Motomura, Y.Makino, S.Wakahara, I.Inoki, I.Miyamori, Pinet F	Genetic Variant of the Renin-Angiotensin System and Diabetes Influences Blood Pressure Response to Angiotensin Receptor Blocker	Diabetes Care	32(8)	1485-1490	2009

Kim, M., Kondo, T., Takada, I., Youn, M., Yamamoto, Y., Takahashi, S., Matsumoto, T., Fujiyama, S., Shirode, Y., Yamaoka, I., Kitagawa H., Takeyama, K., Shibuya, H., Ohtake, F. Kato, S.	DNA demethylation in hormone-induced transcriptional derepression	Nature	461	1007-1012	2009
Fujiki, R., Chikanishi, T., Hashiba, W., Ito, H., Takada, I., Roeder, R. G., Kitagawa, H. and Kato, S.	GlcNAcylation of a histone methyltransferase in retinoic acid-induced granulopoiesis	Nature	459	455-459	2009
Yamagata, K., Fujiyama, S., Ito, S., Ueda, T., Murata, T., Naitou, M., Takeyama, K., Minami, Y., O'Malley, B. W. Kato, S.	Maturation of microRNA is hormonally regulated by a nuclear receptor.	Mol. Cell	36	340-347	2009
Zhao, Y., Takeyama, K., Sawatsubashi, S., Ito, S., Suzuki, E., Yamagata, K., Tanabe, M., Kimura, S., Fujiyama, S.,	Corepressive action of CBP on androgen receptor transactivation in	Mol. Cell. Biol	29	1017-1034	2009
Kouzu-Fujita, M., Mezaki, Y., Mtsumoto, T., Yamaoka, I., Sawatsubashi, S., Yano, T., Taketani, Y., Kitagawa, H. and Kato, S.	Co-activation of ER β by a gonadotropin-induced cofactor	Mol. Cell. Biol.	29	83-92	2009
Imai, Y., Kondoh, S., Kouzmenko, A. Kato, S.	Regulation of bone metabolism by nuclear receptors. 310, 3-10, 2009.	Mol. Cell. Endocrinol.	310	3-10	2009
Yoshimura, K., Kitagawa, H., Fujiki, R., Tanabe, M., Takezawa, S., Takada, I., Yamaoka, I., Yonezawa, M., Kondo, T., Furutani, Y., Yagi, H., Yoshinaga, S., Masuda, T., Fukuda, T., Yamamoto, Y., Ebihara, K., Li, D. Y., Matsuoka, R., Takeuchi, J. K., Matsumoto, T. Kato, S.	Distinct function of 2 chromatin remodeling complexes that share a common subunit, Williams syndrome transcription factor (WSTF)	Proc. Natl. Acad. Sci. USA	106	9280-9285	2009
Suzuki, E., Zhao, Y., Ito, S., Sawatsubashi, S., Murata, T., Furutani, T., Shirode, Y., Yamagata, K., Tanabe, M., Kimura, S., Ueda, T., Fujiyama, S., Lim, J., Matsukawa, H., Kouzmenko, A. P., Aigaki, T., Tabata, T., Takeyama, K. Kato, S.	Aberrant E2F activation by polyglutamine expansion of androgen receptor in SBMA neurotoxicity	Proc. Natl. Acad. Sci. USA	106	3818-3822	2009
Imai, Y., Nakamura, T., Matsumoto, T., Takaoka, K. and Kato, S.	Molecular mechanisms underlying the effects of sex steroids on bone and mineral metabolism	J. Bone Miner. Metab.	27	127-130	2009

Fujiyama Nakamura, S., Ito, S., Sawatsubashi, S., Yamauchi, Y., Suzuki, E., Tanabe, M., Kimura, S., Murata, T., Isobe, T., Takeyama, K. Kato, S.	BTB protein, dKLHL18/CG3571, serves as an adaptor subunit for a dCul3 ubiquitin ligase complex	Genes to Cells	14	965-973	2009
Ohtake, F., Fujii-Kuriyama, Y. and Kato, S.	AhR acts as an E3 ubiquitin ligase to modulate steroid receptor functions	Biochem. Pharmacol.	77	474-484	2009
Takada, I., Kouzmenko, A. P. Kato, S.	Wnt and PPARgamma signaling in osteoblastogenesis and adipogenesis.	Nat. Rev. Rheumatol	5	442-447	2009
Takada, I., Kouzmenko, A. P. Kato, S.	Molecular switching of osteoblastogenesis versus adipogenesis: implications for targeted therapies	Expert Opin. Ther. Targets.	13	593-603	2009
Yoshikawa N, Nagasaki M, Sano M, Tokudome S, Ueno K, Shimizu N, Imoto S, Miyano S, Suematsu M, Fukuda K, Morimoto C, Tanaka H.	Ligand-based gene expression profiling identifies critical role of glucocorticoid receptor in rat neonatal cardiomyocytes.	Am J Physiol Endocrinol Metab.	296(6)	E1363-1373	2009
Tokudome S, Sano M, Shinmura K, Matsuhashi T, Morizane S, Moriyama H, Tamaki K, Hayashida K, Nakanishi H, Yoshikawa N, Shimizu N, Endo J, Katayama T, Murata M, Yuwasa S, Kaneda R, Tomita K, Eguchi N, Urade Y, Asano K, Utsunomiya Y, Suzuki T, Taguchi R, Tanaka H, Fukuda K.	. Glucocorticoid protects rodent hearts from ischemia/reperfusion injury by activating lipocalin-type prostaglandin D synthase-derived PGD2 biosynthesis.	J Clin Invest	119(6)	1477-1488	2009
Yo K, Iwata S, Hashizume Y, Kondo S, Nomura S, Hosono O, Kawasaki H, Tanaka H, Dang NH, Morimoto C.	SHP-2 inhibits tyrosine phosphorylation of Cas-L and regulates cell migration.	Biochem Biophys Res Commun.	382(1)	210-214	2009
Fukazawa T, Maeda Y, Matsuoka J, Naomoto Y, Tanaka H, Durbin ML, Tanaka N.	Drug-regulatable cancer cell death induced by BID under control of the tissue-specific, lung cancer targeted TTS promoter system.	Int J Cancer	125(8)	1975-1984	2009
Min L, Yanase T, Tanaka T, Fan W, Nomura M, Kawate H, Okabe T, Takayanagi R, Nawata H.	A novel synthetic androgen receptor ligand, S42, works as a selective androgen receptor modulator and possesses metabolic effects with little impact on the prostate.	Endocrinology	15	5606-5616	2009
Katsumata N, Ogawa E, Fujiwara I, Fujikura K.	Novel CYP17A1 mutation in a Japanese patient with combined 17 α -hydroxylase/17,20-lyase deficiency.	Metabolism	59(2)	275-278	2010

Yazawa, T., Inaoka, Y., Okada, R., Mizutani, T., Yamazaki, Y., Usami, Y., Kuribayashi, M., Orisaka, M., Umezawa, A., Miyamoto, K.	Peroxisome proliferator-activated receptor-gamma coactivator-1 alpha regulates progesterone production in ovarian granulosa cells with steroidogenic factor-1 and liver receptor homolog-1	Mol. Endocrinol.	in press		2010
Murai-Takeda A, Shibata H, Kurihara I, Kobayashi S, Yokota K, Suda N, Mitsuishi Y, Rie Jo, Kitagawa H, Kato S, Saruta T, Itoh H.	NF- κ B is a corepressor of agonist-bound mineralocorticoid receptor.	J.Biol.Chem,	Jan.6, epub ahead of print		2010
Nishimoto K, Nakagawa K, Li D, Kosaka T, Oya M, Mikami S, Shibata H, Itoh H, Mitani F, Yamazaki T, Ogishima T, Suematsu M, Mukai K.	Adrenocortical zonation in humans under normal and pathologic conditions.	J Clin Endocrinol Metab	in press		2010
Sawatsubashi, S., Murata, T., Lim, J., Fujiki, R., Ito, S., Suzuki, E., Tanabe, M., Zhao, Y., Kimura, S., Fujiyama, S., Ueda, T., Umetsu, D., Ito, T., Takeyama, K. Kato, S.	Histone chaperone DEK coactivates a nuclear receptor: a functional link to leukemia	Genes Dev.	24	159-170	2010
Ochiai, E., Kitagawa, H., Takada, I., Fujiyama, S., Sawatsubashi, S., Kim, M.-S., Mezaki, Y., Tshushima, Y., Takagi, K., Azuma, Y., Takeyama, K., Yamaoka, K., Kato, S. Kamimura, T	CDP/Cut is an osteoblastic co-activator of the vitamin D receptor (VDR)	J. Bone Miner. Res.		in press	2010
Oya, H., Yokoyama, A., Yamaoka, I., Fujiki, R., Yonezawa, M., Youn, M.-Y., Takada, I., Kato, S. Kitagawa, H.	Phosphorylation of WSTF by MAPK induces a switching between two distinct chromatin remodeling complexes	J. Biol. Chem.	284	32472-324	2010
Kwintkiewicz J, Nishi Y, Yanase T, Giudice LC.	Peroxisome Proliferator-Activated Receptor gamma Mediates the Endocrine Disrupter Bisphenol A Inhibition of FSH-stimulated IGF-I, Aromatase and Estradiol in Human Granulosa Cells.	Environ Health Perspect	in press		2010
Akimoto, C., Ueda, T., Inoue, K., Yamaoka, I., Sakari, M., Obara, W., Fujioka, T., Nagahara, A., Nonomura, N., Tsutsumi, S., Aburatani, H., Miki, T., Matsumoto, T., Kitagawa, H. Kato, S.	Testis-specific protein on Y chromosome (TSPY) represses the activity of the androgen receptor in androgen-dependent testicular germ-cell tumors	Proc. Natl. Acad. Sci. USA	107	19891-19896	2010

Youn, M. Y., Takada, I., Imai, Y., Yasuda, H. Kato, S.	Transcriptionally active nuclei are selective in mature multinucleated osteoclasts	Genes to Cells	15	1025-1035	2010
Yokoyama, A., Okuno, Y., Chikanishi, T., Hashiba, W., Sekine, H., Fujiki, R. Kato, S.	KIAA1718 is a histone demethylase that erases repressive histone methyl marks	Genes to Cells	15	867-873	2010
Matsuyama, R., Takada, I., Yokoyama, A., Fujiyama-Nakamura, S., Tsuji, N., Kitagawa, H., Fujiki, R., Kim, M., Kouzu-Fujita, M., Yano, T. Kato, S.	Double PHD fingers protein DPF2 recognizes acetylated histones and suppresses the function of estrogen-related receptor alpha through histone deacetylase 1	J. Biol. Chem.	285	18166-18176	2010
Imai, Y., Kondoh, S., Kouzmenko, A. and Kato, S.	Minireview: osteoprotective action of estrogens is mediated by osteoclastic estrogen receptor alpha	Mol. Endocrinol.	24	877-885	2010
Chikanishi, T., Fujiki, R., Hashiba, W., Sekine, H., Yokoyama, A. Kato, S.	Glucose-induced expression of MIP-1 genes requires O-GlcNAc transferase in monocytes	Biochem. Biophys. Res. Commun.	39	865-870	2010
Takada, I., Tsuji, N., Youn, M. Y., Fujiyama, S., Okada, M., Imai, Y., Kondo, S., Kitakawa, H., Yasuda, H. Kato, S.	Purification and identification of estrogen receptor alpha co-regulators in osteoclasts	Ann. N Y Acad. Sci.	1192	201-207	2010
Kato, S.	The new dimension of endocrinology: nuclear/intracellular endocrinology	Endocr. J.	57	99-100	2010
Takada, I., Kouzmenko, A. P., Kato, S.	PPAR gamma signaling crosstalk in mesenchymal stem cells	PPAR Research	Article 341671	6 pages	2010
Youn, M. Y., Fujiyama-Nakamura, S., Takada, I., Imai, Y. Kato, S.	Identification of osteoclastic factors in the nuclear envelope of mature, multinucleated osteoclasts	Biosci. Biotechnol. Biochem.	74	1956-1959	2010
Sawatsubashi, S., Murata, T., Lim, J., Fujiki, R., Ito, S., Suzuki, E., Tanabe, M., Zhao, Y., Kimura, S., Fujiyama, S., Ueda, T., Umetsu, D., Ito, T., Takeyama, K. Kato, S.	A histone chaperone, DEK, transcriptionally coactivates a nuclear receptor	Genes Dev.	24	159-170	2010
Ochiai, E., Kitagawa, H., Takada, I., Fujiyama, S., Sawatsubashi, S., Kim, M.-S., Mezaki, Y., Tshushima, Y., Takagi, K., Azuma, Y., Takeyama, K., Yamaoka, K., Kato, S. Kamimura, T.	CDP/Cut is an osteoblastic co-activator of the vitamin D receptor (VDR)	J. Bone Miner. Res.	25	1157-1166	2010
Duteil, D., Chambon, C., Ali, F., Malivindi, R., Zoll, J., Kato, S., Geny, B., Chambon, P. Metzger, D.	The transcriptional coregulators TIF2 and SRC-1 regulate energy homeostasis by modulating mitochondrial respiration in skeletal muscles	Cell Metab.	12	496-508	2010

Kawamori, Y., Katayama, Y., Asada, N., Minagawa, K., Sato, M., Okamura, A., Shimoyama, M., Nakagawa, K., Okano, T., Tanimoto, M., Kato, S. Matsui, T.	Importance of vitamin D receptor for neuronal control of hematopoietic stem cell niche	Blood	116	5528-5535	2010
Sumitomo-Ueda, Y., Aihara, K., Ise, T., Yoshida, S., Ikeda, Y., Uemoto, R., Yagi, S., Iwase, T., Ishikawa, K., Hirata, Y., Akaike, M., Sata, M., Kato, S. Matsumoto, T.	Heparin cofactor II protects against angiotensin II induced cardiac remodeling via attenuation of oxidative stress in mice	Hypertension	56	430-436	2010
Chambon, C., Duteil, D., Vignaud, A., Ferry, A., Messaddeq, N., Malivindi, R., Kato, S., Chambon, P. Metzger, D.	Myocytic androgen receptor controls the strength but not the mass of limb muscles	Proc. Natl. Acad. Sci. USA	107	14327-14332	2010
Ikeda, Y., Aihara, K., Akaike, M., Sato, T., Ishikawa, K., Ise, T., Yagi, S., Iwase, T., Ueda, Y., Yoshida, S., Azuma, H., Walsh, K., Tamaki, T., Kato, S. Matsumoto, T.	Androgen receptor counteracts Doxorubicin-induced cardiotoxicity in male mice	Mol. Endocrinol.	24	1338-1348	2010
Jeong, J. H., Jung, Y. K., Kim, H. J., Jin, J. S., Kim, H. N., Kang, S. M., Kim, S. Y., van Wijnen, A. J., Stein, J. L., Lian, J. B., Stein, G. S., Kato, S. Choi, J. Y.	The gene for aromatase, arate-limiting enzyme for local estrogen biosynthesis, is a downstream target gene of Runx2 in skeletal tissues	Mol. Cell. Biol.	30	2365-2375	2010
Miyauchi, Y., Ninomiya, K., Miyamoto, H., Sakamoto, A., Iwasaki, R., Hoshi, H., Miyamoto, K., Hao, W., Yoshida, S., Morioka, H., Chiba, K., Kato, S., Tokuhisa, T., Saitou, M., Toyama, Y., Suda, T. and Miyamoto, T.:	The Blimp1-Bcl6 axis is critical to regulate osteoclast differentiation and bone homeostasis	J. Exp. Med.	207	751-762	2010
Yu, J., Akishita, M., Eto, M., Ogawa, S., Son, B. K., Kato, S., Ouchi, Y. Okabe, T.	Androgen receptor-dependent activation of endothelial nitric oxide synthase in vascular endothelial cells: role of phosphatidylinositol 3-kinase/akt pathway	Endocrinology	151	1822-1828	2010
Mizoguchi, F., Izu, Y., Hayata, T., Hemmi, H., Nakashima, K., Nakamura, T., Kato, S., Miyasaka, N., Ezura, Y. Noda, M.	Osteoclast-specific Dicer gene deficiency suppresses osteoclastic bone resorption	J. Cell. Biochem.	109	866-875	2010

Murai-Takeda, A., Shibata, H., Kurihara, I., Kobayashi, S., Yokota, K., Suda, N., Mitsuishi, Y., Jo, R., Kitagawa, H., Kato, S., Saruta, T. Itoh, H.	NF- κ B functions as a corepressor of agonist-bound mineralocorticoid receptor	J. Biol. Chem.	285	8084-8093	2010
Son, B. K., Akishita, M., Iijima, K., Ogawa, S., Maemura, K., Yu, J., Takeyama, K., Kato, S., Eto, M., Ouchi, Y.	Androgen receptor-dependent transactivation of growth arrest- specific gene 6 mediates inhibitory effects of testosterone on vascular calcification	J. Biol. Chem.	285	7537-7544	2010
Nishikawa, K., Nakashima, T., Hayashi M., Fukunaga, T., Kato, S., Kodama, T., Takahashi, S., Calame, K. Takayanagi, H.	Blimp1-mediated repression of negative regulators is required for osteoclast differentiation	Proc. Natl. Acad. Sci. USA	107	3117-3122	2010
Koyama, S., Wada-Hiraike, O., Nakagawa, S., Tanikawa, M., Hiraike, H., Miyamoto, Y., Sone, K., Oda, K., Fukuhara, H., Nakagawa, K., Kato, S., Yano, T. Taketani, Y.	Repression of estrogen receptor beta function by putative tumor suppressor DBC1	Biochem. Biophys. Res. Commun.	392	357-362	2010
Nagy, Z., Riss, A., Fujiyama, S., Krebs, A., Orpinell, M., Jansen, P., Cohen, A., Stunnenberg, H. G., Kato, S. Tora, L.	The metazoan ATAC and SAGA coactivator HAT complexes regulate different sets of inducible target genes.	Cell. Mol. Life Sci.	67	611-628	2010
Arakawa K, Kudo T, Ikawa M, Morikawa N, Kawai Y, Sahashi K, Lee JD, Kuriyama M, Miyamori I, Okazawa H, Yoneda M.	Abnormal Myocardial Energy Production State in Mitochondrial	Circ J.	74	2702-11	2010
Konoshita T, Makino Y, Kimura T, Fujii M, Wakahara S, Arakawa K, Inoki I, Nakamura H, Miyamori I. Genomic Disease Outcome Consortium Study Investigators.	A new generation N/L-type calcium channel blocker leads to less activation of the renin-angiotensin system compared with conventional L type calcium channel blocker.	J Hypertens	10	2156-60	2010
Wei H, Mi X, Ji L, Yang L, Xia Q, Wei Y, Miyamori I, Fan C.	Protein kinase C-delta is involved in induction of NOX1 gene expression by aldosterone in rat vascular smooth muscle cells.	Biochemistry (Mosc)	75(3)	304-9	2010
Miyamoto, K., Yazawa, T., Mizutani, T., Imamichi, Y., Kawabe, S., Ju, Y., Umezawa, A.	Stem cell differentiation into steroidogenic cell lineages by NR5A family.	Mol. Cell. Endocrinol.	in press		2010

Yazawa, T., Kawabe, S., Inaoka, Y., Okada, R., Mizutani, T., Imamichi, Y., Ju, Y., Yamazaki, Y., Usami, Y., Kuribayashi, M., Umezawa, A., Miyamoto, K.	Differentiation of mesenchymal stem cells and embryonic stem cells into steroidogenic cells using steroidogenic factor-1 and liver receptor homolog-1.	Mol. Cell. Endocrinol.	in press		2010
Mizutani, T., Yazawa, T., Ju, Y., Imamichi, Y., Uesaka, M., Inaoka, Y., Matsuura, K., Kamiki, Y., Oki, M., Umezawa, A., Miyamoto, K.	Identification of a novel distal control region upstream of the human steroidogenic acute regulatory protein (StAR) gene that participates in SF-1-dependent chromatin architecture.	J. Biol. Chem.	285(36)	28240-28251	2010
Yazawa, T., Inaoka, Y., Okada, R., Mizutani, T., Yamazaki, Y., Usami, Y., Kuribayashi, M., Orisaka, M., Umezawa, A., Miyamoto, K.	Peroxisome proliferator-activated receptor-gamma coactivator-1 alpha regulates progesterone production in ovarian granulosa cells with steroidogenic factor-1 and liver receptor homolog-1.	Mol. Endocrinol.	24(3)	485-496	2010
Takahashi K, Shoji I, Shibasaki A, Kato I, Hiraishi K, Yamamoto H, Kaneko K, Murakami O, Morimoto R, Satoh F, Ito S, Totsune K	Presence of kisspeptin-like immunoreactivity in human adrenal glands and adrenal tumors.	<i>J Mol Neurosci.</i>	May;41(1)	138-44	2010
Takahashi K, Yamamoto H, Hirose T, Hiraishi K, Shoji I, Ahibasaki A, Kato I, Kaneko K, Sasano H, Satoh F, Totsune K.	Expression of (pro)renin receptor in human kidneys with end-stage kidney disease due to diabetic nephropathy.	<i>Peptides.</i>	31(7)	1405-8	2010
Takahashi K. Shoji I. Shibasaki A. Kato I. Hiraishi K. Yamamoto H. Kaneko K. Murakami O. Morimoto R. Satoh F. Ito S. Totsune K.	Presence of Kisspeptin-like Immunoreactivity in Human Adrenal Glands and Adrenal Tumors .	<i>Journal of Molecular Neuroscience.</i>	41(1)	138-44	2010
Shoji I, Hirose T, Mori N, Hiraishi K, Kato I, Shibasaki A, Yamamoto H, Ohba K, Kaneko K, Morimoto R, Satoh F, Kohzuki M, Totsune K, Takahashi K.	Expression of kisspeptins and kisspeptin receptor in the kidney of chronic renal failure rats.	<i>Peptides.</i>	31(1)	1920-5	2010
Takahashi K, Hiraishi K, Hirose T, Kato I, Yamamoto H, Shoji I, Shibasaki A, Kaneko K, Satoh F, Totsune K.	Expression of (pro)renin receptor in the human brain and pituitary, and co-localisation with arginine vasopressin and oxytocin in the hypothalamus.	<i>Journal of neuroendocrinology.</i>	22(5)	453-9	2010
Yano K, Doshida M, Toya M, Sato Y, Akahira J, Sasano H	Potential indications for ovarian autotransplantation based on the analysis of 5,571 autopsy findings of females under the age of 40 in Japan.	Fertil Steril	93	2429-2430	2010

Geisler J, Suzuki T, Helle H, Miki Y, Nagasaki S, Duong NK, Ekse D, Aas T, Evans DB, Lønning PE, Sasano H	Breast cancer aromatase expression evaluated by the novel antibody 677: Correlations to intra-tumor estrogen levels and hormone receptor status.	J Steroid Biochem Mol Biol	118	237-241	2010
Hata S, Miki Y, Fujishima F, Sato R, Okaue A, Abe K, Ishida K, Akahira J, Unno M, Sasano H	Cytochrome 3A and 2E1 in human liver tissue: Individual variations among normal Japanese subjects.	Life Sci	86	393-401	2010
Chanplakorn N, Chanplakorn P, Suzuki T, Ono K, Chan MS, Miki Y, Saji S, Ueno T, Toi M, Sasano H	Increased estrogen sulfatase (STS) and 17beta-hydroxysteroid dehydrogenase type 1(17beta-HSD1) following neoadjuvant aromatase inhibitor therapy inbreast cancer patients.	Breast Cancer Res Treat	120	639-648	2010
Takagi K, Miki Y, Nagasaki S, Hirakawa H, Onodera Y, Akahira J, Ishida T, Watanabe M, Kimijima I, Hayashi S, Sasano H, Suzuki T	Increased intratumoral androgens in human breast carcinoma following aromatase inhibitor exemestane treatment.	Endocr Relat Cancer	17	415-430	2010
Yiu CC, Sasano H, Ono K, Chow LW	Changes in protein expression after neoadjuvant use of aromatase inhibitors in primary breast cancer: a proteomic approach to search for potential biomarkers to predict response or resistance.	Expert Opin Investig Drugs	19	S79-S89	2010
Hammond ME, Hayes DF, Dowsett M, Allred DC, Hagerty KL, Badve S, Fitzgibbons PL, Francis G, Goldstein NS, Hayes M, Hicks DG, Lester S, Love R, Mangu PB, McShane L, Miller K, Osborne CK, Paik S, Perlmutter J, Rhodes A, Sasano H, Schwartz JN, Sweep FC, Taube S, Torlakovic EE, Valenstein P, Viale G, Visscher D, Wheeler T, Williams RB, Wittliff JL, Wolff AC	American society of clinical oncology/college of american pathologists guideline recommendations for immunohistochemical testing of estrogen and progesterone receptors in breast cancer.	J Clin Oncol	28	2784-2795	2010
Iino K, Oki Y, Yamashita M, Matsushita F, Hayashi C, Yogo K, Nishizawa S, Yamada S, Maekawa M, Sasano H, Nakamura H	Possible Relevance between Prohormone Convertase 2 Expression and Tumor Growth in Human Adrenocorticotropin-Producing Pituitary Adenoma.	J Clin Endocrinol Metab	95	4003-4011	2010

Yue X, Akahira J, Utsunomiya H, Miki Y, Takahashi N, Niikura H, Ito K, Sasano H, Okamura K, Yaegashi N	Steroid and Xenobiotic Receptor (SXR) as a possible prognostic marker in epithelial ovarian cancer.	Pathol Int	60	400-406	2010
Ikoma A, Saito T, Murata M, Toyoshima H, Nakamura Y, Kawakami M, Sasano H, Ishikawa SE	Bilateral aldosteronoma associated with secondary aldosteronism in a chronic hemodialysis subject.	Intern Med	49	1017-1021	2010
Tamaki K, Sasano H, Ishida T, Miyashita M, Takeda M, Amari M, Tamaki N, Ohuchi N	Comparison of core needle biopsy (CNB) and surgical specimens for accurate preoperative evaluation of ER, PgR and HER2 status of breast cancer patients.	Cancer Sci	101	2074-2079	2010
Sasaki Y, Miki Y, Hirakawa H, Onodera Y, Takagi K, Akahira JI, Honma S, Ishida T, Watanabe M, Sasano H, Suzuki T	Immunolocalization of estrogen-producing and metabolizing enzymes in benign breast disease: Comparison with normal breast and breast carcinoma.	Cancer Sci	101	2286-2292	2010
Terui K, Sakihara S, Kageyama K, Nigawara T, Takayasu S, Matsuhashi Y, Kon A, Yamamoto H, Ohyama C, Sasano H, Suda T	A case of adrenocortical oncocytoma occurring with aldosteronoma.	J Clin Endocrinol Metab	95	3597-3598	2010
Miki Y, Suzuki T, Abe K, Suzuki S, Niikawa H, Iida S, Hata S, Akahira J, Mori K, Evans DB, Kondo T, Yamada Okabe H, Sasano H	Intratumoral localization of aromatase and interaction between stromal and parenchymal cells in the non-small cell lung carcinoma microenvironment	Cancer Res	70	6659-6669	2010
Tsujimoto T, Takaichi M, Endo H, Yasuda K, Kishimoto M, Noto H, Gomibuchi H, Yasuda H, Yamamoto-Honda R, Takahashi Y, Kajio H, Sasano H, Noda M	A Patient With Diabetes and Breast Cancer In Whom Virilization Was Caused by a Testosterone-Producing Mature Cystic Teratoma Containing a Brenner Tumor	Am J Med Sci		Epub ahead of print	2010
Yiu CC, Chanplakorn N, Chan MS, Loo WT, Chow LW, Toi M, Sasano H	Down-regulation of heat-shock protein 70 (HSP-70) correlated with responsiveness to neoadjuvant aromatase inhibitor therapy in breast cancer patients.	Anticancer Res	30	3465-3472	2010
Yamaguchi S, Shibata H, Miyashita K, Kurihara I, Murai Takeda A, Mitsuishi Y, Motosugi T, Saito Y, Hayashi K, Itoh H	Gastrointestinal pseudo-obstruction after debulking surgery of malignant pheochromocytoma, improved by intravenous administration of alpha-adrenergic receptor blocker, phentolamine	Hypertens.Res.	33	753-754	2010

Yuge K, Miyajima A, Hasegawa M, Miyazaki Y, Maeda T, Takeda T, Takeda A, Miyashita K, Kurihara I, Shibata H, Kikuchi E, Oya M	Initial experience of transumbilical laparoendoscopic single-site surgery of partial adrenalectomy in patient with aldosterone-producing adenoma	BMC Urol	10	19	2010
Kusaka M, Katoh Fukui Y, Ogawa H, Miyabayashi K, Baba T, Sugiyama N, Sugimoto Y, Okuno Y, Kodama R, Iizuka Kogo A, Senda T, Aizawa S, Morohashi K	Abnormal epithelial cell polarity and migration of Emx2 KO embryonic gonads induced by ectopic EGFR expression.	Endocrinology	151	5893-5904	2010
Yokoyama Y, Katoh Fukui Y, Morohashi K, Konno D, Azauma M, Tachibana T	Production and characterization of monoclonal antibodies to germ cells.	Hybridoma	29	53-57	2010
Katsumata N, Shinagawa T, Horikawa R, Fujikura K.	IVS9-9C>A, not IVS9-9A>C, mutation in CYP21A2 causes classic salt-wasting steroid 21-hydroxylase deficiency.	Metabolism	59(10)	e12	2010
Katsumata N, Shinagawa T, Horikawa R, Fujikura K.	Novel intronic CYP21A2 mutation in a Japanese patient with classic salt-wasting steroid 21-hydroxylase deficiency.	Metabolism	59(11)	1628-1632	2010
Nagasaki K, Katsumata N, Ogawa Y, Kikuchi T, Uchiyama M.	Novel C617Y mutation in the 7th transmembrane segment of luteinizing hormone/choriogonadotropin receptor in a Japanese boy with peripheral precocious puberty.	Endocr J	57(12)	1055-1060	2010
Ueshiba H, Yoshino G	The ACE inhibitor, imidapril improves insulin resistance and increases adrenal androgens to the same extent as the ARB, telmisartan.	Therapeutic Research	31(3)	381-387	2010
Ishikawa M, Kimura K, Tachibana T, Hashimoto H, Shimojo M, Ueshiba H, Tsuboi K, Shibuya K, Yoshino G	Establishment and characterization of a novel cell line derived from a human small cell lung carcinoma that secretes parathyroid hormone, parathyroid hormone-related protein, and pro-opiomelanocortin.	Human Cell	23	58-64	2010
Ito Y, Yoshimura K, Matsuzawa Y, Saito J, Ito H, Furukawa H, Okura K, Fukata M, Konishi T, Nishikawa T	Successful treatment of a mycotic aortic pseudoaneurysm in a patient with type 2 diabetes mellitus while treating primary aldosteronism with spironolactone	J Atheroscler Thrombosis	17	771-775	2010
Nishikawa T, Matsuzawa Y, Suematsu S, Saito J, Omura M, Kino T	Effect of atorvastatin on aldosterone production induce by glucose, LDL or angiotensin II in human renal mesangial cells.	Arzneim.Forsch	60(7)	445-451	2010
Nishikawa T Omura M	Commentary:Should primary aldosteronism be diagnosed among normotensive subjects during general health check-up and/or at general outpatient clinics ?	Hypertens Res	21		2010

Nishikawa T, Matsuzawa Y, Saito J, Omura M.	Is it possible to extirpate cardiovascular events in primary aldosteronism after surgical treatment.	Jpn Clinic Med	1	13-21?	2010
Ohnuma K, Hosono O, Katayose T, Yoshikawa N, Kawasaki H, Fujii T, Oyaizu N, Tanaka H, Morimoto C	Microscopic polyangiitis initiated with liver dysfunction, calf pain and fever of unknown origin.	Rheumatol Int.	30(12)	1651-6	2010
Fukazawa T, Maeda Y, Matsuoka J, Ono T, Mominoki K, Yamatsuji T, Shigemitsu K, Morita I, Murakami I, Tanaka H, Durbin ML, Naomoto Y.	Targeting KRAS mutation-bearing lung cancer in vivo by pulmonary surfactant-adenovirus-mediated gene transfer.	Anticancer Res.	30(12)	4925-35	2010
Dateki S, Kosaka K, Hasegawa K, Tanaka H, Azuma N, Yokoya S, Muroya K, Adachi M, Tajima T, Motomura K, Kinoshita E, Moriuchi H, Sato N, Fukami M, Ogata T.	Heterozygous orthodenticle homeobox 2 mutations are associated with variable pituitary phenotype.	J Clin Endocrinol Metab	95	756-764	2010
Tajima T, Yorifuji T, Ishizu K, Fujieda K	Loss of function mutation (V101A) in a LIM domain of the <i>LHX4</i> gene causes combined pituitary hormone deficiency	Exp Clin Endocrinol Diabetes	118	405-409	2010
Nakamura A, Shimizu C, Nagai S, Yoshida M, Aoki K, Kondo T, Miyoshi H, Wada N, Tajima T, Terauchi Y, Yoshioka N, Koike T	Problems in diagnosing atypical Gitelman's syndrome presenting with normomagnesaemia.	Clin Endocrinol (Oxf)	72	272-276	2010
Adachi M, Asakura Y, Muroya K, Tajima T, Fujieda K, Kuribayashi E, Uchida S.	Increased Na reabsorption via the Na-Cl cotransporter in autosomal recessive pseudohypoaldosteronism.	Clin Exp Nephrol	14	228-232	2010
Jo W, Ishizu K, Fujieda K, Tajima T.	Congenital hypothyroidism caused by a PAX8 gene mutation manifested as sodium/iodide symporter gene defect.	Journal of Thyroid Research	On-line		2010
Nanjo K, Nagai S, Shimizu C, Tajima T, Kondo T, Miyoshi H, Yoshioka N, Koike T.	Identification and functional analysis of novel calcium-sensing receptor gene mutation in familial hypocalciuric hypercalcemia.	Endocr J E-pub ahead			2010
Inoue H, Kangawa N, Kinouchi A, Sakamoto Y, Kimura C, Horikawa R, Shigematsu Y, Itakura M, Ogata T, Fujieda K	on behalf of the Japan Growth Genome Consortium. Identification and Functional Analysis of Novel Human Growth Hormone Secretagogue Receptor (GHSR) Gene Mutations in Japanese Subjects with Short Stature.	J Clin Endocrinol Metab	Nov 17. [Epub ahead of print]		2010
Jo W, Ishizu K, Fujieda K, Tajima T	Congenital Hypothyroidism Caused by a PAX8 Gene Mutation Manifested as Sodium/Iodide Symporter Gene Defect.	J Thyroid Res.			2010