

- Someya S, Yamasoba T, Kujoth GC, Pugh TD, Weindruch R, Tanokura M, Prolla TA: The role of mtDNA mutations in the pathogenesis of age-related hearing loss in mice carrying a mutator DNA polymerase γ . *Neurobiol Aging* 2008, 29: 1080–1092.
- Suzuki M, Ushio M, Yamasoba T. Time course of apoptotic cell death in guinea pig cochlea following intratympanic gentamicin application. *Acta Otolaryngol (Stockh)* 2008, 128: 724–731.
- 山崈達也: 内耳再生医療:現状と対策. *医学のあゆみ* 2008, 224: 240–241.
- 山崈達也: Auditory Neuropathyと聴神経腫瘍の臨床像の差. *ENTOINI* 2008, 93: 37–42.
- 山崈達也: 聴覚とアンチエイジング. *アンチエイジング医学の基礎と臨床* (改訂2版) Medical View 358–360, 2008.
- 森田明夫、赤松祐介、山崈達也、加我君孝: 脳幹聴覚インプラント手術のための臨床解剖. *JOHNS* 2008, 24:380–385.
- 森田明夫、鎌田恭輔、赤松祐介、山崈達也、加我君孝: 聴覚再建の外科. BRAIN MACHINE INTERFACE. 脳幹聴覚インプラントの実際. *Jpn J Neurosurg* 2008, 17: 511–517.
- 赤松祐介、尾形エリカ、坂井有紀、樋尾明憲、伊藤健、鈴木光也、山崈達也: 小児難聴児への対応. 小児人工内耳におけるチーム医療. *耳喉頭頸* 2008, 80: 845–849.
- 尾形エリカ、赤松祐介、山崈達也: 重複障害児の人工内耳手術. *JOHNS* 2008, 80:1 439–1442.
- 坂本幸士、山崈達也: 外傷性外リンパ瘻の治療. *ENTOINI* 2008, 94: 38–42.
- 染谷慎一、山崈達也、田之倉優: 老人性難聴とカロリー制限. *Anti-aging Medicine* 2008, 4:614–620.

分担研究者（水野邦博）

- Nakanishi H, Ohtsubo M, Iwasaki S, Hotta Y, Takizawa Y, Hosono K, Mizuta K, Mineta H, Minoshima S. Mutation analysis of the *MYO7A* and *CDH23* genes in Japanese patients with Usher syndrome type 1. *J Hum Genet*, Accepted.
- Nakanishi H, Ohtsubo M, Iwasaki S, Hotta Y, Mizuta K, Mineta H, Minoshima S. Hair roots as an mRNA source for mutation analysis of Usher syndrome-causing genes. *J Hum Genet* 55: 701–703, 2010.
- Nakanishi H, Mizuta K, Hamada N, Iwasaki S, Mineta H. Hereditary isolated ossicular anomalies in two generations of patients. *Auris Nasus Larynx*, Accepted.
- Takizawa Y, Mizuta K, Hayasaka T, Nakanishi H, Okamura J, Mineta H, Setou M: Mass microscope revealed specific localization of phosphatidylcholine(16:0/16:1) in the organ of Corti. *Audiol Neurotol*, Accepted .
- 中西啓、岩崎聰、瀧澤義徳、橋本泰幸、水野邦博、峯田周幸. 非典型的臨床症状を示

した *USH2A* 遺伝子変異例. 耳鼻臨床 103: 413-419, 2010.

水田邦博、中西啓. 耳管開放症の治療経験. 耳鼻咽喉科臨床 103: 702-703, 2010.

岩崎聰、中西啓、姜ぎよ g y ぎようぎよ g 洪仁、水田邦博. BAHA 両耳装用の 1 症例 有効性の評価. 耳鼻咽喉科・頭頸部外科 82: 475-478, 2010.

○Hosokawa S, Mizuta K, Nakanishi H, Hashimoto Y, Arai M, Mineta H, Shindo S, Ikezono T: Ultrastructural localization of cochlin in the rat cochlear duct. Audiol Neurotol 15(4):247-253, 2009.

○Nakanishi H, Ohtsubo M, Iwasaki S, Hotta Y, Mizuta K, Mineta H, Minoshima S: Identification of 11 novel mutations in *USH2A* among Japanese patients with Usher syndrome type 2. Clin Genet 76(4):383-391, 2009.

○中西啓、岩崎聰、橋本泰幸、水田邦博、峯田周幸: 人工内耳装用児における注意力欠損、多動・衝動性の経時的变化. Audiol Jpn 52(3): 172-176, 2009.

○中西啓、岩崎聰、今井篤志、林理佐子、水田邦博、峯田周幸: *SLC26A4* に遺伝子変異を認めた前庭水管拡張症の 2 例. 耳鼻臨床 102(9): 713-718, 2009.

○ Mizuta K, Ikezono T, Iwasaki S, Arai M, Hashimoto Y, Pawankar R, Watanabe T, Shindo S, Mineta H: Ultrastructural co-localization of cochlin and type II collagen in the rat semicircular canal. Neurosci Lett 434(1):104-107, 2008.

○ Arai M, Mizuta K, Sato A, Hashimoto Y, Iwasaki S, Watanabe T, Mineta H: Localization of megalin in rat vestibular dark cells and endolymphatic sac epithelial cells. Acta Otolaryngol 128(6):627-33, 2008.

○Shindo S, Ikezono T, Ishizaki M, Sekiguchi S, Mizuta K, Li L, Takumida M, Pawankar R, Yagi T : Spatiotemporal expression of cochlin in the inner ear of rats during postnatal development. Neurosci Lett 444(2):148-152, 2008.

○Iwasaki S, Nakanishi H, Misawa K, Tanigawa T, Mizuta K: Cochlear implant in children with asymptomatic congenital cytomegalovirus infection. Audiol Neurotol 14:146-152, 2008.

中西 啓、荒井真木、細川誠二、岩崎 聰、水田邦博、峯田周幸: Lemierre 症候群例. 耳鼻臨床 101 (6) : 473-477, 2008.

分担研究者(福島邦博)

Takeuchi A, Tsujigiwa H, Murakami J, Kawasaki A, Takeda Y, Fukushima K, Rodriguez AP, Nagatsuka H, Yamada M, Nishizaki K. Recombinant human bone morphogenetic protein-2/atelocollagen composite as a new material for ossicular reconstruction. J Biomed Mater Res A. 2009 Apr;89(1):36-45.

Gunduz E, Gunduz M, Beder L, Nagatsuka H, Fukushima K, Sutcu R, Delibas N, Yamanaka N, Shimizu K, Nagai N. Downregulation of TESTIN and its association with cancer

history and a tendency toward poor survival in head and neck squamous cell carcinoma. Arch Otolaryngol Head Neck Surg 2009, 135(3): 254-60.

前田幸英、福島邦博、西崎和則. siRNA を用いた内耳遺伝子治療モデル Otol. Japan. 2009 119(2)107-111

Sheikh Ali MA, Gunduz M, Nagatsuka H, Gunduz E, Cengiz B, Fukushima K, Beder LB, Demircan K, Fujii M, Yamanaka N, Shimizu K, Grenman R, Nagai N. Expression and mutation analysis of epidermal growth factor receptor in head and neck squamous cell carcinoma. Cancer Sci 2008, 99(8): 1589-94.

Kariya S, Okano M, Fukushima K, Nomiya S, Kataoka Y, Nomiya R, Akagi H, Nishizaki K. Expression of inflammatory mediators in the otitis media induced by *Helicobacter pylori* antigen in mice. Clin Exp Immunol 2008, 154(1): 134-40.

Pehlivan D, Gunduz E, Gunduz M, Nagatsuka H, Beder LB, Cengiz B, Rivera RS, Fukushima K, Palanduz S, Ozturk S, Yamanaka N, Shimizu K. Loss of heterozygosity at chromosome 14q is associated with poor prognosis in head and neck squamous cell carcinomas. Oncol 2008, 134(12): 1267-76.

Cetin E, Cengiz B, Gunduz E, Gunduz M, Nagatsuka H, Bekir-Beder L, Fukushima K, Pehlivan D, N MO, Nishizaki K, Shimizu K, Nagai N. Deletion mapping of chromosome 4q22-35 and identification of four frequently deleted regions in head and neck cancers. Neoplasma 2008, 55(4):299-304.

○Fukushima K, Mimaki N, Fukuda S, Nishizaki K. Pilot study of universal newborn hearing screening in Japan: district-based screening program in Okayama. Ann Otol Rhinol Laryngol 2008, 117(3): 166-71.

Rivera RS, Gunduz M, Nagatsuka H, Gunduz E, Cengiz B, Fukushima K, Beder LB, Pehlivan D, Yamanaka N, Shimizu K, Nagai N. Involvement of EphA2 in head and neck squamous cell carcinoma: mRNA expression, loss of heterozygosity and immunohistochemical studies. Oncol Rep 2008, 19(5): 1079-84.

Lefevre M, Gunduz M, Nagatsuka H, Gunduz E, Al Sheikh Ali M, Beder L, Fukushima K, Yamanaka N. Fine deletion analysis of 1p36 chromosomal region in oral squamous cell carcinomas. J Oral Path Med 2008, Mar 19. [Epub ahead of print]

○ Kariya S, Fukushima K, Kataoka Y, Tominaga S, Nishizaki K. Inner-ear obliteration in ulcerative colitis patients with sensorineural hearing loss. J Laryngol Otol. 2008 122(8):871-4.

○Fukushima K, Kawasaki A, Nagayasu R, Kunisue K, Maeda Y, Kariya S, Kataoka Y, Nishizaki K. Developmental dysgraphia with profound hearing impairment: intervention by auditory methods enabled by cochlear implant. Auris Nasus Larynx. 2008 35(2):250-4.

Gunduz M, Beder LB, Gunduz E, Nagatsuka H, Fukushima K, Pehlivani D, Cetin E, Yamanaka N, Nishizaki K, Shimizu K, Nagai N. Downregulation of ING3 mRNA expression predicts poor prognosis in head and neck cancer. *Cancer Sci.* 2008; 99(3):531-8.

