

| 班員 | 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|----------------|--|--|--|------------------------------|-----|-------|-------------------|
| 今泉勉 | 今泉 勉、 甲斐久史 | 著述ページは非公開 | 日本高血圧学 会編 | 高血圧専門医ガイドブッ ク | 診断と治 療社 | 東京 | 2009 | 著述ペー ジは非公 開 |
| | 大内田昌直、 今泉 勉 | Part11. 心不全治療薬と してのβ遮断薬の有用 性を探る 1. 慢性心不 全に関する大規模臨床 試験からみたβ遮断薬 の評価 | 荻原俊男、 築山久一郎、 松崎益徳、 島田和幸編 | β遮断薬のすべて (第 3版) | 先端医学 社 | 東京 | 2009 | 300-304 |
| 竹石恭知 | 竹石恭知 | II. 疾患の病因と病態 3. Toll-like receptor と心臓リモデリング | 山口 徹, 高本眞一, 中澤 誠, 小室一成 | Annual Review 循環器 2009 | 中外医学 社 | 東京 | 2009 | 66-75 |
| | 泉田次郎, 竹石恭知 | 第1部 100のキーワー ドから修得する循環器 ケア; KEY WORD 53: MRI検査, KEY WORD 54: CT検査, KEY WORD 55: 運動負荷心電図検査, KEY WORD 56: 電気生理 検査 | 西村重敬 | みるみるマスター! 循 環器ケアのトレーニング ブック 100のキーワー ド&50のケース&250問ク イズ | (株)メ ディカ出 版 | 大阪 | 2009 | 124-131 |
| | 鈴木 均, 竹石恭知 | 3. 不整脈, 失神: 心臓 電気生理検査で異常が 出ないときは、睡眠時 無呼吸症を疑え | 山科 章 | 循環器検査のグノー ティ・セアウトン ー過 信せず侮らず、謙虚で緻 密な検査とは | (株)シナ ジー | 東京 | 2009 | 204-207 |
| 川名正敏 | 島本健・ 川名正敏 | 心室相互作用 (右心左 心連関) | 北風政史 | 診療に活かす心機能評価 - 症例で身につける評価 法のポイント | 洋土社 | 東京 | 2010 | 71 |
| | 川名正敏 | アテノロール | 北風政史 | 循環治療薬ハンドブック | 中外医学 社 | 東京 | 2010 | 357 |
| | 川名正敏 | カルベジロール | 北風政史 | 循環治療薬ハンドブック | 中外医学 社 | 東京 | 2010 | 360 |
| | 川名正敏 | メトプロロール | 北風政史 | 循環治療薬ハンドブック | 中外医学 社 | 東京 | 2010 | 364 |
| | 川名正敏 | アルドステロンによる 心筋障害・繊維化のメ カニズムをみる | 猿田亨男 | 選択的アルドステロンブ ロッカーのすべて | 先端医学 社 | 東京 | 2009 | 63 |
| | 川名正敏 | PDEⅢと塩酸コルホルシ ンダロパート | 北風政史 | 重症心不全の予防と治療 | 中外医学 社 | 東京 | 2009 | 252 |
| 河合祥雄 | 河合祥雄 | リウマチ熱 | 高久史磨ほか 監修、 貫和敏博ほか 編集 | 新臨床内科学、第9版、 | 医学書院 | 東京都 | 2009年 | 199-201 |
| | 河合祥雄 | 健康生活コーディネー ト学習教材 | 千葉県健康福 祉部健康づく り支援課 がん・生活習 慣病病対策室 | 健康生活コーディネー ト学習教材 | 千葉県健 康福祉部 健康づく り支援課 | 千葉県 | 2009年 | |
| | 河合祥雄 | 心筋症病理の包括的理 解—心筋症の病理像は ひとつではない— | 鄭 忠和 | 心筋症-基礎と臨床: Up to Date | 医師薬出 版株式会 社 | 東京都 | 2009年 | 22-27 |
| | 河合祥雄 | 心臓腫瘍 | 相澤義 | メディカルノート 循環 器疾患がわかる | 西村書店 | 東京都 | 2009年 | 160-163 |

| 班員 | 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|--------------------------|------------------------------|-----------|---|--------------|-----|-------|---------|
| 今中恭子 | 今中-吉田恭子、 吉田利通 | matricellularタンパク質 | 田畑泰彦 | ますます重要になる細胞 周辺環境（細胞ニッチ） の最新科学技術 | メディカル ルドウ | 大阪 | 2009年 | 206-210 |
| 北浦泰 | 神崎裕美子, 寺崎文生, 北浦 泰. | 肥大型心筋症-抗不整脈 薬-シベンゾリン | 北風政史 | 循環器治療薬ハンドブッ ク | 中外医学 社 | 東京 | 2010 | 542-545 |
| | 神崎裕美子, 寺崎文生, 北浦 泰. | 第3章 後天性心疾患と MDCT. B. 心筋疾患 | | 循環器医のための心血管 CTパーフェクトガイド | 中山書店 | 東京 | 2010 | 印刷中 |
| | 伊藤隆英, 寺崎文生, 北浦 泰. | 拘束型心筋症 | 川名正敏 他 | カラー版 循環器病学 基 礎と臨床 | 西村書店 | 東京 | 2010 | 印刷中 |
| | 大塚 薫, 寺崎文生, 北浦 泰. | 意識消失発作にて入院 した52歳女性 | 山科 章 他 | New専門医を目指すケー ス・メソッド・アプロー チ10循環器疾患 | 日本医事 新報社 | 東京 | 2009 | 209-221 |

2) 雑誌

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|--|---------------------------------|-------|-----------|------|
| 筒井裕之 | Tsuchihashi-Makaya M, Kato N, Chishaki A, Takeshita A, Tsutsui H | Anxiety and poor social support are independently associated with adverse outcomes in patients with mild heart failure. | Circ J | 73(2) | 280-287 | 2009 |
| | Naya M, Tsukamoto T, Morita K, Katoh C, Nishijima K, Komatsu H, Yamada S, Kuge Y, Tamaki N, Tsutsui H | Myocardial beta-adrenergic receptor density assessed by 11C-CGP12177 PET predicts improvement of cardiac function after carvedilol treatment in patients with idiopathic dilated cardiomyopathy. | J Nucl Med | 50(2) | 220-225 | 2009 |
| | Suga T, Okita K, Morita N, Yokota T, Hirabayashi K, Horiuchi M, Takada S, Takahashi T, Omokawa M, Kinugawa S, Tsutsui H | Intramuscular metabolism during low-intensity resistance exercise with blood flow restriction. | J Appl Physiol | 106 | 1119-1124 | 2009 |
| | Matsushima S, Kinugawa S, Yokota T, Inoue N, Ohta Y, Hamaguchi S, Tsutsui H | Increased myocardial NAD (P) H oxidase-derived superoxide causes the exacerbation of post-infarct heart failure in type 2 diabetes. | Am J Physiol Heart Circ Physiol | 297 | 409-416 | 2009 |
| | Hamaguchi S, Tsuchihashi-Makaya M, Kinugawa S, Yokota T, Ide T, Takeshita A, Tsutsui H, The JCARE-CARD Investigators | Chronic kidney disease as an independent risk for long-term adverse outcomes in patients hospitalized with heart failure in Japan. | Circ J | 73(8) | 1442-1447 | 2009 |
| | Yokota T, Kinugawa S, Hirabayashi K, Matsushima S, Inoue N, Ohta Y, Hamaguchi S, Sobirin A, Ono T, Suga T, Kuroda S, Tanaka S, Terasaki F. | Oxidative stress in skeletal muscle impairs mitochondrial respiration and limits exercise capacity in type 2 diabetic mice. | Am J Physiol Heart Circ Physiol | 297 | 1069-1077 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|-------------------------------|--------|-----------|------|
| 筒井裕之 | Tsuchihashi-Makaya M, Hamaguchi S, Yokota T, Goto D, Yokoshiki H, Kato N, Takeshita A, Tsutsui H, JCARE-CARD Investigators | Characteristics and outcomes of hospitalized patients with heart failure and reduced vs preserved ejection fraction. Report From the Japanese Cardiac Registry of Heart Failure in Cardiology (JCARE-CARD). | Circ J | 73(10) | 1893-1900 | 2009 |
| | Hamaguchi S, Tsuchihashi-Makaya M, Kinugawa S, Yokota T, Takeshita A, Yokoshiki H, Tsutsui H, JCARE-CARD Investigators | Anemia is an independent predictor of long-term adverse outcomes in patients hospitalized with heart failure in Japan. A Report From the Japanese Cardiac Registry of Heart Failure in Cardiology (JCARE-CARD). | Circ J | 73(10) | 1901-1907 | 2009 |
| | Hamaguchi S, Yokoshiki H, Kinugawa S, Tsuchihashi-Makaya M, Yokota T, Takeshita A, Tsutsui H, Japanese Cardiac Registry of Heart Failure in Cardiology Investigators | Effects of atrial fibrillation on long-term outcomes in patients hospitalized for heart failure in Japan: a report from the Japanese Cardiac Registry of Heart Failure in Cardiology (JCARE-CARD). | Circ J | 73(11) | 2084-2090 | 2009 |
| | Komatsu H, Yamada S, Iwano H, Okada M, Onozuka H, Mikami T, Yokoyama S, Inoue M, Kaga S, Nishida M, Shimizu C, Matsuno K, Tsutsui H | Angiotensin II receptor blocker, valsartan, increases myocardial blood volume and regresses hypertrophy in hypertensive patients. | Circ J | 73(11) | 2098-2103 | 2009 |
| | Satoh H, Kishi R, Tsutsui H | Metabolic syndrome is a significant and independent risk for increased arterial stiffness in Japanese subjects. | Hypertens Res | 32 | 1067-1071 | 2009 |
| | Ohmura K, Ishimori N, Ohmura Y, Tokuhara S, Nozawa A, Horii S, Andoh Y, Hujii S, Iwabuchi K, Onoe K, Tsutsui H | Natural killer T Cells are involved in adipose tissues inflammation and glucose intolerance in diet-induced obese mice. | Arterioscler Thromb Vasc Biol | 30 | 193-199 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|--|-----------------------|-------|---------|----------|
| 筒井裕之 | Tsutsui H, Kinugawa S, Matsushima S | Mitochondrial oxidative stress and dysfunction in myocardial remodelling. | Cardiovasc Res | 81(3) | 449-456 | 2009 |
| | Tsutsui H, Tsuchihashi-Makaya M, Kinugawa S | Clinical characteristics and outcomes of heart failure with preserved ejection fraction: Lessons from epidemiological studies. | Journal of Cardiology | 55 | 13-22 | 2009 |
| 久保田功 | Yamauchi K, Shibata Y, Kimura T, Abe S, Inoue S, Osaka D, Sato M, Igarashi A, Kubota I | Azithromycin suppresses interleukin-12p40 expression in lipopolysaccharide and interferon- γ stimulated macrophages. | Int J Biol Sci | 5(7) | 667-678 | 2009 Oct |
| | Takasaki S, Konta T, Shiomi K, Kubota I | Quiz page October 2009. Tetramine poisoning. Neurologic symptoms in a dialysis patients after ingesting seafood. | Am J Kidney Dis | 54(4) | A37-39 | 2009 Oct |
| | Suzuki K, Konta T, Takasaki S, Ikeda A, Ichikawa K, Sato H, Shibata Y, Watanabe T, Kato T, Kawata S, Kubota I | High variability of albuminuria in nondiabetic population: the Takahata Study. | Clin Exp Nephrol | 13(5) | 452-459 | 2009 Oct |
| | Igarashi A, Shibata Y, Yamauchi K, Osaka D, Takabatake N, Abe S, Inoue S, Kimura T, Yamaguchi Y, Ishizaki J, Hanasaki K, Kubota I | Gly80Ser polymorphism of phospholipase A2-IIID is associated with cytokine inducibility in A549 cells. | Respiration | 78(3) | 312-321 | 2009 |
| | Ichikawa K, Konta T, Emi M, Toriyama S, Takasaki S, Ikeda A, Shibata Y, Takabatake N, Takeishi Y, Kato T, Kawata S, Kubota I | Genetic polymorphisms of paraoxonase-1 are associated with chronic kidney disease in Japanese women. | Kidney Int | 76(2) | 183-189 | 2009 Jul |
| | Niizeki T, Takeishi Y, Kitahara T, Suzuki S, Sasaki T, Ishino M, Kubota I | Combination of conventional biomarkers for risk stratification in chronic heart failure. | J Cardiol | 53(2) | 179-187 | 2009 Apr |
| | | | | | | |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|----------|--|---|----------------------------|--------|-----------|-------------|
| | Takeishi Y, Kubota I | Role of toll-like receptor mediated signaling pathway in ischemic heart. | Front Biosci | 14 | 2553-2558 | 2009 Jan |
| 久保田 功 | Takabatake N, Toriyama S, Igarashi A, Tokairin Y, Takeishi Y, Konta T, Inoue S, Abe S, Shibata Y, Kubota I | A novel polymorphism in CDC6 is associated with the decline in lung function of ex-smokers in COPD. | Biochem Biophys Res Commun | 381(4) | 554-559 | 2009 Apr |
| | Hirose M, Takeishi Y, Niizeki T, Shimojo H, Nakada T, Kubota I, Nakayama J, Mende U, Yamada M. | Diacylglycerol kinase zeta inhibits G(alpha)q-induced atrial remodeling in transgenic mice. | Heart Rhythm | 6(1) | 78-84 | 2009 Jan |
| | Abiko H, Konta T, Hao Z, Takasaski S, Suzuki K, Ichikawa K, Shibata Y, Takeishi Y, Kawata S, Kato T, Kubota I | Factors correlated with plasma renin activity in general Japanese population. | Clin Exp Nephrol | 13(2) | 130-137 | 2009 Apr |
| | Kaneko K, Hirono O, Yuuki K, Tamura H, Ishino M Daidouji H, Ito H, Kubota I | Complete atrioventricular block due to venous stent migration from innominate vein to right ventricle: A case report. | J Cardiol | 53(3) | 453-457 | 2009 Jun |
| | Oishi Y, Manabe I, Imai Y, Hara K, Horikoshi M, Fujiu K, Tanaka T, Aizawa T, Kadowaki T, Nagai R. | Regulatory polymorphism in transcription factor KLF5 at the MEF2 element alters the response to angiotensin II and is associated with human hypertension. | FASEB J | | epub | 2010 |
| 永井 良三 | Horinaka S, Yabe A, Yagi H, Ishimitsu T, Yamazaki T, Suzuki S, Kohro T, Nagai R; The JCAD Study Investigators. (JCAD) Study | Effects of Nicorandil on Cardiovascular Events in Patients With Coronary Artery Disease in The Japanese Coronary Artery Disease | Circ J | | epub | 2010 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|-------------------------|------|---------|------|
| 永井良三 | Shimizu T, Ohno T, Ando J, Fujita H, Nagai R, Motomura N, Ono M, Kyo S, Takamoto S. | Mid-Term Results and Costs of Coronary Artery Bypass vs Drug-Eluting Stents for Unprotected Left Main Coronary Artery Disease. | Circ J | | epub | 2010 |
| | Suzuki J, Isobe M, Morishita R, Nagai R. | Nucleic Acid drugs for prevention of cardiac rejection. | J Biomed Biotechnol | 2009 | 916514 | 2009 |
| | Ishizaka N, Hongo M, Matsuzaki G, Furuta K, Saito K, Sakurai R, Sakamoto A, Koike K, Nagai R. | Effects of the AT(1) receptor blocker losartan and the calcium channel blocker benidipine on the accumulation of lipids in the kidney of a rat model of metabolic syndrome. | Hypertens Res | | epub | 2010 |
| | Takeda N, Manabe I, Uchino Y, Eguchi K, Matsumoto S, Nishimura S, Shindo T, Sano M, Otsu K, Snider P, Conway SJ, Nagai R. | Cardiac fibroblasts are essential for the adaptive response of the murine heart to pressure overload. | J Clin Invest | 120 | 254-265 | 2010 |
| | Ishizaka N, Ishizaka Y, Toda E, Koike K, Nagai R, Yamakado M. | Impact of changes in waist circumference and BMI over one-year period on serum lipid data in Japanese individuals. | J Atheroscler Thromb. | 16 | 764-771 | 2009 |
| | Ishizaka N, Ishizaka Y, Toda A, Tani M, Koike K, Yamakado M, Nagai R. | Changes in Waist Circumference and Body Mass Index in Relation to Changes in Serum Uric Acid in Japanese Individuals. | J Rheumatol. | | epub | 2009 |
| | Suzuki J, Isobe M, Morishita R, Nagai R. | Characteristics of chronic rejection in heart transplantation: important elements of pathogenesis and future treatments. | Circ J | 74 | 233-239 | 2009 |
| | Ishizaka N, Ishizaka Y, Toda EI, Koike K, Yamakado M, Nagai R. Impacts of | Changes in Obesity Parameters for the Prediction of Blood Pressure Change in Japanese Individuals. | Kidney Blood Press Res. | 32 | 421-427 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|--|----------------------------------|-----|-------------|------|
| 永井良三 | Takahashi M, Suzuki E, Oba S, Nishimatsu H, Kimura K, Nagano T, Nagai R, Hirata Y. | Adipose tissue-derived stem cells inhibit neointimal formation in a paracrine fashion in rat femoral artery. | Am J Physiol Heart Circ Physiol. | 298 | H415-423 | 2010 |
| | Matsumura T, Suzuki T, Aizawa K, Sawaki D, Munemasa Y, Ishida J, Nagai R. | Regulation of transforming growth factor-beta-dependent cyclooxygenase-2 expression in fibroblasts. | J Biol Chem. | 284 | 35861-35871 | 2009 |
| | Nishimura S, Manabe I, Nagai R. | Adipose tissue inflammation in obesity and metabolic syndrome. | Discov Med. | 8 | 55-60 | 2009 |
| | Takaoka M, Nagata D, Kihara S, Shimomura I, Kimura Y, Tabata Y, Saito Y, Nagai R, Sata M. | Periadventitial adipose tissue plays a critical role in vascular remodeling. | Circ Res | 105 | 906-911 | 2009 |
| | Sekiya M, Osuga J, Nagashima S, Ohshiro T, Igarashi M, Okazaki H, Takahashi, M, Tazoe F, Wada T, Ohta K, Takanashi M, Kumagai M, Nishi M, Takase S, Yahagi N, Yagyu H, Ohashi K, Nagai R, Kadowaki T, Furukawa Y, Ishibashi S. | Ablation of neutral cholesterol ester hydrolase 1 accelerates atherosclerosis. | Cell Metab. | 10 | 219-228 | 2009 |
| | Ohno T, Kinoshita O, Fujita H, Kato S, Hirose A, Sigeeda T, Otomo K, Ando J, Kadowaki T, Araie M, Nagai R, Takamoto S. | Detecting occult coronary artery disease followed by early coronary artery bypass surgery in patients with diabetic retinopathy: report from a diabetic retinocoronary clinic. | J Thorac Cardiovasc Surg. | 139 | 92-97 | 2009 |
| | Yagi N, Manabe I, Tottori T, Ishihara A, Ogata F, Kim JH, Nishimura S, Fujii K, Oishi Y, Itaka K, Kato Y, Yamauchi M, Nagai R. | A nanoparticle system specifically designed to deliver short interfering RNA inhibits tumor growth in vivo. | Cancer Res. | 69 | 6531-6538 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|-----------------------------|------|-----------|------|
| 永井良三 | Suzuki J, Isobe M, Morishita R, Nagai R. | Tea polyphenols regulate key mediators on inflammatory cardiovascular diseases. | Mediators Inflamm. | 2009 | 494928 | 2009 |
| | Nishimura S, Manabe I, Nagasaki M, Eto K, Yamashita H, Ohsugi M, Otsu M, Hara K, Ueki K, Sugiura S, Yoshimura K, Kadowaki T, Nagai R. | CD8+ effector T cells contribute to macrophage recruitment and adipose tissue inflammation in obesity. | Nat Med | 15 | 914-920 | 2009 |
| | Sekiya M, Yahagi N, Tamura Y, Okazaki H, Igarashi M, Ohta K, Takanashi M, Kumagai M, Takase S, Nishi M, Takeuchi Y, Izumida Y, Kubota M, Ohashi K, Iizuka Y, Yagyu H, Gotoda T, Nagai R, Shimano H, Yamada N, Kadowaki T, Ishibashi S, Osuga J. | Hormone-sensitive lipase deficiency suppresses insulin secretion from pancreatic islets of Lep ob/ob mice. | Biochem Biophys Res Commun. | 387 | 511-515 | 2009 |
| | Sugiyama H, Sahara M, Imai Y, Ono M, Okamoto K, Kikuchi K, Nagai R. | Infective endocarditis by Bartonella quintana masquerading as antineutrophil cytoplasmic antibody-associated small vessel vasculitis. | Cardiology | 114 | 208-211 | 2009 |
| | Igarashi M, Osuga J, Isshiki M, Sekiya M, Okazaki H, Takase S, Takanashi M, Ohta K, Kumagai M, Nishi M, Fujita T, Nagai R, Kadowaki T, Ishibashi S. | Targeting of neutral cholesterol ester hydrolase to the endoplasmic reticulum via its N-terminal sequence. | J Lipid Res. | 51 | 274-285 | 2009 |
| | Iwata H, Nakamura K, Sumi M, Ninomiya M, Sakai Y, Hirata Y, Akaike M, Igarashi T, Takamoto S, Nagai R, Sata M. | Local delivery of synthetic prostacycline agonist augments collateral growth and improves cardiac function in a swine chronic cardiac ischemia model. | Life Sci. | 85 | 255-261 | 2009 |
| | Morita H, Nagai R. | Genomic research in hypertension and cardiovascular diseases | Nippon Rinsho | 67 | 1095-1102 | 2009 |
| | Ogawa M, Suzuki J, Kosuge H, Takayama K, Nagai R, Isobe M. | The mechanism of anti-inflammatory effects of prostaglandin E2 receptor 4 activation in murine cardiac transplantation. | Transplantation | 87 | 1645-1653 | 2009 |
| | Ishizaka Y, Ishizaka N, Tani M, Toda A, Toda E, Koike K, Nagai R, Yamakado M. | Association between changes in obesity parameters and incidence of chronic kidney disease in Japanese individuals. | Kidney Blood Press Res. | 32 | 141-149 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|--|-----------------------------|-----|---------|------|
| | Fukuda D, Enomoto S, Shirakawa I, Nagai R, Sata M. | Fluvastatin accelerates re-endothelialization impaired by local sirolimus treatment. | Eur J Pharmacol. | 612 | 87-92 | 2009 |
| | Ogawa M, Suzuki J, Hirata Y, Nagai R, Isoe M. | A critical role of COX-2 in the progression of neointimal formation after wire injury in mice. | Expert Opin Ther Targets. | 13 | 505-511 | 2009 |
| | Okura T, Higaki J, Kurata M, Irita J, Miyoshi K, Yamazaki T, Hayashi D, Kohro T, Nagai R; Japanese Coronary Artery Disease Study Investigators. | Elevated serum uric acid is an independent predictor for cardiovascular events in patients with severe coronary artery stenosis: subanalysis of the Japanese Coronary Artery Disease (JCAD) Study. | Circ J | 73 | 885-891 | 2009 |
| | Fukuda D, Enomoto S, Nagai R, Sata M. | Inhibition of renin-angiotensin system attenuates periadventitial inflammation and reduces atherosclerotic lesion formation. | Biomed Pharmacother. | 63 | 754-761 | 2009 |
| | Morita H, Nagai R. | Smoking exposure, 17q21 variants, and early-onset asthma. | N Engl J Med. | 360 | 1255 | 2009 |
| | Kambara H, Yamazaki T, Hayashi D, Kohro T, Okada Y, Nagai R; | Japanese Coronary Artery Disease Study Investigators. Gender differences in patients with coronary artery disease in Japan: the Japanese Coronary Artery Disease Study (the JCAD study). | Circ J | 73 | 912-917 | 2009 |
| 永井良三 | Nagata D, Kiyosue A, Takahashi M, Satonaka H, Tanaka K, Sata M, Nagano T, Nagai R, Hirata Y. | A new constitutively active mutant of AMP-activated protein kinase inhibits anoxia-induced apoptosis of vascular endothelial cell. | Hypertens Res. | 32 | 133-139 | 2009 |
| | Morita H, Nagai R. | Genetically elevated C-reactive protein and vascular disease. | N Engl J Med. | 360 | 934 | 2009 |
| | Awazawa M, Ueki K, Inabe K, Yamauchi T, Kaneko K, Okazaki Y, Bardeesy N, Ohnishi S, Nagai R, Kadowaki T. | Adiponectin suppresses hepatic SREBP1c expression in an AdipoR1/LKB1/AMPK dependent pathway. | Biochem Biophys Res Commun. | 382 | 51-56 | 2009 |
| | Suzuki T, Sawaki D, Aizawa K, Munemasa Y, Matsumura T, Ishida J, Nagai R. | Kruppel-like factor 5 shows proliferation-specific roles in vascular remodeling, direct stimulation of cell growth, and inhibition of apoptosis. | J Biol Chem. | 284 | 9549-57 | 2009 |
| | Masuzawa A, Ohno T, Takamoto S, Motomura N, Ono M, Fujita H, Ando J, Morita T, Hirata Y, Nagai R, Hirose A, Shigeeda T, Kato S, Araie M. | In early-stage diabetic retinopathy, risk of cardiac events after implantation of sirolimus-eluting stent is higher than after coronary artery bypass surgery. | J Cardiol. | 53 | 86-93 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|--|--|-----|-----------|------|
| 永井良三 | Hongo M, Ishizaka N, Furuta K, Yahagi N, Saito K, Sakurai R, Matsuzaki G, Koike K, Nagai R. | Administration of angiotensin II, but not catecholamines, induces accumulation of lipids in the rat heart. | Eur J Pharmacol. | 604 | 87-92 | 2009 |
| | Ishizaka N, Ishizaka Y, Yamakado M, Toda E, Koike K, Nagai R. | Association between metabolic syndrome and carotid atherosclerosis in individuals without diabetes based on the oral glucose tolerance test. | Atherosclerosis. | 204 | 619-623 | 2009 |
| | Shimada K, Fujita M, Tanaka A, Yoshida K, Jisso S, Tanaka H, Yoshikawa J, Kohro T, Hayashi D, Okada Y, Yamazaki T, Nagai R; JCAD Investigators. | Elevated serum C-reactive protein levels predict cardiovascular events in the Japanese coronary artery disease (JCAD) study. | Circ J | 73 | 78-85 | 2009 |
| | Watanabe T, Kubota N, Ohsugi M, Kubota T, Takamoto I, Iwabu M, Awazawa M, Katsuyama H, Hasegawa C, Tokuyama K, Moroi M, Sugi K, Yamauchi T, Noda T, Nagai R, Terauchi Y, Tobe K, Ueki K, Kadowaki T. | Rimonabant ameliorates insulin resistance via both adiponectin-dependent and adiponectin-independent pathways. | J Biol Chem. | 284 | 1803-1812 | 2009 |
| | Meguro K, Iida H, Takano H, Morita T, Sata M, Nagai R, Nakajima T. | Function and role of voltage-gated sodium channel NaV1.7 expressed in aortic smooth muscle cells. | Am J Physiol Heart Circ Physiol. | 296 | H211-219 | 2009 |
| | Uno K, Takenaka K, Ebihara A, Nawata K, Hayashi N, Nagasaki M, Sonoda M, Takayuki O, Ono M, Kyo S, Nagai R, Takamoto S. | Value of live 3D transoesophageal echocardiography in the diagnosis of mitral valve lesions. | Eur J Echocardiogr. | 10 | 350-351 | 2009 |
| | 藤生克仁、 永井良三 | 臓器線維化とRAS | 医学の歩み | 228 | 490-493 | 2009 |
| | 久木基至、 大野貴之、 高本眞一、 小野稔、本村昇、 藤田英雄、 安東治郎、 森田敏宏、 山下尋史、 永井良三 | 非糖尿病・慢性冠動脈疾患に対する初回血行再建術選択による短期医療費の比較—冠動脈バイパス手術対薬剤溶出性ステント留置によるカテーテル治療 | 日本心臓病学会誌 | 3 | 113-117 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|----|---|---|--------------------|-----|-----------|------|
| | 真鍋一郎、 大石由美子、 永井良三 | KLF5とエネルギー代謝 | 分子糖尿病の進歩（基礎から臨床まで） | | 33-38 | 2009 |
| | 大石由美子、 真鍋一郎、 永井良三 | KLF5と脂肪細胞分化・骨格筋代謝 | 実験医学 | 27 | 1039-1044 | 2009 |
| | 許俊鋭、小野稔、 西村隆、遠藤美代子、 清野一男、田倉智之、 絹川弘一郎、五條理志、 永井良三、高本眞一 | 心臓移植の医療経済 | 日本移植学会雑誌 | 44 | 10-17 | 2009 |
| | 森田啓行、 永井良三 | 高血圧・循環器疾患 | 日本臨床 | 67 | 1095-1102 | 2009 |
| | 今井靖、永井良三 | 虚血性心疾患に対する抗血栓療法 | 日本医師会雑誌 | 138 | 505-510 | 2009 |
| | 内野悠一、 平田恭信、 永井良三 | 高血圧症の成因 | 医学と薬学 | | 5-12 | 2009 |
| | 杉山裕章、 佐原真、今井靖、 松岡理恵、廣井透雄、 平田恭信、永井良三、 高本眞一、岡本耕、 小池和彦、菊池賢 | ANCA関連血管炎類似の臨床像を呈した Bartonella quintanaによる血液培養陰性亜急性 感染性心内膜炎 | 心臓 | 41 | 1102-1108 | 2009 |
| | 杉山裕章、 今井靖、藤生克仁、 岩田洋、平田恭信、 永井良三 | 運動中に心肺停止となり蘇生された若年男性 の1例—AED活用に関する考察を含めて— | 心電図 | 29 | 299-305 | 2009 |
| | 杉山裕章、 佐原誠、藤田英子、 安東治郎、藤田英雄、 森田敏宏、齋藤幹、 石坂信和、平田恭信、 永井良三 | 経皮的腎動脈形成術により著明な腎機能改善 が得られ維持透析から離脱可能となった両側 腎動脈狭窄症の1例 | ICUとCCU | 33 | 926-931 | 2009 |
| | 永井良三、 真鍋一郎 | メタボリックシンドロームの原因メカニズム を解明 | 代ゼミジャーナル | | 8 | 2009 |
| | 永井良三 | 疾患リスクを高める内臓脂肪細胞の「炎症」 | 日経ヘルスプラ ミア | 2 | 37 | 2009 |
| | 大野貴之、 高本眞一、川島大、 木下修、藤田英雄、 安東治郎、永井良三、 大友一義、重枝崇志、 広瀬晶、加藤聡、 新家眞、塚本和久、 植木浩二郎、門脇孝 | 糖尿病網膜症と冠動脈疾患 | 糖尿病 | 52 | 935-939 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|-------|---|--|--------------------------------|--------|-----------|------|
| 吉川 勉 | Nagatomo Y, Yoshikawa T, Kohno T, Yoshizawa A, Baba A, Anzai T, Meguro T, Satoh T, Ogawa S | A pilot study on the role of autoantibody targeting the b1-adrenergic receptor in the response to b-blocker therapy for congestive heart failure | J Card Fail | 15 | 224-232 | 2009 |
| | Kohno T, Anzai T, Naito K, Miyasho T, Okamoto M, Yokota H, Yamada S, Maekawa Y, Takahashi T, Yoshikawa T, Ishizaka A, Ogawa S | Role of high mobility group box 1 protein in post-infarction healing process and left ventricular remodeling | Cardiovasc Res | 81 | 565-573 | 2009 |
| | Ueno K, Anzai T, Jinzaki M, Yamada M, Kohno T, Kawamura A, Yoshikawa T, Kuribayashi S, Ogawa S | Diagnostic capacity of 64-slice multidetector computed tomography for acute coronary syndrome in patients presenting with acute chest pain | Cardiology | 112 | 211-218 | 2009 |
| | Ueno K, Anzai T, Jinzaki M, Yamada M, Jo Y, Maekawa Y, Kawamura A, Yoshikawa T, Tanami Y, Sato K, Kuribayashi S, Ogawa S | Increased Epicardial Fat Volume Quantified by 64-Multidetector Computed Tomography is Associated With Coronary Atherosclerosis and Totally Occlusive Lesions | Circ J | 73 | 1927-1933 | 2009 |
| | Kaneko H, Anzai T, Naito K, Kohno T, Maekawa Y, Takahashi T, Kawamura A, Yoshikawa T, Ogawa S | Role of ischemic preconditioning and inflammatory response in the development of malignant ventricular arrhythmias after reperfused ST-elevation myocardial infarction | J Card Fail | 15 | 775-781 | 2009 |
| 和泉 徹 | Imaki R, Niwano S, (4人略last author) Izumi T. | Neutral endopeptidase inhibitor suppresses the early phase of atrial electrical remodeling in a canine rapid atrial pacing model. | Indian Pacing Electrophysiol J | 8(2) | 102-113 | 2008 |
| | Inuzuka Y, Okuda J, (11人略) Izumi T (2人略). | Suppression of Phosphoinositide 3-Kinase Prevents Cardiac Aging in Mice. | Circulation | 120(7) | 1695-703 | 2009 |
| 磯部 光章 | Goda A, Yamashita T, Suzuki S, Ohtsuka T, Uejima T, Oikawa Y, Yajima J, Koike A, Nagashima K, Kirigaya H, Sagara K, Ogasawara K, Isobe M, Sawada H, Aizawa T | Prevalence and prognosis of patients with heart failure in Tokyo: A prospective cohort of Shinken Database 2004-5. | Int Heart J | 50 | 609-625 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|----------|---|--|-------------------------|----|---------|----------|
| 磯部 光章 | Isobe K, Kuba K, Maejima Y, Suzuki J, Kubota S, <u>Isobe M</u> | Inhibition of endostatin deteriorates left ventricular remodeling and heart failure through matrix proteinases and angiotensin converting enzyme in rat myocardial infarction. | Circ J | 74 | 109-119 | 2009 |
| | Suzuki J, <u>Isobe M</u> , Morishita R, Nagai R | Characteristics of chronic rejection in heart transplantation –Important elements of pathogenesis and future treatments-. | Circ J | 74 | 233-239 | 2010 |
| | Goda A, Yamashita T, Suzuki S, Ohtsuka T, Uejima T, Oikawa Y, Yajima J, Koike A, Nagashima K, Kirigaya H, Sagara K, Ogasawara K, <u>Isobe M</u> , Sawada H, <u>Aizawa T</u> | Heart Failure with Preserved versus Reduced Left Ventricular Systolic Function: A Prospective Cohort of Shinken Database 2004-5 | J Cardiol | 55 | 108-116 | 2010 |
| | Komura M, Suzuki J, Adachi S, Takahashi A, Otomo K, Nitta J, Nishizaki M, Obayashi T, Nogami A, Satoh A, Okishige K, Hachiya H, Hirao K, <u>Isobe M</u> | Clinical course of arrhythmogenic right ventricular cardiomyopathy in the era of implantable cardioverter-defibrillators and radiofrequency catheter ablation. | Int Heart J | 51 | 34-40 | 2010 |
| | Suzuki J, <u>Isobe M</u> , Morishita R, Nagai R | Tea polyphenols regulate key mediators on inflammatory cardiovascular diseases | Mediators Inflammation | | | in press |
| | Suzuki J, Ogawa M, Takayama K, Taniyama Y, Morishita R, Hirata Y, Nagai R, <u>Isobe M</u> | Ultrasound-Microbubble Mediated ICAM-1 siRNA Transfection Attenuates Neointimal Formation after Arterial Injury in Mice. | J Am Coll Cardiol | | | in press |
| | Kosuge H, Ishihara T, Haraguchi G, Maejima Y, Okada H, Saiki H, Suzuki H, <u>Isobe M</u> | Treatment with telmisartan attenuates graft arteriosclerosis in murine cardiac allografts. | J Heart Lung Transplant | | | in press |
| | Hishikari K, Watanabe R, Ogawa M, Suzuki J, Masumura M, Shimizu T, Takayama K, Hirata Y, Nagai R, <u>Isobe M</u> | Early treatment with clarithromycin attenuates rat autoimmune myocarditis via inhibition of matrix metalloproteinase activity. | Heart | | | in press |
| | Suzuki J, Ogawa M, Takayama K, Taniyama Y, Morishita R, Hirata Y, Nagai R, <u>Isobe M</u> | Ultrasound-microbubble-mediated intercellular adhesion molecule-1 small interfering ribonucleic acid transfection attenuates neointimal formation after arterial injury in mice. | J Am Coll Cardiol | | | in press |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|----------|--|---|--------------------------|-----|-----------|-------------|
| 磯部 光章 | Neely GG, Kuba K, Cammarato A, Isobe K, Amann S, Zhang L, Elmén L, Gupta V, Arora S, Sarangi R, Dan D, Fujisawa S, Usami T, Xia C-p, Keene AC, Alayari NN, Elling U, Berger C, Novatchkova M, Koglugruber R, Nishina H, Isobe M, Pospisilik JA, Imai Y, Knoblich JA, Pfeuffer A, Hicks AA, Pramstaller PP, Subramaniam S, Kimura A, Bodmer R, Penninger JM | A global <i>in vivo</i> <i>Drosophila</i> RNAi screen identifies NOT3 as a conserved regulator of heart function. | Cell | | | in press |
| | Konishi M, Haraguchi G, Kimura S, Inagaki H, Kawabata M, Hachiya H, Hirao K, Isobe M | Comparative effects of carvedilol versus bisoprolol for severe congestive heart failure: Special reference to atrial fibrillation. | Circ J | | | in press |
| 後藤 雄一 | 後藤雄一 | ミトコンドリア病 | 小児内科 | 41巻 | 937-941 | 2009 |
| | 後藤雄一 | MELAS | 小児科 | 50巻 | 876-880 | 2009 |
| | 後藤雄一 | ミトコンドリア病と性差 | Clinical Neuroscience | 27巻 | 1152-1153 | 2009 |
| | Mimaki M, Ichiyama T, Isumi H, Furukawa S, Akasaka M, Kamei A, Komaki H, Nonaka I, Goto Y | Different effects of novel mtDNA G3242A and G3244A base changes adjacent to a common A3243G mutation in patients with mitochondrial disorders. | Mitochondrion | 9 | 115-122 | 2009 |
| | Tanaka N, Goto Y, Akanuma J, Kato M, Kinoshita T, Yamashita F, Tanaka M, Asada T. | Mitochondrial DNA variants in a Japanese population of patients with Alzheimer's disease. | Mitochondrion | 10 | 32-37 | 2009 |
| | Kimura Y, Goto Y, Kimura H. | Hydrogen sulfide increases glutathione production and suppresses oxidative stress in mitochondria. | Antioxid Redox Signal | 12 | 1-13 | 2009 |
| | Kobayashi A, Goto Y, Nagata M, Yamaguchi Y. | Granular swollen epithelial cells: a histological and diagnostic marker for mitochondrial nephropathy. | Am J Surg Pathol | 34 | 262-270 | 2010 |
| 小室 一成 | Kayama, Y., Minamino, T., Toko, H., Sakamoto, M., Shimizu, I., Takahashi, H., Okada, S., Tateno, | Cardiac 12/15 lipoxygenase-induced inflammation is involved in heart failur | J Exp Med | 206 | 1565-1574 | 2009 |
| | Moriya, J., Yokoyama, M., Nojima, A., Yoshimura, M., Egashira, K., Aburatani, H., Komuro, I | | | | | |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|--------------------------------|-----|-----------|-------|
| 小室一成 | Ikeda, H., Shiojima, I., Ozasa, Y., Yoshida, M., Holzenberger, M., Kahn, C.R., Walsh, K., Igarashi, T., Abel, E.D., Komuro, I. | Interaction of myocardial insulin receptor and IGF receptor signaling in exercise-induced cardiac hypertrophy | J Mol Cell Cardiol | 47 | 664-675 | 2009 |
| | Ito, K., Akazawa, H., Tamagawa, M., Furukawa, K., Ogawa, W., Yasuda, N., Kudo, Y., Liao, C.H., | PDK1 coordinates survival pathways and beta-adrenergic response in the heart. | Proc Natl Acad Sci USA | 106 | 8689-8694 | 2009 |
| | Yamamoto, R., Sato, T., Molkenstin, J.D., Kasuga, M., Noda, T., Nakaya, H., Komuro, I | | | | | |
| | Yoshida, M., Shiojima, I., Ikeda, H., Komuro, I | Chronic doxorubicin cardiotoxicity is mediated by oxidative DNA damage-ATM-p53-apoptosis pathway and attenuated by pitavastatin through the inhibition of Rac1 activity | J Mol Cell Cardiol | 47 | 698-705 | 2009 |
| 山岸正和 | Hayashi K, et al. | Long QT syndrome and associated gene mutation carriers in Japanese children: results from ECG screening examinations | Clin Sci (Lond) | 117 | 415-424 | 2009年 |
| | Uchiyama K, et al. | Impact of QT variables on clinical outcome of genotyped hypertrophic cardiomyopathy | Ann Noninvasive Electrocardiol | 14 | 65-71 | 2009年 |
| 松森昭 | Nakagawa Y, Nobuyoshi M, Yamaguchi T, Meguro T, Yokoi H, Kimura T, Hosoda S, Kanmatsuse K, Matsumori A, Sasayama S. | Efficacy of Abciximab for patients undergoing balloon angioplasty –Data from Japanese evaluation of c7E3 fab for elective and primary PCI organization in randomized trial (JEPPORT)- | Circulation Journal | 73 | 145-151 | 2009 |
| | Xiao J, Shimada M, Liu W, Hu D, Matsumori A. | Anti-inflammatory effects of eplerenone on viral myocarditis. | Eur J Heart Fail | 11 | 349-53 | 2009 |
| | Nishio R, Matsumori A. | Gelsolin and cardiac myocyte apoptosis: a new target in the treatment of postinfarction remodeling. | Circ Res | 104 | 829-31 | 2009 |
| | Sasayama S, Izumi T, Matsuzaki M, Matsumori A, Asanoi H, Momomura S, Seino Y, Ueshima K, for The CHF-HOT Study Group. | Improvement of quality of life with nocturnal oxygen therapy in heart failure patients with central sleep apnea. | Circ J | 73 | 1255-1262 | 2009 |
| | Liu W, Shimada M, Xiao J, Hu D, Matsumori A. | Nifedipine inhibits the activation of inflammatory and immune reactions in viral myocarditis. | Life Sciences | 85 | 235-240 | 2009 |
| | Matsumori A, Nishio R, Nose Y. | Calcium Channel Blockers Differentially Modulate Cytokine Production by Peripheral Blood Mononuclear Cells | Circ J | 74 | 567-571 | 2010 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|---|--------------|-----------|------|
| 中谷武嗣 | Nakatani T | Heart Transplantation | Circ J | 73(Sup pl A) | A-55-A-60 | 2009 |
| | Mano A, Fujita K, Uenomachi K, Kazama K, Katabuchi M, Wada K, Terakawa N, Arai K, Hori Y, Hashimoto S, Nakatani T and Kitamura S. | Body mass index is a useful predictor of prognosis after left ventricular assist system implantation. | J Heart Lung Transplant | 28 | 428-433 | 2009 |
| | Kitamura S, Nakatani T, Kato T, Yanase M, Kobayashi J, Nakajima H, Funatsu T, Toda K, Kada A, Ogino H, Yagihara T. | Hemodynamic and echocardiographic evaluation of orthotopic heart transplantation with the modified bicaval anastomosis technique. | Circ J | 73 | 1235-1239 | 2009 |
| | Wada K, Takada M, Sasaki M, Ochi H, Kotake T, Okada H, Morishita H, Oda N, Mano A, Kato TS, Komamura K and Nakatani T. | Drug interaction between tacrolimu and carbamazepine in a Japanese heart Transplant recipient: a case report. | J Heart and Lung Transplant. | 28 | 409-411 | 2009 |
| | Higashi H, Komamura K, Oda No, Kato T.S., Yanase M, Mano A, Hashimoto S, Wada K, Shishido T, Hashimura K, Kitakaze M, Kitamura S, Nakatani T. | Experience of appendicular thermal therapy applied to a patient with a left ventricular assist device awaiting heart transplantation. | J. Cardiology | 53 | 301-305 | 2009 |
| | 中谷武嗣、築瀬正伸、村田欣洋、瀬口理、加藤倫子、戸田宏一、藤田知之、和田恭一、中野一也 | わが国における心臓移植でのエベロリムスの現状 | 今日の移植 | 22 | 674-678 | 2009 |
| | 中谷武嗣 | 心臓移植と待機患者への治療 | 内科 | 103 | 521-525 | 2009 |
| | 中谷武嗣 | 心臓 | 移植 | 44(特別号) | S119-S121 | 2009 |
| | 中谷武嗣、築瀬正伸、戸田宏一 | 人工心臓 | 「重症心不全の予防と治療」 [編著 北風政史] (中外医学社、東京) | | 293-298 | 2009 |
| | 斎藤能彦 | Kubo A, Kim Y. H, Irion S, Kasuda S, Takeuchi M, Ohashi K, Iwano M, Dohi Y, Saito Y, Snodgrass R, Keller G | The Homeobox Gene HEX Regulates Hepatocyte Differentiation from ES cell-Derived Endoderm. | Hepatology | in press | |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|--|-------------|---------------------|------|
| | Okayama S, Kawata H, Sung J. H, Okada S, Nishida T, Onoue K, Soeda T, Uemura S, and Saito Y | Dual-single photon emission computed tomography and contrast-enhanced magnetic resonance imaging to evaluate dissimilar features of apical hypertrophic cardiomyopathy. | Cardiology Journal formerly Folia Cardiologica | in press | | 2010 |
| | Okayama S, Uemura S, Watanabe M, Morikawa Y, Onoue K, Soeda T, Iwama H, Somekawa S, Takeda Y, Uramoto H, Kobayashi Y, Saito Y | Novel application of black-blood echo-planar imaging to the assessment of myocardial infarction. | Heart and Vessel | in press | | 2010 |
| | Harada K, Miyamoto Y, Morisaki H, Ohta N, Yamanaka I, Kokubo Y, Makino H, Harada-Shiba M, Okayama A, Tomoike H, Okamura T, Saito Y, Yoshimasa Y, and | A novel Thr56Met mutation of the autosomal recessive hypercholesterolemia gene associated with hypercholesterolemia. | J Atheroscler Thromb. | 26;17 (2) | 131-40 | 2009 |
| 齋藤能彦 | Onoue K, Uemura S, Takeda Y, Somekawa S, Iwama H, Imagawa K, Nishida T, Morikawa Y, Takemoto Y, Asai O, Soeda T, Okayama S, Ishigami K, Nakatani K, Kawata H, Horii M, Nakajima T, Akai Y, Iwano M, Saito Y | Reduction of circulating soluble fms-like tyrosine kinase-1 plays a significant role in renal dysfunction-associated aggravation of atherosclerosis. | Circulation. | 15;120 (24) | 2470-7 | 2009 |
| | Takaoka M, Nagata D, Kihara S, Shimomura I, Kimura Y, Tabata Y, Saito Y, Nagai R, and Sata M | Periadventitial adipose tissue plays a critical role in vascular remodeling. | Circ Res. | 105(9) | 906-11 | 2009 |
| | Okayama S, Uemura S, Soeda T, Horii M, Saito Y | Role of cardiac computed tomography in planning and evaluating percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy. | J Cardiovasc Comput Tomogr. | Oct 21 | Epub ahead of print | 2009 |
| | Onoue K, Uemura S, Takeda Y, Somekawa S, Iwama H, Nishida T, Morikawa Y, Nakagawa H, Tsutsumi T, Sung J. H, Takemoto Y, Soeda T, Okayama S, Ishigami K, Kawata H, Horii M, Nakajima T, Saito Y | Usefulness of soluble Fms-like tyrosine kinase 1 as a biomarker of acute severe heart failure in patients with acute myocardial infarction. | Am J Cardiol. | 104 (11) | 1478-83 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|--------------------------------|--------|---------------------|------|
| 齋藤能彦 | Ishigami K, Uemura S, Morikawa Y, Soeda T, Okayama S, Nishida T, Takemoto Y, Onoue K, Somekawa S, Takeda Y, Kawata H, Horii M, Saito Y | Long term follow-up of neointimal coverage of sirolimus-eluting stents: Evaluation with optical coherence tomography. | Circ J. | 3(12) | 2300-7 | 2009 |
| | Morikawa Y, Uemura S, Ishigami K, Soeda T, Okayama S, Takemoto Y, Onoue K, Somekawa S, Nishida T, Takeda Y, Kawata H, Horii M, Saito Y | Morphological features of coronary arteries in patients with coronary spastic angina: Assessment with intracoronary optical coherence tomography. | Int J Cardiol. | Aug 26 | Epub ahead of print | 2009 |
| | Yamaguchi Y, Iwano M, Suzuki D, Nakatani K, Kimura K, Harada K, Kubo A, Akai Y, Toyoda M, Kanauchi M, Eric G Neilson, Saito Y | Epithelial-mesenchymal transition as an explanation for podocyte depletion in diabetic nephropathy. | Am J Kidney Dis. | 54(4) | 653-64 | 2009 |
| | Li Y, Saito Y, Kuwahara K, Rong X, Kishimoto I, Harada M, Adachi Y, Nakanishi M, Kinoshita H, Horiuchi M, Murray M, Nakao K | Guanylyl cyclase-A inhibits angiotensin II type 2 receptor-mediated pro-hypertrophic signaling in the heart. | Endocrinology. | 150(8) | 3759-65 | 2009 |
| | Takemoto Y, Kawata H, Soeda T, Imagawa K, Somekawa S, Takeda Y, Uemura S, Matsumoto M, Fujimura Y, Jo J, Kimura Y, Tabata Y, Saito Y | Human placental ectonucleoside triphosphate diphosphohydrolase gene transfer via gelatin-coated stents prevents in-stent thrombosis. | Arterioscler Thromb Vasc Biol. | 29(6) | 857-862 | 2009 |
| | Somekawa S, Imagawa K, Naya N, Takemoto Y, Onoue K, Okayama S, Takeda Y, Kawata H, Horii M, Nakajima T, Uemura S, Mochizuki N, Saito Y | Regulation of aldosterone and cortisol production by the transcriptional repressor neuron restrictive silencer factor. | Endocrinology. | 50(7) | 3110-7 | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|----------------------------|--------|-----------|------|
| 斎藤能彦 | Takeda Y, Uemura S, Iwama H, Imagawa K, Nishida T, Onoue K, Takemoto Y, Soeda T, Okayama S, Somekawa S, Ishigami K, Takaoka M, Kawata H, Kubo A, Horii M, Nakajima T, Saito Y | Treatment with recombinant placental growth factor (PIGF) enhances both angiogenesis and arteriogenesis and improves survival after myocardial infarction. | Circ J. | 73(9) | 1674-82 | 2009 |
| | Nakagawa H, Morikawa Y, Mizuno Y, Harada E, Ito T, Matsui K, Saito Y, Yasue H | Coronary Spasm Preferentially Occurs at Branch Points: An Angiographic Comparison With Atherosclerotic Plaque. | Circ Cardiovasc Intervent. | 2 | 97-104 | 2009 |
| | Okayama S, Matsui M, Somekawa S, Iwano M, Saito Y | Non-contrast MRI for the evaluation of hydronephrotic and dysfunctioning kidney secondary to testicular cancer. | Ren Fail. | 31(2) | 153-158 | 2009 |
| 松崎益徳 | Takahiro Kamota, Tao-Sheng Li, Noriyasu Morikage, Masanori Murakami, Mako Ohshima, Masayuki Kubo, Toshiro Kobayashi, Akihito Mikamo, Yasuhiro Ikeda, Masunori Matsuzaki, Kimikazu Hamano | Ischemic Pre-Conditioning Enhances the Mobilization and Recruitment of Bone Marrow Stem Cells to Protect Against Ischemia/Reperfusion Injury in the Late Phase | J Am Coll Cardiol | 53(19) | 1814-1822 | 2009 |
| | Shigeki Kobayashi, Masafumi Yano, Takeshi Suetomi, Makoto Ohno, Hiroki Tateishi, Mamoru Mochizuki, Xiaojuan Xu, Hitoshi Uchinoumi, Shinichi Okuda, Takeshi Yamamoto, Noritaka Koseki, Hiroyuki Kyushiki, Noriaki Ikemoto, Masunori Matsuzaki | Dantrolene, a therapeutic agent for malignant hyperthermia, markedly improves the function of failing cardiomyocytes by stabilizing inter-domain interactions within the ryanodine receptor | J Am Coll Cardiol | 53(21) | 1993-2005 | 2009 |
| | Masunori Matsuzaki, Mitsuhiro Yokoyama, Yasushi Saito, Hideki Origasa, Yuichi Ishikawa, Shinichi Oikawa, Jun Sasaki, Hitoshi Hishida, Hiroshige Itakura, Toru Kita, Akira Kitabatake, Noriaki Nakaya, Toshiie Sakata, Kazuyuki Shimada, Kunio Shirato, Yuji Matsuzawa and The JELIS Investigators | Incremental Effects of Eicosapentaenoic Acid on Cardiovascular Events in Statin-Treated Patients With Coronary Artery Disease Secondary Prevention Analysis From JELIS | Circ J | 73(7) | 1283-1290 | 2009 |