

| | | | | | |
|--|---|----------------------------------|---------|-----------|------|
| 田邊 信宏 | 慢性肺血栓塞栓症 | 総合臨床 | 58(11) | 2266-2270 | 2009 |
| 田邊 信宏 | (招待講演) 肺血栓塞栓症の臨床 | 麻酔 | 58(増刊号) | S59-68 | 2009 |
| 坂尾誠一郎 | 慢性血栓塞栓性肺高血圧症の末梢血管病変について | 血栓と循環 | 17(3) | 273-278 | 2009 |
| 坂尾誠一郎 | 血管内皮細胞と特発性肺動脈性肺高血圧症 | 呼吸 | 28 | 878-883 | 2009 |
| 坂尾誠一郎 | 慢性血栓塞栓性肺高血圧症 | 呼吸器科 | 16(3) | 207-215 | 2009 |
| 杉浦 寿彦, 田邊 信宏 | 320列 CT を用いた右心系の評価 | 医学のあゆみ | 229(2) | 139-143 | 2009 |
| 清水 秀文, 田邊 信宏, 巽浩一郎 | 気管支動脈蔓状血管腫 | 日本臨床 | 67(5) | 1038-1041 | 2009 |
| 重田 文子, 坂尾誠一郎, 巽浩一郎 | 肺血流の生理 | 臨床画像 | 25(10) | 1078-1084 | 2009 |
| Mitani K, Kumasaka T, Takemura H, Hayashi T, Gunji Y, Kunogi M, Akiyoshi T, Takahashi K, Suda K, Seyama K | Cytologic, immunocytochemical and ultrastructural characterization of lymphangioliomyomatosis cell clusters in chylous effusions of patients with lymphangioliomyomatosis | <i>Acta Cytol</i> | 53(4) | 402-409 | 2009 |
| Akahoshi T, Akashiba T, Kawahara S | Predicting optimal continuous positive airway pressure in Japanese patients with obstructive sleep apnea | <i>Respirology</i> | 14(1) | 1-6 | 2009 |
| Takegami M, Hayashino Y, Chin K | Simple four-variable screening tool for identification of patients with sleep-disordered breathing | <i>Sleep</i> | 66(4) | 939-948 | 2009 |
| 赤柴 恒人 | [睡眠時呼吸障害と循環器疾患] 睡眠呼吸障害の病態とその診方 | <i>Cardiac Practice</i> | 20(1) | 21-25 | 2009 |
| 赤柴 恒人 | [睡眠時無呼吸症候群の臨床 up-to-date 2009 睡眠時無呼吸症候群のトータルマネージメント] 病態 肥満低換気症候群と睡眠時無呼吸症候群 | <i>Modern Physician</i> | 29(8) | 1135-1137 | 2009 |
| 赤柴 恒人 | [睡眠時無呼吸 最新の進歩と展望] 治療 CPAP 治療と治療アドヒランス (adherence) 向上の工夫 | 最新医学 | 64(1) | 42-49 | 2009 |
| 赤柴 恒人 | [実地医家のための呼吸管理] 臨床場面別の呼吸管理 睡眠時無呼吸症候群 | 診断と治療 | 97(1) | 139-147 | 2009 |
| 赤柴 恒人 | 睡眠時無呼吸症候群の臨床 | 日大医学雑誌 | 68(1) | 67-72 | 2009 |
| 赤柴 恒人 | [呼吸器疾患診療ガイドラインのエッセンス] 睡眠時無呼吸症候群 診断と治療のためのガイドライン | 呼吸器科 | 15(3) | 208-214 | 2009 |
| 赤柴 恒人 | Current opinion COPD における睡眠呼吸障害 | 呼吸と循環 | 57(8) | 851-855 | 2009 |
| 赤柴 恒人 | 睡眠時無呼吸症候群 | 循環器科 | 64 | 613-620 | 2009 |
| Asano K, Nakade S, Shiomi T, Nakajima T, Suzuki Y, Fukunaga K, Oguma T, Sayama K, Fujita H, Tanigawara Y, Ishizaka A | Impact of pharmacokinetics and pharmacogenetics on the efficacy of pranlukastin Japanese asthmatics | <i>Respirology</i> | 14 | 822-827 | 2009 |
| 浅野浩一郎 | COPD と肥満: 体重減少だけが問題か | <i>The Lung Perspectives</i> | 17(1) | 45-48 | 2009 |
| 原田 尚子, 浅野浩一郎 | COPD, 気管支喘息における吸入ステロイド薬の使用法の類似点・相違点 | <i>COPD FRONTIER</i> | 8(1) | 24-30 | 2009 |
| Mitani A, Nagase T, Fukuchi K, Aburatani H, Makita R, Kurihara H | Transcriptional coactivator with PDZ-binding motif is essential for normal alveolarization in mice | <i>Am J Respir Crit Care Med</i> | 180 | 326-338 | 2009 |
| Saito RA, Watabe T, Horiguchi K, Kohyama T, Saitoh M, Nagase T, Miyazono K | Thyroid transcription factor-1 inhibits transforming growth factor-beta-mediated epithelial-to-mesenchymal transition in lung adenocarcinoma cells | <i>Cancer Res</i> | 69 | 2783-2791 | 2009 |

| | | | | | |
|--|---|---|----------|-------------|------|
| Kikuchi K, Kohyama T, Yamauchi Y, Kato J, Takami K, Desaki M, Okazaki H, Nagase T, Rennard SI, Takizawa H | C-reactive protein modulates human lung fibroblast migration | <i>Experimental Lung Research</i> | 35 | 48-58 | 2009 |
| Kohyama T, Yamauchi Y, Takizawa H, Kamitani S, Kawasaki S, Nagase T | Histamine stimulates human lung fibroblast migration | <i>Mol Cell Biochem</i> | in press | in press | 2009 |
| Kohyama T, Yamauchi Y, Takizawa H, Itakura S, Kamitani S, Desaki M, Kawasaki S, Nagase T | Procaterol inhibits lung fibroblast migration | <i>Inflammation</i> | 32(6) | 387-392 | 2009 |
| Ishii S, Noguchi K, Yanagida K | Non-Edg family lysophosphatidic acid (LPA) receptors | <i>Prostaglandins Other Lipid Mediat</i> | 89 | 57-65 | 2009 |
| Yanagida K, Masago K, Nakanishi H, Kihara Y, Hamano F, Tajima Y, Taguchi R, Shimizu T, Ishii, S | Identification and characterization of a novel lysophosphatidic acid receptor, p2y5/LPA ₆ | <i>J Biol Chem</i> | 284 | 17731-17741 | 2009 |
| Mogi C, Tobo M, Tomura H, Murata N, He X-d, Sato K, Kimura T, Ishizuka T, Sasaki T, Sato T, Kihara Y, Ishii S, Harada A, Okajima F | Involvement of proton-sensing TDAG8 in extracellular acidification-induced inhibition of pro-inflammatory cytokine production in peritoneal macrophages | <i>J Immunol</i> | 182 | 3243-3251 | 2009 |
| Aoshiba K, Nagai A | An evolutionary perspective on COPD | <i>Am J Respir Cell Mol Biol</i> | 41 | 507-508 | 2009 |
| Aoshiba K, Nagai A | Senescence hypothesis for the pathogenetic mechanism of COPD | <i>Proc Am Thorac Soc</i> | 6 | 596-601 | 2009 |
| Aoshiba K, Onizawa S, Tsuji T, Nagai A | Therapeutic effects of erythropoietin in murine models of endotoxin shock | <i>Crit Care Med</i> | 37 | 889-898 | 2009 |
| Tsuji T, Aoshiba K, Nagai A | Alveolar cell senescence exacerbates pulmonary inflammation in COPD patients | <i>Respiration</i> | | in press | |
| Tsuji T, Aoshiba K, Yokohori N, Nagai A | A systemically administered EP2 receptor agonist stimulates pulmonary angiogenesis in a murine model of emphysema | <i>Prostaglandins Other Lipid Mediat</i> | 90 | 85-88 | 2009 |
| Onizawa S, Aoshiba K, Nagai A | Platinum nanoparticle antioxidants inhibit pulmonary inflammation in mice exposed to cigarettes smoke | <i>Pulm Pharamacol Therapeutcs</i> | 22 | 340-349 | 2009 |
| Chen Y, Hanaoka M, Chen P, Droma Y, Voelkel NF, Kubo K | Protective effect of beraprost sodium, a stable prostacyclin analog, in the development of cigarette smoke extract-induced emphysema | <i>Am J Physiol Lung Cell Mol Physiol</i> | 296 | L648-656 | 2009 |
| Hanaoka M, Droma Y, Ota M, Ito M, Katsuyama Y, Kubo K | Polymorphisms of human vascular endothelial growth factor gene in high-altitude pulmonary oedema susceptible subjects | <i>Respirology</i> | 14 | 46-52 | 2009 |
| Ito M, Yasuo M, Yamamoto H, Tsushima K, Tanabe T, Yokoyama T, Hamano H, Kawa S, Uehara T, Honda T, Kawakami S, Kubo K | Central airway stenosis in a patient with autoimmune pancreatitis | <i>Eur Respir J</i> | 33 | 680-683 | 2009 |
| Komatsu Y, Fujimoto K, Yasuo M, Urushihata K, Hanaoka M, Koizumi T, Kubo K | Airway hyper-responsiveness in young adults with asthma that remitted either during or before adolescence | <i>Respirology</i> | 14 | 217-223 | 2009 |
| Yaegashi H, Fujimoto K, Abe H, Orii K, Eda S, Kubo K | Characteristics of Japanese patients with complex sleep apnea syndrome: a retrospective comparison with obstructive sleep apnea syndrome | <i>Intern Med</i> | 48 | 427-432 | 2009 |
| Yasuo M, Fujimoto K, Imamura H, Ushiki A, Kanda S, Tsushima K, Kubo H, Yamaya M, Kubo K | L-carbocysteine reduces neutrophil elastase-induced mucin production | <i>Respir Physiol Neurobiol</i> | 167 | 214-216 | 2009 |
| 久保 恵嗣, 藤本 圭作 | [COPD をめぐって 基礎・診断・治療からリハビリテーションまで] COPD の病態・生理 | アレルギー・免疫 | 16 | 1082-1088 | 2009 |

| | | | | | |
|---|---|-----------------------------------|--------|-----------|------|
| 久保 恵嗣, 小泉 知展 | [最新の肺移植をめぐって 生体肺移植を含めたその適応と手技] 中央肺移植適応検討委員会からみた脳死肺移植の課題 | 日本胸部臨床 | 68 | 929-934 | 2009 |
| 花岡 正幸, 久保 恵嗣 | [最近の COPD と気管支喘息] COPD の治療 COPD の治療-増悪時 | 臨床と研究 | 86 | 159-162 | 2009 |
| 花岡 正幸, 久保 恵嗣 | COPD の病態生理と病因 | 呼吸器科 | 16 | 153-157 | 2009 |
| 花岡 正幸 | 肺高血圧症の治療指針 | 呼吸器科 | 16 | 216-221 | 2009 |
| 藤本 圭作, 牛木 淳人, 小松佳道, 吾妻 俊彦, 吉川 純子, 久保 恵嗣 | 長時間作用型気管支拡張薬にて加療中の COPD に対する短時間作用型 β_2 刺激薬の add-on 効果 | 日本呼吸ケア・リハビリテーション学会誌 | 19 | 64-70 | 2009 |
| 牛木 淳人, 小泉 知展, 伊東理子, 津島 健司, 山本洋, 藤本 圭作, 久保 恵嗣, 坂田 信裕, 滝沢 正臣, 藤井忠重, 鈴岡 正博, 小林 俊夫 | 遠隔診療支援により長期在宅療養が可能であった重症慢性呼吸不全の 1 例 | 呼吸 | 28 | 662-665 | 2009 |
| Hirayama F, Lee AH, Binns CW, Zhao Y, Hiramatsu T, Tanikawa Y, Nishimura K, Taniguchi H | Soy consumption and risk of COPD and respiratory symptoms: a case-control study in Japan | <i>Respir Res</i> | 10: 56 | | 2009 |
| Hirayama F, Lee AH, Binns CW, Zhao Y, Hiramatsu T, Tanikawa Y, Nishimura K, Taniguchi H | Do vegetables and fruits reduce the risk of chronic obstructive pulmonary disease? A case-control study in Japan | <i>Prev Med</i> | 49 | 184-189 | 2009 |
| Hirayama F, Lee AH, Binns CW, Nishimura K, Taniguchi H | Association of impaired respiratory function with urinary incontinence | <i>Respirology</i> | 14 | 753-756 | 2009 |
| 谷口 博之 | 増悪期 COPD の酸素療法と人工呼吸管理 | <i>Medical Practice</i> | 25 | 2071-2075 | 2008 |
| 近藤 康博, 谷口 博之 | 実地医家のための呼吸管理 呼吸管理の実践。マスク下人工呼吸の実践 1) : どんな機器でどうはじめるか—NPPV 導入基準と患者選択の実践— | 診断と治療 | 97 | 39-46 | 2009 |
| 谷口 博之, 近藤 康博, 長谷川隆一 | NPPV ALI/ARDS に対する NPPV | 人工呼吸 | 26 | 14-19 | 2009 |
| 有菌 信一, 小川 智也, 渡邊文子, 寶門 玲美, 平澤純, 近藤 康博, 木村 智樹, 谷口 博之 | COPD 患者の peak cough flow と Mechanical In-Exsufflation による検討 | 日本呼吸ケア・リハビリテーション学会誌 | 19 | 53-57 | 2009 |
| 木村 智樹, 谷口 博之 | 吸入ステロイドは肺炎のリスクになるか? | 呼吸と循環 | 57 | 729-732 | 2009 |
| 谷口 博之 | COPD 増悪時の診療 2. 増悪時の治療 | 治療学 | 43 | 991-995 | 2009 |
| 與座 嘉康, 有吉 紅也, 本田純久, 谷口 博之, 千住 秀明 | COPD 患者のための日常生活活動スケールの開発: 日常生活活動息切れスケール | 日呼吸会誌 | 47 | 858-864 | 2009 |
| Zhang J, Chen F, Zhao X, Aoyama A, Okamoto T, Fujinaga T, Shoji T, Cui Y, Bando T, Date H | Nebulized phosphodiesterase III inhibitor during warm ischemia attenuates pulmonary ischemia-reperfusion injury | <i>J Heart Lung Transplant</i> | 28(1) | 79-84 | 2009 |
| Kotani Y, Honjo O, Goto K, Fujita Y, Ito A, Nakakura M, Kawada M, Sano S, Kotani K, Date H | Modified low-flow ultrafiltration ameliorates hemodynamics and early graft function and reduces blood loss in living-donor lobar lung transplantation | <i>J Heart Lung Transplant</i> | 28(4) | 340-346 | 2009 |
| Date H, Sweet SC | Lung and heart-lung transplantation | <i>Cardiol Young 19 Suppl</i> | 1 | 45-48 | 2009 |
| Toyooka S, Waki N, Okazaki M, Kato K, Yamane M, Oto T, Sano Y, Date H | Recurrence lung cancer in the mediastinum noticed after a living-donor lobar lung transplantation | <i>Ann Thorac Cardiovasc Surg</i> | 15(2) | 119-122 | 2009 |
| Aoyama A, Chen F, Fujinaga T, Sato A, Tsuruyama T, Zhang J, Shoji T, Sakai H, Nakamura T, Date H, Wada H, Bando T | Post-ischemic infusion of atrial natriuretic peptide attenuates warm ischemia-reperfusion injury in rat lung | <i>J Heart Lung Transplant</i> | 28(6) | 628-634 | 2009 |

| | | | | | |
|--|--|-----------------------------------|----------|-----------|------|
| Toyooka S, Kusano KF, Goto K, Yamane M, Oto T, Sano Y, Fuke S, Okazaki M, Ohe T, Kasahara S, Sano S, Date H | Right but left ventricular function recovers early after living-donor lobar lung transplantation in patients with pulmonary arterial hypertension | <i>J Thorac Cardiovasc Surg</i> | 138(1) | 222-226 | 2009 |
| Yara S, Fujita J, Date H | Transmission of human T-lymphotropic virus type I by bilateral living-donor lobar lung transplantation | <i>J Thorac Cardiovasc Surg</i> | 138(1) | 255-256 | 2009 |
| Shoji T, Bando T, Fujinaga T, Date H | Living-donor single-lobe lung transplant in a 6-year-old girl after 7-month mechanical ventilator support | <i>J Thorac Cardiovasc Surg</i> | in press | | 2009 |
| Shiraishi T, Okada Y, Sekine Y, Chida M, Bando T, Minami M, Oto T, Nagayasu T, Date H, Kondo T | Registry of the Japanese society of lung and heart-lung transplantation: the official Japanese lung transplantation report 2008 | <i>Gen Thorac Cardiovasc Surg</i> | 57 | 395-401 | 2009 |
| Aokage K, Date H, Okazaki M, Sano Y, Oto T, Kusano K, Goto K, Sano S, Miyoshi S | Living-donor lobar lung transplantation and closure of atrial septal defect for adult Eisenmenger's syndrome | <i>J Heart Lung Transplant</i> | 28 | 1107-1109 | 2009 |
| Chin K, Oga T, et al. | Associations between obstructive sleep apnea, metabolic syndrome and sleep duration, as measured with an actigraph, in an urban male working population in Japan | <i>Sleep</i> | 33(1) | 89-95 | 2010 |
| Tsuboi T, Oga T, Chin K | Importance of ventilator mode in long-term noninvasive positive pressure ventilation | <i>Respir Med</i> | 103 | 1854-1861 | 2009 |
| Takegami M, Chin K, et al | Development of a Japanese version of the Epworth Sleepiness Scale (JESS) based on item response theory | <i>Sleep Medicine</i> | 10 | 556-565 | 2009 |
| Narita M, Chin K, et al | Prophylactic respiratory management after liver resection with bilevel positive airway pressure ventilation: Report of three cases | <i>Surgery Today</i> | 39 | 172-174 | 2009 |
| Oga T, Matsuoka T, Yao C, Nonomura K, Kitaoka S, Sakata D, Kita Y, Tanizawa K, Taguchi Y, Chin K, Mishima M, Shimizu T, Narumiya S | Prostaglandin F2 α receptor signaling facilitates bleomycin-induced pulmonary fibrosis independently of transforming growth factor- β | <i>Nat Med</i> | 15 | 1426-1430 | 2009 |
| Tsuboi T, Oga T, Chin K | Importance of ventilator mode in long-term noninvasive positive pressure ventilation | <i>Respir Med</i> | 103 | 1854-1861 | 2009 |
| Takegami M, Hayashino Y, Chin K, Sokejima S, Kadotani H, Akashiba T, Kumura H, Ohi M, Fukuhara S | Simple four-variable screening tool for identification of patients with-disordered breathing | <i>Sleep</i> | 32 | 939-948 | 2009 |
| Takegami M, Hayashino Y, Chin K, Sokejima S, Kadotani H, Akashiba T, Kumura H, Ohi M, Fukuhara S | Body mass index in male patients with chronic obstructive pulmonary disease; correlation with low attenuation areas on CT | <i>Thorax</i> | 64 | 20-25 | 2009 |
| Takegami M, Suzukamo Y, Wakita T, Noguchi H, Chin K, Kadotani H, Inoue Y, Oka Y, Nakamura T, Green J, Johns MW, Fukuhara S | Development of a Japanese version of the Epworth Sleepiness Scale (JESS) based on item response theory | <i>Sleep Medicine</i> | 10 | 556-565 | 2009 |
| Narita M, Hatano E, Nagata M, Yanagida A, Asechi H, Takahashi K, Ikai I, Uemoto S, Chin K | Prophylactic respiratory management after liver resection with bilevel positive airway pressure ventilation: report of three cases | <i>Surgery Today</i> | 39 | 172-174 | 2009 |
| 徳安 宏和, 陳 和夫, 他 | 閉塞性睡眠時無呼吸症候群に合併した肺多発性浸潤影を呈した原発性肺クリプトコッカス症の1例 | 日呼吸会誌 | 47 | 548-552 | 2009 |
| 陳 和夫, 他 | 小児呼吸不全に対する NPPV. 特集: NPPV | 日本呼吸療法医学会誌「人工呼吸」 | 26 | 37-43 | 2009 |

| | | | | | |
|--|---|---------------------|---------------|-----------|------|
| 陳 和夫 | 睡眠呼吸障害と呼吸・循環生理 | 日本麻酔学会準機関紙「麻酔」 | 58 | S37-S46 | 2009 |
| 陳 和夫 | 睡眠時無呼吸症候群・肥満低換気症候群 特集 肥満—最新の基礎・臨床研究— | 日本臨床 | 67 | 350-355 | 2009 |
| 徳安 宏和, 陳 和夫, 他 | 閉塞性睡眠時無呼吸症候群に合併した肺多発性浸潤影を呈した原発性肺クリプトコッカス症の1例 | 日呼吸会誌 | 47 | 548-552 | 2009 |
| 陳 和夫, 他 | 小児呼吸不全に対する NPPV. 特集: NPPV | 日本呼吸療法医学会誌「人工呼吸」 | 26 | 37-43 | 2009 |
| 陳 和夫 | 睡眠呼吸障害と呼吸・循環生理 | 日本麻酔学会準機関紙「麻酔」 | 58 | S37-S46 | 2009 |
| 陳 和夫 | 睡眠時無呼吸症候群・肥満低換気症候群 特集 肥満—最新の基礎・臨床研究— | 日本臨床 | 67 | 350-355 | 2009 |
| 中西 宣文 | 慢性血栓塞栓性肺高血圧症の病態と治療 | 呼吸 | 28 | 190-197 | 2009 |
| 中西 宣文 | 慢性肺血栓塞栓症の診断 | <i>Medicina</i> | 46 | 808-811 | 2009 |
| 中西 宣文 | 肺高血圧症の疫学, 病態生理, 治療 | 臨床画像 | 25 | 1085-1094 | 2009 |
| 中西 宣文 | 第4回肺高血圧症ワールドシンポジウム報告について | 血栓と循環 | 17 | 251-255 | 2009 |
| 中西 宣文 | 肺高血圧症, 定義と分類の変遷—データポイントからのメッセージ— | 総合臨床 | 58 | 2224-2229 | 2009 |
| 中西 宣文 | 特発性肺動脈性肺高血圧症・家族性(遺伝性)肺動脈性肺高血圧症 | 呼吸器科 | 16 | 184-191 | 2009 |
| Akira M, Inoue Y, Kitaichi M, Yamamoto S, Arai T, Toyokawa K | Usual interstitial pneumonia and nonspecific interstitial pneumonia with and without concurrent emphysema: thin-section CT findings | <i>Radiology</i> | 251(1) | 271-279 | 2009 |
| Akira M, Toyokawa K, Inoue Y, Arai T | Quantitative CT in chronic obstructive pulmonary disease: inspiratory and expiratory assessment | <i>AJR</i> | 192 | 267-272 | 2009 |
| Shojima J, Tanaka G, Keicho N, Tamiya G, Ando S, Oka A, Inoue Y, Suzuki K, Sakatani M, Okada M, Kobayashi N, Toyota E, Kudo K, Kajiki A, Nagai H, Kurashima A, Oketani N, Hayakawa H, Takemura T, Nakata K, Ito H, Morita T, Matsushita I, Hijikata M, Sakurada S, Sasazuki T, Inoko H | Identification of MICA as a susceptibility gene for pulmonary mycobacterium avium complex infection | <i>J Infect Dis</i> | 199(11) | 1707-1715 | 2009 |
| Okada M, Kita Y, Nakajima T, Kanamaru N, Hashimoto S, Nagasawa T, Kaneda Y, Yoshida S, Nishida Y, Nakatani H, Takao K, Kishigami C, Inoue Y, Matsumoto M, McMurray DN, Dela Cruz EC, Tan EV, Abalos RM, Burgos JA, Saunderson P, Sakatani M | Novel prophylactic and therapeutic vaccine against tuberculosis | <i>Vaccine</i> | 27 (25-26) | 3267-3270 | 2009 |
| Ishii H, Trapnell BC, Tazawa R, Inoue Y, Akira M, Kogure Y, Tomii K, Takada T, Hojo M, Ichiwata T, Goto H, Nakata K | Comparative study of high-resolution CT findings between autoimmune and secondary pulmonary alveolar proteinosis | <i>Chest</i> | 136 | 1348-1355 | 2009 |
| 井上 義一 | 特集からむ痰, うっとうしい咳, 治療 慢性呼吸不全・COPD に去痰薬は有効か? | <i>JIM</i> | 19(1) | 44-48 | 2009 |
| 井上 義一, 杉本 親寿, 新井 徹, 北市 正則, 坂谷 光則 | [特集] 稀少呼吸器疾患をめぐる最近の進歩. 肺ランゲルハンス細胞組織球症 | 呼吸器科 | 15(5) | 404-409 | 2009 |

| | | | | | |
|---|---|-------------------------|--------|-----------|------|
| 井上 義一 | ランゲルハンス細胞組織球症の現状と最近の知見 | 呼吸と循環 | 57(12) | 1271-1280 | 2009 |
| Tamaki S, Yamauchi M, Fukuoka A, Makinodan K, Koyama N, Tomoda K, Yoshikawa M, Kimura H | Nocturnal hypoxic stress activates invasive ability of monocytes in patients with obstructive sleep apnoea syndrome | <i>Respirology</i> | 14 | 689-694 | 2009 |
| Tamaki S, Yamauchi M, Fukuoka A, Makinodan K, Koyama N, Tomoda K, Yoshikawa M, Kimura H | Production of inflammatory mediators by monocytes in patients with obstructive sleep apnea syndrome | <i>Intern Med</i> | 48 | 1255-1262 | 2009 |
| Kumamoto M, Nishiwaki T, Matsuo N, Kimura H, Matsushima K | Minimally-cultured bone marrow mesenchymal stem cells ameliorate fibrotic lung injury | <i>Eur Respir J</i> | 34 | 740-748 | 2009 |
| 小林 真也, 本津 茂人, 木村 弘 | 呼吸器症候群(第2版)Ⅲ. その他の呼吸器疾患を含めて—ポリープ状炎症性偽腫瘍— | 別冊 日本臨牀 | 10 | 301-303 | 2009 |
| 濱田 薫, 木村 弘 | 呼吸器症候群(第2版)Ⅲ. その他の呼吸器疾患を含めて—Recklinghausen 病— | 別冊 日本臨牀 | 10 | 598-601 | 2009 |
| 吉川 雅則, 木村 弘 | 新しい栄養療法—グレリンの臨床応用— | 臨床栄養 | 114 | 268-272 | 2009 |
| 木村 弘 | 第77回 閉塞性肺疾患研究会ミニシンポジウム るいそう(栄養障害, 内分泌障害) 骨粗しょう症 | 呼吸 | 28 | 423-445 | 2009 |
| 木村 弘, 濱田 薫 | 肺高圧症治療ガイドライン:私の活用術 | 呼吸器科 | 15 | 215-222 | 2009 |
| 福岡 篤彦, 甲斐 吉郎, 新井 正伸, 岩井 一哲, 国松 幹和, 吉川 雅則, 山本 佳史, 友田 恒一, 木村 弘 | 慢性閉塞性肺疾患(COPD)ガイドラインにおける栄養療法の位置づけと実際 | 栄養—評価と治療— | 26 | 124-127 | 2009 |
| 吉川 雅則, 友田 恒一, 山本 佳史, 山内 基雄, 福岡 篤彦, 木村 弘 | COPD 患者に特徴的な栄養障害 | 呼吸ケア | 7 | 812-818 | 2009 |
| 山内 基雄, 木村 弘 | 内分泌疾患と睡眠呼吸障害 | <i>Modern Physician</i> | 29 | 1149-1151 | 2009 |
| 吉川 雅則, 友田 恒一, 福岡 篤彦, 玉置 伸二, 木村 弘 | 栄養障害の病態と対策 | 日本呼吸ケアリハビリテーション学会誌 | 18 | 108-113 | 2009 |
| 山内 基雄, 木村 弘 | 睡眠時無呼吸の薬物療法と新薬の展開 | 最新医学社 | 64 | 89-93 | 2009 |
| 吉川 雅則, 木村 弘 | COPD の治療—栄養治療 | 臨牀と研究 | 86 | 171-176 | 2009 |
| 木村 弘, 桂 秀樹, 中野 恭幸, 吉川 雅則 | 呼吸器疾患と栄養管理 | 呼吸 | 28 | 20-32 | 2009 |
| 玉置 伸二, 児山 紀子, 甲斐 吉郎, 小林 真也, 田崎 正人, 本津 茂人, 友田 恒一, 前田 光一, 木村 通孝, 東条 尚, 吉川 雅則, 濱田 薫, 木村 弘 | 経過中に肺癌を合併した肺非結核性抗酸菌症の2例 | 気管支学 | 31 | 237-242 | 2009 |
| 木村 弘, 吉川 雅則 | 非薬物療法の重要性(呼吸リハビリテーション 患者教育・栄養管理) | <i>COPD FRONTIER</i> | 8 | 68-74 | 2009 |
| 吉川 雅則, 木村 弘 | 第78回閉塞性肺疾患研究会ミニシンポジウム. 肺リハビリテーションガイドライン | 呼吸 | 28 | 1024-1026 | 2009 |
| 山本 佳史, 吉川 雅則, 木村 弘 | 新・COPD ガイドラインについて: COPD の併存症とその対策 | 呼吸器科 | 16 | 112-119 | 2009 |
| 中村 篤宏, 木村 弘 | 肺血栓塞栓症および静脈血栓塞栓症 | サーキュレーションアップ・トゥ・デート | 4 | 540-545 | 2009 |
| 吉川 雅則, 木村 弘 | 病因・併存症 | 治療学 | 21 | 933-939 | 2009 |

| | | | | | |
|---|--|---|-------|-----------|------|
| 木村 弘, 梅 博久, 山谷 陸雄, 三嶋 理晃, 貫和 敏 博, 工藤 翔二 | わが国における呼吸器診療の現状と 問題点 | 日医雑誌 | 138 | 984-988 | 2009 |
| 三嶋 理晃, 長瀬 隆英, 木村 弘, 藤本 圭作 | COPD 診療の現状と展望 | 治療学 | 43 | 1001-1008 | 2009 |
| Fukuyama S, Nakano T, Matsumoto T, Brian G, Oliver G, Burgess JK, Moriwaki A, Tanaka K, Kubo M, Hoshino T, Tanaka H, McKenzie ANJ, Matsumoto K, Aizawa H, Nakanishi Y, Yoshimura A, Black JL, Inoue H | Pulmonary suppressor of cytokine signaling-1 induced by IL-13 regulates allergic asthma phenotype | <i>Am J Respir Crit Care Med</i> | 179 | 992-998 | 2009 |
| Imaoka H, Hoshino T, Okamoto M, Sakazaki Y, Sawada M, Takei S, Kinoshita T, Kawayama T, Kato S, Aizawa H | Endogenous and exogenous thioredoxin 1 prevents goblet cell hyperplasia in a chronic antigen exposure asthma model | <i>Allergy International</i> | 58(3) | 403-410 | 2009 |
| Hoshino T, Toda R, Aizawa H | Pharmacological treatment in asthma and COPD | <i>Allergy International</i> | 58(3) | 341-346 | 2009 |
| Okamoto M, Azuma K, Hoshino T, Imaoka H, Ikeda J, Kinoshita T, Takamori S, Ohshima K, Edakuni N, Kato S, Iwanaga T, Aizawa H | Correlation of decreased survival and IL- 18 in bone metastasis | <i>Intern Med</i> | 48(7) | 763-773 | 2009 |
| Toda R, Hoshino T, Kawayama T, Imaoka H, Sakazaki Y, Tsuda T, Takada S, Kinoshita M, Iwanaga T, Aizawa H | Validation of "lung age" measure by spirometry and handy electronic FEV(1) /FEV(6) meter in pulmonary diseases | <i>Intern Med</i> | 48(7) | 513-521 | 2009 |
| Inoue Y, Kawayama T, Iwanaga T, Aizawa H | High plasma brain natriuretic peptide levels in stable COPD without pul- monary hypertension or cor pulmonale | <i>Intern Med</i> | 48(7) | 503-512 | 2009 |
| Hoshino T, Okamoto M, Takei S, Sakazaki Y, Iwanaga T, Aizawa H | Redox-regulated mechanisms in asthma | <i>Antioxidants & Redox Signaling</i> | 10(4) | 769-783 | 2008 |
| Asada M, Yoshida M, Suzuki T, Hatachi Y, Sasaki T, Yasuda H, Nakayama K, Nagatomi R, Kubo H, Yamaya M | Macrolide antibiotics inhibit respiratory syncytial virus infection in human airway epithelial cells | <i>Antiviral Res</i> | 83 | 191-200 | 2009 |
| Sasaki T, Nakayama K, Yamaya M, et al | A randomized, single-blind study of lansoprazole for the prevention of exacerbations of chronic obstructive pulmonary disease in older patients | <i>J Am Geriatr Soc</i> | 57 | 1453-1457 | 2009 |
| Yoshida M, Nakayama K, Yasuda H, Kubo H, Kuwano K, Arai H, Yamaya M | Carbocysteine inhibits oxidant-induced apoptosis in cultured human airway epithelial cells | <i>Respirology</i> | 14 | 1027-1034 | 2009 |
| Yamaya M, Fujino N, Kubo H, Arai H | Effects of pneumococcal vaccination on hospitalization and exacerbations in elderly Japanese chronic obstructive pulmonary disease patients | <i>Geriatr Gerontol Int</i> | 9 | 206-209 | 2009 |
| Dimon T, Fujimoto K, Tanaka K, Yamamoto J, Nishimura K, Tanaka Y, Yanagawa M, Sumikawa H, Inoue A, Handa O, Tomiyama N, Nakamura H, Sugiyama Y, Johkoh T | Volume of pulmonary lobes and segments in chronic obstructive pulmo- nary diseases calculated using newly developed three-dimensional software | <i>Jpn J Radiol</i> | 27 | 115-122 | 2009 |
| Daimon T, Johkoh T, Honda O, Sumikawa H, Inoue A, Tomiyama N, Nakamura H, Sugiyama Y | Nonspecific interstitial pneumonia associated with collagen vascular disease: analysis of CT features to distinguish the various types | <i>Intern Med</i> | 48 | 753-761 | 2009 |
| Mato, N, Fujii M, Hakamata Y, Kobayashi E, Sato A, Hayakawa M, Ohto-Ozaki H, Bando M, Ohno S, Tominaga S, Sugiyama Y | Interleukin-1 receptor-related protein ST2 suppresses the initial stage of bleomycin-induced lung injury | <i>Eur Respir J</i> | 33 | 1415-1428 | 2009 |
| Shimaoka Y, Tajima S, Fujimoto E, Bando M, Sugiyama Y, Narita I | Effects of IS-741, a synthetic anti- inflammatory agent, on bleomycin- induced lung injury in mice | <i>Lung</i> | 187 | 331-339 | 2009 |

| | | | | | |
|---|---|---|--------------|-----------|------|
| Agatsuma T, Fujimoto K, Komatsu Y, Urushihata K, Honda T, Tsukahara T, Nomiyama T | A novel device (SD-101) with high accuracy for screening sleep apnoea-hypopnoea syndrome (corresponding author) | <i>Respirology</i> | 14(8) | 1143-1150 | 2009 |
| Kanda S, Fujimoto K, Komatsu Y, Yasuo M, Hanaoka M, Kubo K | Evaluation of respiratory impedance in asthma and COPD by an impulse oscillation system | <i>Intern Med</i> | 49 | 23-30 | 2010 |
| Kitaguchi Y, Fujimoto K, Hanaoka M, Kawakami S, Honda T, Kubo K | Clinical characteristics of combined pulmonary fibrosis and emphysema | <i>Respirology</i> | 15 | 265-271 | 2010 |
| 藤本 圭作 | 最新の COPD 治療—大規模臨床試験の結果から— COPD 治療に β_2 刺激薬をいかに使用すべきか。 | 医学のあゆみ | 231(4) | 289-291 | 2009 |
| 藤本 圭作 | [喘息と COPD の増悪をめぐって] 増悪時の喘息と COPD の鑑別 (解説/特集) | 呼吸と循環 | 57(2) | 149-153 | 2009 |
| 藤本 圭作 | [「困ったときのお助けシート」つき呼吸療法・呼吸器看護の必須知識] 吸入療法 (解説/特集) | 呼吸器ケア | 7(5) | 480-485 | 2009 |
| 藤本 圭作 | [COPD 大規模臨床試験から分かるもの] 抗コリン薬 (解説/特集) | 呼吸と循環 | 57(8) | 779-783 | 2009 |
| 藤本 圭作 | [呼吸器疾患診療の進歩 薬物療法と非薬物療法] COPD の薬物療法 (解説/特集) | 呼吸と循環 | 57(6) | 563-567 | 2009 |
| 榊原 博樹 | 呼吸器症候群 (第2版) II. 閉塞型睡眠時無呼吸症候群. 呼吸器症候群 | 別冊日本臨床 | | 513-523 | 2009 |
| 榊原 博樹 | 新時代の糖尿病学 (4). 糖代謝異常と睡眠時無呼吸症候群. | 新時代の糖尿病 (増刊号9) | | 454-463 | 2009 |
| 榊原 博樹 | 診断と疫学の新展開. 睡眠時無呼吸—最近の進歩と展望— | 最新医学 | 64 | 26-33 | 2009 |
| 榊原 博樹, 河野 正己, 江崎和久, 宮崎 絵一郎, 山田 史郎, 井上 雄一 | 睡眠呼吸障害の口腔内装置 (OA) 治療のための医療連携ガイドライン | 睡眠医療 | 2 | 279-284 | 2008 |
| 榊原 博樹, 佐々木文彦 | 睡眠時無呼吸症候群の遺伝的素因 | <i>Modern Physician</i> | 29 | 1111-1115 | 2009 |
| 榊原 博樹 | 睡眠時無呼吸症候群. 器疾患診療マニュアル | 日本医師会雑誌 | 137 巻 特別号(2) | S274-S277 | 2008 |
| 高崎 雄司, 金子 泰之, 榊原博樹, 佐々木文彦, 内山 康裕, 三重野 ゆうき, 村田 朗, 工藤 翔二 | 多点感圧シートを用いた SAS の無拘束簡易検査装置 (SD-101) の臨床評価と医療経済学的効果の推定 | 日呼吸会誌 | 46 | 181-187 | 2008 |
| Akashi K, Nakano Y, et al | Bronchial wall regions extraction algorithm using multi slice CT images | <i>SPIE Medical Imaging</i> | | Vol 7258 | 2009 |
| Nakano Y, et al | Radiological approach to asthma and COPD—the role of computed tomography | <i>Allergol Int</i> | 58(3) | 323-331 | 2009 |
| Yuan R, Nakano Y, Coxson HO, et al | Prediction of the rate of decline in FEV ₁ in smokers using quantitative computed tomography | <i>Thorax</i> | 64(11) | 944-949 | 2009 |
| 山田 英人, 中野 恭幸, 小川佳宏, 他 | [肥満と呼吸器疾患] 基礎医学とのダイアローグ 肥満遺伝子産物レプチンの炎症誘起作用 | <i>The Lung Perspectives</i> | 17(1) | 67-71 | 2009 |
| 和田 広, 中野 恭幸, 仁木登, 他 | [呼吸器疾患診断の進歩—形態と機能の系統的評価—] 胸部 CT 画像診断 | 呼吸と循環 | 57(4) | 339-347 | 2009 |
| 西尾 智尋, 中野 恭幸, 他 | 研修医が呼吸器内科を専門分野に選択するプロセスの質的研究 | 日呼吸会誌 | 47(6) | 462-465 | 2009 |
| 中野 恭幸, 他 | 左下肺動脈大動脈起始症の1例 | <i>The Lung Perspectives</i> | 17(3) | 223 | 2009 |
| 和田 広, 中野 恭幸 | [COPD] 診断 2 画像診断 | 治療学 | 43(9) | 943-946 | 2009 |
| 松廣 幹雄, 中野 恭幸, 仁木登, 他 | マルチスライス CT 画像の肺葉・肺区域分割法 | <i>Medical Imaging Technology Tec 1</i> | 27 | 1-4 | 2009 |

| | | | | | |
|---|---|---|----------|-----------|------|
| 松廣 幹雄, 中野 恭幸, 仁木登, 他 | マルチスライス CT 画像の肺葉・肺区域分割法 | 電子情報通信学会誌 | 109(123) | 13-15 | 2009 |
| 中野 恭幸 | 体型と呼吸機能 栄養障害と肺気腫 | 日呼吸会誌 | 47 | 29 | 2009 |
| 中野 恭幸 | [呼吸器症候群 (第2版)] アレルギー性肺疾患 喘息, 気道疾患 Churg-Strauss 症候群 | 日本臨床 | | 9-13 | 2009 |
| 栗原 美香, 中野 恭幸, 他 | COPD 患者における食後代謝の検討 | 静脈経腸栄養 | 24(1) | 142 | 2009 |
| 松廣 幹雄, 中野 恭幸, 仁木登, 他 | マルチスライス CT 画像の肺葉・肺区域分割法 | CT 検診 | 16(1) | 55 | 2009 |
| 赤木 達, 草野 研吾 | 肺動脈性肺高血圧, 抗凝固療法 | 日本臨床 | 66 | 2174-2178 | 2008 |
| 安藤 守秀 | 呼吸リハビリテーションマニュアル—患者教育の考え方と実践—医師の立場から— | 日呼ケアリハ学会誌 | 19 | 225-229 | 2009 |
| 安藤 守秀 | 呼吸器科医の立場から見た呼吸リハビリテーション | リハビリテーション医学 | 46 | 565-571 | 2009 |
| Ikeda T, Nakamura K, Akagi S, Kusano KF, Matsubara H, Fujio H, Ogawa A, Miura A, Miura D, Oto T, Yamanaka R, Otsuka F, Date H, Ohe T, Ito H | Inhibitory effects of simvastatin on platelet-derived growth factor signaling in pulmonary artery smooth muscle cells from patients with idiopathic pulmonary arterial hypertension | <i>J Cardiovasc Pharmacol</i> | 55(1) | 39-48 | 2009 |
| Toyooka S, Sano Y, Yamane M, Oto T, Okazaki M, Kusano KF, Date H | Long-term follow-up of living-donor single lobe transplantation for idiopathic pulmonary arterial hypertension in a child | <i>J Thorac Cardiovasc Surg</i> | 135(2) | 451-452 | 2008 |
| Handa T, Nagai S, Hirai T, Chin K, Kubo T, Oga T, Niimi A, Matsumoto H, Ito Y, Takahashi K, Watanabe K, Izumi T, Mishima M | Computed tomography analysis of airway dimensions and lung density in patients with sarcoidosis | <i>Respiration</i> | in press | | 2008 |
| Ohara T, Hirai T, Muro S, Haruna A, Terada K, Kinose D, Marumo S, Ogawa E, Hoshino Y, Niimi A, Chin K, Mishima M | Relationship between pulmonary emphysema and osteoporosis assessed by CT in patients with COPD | <i>Chest</i> | 134(6) | 1244-1249 | 2008 |
| Jinnai M, Niimi A, Takemura M, Matsumoto H, Konda Y, Mishima M | Gastroesophageal reflux-associated chronic cough in an adolescent and the diagnostic implications: a case report | <i>Cough</i> | 15 | 4-5 | 2008 |
| Isozumi R, Ito Y, Ishida T, Hirai T, Ito I, Maniwa K, Hayashi M, Kagioka H, Hirabayashi M, Onaru K, Tomioka H, Tomii K, Gohma I, Osawa M, Imai S, Takakura S, Iinuma Y, Chin K, Ichiyama S, Mishima M; Kansai Community Acquired Pneumococcal Pneumonia Study Group | Molecular characteristics of serotype 3 <i>Streptococcus pneumoniae</i> isolates among community-acquired pneumonia patients in Japan | <i>J Infect Chemother</i> | 4(3) | 258-261 | 2008 |
| Yamaguchi M, Niimi A, Matsumoto H, Ueda T, Takemura M, Matsuoka H, Jinnai M, Otsuka K, Oguma T, Takeda T, Ito I, Chin K, Mishima M | Sputum levels of transforming growth factor-beta1 in asthma: relation to clinical and computed tomography findings | <i>J Investig Allergol Clin Immunol</i> | 18(3) | 202-206 | 2008 |
| Terada K, Muro S, Sato S, Ohara T, Haruna A, Marumo S, Kinose D, Ogawa E, Hoshino Y, Niimi A, Terada T, Mishima M | Impact of gastro-oesophageal reflux disease symptoms on chronic obstructive pulmonary disease exacerbation | <i>Thorax</i> | 63(11) | 951-955 | 2008 |
| Ohara T, Hirai T, Sato S, Terada K, Kinose D, Haruna A, Marumo S, Nishioka M, Ogawa E, Nakano Y, Hoshino Y, Ito Y, Matsumoto H, Niimi A, Mio T, Chin K, Muro S, Mishima M. | Longitudinal study of airway dimensions in chronic obstructive pulmonary disease using computed tomography | <i>Respirology</i> | 13(3) | 372-378 | 2008 |
| Ishida T, Maniwa K, Kagioka H, Hirabayashi M, Onaru K, Tomioka H, Hayashi M, Tomii K, Gohma I, Ito Y, Hirai T, Ito I, Mishima M | Antimicrobial susceptibilities of <i>Streptococcus pneumoniae</i> isolated from adult patients with community-acquired pneumonia in Japan | <i>Respirology</i> | 13(2) | 240-246 | 2008 |

| | | | | | |
|---|---|---|----------|----------|------|
| Sato A, Hoshino Y, Hara T, Muro S, Nakamura H, Mishima M, Yodoi J | Thioredoxin-1 ameliorates cigarette smoke-induced lung inflammation and emphysema in mice | <i>J Pharmacol Exp Ther</i> | 325(2) | 380-388 | 2008 |
| Takahashi K, Chin K, Nakamura H, Morita S, Sumi K, Oga T, Matsumoto H, Niimi A, Fukuhara S, Yodoi J, Mishima M | Plasma thioredoxin, a novel oxidative stress marker, in patients with obstructive sleep apnea before and after nasal continuous positive airway pressure | <i>Antioxid Redox Signal</i> | 10(4) | 715-726 | 2008 |
| Hoshino Y, Mishima M | Redox-based therapeutics for lung diseases | <i>Antioxid Redox Signal</i> | 10(4) | 701-704 | 2008 |
| Ueda T, Niimi A, Matsumoto H, Takemura M, Yamaguchi M, Matsuoka H, Jinnai M, Chin K, Minakuchi M, Cheng L, Shirakawa T, Mishima M | TGFB1 promoter polymorphism C-509T and pathophysiology of asthma | <i>J Allergy Clin Immunol</i> | 121(3) | 659-664 | 2008 |
| Hasegawa M, Makita H, Nasuhara Y, Nagai K, Ito Y, Odajima N, Betsuyaku T, Nishimura M | Relationship between improved airflow limitation and changes in airway caliber induced by inhaled anticholinergics in chronic obstructive pulmonary disease | <i>Thorax</i> | in press | | 2008 |
| Nishimura M | Application of three-dimensional airway algorithms in a clinical study | <i>Proc Am Thorac Soc</i> | 5(9) | 910-914 | 2008 |
| Nagai K, Betsuyaku T, Konno S, Ito Y, Nasuhara Y, Hizawa N, Kondo T, Nishimura M | Diversity of protein carbonylation in allergic airway inflammation | <i>Free Radic Res</i> | 42(11) | 921-929 | 2008 |
| Odajima N, Betsuyaku T, Nasuhara Y, Inoue H, Seyama K, Nishimura M | Matrix metalloproteinases in blood from patients with LAM | <i>Respir Med</i> | 103(1) | 124-129 | 2009 |
| Ito Y, Betsuyaku T, Moriyama C, Nasuhara Y, Nishimura M | Aging affects lipopolysaccharide-induced upregulation of heme oxygenase-1 in the lungs and alveolar macrophages | <i>Biogerontology</i> | in press | | 2008 |
| Suzuki M, Betsuyaku T, Ito Y, Nagai K, Nasuhara Y, Kaga K, Kondo S, Nishimura M. | Down-regulated NF-E2-related factor 2 in pulmonary macrophages of aged smokers and patients with chronic obstructive pulmonary disease | <i>Am J Respir Cell Mol Biol</i> | 39(6) | 673-682 | 2008 |
| Hizawa N, Makita H, Nasuhara Y, Hasegawa M, Nagai K, Ito Y, Betsuyaku T, Konno S, Nishimura M; Hokkaido COPD Cohort Study Group | Functional single nucleotide polymorphisms of the CCL5 gene and nonemphysematous phenotype in COPD patients | <i>Eur Respir J</i> | 32(2) | 372-378 | 2008 |
| Suzuki M, Betsuyaku T, Nagai K, Fuke S, Nasuhara Y, Kaga K, Kondo S, Hamamura I, Hata J, Takahashi H, Nishimura M | Decreased airway expression of vascular endothelial growth factor in cigarette smoke-induced emphysema in mice and COPD patients | <i>Inhal Toxicol</i> | 20(3) | 349-359 | 2008 |
| Hosokawa T, Betsuyaku T, Odajima N, Suzuki M, Mochitate K, Nasuhara Y, Nishimura M | Role of basement membrane in EMMPRIN/CD147 induction in rat tracheal epithelial cells | <i>Biochem Biophys Res Commun</i> | 368(2) | 426-432 | 2008 |
| Betsuyaku T, Hamamura I, Hata J, Takahashi H, Mitsuhashi H, Adair-Kirk TL, Senior RM, Nishimura M | Bronchiolar chemokine expression is different after single versus repeated cigarette smoke exposure | <i>Respir Res</i> | 9 | 7 | 2008 |
| Nagai K, Betsuyaku T, Suzuki M, Nasuhara Y, Kaga K, Kondo S, Nishimura M | Dual oxidase 1 and 2 expression in airway epithelium of smokers and patients with mild/moderate chronic obstructive pulmonary disease | <i>Antioxid Redox Signal</i> | 10(4) | 705-714 | 2008 |
| Ebina M | Remodeling of airway walls in fatal asthmatics decreases lymphatic distribution; beyond thickening of airway smooth muscle layers | <i>Allergol Int</i> | 57 | 165-174 | 2008 |
| Hashimoto S, Amaya F, Matsuyama H, Ueno H, Kikuchi S, Tanaka M, Watanabe Y, Ebina M, Ishizaka A, Tsukita S, Hashimoto S | Dysregulation of lung injury and repair in moesin-deficient mice treated with intratracheal bleomycin | <i>Am J Physiol Lung Cell Mol Physiol</i> | | L566-574 | 2008 |

| | | | | | |
|---|--|---|--------|-----------|------|
| Kono M, Tatsumi K, Imai AM, Saito K, Kuriyama T, Shirasawa H | Inhibition of human coronavirus 229E infection in human epithelial lung cells (L132) by chloroquine involvement of p38 MAPK and ERK | <i>Antiviral Research</i> | 77 | 150-152 | 2008 |
| Miyazawa H, Takiguchi Y, Hiroshima K, Kurosu K, Tada Y, Kasahara Y, Sakao S, Tanabe N, Tatsumi K, Kuriyama T | Pulmonary and systemic toxicity of bleomycin on severe combined immune deficiency mice | <i>Exp Lung Res</i> | 34 | 1-17 | 2008 |
| Yoshimi S, Tanabe N, Masuda M, Sakao S, Uruma T, Shimizu H, Kasahara Y, Takiguchi Y, Tatsumi K, Nakajima N, Kuriyama T | Survival and quality of life for patients with peripheral type chronic thromboembolic pulmonary hypertension | <i>Circ J</i> | 72 | 958-965 | 2008 |
| Tsuiki S, Isono S, Ishikawa T, Yamashiro Y, Tatsumi K, Nishino T | Anatomical balance of the upper airway and obstructive sleep apnea | <i>Anesthesiology</i> | 108 | 1009-1015 | 2008 |
| Tada Y, Laudi S, Harral J, Carr M, Ivester C, Tanabe N, Takiguchi Y, Tatsumi K, Kuriyama T, Nichols WC, West J | Murine pulmonary response to chronic hypoxia is strain specific | <i>Exp Lung Res</i> | 34 | 313-323 | 2008 |
| Kurosu K, Takiguchi Y, Okada O, Yumoto N, Sakao S, Tada Y, Kasahara Y, Tanabe N, Tatsumi K, Weiden M, Rom WN, Kuriyama T | Identification of annexin 1 as a novel autoantigen in acute exacerbation of idiopathic pulmonary fibrosis | <i>J Immunology</i> | 181 | 756-767 | 2008 |
| Iesato K, Tatsumi K, Saito K, Ogasawara T, Sakao S, Tada Y, Kasahara Y, Kurosu K, Tanabe N, Takiguchi Y, Kuriyama T, Shirasawa H | Tiotropium bromide attenuates respiratory syncytial virus replication in epithelial cells | <i>Respiration</i> | 76 | 434-441 | 2008 |
| Shimizu H, Tanabe N, Terada J, Masuda M, Sakao S, Kasahara Y, Takiguchi Y, Tatsumi K, Kuriyama T | Dilatation of bronchial arteries correlates with extent of central disease in patients with chronic thromboembolic pulmonary hypertension | <i>Circ J</i> | 72 | 1136-1141 | 2008 |
| Shigeta A, Tanabe N, Shimizu H, Hoshino S, Maruoka M, Sakao S, Tada Y, Kasahara Y, Takiguchi Y, Tatsumi K, Masuda M, Kuriyama T | Gender differences in chronic thromboembolic pulmonary hypertension in Japan | <i>Circ J</i> | 72 | 2069-2074 | 2008 |
| 巽 浩一郎 | COPD の増悪に対する管理. 増悪頻度を減少させるために | 日本胸部臨床 | 67 | 50-62 | 2008 |
| 巽 浩一郎 | Editorial 急増する COPD—その病態理解— | 内科 | 101 | 198-201 | 2008 |
| 巽 浩一郎 | 漢方薬による COPD の治療 | 内科 | 101 | 285-289 | 2008 |
| 巽 浩一郎 | 喀痰調節薬による COPD の治療 | 内科 | 101 | 290-295 | 2008 |
| 巽 浩一郎 | COPD の“息切れ”と動的肺過膨張 | カレントセラピー | 26 | 240-243 | 2008 |
| 巽 浩一郎 | 肺動静脈瘻 | 呼吸 | 27 | 169-172 | 2008 |
| 巽 浩一郎 | COPD 薬物療法のポイント. テオフィリンの使い方 | 診断と治療 | 96 | 1111-1116 | 2008 |
| Sugimoto R, Nakao A, Yamane M, Toyooka S, Okazaki M, Aoe M, Seyama K, Date H, Oto T, Sano Y | Sirolimus amelioration of clinical symptoms of recurrent lymphangiomyomatosis after living-donor lobar lung transplantation | <i>J Heart Lung Transplant</i> | 27(8) | 921-924 | 2008 |
| Makino Y, Shimanuki Y, Fujiwara N, Morio Y, Sato K, Yoshimoto J, Gunji Y, Suzuki T, Sasaki S, Iwase A, Kawasaki S, Takahashi K, Seyama K | Peritoneovenous shunting for intractable chylous ascites complicated with lymphangiomyomatosis | <i>Intern Med</i> | 47(4) | 281-285 | 2008 |
| Mori H, Nose T, Ishitani K, Kasagi S, Souma S, Akiyoshi T, Kodama Y, Mori T, Kondo M, Sasaki S, Iwase A, Takahashi K, Fukuchi Y, Seyama K | Phosphodiesterase 4 inhibitor GPD-1116 markedly attenuates the development of cigarette smoke-induced emphysema in senescence-accelerated mice P1 strain | <i>Am J Physiol Lung Cell Mol Physiol</i> | 294(2) | L196-204 | 2008 |

| | | | | | |
|---|--|--|--------|-----------|------|
| 飛野 和則 | 嚢嚢胞性肺疾患 | 呼吸器症候群 (第2版) | I | 783-791 | 2008 |
| 赤柴 恒人 | CPAP 治療における治療圧の決定方法 | <i>Clinical Engineering</i> | 19(11) | 1153-1157 | 2008 |
| 赤柴 恒人 | ポリソムノグラフィー—簡易検査と精密検査— 呼吸器疾患診療マニュアル | 日本医師会雑誌 | 137 | S135-S137 | 2008 |
| 赤柴 恒人 | 睡眠と呼吸のかかわり | 呼吸 | 27(8) | 753-754 | 2008 |
| 赤柴 恒人 | 睡眠時無呼吸症候群 (SAS) の検査と診断のポイント—外来における診断の実際— | <i>Medical Practice</i> | 25(7) | 1151-1154 | 2008 |
| Minematsu N, Nakamura H, Furuuchi M, Nakajima T, Takahashi S, Tsujimura S, Tateno H, Ishizaka A | Common functional polymorphisms in cathepsin S promoter in Japanese subjects; possible contribution to pulmonary emphysema | <i>Respirology</i> | 13 | 498-504 | 2008 |
| Takahashi S, Nakamura H, Seki M, Shiraishi Y, Yamamoto M, Furuuchi M, Nakajima T, Tsujimura S, Shirahata T, Nakamura M, Minematsu N, Yamasaki M, Tateno H, Ishizaka A | Reversal of elastase-induced pulmonary emphysema and promotion of alveolar epithelial cell proliferation by simvastatin mice | <i>American Journal of Physiology Lung Cell and Molecular Physiology</i> | 294 | L882-890 | 2008 |
| Nakajima T, Jo T, Meguro K, Oonuma H, Ma J, Kubota N, Imuta H, Takano H, Iida H, Nagase T, Nagata T | Effect of dexamethasone on voltage-gated Na ⁺ channel in cultured human bronchial smooth muscle cells | <i>Life Sci</i> | 82 | 1210-1215 | 2008 |
| Kawakami M, Matsuo Y, Yoshiura K, Nagase T, Yamashita N | Sequential and quantitative analysis of a murine model of elastase-induced emphysema | <i>Biol Pharm Bull</i> | 31 | 1434-1438 | 2008 |
| Makita R, Uchijima Y, Nishiyama K, Amano T, Chen Q, Takeuchi T, Mitani A, Nagase T, Yatomi Y, Aburatani H, Nakagawa O, Cobostark P, Igarashi P, Murakami M, Tominaga J, Sato T, Asano T, Kurihara Y, Kurihara H | Multiple renal cysts with concentration defects and pulmonary emphysema in mice lacking TAZ | <i>Am J Physiol</i> | 294 | F542-553 | 2008 |
| Kage H, Kobayama T, Kitagawa H, Takai D, Kanda Y, Ohishi N, Nagase T | Non-infectious bronchiolitis as an early pulmonary complication of hematopoietic stem cell transplantation | <i>Internal Medicine</i> | 47 | 61-64 | 2008 |
| Kohyama T, Yamauchi Y, Takizawa H, Itakura S, Kamitani S, Kato J, Nagase T | Clarithromycin inhibits fibroblast migration | <i>Respir Med</i> | | in press | 2008 |
| Kihara Y, Yanagida K, Masago K, Kita Y, Hishikawa D, Shindou H, Ishii S, Shimizu T | Platelet-activating factor production in the spinal cord of experimental allergic encephalomyelitis mice via the group IVA cytosolic PLA2-LysoPAFAT axis | <i>J Immunol</i> | 181 | 5008-5014 | 2008 |
| Hikiji H, Takato T, Shimizu T, Ishii S | The roles of prostanoids, leukotrienes, and platelet-activating factor in bone metabolism and disease | <i>Prog Lipid Res</i> | 47 | 107-126 | 2008 |
| 永井 厚志, 青柴 和徹 | 慢性閉塞性肺疾患 (COPD) 診断と治療の進歩 病因と病態 病因論 | 日内会誌 | 97 | 1177-1183 | 2008 |
| 青柴 和徹 | 肺の老化と気腫病変 | 呼吸 | 27 | 143-147 | 2008 |
| Chen Y, Chen P, Hanaoka M, Droma Y, Kubo K | Enhanced levels of prostaglandin E2 and matrix metalloproteinase-2 correlate with the severity of airflow limitation in stable COPD | <i>Respirology</i> | 13 | 1014-1021 | 2008 |
| Chen Y, Chen P, Hanaoka M, Huang X, Droma Y, Kubo K | Mechanical ventilation in patients with hypoxemia due to refractory heart failure | <i>Intern Med</i> | 47 | 367-373 | 2008 |
| Hanaoka M, Ideura G, Ito M, Urushihata K, Koizumi T, Fujimoto K, Kubo K | Pulmonary haemodynamic changes in patients with severe COPD | <i>Respirology</i> | 13 | 919-922 | 2008 |

| | | | | | |
|---|--|---|-------|-----------|------|
| Hanaoka M, Yu X, Urushihata K, Ota M, Fujimoto K, Kubo K | Leptin and leptin receptor gene polymorphisms in obstructive sleep apnea syndrome | <i>Chest</i> | 133 | 79-85 | 2008 |
| Ito M, Hanaoka M, Droma Y, Hatayama O, Sato E, Katsuyama Y, Fujimoto K, Ota M | The association of transforming growth factor beta 1 gene polymorphisms with the emphysema phenotype of COPD in Japanese | <i>Intern Med</i> | 47 | 1387-1394 | 2008 |
| Tanabe T, Fujimoto K, Yasuo M, Tsushima K, Yoshida K, Ise H, Yamaya M | Modulation of mucus production by interleukin-13 receptor alpha2 in the human airway epithelium | <i>Clin Exp Allergy</i> | 38 | 122-134 | 2008 |
| 久保 恵嗣 | [2 ページで解説! 診療ガイドラインジェスト] 呼吸器 呼吸不全 | 治療 | 90 | 28-29 | 2008 |
| 久保 恵嗣 | [呼吸器疾患診療マニュアル] 呼吸器疾患の治療 原発性肺高血圧症 | 日本医師会雑誌 | 137 | S269-S271 | 2008 |
| 藤本 圭作 | COPD と診断され、在宅酸素療法が施行された気管支喘息と考えられた 1 例 | 呼吸 | 27 | 739-743 | 2008 |
| 藤本 圭作 | COPD の予後を変えることができるか? 増悪の現状と予防への戦略 | 日本呼吸ケア・リハビリテーション学会誌 | 18 | 34-39 | 2008 |
| 藤本 圭作 | [呼吸器疾患の病態を機能検査から考える] COPD の呼吸機能と病態 | 呼吸 | 27 | 973-976 | 2008 |
| 伊東 理子, 久保 恵嗣 | Nursing Process 慢性閉塞性肺疾患の理解 | クリニカルスタディ | 29 | 51-57 | 2008 |
| 田名部 毅, 藤本 圭作 | [呼吸器疾患診療マニュアル] 呼吸器疾患の患者指導・支援在宅酸素療法 | 日本医師会雑誌 | 137 | S313-S316 | 2008 |
| 松澤 幸範, 藤本 圭作, 久保 恵嗣 | 禁煙外来受診者の禁煙導入に影響する因子について | 長野県医学会雑誌 | 38 | 32-34 | 2008 |
| 井上 博雅, 相澤 久道, 石坂 彰敏, 一ノ瀬 正和, 植木 純, 大田 健, 大森 久光, 小川 浩正, 金澤 實, 川山 智隆, 黒澤 一, 小林 弘祐, 榊原 博樹, 玉置 淳, 陳 和夫, 梅 博久, 南須原康行, 飛田 渉, 藤本 圭作, 南方 良章 | 生活習慣病対策における COPD の重要性 「特定健康診査・特定保健指導」への提言 | 日本呼吸器学会雑誌 | 46 | 583-591 | 2008 |
| Hirayama F, Lee AH, Binns CW, Taniguchi H, Nishimura K, Kato K | Urinary incontinence in men with chronic obstructive pulmonary disease | <i>International Journal of Urology</i> | 15 | 751-753 | 2008 |
| 谷口 博之, 渡邊文子 | COPD の支持療法 呼吸リハビリテーション | 診断と治療 | 96 | 1131-1139 | 2008 |
| 谷口 博之 | 増悪期 COPD の酸素療法と人工呼吸管理 | <i>Medical Practice</i> | 25 | 2071-2075 | 2008 |
| Bando T, Date H, Minami M, Kondo T, Shiraishi T, Miyoshi S, Sekine Y, Nagayasu T | First registry report : lung transplantation in Japan | <i>Gen Thorac Cardiovasc Surg</i> | 56 | 17-21 | 2008 |
| 中西 宣文 | 肺血栓塞栓症の疫学と臨床 | 臨床放射線 | 53(8) | 953-960 | 2008 |
| 林田 美江, 久保 恵嗣, 瀬山 邦明, 熊坂 利夫, 井上 義一, 北市 正則, 審良 正則, 厚生労働省難治性疾患克服研究事業呼吸不全に関する調査研究班 | [特別報告] リンパ脈管筋腫症 Lymphangiomyomatosis (LAM) の診断基準 | 日本呼吸器学会雑誌 | 46(6) | 425-427 | 2008 |
| 林田 美江, 藤本 圭作, 久保 恵嗣, 瀬山 邦明, 井上 義一, 厚生労働省難治性疾患克服研究事業呼吸不全に関する調査研究班 | [特別報告] リンパ脈管筋腫症 Lymphangiomyomatosis (LAM) の治療と管理の手引き | 日本呼吸器学会雑誌 | 46(6) | 428-431 | 2008 |

| | | | | | |
|--|---|----------------------------------|--------|-----------|------|
| Inoue Y, Trapnell BC, Tazawa R, Arai T, Takada T, Hizawa N, Kasahara Y, Tatsumi K, Hojo M, Ichihata T, Tanaka N, Yamaguchi E, Eda R, Oishi K, Tsuchihashi Y, Kaneko C, Nukiwa T, Sakatani M, Krischer JP, Nakata K; Japanese Center of the Rare Lung Diseases Consortium | Characteristics of a large cohort of patients with Autoimmune pulmonary alveolar proteinosis in Japan | <i>Am J Respir Crit Care Med</i> | 177(7) | 752-762 | 2008 |
| Young L, Inoue Y, McCormack FX | Diagnostic potential of serum VEGF-D for lymphangioliomyomatosis | <i>N Engl J Med</i> | 358(2) | 199-200 | 2008 |
| Arai T, Inoue Y, Eishi Y, Yamamoto S, Sakatani M | Propionibacterium Acnes in granulomas of a patient with necrotising sarcoid granulomatosis | <i>Thorax</i> | 63 | 90-91 | 2008 |
| Kitada S, Kobayashi K, Takakura S, Sakatani M, Suzuki K, Takashima T, Nagai T, Sakurabayashi I, Ito M, Maekura R, for the MAC Serodiagnosis Study Groupe | Serodiagnosis of mycobacterium avium-complex pulmonary disease using an enzyme immunoassay kit | <i>Am J Respir Crit Care Med</i> | 177 | 793-797 | 2008 |
| Makinodan K, Itoh T, Tomoda K, Tamaki S, Koyama N, Yoshikawa M, Hamada K, Kimura H | Acute pulmonary thromboembolism associated with interstitial pneumonia | <i>Intern Med</i> | 47 | 647-650 | 2008 |
| Yamauchi M, Dostal J, Kimura H, Strohl KP | Effects of buspirone on posthypoxic ventilatory behavior in the C57BL/6J and A/J mouse strains | <i>J Appl Physiol</i> | 105 | 518-526 | 2008 |
| Yamauchi M, Kimura H | Oxidative stress in obstructive sleep apnea: Putative pathways to the cardiovascular complications | <i>Antioxid Redox Signal</i> | 10 | 755-768 | 2008 |
| Kitamura K, Asada H, Iida H, Fukumoto T, Kobayashi N, Niizeki H, Morii T, Kimura H, Miyagawa S | Relationship among human herpesvirus 6 reactivation, serum interleukin 10 levels, and rash/graft-versus-host disease after allogeneic stem cell transplantation | <i>J Am Acad Dermatol</i> | 58 | 802-809 | 2008 |
| Suzaki Y, Hamada K, Nomi T, Ito T, Sho M, Kai Y, Nakajima Y, Kimura H | A small-molecule compound targeting CCR5 and CXCR3 prevents the development of asthma | <i>Eur Respir J</i> | 31 | 783-789 | 2008 |
| Makinodan K, Yoshikawa M, Fukuoka A, Tamaki S, Koyama N, Yamauchi M, Tomoda K, Hamada K, Kimura H | Effect of serum leptin levels on hypercapnic ventilatory response in obstructive sleep apnea | <i>Respiration</i> | 75 | 257-264 | 2008 |
| 福岡 篤彦, 岩井 一哲, 新井 正伸, 岡田 徹, 牧之段 潔, 児山 紀子, 玉置 伸二, 吉川 雅則, 国松 幹和, 木村 弘 | 閉塞型睡眠時無呼吸症候群 (OSAS) 患者の Health-related quality of life (HRQOL) について | <i>Quality of Life Journal</i> | 9 | 27-35 | 2008 |
| 木村 弘 | 肺動脈性肺高血圧症の病態, 診断と内科的治療の進歩 | 臨床呼吸生理 | 40 | 35-37 | 2008 |
| 濱田 薫, 木村 弘, 西本 優子 | 呼吸ケアのための画像診断 | 呼吸器ケア | 6 | 31-33 | 2008 |
| 太田 浩世, 中村 篤宏, 森岡 崇, 熊本 牧子, 友田 恒一, 木村 弘 | 呼吸器抄読会: 奈良県立医科大学内科学第二講座 | 呼吸 | 27 | 846 | 2008 |
| 木村 弘, 吉川 雅則 | 慢性閉塞性肺疾患 (COPD) 診断と治療の進歩 I. 病因と病態 栄養障害とその対策 | 日本内科学会雑誌 | 97 | 1198-1205 | 2008 |
| 友田 恒一, 木村 弘 | COPD (慢性閉塞性肺疾患) 病態と治療 治療薬解説: 気管支拡張薬の使い方 | カレントセラピー | 26 | 255-259 | 2008 |
| 吉川 雅則, 福岡 篤彦, 木村 弘 | COPD の予後を左右する合併疾患 栄養障害 | <i>COPD Frontier</i> | 7 | 56-61 | 2008 |
| 吉川 雅則, 友田 恒一, 福岡 篤彦, 山本 佳史, 木村 弘 | 全身性疾患としての COPD 栄養・骨代謝疾患 | 日本胸部臨 | 67 | 1017-1027 | 2008 |

| | | | | | |
|---|--|---|--------|-----------|------|
| 吉川 雅則, 友田 恒一, 福岡 篤彦, 玉置 伸二, 木村 弘 | 全身性疾患としての COPD—なぜ全身病として扱う必要があるのか—栄養障害の病態と対策 | 日本呼吸ケア・リハビリテーション学会誌 | 18 | 108-113 | 2008 |
| Hoshino T, Okamoto M, Takei S, Sakazaki Y, Iwanaga T, Aizawa H | Redox-regulated mechanisms in asthma | <i>Antioxidants & Redox Signaling</i> | 10(4) | 769-783 | 2008 |
| Imaoka H, Hoshino T, Takei S, Kinoshita T, Okamoto M, Kawayama T, Kato S, Iwasaki H, Watanabe K, Aizawa H | Interleukin-18 production and pulmonary function in COPD | <i>European Respiratory Journal</i> | 31(2) | 287-297 | 2008 |
| Inoue H, Hiraoka K, Hoshino T, Okamoto M, Iwanaga T, Zenmyo M, Shoda T, Aizawa H, Nagata K | High levels of serum IL-18 promote cartilage loss through suppression of aggrecan synthesis | <i>Bone</i> | 42(6) | 1102-1110 | 2008 |
| Adachi M, Aizawa H, Ishihara K, Ohta K, Sano Y, Taniguchi H, Nakashima M | Comparison of salmeterol/fluticasone propionate (FP) combination with FP + sustained release theophylline in moderate asthma patients | <i>Respiratory Medicine</i> | 102(7) | 1055-1064 | 2008 |
| Furumoto A, Ohkusa Y, Chen M, Kawakami K, Masaki H, Sueyasu Y, Iwanaga T, Aizawa H, Nagatake T, Oishi K | Additive effect of pneumococcal vaccine and influenza vaccine on acute exacerbation in patients with chronic lung disease | <i>Vaccine</i> | 26 | 4284-4289 | 2008 |
| Kawayama T, Hoshino T, Ichiki M, Tsuda T, Kinoshita M, Takata S, Koga T, Iwanaga T, Aizawa H, Kurume COPD Study Group | Effect of add-on therapy of tiotropium in COPD treated with theophylline | <i>International Journal of COPD</i> | 3(1) | 137-147 | 2008 |
| Kawayama T, Minakata Y, Matsunaga K, Yamagata T, Tsuda T, Kinoshita M, Iwanaga T, Ichinose M, Aizawa H | Validation of symptom-based COPD questionnaires in Japanese subjects | <i>Respirology</i> | 13(3) | 420-426 | 2008 |
| Minakata Y, Iijima H, Takahashi T, Miura M, Ogawa H, Kimura K, Koga T, Kinoshita M, Tsuda T, Aizawa H, Ichinose M | Efficacy and safety of formoterol in Japanese patients with COPD | <i>Intern Med</i> | 47(4) | 217-223 | 2008 |
| Minami S, Kawayama T, Ichiki M, Nishimura M, Sueyasu Y, Gohara R, Kinoshita M, Koga H, Iwanaga T, Aizawa H | Clinical efficacy of the transdermal tulobuterol patch in patients with chronic obstructive pulmonary disease: a comparison with slow-release theophylline | <i>Intern Med</i> | 47(6) | 503-509 | 2008 |
| Takeoka H, Koga T, Yano H, Ikeda J, Nishimura M, Kamimura T, Aizawa H | A hybrid lesion of lung cancer and aspergillosis | <i>Clinical Medicine: Oncology</i> | 2 | 115-118 | 2008 |
| Nakao I, Kanaji S, Ohta S, Matsushita H, Arima K, Yuyama N, Yamaya M, Nakayama K, Kubo H, Watanabe M, Sagara H, Sugiyama K, Tanaka H, Toda S, Hayashi H, Inoue H, Hoshino T, Shiraki A, Inoue M, Suzuki K, Aizawa H, Okinami S, Nagai H, Hasegawa M, Fukuda T, Eric D. Green, Izuwara K | Identification of pendrin as a common mediator for mucus production in bronchial asthma and chronic obstructive pulmonary disease | <i>The Journal of Immunology</i> | 180 | 6262-6269 | 2008 |
| Takata S, Washio M, Moriwaki A, Tsuda T, Nakayama H, Iwanaga T, Aizawa H, Arai Y, Nakanishi Y, Inoue H | Burden among caregivers of patients with chronic obstructive pulmonary disease with long-term oxygen therapy | <i>International Medical Journal</i> | 15(1) | 53-57 | 2008 |
| Yamaya M, Azuma A, Tanaka H, Takizawa H, Chida K, Taguchi Y, Mikasa K, Kadota J, Kudoh S | Inhibitory effects of macrolide antibiotics on exacerbations and hospitalization in COPD in Japan: a retrospective multicenter analysis | <i>J Am Geriatr Soc</i> | 56 | 1358-1360 | 2008 |
| Yamaya M, Fujino N, Kubo H, Arai H | Effects of pneumococcal vaccination on hospitalization and exacerbations in elderly Japanese COPD patients | <i>Geriatr Gerontol Int</i> | | in press | 2008 |

| | | | | | |
|---|--|---|------------------|-----------|------|
| Ogawa E, Nakano Y, Mishima M, et al | Body mass index in male patients with chronic obstructive pulmonary disease ; correlation with low attenuation areas on CT | <i>Thorax</i> | published online | | 2008 |
| Patel BD, Nakano Y, et al | Airway wall thickening and emphysema show independent familial aggregation in chronic obstructive pulmonary disease | <i>Am J Respir Crit Care Med</i> | 178(5) | 500-505 | 2008 |
| Yamada H, Nakano Y, Ogawa Y, et al | In vivo and in vitro inhibition of monocyte adhesion to endothelial cells and endothelial adhesion molecules by eicosapentaenoic acid | <i>Arterioscler Thromb Vasc Biol</i> | 28(12) | 2173-2179 | 2008 |
| Wong JC, Nakano Y, et al | The influence of reconstruction algorithm on the measurement of airway dimensions using computed tomography | <i>Proc SPIE Medical Imaging</i> | | Vol 6916 | 2008 |
| Saita S, Nakano Y, Mishima M, et al | Algorithm of pulmonary emphysema extraction using thoracic 3-D CT images | <i>Proc SPIE Medical Imaging</i> | | Vol 6915 | 2008 |
| 中野 恭幸, 財田 伸介, 仁木 登 | CAD による肺がん以外の胸郭病変の診断支援 | 呼吸と循環 | 56(5) | 485-490 | 2008 |
| 松本 鉄也, 中野 恭幸, 堀江 稔 | 心血管疾患 | 日本胸部臨床 | 67(12) | 1000-1009 | 2008 |
| Takegami M, Suzukamo Y, Wakita T, Noguchi H, Chin K, Kadotani H, Inoue Y, Oka Y, Nakamura T, Green J, Johns MW, Fukuhara S | Development of a Japanese version of the Epworth Sleepiness Scale (JESS) based on item response theory | <i>Sleep Medicine</i> | in press | | |
| Narita M, Hatano E, Nagata M, Yanagida A, Asechi H, Takahashi K, Ikai I, Uemoto S, Chin K | Prophylactic respiratory management after liver resection with bilevel positive airway pressure ventilation: report of three cases | <i>Surgery Today</i> | 39(2) | 172-174 | 2009 |
| Takahashi K, Chin K, Akamizu T, Morita S, Sumi K, Oga T, Matsumoto H, Niimi A, Tsuboi T, Fukuhara S, Kangawa K, Mishima M | Acylated ghrelin level in patients with obstructive sleep apnoea before and after nasal CPAP treatment | <i>Respirology</i> | 13 | 810-816 | 2008 |
| Nakayama-Ashida Y, Takegami M, Chin K, Sumi K, Nakamura T, Takahashi K, Wakamura T, Horita S, Oka Y, Minami I, Fukuhara S, Kadotani H | Sleep-disordered breathing in the usual lifestyle setting as detected with home monitoring in a Japanese male working population | <i>Sleep</i> | 31 | 419-425 | 2008 |
| Takahashi K, Chin K, Akamizu T, Morita S, Sumi K, Oga T, Matsumoto H, Niimi A, Tsuboi T, Fukuhara S, Kangawa K, Mishima M | Acylated ghrelin level in patients with obstructive sleep apnoea before and after nasal CPAP treatment | <i>Respirology</i> | 13 | 810-816 | 2008 |
| Takahashi K, Chin K, Nakamura H, Morita S, Sumi K, Oga T, Matsumoto H, Niimi A, Fukuhara S, Yodoi J, Mishima M | Plasma thioredoxin, a novel oxidative stress marker, in patients with obstructive sleep apnea before and after nasal continuous positive airway pressure | <i>Antioxidants & Redox Signaling</i> | 10 | 715-726 | 2008 |
| Nakayama-Ashida Y, Takegami M, Chin K, Sumi K, Nakamura T, Takahashi K, Wakamura T, Horita S, Oka Y, Minami I, Fukuhara S, Kadotani H | Sleep-disordered breathing in the usual lifestyle setting as detected with home monitoring in a Japanese male working population | <i>Sleep</i> | 31 | 419-425 | 2008 |
| 赤木 達, 草野 研吾 | 特集：肺動脈性肺高血圧症 抗凝固療法 | 日本臨床 | 66(11) | 2174-2178 | 2008 |
| Toyooka S, Sano Y, Yamane M, Oto T, Okazaki M, Kusano KF, Date H | Long-term follow-up of living-donor single lobe transplantation for idiopathic pulmonary arterial hypertension in a child | <i>J Thorac Cardiovasc Surg</i> | 135(2) | 451-452 | 2008 |
| Inoue D, Kubo H, Sasaki T, Yasuda H, Numasaki M, Sasaki H, Yamaya M | Erythromycin attenuates MUC5AC synthesis and secretion in cultured human tracheal cells with RV14 infection | <i>Respirology</i> | 13 | 215-220 | 2008 |

厚生労働科学研究費補助金 難治性疾患克服研究事業
呼吸不全に関する調査研究

| | | | | | |
|---|--|----------------------------------|-------|-----------|------|
| Inoue D, Kubo H, Watanabe M, Sasaki T, Yasuda H, Numasaki M, Sasaki H, Yamaya M | Submucosal gland cells in human lower airways produce MUC5AC protein | <i>Respirology</i> | 13 | 285-287 | 2008 |
| 久能木真喜子, 瀬山 邦明 | リンパ脈管筋腫症 | 呼吸器症候群 (第2版) I. 新領域別症候群シリーズ NO 8 | NO 8 | 783-791 | 2008 |
| 吉見 格, 瀬山 邦明 | COPD の管理 薬物療法の面から | <i>COPD FRONTIER</i> | 7(2) | 165-172 | 2008 |
| 三浦 佳代, 瀬山 邦明, 石渡 俊次, 鳥田 和典 | 一般病院での禁煙外来の有用性と問題点 (解説/特集/抄録あり) | 総合臨床 | 57(9) | 2269-2273 | 2008 |
| 郡司 陽子, 熊坂 利夫, 瀬山 邦明 | リンパ脈管筋腫症 (LAM) の分子病態と治療への展望 | 日本胸部臨床 | 67(4) | 275-283 | 2008 |

厚生労働科学研究費補助金難治性疾患克服研究事業

呼吸不全に関する調査研究

平成20年度～22年度 総合研究報告書

発行 平成23年3月31日

厚生労働科学研究費補助金

難治性疾患克服研究事業

呼吸不全に関する調査研究

研究代表者 三嶋 理晃

京都市左京区聖護院川原町54

京都大学大学院医学研究科呼吸器内科学

電話 (075) 751-3830

印刷 山代印刷株式会社

