

1. 雑誌

欧文

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Yamamoto T, Ikeda K, Sasaka S, Yamasaki O, Fujimoto W, <u>Aoyama Y</u> , <u>Iwatsuki K</u>	Human leukocyte antigen genotypes and antibody profiles associated with familial pemphigus in Japanese.	J Dermatol	in press
Aochi S, Tsuji K, <u>Sakaguchi M</u> , <u>Huh NH</u> , Tsuda T, <u>Yamanishi K</u> , <u>Komine M</u> , <u>Iwatsuki K</u>	Markedly elevated serum levels of calcium-binding S100A8/A9 proteins in psoriatic arthritis are due to activated monocytes/macrophages.	J Am Acad Dermatol	in press
Fujita A, Hamada T, <u>Iwatsuki K</u>	A retrospective analysis of 133 patients with cutaneous lymphomas from a single Japanese medical center between 1995 and 2008.	J Dermatol	in press
Yamamoto T, Takata-Michigami M, Hisamatsu Y, Yamamoto T, Hamada T, Fujii K, Fujimoto W, Taneichi K, <u>Aoyama Y</u> , <u>Iwatsuki K</u>	A prospective analysis of anti-desmoglein antibody profiles in patients with rheumatoid arthritis treated with thiol compounds.	J Dermatol Sci	59: 170-175, 2010
Suzuki D, Tsuji K, Yamamoto T, Fujii K, <u>Iwatsuki K</u>	Production of proinflammatory cytokines without invocation of cytotoxic effects by an Epstein-Barr virus-infected natural killer cell line established from a patient with hypersensitivity to mosquito bites.	Exp Hematol	38: 933-944, 2010
Suzuki R, Suzumiya J, Yamaguchi M, Nakamura S, Kameoka J, Kojima H, Abe M, Kinoshita T, Yoshino T, <u>Iwatsuki K</u> , Kagami Y, Tsuzuki T, Kurokawa M, Ito K, Kawa K, Oshima K for The NK-cell Tumor Study Group	Prognostic factors for mature natural killer (NK) cell neoplasms: aggressive NK cell leukemia and extranodal NK cell lymphoma, nasal type.	Ann Oncol	21: 1032-1040, 2010
Nakanishi G, Shirai M, Kato T, Fujii N, Fujimoto N, Tanaka T, Shirafuji Y, Suzuki N, Otsuka M, Asagoe K, <u>Iwatsuki K</u> , Tanaka R, Fujimoto W, Hanawa F, Shimada S, Nakagawa Y, Tanioka M	Detection of COL1A1-PDGFB fusion transcripts in dermatofibrosarcoma protuberans.	Eur J Dermatol	20: 528-529, 2010
Shirafuji Y, Maeda Y, <u>Iwatsuki K</u>	Cold agglutinin-induced acrocyanosis in a patient with subclinical chronic lymphocytic leukemia: a beneficial response to rituximab.	Eur J Dermatol	20: 394-396, 2010
Rafel D, Mueller R, Ishii N, Llamazares Prada M, <u>Hashimoto T</u> , Hertl M, Eming R	IgG autoantibodies against desmocollin 3 in pemphigus sera induce loss of keratinocyte adhesion.	Am J Pathol	in press
Mao X, Nagler AR, Farber SA, Choi EJ, Jackson LH, Leiferman KM, Ishii N, <u>Hashimoto T</u> , Amagai M, Zane JJ, Payne AS	Autoimmunity to Desmocollin 3 in Pemphigus Vulgaris.	Am J Pathol	2010 Oct 15 [Epub ahead of print]
Dainichi T, Kawaguchi A, Ueda S, Tajiri R, Fumimori T, Kakuma T, <u>Hashimoto T</u>	Skin Tightening Effect Using Fractional Laser Treatment: I. A Randomized Half-Side Pilot Study on Faces of Patients with Acne.	Dermatol Surg	36: 66-70, 2010
Dainichi T, Ueda S, Fumimori T, Kiryu H, <u>Hashimoto T</u>	Skin Tightening Effect Using Fractional Laser Treatment II: A Pilot Animal Study on Skin Remodeling	Dermatol Surg	36: 71-75, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Abreu-Velez AM, Howard MS, <u>Hashimoto T</u>	Grossniklaus HE. Human eyelid meibomian glands and tarsal muscle are recognized by autoantibodies from patients affected by a new variant of endemic pemphigus foliaceus in El-Bagre, Colombia, South America.	J Am Acad Dermatol	62: 437-447, 2010
Csorba K, Sesarman A, Oswald E, Feldrihan V, Fritsch A, <u>Hashimoto T</u> , Sitaru C	Cross-reactivity of autoantibodies from patients with epidermolysis bullosa acquisita with murine collagen VII.	Cell Mol Life Sci	67: 1343-1351, 2010
Masu T, Okuyama R, Tsunoda T, <u>Hashimoto T</u> , Aiba S	Paraneoplastic pemphigus associated with malignant gastrointestinal stromal tumour.	Acta Derm Venereol	90: 89-90, 2010
Groves RW, Liu L, Dopping-Hepenstal PJ, Markus HS, Lovell PA, Ozoemena L, Lai-Cheong JE, Gawler J, Owaribe K, <u>Hashimoto T</u> , Mellerio JE, Mee JB, McGrath JA	A Homozygous Nonsense Mutation within the Dystonin Gene Coding for the Coiled-Coil Domain of the Epithelial Isoform of BPAG1 Underlies a New Subtype of Autosomal Recessive Epidermolysis Bullosa Simplex.	J Invest Dermatol	130: 1551-1557, 2010
Schmidt E, Dähnrich C, Rosemann A, Probst C, Komorowski L, Saschenbrecker S, Schlumberger W, Stöcker W, <u>Hashimoto T</u> , Bröcker EB, Recke A, Rose C, Zillikens D	Novel ELISA systems for antibodies to desmoglein 1 and 3: correlation of disease activity with serum autoantibody levels in individual pemphigus patients.	Exp Dermatol	19: 458-463, 2010
Chan PT, Ohyama B, Nishifuji K, Yoshida K, Ishii K, <u>Hashimoto T</u> , Amagai M	Immune response towards amino-terminus of desmoglein 1 prevails across different activity stages in nonendemic pemphigus foliaceus.	Br J Dermatol	162: 1242-1250, 2010
Miura T, Kawakami Y, Oyama N, Ohtsuka M, Suzuki Y, Ohyama B, <u>Hashimoto T</u> , Motoki Y, Yamamoto T	A case of pemphigus herpetiformis with absence of antibodies to desmogleins 1 and 3.	J Eur Acad Dermatol Venereol	24: 101-103, 2010
<u>Hashimoto T</u> , Dainichi T, Ohyama B, <u>Hamada T</u> , Ishii N, Sato N, Tanigawa O, Nakayama J, Amano S, Nishiyama T, Karashima T, Nakama T, Yasumoto S	A case of antilaminin 332 mucous membrane pemphigoid showing a blister on the bulbar conjunctiva and a unique epitope on the alpha3 subunit.	Br J Dermatol	162: 898-899, 2010
<u>Hashimoto T</u> , <u>Hamada T</u> , Dainichi T, Ishii N, Karashima T, Nakama T, Yasumoto S	How Does Intramolecular Epitope Spreading Occur in BPAG2 (BP180)?	J Invest Dermatol	130: 924-926, 2010
Dainichi T, Ohyama B, Ishii N, Yamaguchi Z, Yasumoto S, <u>Hashimoto T</u>	Refractory oral ulcers with multiple immunoglobulin G/immunoglobulin A autoantibodies without skin lesions.	J Am Acad Dermatol.	62: 712-715, 2010
Ishii N, <u>Hamada T</u> , Dainichi T, Karashima T, Nakama T, Yasumoto S, Zillikens D, <u>Hashimoto T</u>	Epidermolysis bullosa acquisita: What's new?	J Dermatol	37: 220-230, 2010
Dainichi T, Koga H, Tsuji T, Ishii N, Ohyama B, Ueda A, Natsuaki Y, Karashima T, Nakama T, Yasumoto S, Zillikens D, <u>Hashimoto T</u>	From anti-p200 pemphigoid to anti-laminin**1 pemphigoid.	J Dermatol	37: 231-238, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Yamaki F, Mayuzumi N, Ikeda S, <u>Hashimoto T</u>	Immunoglobulin A antibodies against desmoglein 1, envoplakin, periplakin and BP230 in a patient with aypical bullous pemphigoid.	J Dermatol	37: 255-258, 2010
Nakashima H, Fumimoto M, Watanabe R, Ishiura N, Ishida-Yamamoto A, <u>Hashimoto T</u> , Tamaki K	Herpetiform pemphigus without anti-desmoglein 1/3 autoantibodies.	J Dermatol	37: 264-268, 2010
Kaminaka C, Kanazawa N, Furukawa F, <u>Hashimoto T</u>	Case of anti-laminin- * 1 pemphigoid associated with psoriatic erythroderma	J Dermatol	37: 272-275, 2010
Jin K, Nakano H, Akasaka E, Rokunohe D, Minagawa S, Ishii N, <u>Hashimoto T</u> , Sawamura D	Linear immunoglobulin A bullous dermatosis possibly induced by mefenamic acid.	J Dermatol	37: 269-271, 2010
Koga H, Ishii N, <u>Hamada T</u> , Karashima T, Nakama T, Yasumoto S, <u>Hashimoto T</u>	Successful treatment with mycophenolate mofetil of four Japanese patients with pemphigus vulgaris.	Eur J Dermatol	20: 472-475, 2010
Nagy N, Wedgeworth E, <u>Hamada T</u> , White JM, <u>Hashimoto T</u> , McGrath JA	Schöpf-Schulz-Passarge syndrome resulting from a homozygous nonsense mutation in WNT10A.	J Dermatol Sci	58: 220-222, 2010
Santiago-Et-Sánchez-Mateos D, Juárez Martín A, González De Arriba A, Delgado Jiménez Y, Fraga J, <u>Hashimoto T</u> , García-Diez A.	IgG/IgA pemphigus with IgA and IgG antidesmoglein 1 antibodies detected by enzyme-linked immunosorbent assay: presentation of two cases.	J Eur Acad Dermatol Venereol	25: 110-112, 2010
Kabashima R, Hino R, Bito T, Kabashima K, Nakamura M, Bungo O, <u>Hashimoto T</u> , Tokura Y	Epidermolysis bullosa acquisita associated with psoriasis.	Acta Derm Venereol	90: 314-316, 2010
Tateishi C, Tsuruta D, Nakaniishi T, Uehara S, Kobayashi H, Ishii M, <u>Hashimoto T</u>	Antidesmocollin-1 antibody-positive, antidesmoglein antibody-negative pemphigus herpetiformis.	J Am Acad Dermatol	63: e8-e10, 2010
Endo Y, Kato M, Kitoh A, Kore-Eda S, Fukuda S, <u>Hashimoto T</u> , Toda K, Miyachi Y, Utani A	Pemphigoid without Mucous Involvement Showing Autoantibodies against Laminin-332 Gamma 2 Subunit.	Br J Dermatol	163: 1120-1122, 2010
Oji V, Tadini G, Akiyama M, Bardou C, Bodemer C, Bourrat E, Coudiere P, Digiovanna JJ, Elias P, Fischer J, Fleckman P, Gina M, Harper J, <u>Hashimoto T</u> , Hausser I, Hennes HC, Hohl D, Hovnanian A, <u>Ishida-Yamamoto A</u> , Jacyk WK, Leachman S, Leigh I, Mazereeuw-Hautier J, Milstone L, Morice-Picard F, Paller AS, Richard G, Schmuth M, <u>Shimizu H</u> , Sprecher E, Van Steensel M, Taieb A, Toro JR, Vabres P, Vahlquist A, Williams M, Traupe H	Revised nomenclature and classification of inherited ichthyoses: Results of the First Ichthyosis Consensus Conference in Sorèze 2009.	J Am Acad Dermatol	63: 607-641, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Morimoto K, Fukumoto T, Kobayashi N, Nagashima C, Tateishi C, Tsuruta D, <u>Hashimoto T</u> , Asada H	Pruritic reddish-brown papules and plaques as initial skin lesions in a case of anti-laminin gammal pemphigoid without psoriasis.	Br J Dermatol	163: 1134-1136, 2010
Schepens I, Jaunin F, Begre N, Laderach U, Marcus K, <u>Hashimoto T</u> , Favre B, Borradori L	The Protease Inhibitor Alpha-2-Macroglobuline-Like-1 Is the p170 Antigen Recognized by Paraneoplastic Pemphigus Autoantibodies in Human.	PLoS One	5: e12250, 2010
Groth S, Recke A, Vafia K, Ludwig RJ, <u>Hashimoto T</u> , Zillikens D, Schmidt E	Development of a simple ELISA for the detection of autoantibodies in anti-p200 pemphigoid.	Br J Dermatol	164: 76-82, 2011
<u>Hashimoto T</u> , Ishii N, <u>Hamada T</u> , Dainichi T, Karashima T, Nakama T, Yasumoto S	Effects of olopatadine hydrochloride, a histamine h(1) receptor antagonist, on histamine-induced skin responses.	Dermatol Res Pract	Epub 2010 Sep 16
Dainichi T, Hirakawa Y, Ishii N, Ohyama B, Kohda F, Takahara M, Moroi Y, Furue M, Yasumoto S, <u>Hashimoto T</u>	Mucous membrane pemphigoid with autoantibodies to all the laminin 332 subunits and fatal outcome caused by liver cirrhosis and hepatocellular carcinoma.	J Am Acad Dermatol	in press
Ishii N, <u>Hashimoto T</u> , Zillikens D, Ludwig RJ	High-Dose Intravenous Immunoglobulin (IVIg) Therapy in Autoimmune Skin Blistering Diseases.	Clin Rev Allergy Immunol	38: 186-195, 2010
<u>Amagai M</u>	Autoimmune and infectious skin diseases that target desmogleins.	Proc Jpn Acad Ser	86: 524-537, 2010
Nishifuji K, Shimizu A, Ishiko A, Iwasaki T, <u>Amagai M</u>	Removal of amino-terminal extracellular domains of desmoglein 1 by staphylococcal exfoliative toxin is sufficient to initiate epidermal blister formation.	J Dermatol Sci	59: 184-191, 2010
Tajima M, Mitsunashi Y, Iriawa R, <u>Amagai M</u> , Hashimoto T, Tsuboi R	IgA pemphigus reacting exclusively to desmoglein 3.	Eur J Dermatol	20: 626-629, 2010
Yokoyama T, <u>Amagai M</u>	Immune dysregulation of pemphigus in humans and mice.	J Dermatol	37: 205-213, 2010
<u>Aoyama Y</u> , Nagai M, Kitajima Y	Binding of pemphigus vulgaris IgG to antigens in desmosome core domains excludes immune complexes rather than directly splitting desmosomes.	Br J Dermatol	162: 1049-1055, 2010
<u>Aoyama Y</u>	What's new in i.v. immunoglobulin therapy and pemphigus: high-dose i.v. immunoglobulin therapy and its mode of action for treatment of pemphigus.	J Dermatol	37: 239-245, 2010
Kobayashi M, Nunomura S, Gon Y, Endo D, Kishiro S, Fukunaga M, Kitahata Y, <u>Terui T</u> , Ra C	Abrogation of high-affinity IgE receptor-mediated mast cell activation at the effector phase prevents contact hypersensitivity to oxazolone.	J Invest Dermatol	130: 725-31, 2010
Ohata U, Hara H, Yoshitake M, <u>Terui T</u>	Cutaneous reactions following subcutaneous beta-interferon-1b injection.	J Dermatol	37: 179-181, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Kitahata Y, Nunomura S, <u>Terui T</u> , Ra C	Prolonged culture of mast cells with high-glucose medium enhances the Fc epsilon RI-mediated degranulation response and leukotriene C4 production.	Int Arch Allergy Immunol	152 (Suppl 1): 22-31, 2010
Torii H, Nakagawa H; <u>Japanese Infliximab Study investigators (Terui T, Amagai M, Ikeda S, Komine M)</u>	Infliximab monotherapy in Japanese patients with moderate-to-severe plaque psoriasis and psoriatic arthritis. A randomized, double-blind, placebo-controlled multicenter trial.	J Dermatol Sci	59: 40-49, 2010
Shinojima Y, <u>Terui T</u> , Hara H, Kimura M, Igarashi J, Wang X, Kawashima H, Kobayashi Y, Muroi S, Hayakawa S, Esumi M, Fujiwara K, Ghosh S, Yamamoto T, Held W, Nagase H	Identification and analysis of an early diagnostic marker for malignant melanoma: ZAR1 intragenic differential methylation.	J Dermatol Sci	59:98-106, 2010
Hayama K, Inadomi T, Fujisawa D, <u>Terui T</u>	A pilot study of medium-dose cyclosporine for the treatment of palmoplantar pustulosis complicated with pustulotic arthro-osteitis.	Eur J Dermatol	20:758-762, 2010
Suda-Takayanagi T, Hara H, Ohyama B, <u>Hashimoto T</u> , <u>Terui T</u>	A case of pemphigoid vegetans with autoantibodies against both BP180 and BP230 antigens.	J Am Acad Dermatol	64:206-208, 2011
Mitsuya J, Hara H, Fukuda N, <u>Terui T</u>	A case of cutaneous mastocytosis in a child with prominent Langerhans cell infiltration.	Pediatr Dermatol	in press
Watanabe T, Yachi K, Ohta T, Fukushima T, Yoshino A, Katayama Y, Shinojima Y, <u>Terui T</u> , Nagase H	Aberrant hypermethylation of non-promoter zygote arrest 1 (zar1) in human brain tumors.	Neurol Med Chir (Tokyo)	50:1062-1069, 2010
Murata H, <u>Sakaguchi M</u> , Jin Y, Sakaguchi Y, Futami JI, Yamada H, Kataoka K, Huh NH	A new cytosolic pathway from a Parkinson's disease-associated kinase, BRPK/PINK1: activation of AKT via MTORC2.	J Biol Chem	in press
<u>Sakaguchi M</u> , Huh NH	SI00A11, a dual growth regulator of epidermal keratinocytes.	Amino Acids	in press
Kataoka K, <u>Sakaguchi M</u> , Peng li K, Taketa C, Yamamoto K, Dui G, Funahashi H, Murata H, Huh NH	Internalization of REIC/Dkk-3 protein by induced pluripotent stem cell-derived embryoid bodies and extra-embryonic tissues.	Int J Mol Med	26: 853-859, 2010
Zhang K, Watanabe M, Kashiwakura Y, Aili S, Edamura K, Huang P, Yamaguchi K, Nasu Y, Kobayashi Y, <u>Sakaguchi M</u> , Ochiai K, Yamada H, Takei K, Ueki H, <u>Huh NH</u> , Li M, Kaku H, Na Y, Kumon H	Expression pattern of REIC/Dkk-3 in various cell types and the implications of the soluble form in prostatic acinar development.	Int J Oncol	37: 1495-1501, 2010
Yamamoto K, <u>Sakaguchi M</u> , Medina RJ, Niida A, Sakaguchi Y, Miyazaki M, Kataoka K, <u>Huh NH</u>	Transcriptional regulation of a brown adipocyte-specific gene, UCPI1, by KLF11 and KLF15.	Biochem Biophys Res Commun	400: 175-80, 2010
Tanimoto R, <u>Sakaguchi M</u> , Abarzua F, Kataoka K, Kurose K, Murata H, Nasu Y, Kumon H, <u>Huh NH</u>	Down-regulation of BiP/GRP78 sensitizes resistant prostate cancer cells to gene-therapeutic overexpression of REIC/Dkk3.	Int J Cancer	126: 1562-1569, 2010
Tatsuta A, <u>Komine M</u> , Taguchi Y, Yokokura H, Koike Y, Murata S, Fukushima T, Ohtsuki M	A case of huge Buschke-Loewenstein tumor.	J Dermatol	accepted

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Karakawa M, <u>Komine M</u> , Takekoshi T, Sakurai N, Minatani Y, Tada Y, Saeki H, Tamaki K	Duration of remission period of narrowband ultraviolet B therapy on psoriasis vulgaris.	J Dermatol	accepted
Natsuga K, Nishie W, Shinkuma S, Nakamura H, Matsushima Y, Tatsuta A, <u>Komine M</u> , <u>Shimizu H</u>	Expression of exon-8-skipped kindlin-1 does not compensate for defects of Kindler syndrome.	Dermatol Sci	accepted
Takekoshi T, Tada Y, Watanabe T, Sugaya M, Hoashi T, <u>Komine M</u> , Kawashima T, Shimizu T, Hau CS, Asahina A, Yokomizo T, Sato S, Tamaki K	Identification of a novel marker for dendritic cell maturation, mouse transmembrane protein 123.	J Biol Chem	285: 31876-31884, 2010
Nakajima A, Matsuki T, <u>Komine M</u> , Asahina A, Horai R, Nakae S, Ishigame H, Kakuta S, Saijo S, Iwakura Y	TNF, but not IL-6 and IL-17, is crucial for the development of T cell-independent psoriasis-like dermatitis in <i>Il1rn</i> ^{-/-} mice.	J Immunol	185: 1887-1893, 2010
Karakawa M, <u>Komine M</u> , Tamaki K, Ohtsuki M	Roxithromycin downregulates production of CTACK/CCL27 and MIP-3 α /CCL20 from epidermal keratinocytes.	Arch Dermatol Res	302: 763-767, 2010
Asahina A, Nakagawa H, Etoh T, Ohtsuki M; <u>Adalimumab M04-688 Study Group (Terui T, Komine M, Ozawa A, Yamaniishi K, Oono T, Muto M)</u>	Adalimumab in Japanese patients with moderate to severe chronic plaque psoriasis: efficacy and safety results from a Phase II/III randomized controlled study.	J Dermatol	37: 299-310, 2010
Umemoto H, Akiyama M, Yanagi T, Sakai K, Aoyama Y, Oizumi A, Suga Y, Kitagawa Y, <u>Shimizu H</u>	New insight into genotype/phenotype correlations in ABCA12 mutations in harlequin ichthyosis.	J Dermatol Sci	in press
Kusajima E, Akiyama M, Sato M, Natsuga K, <u>Shimizu H</u>	Type XVII collagen ELISA indices significantly decreased after bullous pemphigoid remission.	Int J Dermatol	in press
Yanagi T, Akiyama M, Nishihara H, Ishikawa J, Sakai K, Miyamura Y, Naoe A, Kitahara T, Tanaka S, <u>Shimizu H</u>	Self-improvement of keratinocyte differentiation defects during skin maturation in ABCA12-deficient harlequin ichthyosis model mice.	Am J Pathol	177: 106-118, 2010
Wang G, Ujiie H, Shibaki A, Nishie W, Tateishi Y, Kikuchi K, Li Q, McMillan JR, Morioka H, Sawamura D, Nakamura H, <u>Shimizu H</u>	Blockade of autoantibody-initiated tissue damage by using recombinant fab antibody fragments against pathogenic autoantigen.	Am J Pathol	176: 914-925, 2010
Ujiie H, Shibaki A, Nishie W, Sawamura D, Wang G, Tateishi Y, Li Q, Moriuchi R, Qiao H, Nakamura H, Akiyama M, <u>Shimizu H</u>	A novel active mouse model for bullous pemphigoid targeting humanized pathogenic antigen.	J Immunol	184: 2166-2174, 2010
Ujiie H, Shibaki A, Akiyama M, <u>Shimizu H</u>	Successful treatment of nail lichen planus with topical tacrolimus.	Acta Derm Venereol	90: 218-219, 2010
Ujiie H, Kodama K, Akiyama M, <u>Shimizu H</u>	Hereditary benign telangiectasia: two families with punctate telangiectasias surrounded by anemic halos.	Arch Dermatol	146: 98-99, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Shinkuma S, Akiyama M, Inoue A, Aoki J, Natsuga K, Nomura T, Arita K, Abe R, Ito K, Nakamura H, Ujiie H, Shibaki A, Suga H, Tsunemi Y, Nishie W, Shimizu H	Prevalent LIPH founder mutations lead to loss of P2Y5 activation ability of PA-PLA1alpha in autosomal recessive hypotrichosis.	Hum Mutat	31: 602-610, 2010
Sakai K, Akiyama M, Yanagi T, Nampoothiri S, Mampilly T, Sunitha V, Shimizu H	An Indian family with Sjogren-Larsson syndrome caused by a novel ALDH3A2 mutation.	Int J Dermatol	49: 1031-1033, 2010
Nomura Y, Akiyama M, Nomura T, Nemoto-Hasebe I, Abe R, McLean WH, Shimizu H	Chromosome 11q13.5 variant: No association with atopic eczema in the Japanese population.	J Dermatol Sci	59: 210-212, 2010
Natsuga K, Sawamura D, Goto M, Homma E, Goto-Ohguchi Y, Aoyagi S, Akiyama M, Kuroyanagi Y, Shimizu H	Response of intractable skin ulcers in recessive dystrophic epidermolysis bullosa patients to an allogeneic cultured dermal substitute.	Acta Derm Venereol	90: 165-169, 2010
Natsuga K, Nishie W, Shinkuma S, Nakamura H, Arita K, Yoneda K, Kusaka T, Yanagihara T, Kosaki R, Sago H, Akiyama M, Shimizu H	A founder effect of c.1938delC in ITGB4 underlies junctional epidermolysis bullosa and its application for prenatal testing.	Exp Dermatol	20: 74-76, 2010
Natsuga K, Nishie W, Shinkuma S, Arita K, Nakamura H, Ohyama M, Osaka H, Kambara T, Hirako Y, Shimizu H	Plectin deficiency leads to both muscular dystrophy and pyloric atresia in epidermolysis bullosa simplex.	Hum Mutat	31: e1687-1698, 2010
Natsuga K, Nishie W, Akiyama M, Nakamura H, Shinkuma S, McMillan JR, Nagasaki A, Has C, Ouchi T, Ishiko A, Hirako Y, Owaribe K, Sawamura D, Bruckner-Tuderman L, Shimizu H	Plectin expression patterns determine two distinct subtypes of epidermolysis bullosa simplex.	Hum Mutat	31: 308-316, 2010
Inokuma D, Shibaki A, Shimizu H	Two cases of cutaneous sporotrichosis in continental/microthermal climate zone: global warming alert?	Clin Exp Dermatol	35: 668-669, 2010
Iitani MM, Abe R, Yanagi T, Hamasaka A, Tateishi Y, Abe Y, Ito M, Kondo T, Kubota K, Shimizu H	Aleukemic leukemia cutis with extensive bone involvement.	J Am Acad Dermatol	63: 539-541, 2010
Fujita Y, Abe R, Inokuma D, Sasaki M, Hoshina D, Natsuga K, Nishie W, McMillan JR, Nakamura H, Shimizu T, Akiyama M, Sawamura D, Shimizu H	Bone marrow transplantation restores epidermal basement membrane protein expression and rescues epidermolysis bullosa model mice.	Proc Natl Acad Sci U S A	107: 14345-14350, 2010
Aoyagi S, Hata H, Homma E, Shimizu H	Controlling the histological margin for non-melanoma skin cancer conveniently using a double-bladed scalpel	J Surg Oncol	101: 175-179, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Akiyama M, Sakai K, Yanagi T, Tabata N, Yamada M, Shimizu H	Partially disturbed lamellar granule secretion in mild congenital ichthyosiform erythroderma with ALOX12B mutations.	Br J Dermatol	163: 201-204, 2010
Shirakata Y, Tokumaru S, Sayama K, Hashimoto K	Auto- and cross-induction by betacellulin in epidermal keratinocytes.	J Dermatol Sci	58: 162-4, 2010
Sayama K, Kajiya K, Sugawara K, Sato S, Hirakawa S, Shirakata Y, Hanakawa Y, Dai X, Ishimatsu-Tsuji Y, Metzger D, Chambon P, Akira S, Paus R, Kishimoto J, Hashimoto K	Inflammatory mediator TAK1 regulates hair follicle morphogenesis and anagen induction shown by using keratinocyte-specific TAK1-deficient mice.	PLoS One	5: e11275, 2010
Sayama K, Yamamoto M, Shirakata Y, Hanakawa Y, Hirakawa S, Dai X, Tohyama M, Tokumaru S, Shin MS, Sakurai H, Akira S, Hashimoto K	E2 Polyubiquitin-conjugating enzyme Ubc13 in keratinocytes is essential for epidermal integrity.	J Biol Chem	285: 30042-30049, 2010
Dai X, Sayama K, Tohyama M, Shirakata Y, Hanakawa Y, Tokumaru S, Yang L, Hirakawa S, Hashimoto K	PPAR γ mediates innate immunity by regulating the 1 α , 25-dihydroxyvitamin D3 induced hBD-3 and cathelicidin in human keratinocytes.	J Dermatol Sci	60: 179-186, 2010
Kaneda Y	Update on non-viral delivery methods for cancer therapy; Possibilities of DDS with anti-cancer activities beyond delivery as a new therapeutic tool.	Exp. Opin. Drug Del.	7: 1079-1093, 2010
Kaneda Y	A non-replicating oncolytic vector as a novel therapeutic tool against cancer.	BMB Report	in press
Villalobos IB, Takahashi Y, Akatsuka Y, Muramatsu H, Nishio N, Hama A, Yagasaki H, Saji H, Kato M, Ogawa S, Kojima S	Relapse of leukemia with loss of mismatched HLA resulting from uniparental disomy after haploidentical hematopoietic stem cell transplantation.	Blood	115: 3158-3161, 2010
Watanabe N, Takahashi Y, Matsumoto K, Hama A, Muramatsu H, Doisaki S, Horibe K, Kato K, Kojima S	Prognostic factors for outcomes of pediatric patients with refractory or relapsed acute leukemia undergoing allogeneic progenitor cell transplantation.	Biol Blood Marrow Transplant	2010 Jul 29 [Epub ahead of print]
Kanezaki R, Toki T, Terui K, Xu G, Wang R, Shimada A, Hama A, Kanegane H, Kawakami K, Endo M, Hasegawa D, Kogawa K, Adachi S, Ikeda Y, Iwamoto S, Taga T, Kosaka Y, Kojima S , Hayashi Y, Ito E	Down syndrome and GATA1 mutations in transient abnormal myeloproliferative disorder: mutation classes correlate with progression to myeloid leukemia.	Blood	116: 4631-4638, 2010
Pulsipher MA, Young NS, Tolar J, Risitano AM, Deeg HJ, Anderlini P, Calado R, Kojima S , Eapen M, Harris R, Scheinberg P, Savage S, Maciejewski JP, Tiu RV, Difronzo N, Horowitz MM, Antin JH	Optimization of Therapy for Severe Aplastic Anemia Based on Clinical, Biological and Treatment Response Parameters: Conclusions of an International Working Group on Severe Aplastic Anemia Convened by the Blood and Marrow Transplant Clinical Trials Network, March 2010.	Biol Blood Marrow Transplant	2010 Oct 27 [Epub ahead of print]

著者名	論文題目	雑誌名	巻: 頁, 西暦年号
Hirakawa Y, Takai T, Nakamura T, Mitsuishi K, Gunawan H, Suto H, Ogawa T, Wang Xiao-L, <u>Ikeda S</u> , Okumura K, Ogawa H	Staphylococcus aureus Extracellular Protease Causes Epidermal Barrier Dysfunction.	J Invest Dermatol	130: 614-617, 2010
Hasegawa T, Suga Y, Mizuno Y, Haruna K, Ogawa H, <u>Ikeda S</u>	Efficacy of photodynamic therapy with topical 5-aminolevulinic acid using intense pulsed light for Bowen ' s disease.	J Dermatol	37: 623-628, 2010
Igawa S, Kishibe M, Murakami M, Honma M, Takahashi H, Iizuka H, <u>Ishida-Yamamoto A</u>	Tight junctions in the stratum corneum explain spatial differences in corneodesmosome degradation.	Exp Dermatol	20: 53-57, 2011
Murakami M, Ohtake T, Horibe Y, <u>Ishida-Yamamoto A</u> , Morhenn VB, Gallo RL, Iizuka H	Acrosvringium is the main site of the vesicle/pustule formation in palmoplantar pustulosis.	J Invest Dermatol	130: 2010-2016, 2010
Kuroda S, Kurasawa M, Mizukoshi K, Maeda T, Yamamoto T, Oba A, Kishibe M, <u>Ishida-Yamamoto A</u>	Perturbation of lamellar granule secretion by sodium caprate implicates epidermal tight junctions in lamellar granule function.	J Dermatol Sci	59: 107-114, 2010
Fuchs-Telem D, Stewart H, Rapaport D, Nousbeck J, Gat A, Gini M, Lugassy Y, Emmert S, Eckl K, Hennies HC, Sarig O, Goldsher D, Meilik B, <u>Ishida-Yamamoto A</u> , Horowitz M, Sprecher E.	CEDNIK syndrome results from loss-of-function mutations in SNAP29.	Br J Dermatol	2010 Nov 12 [Epub ahead of print]
Wagner JE, <u>Ishida-Yamamoto A</u> , McGrath JA, Hordinsky M, Keene DR, Woodley DT, Chen M, Riddle MJ, Osborn MJ, Lund T, Dolan M, Blazar BR, Tolar J	Bone Marrow Transplantation for Recessive Dystrophic Epidermolysis Bullosa.	New England Journal of Medicine	363:629-39, 2010
Tsuruta D, Akiyama M, <u>Ishida-Yamamoto A</u> , Imanishi H, Mizuno N, Sowa J, Kobayashi H, Ishii M, Kurokawa I, Shimizu H	Three-base deletion mutation c.120_122delGTT in ATP2A2 leads to the unique phenotype of comedonal Darier disease.	Br J Dermatol	162:687-689, 2010
<u>Ishida-Yamamoto A</u> , Kishibe M	Involvement of corneodesmosome degradation and lamellar granule transportation in the desquamation.	Medical Molecular Morphology	in press
Ogawa E, Owada Y, Ikawa S, Adachi Y, Egawa T, Nemoto K, Suzuki K, Hishinuma T, Kawashima H, Kondo H, <u>Muto M</u> , Aiba S, Okuyama R	Epidermal-type FABP(FABP5) regulates keratinocyte differentiation via the 13(s)-HODE-mediated activation of the NF- κ B signaling pathway.	J Invest Dermatol	2010 Nov 11 [Epub ahead of print]
<u>Muto M</u>	The detection of genetic variants concerning psoriasis susceptibility.	Dermatologie in Beruf und Umwelt	58: 82-83, 2010
Nakamura Y, Fujimoto M, Hayashida N, Takii R, Nakai A, <u>Muto M</u>	Silencing HSF1 by short hairpin RNA decreases cell proliferation and enhances sensitivity to hyperthermia in a human melanoma cell line.	J Dermatol Sci	60: 187-192, 2010

著者名	論文題目	雑誌名	巻:頁, 西暦年号
<u>Muto M</u> , Deguchi H, Tanaka A, Inoue T, Ichimiya M	Association between T-lymphocyte regulatory gene CTLA4 single nucleotide polymorphism at position 49 in exon 1 and HLA-DRB1*08 in Japanese patients with psoriasis vulgaris.	J Dermatol Sci	in press
Yuki T, Hachiya A, Kusaka A, Sriwiriyanont P, Visscher MO, Morita K, <u>Muto M</u> , Miyachi Y, Sugiyama Y, Inoue S	Characterization of tight junctions and their disruption by UVB in human epidermis and cultured keratinocytes.	J Invest Dermatol	2010 Dec 16 [Epub ahead of print]
Wakamatsu K, Naniwa K, Hagiya Y, Ichimiya M, <u>Muto M</u>	A case of psoriasis verrucosa.	J Dermatol	37: 1060-1062, 2010
<u>Ozawa A</u>	OBITUARY J.Graham Smith Jr.,M.D.,Emeritus Professor,University of South Alabama,1928-2010.	J Dermatol	37: 861-863, 2010
Riveira-Munoz E, He SM, Escaramis G, Stuart PE, Hüffmeier U, Lee C, Kirby B, Oka A, Giardina E, Liao W, Bergboer J, Kainu K, de Cid R, Munkhbat B, Zeeuwen PL, Armour JA, Poon A, Mabuchi T, <u>Ozawa A</u> , Zawirska A, Burden AD, Barker JN, Capon F, Traupe H, Sun LD, Cui Y, Yin XY, Chen G, Lim HW, Nair RP, Voorhees JJ, Tejasvi T, Pujol R, Munkhtuvshin N, Fischer J, Kere J, Schalkwijk J, Bowcock A, Kwok PY, Novelli G, Inoko H, Ryan AW, Trembath RC, Reis A, Zhang XJ, Elder JT, Estivill X.	Meta-Analysis Confirms the LCE3C-LCE3B Deletion as a Risk Factor for Psoriasis in Several Ethnic Group and Finds Interaction with HLA-Cw6	The Society for Investigative Dermatology online	2010 Nov 25 [Epub ahead of print]
Tarutani M, Imai Y, Yasuda K, Tsutsui H, Nakanishi K, <u>Yamanishi K</u>	Neutrophil-dominant psoriasis-like skin inflammation induced by epidermal-specific expression of Raf in mice.	J Dermatol Sci	58: 28-35, 2010
Shimbo T, Tanemura A, Yamazaki T, <u>Tamai K</u> , Katayama I, Kaneda Y	Serum anti-BPAG1 auto-antibody is a novel marker for human melanoma.	PLoS One	5: e10566, 2010
Takemoto H, <u>Tamai K</u> , Akasaka E, Rokunohe D, Takiyoshi N, Umegaki N, Nakajima K, Aizu T, Kaneko T, Nakano H, Sawamura D	Relation between expression levels of the POU transcriptional factor Skn-1a and Skn-1n and keratinocyte differentiation.	J Dermatol Sci	60: 203-205, 2010
Kimura Y, Miyazaki N, Hayashi N, Otsuru S, <u>Tamai K</u> , <u>Kaneda Y</u> , Tabata Y	Controlled release of bone morphogenetic protein-2 enhances recruitment of osteogenic progenitor cells for de novo generation of bone tissue.	Tissue Eng Part A	16: 1263-1270, 2010
Akoglu G, Karaduman A, Ergin S, Erkin G, Gokoz O, Unal OF, <u>Hamada T</u>	Clinical and histopathological response to acitretin therapy in lipoid proteinosis.	J Dermatolog Treat	2010 Jul 28 [Epub ahead of print]
Natsuga K, Nishie W, Shinkuma S, Moriuchi R, Shibata M, Nishimura M, <u>Hashimoto T</u> , <u>Shimizu H</u>	IgA and IgE autoantibodies in antilaminin-332 mucous membrane pemphigoid	Br J Dermatol	162: 513-517, 2010

著者名	論文題目	雑誌名	巻: 頁, 西暦年号
Howard MS, Yepes MM, Maldonado-Estrada JG, Villa-Robles E, Jaramillo A, Botero JH, Patiño PJ, <u>Hashimoto T</u> , Abreu-Velez AM	Broad histopathologic patterns of non-glabrous skin and glabrous skin from patients with a new variant of endemic pemphigus foliaceus-part 1	J Cutan Pathol	37: 222-230, 2010
Abreu-Velez AM, Howard MS, <u>Hashimoto T</u>	Palm tissue displaying a polyclonal autoimmune response in patients affected by a new variant of endemic pemphigus foliaceus in Colombia, South America	Eur J Dermatol	20: 74-81, 2010
Ozawa T, Tsuruta D, Jones JCR, Ishii M, Ikeda K, Harada T, <u>Aoyama Y</u> , Kawada A, Kobayashi H	Dynamic relationship of focal contacts and hemidesmosome protein complexes in live cells	J Invest Dermatol	130: 1624-1635, 2010
Oyama Z, Naoe Y, Kimura H, Masunaga T, Seishima M, <u>Aoyama Y</u> , Kitajima Y	A new non-invasive method for evaluation of the stratum corneum structure in diseases with abnormal keratinization by immunofluorescence microscopy of desmoglein 1 distribution in tape-stripped samples.	J Dermatol	37: 873-881, 2010
Natsuga K, Shinkuma S, Nishie W, <u>Shimizu H</u>	Animal models of epidermolysis bullosa	Dermatol Clin	28: 137-142, 2010
Le AT, Takai T, Vu AT, Kinoshita H, <u>Ikeda S</u> , Ogawa K	Glucocorticoids inhibit double-stranded RNA-induced TSLP release from keratinocytes in atopic cytokine milieu more effectively than tacrolimus	Int Arch Allergy Immunol	153: 27-34, 2010
Sugiyama-Fukamatsu H, Suzuki N, Nakanishi G, <u>Iwatsuki K</u>	Epidermolysis bullosa nevus arising in a patient with Dowling-Meara type epidermolysis bullosa simplex with a novel K5 mutation.	J Dermatol	36: 447-452, 2009
Morizane S, Setsu N, Yamamoto Y, Hamada T, Nakanishi G, Asagoe K, <u>Iwatsuki K</u>	Ichthyosiform eruptions in association with primary cutaneous T-cell lymphomas.	Brit J Dermatol	161: 115-120, 2009
Kimura H, Miyake K, Yamachi Y, Nishiyama K, Iwata S, <u>Iwatsuki K</u> , Gotoh K, Kojima S, Ito Y, Nishiyama Y	Identification of Epstein-Barr virus (EBV)-infected lymphocyte subtypes by flow cytometric in situ hybridization in EBV-associated lymphoproliferative diseases.	J Infectious Diseases	200: 1078-1087, 2009
Senoh A, Tokuyama Y, Nakayama Y, Fujii K, <u>Iwatsuki K</u>	Erythema multiforme-like contact reaction due to liquid formulated 2,2-dibromo-3-nitropropionamide (DBNPA): Involvement of cytotoxic T-lymphocyte reaction.	Clin Exp Dermatol	34: e732-736, 2009
<u>Amagai M</u> , <u>Ikeda S</u> , <u>Shimizu H</u> , Iizuka H, Hanada K, Aiba S, Kaneko F, Izaki S, Tamaki K, Ikezawa Z, Takigawa M, Seishima M, Tanaka T, Miyachi Y, Katayama I, Horiguchi Y, Miyagawa S, Furukawa F, <u>Iwatsuki K</u> , Hide M, Tokura Y, Furue M, Hashimoto T, Ihn H, Fujiwara S, Nishikawa T, Ogawa H, Kitajima Y, Hashimoto K. Pemphigus Study	A randomized double-blind trial of intravenous immunoglobulin for pemphigus.	J Am Acad Dermatol	60: 595-603, 2009
Tanaka N, Dainichi T, Ohyama B, Yasumoto S, <u>Oono T</u> , <u>Iwatsuki K</u> , Elfert S, Fritsch A, Brunckner-Tuderman L, <u>Hashimoto T</u>	A case of epidermolysis bullosa acquisita with clinical features of Brunsting-Perry pemphigoid showing an excellent response to colchicine.	J Am Acad Dermatol	61: 715-719, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Nakanishi G, Fujii K, Asagoe K, <u>Iwatsuki K</u>	Human papillomavirus genome integration in multifocal vulvar Bowen's disease and squamous cell carcinoma.	Clin Exp Dermatol	34: e965-967, 2009
Dainichi T, Kurono S, Ohyama B, Ishii N, Sanzen N, Hayashi M, Shimono C, Taniguchi Y, Koga H, Karashima T, Yasumoto S, Zillikens Z, Sekiguchi K, <u>Hashimoto T</u>	Anti-laminin gamma-1 pemphigoid	Proc Natl Acad Sci USA	106: 2800-2805, 2009
Nakama T, Hashikawa K, Higuchi M, Ishii N, Miyasato M, <u>Hamada T</u> , <u>Hashimoto T</u>	Pigmentary demarcation lines associated with pregnancy	Clin Exp Dermatol	34: e573-576, 2009
<u>Hamada T</u> , Fukuda S, Ishii N, Abe T, Nagata K, Koro O, Hatano Y, Nakano H, Sawamura D, <u>Hashimoto T</u>	A Japanese family with dominant pretibial dystrophic epidermolysis bullosa: Identification of a new glycine substitution in the triple-helical collagenous domain of type VII collagen	J Dermatol Sci	54: 212-214, 2009
Imada K, Dainichi T, Yokomizo A, Tsunoda T, Song YH, Nagasaki A, Sawamura D, Nishie W, <u>Shimizu H</u> , Fukagawa S, Urabe K, Furue M, <u>Hashimoto T</u> , Naito S	Birt-Hogg-Dube syndrome with clear-cell and oncocytic renal tumour and trichoblastoma associated with a novel FLCN mutation	Br J Dermatol	160: 1350-1353, 2009
Miyakura T, Yamamoto T, Okubo Y, Ishii N, Oyama B, <u>Hashimoto T</u> , Tsuboi R	Pemphigus foliaceus with prominent neutrophilic pustules initially presenting as erythroderma	Clin Exp Dermatol	34: e46-49, 2009
Muller R, Heber B, <u>Hashimoto T</u> , Messer G, Mullegger R, Niedermeier A, Hertl M	Autoantibodies against desmocollins in European patients with pemphigus	Clin Exp Dermatol	34: 898-903, 2009
Toyama T, Nakamura K, Kuramochi A, Ohyama B, <u>Hashimoto T</u> , Tsuchida T	Two cases of childhood bullous pemphigoid	Eur J Dermatol	19: 368-71, 2009
Takeichi S, Kubo Y, Arase S, <u>Hashimoto T</u> , Ansai S	Brunsting-Perry type localized bullous pemphigoid, possibly induced by furosemide administration and sun exposure	Eur J Dermatol	19: 500-503, 2009
Abreu-Velez AM, Howard MS, <u>Hashimoto K</u> , <u>Hashimoto T</u>	Autoantibodies to sweat glands detected by different methods in serum and in tissue from patients affected by a new variant of endemic pemphigus foliaceus	Arch Dermatol Res	301: 711-718, 2009
Akin MA, Gunes T, Akın L, Ohyama B, Kontas O, <u>Hashimoto T</u>	A newborn with bullous pemphigoid associated with linear IgA bullous dermatosis	Acta Dermatovenereol Alp Pannonica Adriat	18: 66-70, 2009
Hashikawa K, <u>Hamada T</u> , Ishii N, Fukuda S, Kuroki R, Nakama T, Yasumoto S, <u>Tamai K</u> , Nakano H, Sawamura D, <u>Hashimoto T</u>	The compound heterozygote for new/recurrent COL7A1 mutations in a Japanese patient with bullous dermolysis of the newborn	J Dermatol Sci	56: 66-68, 2009
Grover RK, Stites PC, Helm TN, <u>Hashimoto T</u> , Beutner EH	A case of bullous disease limited to the skin illustrates the spectrum of neoplasia induced autoimmunity	Dermatol Online J	15: 5, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
<u>Hashimoto T</u> , Tokura Y, <u>Shimizu H</u>	Welcome all international dermatology researchers to the 34th Annual Meeting of the Japanese Society of Investigative Dermatology (JSID) and the JSID-Asia-Oceania-Forum on "Hair Reseach and Stem Cells" December 4-6, in Fukuoka City, Kyushu, Japan	J Dermatol Sci	55: 143, 2009
Probst C, Schlumberger W, Stocker W, Recke A, Schmidt E, <u>Hashimoto T</u> , Zhu XJ, Zillikens D, and Komorowski L	Development of ELISA for the specific determination of autoantibodies against envoplakin and periplakin in paraneoplastic pemphigus	Clin Chim Acta	410: 13-18, 2009
Kobayashi K, Tanaka M, Nakajima S, Ito H, Harada T, and <u>Hashimoto T</u>	Simultaneous occurrence of anti-BP180 mucous membrane pemphigoid and mucosal-dominant pemphigus vulgaris	Clin Exp Dermatol	34: e785-788, 2009
Takahara M, Tsuji G, Ishii N, Dainichi T, <u>Hashimoto T</u> , Kohno K, Kamezaki K, Nagafuji K, Takeuchi S, Moroi Y, Furue M	Mucous membrane pemphigoid with antibodies to the beta(3) subunit of Laminin 332 in a patient with acute myeloblastic leukemia and graft-versus-host disease	Dermatology	219: 361-364, 2009
Furukita K, Ansai S, Hida Y, Kubo Y, Arase S, <u>Hashimoto T</u>	A case of epidermolysis bullosa acquisita with unusual clinical features	Clin Exp Dermatol	34: e702-704, 2009
Demitsu T, Yoneda K, Iida E, Sasaki K, Umemoto N, Kakurai M, Wakatabi K, Yamada T, Ohyama B, <u>Hashimoto T</u>	A case of mucous membrane pemphigoid with IgG antibodies against all the alpha3, beta3 and gamma2 subunits of laminin-332 and BP180 C-terminal domain, associated with pancreatic cancer	Clin Exp Dermatol	34: e992-994, 2009
Matsuo A, Tanaka R, Shiotani A, Haruma K, Ishii N, <u>Hashimoto T</u> , and Fujimoto W	Remission of sublamina densa-type linear IgA bullous dermatosis after Helicobacter pylori eradication	Clin Exp Dermatol	34: e988-989, 2009
Düker I, Schaller J, Rose C, Zillikens D, <u>Hashimoto T</u> , Kunze J	Subcorneal pustular dermatosis-type IgA pemphigus with autoantibodies to desmocollins 1, 2, and 3	Arch Dermatol	145: 1159-1162, 2009
Koga H, <u>Hamada T</u> , Ohyama B, Nakama T, Yasumoto S, <u>Hashimoto T</u>	An association of idiopathic chronic eosinophilic pneumonia with pemphigoid nodularis: a rare variant of bullous pemphigoid	Arch Dermatol	145: 1339-1340, 2009
Ando S, Sato-Matsumura KC, Kasai M, Nemoto-Hasebe I, Hoshina D, Ohyama B, <u>Hashimoto T</u> , Shimuzu H	Desmoglein1 and BP 180 ELISA indexes correlating with disease activity in a patient with co-existing pemphigus foliaceus and bullous pemphigoid	Clin Exp Dermatol	34: e995-996, 2009
<u>Hamada T</u> , Ishii N, Fukuda S, Takagi A, Yasumoto S, <u>Ikeda S</u> , <u>Hashimoto T</u>	A new c.2541delC mutation in the ATP2A2 gene in a Japanese patient with Darier's disease	J Eur Acad Dermatol Venereol	23: 457-458, 2009
Takahashi H, Kuwana M, <u>Amagai M</u>	A single helper T cell clone is sufficient to commit polyclonal naive B cells to produce pathogenic IgG in experimental pemphigus vulgaris.	J Immunol	182: 1740-1745, 2009
Takae Y, Nishikawa T, <u>Amagai M</u>	Pemphigus mouse model as a tool to evaluate various immunosuppressive therapies.	Exp Dermatol	18: 252-260, 2009
Wang W, <u>Amagai M</u> , Ishiko A	Desmosome splitting is a primary ultrastructural change in the acantholysis of pemphigus.	J Dermatol Sci	54: 59-61, 2009
Yokouchi M, Saleh M A, Kuroda K, Hachiya T, Stanley J R, <u>Amagai M</u> , Ishii K	Pathogenic Epitopes of Autoantibodies in Pemphigus Reside in the Amino-Terminal Adhesive Region of Desmogleins Which Are Unmasked by Proteolytic Processing of Prosequence.	J Invest Dermatol	129: 2156-2166, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Fallon P G, Sasaki T, Sandilands A, Campbell L E, Saunders S P, Mangan N E, Callanan J J, Kawasaki H, Shiohama A, Kubo A, Sundberg J, Prestrand R B, Fleckman P, Shimizu N, Kudoh J, Irvine A D, <u>Amagai M</u> , McLean W H I	A homozygous frameshift mutation in the murine filaggrin gene facilitates enhanced percutaneous allergen priming	Nat Genet	41: 602-608, 2009
Funakoshi T, Kazumi Y, Okada R, Nishimoto K, Saito M, <u>Amagai M</u> , Shimura H, Ohyama M	Intractable ulcer caused by Mycobacterium shinshuense: successful identification of mycobacterium strain by 16S ribosomal RNA 3'-end sequencing.	Clin Exp Dermatol	34: e712-715, 2009
Saito H, Shimizu A, Tsunoda K, <u>Amagai M</u> , Ishiko A	Subcellular localization of desmosomal components is different between desmoglein3 knockout mice and pemphigus vulgaris model mice.	J Dermatol Sci	55: 108-115, 2009
Kubo A, Nagao K, Yokouchi M, Sasaki H, <u>Amagai M</u>	External antigen uptake by Langerhans cells with reorganization of epidermal tight junction barriers.	J Exp Med	206: 2937-2946, 2009
<u>Amagai M</u>	ChangestoJSID—Fromaclosedtoanopensociety.	J Dermatol Sci	57: 1, 2010
Nishifuji K, <u>Amagai M</u> , Iwasaki T, Olivry T	Development of an enzyme-linked immunosorbent assay for detection of circulating IgG autoantibodies against canine desmoglein 3 in dogs with pemphigus.	Vet Dermatol	20: 331-337, 2009
<u>Amagai M</u>	The molecular logic of pemphigus and impetigo: the desmoglein story	Vet Dermatol	20: 308-312, 2009
Kobayashi T, Shimizu A, Nishifuji K, <u>Amagai M</u> , Iwasaki T, Ohyama M	Canine hair-follicle keratinocytes enriched with bulge cells have the highly proliferative characteristic of stem cells.	Vet Dermatol	20: 338-346, 2009
Iwata H, Kamio N, <u>Aoyama Y</u> , Yamamoto Y, Hirako Y, Owaribe K, Kitajima Y	IgG from patients with bullous pemphigoid depletes cultured keratinocytes of the 180-kDa bullous pemphigoid antigen (type XVII collagen) and weakens cell attachment.	J Invest Dermatol	129: 919-926, 2009
<u>Aoyama Y</u> , Yamamoto Y, Yamaguchi F, Kitajima Y	Low to high Ca ²⁺ -switch causes phosphorylation and association of desmocollin 3 with plakoglobin and desmoglein 3 in cultured keratinocytes.	Exp Dermatol	18: 404-408, 2009
Iwata H, <u>Aoyama Y</u> , Kamiya H, Ichiki Y, Kitajima Y	Spindle cell squamous cell carcinoma showing epithelial-mesenchymal transition.	J Eur Acad Dermatol Venereol	23: 214-215, 2009
Iwata H, Hiramitsu Y, <u>Aoyama Y</u> , Kitajima Y	A case of anti-p200 pemphigoid; evidence for a different pathway in neutrophil recruitment compared to bullous pemphigoid.	Br J Dermatol	160: 462-464, 2009
Egawa M, Kunizawa N, Hirao T, Yamamoto T, Sakamoto K, <u>Terui T</u> , Tagami H	In vivo characterization of the structure and components of lesional psoriatic skin from the observation with Raman spectroscopy and optical coherence tomography: A pilot study.	J Dermatol Sci	57: 66-69, 2009
Ohuchi K, <u>Terui T</u>	Analysis of the mechanism for the development of allergic skin inflammation and the application for its treatment: preface.	J Pharmacol Sci	110: 231, 2009
<u>Terui T</u>	Analysis of the mechanism for the development of allergic skin inflammation and the application for its treatment:overview of the pathophysiology of atopic dermatitis.	J Pharmacol Sci	110: 232-236, 2009
Mitsuya J, Hara H, Hattori A, Matsunaga A, <u>Terui T</u>	Vesicle formation in dermatomyositis associated with colon carcinoma.	Clin Exp Dermatol	34: 221-222, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Yokoyama A, Makishima M, Choi M, Cho Y, Nishida S, Hashimoto Y, <u>Terui T</u>	Induction of SREBP-1c mRNA by differentiation and LXR ligand in human keratinocytes.	J Invest Dermatol	129: 1395-1401, 2009
Togo K, Suzuki Y, Yoshimaru T, Inoue T, <u>Terui T</u> , Ochiai T, Ra C	Aspirin and salicylates modulate IgE-mediated leukotriene secretion in mast cells through a dihydropyridine receptor-mediated Ca(2+) influx.	Clin Immunol	131: 145-156, 2009.
Kawasaki K, Watanabe M, <u>Sakaguchi M</u> , Ogasawara Y, Ochiai K, Nasu Y, Doihara H, Kashiwakura Y, <u>Huh NH</u> , Kumon H, Date H	REIC/Dkk-3 overexpression downregulates P-glycoprotein in multidrug-resistant MCF7/ADR cells and induces apoptosis in breast cancer	Cancer Gene Ther	16: 65-72, 2009
Watanabe M, Kashiwakura Y, Huang P, Ochiai K, Futami J, Li SA, Takaoka M, Nasu Y, <u>Sakaguchi M</u> , <u>Huh NH</u> , Kumon H	Immunological aspects of REIC/Dkk-3 in monocyte differentiation and tumor regression	Int J Oncol	34: 657-663, 2009
<u>Sakaguchi M</u> , Kataoka K, Abarzua F, Tanimoto R, Watanabe M, Murata H, Than SS, Kurose K, Kashiwakura Y, Ochiai K, Nasu Y, Kumon H, <u>Huh NH</u>	Overexpression of REIC/Dkk-3 in normal fibroblasts suppresses tumor growth via induction of IL-7	J Biol Chem	284: 14236-14244, 2009
Hardjo M, Miyazaki M, <u>Sakaguchi M</u> , Masaka T, Ibrahim S, Kataoka K, <u>Huh NH</u>	Suppression of carbon tetrachloride-induced liver fibrosis by transplantation of a clonal mesenchymal stem cell line derived from rat bone marrow	Cell Transplant	18: 89-99, 2009
Chen J, Watanabe M, Huang P, <u>Sakaguchi M</u> , Ochiai K, Nasu Y, Ouchida M, <u>Huh NH</u> , Shimizu K, Kashiwakura Y, Kaku H, Kumon H	REIC/Dkk-3 stable transfection reduces the malignant phenotype of mouse prostate cancer RM9 cells	Int J Mol Med	24: 789-794, 2009
Abe R, Yoshioka N, Murata J, Fujita Y, <u>Shimizu H</u>	Granulysin as a marker for early diagnosis of the Stevens-Johnson syndrome	Ann Intern Med	151: 514-515, 2009
Akiyama M, Sakai K, Hayasaka K, Tabata N, Yamada M, Ujiiie H, Shibaki A, <u>Shimizu H</u>	Conradi-Hunermann-Happle syndrome with abnormal lamellar granule contents	Br J Dermatol	160: 1335-1337, 2009
Ando S, Abe R, Sasaki M, Murata J, Inokuma D, <u>Shimizu H</u>	Bone marrow-derived cells are not the origin of the cancer stem cells in ultraviolet-induced skin cancer	Am J Pathol	174: 595-601, 2009
Aoyagi S, Hata H, Iitani MM, Homma E, Inokuma D, <u>Shimizu H</u>	Squamous cell carcinoma of the auricle with rhabdoid features	J Cutan Pathol	36: 919-921, 2009
Aoyagi S, Izumi K, Hata H, Kawasaki H, <u>Shimizu H</u>	Usefulness of real-time tissue elastography for detecting lymph-node metastases in squamous cell carcinoma	Clin Exp Dermatol	34: e744-747, 2009
Asaka T, Akiyama M, Domon T, Nishie W, Natsuga K, Fujita Y, Abe R, Kitagawa Y, <u>Shimizu H</u>	Type XVII collagen is a key player in tooth enamel formation	Am J Pathol	174: 91-100, 2009
Asaka T, Akiyama M, Kitagawa Y, <u>Shimizu H</u>	Higher density of label-retaining cells in gingival epithelium	J Dermatol Sci	55: 132-134, 2009

著者名	論文題目	雑誌名	巻: 頁, 西暦年号
Bohgaki T, Atsumi T, Bohgaki M, Furusaki A, Kondo M, Sato-Matsumura KC, Abe R, Kataoka H, Horita T, Yasuda S, Amasaki Y, Nishio M, Sawada K, Shimizu H, Koike T	Immunological reconstitution after autologous hematopoietic stem cell transplantation in patients with systemic sclerosis: relationship between clinical benefits and intensity of immunosuppression	J Rheumatol	36: 1240-1248, 2009
Goto-Ohguchi Y, Nishie W, Akiyama M, Tateishi Y, Aoyagi S, Tsuji-Abe Y, Sawamura D, Ishii N, Hashimoto T, Shimizu H	A severe and refractory case of anti-p200 pemphigoid resulting in multiple skin ulcers and scar formation	Dermatology	218: 265-271, 2009
Hamasaka A, Abe R, Koyama Y, Yoshioka N, Fujita Y, Hoshina D, Sasaki M, Hirasawa T, Onodera S, Ohshima S, Leng L, Bucala R, Nishihira J, Shimizu T, Shimizu H	DNA vaccination against macrophage migration inhibitory factor improves atopic dermatitis in murine models	J Allergy Clin Immunol	124: 90-99, 2009
Hamasaka E, Akiyama M, Hata H, Aoyagi S, Shimizu H	Melanonychia caused by Stenotrophomonas maltophilia	Clin Exp Dermatol	34: 242-243, 2009
Honda A, Abe R, Yoshihisa Y, Makino T, Matsunaga K, Nishihira J, Shimizu H, Shimizu T	Deficient deletion of apoptotic cells by macrophage migration inhibitory factor (MIF) overexpression accelerates photocarcinogenesis	Carcinogenesis	30: 1597-1605, 2009
Hsu CK, Akiyama M, Nemoto-Hasebe I, Nomura T, Sandilands A, Chao SC, Lee JY, Sheu HM, McLean WH, Shimizu H	Analysis of Taiwanese ichthyosis vulgaris families further demonstrates differences in FLG mutations between European and Asian populations	Br J Dermatol	161: 448-451, 2009
Inokuma D, Aoyagi S, Saito N, Iitani MM, Homma E, Hamasaka K, Shimizu H	Bowen's disease of the nail matrix presenting as melanonychia: detection of human papillomavirus type 56	Acta Derm Venereol	89: 638-639, 2009
Inokuma D, Kodama K, Natsuga K, Kasai M, Abe M, Nishie W, Abe R, Hashimoto T, Shimizu H	Autoantibodies against type XVII collagen C-terminal domain in a patient with bullous pemphigoid associated with psoriasis vulgaris	Br J Dermatol	160: 451-454, 2009
Inokuma D, Sawamura D, Shibaki A, Abe R, Shimizu H	Scleroedema adultorum associated with sarcoidosis	Clin Exp Dermatol	34: e428-429, 2009
Inomata K, Aoto T, Binh NT, Okamoto N, Tanimura S, Wakayama T, Iseki S, Hara E, Masunaga T, Shimizu H, Nishimura EK	Genotoxic stress abrogates renewal of melanocyte stem cells by triggering their differentiation	Cell	137: 1088-1099, 2009
Ito K, Sawamura D, Goto M, Nakamura H, Nishie W, Sakai K, Natsuga K, Shinkuma S, Shibaki A, Uitto J, Denton CP, Nakajima O, Akiyama M, Shimizu H	Keratinocyte-/fibroblast-targeted rescue of Col7a1-disrupted mice and generation of an exact dystrophic epidermolysis bullosa model using a human COL7A1 mutation	Am J Pathol	175: 2508-2517, 2009
Kanda M, Natsuga K, Nishie W, Akiyama M, Nagasaki A, Shimizu T, Shimizu H	Morphological and genetic analysis of steatocystoma multiplex in an Asian family with pachyonychia congenita type 2 harbouring a KRT17 missense mutation	Br J Dermatol	160: 465-468, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Kawabori M, Kuroda S, Nakayama N, Kenmotsu Y, <u>Shimizu H</u> , Tanino M, Iwasaki Y	Spontaneous giant aneurysm of the superficial temporal artery: case report	Neurol Med Chir	49: 198-201, 2009
Long HA, McMillan JR, Qiao H, Akiyama M, <u>Shimizu H</u>	Current advances in gene therapy for the treatment of genodermatoses	Curr Gene Ther	9: 487-494, 2009
McMillan JR, Long HA, Akiyama M, <u>Shimizu H</u> , Kimble RM	Epidermolysis bullosa (EB) - diagnosis and therapy	Wound Practice and Research	17: 62-70, 2009
Nemoto-Hasebe I, Akiyama M, Kudo S, Ishiko A, Tanaka A, Arita K, <u>Shimizu H</u>	Novel mutation p.Gly59Arg in GJB6 encoding connexin 30 underlies palmoplantar keratoderma with pseudoainhum, knuckle pads and hearing loss	Br J Dermatol	161: 452-455, 2009
Nemoto-Hasebe I, Akiyama M, Nomura T, Sandilands A, McLean WH, <u>Shimizu H</u>	Clinical severity correlates with impaired barrier in filaggrin-related eczema	J Invest Dermatol	129: 682-689, 2009
Nemoto-Hasebe I, Akiyama M, Nomura T, Sandilands A, McLean WH, <u>Shimizu H</u>	FLG mutation p.Lys4021X in the C-terminal imperfect filaggrin repeat in Japanese patients with atopic eczema	Br J Dermatol	161: 1387-1390, 2009
Nishie W, Sawamura D, Natsuga K, Shinkuma S, Goto M, Shibaki A, Ujiie H, Olasz E, Yancey KB, <u>Shimizu H</u>	A novel humanized neonatal autoimmune blistering skin disease model induced by maternally transferred antibodies	J Immunol	183: 4088-4093, 2009
Nomura T, Akiyama M, Sandilands A, Nemoto-Hasebe I, Sakai K, Nagasaki A, Palmer CN, Smith FJ, McLean WH, <u>Shimizu H</u>	Prevalent and rare mutations in the gene encoding filaggrin in Japanese patients with ichthyosis vulgaris and atopic dermatitis	J Invest Dermatol	129: 1302-1305, 2009
Nomura Y, Abe M, Natsuga K, Moriuchi R, Kawasaki H, Mayuzumi M, Yasuoka A, <u>Shimizu H</u>	Widespread keratosis follicularis squamosa	Clin Exp Dermatol	34: 519-520, 2009
Nomura Y, Akiyama M, Nishie W, <u>Shimizu H</u>	Progressive Refractory Ulcer of the Nipple: A Quiz	Acta Derm Venereol	89: 445-447, 2009
Nomura Y, Nishie W, Shibaki A, Ibata M, <u>Shimizu H</u>	Disseminated cutaneous Mycobacterium kansasii infection in an patient infected with the human immunodeficiency virus	Clin Exp Dermatol	34: 625-626, 2009
Osawa R, Akiyama M, Yamanaka Y, Ujiie H, Nemoto-Hasebe I, Takeda A, Yanagi T, <u>Shimizu H</u>	A novel PTPN11 missense mutation in a patient with LEOPARD syndrome	Br J Dermatol	161: 1202-1204, 2009
Qiao H, Shibaki A, Long HA, Wang G, Li Q, Nishie W, Abe R, Akiyama M, <u>Shimizu H</u> , McMillan JR	Collagen XVII participates in keratinocyte adhesion to collagen IV, and in p38MAPK-dependent migration and cell signaling	J Invest Dermatol	129: 2288-2295, 2009
Sakai K, Akiyama M, Yanagi T, McMillan JR, Suzuki T, Tsukamoto K, Sugiyama H, Hatano Y, Hayashitani M, Takamori K, Nakashima K, <u>Shimizu H</u>	ABCA12 is a major causative gene for non-bullous congenital ichthyosiform erythroderma	J Invest Dermatol	129: 2306-2309, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Shinkuma S, Abe R, Nishimura M, Natsuga K, Fujita Y, Nomura T, Nishie W, <u>Shimizu H</u>	Secondary syphilis mimicking warts in an HIV-positive patient	Sex Transm Infect	85: 484, 2009
Shinkuma S, Akiyama M, Torii-Saito N, Natsuga K, Tateishi Y, Ito K, Hirota J, Shimizu Y, Shichinohe T, <u>Shimizu H</u>	Pemphigus foliaceus associated with oesophageal cancer	J Eur Acad Dermatol Venereol	23: 473-474, 2009
Suzuki K, Yamaguchi Y, Villacorte M, Mihara K, Akiyama M, <u>Shimizu H</u> , Taketo MM, Nakagata N, Tsukiyama T, Yamaguchi TP, Birchmeier W, Kato S, Yamada G	Embryonic hair follicle fate change by augmented β -catenin through Shh and Bmp signaling	Development	136: 367-372, 2009
Uematsu R, Shinohara Y, Nakagawa H, Kuroguchi M, Furukawa J, Miura Y, Akiyama M, <u>Shimizu H</u> , Nishimura S	Glycosylation specific for adhesion molecules in epidermis and its receptor revealed by glycoform-focused reverse genomics	Mol Cell Proteomics	8: 232-244, 2009
Ujiiie H, Akiyama M, Osawa R, Shida S, Aoyagi S, <u>Shimizu H</u>	Bloody nipple discharge in an infant	Arch Dermatol	145: 1068-1069, 2009
Yanagi T, Shimizu T, Kodama K, Nemoto-Hasebe I, Kasai M, <u>Shimizu H</u>	CD30-positive primary cutaneous anaplastic large-cell lymphoma and definite squamous cell carcinoma	Clin Exp Dermatol	34: e293-294, 2009
Sotozono C, Ueta M, Koizumi N, Inatomi T, Shirakata Y, Ikezawa Z, <u>Hashimoto K</u> , Kinoshita S	Diagnosis and treatment of Stevens-Johnson syndrome and toxic epidermal necrolysis with ocular complications.	Ophthalmology	116: 685-690, 2009
Tohyama M, Shirakata Y, Sayama K, <u>Hashimoto K</u>	The influence of hepatic damage on serum soluble Fas ligand levels of patients with drug rashes.	J Allergy Clin Immunol	123: 971-972, 2009
Hara Y, Shiraishi A, Kobayashi T, Kadota Y, Shirakata Y, <u>Hashimoto K</u> , Ohashi Y	Alteration of TLR3 pathways by glucocorticoids may be responsible for immunosusceptibility of human corneal epithelial cells to viral infections.	Mol Vis	15: 937-948, 2009
Tohyama M, Hanakawa Y, Shirakata Y, Dai X, Yang L, Hirakawa S, Tokumaru S, Okazaki H, Sayama K, <u>Hashimoto K</u>	IL-17 and IL-22 mediate IL-20 subfamily cytokine production in cultured keratinocytes via increased IL-22 receptor expression.	Eur J Immunol	39: 2279-2288, 2009
Yang L, Shirakata Y, Tokumaru S, Xiuju D, Tohyama M, Hanakawa Y, Hirakawa S, Sayama K, <u>Hashimoto K</u>	Living Skin Equivalents Constructed Using Human Amnions as a Matrix.	J Dermatol Sci	56: 188-195, 2009
Hirakawa S, Detmar M, Kerjaschki D, Nagamatsu S, Matsuo K, Tanemura A, Kamata N, Higashikawa K, Okazaki H, Kameda K, Nishida-Fukuda H, Mori H, Hanakawa Y, Sayama K, Shirakata Y, Tohyama M, Tokumaru S, Katayama I, <u>Hashimoto K</u>	Nodal Lymphangiogenesis and Metastasis: Role of Tumor-Induced Lymphatic Vessel Activation in Extramammary Paget's Disease.	Am J Pathol	175: 2235-2248, 2009

著者名	論文題目	雑誌名	巻: 頁, 西暦年号
Matsuda M, Yamamoto T, Matsumura A, <u>Kaneda Y</u>	Highly efficient eradication of intracranial glioblastoma using Eg5 siRNA combined with HVJ envelope.	Gene Therapy	16: 1465-76, 2009
Nimura K, Ura K, Shiratori H, Schwartz R, Ikawa M, Okabe M and <u>Kaneda Y</u>	A histone H3 lysine 36 trimethyltransferase links Nkx2-5 to Wolf-Hirschhorn syndrome.	Nature	460: 287-291, 2009
Kinoshita H, Takai T, Le TA, Kamijo S, Wang XL, Ushio H, Hara M, Kawasaki J, Vu AT, Ogawa T, Gunawan H, <u>Ikeda S</u> , Okumura K, Ogawa H	Cytokine Milieu modulates release of thymic stromal lymphopoietin from human keratinocytes stimulated with double-stranded RNA	J Allergy Clin Immunol	123: 179-186, 2009
Ng W, Nishiyama C, Mizoguchi M, <u>Ikeda S</u> , Okumura K, Ogawa H	Human umbilical cord epithelial cells express Notch ligands Delta1 and Jagged 1	J Dermatol Sci	54: 131-134, 2009
Ng W, <u>Ikeda S</u>	Mount Tsukuba and the Origin of Tacrolimus	Arch Dermatol	145: 284, 2009
Hasegawa T, Matsukura T, Hirasawa Y, Otsuki A, Tsuchihashi T, Niwa Y, Okuma K, Ogawa H, <u>Ikeda S</u>	LETTER TO THE EDITOR Acne conglobata successfully treated by fractional laser after CO2 laser abrasion of cysts combined with topical tretinoin	J Dermatol	36 issue2: 118-119, 2009
Yang X, Sugita T, Takashima M, Hiruma M, Li R, Sudo H, Ogawa H, <u>Ikeda S</u>	Differentiation of Trichophyton rubrum clinical isolates from Japanese and Chinese patients by randomly amplified polymorphic DNA and DNA sequence analysis of the non-transcribed spacer region of the rRNA gene	J Dermatol Sci	54 issue1: 38-32, 2009
Ng W, Nishiyama C, Mizoguchi M, <u>Ikeda S</u> , Okumura K, Ogawa H	Letter to the Editor Human umbilical cord epithelial cells express Notch ligands Delta1 and Jagged1	J Dermatol Sci	54: 121-139, 2009
Funakushi N, Mayuzumi N, Sugimura R, <u>Ikeda S</u>	Edidermolytic Palmoplantar Keratoderma With Constriction Bands on Bilateral Fifth Toes	Arch Dermatol	145: 609-610, 2009
Jiang J, Yamaguchi T, Funakushi N, Kuhara T, Fan P, Ueki R, Suto H, Kase Y, <u>Ikeda S</u> , Ogawa H	Oral administration of Yokukansan inhibits the development of atopic dermatitis-like lesions in isolated NC/Nga mice.	J Dermatol Sci	56: 37-42, 2009
Fukai T, Nishiyama C, Kanada S, Nakano N, Hara M, Tokura T, <u>Ikeda S</u> , Ogawa H, Okumura K	Involvement of PU.1 in the transcriptional regulation of TNF- α	Biochemical and Biophysical Research Communications	388: 102-106, 2009
Ohtsuki A, Hasegawa T, Tsuchihashi H, <u>Ikeda S</u>	Photodynamic therapy using light-emitting diodes for the treatment of viral warts	Journal of Dermatology	36: 525-528, 2009
Niwa Y, Hasegawa T, Ko S, Okuyama Y, Ohtsuki A, Takagi A, <u>Ikeda S</u>	ORIGINAL ARTICLE Efficacy of 308-nm excimer light for Japanese patients with proriasis	Journal of Dermatology	36: 579-582, 2009
Kato T, Takai T, Fujimura T, Matsuoka H, Ogawa T, Murayama K, Ishii A, <u>Ikeda S</u> , Okumura K, Ogawa H	Mite serine protease activates protease-activated receptor-2 and induces cytokine release in human keratinocytes	Allergy	64: 1366-1374, 2009
Takai T, Vu AT, Le AT, Kinoshita H, Ushio H, <u>Ikeda S</u> , Ogawa H, Okumura K	Reply	J Allegy Clin Immunol	124: 864-865, 2009

著者名	論文題目	雑誌名	巻:頁, 西暦年号
Le AT, Takai T, Kinoshita H, Suto H, <u>Ikeda S</u> , Okumura K, Ogawa H	Inhibition of double-stranded RNA-induced TSLP in human keratinocytes by glucocorticoids	Allergy	64: 1231-1232, 2009
Tolar J, <u>Ishida-Yamamoto A</u> , Riddle M, McElmurry RT, Osborn M, Xia L, Lund T, Slatery C, Uitto J, Christiano AM, Wagner JE, Blazar BR	Amelioration of epidermolysis bullosa by transfer of wild-type bone marrow cells.	Blood	29: 1167-1174, 2009
Mano S, A. Endo T, Oka A, <u>Ozawa A</u> , Gojobori T, Inoko H	Detecting linkage between a trait and a marker in a random mating population without pedigree record.	PLoS One	4: e4956, 2009
Fujimoto T, Tsuda T, Yamamoto M, Tarutani M, Natsuaki M, Minami S, Ito T, Kozuka T, <u>Yamanishi K</u>	Cutaneous malignant fibrous histiocytoma (undifferentiated pleomorphic sarcoma) arising in a chronic scalp ulcer of a patient with non-bullous congenital ichthyosiform erythroderma.	J Eur Acad Dermatol Venereol	23: 202-203, 2009
Ishikawa C, Tsuda T, Konishi H, Nakagawa N, <u>Yamanishi K</u>	Tetracyclines modulate protease-activated receptor 2-mediated proinflammatory reactions in epidermal keratinocytes.	Antimicrob Agents Chemother	53: 1760-1765, 2009
Hayashi H, Nakagami H, Takami Y, Koriyama H, Mori M, <u>Tamai K</u> , Sun J, Nagao K, Morishita R, <u>Kaneda Y</u>	FHL-2 Suppresses VEGF-Induced Phosphatidylinositol 3-Kinase/Akt Activation via Interaction With Sphingosine Kinase-1.	Arterioscler Thromb Vasc Biol	29: 909-914, 2009
<u>Tamai K</u> , <u>Kaneda Y</u> , Uitto J	Molecular therapies for heritable blistering diseases.	Trends Mol Med	15: 285-292, 2009
Takahashi H, Kuwana M, <u>Amagai M</u>	A single helper T cell clone is sufficient to commit polyclonal naive B cells to produce pathogenic IgG in experimental pemphigus vulgaris	J Immunol	182: 1740-1745, 2009
Demitsu T, Kakurai M, Yoneda K, Iida E, Takada M, Hiratsuka Y, Suzuki M, Yamada T, Ohyama B, <u>Hashimoto T</u>	Localized pemphigoid (Brunsting-Perry type) with IgG antibody to BP180 NC16a domain resembling lupus erythematosus successfully treated with topical tacrolimus therapy.	J Eur Acad Dermatol Venereol	23: 79-80, 2009
Arakawa M, Dainichi T, Yasumoto S, <u>Hashimoto T</u>	Lesional Th17 cells in pemphigus vulgaris and pemphigus foliaceus.	J Dermatol Sci	53: 228-231, 2009
Asaka T, Akiyama M, Domon T, Nishie W, Natsuga K, Fujita Y, Abe R, Kitagawa Y, <u>Shimizu H</u>	Type XVII collagen is a key player in tooth enamel formation	Am J Pathol	174: 91-100, 2009
Shimokawa N, Nishiyama C, Hirota T, Tamari M, Hara M, <u>Ikeda S</u> , Okumura K, Ogawa H	Functional analysis of a polymorphism in the promoter region of the IL-12/23p40 gene	Clin Exp Allergy	39: 228-235, 2009
Yasukawa S, Dainichi T, Kokuaba H, Moroi Y, Urabe K, <u>Hashimoto T</u> , Furue M	Bullous pemphigoid followed by pustular psoriasis showing Th1, Th2, Treg and Th17 immunological changes.	Eur J Dermatol	19: 69-71, 2009
Iwata H, Hiramitsu Y, <u>Aoyama Y</u> , Kitajima Y	A case of anti-p200 pemphigoid; evidence for a different pathway in neutrophil recruitment compared to bullous pemphigoid.	Br J Dermatol	160: 462-464, 2009
Ito K, Hara H, Okada T, <u>Terui T</u>	Hypereosinophilic syndrome with various skin lesions and juvenile temporal arteritis	Clin Exp Dermatol	34: e192-195, 2009