

Iwanami, K., Matsumoto, I., Tanaka, Y., Inoue, A., Minami, R., Hayashi, T., Goto, D., Ito, S., Nishimura, Y., and Sumida, T.	Altered peptide ligands inhibit glucose-6-phosphate isomerase (GPI) peptide-induced arthritis.	Arthritis Res. Ther.	11	R167	2009
Wang, Y., Ito, S., Chino, Y., Goto, D., Matsumoto, I., Murata, H., Tsutsumi, A., Uchida, K., Usui, J., Yamagata, K., and Sumida, T.	Analysis of cytokine balance in lupus nephritis by laser-microdissection.	Clini. Exp. Immunol.	159	1-10	2009
Inoue, A., Matsumoto, I., Tanaka, Y., Iwanami, K., Goto, D., Ito, S., and Sumida, T.	Role of tumor necrosis factor- α -induced adipose-related protein in autoimmune arthritis.	Arthritis Res. Ther.	11	R118	2009
Segawa, S., Goto, D., Yoshiga, Y., Hayashi, T., Matsumoto, I., Ito, S., and Sumida, T.	The decrement of soluble CD1d proteins affects the function of NKT cells in patients with rheumatoid arthritis.	Int. J. Mol. Med.	24	481-486	2009
Tanaka, Y., Matsumoto, I., Iwanami, K., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	B cells have crucial role as autoantibody producers in arthritis mediated by glucose-6-phosphate isomerase.	Clin. Exp. Immunol.	155	285-294	2009
Ito, I., Kawasaki, A., Ito, S., Hayashi, T., Goto, D., Matsumoto, I., Tsutsumi, A., Hom, G., Graham, R.R., Takasaki, Y., Hashimoto, H., Ohashi, J., Behrens, T.W., Sumida, T., and Tsuchiya, N.	Replication of the association between C8orf13-BLK region and systemic lupus erythematosus in a Japanese population.	Arthritis Rheum.	60	553-558	2009
Iwanami, K., Matsumoto, I., Tanaka, Y., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	Arthrogenic T cell epitope in glucose-6-phosphate isomerase (GPI)-induced arthritis.	Arthritis Res. Ther.	10	R130	2008
Kawasaki, A., Ito, I., Hikami, K., Ohashi, J., Hayashi, T., Goto, D., Matsumoto, I., Ito, S., Tsutsumi, A., Koga, M., Arinami, T., Graham, R. R., Hom, G., Takasaki, Y., Hashimoto, H., Behrens, T.W., Sumida, T., and Tsuchiya, N.	Association of STAT4 polymorphisms with systemic lupus erythematosus in a Japanese population.	Arthritis Res. Ther.	10	R113	2008
Matsumoto, I., Zhang, H., Yasukochi, T., Iwanami, K., Tanaka, Y., Inoue, A., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	Therapeutic effects of antibodies to TNFa and IL-6 and CTLA-4 Ig in mice with glucose-6-phosphate isomerase-induced arthritis.	Arthritis Res. Ther.	10	R66	2008
Yoshiga, Y., Goto, D., Segawa, S., Ohnishi, Y., Matsumoto, I., Ito, S., Tsutsumi, A., Taniguchi, M., and Sumida, T.	NKT cells are novel accelerator of IL-17 in the pathogenesis of collagen-induced arthritis.	Int. J. Mol. Med.	22	369-374	2008
Iwanami, K., Matsumoto, I., Watanabe, Y., Miura, M., Ohsugi, Y., Mamura, M., Goto, D., Ito, S., Tsutsumi, A., Kishimoto, T., and Sumida, T.	Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase.	Arthritis Rheum.	58	754-763	2008
Matsui, H., Tsutsumi, A., Sugihara, M., Suzuki, T., Iwanami, K., Kohno, M., Goto, D., Matsumoto, I., Ito, S., and Sumida, T.	Expression of Visfatin (pre-B cell colony-enhancing factor) gene in patients with rheumatoid arthritis.	Ann. Rheum. Dis.	67	571-572	2008
Nakamura, Y., Wakamatsu, E., Tomita, M., Kohno, Y., Yokoka, J., Goto, D., Ito, S., Matsumoto, I., Tsutsumi, A., and Sumida, T.	High prevalence of autoantibodies to muscarinic 3 acetylcholine receptor in patients with juvenile Sjogren's syndrome.	Ann. Rheum. Dis.	67	136-137	2008
Kochi Y, Thabet MM, Suzuki A, Okada Y, Daha NA, Toes REM, Huizinga TWJ, Myouzen K, Kubo M, Yamada R, Nakamura Y, Yamamoto K.	PADI4 polymorphism predisposes male smokers to rheumatoid arthritis	Ann Rheum Dis.			in press.
Okada Y, Suzuki A, Yamada R, Kochi Y, Shimane K, Myouzen K, Kubo M, Nakamura Y, Yamamoto K.	HLA-DRB1*0901 lowers anti-cyclic citrullinated peptide antibody levels in Japanese patients with rheumatoid arthritis.	Ann Rheum Dis.	69	1569-70	2010
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, Atsumi T, Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K.	The association of a nonsynonymous single-nucleotide polymorphism in TNFAIP3 with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum.	62	574-79	2010
Kochi Y, Suzuki A, Yamada R, Yamamoto K.	Ethnogenetic heterogeneity of rheumatoid arthritis-implications for pathogenesis.	Nat Rev Rheumatol.	6	290-5	2010

Kochi Y, Okada Y, Suzuki A, Ikari K, Terao C, Takahashi A, Yamazaki K, Hosono N, Myouzen K, Tsunoda T, Kamatani N, Furuichi T, Ikegawa S, Ohmura K, Mimori T, Matsuda F, Iwamoto T, Momohara S, Yamanaka H, Yamada R, Kubo M, Nakamura Y, Yamamoto K.	A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility.	Nat Genet.	42	515-9	2010
Myouzen K, Kochi Y, Shimane K, Fujio K, Okamura T, Okada Y, Suzuki A, Atsumi T, Ito S, Takada K, Mimori A, Ikegawa S, Yamada R, Nakamura Y, Yamamoto K.	Regulatory polymorphisms in EGR2 are associated with susceptibility to systemic lupus erythematosus.	Hum Mol Genet.	19	2313-20	2010
Fujio K, Okamura T, Yamamoto K.	The family of IL-10 secreting CD4+ T cells.	Advances in Immunology.	105	99-130	2010
Okamoto A, Fujio K, Yamamoto K.	The future of lupus therapy modulating autoantigen recognition.	Lupus	19	1474	2010
Okamura T, Fujio K, Shibusawa M, Sumitomo S, Shoda H, Sakaguchi S, Yamamoto K.	CD4+CD25-LAG3+ regulatory T cells controlled by the transcription factor Egr-2.	Proc Natl Acad Sci USA.	106	13974-79	2009
Okada Y, Yamada R, Suzuki A, Kochi Y, Shimane K, Myouzen K, Kubo M, Nakamura Y, Yamamoto K.	Contribution of a haplotype in the HLA region to anti-cyclic citrullinated peptide antibody positivity in rheumatoid arthritis, independently of HLA-DRB1.	Arthritis Rheum.	60	3582-90	2009
Kochi Y, Suzuki A, Yamada R, Yamamoto K.	Genetics of rheumatoid arthritis: underlying evidence of ethnic differences.	J Autoimmun.	32	158-62	2009
Shimane K, Kochi Y, Yamada R, Okada Y, Suzuki A, Miyatake A, Kubo M, Nakamura Y, Yamamoto K.	A single nucleotide polymorphism in the IRF5 promoter region is associated with susceptibility to rheumatoid arthritis in the Japanese population.	Ann Rheum Dis.	68	377-83	2009
Suzuki A, Yamada R, Kochi Y, Sawada T, Okada Y, Matsuda K, Kamatani Y, Mori M, Shimane K, Takahashi A, Tsunoda T, Miyatake A, Kubo M, Kamatani N, Nakamura Y, Yamamoto K	Functional SNPs in CD244 gene increase the risk of rheumatoid arthritis in a Japanese population.	Nat Genet.	40	1224-9	2008
Okamoto A, Fujio K, van Rooijen N, Tsuno NH, Takahashi K, Tsurui H, Hirose S, Elkorn KB, Yamamoto K.	Splenic phagocytes promote responses to nucleosomes in (NZB x NZW) F1 mice.	J Immunol.	181	5264-71	2008
Okiyama N, Kohsaka H, Ueda N, Satoh T, Katayama I, Nishioka K, and Yokozeki H	Seborrhic area erythema as a common skin manifestation in Japanese patients with dermatomyositis.	Dermatology	217(4)	374-377	2008
Matsudaira T, Tsuzuki S, Wada A, Suwa A, Kohsaka H, Tomida M, and Ito Y	Automated microfluidic assay system for autoantibodies causing autoimmune diseases using a photoimmobilized autoantigen microarray	Biotechnology Progress	24(6)	1384-1392	2008
Okiyama N, Sugihara T, Iwakura Y, Yokozeki H, Miyasaka N, Kohsaka H	Therapeutic effects of IL-6 blockade on a murine model of polymyositis that does not require IL-17A.	Arthritis and Rheumatism	60(8)	2505-2512	2009
Kohsaka H	Current insights in polymyositis and dermatomyositis	Clinical and Experimental Neuroimmunology	1	22-23	2010
Sugihara, T., N. Okiyama, M. Suzuki, K. Kohyama, Y. Matsumoto, N. Miyasaka, and H. Kohsaka.	Definitive engagement of cytotoxic CD8 T cells in C protein-induced myositis, a murine model of polymyositis.	Arthritis Rheum	62	3088-3092	2010
Seki, I., M. Suzuki, N. Miyasaka, and H. Kohsaka.	Expression of CD45 isoforms correlates with differential proliferative responses of peripheral CD4+ and CD8+ T cells.	Immunol Lett	129	39-46	2010
Kohsaka H.	Current insights in polymyositis and dermatomyositis.	Clin Exp Neuroimmunol	1	23-32	2010
Doi Y., Oki S., Ozawa T., Hohjoh H., Miyake S., Yamamura T.	Orphan nuclear receptor NR4A2 expressed in T cells from multiple sclerosis mediates production of inflammatory cytokines	Proc. Natl. Acad. Sci. USA	105	8381-8386	2008
Yokote H., Miyake S., Croxford J.L., Oki S., Mizusawa H., Yamamura T.	NKT cell-dependent amelioration of a mouse model of multiple sclerosis by altering gut flora	Am. J. Pathol.	173	1714-1723	2008

Christian Klemann, Benjamin JE Raveney, Anna K Klemann, Tomoko Ozawa, Stephan von Horsten, Koichi Shudo, Shinji Oki, Takashi Yamamura	Synthetic retinoid AM80 inhibits Th17 cells and ameliorates EAE	Am. J. Pathol.	174	2234-45	2009
Michael-Mark Theil, Sachiko Miyake, J. Ludovic Croxford, Hiroaki Yokote, Hiroshi Hosoda, Julia Schween, Stephan von Horsten, Asako Chiba, Youwei Lin, Shinji Oki, Takashi Akamizu, Kenji Kangawa, Takashi Yamamura	Suppression of experimental autoimmune encephalomyelitis by ghrelin	J. Immunol.	181	2859-66	2009
Christian Klemann., Benjamin JE Raveney, Shinji Oki, Takashi Yamamura	Retinoid signals and Th17-mediated pathology	Jpn. J. Clin. Immunol.	32	20-28	2009
Seta N, Okazaki Y, Kuwana M	Human circulating monocytes can express receptor activator of nuclear factor- κ B ligand and differentiate into functional osteoclasts without exogenous stimulation	Immunol Cell Biol	86(5)	453-459	2008
Takahashi H, Amagai M, Nishikawa T, Fujii Y, Kawakami Y, Kuwana M	Novel system evaluating in vivo pathogenicity of desmoglein 3-reactive T-cell clones using murine pemphigus vulgaris	J Immunol	181(2)	1526-1535	2008
Asahi A, Nishimoto T, Okazaki Y, Suzuki H, Masaoka T, Kawakami Y, Ikeda Y, Kuwana M	Helicobacter pylori eradication shifts monocytes' Fc γ receptor balance toward inhibitory Fc γ RIIB in immune thrombocytopenic purpura	J Clin Invest	118(8)	2939-2949	2008
Suzuki S, Satoh T, Sato S, Otomo M, Hirayama Y, Sato H, Kawai M, Ishihara T, Suzuki N, Kuwana M	Clinical utility of anti-signal recognition particle autoantibody in the differential diagnosis of myopathies	Rheumatology	47(10)	1539-1542	2008
Kawai M, Masuda A, Kuwana M	A CD40-CD154 interaction in tissue fibrosis	Arthritis Rheum	58(11)	3562-3573	2008
Yasuoka H, Yamaguchi Y, Mizuki N, Nishida T, Kawakami Y, Kuwana M	Preferential activation of circulating CD8 $^{+}$ and $\gamma\delta$ T cells in patients with active Behcet's disease and HLA-B51	Clin Exp Rheumatol	26(4, suppl)	S59-S63	2008
Hoshi M, Yasuoka H, Kuwana M	Estrogen receptor gene polymorphisms in Japanese patients with systemic sclerosis	Clin Exp Rheumatol	26(5)	914-917	2008
Seta N, Tajima M, Kobayashi S, Kawakami Y, Hashimoto H, Kuwana M	Autoreactive T-cell responses to myeloperoxidase in patients with antineutrophil cytoplasmic antibody-associated vasculitis and in healthy individuals	Mod Rheumatol	18(6)	593-600	2008
Ogawa Y, Shimmura S, Kuwana M, Yamazaki K, Kawakami Y, Tsubota K	Inflammation and pathologic fibrosis in human ocular chronic graft-versus-host disease	Inflam Regen	28(6)	533-540	2008
Suzuki S, Suzuki N, Kuwana M	Comment on: Clinical utility of anti-signal recognition particle antibody in the differential diagnosis of myopathies: reply (letter)	Rheumatology	48(1)	90-91	2009
Suwa A, Hirakata M, Kaneko Y, Sato S, Suzuki Y, Kuwana M	Successful treatment of refractory polymyositis with the immunosuppressant mizoribine: Case report	Clin Rheumatol	28(2)	227-229	2009
Takahashi H, Kuwana M, Amagai M	A single helper T-cell clone is sufficient to commit polyclonal naïve B cells to produce pathogenic IgG in experimental pemphigus vulgaris	J Immunol	182(3)	1740-1745	2009
Kuwana M, Okazaki Y, Ikeda Y	Splenic macrophages maintain the anti-platelet autoimmune response via uptake of opsonized platelets in patients with immune thrombocytopenic purpura.	J Thromb Haemost.	7(2)	322-329	2009
Kuwana M	Autoantibodies to platelets: roles in thrombocytopenia	Inflam Regen	29(1)	40-46	2009
Satoh T, Pandey JP, Okazaki Y, Asahi A, Kawakami Y, Ikeda Y, Kuwana M	Single nucleotide polymorphism of interleukin-1 β associated with Helicobacter pylori infection in immune thrombocytopenic purpura	Tissue Antigens	73(4)	353-357	2009
Takada T, Hirakata M, Suwa A, Kaneko Y, Kuwana M, Ishihara T, Ikeda Y	Clinical and histopathological features of myopathies in Japanese patients with anti-SRP autoantibodies	Mod Rheumatol	19(2)	156-164	2009
Kawaguchi Y, Nakamura Y, Matsumoto I, Nishimaki, E, Satoh T, Kuwana M, Sumida T, Hara M	Muscarinic-3 acetylcholine receptor autoantibody in patients with systemic sclerosis: contribution to severe gastrointestinal tract dysmotility	Ann Rheum Dis	68(5)	710-714	2009

Nagata E, Hattori H, Kato M, Ogasawara S, Suzuki S, Shibata M, Shimizu T, Hamada J, Osada T, Takaoka R, Kuwana M, Tsunoda T, Aiso S, Takizawa S, Suzuki N, Takagi S	Identification of biomarkers associated with migraine with aura	Neurosci Res	64(1)	104-110	2009
Fujikawa K, Kawakami A, Kaji K, Fujimoto M, Kawashiri S, Iwamoto N, Aramaki T, Ichinose K, Tamai M, Kamachi M, Nakamura H, Ida H, Origuchi T, Ishimoto H, Mukae H, Kuwana M, Kohno S, Takehara K, Sato S, Eguchi K.	Association of distinctive clinical subsets with myositis-specific autoantibodies toward anti-155/140kD polypeptides, anti-140kD polypeptides, and anti-aminoacyl tRNA synthetases in patients with dermatomyositis of Japanese population: a single-center, cross-sectional study	Scand J Rheumatol	38(4)	1-5	2009
Arnold DM, Bernotas A, Nazi I, Stasi R, Kuwana M, Liu Y, Kelton JG, Crowther M	Platelet count response to <i>H. pylori</i> treatment in patients with immune thrombocytopenic purpura with and without <i>H. pylori</i> infection: a systematic review	Haematologica	94(6)	850-856	2009
Sato S, Hoshino K, Satoh T, Fujita T, Kawakami Y, Fujita T, Kuwana M	RNA helicase encoded by melanoma differentiation-associated gene 5 is a major autoantigen in patients with clinically amyopathic dermatomyositis: association with rapidly progressive interstitial lung disease	Arthritis Rheum	60(7)	2193-2200	2009
Fertig N, Domsic RT, Rodriguez-Reyna T, Kuwana M, Lucas M, Medsger TA Jr, Feghali-Bostwick CA	Anti-U11/U12 RNP antibodies in systemic sclerosis: A new serologic marker associated with pulmonary fibrosis	Arthritis Rheum	61(7)	958-965	2009
Matsuyama T, Kuwana M, Matsumoto M, Isonishi A, Inokuma S, Fujimura Y	Heterogeneous pathogenic processes of thrombotic microangiopathies in patients with connective tissue diseases	Thromb Haemost	102(2)	371-378	2009
Yoshida H, Ishida H, Yoshihara T, Kamesaki T, Kuwana M, Imamura T, Morimoto A	Complication of Evans' syndrome in an infant with hereditary spherocytosis: a case report	J Hematol Oncol	2	40	2009
Kuwana M, Okazaki Y, Kaburaki J	Long-term beneficial effects of statins on vascular manifestations in patients with systemic sclerosis	Mod Rheumatol	19(5)	530-535	2009
Suzuki S, Utsugisawa K, Yoshikawa H, Motomura M, Matsybara S, Yokoyama K, Nagae Y, Maruta T, Satoh T, Sato H, Kuwana M, Suzuki N	Autoimmune targets to heart and skeletal muscles in myasthenia gravis	Arch Neurol	66(11)	1334-1338	2009
Kawaguchi Y, Ota Y, Kawamoto M, Ito I, Tsuchiya N, Sugiura T, Katsumata Y, Soejima M, Sato S, Hasegawa M, Fujimoto M, Takehara K, Kuwana M, Yamanaka H, Hara M	Association study of a polymorphism of the CTGF gene and susceptibility to systemic sclerosis in the Japanese population	Ann Rheum Dis	68(12)	1921-1924	2009
Seta N, Kobayashi S, Hashimoto H, Kuwana M	Characterization of autoreactive T-cell clones to myeloperoxidase in patients with microscopic polyangiitis and healthy individuals	Clin Exp Rheumatol	27(5)	826-829	2009
Satoh T, Ishikawa O, Ihn H, Endo H, Kawaguchi Y, Sasaki T, Goto D, Takahashi K, Takahashi H, Misaki Y, Mimori T, Muro Y, Yazawa N, Sato S, Takehara K, Kuwana M	Clinical usefulness of anti-RNA polymerase III antibody measurement by enzyme-linked immunosorbent assay	Rheumatology	48(12)	1570-1574	2009
Kaneko Y, Suwa A, Hirakata M, Ikeda Y, Kuwana M	Clinical associations with autoantibody reactivities to individual components of U1 small nuclear ribonucleoprotein	Lupus	19(3)	307-312	2010
Koreeda Y, Higashimoto I, Yamamoto M, Takahashi M, Kaji K, Fujimoto M, Kuwana M, Fukuda Y, Arimura K	Clinical and pathological findings of interstitial lung disease patients with anti-aminoacyl-tRNA synthetase autoantibodies	Intern Med	49(5)	361-369	2010
Kuwana M	Sensorineural hearing loss as a common manifestation in patients with mixed connective tissue disease	Int J Clin Rheumatol	5(2)	165-167	2010
Yamaguchi Y, Takahashi H, Satoh T, Okazaki Y, Mizuki N, Takahashi K, Ikezawa Z, Kuwana M	Natural killer cells control a T helper 1 response in patients with Behcet's disease	Arthritis Res Ther	12(3)	R80	2010
Seta N, Kuwana M	Derivation of multipotent progenitors from human circulating CD14+ monocytes	Exp Hematol	38(7)	557-563	2010
Furuya Y, Satoh T, Kuwana M	Interleukin-6 as a potential therapeutic target for pulmonary arterial hypertension	Int J Rheumatol	2010	720305	2010

Gono T, Kawaguchi Y, Satoh T, Kuwana M, Katsumata Y, Takagi K, Masuda I, Tochimoto A, Baba S, Okamoto Y, Ota Y, Yamanaka H	Clinical manifestation and prognostic factor in anti-melanoma differentiation-associated gene 5 antibody-associated interstitial lung disease as a complication of dermatomyositis	Rheumatology	49(9)	1713-1719	2010
Sato S, Kuwana M	Clinically amyopathic dermatomyositis	Curr Opinion Rheumatol	22(6)	639-643	2010
Furuya Y, Okazaki Y, Kaji K, Sato S, Takehara K, Kuwana M	Mobilization of endothelial progenitor cells by intravenous cyclophosphamide in patients with systemic sclerosis: potential association with efficacy for interstitial lung disease	Rheumatology	49(12)	2375-2380	2010
Yamaguchi Y, Okazaki Y, Seta N, Satoh T, Takahashi K, Ikezawa Z, Kuwana M	Enhanced angiogenic potency of monocytic endothelial progenitor cells in patients with systemic sclerosis	Arthritis Res Ther	12(6)	R205	2010
Suzuki S, Utsugisawa K, Nagae Y, Satoh T, Kuwana M, Suzuki N	Clinical and immunological differences between early and late-onset myasthenia gravis in Japan	J Neuroimmunol	230(1-2)	148-152	2011
Hamaguchi Y, Kuwana M, Hoshino K, Hasegawa M, Kaji K, Matsushita T, Komura K, Nakamura M, Kodera M, Suga M, Higashi A, Ogasu K, Tsutusi K, Furusaki A, Tanabe H, Sasaoka S, Muro Y, Yoshikawa M, Ishiguro N, Ayano M, Muroi E, Fujikawa K, Umeda Y, Kawase M, Mabuchi E, Asano Y, Sodemoto K, Seishima M, Yamada H, Sato S, Takehara K, Fujimoto M	Clinical correlations with dermatomyositis-specific autoantibodies in adult Japanese patients with dermatomyositis: a multi-centre, cross-sectional study	Arch Dermatol			in press
Gono T, Kawaguchi Y, Ozeki E, Ota Y, Satoh T, Kuwana M, Hara M, Yamanaka H	Serum ferritin correlates with activity of anti-MDA5 antibody-associated acute interstitial lung disease as a complication of dermatomy	Mod Rheumatol			in press
Noda S, Asano Y, Tamaki Z, Hirabayashi M, Yamamoto M, Takekoshi T, Hoashi T, Sugaya M, Morimoto R, Eto T, Kaji K, Fujimoto M, Kuwana M, Sato S	Dermatomyositis with anti-OJ antibody	Rheumatol Int			in press
Kobayashi I, Okura Y, Yamazaki Y, Takezaki S, Yamada M, Kawamura N, Kuwana M, Ariga T	Anti-CADM-140/MDA5 antibody in juvenile dermatomyositis complicated with interstitial lung disease	J Pediatr			in press
Kaneko Y, Kuwana M, Kameda H, Takeuchi T	Sensitivity and specificity of 2010 rheumatoid arthritis classification criteria	Rheumatology			in press
Hara S, Henmi T, Kawakami A, Fujikawa K, Mukae H, Ishimatsu Y, Sakamoto N, Kakugawa T, Kaji K, Fujimoto M, Kuwana M, Tsukada T, Satoh K, Motomura M, Tamai M, Nakamura H, Ida H, Hayashi T, Origuchi T, Eguchi K, Kohno S	Clinical, serologic and magnetic resonance imaging of 3 cases of inflammatory myopathy with abundant macrophages in the Japanese population	Rheumatol Int			in press
Sakaguchi, S.	Regulatory T cells: history and perspective.	Methods in Molecular Biology	77	1-13	2011
Côté, A. L., Zhang, P., O'Sullivan, J. A., Jacobs, V. L., Clemis, C. R., Sakaguchi, S., Guevara-Patiño, J. A., and Turk, M. J.	Stimulation of the glucocorticoid- induced TNF receptor family-related receptor on CD8 T cells induces protective and high-avidity T cell responses to tumor-specific antigens.	J. Immunol	186	275-83	2011
Peterson, L. K., Shaw, L. A., Joetham, A., Sakaguchi, S., Gelfand, E. W., and Dragone, L. L.	SLAP Deficiency Enhances Number and Function of Tregs Preventing Chronic Autoimmune Arthritis in SKG Mice.	J. Immunol		In press	2011
Kurotaki, D., Kon, S., Bae, K., Ito, K., Matsui, Y., Nakayama, Y., Kanayama, M., Kimura, C., Narita, Y., Nishimura, T., Iwabuchi, K., Mack, M., van Rooijen, N., Sakaguchi, S., Uede, T., and Morimoto, J.	CSF-1-dependent red pulp macrophages regulate CD4 T cell responses.	J. Immunol		In press	2011
Ohe, H., et al.,	Minimal but essential doses of immunosuppression: a more realistic approach to improve long-term outcomes for pediatric living-donor liver transplantation.	Transplantation		In press	2011
Miyara, M., and Sakaguchi, S	FoxP3+CD4+ regulatory T cells: their knowns and unknowns.	Immunol. Cell. Biology		In press	2011

Ohkura, N., and Sakaguchi, S.	Development of regulatory T cells: regulation of Foxp3 expression by pharmacological agents.	Trends in Pharmacological Sciences.		In press	2011
Sakaguchi, S.	Conditional stability of T cells.	Nature	468	41-42	2010
Fujii, H., Arakawa, A., Kitoh, A., Miyara, M., Kato, M., Kore-Eda, S., Sakaguchi, S., Miyachi, Y., Tanioka, M., and Ono, M.	Perturbations of both non-regulatory and regulatory FOXP3(+) T cells in patients with malignant melanoma.	Br. J. Dermatol	doi: 10.1111/j.1365-2133		2010
Snell, L. M., McPherson, A. J., Lin, G. H., Sakaguchi, S., Pandolfi, P. P., Riccardi, C., and Watts, T. H.	CD8 T cell-intrinsic GITR is required for T cell clonal expansion and mouse survival following severe influenza infection.	J. Immunol	185	7223-34	2010
Ohkura N, Sakaguchi S.	Foxo1 and Foxo3 help Foxp3	Immunity	33	835-7	2010
Wing, K., and Sakaguchi, S.	Regulatory T cells exert checks and balances on self-tolerance and autoimmunity.	Nat. Immunol	11	7-13	2010
Caetano-Lopes, J., Nery, A. M., Canhao, H., Duarte, J., Cascao, R., Rodrigues, A., Perpetuo, I. P., Abdulghani, S., Amaral, P. M., Sakaguchi, S., Kontinen, Y. T., Graca, L., Vaz, M. F., and Fonseca, J. E.	Chronic arthritis leads to disturbances in the bone collagen network.	Arthritis Res. Ther	12(1)	R9	2010
Tanaka, S., Maeda, S., Hashimoto, M., Teradaira, S., Hirota, K., Yoshitomi, H., Katakai, T., Shimizu, A., Nomura, T., Sakaguchi, N., and Sakaguchi, S.	Graded attenuation of TCR signaling elicits distinct autoimmune diseases by altering thymic T cell selection and regulatory T cell function.	J. Immunol	185	2295-305	2010
Hashimoto, M., Hirota, K., Yoshitomi, H., Maeda, S., Teradaira, S., Akizuki, S., Prieto-Martin, P., Nomura, T., Sakaguchi, N., Köhl, J., Heyman, B., Takahashi, M., Fujita, T., Mimori, T., Sakaguchi, S.	Complement drives Th-17 cell differentiation and triggers autoimmune disease.	J. Exp. Med	207	1135-43	2010
Haque, A., Stanley, A. C., Amante, F. H., Rivera, F. D., Zhou, Y., Kuns, R. D., Yardley, V., Sakaguchi, S., Hill, G. R., and Engwerda, C. R.	Therapeutic Glucocorticoid-Induced TNF Receptor-Mediated Amplification of CD4+ T Cell Responses Enhances Antiparasitic Immunity	J. Immunol	184	2583-2592	2010
Teng, M.W., Swann, J.B., von Scheidt B., Sharkey, J., Zerafa, N., McLaughlin, N., Yamaguchi, T., Sakaguchi, S., Darcy, P.K., and Smyth, M.J.	Multiple antitumor mechanisms downstream of prophylactic regulatory T-cell depletion.	Cancer Res.	70	2665-2674	2010
Saini, M., Sinclair, C., Marshall, D., Tolaini, M., Sakaguchi, S., and Seddon, B.	Regulation of Zap70 expression during thymic development allows temporal separation of CD4 and CD8 repertoire selection at different signaling thresholds.	Science Signaling	3(114)	ra23	2010
Sakaguchi, S., Miyara, M., Costantino, C. M., and Hafler, D. A.	FOXP3+ regulatory T cells in the human system.	Nat. Rev. Immunol	185	2295-305	2010
Ohkura, N., and Sakaguchi, S.	Regulatory T cells: roles of Tcell receptor for their development and function.	Semin. Immunopathol	32	95-106	2010
Nishikawa, H., and Sakaguchi, S.	Regulatory T cells in tumor immunity.	Int. J. Cancer.	127	759-67	2010
Mitsui, J., Nishikawa, H., Muraoka, D., Wang, L., Noguchi, T., Sato, E., Kondo, S., Allison, J. P., Sakaguchi, S., Old, L. J., Kato, T., and Shiku, H.	Two distinct mechanisms of augmented antitumor activity by modulation of immunostimulatory/inhibitory signals.	Clin. Cancer Res	16	2781-91	2010
Nafady-Hego, H., Li, Y., Ohe, H., Zhao, X., Satoda, N., Sakaguchi, S., Wood, K., Uemoto, S., and Koshiba, T.	The generation of donor-specific CD4+CD25++CD45RA+ naïve regulatory T cells in operationally tolerance patients after pediatric living-donor liver transplantation.	Transplantation	90	1547-55	2010
Wing K, and Sakaguchi S.	Regulatory T cells exert checks and balances on self-tolerance and autoimmunity.	Nat. Immunol.	11	7-13	2010
Onodera T, Jang MH, Guo Z, Yamasaki M, Hirata T, Bai Z, Tsuji NM, Nagakubo D, Yoshie O, Sakaguchi S, Takikawa O, Miyasaka M.	Constitutive expression of IDO by dendritic cells of mesenteric lymph nodes: functional involvement of the CTLA-4/B7 and CCL22/CCR4 interactions.	J. Immunol.	183	5608-5614	2009

Sakaguchi S, Wing K, Onishi Y, Prieto-Martin P, Yamaguchi T.	Regulatory T cells: how do they suppress immune responses?	Int. Immunol.	21	1105-11	2009
Kitoh, A., Ono, M., Naoe, Y., Ohkura, N., Yamaguchi, T., Yaguchi, H., Kitabayashi, I., Tsukada, T., Nomura, T., Miyachi, Y., Taniuchi, I., and Sakaguchi, S.	Indispensable role of Runx1/Cbf β complexes for in vivo suppressive function of FoxP3+ regulatory T cells.	Immunity.	31	609-620	2009
Sakaguchi, S., Wing, K., and Yamaguchi, T.	Dynamics of peripheral tolerance and immune regulation mediated by Treg.	Eur. J. Immunol.	39(9)	2331-6	2009
Okamura T, Fujio K, Shibuya M, Sumitomo S, Shoda H, Sakaguchi S, Yamamoto K.	CD4+CD25-LAG3+ regulatory T cells controlled by the transcription factor Egr-2.	Proc.Natl.Acad.Sci. USA	106	13974-9	2009
Ito Y, Usui T, Kobayashi S, Iguchi-Hashimoto M, Ito H, Yoshitomi H, Nakamura T, Shimizu M, Kawabata D, Yukawa N, Hashimoto M, Sakaguchi N, Sakaguchi S, Yoshifuji H, Nojima T, Ohmura K, Fujii T, Mimori T.	Gamma/delta T cells are the predominant source of interleukin-17 in affected joints in collagen-induced arthritis, but not in rheumatoid arthritis.	Arthritis Rheum.	60	2294-2303	2009
Piao J, Kamimura Y, Iwai H, Cao Y, Kikuchi K, Hashiguchi M, Masunaga T, Jiang H, Tamura K, Sakaguchi S, Azuma M.	Enhancement of T-cell-mediated anti-tumour immunity via the ectopically expressed glucocorticoid-induced tumour necrosis factor receptor-related receptor ligand (GITRL) on tumours.	Immunology.	127	489-99	2009
Miyara, M., Wing, K., and Sakaguchi, S.	Therapeutic approaches to allergy and autoimmunity based on FoxP3+ regulatory T-cell activation and expansion.	J Allergy Clin Immunol.	123	749-55	2009
Liu, Z., Tian, S., Falo, L. D. Jr, Sakaguchi, S., and You, Z.	Therapeutic Immunity by Adoptive Tumor-primed CD4(+) T-cell Transfer in Combination With In Vivo GITR Ligation.	Mol Ther.	17	1274-81	2009
Duan F, Lin Y, Liu C, Engelhorn ME, Cohen AD, Curran M, Sakaguchi S, Merghoub T, Terzulli S, Wolchok JD, Houghton AN.	Immune rejection of mouse tumors expressing mutated self.	Cancer Res.	69	3545-3553	2009
Ohkura, N., and Sakaguchi, S.	A novel modifier of regulatory T cells.	Nat Immunol.	10	685-686	2009
Miyara, M., Shima, T., Kitoh, A., Yoshioka, Y., Niwa, A., Taflin, C., Heike, T., Valeyre, D., Mathian, A., Nakahata, T., Yamaguchi T., Nomura, T., Wing, K., Ono, M., Amoura, Z., Guy Gorochov, G., and Sakaguchi, S.	Functional delineation and differentiation dynamics of human CD4(+) T cells expressing the FoxP3 transcription factor.	Immunity.	30	899-911	2009
Nagahama, K., Fehervari, Z., Oida, T., Ogawa, O., and Sakaguchi, S.	Differential control of alloantigen-specific regulatory T cells and effector T cells by anti-CD4 and other agents in establishing transplantation tolerance.	Int.Immunol.	21	379-391	2009
Yoshitomi, M., Koshiba, T., Haga, H., Li, Y., Zhao, X., Cheng, D., Miyagawa, A., Sakashita, H., Tsuruyama T., Ueda, M., Wood, K., Sakaguchi S., Manabe, T., Tanaka, K., and Uemoto, S.	Requirement of protocol biopsy before and after complete cessation of immunosuppression following liver transplantation.	Transplantation.	87	606-614	2009
Miyara, M., Wing, K., and Sakaguchi, S	Therapeutic approaches to allergy and autoimmunity based on FoxP3+ regulatory T cell activation and expansion.	J.Aller.Clin.Immunol	123	749-755	2009
Yoshitomi, M., Koshiba, T., Haga, H., Li, Y., Zhao, X., Cheng, D., Miyagawa, A., Sakashita, H., Tsuruyama T., Ueda, M., Wood, K., Sakaguchi S., Manabe, T., Tanaka, K., and Uemoto, S.	Requirement of protocol biopsy before and after complete cessation of immunosuppression following liver transplantation.	Transplantation	87	606-614	2009
Satoda N,Shoji T,Wu Y,Fujinaga T,Chen F,Aoyama A,Zhang JT,Takahashi A,Okamoto T,Matsumoto I,Sakai H,Li Y,zhao X,Manabe T,Kobayashi E,Sakaguchi S,Wada H,Ohe H,Uemoto S,Tottori J,Bando T,Date H,Koshida T.	Value of FOXP3 Expression in Peripheral Blood as Rejection Marker After Miniature Swine Lung Transplantation.	J.Heart Lung Transplant	27	1293-301	2008
Wing, K., Onishi, Y., Prieto-Martin, P., Yamaguchi, T., Miyara, M., Fehervari, Z., Nomura, T., and Sakaguchi, S.	CTLA-4 control over Foxp3+ regulatory T cell function.	Science	322	271-275	2008

Li, Y., Zhao, X., Cheng, D., Haga, H., Tsuruyama, T., Wood, K., Sakaguchi, S., Tanaka, K., Uemoto, S., and Koshiba, T	The presence of FOXP3 expressing T cells within grafts of tolerance human liver transplant recipients.	Transplantation	86	1837-1843	2008
Sharma, S., Dominguez, A. L., Manrique, S. Z., Cavallo, F., Sakaguchi, S., and Lustgarten, J.	Systemic targeting of CpG-ODN to the tumor microenvironment with anti-neu-CpG hybrid molecule and T regulatory cell depletion induces memory responses in BALB-neuT tolerant mice.	Cancer Res	68	7530-7540	2008
Wakasa-Morimoto, C., Toyosaki-Maeda, T., Matsutani, T., Yoshida, R., Nakamura-Kikuoka, S., Maeda-Tanumura, M., Yoshitomi, H., Hirota, K., Hashimoto, H., Masaki, H., Fujii, F., Sakata, T., Tsuruta, Y., Suzuki, R., Sakaguchi, N., and Sakaguchi, S.	Arthritis and pneumonitis produced by the same T-cell clones from mice with spontaneous autoimmune arthritis.	Int Immunol	20	1331-1342	2008
Onishi, Y., Fehervari, Z., Yamaguchi, T., and Sakaguchi, S.	Foxp3+ natural regulatory T cells preferentially form aggregates on dendritic cells in vitro and actively inhibit their maturation.	Proc Natl Acad Sci USA	29	10113-10118	2008
Sakaguchi, S., Yamaguchi, T., Nomura, T., and Ono, M.	Regulatory T cells and immune tolerance.	Cell	133	775-787	2008
Miyara, M., Sakaguchi, S	Immune Dysregulation, Polyendocrinopathy, Enteropathy, X-linked Syndrome.	Encyclopedia of Molecular Medicine		www.els.net	2008
Fehervari, Z. and Sakaguchi, S.	T lymphocytes: Regulatory.	Nature Encyclopedia of Life Sciences		www.wls.net	2008
Sakaguchi, S.	Regulatory T cells in the past and for the future.	Eur J Immunol	38	901-937	2008
Sakihama T, Sato T, Iwanari H, Kitamura T, Sakaguchi S, Kodama T, Hamakubo T.	A simple detection method for low-affinity membrane protein interactions by baculoviral display.	PLoS ONE	3(12)	e4024	2008
Nakashima R, Imura Y, Kobayashi S, Yukawa N, Yoshifiji H, Nojima T, Kawabata D, Ohmura K, Usui T, Fujii T, Okawa K, Mimori T	The RIG-I-like receptor IFI16/MDA5 is a dermatomyositis-specific autoantigen recognized by anti-CADM-140 antibody.	Rheumatology (Oxford)	49(3)	433-440	2010
Higashi T, Nakayama T, Fukuhara S, Yamanaka H, Mimori T, Ryu J, Yonenobu K, Murata N, Matsuno H, Ishikawa H, Ochi T	Opinions of Japanese rheumatology physicians regarding clinical practice guidelines.	Int J Qual Health Care	22(2)	78-85	2010
Ishikawa Y, Yukawa N, Ohmura K, Hosono Y, Imura Y, Kawabata D, Nojima T, Fujii T, Usui T, Mimori T	Etanercept-induced anti-Jo-1 antibody-positive polymyositis in a patient with rheumatoid arthritis: a case report and review of the literature.	Clin Rheumatol	29(5)	563-566	2010
Ichikawa Y, Saito T, Yamanaka H, Akizuki M, Kondo H, Kobayashi S, Oshima H, Kawai S, Hama N, Yamada H, Mimori T, Amano K, Tanaka Y, Matsuoka Y, Yamamoto S, Matsubara T, Murata N, Asai T, Suzuki Y	Clinical activity after 12 weeks of treatment with nonbiologics in early rheumatoid arthritis may predict articular destruction 2 years later.	J Rheumatol	37(4)	723-729	2010
Shoji T, Bando T, Fujinaga T, Okubo K, Yukawa N, Mimori T, Date H	Living-donor lobar lung transplantation for interstitial pneumonia associated with dermatomyositis.	Transpl Int	23(5)	e10-1	2010
Yamaguchi H, Fujimoto T, Nakamura S, Ohmura K, Mimori T, Matsuda F, Nagata S	Aberrant splicing of milk fat globule EGF factor 8 gene in human systemic lupus erythematosus.	Eur J Immunol	40(6)	1778-1785	2010
Kochi Y, Okada Y, Suzuki A, Ikari K, Terao C, Takahashi A, Yamazaki K, Hosono N, Myouzen K, Tsunoda T, Kamatani N, Furuichi T, Ikegawa S, Ohmura K, Mimori T, Matsuda F, Iwamoto T, Momohara S, Yamanaka H, Yamada R, Kubo M, Nakamura Y, Yamamoto K	A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility.	Nat Genet	42(6)	515-519	2010
Hashimoto M, Hirota K, Yoshitomi H, Maeda S, Teradaira S, Akizuki S, Prieto-Martin P, Nomura T, Sakaguchi N, Köhl J, Heyman B, Takahashi M, Fujita T, Mimori T, Sakaguchi S.	Complement drives Th17 cell differentiation and triggers autoimmune arthritis.	J Exp Med	207(6)	1135-1143	2010
Tanaka Y, Takeuchi T, Mimori T, Saito K, Nawata M, Kameda H, Nojima T, Miyasaka N, Koike T	for the RRR study investigators. Discontinuation of infliximab after attaining low disease activity in patients with rheumatoid arthritis: RRR (remission induction by Remicade in RA) study.	Ann Rheum Dis	69(7)	1286-1291	2010

Yokoyama T, Usui T, Kiyama K, Terao C, Nakashima R, Yukawa N, Kawabata D, Nojima T, Ohmura K, Fujii T, Mimori T	Two cases of late-onset drug-induced lupus erythematosus caused by ticlopidine in elderly men.	Mod Rheumatol	20(4)	405-409	2010
Fujimura T, Yukawa N, Nakashima R, Imura Y, Kawabata D, Nojima T, Ohmura K, Fujii T, Usui T, Mimori T	Periodic fever and erythema nodosum associated with MDS with trisomy 8: Report of two cases and review of the literature.	Mod Rheumatol	20(4)	413-419	2010
Tanaka M, Murakami K, Ozaki S, Imura Y, Tong XP, Watanabe T, Sawaki T, Kawanami T, Kawabata D, Fujii T, Usui T, Masaki Y, Fukushima T, Jin ZX, Umehara H, Mimori T	DIP2 disco-interacting protein 2 homolog A (<i>Drosophila</i>) is a candidate receptor for follistatin-related protein/follistatin-like 1. Analysis of their binding with TGF- β superfamily proteins.	FEBS J	277(20)	4278-4289	2010
Hoshino K, Muro Y, Sugiura K, Tomita Y, Nakashima R, Mimori T	Anti-MDA5 and anti-TIF1-gamma antibodies have clinical significance for patients with dermatomyositis	Rheumatol	49(9)	1726-1733	2010
Nakashima R, Mimori T	Clinical and pathophysiological significance of myositis-specific autoantibodies and myositis-associated antibodies.	Int J Clin Rheumatol.	5(5)	523-536	2010
Ohmura K, Terao C, Maruya E, Katayama M, Matoba K, Shimada K, Murasawa A, Honjo S, Takasugi K, Tohma S, Matsuo K, Tajima K, Yukawa N, Kawabata D, Nojima T, Fujii T, Yamada R, Saji H, Matsuda F, Mimori T	Anti-citrullinated peptide antibody-negative RA is a genetically distinct subset: a definitive study using only bone-erosive ACPA-negative rheumatoid arthritis.	Rheumatology (Oxford)	49(12)	2298-2304	2010
Kang EH, Nakashima R, Mimori T, Kim J, Lee YJ, Lee EB, Song YW	Myositis autoantibodies in Korean patients with inflammatory myositis: Anti-140-kDa polypeptide antibody is primarily associated with rapidly progressive interstitial lung disease independent of clinically amyopathic dermatomyositis.	BMC Musculoskelet Disord	11(1)	223	2010
Sato T, Fujii T, Yokoyama T, Fujita Y, Imura Y, Yukawa N, Kawabata D, Nojima N, Ohmura K, Usui T, Mimori T	Anti-U1 RNP antibodies in cerebrospinal fluid are associated with central neuropsychiatric manifestations in systemic lupus erythematosus and mixed connective tissue disease.	Arthritis Rheum	62(12)	3730-3740	2010
Satoh T, Ishikawa O, Ihn H, Endo H, Kawaguchi Y, Sasaki T, Goto D, Takahashi K, Takahashi H, Misaki Y, Mimori T, Muro Y, Yazawa N, Sato S, Takehara K, Kuwana M	Clinical usefulness of anti-RNA polymerase III antibody measurement by enzyme-linked immunosorbent assay	Rheumatology (Oxford)	48(12)	1570-4	2009
Mimori T	Mechanisms of production and pathogenesis of autoantibodies	Sysmex Journal International	19 (suppl.1)	19-24	2009
Kobayashi K, Okamoto Y, Inoue H, Usui T, Ihara M, Kawamata J, Miki Y, Mimori T, Tomimoto H, Takahashi R:	Leukoencephalopathy with cognitive impairment following tocilizumab for the treatment of rheumatoid arthritis (RA)	Intern Med	48(15)	1307-9	2009
Fujii T, Okada M, Fujita Y, Sato T, Tanaka M, Usui T, Umehara H, Mimori T	Vaccination with autoreactive CD4(+)Th1 clones in lupus-prone MRL/Mp-Fas(lpr/lpr) mice.	J Autoimmun.	33(2)	125-34	2009
Ito Y, Usui T, Kobayashi S, Iguchi-Hashimoto M, Ito H, Yoshitomi H, Nakamura T, Shimizu M, Kawabata D, Yukawa N, Hashimoto M, Sakaguchi N, Sakaguchi S, Yoshifiji H, Nojima T, Ohmura K, Fujii T, Mimori T	Gamma/delta T cells are the predominant source of interleukin-17 in affected joints in collagen-induced arthritis, but not in rheumatoid arthritis	Arthritis Rheum	60(8)	2294-303,	2009
Kyogoku C, Morinobu A, Nishimura K, Sugiyama D, Hashimoto H, Tokano Y, Mimori T, Terao C, Matsuda F, Kuno T, Kumagai S.	Lack of association between tyrosine kinase 2 (TYK2) gene polymorphisms and susceptibility to SLE in a Japanese population	Mod Rheumatol	19(4)	401-6	2009
Kitaori T, Ito H, Yoshitomi H, Aoyama T, Fujii T, Mimori T, Nakamura T	Severe erosive arthropathy requiring surgical treatments in systemic lupus erythematosus	Mod Rheumatol.	19(4)	431-6	2009
Kondo T, Inoue H, Usui T, Mimori T, Tomimoto H, Vernino S, Takahashi R	Autoimmune autonomic ganglionopathy with Sjögren's syndrome: significance of ganglionic acetylcholine receptor antibody and therapeutic approach.	Auton Neurosci	146(1-2)	33-5	2009
Fujita Y, Fujii T, Nakashima R, Tanaka M, Mimori T	Aseptic meningitis in mixed connective tissue disease: cytokine and anti-U1RNP antibodies in cerebrospinal fluids from two different cases	Mod Rheumatol	18(2)	184-188	2008

Jin ZX, Huang CR, Dong L, Goda S, Kawanami T, Sawaki T, Sakai T, Tong XP, Masaki Y, Fukushima T, Tanaka M, Mimori T, Tojo H, Bloom ET, Okazaki T, Umehara H	Impaired TCR signaling through dysfunction of liquid rafts in sphingomyelin synthase 1(SMS1)-knockdown T cells	International Immunology	20(11)	1427-1437	2008
Atsumi T, Horita T, Mimori T, Koike T	Exchange of Information in Rheumatology Between East and West•From Man'yo-shu to the Future	Arthritis Rheum	58(2)	140-142	2008
Senju S, Haruta M, Matsumura K, Matsunaga Y, Fukushima S, Ikeda T, Takamatsu K, Irie A, Nishimura Y.	Generation of dendritic cells and macrophages from human induced pluripotent stem cells aiming at cell therapy.	Gene Therapy			in press
Ikeda T, Hirata S, Fukushima S, Matsunaga Y, Ito T, Uchino M, Nishimura Y, Senju S.	Dual effects of TRAIL to suppress autoimmunity: the inhibition of Th1 cells and the promotion of regulatory T cells.	J. Immunol.	185(9)	5259-5267	2010
Senju S, Hirata S, Motomura Y, Fukuma D, Matsunaga Y, Fukushima S, Matsuyoshi H, Nishimura Y.	Pluripotent stem cells as source of dendritic cells for immune therapy.	Int J Hematol	91(3)	392-400	2010
Senju S, Matsunaga Y, Fukushima S, Hirata S, Matsuyoshi H, Nishimura Y.	Pluripotent stem cell-derived dendritic cells for immunotherapy.	Frontiers in Bioscience (Elite edition)	2	1520-1527	2010
Senju S, Haruta M, Matsunaga Y, Fukushima S, Ikeda T, Takahashi K, Okita K, Yamanaka S, Nishimura Y.	Characterization of dendritic cells and macrophages generated by directed differentiation from mouse induced pluripotent stem cells.	Stem Cells	27(5)	1021-1031	2009
Fukushima S, Hirata S, Motomura Y, Fukuma D, Matsunaga Y, Ikuta Y, Ikeda T, Kageshita T, Ihn H, Nishimura Y, Senju S.	Multiple antigen-targeted immunotherapy with α-galactosyl-ceramide-loaded and genetically engineered dendritic cells derived from embryonic stem cells.	J. Immunotherapy	32(3)	219-231	2009
Matsunaga Y, Fukuma D, Hirata H, Fukushima S, Haruta M, Ikeda T, Negishi I, Nishimura Y, Senju S.	Activation of antigen-specific cytotoxic T lymphocytes by β ₂ -microglobulin or TAPI gene disruption and the introduction of recipient-matched MHC class I gene in allogeneic embryonic stem cell-derived dendritic cells.	J. Immunol.	181(9)	6635-6643	2008
Tsukamoto H, Irie A, Senju S, Hatzopoulos A.K, Wojnowski L, Nishimura Y.	B-Raf-mediated signaling pathway regulates T cell development and activation.	Eur. J. Immunol.	38(2)	518-527	2008

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
Atsumi T, Amengual O, Koike T.	Antiphospholipid syndrome: pathogenesis	Lahita RG	Academic Press	2010
		Systemic Lupus Erythematosus 5th edition	San Diego	945-66
Atsumi T, Amengual O, Koike T	Etiopathology of the Antiphospholipid syndrome,	Tanaka K, Davie EW	Springer Japan KK,	2008
		Recent Advances in Thrombosis and Haemostasis 2008.	Tokyo	521-35
H. Kohsaka	Polymyositis / dermatomyositis	Antonio La Cava	Transworld Research Network	2009
		Recent Research Developments in Rheumatic Diseases	India	166-184

