

- 87) 三徳和子, 丹野高三, 松田智大, 新城正紀, 真崎直子, 平良セツ子, 坂田清美, 永井正規. 筋委縮性側索硬化症の QOL. 第 67 回日本公衆衛生学会, 2008, 福岡.
- 88) T Agata, Y Yanagisawa, M Niimura, H Nishikawa, T Ohtsuka, Y Inaba, M Kurosawa, Y Nakamura, R Uehara, M Watanabe, M Nagai. Change of socio-epidemiologic status of Tuberous Sclerosis Complex(TSC) patients during these 10 years in Japan. The Joint Scientific Meeting of IEA Western Pacific Region and Japan Epidemiological Association, 2010, Koshigaya.
- 89) H Nishikawa, T Agata, Y Yanagisawa, M Niimura, H Nishikawa, T Ohtsuka, Y Inaba, M Kurosawa, Y Nakamura, R Uehara, M Watanabe, M Nagai. Differences in the socio-epidemiologic status patients with Neurofibromatosis: Comparison of facilities with and without a member of NF research group. The Joint Scientific Meeting of IEA Western Pacific Region and Japan Epidemiological Association, 2010, Koshigaya.
- 90) 縣俊彦, 西川浩昭, 稲葉裕, 黒沢美智子. 神経線維腫症 1 の眼症状に関する疫学的研究. 第 75 回日本民族衛生学会, 2010, 札幌.
- 91) 西川浩昭, 縿俊彦, 稲葉裕, 黒沢美智子. 全国調査データから見た神経線維腫症 1 型の患者像-班員施設とその他の施設の比較-. 第 75 回日本民族衛生学会総会, 2010, 札幌.
- 92) T Agata, Y Yanagisawa, M Niimura, H Nishikawa, T Ohtsuka, Y Inaba, M Kurosawa, Y Nakamura, R Uehara, M Watanabe, M Nagai, Nakayama J. A STUDY OF LISCH NODULES (LN) AND OPTIC GLIOMA (OG) OF NEUROFIBROMATOSIS TYPE 1 PATIENTS IN JAPAN. 20th biennal meeting of the international society of eye research, 2010, Montreal Canada.
- 93) T Agata, Y Yanagisawa, M Niimura, H Nishikawa, T Ohtsuka, Y Inaba, M Kurosawa, M Nagai, Nakayama J. A STUDY OF DERMATOLOGICAL SYMPTOMS OF NEUROFIBROMATOSIS TYPE 1 PATIENTS IN JAPAN. 19th congress of the european academy of dermatology and venerology Gotenburug , 2010, Sweeden.
- 94) 縱俊彦, 西川浩昭, 稲葉裕, 黒沢美智子, 永井正規, 中村好一. 結節性硬化症 (TSC) の家族歴を中心とした患者疫学像. 第 19 回日本疫学会学術総会, 2009, 金沢.
- 95) T Agata, H Yanagisawa, H Nishikawa, Y Inaba, M Kurosawa, M Nagai. A LONGITUDINAL EPIDEMIOLOGICAL STUDY OF RESPIRATORY DISEASE ABOUT DEATH RATE, PREVALENCE, TABACCO SMOKING AND CURE SYSTEMS IN JAPAN AND WESTERN COUNTRIES. 5th forum on respiratory tract infections Doubts and certainties in an environment of changing patients and pathogens, 2009, Sitges, Balcerona, Spain.
- 96) Agata T, Yanagisawa H, Niimura M, Inaba Y, Kurosawa M, Nishikawa H, Nagai M, Ryuu S, Nakayama J, Ohtsuka K. Epidemiological Studies of Facial Nerve Problems of NF2 (Neurofibromatosis type 2) in Japan. XI International Facial Nerve Symposium, 2009, ROME.
- 97) Agata T, Yanagisawa H, Niimura M, Inaba Y, Kurosawa M, Nishikawa H, Nagai M, Ryuu S, Nakayama J, Ohtsuka K. A LONGITUDINAL EPIDEMIOLOGICAL STUDY OF RESPIRATORY DISEASE ABOUT DEATH RATE, PREVALENCE, TABACCO SMOKING AND CURE SYSTEMS IN JAPAN AND WESTERN COUNTRIES. european respiratory society congress 2009, 2009, wien.
- 98) Agata T, Yanagisawa H, Niimura M, Inaba Y, Kurosawa M, Nishikawa H, Nagai M, Ryuu S, Nakayama J, Ohtsuka K. Change of socio-epidemiologic status of Neurofibromatosis 1(NF1) patients during these 10 years in Japan. 18th Congress of the Academy of Dermatology and Venererogy, 2009, Berlin .
- 99) 西川浩昭, 縱俊彦, 稲葉裕, 黒沢美智子.

全国調査データから見た神経線維腫症 1 の家族歴、受療状況とその関連要因。第 74 回日本民族衛生学会、2009、京都。

100) 縣俊彦、西川浩昭、稻葉裕、黒沢美智子。
結節性硬化症(TSC)の患者医療費補助決定要因に関する研究。第 74 回日本民族衛生学会、
2009、京都。

101) 西川浩昭、縣俊彦、稻葉裕、黒沢美智子。
全国調査から見た神経線維腫症 1 の疫学像。
第 73 回日本民族衛生学会、2008、横浜。

102) 縿俊彦、西川浩昭、稻葉裕、黒沢美智子。
全国調査から見た結節性硬化症(TSC)の患者
疫学像。第 73 回日本民族衛生学会、2008、
横浜。

103) T Agata, H Yanagisawa, A Tamakoshi,
K Saiki, Y Inaba, M Kurosawa, H Ishihara,
K Kimura, K Kubo. A nation-wide
chronological, epidemiological and statistical
study of HMVin Japan. 54th Respiratory
Congress International, 2008, Anaheim USA.

104) 篠輪眞澄、永井正規。各国における喫煙
率と難病死亡率の関連の検討。第 21 回日本疫
学会学術総会、2011、札幌。

105) 篠輪眞澄、永井正規。「世界の難病死亡
統計：1994-2006 年」に基づく全難病死亡率
と医療普及度の関係。第 69 回日本公衆衛生
学会総会、2010、東京。

G. 知的所有権の取得状況

1. 特許取得 なし
2. 実用新案登録 なし
3. その他 なし

II. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表(平成20~22年度)

発表者氏名		論文タイトル名	発表誌名	巻号	ページ	出版年
1	太田晶子, 仁科基子, 石島英樹, 永井正規	保健・衛生行政業務報告に基づく特定疾患医療受給者数および登録者数変化の観察	厚生の指標	56(8)	11-17	2009
2	天谷雅行, 谷川瑛子, 清水智子, 橋本隆, 池田志季, 黒沢美智子, 新関寛徳, 青山裕美, 岩月啓氏, 北島康雄	天疱瘡診療ガイドライン	日本皮膚科学会誌	120(7)	1443-1460	2010
3	池田志季, 黒沢美智子, 山本明美, 玉井克人, 米田耕造, 青山裕美, 北島康雄 (ガイドライン作成委員会)	日本皮膚科学会診療ガイドライン: 水疱型先天性魚鱗癖様紅皮症	日本皮膚科学会誌	118(3)	343-346	2008
4	Ito-Habe N, Wada H, Matsumoto M, Fujimura Y, Murata M, Izuno T, Sugita M, Ikeda Y	A second national questionnaire Survey of TMA	Int J Hematol	92(1)	68-75	2010
5	Ito N, Wada H, Matsumoto M, Fujimura Y, Murata M, Izuno T, Sugita M, Ikeda Y	National questionnaire Survey of TMA	Int J Hematol	90(3)	328-335	2009
6	韓萌, 大西浩文, 森満, 野中道夫, 今井富裕, 他	パーキンソン病患者の抑うつ症状と嚥下障害との関係	総合リハビリテーション	38(7)	677-683	2010

7	韓萌, 大西浩文, 野中道夫, 山内理 香, 他	パーキンソン病患 者のQOLに対する 抑うつの影響	北海道公衆衛生学 雑誌	22(3)	102-106	2010
8	Doi Y, Yokoyama Y, Nakamura Y, Nagai M, Fujimoto K, Nakano I	How can we estimate the national burden of comorbidity and mortality for Parkinson's disease in Japanese population?	J Epidemiol		in press	
9	Doi Y, Yokoyama T, Tango T, Takahashi K, Fujimoto K, Nakano I	Temporal trends and geographic clusters of mortality from amyotrophic lateral sclerosis in Japan, 1995-2004	Journal of the Neurological Sciences	298	78-84	2010
10	Doi Y, Yokoyama T, Sakai M, Nakamura Y, Tango T, Takahashi K	Spatial Clusters of Creutzfeldt-Jakob Disease Mortality in Japan between 1995 and 2004	Neuroepidemiology	30	222-228	2008
11	Fukushima W, Miyake Y, Tanaka K, Sasaki S, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	Alcohol drinking and risk of Parkinson's disease: a case- control study in Japan	BMC Neurol	10	111(1-9)	2010

12	Fukushima W, Fujioka M, Kubo T, Tamakoshi A, Nagai M, Hirota Y	Nationwide epidemiologic survey of idiopathic osteonecrosis of the femoral head	Clin Orthop Relat Res	468(10)	2715-2724	2010
13	Sakaguchi M, Tanaka T, Fukushima W, Kubo T, Hirota Y, for the Idiopathic ONF Multicenter Case- Control Study Group	Impact of Oral Corticosteroid Use for Idiopathic Osteonecrosis of the Femoral Head : A Nationwide Multicenter Case- Control Study in Japan	J Orthop Sci	15	185-191	2010
14	福島若葉, 阪口元 伸, 武知茉莉亜, 小林真之, 廣田良 夫	特発性大腿骨頭壞 死症の疫学	リウマチ科	44(4)	391-397	2010
15	大藤さとこ, 福島 若葉, 廣田良夫, 押谷伸英, 渡辺憲 治, 長堀正和, 渡 辺守, For the Japanese Case- Control Study Group for Ulcerative Colitis	潰瘍性大腸炎のリ スク因子-多施設共 同・症例対照研究 より	IBD Research	3(4)	271-276	2009
16	大藤さとこ, 福島 若葉, 廣田良夫, 押谷伸英, 渡辺憲 治, 長堀正和, 渡 辺守, The Japanese Case-Control Study Group for Ulcerative Colitis	潰瘍性大腸炎のリ スク因子に関する 症例対照研究	大腸疾患NOW		177-182	2009

17	武林亭, 朝倉敬子, 大藤さとこ, 福島若葉, 廣田良夫	【これからIBD研究における研究班の使命は】総括的疫学解析による疾患構造変化の追究	IBD Research	2(1)	28-37	2008
18	紀平為子, 岡本和士, 吉田宗平, 近藤智善, 永井正規	和歌山県内ALS多発地における元素の特徴に関する疫学的検討	神経内科 2010		印刷中	
19	紀平為子, 吉田宗平, 村田顕也, 石口宏, 近藤智善, 河本純子, 岡本和士, 小久保康昌, 葛原茂樹	紀伊半島南部地域における筋萎縮性側索硬化症-和歌山県内多発地域における最近の発症率の推移と臨床像の変化	BRAIN and NERVE: 神経研究の進歩	62	72-80	2010
20	Okamoto K, Kihira T, Kondo T, Kobashi G, Washio M, Sasaki S, Yokoyama T, Miyake Y, Sakamoto N, Inaba Y, Nagai M	Lifestyle Factors and Risk of Amyotrophic Lateral Sclerosis: A Case-Control Study in Japan	Ann Epidemiol	19	359-364	2009
21	Okamoto K, Kihira T, Kobashi G, Washio M, Sasaki S, Yokoyama T, Miyake Y, Sakamoto N, Inaba Y, Nagai M	Fruit and Vegetable Intake and Risk of Amyotrophic Lateral Sclerosis in Japan	Neuroepidemiology	32	251-256	2009
22	Kihira T, Suzuki A, Kondo T, et al	Immunohistochemical expression of IGF-I and GSK in the spinal cord of Kii and Guamanian ALS patients	Neuropathology	29	548-558	2009

23	Kihira T, Yoshida S, Okamoto K, Kazimoto Y, Ookawa M, Hama K, Miwa H, Kondo T	Survival rate of patients with amyotrophic lateral sclerosis in Wakayama Prefecture, Japan, 1966 to 2005	Neurol Sci	268	95–101	2008
24	Kobashi G, Ohta K, Washio M, Okamoto K, Sasaki S, Yokoyama T, Miyake Y, Sakamoto N, Hata A, Tamashiro H, Inaba Y, Tanaka H, and Japan Collaborative Epidemiological Study Group for Evaluation of Ossification of the Posterior Longitudinal Ligament of the Spine Risk	FokI variant of vitamin D receptor gene and factors related to atherosclerosis associated with ossification of the posterior longitudinal ligament of the spine ; a multi-hospital case-control study	Spine	33	553–558	2008
25	Miyake Y, Tanaka K, Fukushima W, Sasaki S, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	Lack of association of dairy food, calcium, and vitamin D intake with the risk of Parkinson's disease: a case-control study in Japan	Parkinsonism Relat Disord	17	112–116	2011

26	Miyake Y, Fukushima W, Tanaka K, Sasaki S, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	Dietary intake of antioxidant vitamins and risk of Parkinson's disease: a case-control study in Japan	Eur J Neurol	18	106-113	2011
27	Tanaka K, Miyake Y, Fukushima W, Sasaki S, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	Active and passive smoking and risk of Parkinson's disease	Acta Neurol Scand	122	377-382	2010
28	Miyake Y, Tsuboi Y, Koyanagi M, Fujimoto T, Shirasawa S, Kiyohara C, Tanaka K, Fukushima W, Sasaki S, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	<i>LRRK2</i> Gly2385Arg polymorphism, cigarette smoking, and risk of sporadic Parkinson's disease: a case-control study in Japan	J Neurol Sci	297	15-18	2010

29	Murakami K, Miyake Y, Sasaki S, Tanaka K, Fukushima W, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, the Fukuoka Kinki Parkinson's Disease Study Group	Dietary intake of folate, vitamin B6, vitamin B12, and riboflavin and risk of Parkinson's disease: a case-control study in Japan	Br J Nutr	104	757-764	2010
30	Kiyohara C, Miyake Y, Koyanagi M, Fujimoto T, Shirasawa S, Tanaka K, Fukushima W, Sasaki S, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	GST polymorphisms, interaction with smoking and pesticide use, and risk for Parkinson's disease in a Japanese population	Parkinsonism Relat Disord	16	447-452	2010
31	Miyake Y, Tanaka K, Fukushima W, Sasaki S, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, Fukuoka Kinki Parkinson's Disease Study Group	Case-control study of risk of Parkinson's disease in relation to hypertension, hypercholesterolemia, and diabetes in Japan	J Neurol Sci	293	82-86	2010

	Murakami K, Miyake Y, Sasaki S, Tanaka K, Fukushima W, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, for the Fukuoka Kinki Parkinson's Disease Study Group	Dietary glycemic index is inversely associated with the risk of Parkinson's disease: a case-control study in Japan	Nutrition	26	515–521	2010
32	Miyake Y, Sasaki S, Tanaka K, Fukushima W, Kiyohara C, Tsuboi Y, Yamada T, Oeda T, Miki T, Kawamura N, Sakae N, Fukuyama H, Hirota Y, Nagai M, for the Fukuoka Kinki Parkinson's Disease Study Group	Dietary fat intake and risk of Parkinson's disease: a case-control study in Japan	J Neurol Sci	288	117–122	2010
33	Kiyohara C, Washio M, Horiuchi T, Tada Y, Asami T, Ide S, Takahashi H, Kobashi G, and the Kyushu Sapporo SLE (KYSS) Study Group	Cigarette smoking, N-acetyltransferase 2 polymorphisms and systemic lupus erythematosus in a Japanese population	Lupus	18	630–638	2009
35	Horiuchi T, Washio M, Kiyohara C, Tsukamoto H, Tada Y, Asami T, Ide S, Kobashi G, Takahashi H, and the Kyushu Sapporo SLE (KYSS) Study Group	Combination of <i>TNF-RII</i> , <i>CYP1A1</i> and <i>GSTM1</i> polymorphisms and the risk of Japanese SLE: findings from the KYSS study	Rheumatology	48	1045–1049	2009

36	Kiyohara C, Washio M, Horiuchi T, Tada Y, Asami T, Ide S, Atsumi T, Kobashi G, Takahashi H, and the Kyushu Sapporo SLE (KYSS) Study Group	Cigarette Smoking, <i>STAT4</i> and <i>TNFRSF1B</i> Polymorphisms, and Systemic Lupus Erythematosus in a Japanese Population	Rheumatology	36(10)	2195-2203	2009
37	鶴尾昌一, 横山徹爾, 堀内孝彦, 清原千香子, 多田芳史, 浅見豊子, 井手三郎, 小橋元, 高橋裕樹, 渥美達也, 近江雅代, 廣田良夫, 稲葉裕, 永井正規, 九州札幌SLE研究グループ	食習慣と全身性エリテマトーデス発症のリスク	臨牀と研究	86(10)	101-107	2009
38	鶴尾昌一, 清原千香子, 堀内孝彦, 多田芳史, 浅見豊子, 井手三郎, 小橋元, 高橋裕樹, 渥美達也, 近江雅代, 廣田良夫, 稲葉裕, 永井正規, 九州札幌SLE研究グループ	ペットの飼育と全身性エリテマトーデス発症のリスク	臨牀と研究	86(4)	88-91	2009
39	Sawada H, Oeda T, Kuno S, Nomoto M, Yamamoto K, Yamamoto M, Hisanaga K, Kawamura T, for the Amantadine Study Group	Amantadine for Dyskinesias in Parkinson's Disease:A Randomized Controlled Trial	PLoS ONE	5	1-7	2010

40	後藤雅史, 川村孝, 若井建志	IgA腎症の疫学：全 国疫学調査と10年 間の追跡研究の結 果を踏まえて	医学の歩み	232	1101-1106	2010
41	Goto M, Wakai K, Kawamura T, Ando M, Endoh M, Tomino Y	A scoring system to predict renal outcome in IgA nephropathy: a nationwide 10-year prospective cohort study	Nephrol Dial Transplant	24	3068-3074	2009
42	Goto M, Kawamura T, Wakai K, Ando M, Endoh M, Tomino Y	Risk stratification for progression of IgA nephropathy using a decision tree induction algorithm	Nephrol Dial Transplant	24	1242-1247	2009
43	Oeda T, Masaki M, Yamamoto K, Mizuta E, Kitagawa N, Isono T, Taniguchi S, Doi K, Yaku H, Yutani C, Kawamura T, Kuno S, Sawada H	High risk factors for valvular heart disease from dopamine agonists in patients with Parkinson's disease	J Neural Transm	116	171-178	2008
44	Sawada H, Oeda T, Yamamoto K, Kitagawa N, Mizuta E, Hosokawa R, Ohba M, Nishio R, Yamakawa K, Takeuchi H, Shimohama S, Takahashi R, Kawamura T	Diagnostic accuracy of cardiac metaiodobenzyl- guanidine scintigraphy in Parkinson disease	Eur J Neurol	16	174-182	2008

45	Miura K, Matsumori A, Nasermoaddeli A, Soyama Y, Morikawa Y, Sakurai M, Kitabatake A, Nagai M, Inaba Y, Nakagawa H	Prognosis and Prognostic Factors in Patients With Idiopathic Dilated Cardiomyopathy in Japan: Results From a Nationwide Study	Circulation Journal	72(3)	343-348	2008
46	三徳和子, 松田智大, 新城正紀, 真崎直子, 平良セツ子, 丹野高三, 篠輪真澄, 坂田清美	難病疾患患者における包括的QOLの特徴と類似点	川崎医療福祉学会誌	17(2)	333-341	2008
47	縣俊彦	臨床調査票からみた神経線維腫症2型(NF2)の疫学像	医学と生物学	152(1)	20-25	2008

厚生労働科学研究費補助金難治性疾患克服研究事業
特定疾患の疫学に関する研究班
平成 20 年度～22 年度 総合研究報告書

2011 年 3 月 31 日発行

研究代表者

永井 正規

事務局

〒 350-0495 埼玉県入間郡毛呂山町毛呂本郷 38

埼玉医科大学医学部公衆衛生学

電話：049-276-1171 ファクシミリ：049-295-9307

担当者

太田 晶子

