

SB15. Mental functions of ordering events in chronological sequence, allocating amounts of time to events and activities.[b1642 Time management]

SB16. Mental functions of changing strategies, or shifting mental sets, especially as involved in problem-solving.[b1643 Cognitive flexibility]

SB17. Mental functions of awareness and understanding of oneself and one's behaviour.[b1644 Insight]

SB18. Mental functions involved in discriminating between and evaluating different options, such as those involved in forming an opinion.[b1645 Judgement]

SB19. Mental functions of identifying, analysing and integrating incongruent or conflicting information into a solution.[b1646 Problem-solving]

SB20. Specific mental functions of sequencing and coordinating complex, purposeful movements.[b176 Mental function of sequencing complex movements]

Voice and Speech Functions

SC01. Functions of the production of smooth, uninterrupted flow of speech.[b3300 Fluency of speech]

SC02. Functions of the modulated, tempo and stress patterns in speech.[b3301 Rhythm of speech]

SC03. Functions of the rate of speech production.[b3302 Speed of speech]

SC04. Functions of modulation of pitch patterns in speech.[b3303 Melody of speech]

SC05. Functions of production of musical vocal sounds.[b3400 Production of notes]

SC06. Functions of production of a variety of vocalizations.[b3401 Making a range of sounds]

Functions Related to the Digestive System

SD01. Functions of drawing into the mouth by a suction force produced by movements of the cheeks, lips and tongue.[b5100 Sucking]

SD02. Functions of cutting into, piercing or tearing off food with the front teeth.[b5101 Biting]

SD03. Functions of crushing, grinding and masticating food with the back teeth (e.g. molars).[b5102 Chewing]

SD04. Functions of moving food around the mouth with the teeth and tongue.[b5103 Manipulation of food in the mouth]

SD05. Function of the production of saliva within the mouth.[b5104 Salivation]

SD06. Functions of clearing the food and drink through the oral cavity, pharynx and oesophagus into the stomach at an appropriate rate and speed.[b5105 Swallowing]

SD07. Functions of moving food or liquid in the reverse direction to ingestion, from stomach to oesophagus to mouth and out.[b5106 Regurgitation and vomiting]

Urinary Functions

SE01. Functions of voiding the urinary bladder.[b6200 Urination]

SE02. Functions involved in the number of times urination occurs.[b6201 Frequency of urination]

SE03. Functions of control over urination.[b6202 Urinary continence]

Movement-Related Functions

SF01. Functions of involuntary contractions of large muscles or the whole body induced by body position, balance and threatening stimuli.[b755 Involuntary movement reaction functions]

SF02. Functions associated with control over and coordination of simple or isolated voluntary movements.[b7600 Control of simple voluntary movements]

SF03. Functions associated with control over and coordination of complex voluntary movements.[b7601 Control of complex voluntary movements]

SF04. Functions associated with coordination of simple and complex voluntary movements, performing movements in an orderly combination.[b7602 Coordination of voluntary movements]

SF05. Functions associated with control over and coordination of voluntary movements by placing weight either on the arms (elbows or hands) or on the legs (knees or feet).[b7603 Supportive functions of arm or leg]

SF06. Functions of unintentional, non- or semi-purposive involuntary contractions of a muscle or group of muscles, such as those involved as part of a psychological dysfunction.[b7650 Involuntary contractions of muscles]

SF07. Functions of alternating contraction and relaxation of a group of muscles around a joint, resulting in shakiness.[b7651 Tremor]

SF08. Functions of repetitive, quasi-purposive, involuntary contractions of a group of muscles.[b7652 Tics and mannerisms]

SF09. Functions of spontaneous, non-purposive movements such as repetitively rocking back and forth and nodding the head or wiggling.[b7653 Stereotypies and motor perseveration]

Modified ICF Scales:

5, no need for any support; 4, the necessity of minimal support; 3, the necessity of some support; 2, the necessity of substantial support; and 1, the necessity of total support.

ICF-based Impression (IBI):

2, marked improvement; 1, some improvement; 0, No change; -1, some deterioration; and -2, marked deterioration

ACKNOWLEDGMENTS

We thank the staff members in the Megumi and Nozomi Homes of Misakaenosono Institute for Persons with Intellectual Disabilities for patient care; and A. Kitamura, N. Okazaki (Amamoto), T. Doi, H. Tanigawa (Hamada), Y. Ogawa, K. Aikawa, T. Tanaka, M. Aoki, and J. Harada for helpful discussion.

REFERENCES

1. Roizen NJ, Patterson D. Down's syndrome. *Lancet* 2003;361:1281-1289.
2. Casanova MF, Walker LC, Whitehouse PJ, Price DL. Abnormalities of the nucleus basalis in Down's syndrome. *Annals of Neurology* 1985;18:310-313.
3. Capone G, Goyal P, Ares W, Lannigan E. Neurobehavioral disorders in children, adolescents, and young adults with Down syndrome. *American Journal of Medical Genetics Part C* 2006;142C:158-172.
4. Coyle JT, Price DL, DeLong MR. Alzheimer's disease: A disorder of cortical cholinergic innervation. *Science* 1983;219:1184-1189.
5. Kish SJ, Distefano LM, Dozic S, Robitaille Y, Rajput A, Deck JH, Hornykiewicz O. [3H] vesamicol binding in human brain cholinergic deficiency disorders. *Neuroscience Letters* 1990;117:347-352.
6. Yates CM, Simpson J, Gordon A, Maloney AF, Allison Y, Ritchie IM, Urquhart A. Catecholamines and cholinergic enzymes in pre-senile and senile Alzheimer-type dementia and Down's syndrome. *Brain Research* 1983;280:119-126.
7. Cipriani G, Bianchetti A, Trabucchi M. Donepezil use in the treatment of dementia associated with Down syndrome. *Archives of Neurology* 2003;60:292.
8. Hemingway-Eltomey JM, Lerner AJ. Adverse effects of donepezil in treating Alzheimer's disease associated with Down's syndrome. *The American Journal of Psychiatry* 1999;156:1470.
9. Heller JH, Spiridigliozzi GA, Sullivan JA, Doraiswamy PM, Krishnan RR, Kishnani PS. Donepezil for the treatment of language deficits in adults with Down syndrome: A preliminary 24-week open trial. *American Journal of Medical Genetics Part A* 2003;116A:111-116.

10. Kishnani PS, Sullivan JA, Walter BK, Spiridigliozzi GA, Doraiswamy PM, Krishnan KR. Cholinergic therapy for Down's syndrome. *Lancet* 1999;353:1064-1065.
11. Lott IT, Osann K, Doran E, Nelson L. Down syndrome and Alzheimer disease: Response to donepezil. *Archives of Neurology* 2002;59:1133-1136.
12. Kondoh T, Amamoto N, Doi T, Hamada H, Ogawa Y, Nakashima M, Sasaki H, Aikawa K, Tanaka T, Aoki M, Harada J, Moriuchi H. Dramatic improvement in Down syndrome-associated cognitive impairment with donepezil. *The Annals of Pharmacotherapy* 2005;39:563-566.
13. Kondoh T, Amamoto N, Doi T, Hamada H, Ogawa Y, Nakashima M, Sasaki H, Aikawa K, Tanaka T, Aoki M, Harada J, Moriuchi H. Dramatic improvement on donepezil in Down syndrome-associated cognitive impairment. *Dementia, Helix Review Series* 2006;8:6-9.
14. Kondoh T, Nakashima M, Sasaki H, Moriuchi H. Pharmacokinetics of donepezil in Down syndrome. *The Annals of Pharmacotherapy* 2005;39:572-573.
15. Itoh H, Kanno A. Research concerning the effectiveness of body functionality checklist used as an evaluation scale of the regression and early aging of intellectually disabled persons. *Japanese Journal on Support System for Developmental Disabilities* 2008;7: 9-17.
16. Wishart JG, Duffy L. Instability of performance on cognitive tests in infants and young children with Down's syndrome. *The British Journal of Educational Psychology* 1990;60:10-22.

Direct reprint requests to:

Tatsuro Kondoh, MD, Ph.D.
 Department of Pediatrics
 Nagasaki University Hospital
 1-7-1 Sakamoto
 Nagasaki 852-8501, Japan
 e-mail: kontatsu@net.nagasaki-u.ac.jp

