

表-1 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			AD		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	0	0
	70-74	571	461	1032	75	75	150	52	57	109	2	1	3
	75-79	322	448	770	75	75	150	51	51	102	6	8	14
	80-84	219	349	568	75	75	150	59	49	108	3	15	18
	85-89	92	227	319	75	75	150	49	52	101	8	19	27
	90-94	35	123	158	35	75	110	17	49	66	4	32	36
	95-99	9	26	35	9	26	35	3	17	20	0	7	7
	100>	0	4	4	0	4	4	0	3	3	0	3	3
合計	2208	2499	4707	419	480	899	282	330	612	23	85	108	
大府	65-69	2635	2574	5209	55	55	110	37	36	73	1	0	1
	70-74	1864	1788	3652	55	55	110	35	34	69	1	0	1
	75-79	1179	1437	2616	55	55	110	38	31	69	4	2	6
	80-84	724	968	1692	55	55	110	45	32	77	3	3	6
	85-89	279	584	863	55	55	110	43	32	75	6	5	11
	90-94	95	274	369	87	55	142	32	30	62	5	7	12
	95-99	23	91	114	23	55	78	14	23	37	0	2	2
	100>	0	0	0	0	0	0	0	0	0	0	0	0
合計	6799	7716	14515	385	385	770	244	218	462	20	19	39	
海士	65-69	75	96	171	75	96	171	63	80	143	4	7	11
	70-74	95	102	197	95	102	197	73	89	162	4	5	9
	75-79	95	126	221	94	126	220	72	107	179	5	10	15
	80-84	59	104	163	60	104	164	48	79	127	6	10	16
	85-89	29	73	102	29	73	102	18	44	62	3	7	10
	90-94	17	32	49	17	32	49	11	14	25	3	5	8
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	1	1
合計	374	550	924	374	550	924	287	414	701	25	45	70	

表-1 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			AD		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	0	0
	70-74	44	67	111	45	66	111	33	60	93	0	1	1
	75-79	59	74	133	59	74	133	49	67	116	1	3	4
	80-84	30	70	100	30	68	98	24	60	84	1	6	7
	85-89	14	46	60	14	46	60	8	31	39	1	8	9
	90-94	7	23	30	7	23	30	5	15	20	0	4	4
	95-99	3	6	9	3	8	11	2	2	4	1	1	2
	100>	0	2	2	0	0	0	0	0	0	0	0	0
合計	212	342	554	213	339	552	157	280	437	4	23	27	
杵築	65-69	999	1144	2143	65	71	136	38	36	74	0	2	2
	70-74	950	1203	2153	71	71	142	40	36	76	1	0	1
	75-79	951	1254	2205	66	73	139	36	38	74	2	0	2
	80-84	713	1163	1876	64	63	127	37	38	75	6	4	10
	85-89	357	760	1117	73	67	140	39	23	62	7	9	16
	90-94	119	377	496	37	63	100	20	29	49	10	18	28
	95-99	31	76	107	14	35	49	9	18	27	4	10	14
	100>	0	5	5	0	0	0	0	0	0	0	0	0
合計	4120	5982	10102	390	443	833	219	218	437	30	43	73	
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	1	1
	70-74	5294	6410	11704	71	70	141	43	36	79	2	0	2
	75-79	4761	6430	11191	70	70	140	48	36	84	2	2	4
	80-84	3366	5751	9117	70	70	140	30	39	69	1	7	8
	85-89	1533	3906	5439	69	70	139	35	39	74	1	10	11
	90-94	473	1643	2116	70	70	140	31	37	68	4	8	12
	95-99	108	513	621	62	63	125	32	24	56	7	8	15
	100>	11	64	75	8	7	15	3	4	7	0	2	2
合計	21802	31369	53171	490	490	980	262	254	516	17	38	55	

表一 認知症と認知症の基礎疾患の集計（性別、地域、年齢階級別）

地域	年齢階級	人口母数			調査対象者数			参加者数			VaD		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	1	1
	70-74	571	461	1032	75	75	150	52	57	109	0	1	1
	75-79	322	448	770	75	75	150	51	51	102	1	2	3
	80-84	219	349	568	75	75	150	59	49	108	2	3	5
	85-89	92	227	319	75	75	150	49	52	101	6	3	9
	90-94	35	123	158	35	75	110	17	49	66	2	5	7
	95-99	9	26	35	9	26	35	3	17	20	1	4	5
	100>	0	4	4	0	4	4	0	3	3	0	0	0
合計	2208	2499	4707	419	480	899	282	330	612	12	19	31	
大府	65-69	2635	2574	5209	55	55	110	37	36	73	0	0	0
	70-74	1864	1788	3652	55	55	110	35	34	69	0	0	0
	75-79	1179	1437	2616	55	55	110	38	31	69	0	0	0
	80-84	724	968	1692	55	55	110	45	32	77	0	0	0
	85-89	279	584	863	55	55	110	43	32	75	0	0	0
	90-94	95	274	369	87	55	142	32	30	62	0	0	0
	95-99	23	91	114	23	55	78	14	23	37	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0
合計	6799	7716	14515	385	385	770	244	218	462	0	0	0	
海士	65-69	75	96	171	75	96	171	63	80	143	0	3	3
	70-74	95	102	197	95	102	197	73	89	162	0	0	0
	75-79	95	126	221	94	126	220	72	107	179	0	3	3
	80-84	59	104	163	60	104	164	48	79	127	1	0	1
	85-89	29	73	102	29	73	102	18	44	62	1	3	4
	90-94	17	32	49	17	32	49	11	14	25	1	0	1
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	0	0
合計	374	550	924	374	550	924	287	414	701	3	9	12	

表一 認知症と認知症の基礎疾患の集計（性別、地域、年齢階級別）

地域	年齢階級	人口母数			調査対象者数			参加者数			VaD		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	1	1
	70-74	44	67	111	45	66	111	33	60	93	0	1	1
	75-79	59	74	133	59	74	133	49	67	116	1	1	2
	80-84	30	70	100	30	68	98	24	60	84	1	3	4
	85-89	14	46	60	14	46	60	8	31	39	0	1	1
	90-94	7	23	30	7	23	30	5	15	20	0	1	1
	95-99	3	6	9	3	8	11	2	2	4	0	0	0
	100>	0	2	2	0	0	0	0	0	0	0	0	0
合計	212	342	554	213	339	552	157	280	437	2	8	10	
杵築	65-69	999	1144	2143	65	71	136	38	36	74	1	0	1
	70-74	950	1203	2153	71	71	142	40	36	76	1	0	1
	75-79	951	1254	2205	66	73	139	36	38	74	1	0	1
	80-84	713	1163	1876	64	63	127	37	38	75	0	1	1
	85-89	357	760	1117	73	67	140	39	23	62	2	2	4
	90-94	119	377	496	37	63	100	20	29	49	1	4	5
	95-99	31	76	107	14	35	49	9	18	27	2	5	7
	100>	0	5	5	0	0	0	0	0	0	0	0	0
合計	4120	5982	10102	390	443	833	219	218	437	8	12	20	
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	0	0
	70-74	5294	6410	11704	71	70	141	43	36	79	2	0	2
	75-79	4761	6430	11191	70	70	140	48	36	84	3	0	3
	80-84	3366	5751	9117	70	70	140	30	39	69	1	4	5
	85-89	1533	3906	5439	69	70	139	35	39	74	1	4	5
	90-94	473	1643	2116	70	70	140	31	37	68	4	4	8
	95-99	108	513	621	62	63	125	32	24	56	3	4	7
	100>	11	64	75	8	7	15	3	4	7	0	0	0
合計	21802	31369	53171	490	490	980	262	254	516	14	16	30	

表-1 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			DLB		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	0	0
	70-74	571	461	1032	75	75	150	52	57	109	0	0	0
	75-79	322	448	770	75	75	150	51	51	102	0	1	1
	80-84	219	349	568	75	75	150	59	49	108	1	1	2
	85-89	92	227	319	75	75	150	49	52	101	1	3	4
	90-94	35	123	158	35	75	110	17	49	66	0	0	0
	95-99	9	26	35	9	26	35	3	17	20	0	0	0
	100>	0	4	4	0	4	4	0	3	3	0	0	0
合計	2208	2499	4707	419	480	899	282	330	612	2	5	7	
大府	65-69	2635	2574	5209	55	55	110	37	36	73	0	0	0
	70-74	1864	1788	3652	55	55	110	35	34	69	0	0	0
	75-79	1179	1437	2616	55	55	110	38	31	69	0	0	0
	80-84	724	968	1692	55	55	110	45	32	77	0	0	0
	85-89	279	584	863	55	55	110	43	32	75	0	0	0
	90-94	95	274	369	87	55	142	32	30	62	0	0	0
	95-99	23	91	114	23	55	78	14	23	37	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0
合計	6799	7716	14515	385	385	770	244	218	462	0	0	0	
海士	65-69	75	96	171	75	96	171	63	80	143	0	3	3
	70-74	95	102	197	95	102	197	73	89	162	0	1	1
	75-79	95	126	221	94	126	220	72	107	179	0	3	3
	80-84	59	104	163	60	104	164	48	79	127	0	1	1
	85-89	29	73	102	29	73	102	18	44	62	0	2	2
	90-94	17	32	49	17	32	49	11	14	25	0	0	0
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	0	0
合計	374	550	924	374	550	924	287	414	701	0	10	10	

表-1 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			DLB		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	0	0
	70-74	44	67	111	45	66	111	33	60	93	0	0	0
	75-79	59	74	133	59	74	133	49	67	116	0	0	0
	80-84	30	70	100	30	68	98	24	60	84	0	2	2
	85-89	14	46	60	14	46	60	8	31	39	0	1	1
	90-94	7	23	30	7	23	30	5	15	20	0	0	0
	95-99	3	6	9	3	8	11	2	2	4	0	0	0
	100>	0	2	2	0	0	0	0	0	0	0	0	0
合計	212	342	554	213	339	552	157	280	437	0	3	3	
杵築	65-69	999	1144	2143	65	71	136	38	36	74	0	0	0
	70-74	950	1203	2153	71	71	142	40	36	76	0	0	0
	75-79	951	1254	2205	66	73	139	36	38	74	0	1	1
	80-84	713	1163	1876	64	63	127	37	38	75	0	0	0
	85-89	357	760	1117	73	67	140	39	23	62	0	1	1
	90-94	119	377	496	37	63	100	20	29	49	1	0	1
	95-99	31	76	107	14	35	49	9	18	27	0	0	0
	100>	0	5	5	0	0	0	0	0	0	0	0	0
合計	4120	5982	10102	390	443	833	219	218	437	1	2	3	
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	0	0
	70-74	5294	6410	11704	71	70	141	43	36	79	0	0	0
	75-79	4761	6430	11191	70	70	140	48	36	84	0	0	0
	80-84	3366	5751	9117	70	70	140	30	39	69	0	0	0
	85-89	1533	3906	5439	69	70	139	35	39	74	1	0	1
	90-94	473	1643	2116	70	70	140	31	37	68	0	0	0
	95-99	108	513	621	62	63	125	32	24	56	0	0	0
	100>	11	64	75	8	7	15	3	4	7	0	1	1
合計	21802	31369	53171	490	490	980	262	254	516	1	1	2	

表一 認知症と認知症の基礎疾患の集計 (性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			FTLD		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	0	0
	70-74	571	461	1032	75	75	150	52	57	109	0	0	0
	75-79	322	448	770	75	75	150	51	51	102	1	0	1
	80-84	219	349	568	75	75	150	59	49	108	0	0	0
	85-89	92	227	319	75	75	150	49	52	101	0	0	0
	90-94	35	123	158	35	75	110	17	49	66	0	0	0
	95-99	9	26	35	9	26	35	3	17	20	0	0	0
	100>	0	4	4	0	4	4	0	3	3	0	0	0
	合計	2208	2499	4707	419	480	899	282	330	612	1	0	1
大府	65-69	2635	2574	5209	55	55	110	37	36	73	0	0	0
	70-74	1864	1788	3652	55	55	110	35	34	69	0	0	0
	75-79	1179	1437	2616	55	55	110	38	31	69	0	0	0
	80-84	724	968	1692	55	55	110	45	32	77	0	0	0
	85-89	279	584	863	55	55	110	43	32	75	0	0	0
	90-94	95	274	369	87	55	142	32	30	62	0	0	0
	95-99	23	91	114	23	55	78	14	23	37	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0
	合計	6799	7716	14515	385	385	770	244	218	462	0	0	0
海士	65-69	75	96	171	75	96	171	63	80	143	0	0	0
	70-74	95	102	197	95	102	197	73	89	162	0	0	0
	75-79	95	126	221	94	126	220	72	107	179	0	0	0
	80-84	59	104	163	60	104	164	48	79	127	0	0	0
	85-89	29	73	102	29	73	102	18	44	62	0	0	0
	90-94	17	32	49	17	32	49	11	14	25	0	0	0
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	0	0
	合計	374	550	924	374	550	924	287	414	701	0	0	0

表一 認知症と認知症の基礎疾患の集計 (性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			FTLD		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	0	0
	70-74	44	67	111	45	66	111	33	60	93	1	0	1
	75-79	59	74	133	59	74	133	49	67	116	0	0	0
	80-84	30	70	100	30	68	98	24	60	84	0	0	0
	85-89	14	46	60	14	46	60	8	31	39	0	0	0
	90-94	7	23	30	7	23	30	5	15	20	0	0	0
	95-99	3	6	9	3	8	11	2	2	4	0	0	0
	100>	0	2	2	0	0	0	0	0	0	0	0	0
	合計	212	342	554	213	339	552	157	280	437	1	0	1
杵築	65-69	999	1144	2143	65	71	136	38	36	74	0	1	1
	70-74	950	1203	2153	71	71	142	40	36	76	0	0	0
	75-79	951	1254	2205	66	73	139	36	38	74	0	0	0
	80-84	713	1163	1876	64	63	127	37	38	75	0	0	0
	85-89	357	760	1117	73	67	140	39	23	62	1	0	1
	90-94	119	377	496	37	63	100	20	29	49	0	0	0
	95-99	31	76	107	14	35	49	9	18	27	0	0	0
	100>	0	5	5	0	0	0	0	0	0	0	0	0
	合計	4120	5982	10102	390	443	833	219	218	437	1	1	2
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	0	0
	70-74	5294	6410	11704	71	70	141	43	36	79	0	0	0
	75-79	4761	6430	11191	70	70	140	48	36	84	0	0	0
	80-84	3366	5751	9117	70	70	140	30	39	69	0	0	0
	85-89	1533	3906	5439	69	70	139	35	39	74	0	1	1
	90-94	473	1643	2116	70	70	140	31	37	68	0	0	0
	95-99	108	513	621	62	63	125	32	24	56	1	0	1
	100>	11	64	75	8	7	15	3	4	7	0	0	0
	合計	21802	31369	53171	490	490	980	262	254	516	1	1	2

表-1 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			Alcohol		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	0	0
	70-74	571	461	1032	75	75	150	52	57	109	1	0	1
	75-79	322	448	770	75	75	150	51	51	102	0	0	0
	80-84	219	349	568	75	75	150	59	49	108	0	0	0
	85-89	92	227	319	75	75	150	49	52	101	0	0	0
	90-94	35	123	158	35	75	110	17	49	66	0	0	0
	95-99	9	26	35	9	26	35	3	17	20	0	0	0
	100>	0	4	4	0	4	4	0	3	3	0	0	0
合計	2208	2499	4707	419	480	899	282	330	612	1	0	1	
大府	65-69	2635	2574	5209	55	55	110	37	36	73	0	0	0
	70-74	1864	1788	3652	55	55	110	35	34	69	0	0	0
	75-79	1179	1437	2616	55	55	110	38	31	69	0	0	0
	80-84	724	968	1692	55	55	110	45	32	77	0	0	0
	85-89	279	584	863	55	55	110	43	32	75	0	0	0
	90-94	95	274	369	87	55	142	32	30	62	0	0	0
	95-99	23	91	114	23	55	78	14	23	37	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0
合計	6799	7716	14515	385	385	770	244	218	462	0	0	0	
海士	65-69	75	96	171	75	96	171	63	80	143	0	0	0
	70-74	95	102	197	95	102	197	73	89	162	0	0	0
	75-79	95	126	221	94	126	220	72	107	179	0	0	0
	80-84	59	104	163	60	104	164	48	79	127	0	0	0
	85-89	29	73	102	29	73	102	18	44	62	0	0	0
	90-94	17	32	49	17	32	49	11	14	25	0	0	0
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	0	0
合計	374	550	924	374	550	924	287	414	701	0	0	0	

表-1 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			Alcohol		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	0	0
	70-74	44	67	111	45	66	111	33	60	93	0	0	0
	75-79	59	74	133	59	74	133	49	67	116	1	0	1
	80-84	30	70	100	30	68	98	24	60	84	0	0	0
	85-89	14	46	60	14	46	60	8	31	39	0	0	0
	90-94	7	23	30	7	23	30	5	15	20	0	0	0
	95-99	3	6	9	3	8	11	2	2	4	0	0	0
	100>	0	2	2	0	0	0	0	0	0	0	0	0
合計	212	342	554	213	339	552	157	280	437	1	0	1	
杵築	65-69	999	1144	2143	65	71	136	38	36	74	0	0	0
	70-74	950	1203	2153	71	71	142	40	36	76	0	0	0
	75-79	951	1254	2205	66	73	139	36	38	74	0	0	0
	80-84	713	1163	1876	64	63	127	37	38	75	0	0	0
	85-89	357	760	1117	73	67	140	39	23	62	0	0	0
	90-94	119	377	496	37	63	100	20	29	49	0	0	0
	95-99	31	76	107	14	35	49	9	18	27	0	0	0
	100>	0	5	5	0	0	0	0	0	0	0	0	0
合計	4120	5982	10102	390	443	833	219	218	437	0	0	0	
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	0	0
	70-74	5294	6410	11704	71	70	141	43	36	79	0	0	0
	75-79	4761	6430	11191	70	70	140	48	36	84	1	0	1
	80-84	3366	5751	9117	70	70	140	30	39	69	0	0	0
	85-89	1533	3906	5439	69	70	139	35	39	74	0	0	0
	90-94	473	1643	2116	70	70	140	31	37	68	0	0	0
	95-99	108	513	621	62	63	125	32	24	56	0	0	0
	100>	11	64	75	8	7	15	3	4	7	0	0	0
合計	21802	31369	53171	490	490	980	262	254	516	1	0	1	

表一 認知症と認知症の基礎疾患の集計 (性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			Mixed		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	0	0
	70-74	571	461	1032	75	75	150	52	57	109	0	0	0
	75-79	322	448	770	75	75	150	51	51	102	1	0	1
	80-84	219	349	568	75	75	150	59	49	108	0	0	0
	85-89	92	227	319	75	75	150	49	52	101	1	1	2
	90-94	35	123	158	35	75	110	17	49	66	0	0	0
	95-99	9	26	35	9	26	35	3	17	20	0	1	1
	100>	0	4	4	0	4	4	0	3	3	0	0	0
合計	2208	2499	4707	419	480	899	282	330	612	2	2	4	
大府	65-69	2635	2574	5209	55	55	110	37	36	73	0	0	0
	70-74	1864	1788	3652	55	55	110	35	34	69	0	0	0
	75-79	1179	1437	2616	55	55	110	38	31	69	0	0	0
	80-84	724	968	1692	55	55	110	45	32	77	1	0	1
	85-89	279	584	863	55	55	110	43	32	75	0	0	0
	90-94	95	274	369	87	55	142	32	30	62	1	0	1
	95-99	23	91	114	23	55	78	14	23	37	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0
合計	6799	7716	14515	385	385	770	244	218	462	2	0	2	
海士	65-69	75	96	171	75	96	171	63	80	143	0	0	0
	70-74	95	102	197	95	102	197	73	89	162	0	0	0
	75-79	95	126	221	94	126	220	72	107	179	0	0	0
	80-84	59	104	163	60	104	164	48	79	127	0	0	0
	85-89	29	73	102	29	73	102	18	44	62	0	0	0
	90-94	17	32	49	17	32	49	11	14	25	0	0	0
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	0	0
合計	374	550	924	374	550	924	287	414	701	0	0	0	

表一 認知症と認知症の基礎疾患の集計 (性別、地域、年齢階級別)

地域	年齢階級	人口母数			調査対象者数			参加者数			Mixed		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	0	0
	70-74	44	67	111	45	66	111	33	60	93	0	0	0
	75-79	59	74	133	59	74	133	49	67	116	0	1	1
	80-84	30	70	100	30	68	98	24	60	84	0	1	1
	85-89	14	46	60	14	46	60	8	31	39	0	0	0
	90-94	7	23	30	7	23	30	5	15	20	0	0	0
	95-99	3	6	9	3	8	11	2	2	4	0	0	0
	100>	0	2	2	0	0	0	0	0	0	0	0	0
合計	212	342	554	213	339	552	157	280	437	0	2	2	
杵築	65-69	999	1144	2143	65	71	136	38	36	74	0	0	0
	70-74	950	1203	2153	71	71	142	40	36	76	0	0	0
	75-79	951	1254	2205	66	73	139	36	38	74	0	0	0
	80-84	713	1163	1876	64	63	127	37	38	75	0	0	0
	85-89	357	760	1117	73	67	140	39	23	62	0	0	0
	90-94	119	377	496	37	63	100	20	29	49	0	0	0
	95-99	31	76	107	14	35	49	9	18	27	0	0	0
	100>	0	5	5	0	0	0	0	0	0	0	0	0
合計	4120	5982	10102	390	443	833	219	218	437	0	0	0	
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	0	0
	70-74	5294	6410	11704	71	70	141	43	36	79	1	0	1
	75-79	4761	6430	11191	70	70	140	48	36	84	0	0	0
	80-84	3366	5751	9117	70	70	140	30	39	69	0	0	0
	85-89	1533	3906	5439	69	70	139	35	39	74	2	1	3
	90-94	473	1643	2116	70	70	140	31	37	68	4	2	6
	95-99	108	513	621	62	63	125	32	24	56	3	2	5
	100>	11	64	75	8	7	15	3	4	7	0	0	0
合計	21802	31369	53171	490	490	980	262	254	516	10	5	15	

表－1 認知症と認知症の基礎疾患の集計（性別、地域、年齢階級別）

地域	年齢階級	人口母数			調査対象者数			参加者数			その他		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
利根	65-69	960	861	1821	75	75	150	51	52	103	0	0	0
	70-74	571	461	1032	75	75	150	52	57	109	0	0	0
	75-79	322	448	770	75	75	150	51	51	102	0	0	0
	80-84	219	349	568	75	75	150	59	49	108	1	0	1
	85-89	92	227	319	75	75	150	49	52	101	1	1	2
	90-94	35	123	158	35	75	110	17	49	66	0	4	4
	95-99	9	26	35	9	26	35	3	17	20	0	1	1
	100>	0	4	4	0	4	4	0	3	3	0	0	0
合計	2208	2499	4707	419	480	899	282	330	612	2	6	8	
大府	65-69	2635	2574	5209	55	55	110	37	36	73	0	0	0
	70-74	1864	1788	3652	55	55	110	35	34	69	0	0	0
	75-79	1179	1437	2616	55	55	110	38	31	69	0	0	0
	80-84	724	968	1692	55	55	110	45	32	77	0	0	0
	85-89	279	584	863	55	55	110	43	32	75	0	0	0
	90-94	95	274	369	87	55	142	32	30	62	0	0	0
	95-99	23	91	114	23	55	78	14	23	37	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0
合計	6799	7716	14515	385	385	770	244	218	462	0	0	0	
海士	65-69	75	96	171	75	96	171	63	80	143	1	0	1
	70-74	95	102	197	95	102	197	73	89	162	0	1	1
	75-79	95	126	221	94	126	220	72	107	179	1	1	2
	80-84	59	104	163	60	104	164	48	79	127	0	0	0
	85-89	29	73	102	29	73	102	18	44	62	1	0	1
	90-94	17	32	49	17	32	49	11	14	25	0	0	0
	95-99	3	14	17	3	14	17	1	0	1	0	0	0
	100>	1	3	4	1	3	4	1	1	2	0	0	0
合計	374	550	924	374	550	924	287	414	701	3	2	5	

表－1 認知症と認知症の基礎疾患の集計（性別、地域、年齢階級別）

地域	年齢階級	人口母数			調査対象者数			参加者数			その他		
		男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	65-69	55	54	109	55	54	109	36	45	81	0	0	0
	70-74	44	67	111	45	66	111	33	60	93	2	0	2
	75-79	59	74	133	59	74	133	49	67	116	0	0	0
	80-84	30	70	100	30	68	98	24	60	84	0	0	0
	85-89	14	46	60	14	46	60	8	31	39	0	1	1
	90-94	7	23	30	7	23	30	5	15	20	0	0	0
	95-99	3	6	9	3	8	11	2	2	4	0	0	0
	100>	0	2	2	0	0	0	0	0	0	0	0	0
合計	212	342	554	213	339	552	157	280	437	2	1	3	
杵築	65-69	999	1144	2143	65	71	136	38	36	74	0	0	0
	70-74	950	1203	2153	71	71	142	40	36	76	0	0	0
	75-79	951	1254	2205	66	73	139	36	38	74	1	1	2
	80-84	713	1163	1876	64	63	127	37	38	75	0	0	0
	85-89	357	760	1117	73	67	140	39	23	62	0	0	0
	90-94	119	377	496	37	63	100	20	29	49	0	0	0
	95-99	31	76	107	14	35	49	9	18	27	0	0	0
	100>	0	5	5	0	0	0	0	0	0	0	0	0
合計	4120	5982	10102	390	443	833	219	218	437	1	1	2	
上越	65-69	6256	6652	12908	70	70	140	40	39	79	0	0	0
	70-74	5294	6410	11704	71	70	141	43	36	79	0	0	0
	75-79	4761	6430	11191	70	70	140	48	36	84	0	0	0
	80-84	3366	5751	9117	70	70	140	30	39	69	0	0	0
	85-89	1533	3906	5439	69	70	139	35	39	74	0	0	0
	90-94	473	1643	2116	70	70	140	31	37	68	0	0	0
	95-99	108	513	621	62	63	125	32	24	56	0	0	0
	100>	11	64	75	8	7	15	3	4	7	0	0	0
合計	21802	31369	53171	490	490	980	262	254	516	0	0	0	

表-2 認知症と認知症の基礎疾患の集計 (性別、地域、年齢階級、生活自立度別)

地域	生活自立度	年齢階級	参加者数			認知症			正常			MCI			AD			VaD			
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	
利根	欠損	65-69	50	49	99	0	0	0	43	42	85	6	6	12	0	0	0	0	0	0	0
		70-74	51	55	106	3	1	4	31	49	80	17	4	21	2	1	3	0	0	0	0
		75-79	42	40	82	4	5	9	29	25	54	9	8	17	3	3	6	0	1	1	1
		80-84	48	33	81	3	10	13	28	15	43	17	8	25	1	10	11	1	1	0	1
		85-89	32	25	57	7	7	14	11	10	21	14	7	21	4	8	10	3	0	3	0
		90-94	7	14	21	0	8	8	2	4	6	5	2	7	0	8	8	0	0	0	0
		95-99	2	1	3	0	0	0	0	0	0	2	1	3	0	0	0	0	0	0	0
		100>	0	1	1	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0
		合計	232	218	450	17	32	49	144	145	289	70	36	106	10	29	39	4	1	5	5
		自立度Ⅱ未満	65-69	1	3	4	0	1	1	0	2	2	1	0	1	0	0	0	0	1	1
	70-74		1	1	2	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0
	75-79		4	6	10	1	2	3	2	4	1	2	3	1	1	2	0	1	1	1	
	80-84		6	8	14	2	3	5	2	3	2	4	6	0	2	2	1	1	2	1	
	85-89		5	10	15	1	5	6	2	3	4	2	6	0	4	4	0	0	0	0	
	90-94		1	10	11	0	10	10	0	0	1	0	1	0	9	9	0	1	1	1	
	95-99		0	3	3	0	2	2	0	0	0	1	1	0	2	2	0	0	0	0	
	100>		0	1	1	0	1	1	0	0	0	0	0	0	1	1	0	0	0	0	
	合計		18	42	60	4	24	28	5	9	14	9	9	18	1	19	20	1	4	5	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	
		75-79	5	5	10	4	4	8	0	0	1	1	2	2	4	6	1	0	1		
		80-84	5	8	13	2	6	8	0	0	2	2	4	2	3	5	0	2	2		
		85-89	12	17	29	9	15	24	0	0	3	1	4	4	9	13	3	3	6		
		90-94	9	25	34	6	23	29	0	0	3	1	4	4	15	19	2	4	6		
		95-99	1	13	14	1	11	12	0	0	2	2	4	0	5	5	1	4	5		
		100>	0	1	1	0	1	1	0	0	0	0	0	0	1	1	0	0	0		
		合計	32	70	102	22	61	83	0	0	0	9	7	16	12	37	49	7	14	21	

表-2 認知症と認知症の基礎疾患の集計 (性別、地域、年齢階級、生活自立度別)

地域	生活自立度	年齢階級	参加者数			認知症			正常			MCI			AD			VaD		
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
大府	欠損	65-69	37	36	73	1	1	2	19	24	43	7	4	11	1	0	1	0	0	0
		70-74	35	33	68	1	1	2	15	22	37	7	5	12	1	0	1	0	0	0
		75-79	33	23	56	6	2	8	8	11	19	8	3	11	3	1	4	0	0	0
		80-84	32	20	52	4	2	6	5	6	11	16	9	25	1	1	2	0	0	0
		85-89	25	16	41	8	4	12	9	2	11	4	7	11	3	3	6	0	0	0
		90-94	6	10	16	1	5	6	1	1	2	4	3	7	1	3	4	0	0	0
		95-99	6	2	8	2	1	3	2	0	2	2	1	3	0	0	0	0	0	0
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	174	140	314	23	16	39	59	66	125	48	32	80	10	8	18	0	0	0
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	1	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
	75-79		1	4	5	0	0	0	0	1	1	0	2	2	0	0	0	0	0	
	80-84		10	5	15	3	0	3	2	4	4	2	6	0	0	0	0	0	0	
	85-89		9	7	16	5	0	5	2	3	5	1	2	3	2	0	2	0	0	
	90-94		13	9	22	9	5	14	1	0	1	3	3	6	2	2	4	0	0	
	95-99		5	10	15	2	7	9	1	0	1	2	3	5	0	1	1	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		38	36	74	19	12	31	8	7	13	10	12	22	4	3	7	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	4	4	8	2	3	5	0	0	0	1	1	1	1	1	2	0	0	
		80-84	3	7	10	3	5	8	0	2	2	0	0	2	2	4	0	0	0	
		85-89	9	9	18	9	9	18	0	0	0	0	0	1	2	3	0	0	0	
		90-94	13	11	24	13	10	23	0	1	1	0	0	2	2	4	0	0	0	
		95-99	3	11	14	2	11	13	1	0	1	0	0	0	1	1	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	32	42	74	29	38	67	1	3	4	0	1	1	6	8	14	0	0	

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級、生活自立度別)

地域	生活自立度	年齢階級	参加者数			認知症			正常			MCI			AD			VaD		
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
海士	欠損	65-69	63	80	143	5	13	18	53	51	104	4	16	20	4	7	11	0	3	3
		70-74	73	89	162	4	7	11	63	73	136	5	8	13	4	5	9	0	0	0
		75-79	72	107	179	6	17	23	63	74	137	3	16	19	5	10	15	0	3	3
		80-84	48	79	127	7	11	18	27	52	79	14	13	27	6	10	16	1	0	1
		85-89	18	44	62	5	12	17	10	26	36	3	6	9	3	7	10	1	3	4
		90-94	11	14	25	4	4	8	7	9	16	0	0	0	3	5	8	1	0	1
		95-99	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
		100>	1	1	2	0	1	1	0	0	0	1	0	1	0	1	1	0	0	0
		合計	287	414	701	31	65	96	224	285	509	30	59	89	25	45	70	3	9	12
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級、生活自立度別)

地域	生活自立度	年齢階級	参加者数			認知症			正常			MCI			AD			VaD		
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
伊万里	欠損	65-69	36	44	80	2	0	2	32	42	74	1	2	3	0	0	0	0	0	0
		70-74	30	57	87	1	0	1	24	48	72	2	8	10	0	0	0	0	0	0
		75-79	45	64	109	1	5	6	35	47	82	8	9	17	0	1	1	0	1	1
		80-84	21	42	63	2	5	7	12	30	42	6	7	13	1	3	4	0	2	2
		85-89	5	23	28	0	8	8	4	7	11	1	6	7	0	7	7	0	1	1
		90-94	4	8	12	1	3	4	1	1	2	2	4	6	0	1	1	0	1	1
		95-99	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	141	239	380	7	21	28	108	175	283	20	37	57	1	12	13	0	5	5
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	75-79		2	1	3	2	1	3	0	0	0	0	0	1	0	1	1	0	0	1
	80-84		1	9	10	0	1	1	1	7	8	0	1	1	0	1	1	0	0	0
	85-89		2	3	5	0	0	0	1	3	4	1	0	1	0	0	0	0	0	0
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		1	0	1	1	0	1	0	0	0	0	0	1	0	1	0	0	0	0
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		6	14	20	3	2	5	2	10	12	1	2	3	2	1	3	1	0	1
	自立度Ⅱ以上		65-69	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	1
		70-74	3	2	5	3	2	5	0	0	0	0	0	0	1	1	0	1	1	
		75-79	2	2	4	1	2	3	0	0	0	1	0	1	0	2	2	0	0	0
80-84		2	9	11	1	7	8	0	1	1	1	1	2	0	2	2	1	1	2	
85-89		1	5	6	1	4	5	0	1	1	0	0	1	1	2	0	0	0	0	
90-94		1	7	8	0	6	6	0	0	0	1	1	2	0	3	3	0	0	0	
95-99		1	1	2	1	1	2	0	0	0	0	0	0	0	1	1	0	0	0	
100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
合計		10	27	37	7	23	30	0	2	2	3	2	5	1	10	11	1	3	4	

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級、生活自立度別)

地域	生活自立度	年齢階級	参加者数			認知症			正常			MCI			AD			VaD		
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
村築	欠損	65-69	37	35	72	1	2	3	32	32	64	4	1	5	0	2	2	1	0	1
		70-74	38	36	74	1	0	1	35	35	70	2	1	3	1	0	1	0	0	0
		75-79	31	33	64	3	0	3	26	29	55	2	4	6	2	0	2	0	0	0
		80-84	30	28	58	3	3	6	20	17	37	6	8	14	3	3	6	0	0	0
		85-89	27	8	35	4	0	4	20	5	25	2	3	5	3	0	3	1	0	1
		90-94	8	9	17	2	7	9	5	1	6	1	1	2	1	6	7	1	1	2
		95-99	1	4	5	0	3	3	0	0	0	1	1	2	0	3	3	0	0	0
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	172	153	325	14	15	29	138	119	257	18	19	37	10	14	24	3	1	4
		自立度Ⅱ未満	65-69	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0
	70-74		2	0	2	1	0	1	0	1	0	0	0	0	0	0	0	1	0	1
	75-79		5	4	9	1	1	2	3	2	5	1	0	1	0	0	0	1	0	1
	80-84		3	7	10	0	0	0	2	5	7	1	0	1	0	0	0	0	0	0
	85-89		6	4	10	2	1	3	2	1	3	2	2	4	1	1	2	0	0	0
	90-94		3	9	12	1	4	5	2	3	5	0	2	2	1	4	5	0	0	0
	95-99		3	4	7	1	2	3	1	2	3	1	0	1	0	2	2	1	0	1
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		23	28	51	6	8	14	12	13	25	5	4	9	2	7	9	3	0	3
	自立度Ⅱ以上		65-69	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	4	3	7	3	2	5	0	0	0	1	1	2	3	1	4	0	1	1
		85-89	6	11	17	4	11	15	1	0	1	1	0	1	3	1	4	0	1	1
		90-94	9	11	20	9	11	20	0	0	0	0	0	0	8	8	16	0	3	3
		95-99	5	10	15	5	10	15	0	0	0	0	0	0	4	5	9	1	5	6
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	24	37	61	21	36	57	1	0	1	2	1	3	18	22	40	2	11	13

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級、生活自立度別)

地域	生活自立度	年齢階級	参加者数			認知症			正常			MCI			AD			VaD		
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
上総	欠損	65-69	39	38	77	2	1	3	34	33	67	3	4	7	0	1	1	0	0	0
		70-74	38	31	69	5	1	6	29	25	54	4	5	9	2	0	2	1	0	1
		75-79	44	32	76	10	2	12	26	23	49	8	7	15	2	2	4	3	0	3
		80-84	23	31	54	4	7	11	13	16	29	6	8	14	1	4	5	1	2	3
		85-89	25	16	41	5	7	12	11	4	15	9	5	14	1	3	4	0	0	0
		90-94	14	11	25	8	6	14	0	1	1	6	4	10	2	1	3	1	1	2
		95-99	6	6	12	3	4	7	2	1	3	1	1	2	0	2	2	0	0	0
		100>	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		合計	190	165	355	38	28	66	115	103	218	37	34	71	8	13	21	6	3	9
		自立度Ⅱ未満	65-69	0	1	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	70-74		3	4	7	1	0	1	1	4	5	1	0	1	0	0	0	1	0	1
	75-79		2	3	5	0	1	1	1	2	3	1	0	1	0	0	0	0	0	0
	80-84		4	2	6	1	2	3	2	0	2	1	0	1	0	1	1	0	1	1
	85-89		6	11	17	2	9	11	3	1	4	1	1	2	0	3	3	1	2	3
	90-94		10	8	18	8	8	14	0	2	2	2	0	2	1	1	2	1	1	2
	95-99		14	2	16	12	2	14	2	0	2	0	0	0	4	1	5	0	0	0
	100>		0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	合計		39	32	71	24	21	45	9	10	19	8	1	7	5	6	11	3	4	7
	自立度Ⅱ以上		65-69	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0
		70-74	2	1	3	1	0	1	1	0	1	0	1	1	0	0	0	0	0	0
		75-79	2	1	3	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	3	6	9	2	5	7	1	0	1	0	1	1	0	2	2	0	1	1
		85-89	4	12	16	2	11	13	1	0	1	1	1	2	0	4	4	0	2	2
		90-94	7	18	25	7	17	24	0	0	0	0	1	1	1	8	7	2	2	4
		95-99	12	16	28	11	16	27	0	0	0	0	1	3	5	8	3	4	7	4
		100>	2	3	5	2	3	5	0	0	0	0	0	0	0	2	2	0	0	0
		合計	33	57	90	28	53	81	3	0	3	2	4	6	4	19	23	5	9	14

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級)

地域	生活自立度	年齢階級	参加者数			DLB			FTLD			Alcohol			Mixed			その他			
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	
利根	欠損	65-69	50	49	99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	51	55	106	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
		75-79	42	40	82	0	1	1	0	0	0	0	0	0	1	0	1	0	0	0	0
		80-84	46	33	81	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	32	25	57	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	7	14	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100>	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	232	218	450	1	2	3	0	0	0	1	0	1	1	0	1	0	0	0	0
		自立度Ⅱ未満	65-69	1	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		4	6	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		6	8	14	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	85-89		5	10	15	0	1	1	0	0	0	0	0	1	0	1	0	0	0	0	
	90-94		1	10	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		18	42	60	0	1	1	0	0	0	0	0	1	0	1	0	1	0	1	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	5	5	10	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	
		80-84	5	8	13	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	12	17	29	1	1	2	0	0	0	0	0	1	1	1	1	1	1	2	
		90-94	9	25	34	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4	
		95-99	1	13	14	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	
		100>	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	32	70	102	1	2	3	1	0	1	0	0	0	2	2	1	6	7		

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級)

地域	生活自立度	年齢階級	参加者数			DLB			FTLD			Alcohol			Mixed			その他		
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計
大府	欠損	65-69	37	36	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	35	33	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	33	23	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		80-84	32	20	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	25	16	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	6	10	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	6	2	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	174	140	314	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		1	4	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		10	5	15	0	0	0	0	0	0	0	0	1	0	1	0	0	0	
	85-89		9	7	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		13	9	22	0	0	0	0	0	0	0	0	1	0	1	0	0	0	
	95-99		5	10	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		38	36	74	0	0	0	0	0	0	0	0	2	0	2	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	4	4	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	3	7	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	9	9	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	13	11	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	3	11	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	32	42	74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

表-2 認知症と認知症の基礎疾患の集計（性別、地域、年齢階級）

地域	生活自立度	年齢階級	参加者数			DLB			FTLD			Alcohol			Mixed			その他			
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	
海士	欠損	65-69	63	80	143	0	3	3	0	0	0	0	0	0	0	0	0	1	0	1	
		70-74	73	89	162	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	
		75-79	72	107	179	0	3	3	0	0	0	0	0	0	0	0	0	1	1	2	
		80-84	48	79	127	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	18	44	62	0	2	2	0	0	0	0	0	0	0	0	0	1	0	1	
		90-94	11	14	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	287	414	701	0	10	10	0	0	0	0	0	0	0	0	0	3	2	5	
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		75-79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

表-2 認知症と認知症の基礎疾患の集計（性別、地域、年齢階級）

地域	生活自立度	年齢階級	参加者数			DLB			FTLD			Alcohol			Mixed			その他			
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	
伊万里	欠損	65-69	36	44	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	30	57	87	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	45	64	109	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	
		80-84	21	42	63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	5	23	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	4	8	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	141	239	380	0	0	0	0	0	1	0	1	0	1	1	1	0	0	0	
		自立度Ⅱ未満	65-69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	80-84		1	9	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	85-89		2	3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	90-94		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95-99		1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		6	14	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	自立度Ⅱ以上		65-69	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			70-74	3	2	5	0	0	0	1	0	1	0	0	0	0	0	0	2	0	2
		75-79	2	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	2	9	11	0	2	2	0	0	0	0	0	0	1	1	0	0	0	0	
		85-89	1	5	6	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	
		90-94	1	7	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	10	27	37	0	3	3	1	0	1	0	0	0	1	1	2	1	2	3	

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級)

地域	生活自立度	年齢階級	参加者数			DLB			FTLD			Alcohol			Mixed			その他				
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計		
村築	欠損	65-69	37	35	72	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		70-74	38	36	74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	31	33	64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		80-84	30	28	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	27	8	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	8	9	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		95-99	1	4	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	172	153	325	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		自立度Ⅱ未満	65-69	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	75-79		5	4	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	80-84		3	7	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		6	4	10	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
	90-94		3	9	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	95-99		3	4	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	100>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計		23	28	51	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	1
	自立度Ⅱ以上		65-69	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
		70-74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	4	3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	6	11	17	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		90-94	9	11	20	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
		95-99	5	10	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		合計	24	37	61	1	2	3	0	1	1	0	0	0	0	0	0	0	0	0	1	1

表-2 認知症と認知症の基礎疾患の集計(性別、地域、年齢階級)

地域	生活自立度	年齢階級	参加者数			DLB			FTLD			Alcohol			Mixed			その他			
			男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	男性	女性	男女合計	
上越	欠損	65-69	39	38	77	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	38	31	69	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
		75-79	44	32	76	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
		80-84	23	31	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		85-89	25	16	41	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		90-94	14	11	25	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0
		95-99	6	6	12	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0
		100>	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		合計	190	165	355	1	0	1	0	0	1	0	1	0	4	1	5	0	0	0	0
		自立度Ⅱ未満	65-69	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70-74		3	4	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	75-79		2	3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80-84		4	2	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	85-89		6	11	17	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	
	90-94		10	8	18	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	
	95-99		14	2	16	0	0	0	1	0	1	0	0	1	0	1	0	0	0	0	
	100>		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	合計		39	32	71	0	0	0	1	0	1	0	0	4	1	5	0	0	0	0	
	自立度Ⅱ以上		65-69	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		70-74	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		75-79	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		80-84	3	6	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		85-89	4	12	16	0	0	0	0	1	1	0	0	1	0	1	0	1	0	0	
		90-94	7	18	25	0	0	0	0	0	0	0	0	1	1	2	0	0	0		
		95-99	12	16	28	0	0	0	0	0	0	0	0	0	2	2	0	0	0		
		100>	2	3	5	0	1	1	0	0	0	0	0	0	0	0	0	0	0		
		合計	33	57	90	0	1	1	0	1	1	0	0	2	3	5	0	0	0		

表-3 認知症と認知症の基礎疾患の集計(世帯状況、地域、年齢階級別)

地域	年齢階級	参加者							認知症						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	1	0	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	3	1	0	0	1	0
	75-79	0	92	7	0	1	2	0	0	16	1	0	1	2	0
	80-84	0	89	12	0	1	6	0	0	19	2	0	1	4	0
	85-89	0	74	10	0	2	15	0	0	24	3	0	2	15	0
	90-94	1	32	6	0	2	25	0	1	18	3	0	2	23	0
	95-99	0	9	1	0	1	9	0	0	4	0	0	1	9	0
	100>	0	2	0	0	0	1	0	0	2	0	0	0	1	0
合計	1	499	45	0	8	59	0	1	87	10	0	7	55	0	
大府	65-69	0	69	4	0	0	0	0	0	2	0	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	2	0	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	12	1	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	15	2	0	0	0	0
	85-89	1	67	7	0	0	0	0	0	33	2	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	41	2	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	21	3	0	0	1	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	1	417	43	0	0	1	0	0	126	10	0	0	1	0	
海士	65-69	7	117	18	0	0	1	0	0	15	2	0	0	1	0
	70-74	8	126	28	0	0	0	0	1	9	1	0	0	0	0
	75-79	11	117	48	0	0	3	0	2	6	12	0	0	3	0
	80-84	13	77	30	0	0	7	0	4	6	2	0	0	6	0
	85-89	11	33	15	0	0	3	0	7	7	2	0	0	1	0
	90-94	8	9	6	0	0	2	0	3	5	0	0	0	0	0
	95-99	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	100>	0	1	0	0	0	1	0	0	0	0	0	0	1	0
合計	58	481	145	0	0	17	0	17	48	19	0	0	12	0	

表-3 認知症と認知症の基礎疾患の集計(世帯状況、地域、年齢階級別)

地域	年齢階級	参加者							認知症						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	2	0	0	0	1	0
	70-74	0	84	5	0	0	4	0	0	2	0	0	0	4	0
	75-79	0	91	19	1	1	4	0	0	5	2	1	0	4	0
	80-84	1	65	8	1	3	6	0	0	5	1	1	3	6	0
	85-89	0	31	3	0	0	4	1	0	8	0	0	0	4	1
	90-94	0	13	0	1	2	4	0	0	4	0	1	1	4	0
	95-99	0	1	0	0	0	3	0	0	1	0	0	0	2	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	1	364	36	3	6	26	1	0	27	3	3	4	25	1	
杵築	65-69	0	68	4	1	1	0	0	0	2	0	1	1	0	0
	70-74	1	63	10	1	0	1	0	0	1	0	1	0	0	0
	75-79	3	60	7	2	0	2	0	0	5	0	0	0	1	0
	80-84	1	55	16	2	1	0	0	1	6	1	2	1	0	0
	85-89	0	38	13	3	2	6	0	0	9	2	3	2	6	0
	90-94	0	23	5	6	3	12	0	0	14	2	3	3	12	0
	95-99	0	8	0	2	0	17	0	0	4	0	2	0	15	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	5	315	55	17	7	38	0	1	41	5	12	7	34	0	
上越	65-69	0	71	8	0	0	0	0	0	3	1	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	8	0	0	0	0	0
	75-79	0	75	7	0	1	1	0	0	15	0	0	1	0	0
	80-84	0	57	9	1	0	2	0	0	16	3	0	0	2	0
	85-89	0	55	10	0	0	7	2	0	24	5	0	0	6	1
	90-94	0	49	5	2	1	11	0	0	36	4	1	1	10	0
	95-99	0	37	1	2	0	14	2	0	32	0	2	0	12	2
	100>	0	4	0	0	0	3	0	0	4	0	0	0	3	0
合計	0	417	49	5	2	39	4	0	138	13	3	2	33	3	

表一-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							正常						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	84	3	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	79	3	0	0	0	0
	75-79	0	92	7	0	1	2	0	0	54	4	0	0	0	0
	80-84	0	89	12	0	1	6	0	0	40	6	0	0	0	0
	85-89	0	74	10	0	2	15	0	0	22	2	0	0	0	0
	90-94	1	32	6	0	2	25	0	0	6	0	0	0	0	0
	95-99	0	9	1	0	1	9	0	0	0	0	0	0	0	0
	100>	0	2	0	0	0	1	0	0	0	0	0	0	0	0
	合計	1	499	45	0	8	59	0	0	285	18	0	0	0	0
大府	65-69	0	69	4	0	0	0	0	0	40	3	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	36	2	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	19	1	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	16	1	0	0	0	0
	85-89	1	67	7	0	0	0	0	1	12	3	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	3	1	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	4	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	417	43	0	0	1	0	1	130	11	0	0	0	0
海士	65-69	7	117	18	0	0	1	0	6	84	14	0	0	0	0
	70-74	8	126	28	0	0	0	5	109	22	0	0	0	0	
	75-79	11	117	48	0	0	3	0	5	102	30	0	0	0	
	80-84	13	77	30	0	0	7	0	4	54	20	0	0	1	
	85-89	11	33	15	0	0	3	0	3	22	10	0	0	1	
	90-94	8	9	6	0	0	2	0	4	4	6	0	0	2	
	95-99	0	1	0	0	0	0	0	0	1	0	0	0	0	
	100>	0	1	0	0	0	1	0	0	0	0	0	0	0	
	合計	58	481	145	0	0	17	0	27	376	102	0	0	4	

表一-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							正常						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	73	1	0	0	0	0
	70-74	0	84	5	0	0	4	0	0	68	4	0	0	0	0
	75-79	0	91	19	1	1	4	0	0	69	12	0	1	0	0
	80-84	1	65	8	1	3	6	0	1	46	4	0	0	0	0
	85-89	0	31	3	0	0	4	1	0	15	1	0	0	0	0
	90-94	0	13	0	1	2	4	0	0	1	0	0	1	0	0
	95-99	0	1	0	0	0	3	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	364	36	3	6	26	1	1	272	22	0	2	0	0
杵築	65-69	0	68	4	1	1	0	0	0	62	3	0	0	0	0
	70-74	1	63	10	1	0	1	0	1	60	9	0	0	1	0
	75-79	3	60	7	2	0	2	0	3	49	5	2	0	1	0
	80-84	1	55	16	2	1	0	0	0	37	7	0	0	0	0
	85-89	0	38	13	3	2	6	0	0	23	6	0	0	0	0
	90-94	0	23	5	6	3	12	0	0	7	2	2	0	0	0
	95-99	0	8	0	2	0	17	0	0	1	0	0	0	2	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	5	315	55	17	7	38	0	4	239	32	4	0	4	0
上越	65-69	0	71	8	0	0	0	0	0	62	6	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	51	8	0	0	1	0
	75-79	0	75	7	0	1	1	0	0	48	4	0	0	0	0
	80-84	0	57	9	1	0	2	0	0	27	4	1	0	0	0
	85-89	0	55	10	0	0	7	2	0	16	2	0	0	1	1
	90-94	0	49	5	2	1	11	0	0	3	0	0	0	0	0
	95-99	0	37	1	2	0	14	2	0	3	1	0	0	1	0
	100>	0	4	0	0	0	3	0	0	0	0	0	0	0	0
	合計	0	417	49	5	2	39	4	0	210	25	1	0	3	1

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							MCI						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	13	0	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	20	1	0	0	0	0
	75-79	0	92	7	0	1	2	0	0	21	1	0	0	0	0
	80-84	0	89	12	0	1	6	0	0	30	4	0	0	1	0
	85-89	0	74	10	0	2	15	0	0	27	4	0	0	0	0
	90-94	1	32	6	0	2	25	0	0	8	3	0	0	1	0
	95-99	0	9	1	0	1	9	0	0	5	1	0	0	0	0
	100>	0	2	0	0	0	1	0	0	0	0	0	0	0	0
合計	1	499	45	0	8	59	0	0	124	14	0	0	0	2	
大府	65-69	0	69	4	0	0	0	0	0	11	0	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	9	3	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	14	0	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	27	4	0	0	0	0
	85-89	1	67	7	0	0	0	0	0	13	1	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	9	4	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	6	2	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	1	417	43	0	0	1	0	0	89	14	0	0	0	0	
海士	65-69	7	117	18	0	0	1	0	0	18	2	0	0	0	0
	70-74	8	126	28	0	0	0	0	0	8	5	0	0	0	0
	75-79	11	117	48	0	0	3	0	4	9	6	0	0	0	0
	80-84	13	77	30	0	0	7	0	3	16	8	0	0	0	0
	85-89	11	33	15	0	0	3	0	1	4	3	0	0	1	0
	90-94	8	9	6	0	0	2	0	0	0	0	0	0	0	0
	95-99	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	100>	0	1	0	0	0	1	0	0	1	0	0	0	0	0
合計	58	481	145	0	0	17	0	8	56	24	0	0	1	0	

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							MCI						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	3	0	0	0	0	0
	70-74	0	84	5	0	0	4	0	0	10	1	0	0	0	0
	75-79	0	91	19	1	1	4	0	0	14	4	0	0	0	0
	80-84	1	65	8	1	3	6	0	0	14	2	0	0	0	0
	85-89	0	31	3	0	0	4	1	0	7	1	0	0	0	0
	90-94	0	13	0	1	2	4	0	0	8	0	0	0	0	0
	95-99	0	1	0	0	0	3	0	0	0	0	0	0	1	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	1	364	36	3	6	26	1	0	56	8	0	0	1	0	
杵築	65-69	0	68	4	1	1	0	0	0	4	1	0	0	0	0
	70-74	1	63	10	1	0	1	0	0	2	1	0	0	0	0
	75-79	3	60	7	2	0	2	0	0	5	2	0	0	0	0
	80-84	1	55	16	2	1	0	0	0	11	6	0	0	0	0
	85-89	0	38	13	3	2	6	0	0	5	5	0	0	0	0
	90-94	0	23	5	6	3	12	0	0	2	1	1	0	0	0
	95-99	0	8	0	2	0	17	0	0	3	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	5	315	55	17	7	38	0	0	32	16	1	0	0	0	
上越	65-69	0	71	8	0	0	0	0	0	6	1	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	10	1	0	0	0	0
	75-79	0	75	7	0	1	1	0	0	12	3	0	0	1	0
	80-84	0	57	9	1	0	2	0	0	14	2	0	0	0	0
	85-89	0	55	10	0	0	7	2	0	14	4	0	0	0	0
	90-94	0	49	5	2	1	11	0	0	10	1	1	0	1	0
	95-99	0	37	1	2	0	14	2	0	2	0	0	0	1	0
	100>	0	4	0	0	0	3	0	0	0	0	0	0	0	0
合計	0	417	49	5	2	39	4	0	68	12	1	0	3	0	

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							AD						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	0	0	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	2	1	0	0	0	0
	75-79	0	92	7	0	1	2	0	0	10	1	0	1	2	0
	80-84	0	89	12	0	1	6	0	0	13	2	0	0	3	0
	85-89	0	74	10	0	2	15	0	0	16	2	0	2	7	0
	90-94	1	32	6	0	2	25	0	1	16	3	0	0	16	0
	95-99	0	9	1	0	1	9	0	0	2	0	0	0	5	0
	100>	0	2	0	0	0	1	0	0	2	0	0	0	1	0
	合計	1	499	45	0	8	59	0	1	61	9	0	3	34	0
大府	65-69	0	69	4	0	0	0	0	0	1	0	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	1	0	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	5	1	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	5	1	0	0	0	0
	85-89	1	67	7	0	0	0	0	0	11	0	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	12	0	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	2	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	417	43	0	0	1	0	0	37	2	0	0	0	0
海士	65-69	7	117	18	0	0	1	0	0	8	2	0	0	1	0
	70-74	8	126	28	0	0	0	0	0	8	1	0	0	0	0
	75-79	11	117	48	0	0	3	0	2	4	9	0	0	0	0
	80-84	13	77	30	0	0	7	0	4	5	1	0	0	6	0
	85-89	11	33	15	0	0	3	0	5	4	1	0	0	0	0
	90-94	8	9	6	0	0	2	0	3	5	0	0	0	0	0
	95-99	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	100>	0	1	0	0	0	1	0	0	0	0	0	0	1	0
	合計	58	481	145	0	0	17	0	14	34	14	0	0	8	0

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							AD						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	0	0	0	0	0	0
	70-74	0	84	5	0	0	4	0	0	0	0	0	0	1	0
	75-79	0	91	19	1	1	4	0	0	2	0	0	2	0	0
	80-84	1	65	8	1	3	6	0	0	1	0	0	2	4	0
	85-89	0	31	3	0	0	4	1	0	7	0	0	0	1	1
	90-94	0	13	0	1	2	4	0	0	1	0	0	0	3	0
	95-99	0	1	0	0	0	3	0	0	1	0	0	0	1	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	364	36	3	6	26	1	0	10	2	0	2	12	1
杵築	65-69	0	68	4	1	1	0	0	0	1	0	1	0	0	0
	70-74	1	63	10	1	0	1	0	0	0	0	1	0	0	0
	75-79	3	60	7	2	0	2	0	0	2	0	0	0	0	0
	80-84	1	55	16	2	1	0	0	1	6	1	2	0	0	0
	85-89	0	38	13	3	2	6	0	0	6	2	3	2	3	0
	90-94	0	23	5	6	3	12	0	0	13	0	2	2	11	0
	95-99	0	8	0	2	0	17	0	0	3	0	2	0	9	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	5	315	55	17	7	38	0	1	31	3	11	4	23	0
上越	65-69	0	71	8	0	0	0	0	0	1	0	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	2	0	0	0	0	0
	75-79	0	75	7	0	1	1	0	0	4	0	0	0	0	0
	80-84	0	57	9	1	0	2	0	0	5	2	0	0	1	0
	85-89	0	55	10	0	0	7	2	0	8	2	0	0	1	0
	90-94	0	49	5	2	1	11	0	0	10	0	1	0	1	0
	95-99	0	37	1	2	0	14	2	0	12	0	0	0	2	1
	100>	0	4	0	0	0	3	0	0	1	0	0	0	1	0
	合計	0	417	49	5	2	39	4	0	43	4	1	0	6	1

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者						VaD							
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	1	0	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	0	0	0	0	1	0
	75-79	0	92	7	0	1	2	0	0	3	0	0	0	0	0
	80-84	0	89	12	0	1	6	0	0	4	0	0	0	1	0
	85-89	0	74	10	0	2	15	0	0	5	0	0	0	4	0
	90-94	1	32	6	0	2	25	0	0	1	0	0	2	4	0
	95-99	0	9	1	0	1	9	0	0	2	0	0	1	2	0
	100>	0	2	0	0	0	1	0	0	0	0	0	0	0	0
合計	1	499	45	0	8	59	0	0	16	0	0	3	12	0	
大府	65-69	0	69	4	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	0	0	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	0	0	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	0	0	0	0	0	0
	85-89	1	67	7	0	0	0	0	0	0	0	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	0	0	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	1	417	43	0	0	1	0	0	0	0	0	0	0	0	
海士	65-69	7	117	18	0	0	1	0	0	3	0	0	0	0	0
	70-74	8	126	28	0	0	0	0	0	0	0	0	0	0	0
	75-79	11	117	48	0	0	3	0	0	1	1	0	0	1	0
	80-84	13	77	30	0	0	7	0	0	0	1	0	0	0	0
	85-89	11	33	15	0	0	3	0	1	2	1	0	0	0	0
	90-94	8	9	6	0	0	2	0	1	0	0	0	0	0	0
	95-99	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	100>	0	1	0	0	0	1	0	0	0	0	0	0	0	0
合計	58	481	145	0	0	17	0	2	6	3	0	0	1	0	

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者						VaD							
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	0	0	0	0	1	0
	70-74	0	84	5	0	0	4	0	0	0	0	0	0	1	0
	75-79	0	91	19	1	1	4	0	0	2	0	0	0	0	0
	80-84	1	65	8	1	3	6	0	0	2	1	0	1	0	0
	85-89	0	31	3	0	0	4	1	0	0	0	0	0	1	0
	90-94	0	13	0	1	2	4	0	0	1	0	0	0	0	0
	95-99	0	1	0	0	0	3	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	1	364	36	3	6	26	1	0	5	1	0	1	3	0	
杵築	65-69	0	68	4	1	1	0	0	0	0	0	0	1	0	0
	70-74	1	63	10	1	0	1	0	0	1	0	0	0	0	0
	75-79	3	60	7	2	0	2	0	0	1	0	0	0	0	0
	80-84	1	55	16	2	1	0	0	0	0	0	0	1	0	0
	85-89	0	38	13	3	2	6	0	0	2	0	0	0	2	0
	90-94	0	23	5	6	3	12	0	0	1	1	1	1	1	0
	95-99	0	8	0	2	0	17	0	0	1	0	0	0	6	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	5	315	55	17	7	38	0	0	6	1	1	3	9	0	
上越	65-69	0	71	8	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	2	0	0	0	0	0
	75-79	0	75	7	0	1	1	0	0	3	0	0	0	0	0
	80-84	0	57	9	1	0	2	0	0	4	0	0	0	1	0
	85-89	0	55	10	0	0	7	2	0	1	1	0	0	3	0
	90-94	0	49	5	2	1	11	0	0	2	0	0	0	6	0
	95-99	0	37	1	2	0	14	2	0	2	0	0	0	5	0
	100>	0	4	0	0	0	3	0	0	0	0	0	0	0	0
合計	0	417	49	5	2	39	4	0	14	1	0	0	15	0	

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							DLB						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	0	0	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	0	0	0	0	0	0
	75-79	0	92	7	0	1	2	0	0	1	0	0	0	0	0
	80-84	0	89	12	0	1	6	0	0	1	0	0	1	0	0
	85-89	0	74	10	0	2	15	0	0	3	0	0	0	1	0
	90-94	1	32	6	0	2	25	0	0	0	0	0	0	0	0
	95-99	0	9	1	0	1	9	0	0	0	0	0	0	0	0
	100>	0	2	0	0	0	1	0	0	0	0	0	0	0	0
	合計	1	499	45	0	8	59	0	0	5	0	0	1	1	0
大府	65-69	0	69	4	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	0	0	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	0	0	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	0	0	0	0	0	0
	85-89	1	67	7	0	0	0	0	0	0	0	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	0	0	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	417	43	0	0	1	0	0	0	0	0	0	0	0
海士	65-69	7	117	18	0	0	1	0	0	3	0	0	0	0	0
	70-74	8	126	28	0	0	0	0	1	0	0	0	0	0	0
	75-79	11	117	48	0	0	3	0	0	0	2	0	0	1	0
	80-84	13	77	30	0	0	7	0	0	1	0	0	0	0	0
	85-89	11	33	15	0	0	3	0	1	1	0	0	0	0	0
	90-94	8	9	6	0	0	2	0	0	0	0	0	0	0	0
	95-99	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	100>	0	1	0	0	0	1	0	0	0	0	0	0	0	0
	合計	58	481	145	0	0	17	0	0	2	5	2	0	0	1

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							DLB						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	0	0	0	0	0	0
	70-74	0	84	5	0	0	4	0	0	0	0	0	0	0	0
	75-79	0	91	19	1	1	4	0	0	0	0	0	0	0	0
	80-84	1	65	8	1	3	6	0	0	0	0	0	0	2	0
	85-89	0	31	3	0	0	4	1	0	0	0	0	0	1	0
	90-94	0	13	0	1	2	4	0	0	0	0	0	0	0	0
	95-99	0	1	0	0	0	3	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	364	36	3	6	26	1	0	0	0	0	0	3	0
杵築	65-69	0	68	4	1	1	0	0	0	0	0	0	0	0	0
	70-74	1	63	10	1	0	1	0	0	0	0	0	0	0	0
	75-79	3	60	7	2	0	2	0	0	0	0	0	0	1	0
	80-84	1	55	16	2	1	0	0	0	0	0	0	0	0	0
	85-89	0	38	13	3	2	6	0	0	0	0	0	0	1	0
	90-94	0	23	5	6	3	12	0	0	0	1	0	0	0	0
	95-99	0	8	0	2	0	17	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	5	315	55	17	7	38	0	0	0	1	0	0	2	0
上越	65-69	0	71	8	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	0	0	0	0	0	0
	75-79	0	75	7	0	1	1	0	0	0	0	0	0	0	0
	80-84	0	57	9	1	0	2	0	0	0	0	0	0	0	0
	85-89	0	55	10	0	0	7	2	0	1	0	0	0	0	0
	90-94	0	49	5	2	1	11	0	0	0	0	0	0	0	0
	95-99	0	37	1	2	0	14	2	0	0	0	0	0	0	0
	100>	0	4	0	0	0	3	0	0	0	0	0	0	1	0
	合計	0	417	49	5	2	39	4	0	1	0	0	0	1	0

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							FTLD						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
利根	65-69	0	99	3	0	1	0	0	0	0	0	0	0	0	0
	70-74	0	102	6	0	0	1	0	0	0	0	0	0	0	0
	75-79	0	92	7	0	1	2	0	0	1	0	0	0	0	0
	80-84	0	89	12	0	1	6	0	0	0	0	0	0	0	0
	85-89	0	74	10	0	2	15	0	0	0	0	0	0	0	0
	90-94	1	32	6	0	2	25	0	0	0	0	0	0	0	0
	95-99	0	9	1	0	1	9	0	0	0	0	0	0	0	0
	100>	0	2	0	0	0	1	0	0	0	0	0	0	0	0
	合計	1	499	45	0	8	59	0	0	1	0	0	0	0	0
大府	65-69	0	69	4	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	62	7	0	0	0	0	0	0	0	0	0	0	0
	75-79	0	65	4	0	0	0	0	0	0	0	0	0	0	0
	80-84	0	68	9	0	0	0	0	0	0	0	0	0	0	0
	85-89	1	67	7	0	0	0	0	0	0	0	0	0	0	0
	90-94	0	55	7	0	0	0	0	0	0	0	0	0	0	0
	95-99	0	31	5	0	0	1	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	417	43	0	0	1	0	0	0	0	0	0	0	0
海士	65-69	7	117	18	0	0	1	0	0	0	0	0	0	0	0
	70-74	8	126	28	0	0	0	0	0	0	0	0	0	0	0
	75-79	11	117	48	0	0	3	0	0	0	0	0	0	0	0
	80-84	13	77	30	0	0	7	0	0	0	0	0	0	0	0
	85-89	11	33	15	0	0	3	0	0	0	0	0	0	0	0
	90-94	8	9	6	0	0	2	0	0	0	0	0	0	0	0
	95-99	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	100>	0	1	0	0	0	1	0	0	0	0	0	0	0	0
	合計	58	481	145	0	0	17	0	0	0	0	0	0	0	0

表-3 認知症と認知症の基礎疾患の集計（世帯状況、地域、年齢階級別）

地域	年齢階級	参加者							FTLD						
		欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他	欠損	自宅 家族と同居	自宅独居	有料老人 ホーム	医療機関	施設	その他
伊万里	65-69	0	79	1	0	0	1	0	0	0	0	0	0	0	0
	70-74	0	84	5	0	0	4	0	0	0	0	0	0	1	0
	75-79	0	91	19	1	1	4	0	0	0	0	0	0	0	0
	80-84	1	65	8	1	3	6	0	0	0	0	0	0	0	0
	85-89	0	31	3	0	0	4	1	0	0	0	0	0	0	0
	90-94	0	13	0	1	2	4	0	0	0	0	0	0	0	0
	95-99	0	1	0	0	0	3	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	1	364	36	3	6	26	1	0	0	0	0	0	0	1
杵築	65-69	0	68	4	1	1	0	0	0	1	0	0	0	0	0
	70-74	1	63	10	1	0	1	0	0	0	0	0	0	0	0
	75-79	3	60	7	2	0	2	0	0	0	0	0	0	0	0
	80-84	1	55	16	2	1	0	0	0	0	0	0	0	0	0
	85-89	0	38	13	3	2	6	0	0	1	0	0	0	0	0
	90-94	0	23	5	6	3	12	0	0	0	0	0	0	0	0
	95-99	0	8	0	2	0	17	0	0	0	0	0	0	0	0
	100>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	合計	5	315	55	17	7	38	0	0	2	0	0	0	0	0
上越	65-69	0	71	8	0	0	0	0	0	0	0	0	0	0	0
	70-74	0	69	9	0	0	1	0	0	0	0	0	0	0	0
	75-79	0	75	7	0	1	1	0	0	0	0	0	0	0	0
	80-84	0	57	9	1	0	2	0	0	0	0	0	0	0	0
	85-89	0	55	10	0	0	7	2	0	1	0	0	0	0	0
	90-94	0	49	5	2	1	11	0	0	0	0	0	0	0	0
	95-99	0	37	1	2	0	14	2	0	1	0	0	0	0	0
	100>	0	4	0	0	0	3	0	0	0	0	0	0	0	0
	合計	0	417	49	5	2	39	4	0	2	0	0	0	0	0