	施設利用あり ネット出会いあり n=148	施設利用あり ネット出会いなし n=13	施設利用なし ネット出会いあり n=31	施設利用なし ネット出会いなし n=5	合計 n=197	カイ2乗 検定
	n %	n %	n %	n %	n %	
年齢階級						Service Compa
10歳代	7 (4. 7%)	1 (7. 7%)	5 (16.1%)	0 (0.0%)	13 (6. 6%)	0. 186
20歳代	85 (57. 4%)	4 (30. 8%)	15 (48. 4%)	2 (40.0%)	106 (53. 8%)	
30歳代	47 (31. 8%)	5 (38. 5%)	10 (32.3%)	2 (40.0%)	64 (32. 5%)	
40歳代	7 (4. 7%)	3 (23. 1%)	1 (3. 2%)	0 (0.0%)	11 (5. 6%)	
50歳代以上	2 (1.4%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (1.0%)	
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (20.0%)	1 (0.5%)	
最終学歴						
大卒以上	84 (56. 8%)	12 (92. 3%)	20 (64. 5%)	1 (20.0%)	117 (59. 4%)	0. 020
それ以外	64 (43. 2%)	1 (7. 7%)	11 (35. 5%)	4 (80.0%)	80 (40.6%)	
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
知識_感染しても長生	き可能					
正解	102 (68. 9%)	10 (76. 9%)	21 (67. 7%)	2 (40.0%)	135 (68. 5%)	0. 507
その他	46 (31. 1%)	3 (23. 1%)	10 (32.3%)	3 (60.0%)	62 (31.5%)	
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
知識 HIV検査感染から	3日で可					
正解	122 (82. 4%)	12 (92. 3%)	26 (83. 9%)	2 (40.0%)	162 (82. 2%)	0. 070
その他	26 (17. 6%)	1 (7. 7%)	5 (16. 1%)	3 (60.0%)	35 (17. 8%)	
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
知識 STDはHIVの易感	染					
正解	88 (59.5%)	9 (69. 2%)	15 (48. 4%)	1 (20.0%)	113 (57. 4%)	0. 172
その他	59 (39.9%)	4 (30.8%)	16 (51.6%)	4 (80.0%)	83 (42. 1%)	
無回答	1 (0.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.5%)	
抑うつ傾向						
あり	24 (16. 2%)	1 (7, 7%)	4 (12.9%)	1 (20.0%)	30 (15. 2%)	0. 854
なし	114 (77. 0%)	10 (76. 9%)	26 (83. 9%)	4 (80.0%)	154 (78. 2%)	
無回答	10 (6.8%)	2 (15. 4%)	1 (3. 2%)	0 (0.0%)	13 (6.6%)	
HIV抗体検査受検経験				Termination Start Leading		
ある ない 無回答						
HIV抗体検査受検経験						
ある	43 (29.1%)	4 (30. 8%)	5 (16.1%)	0 (0.0%)	52 (26. 4%)	0. 247
ない	105 (70.9%)	9 (69. 2%)	26 (83. 9%)	5 (100.0%)	145 (73. 6%)	
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
STD被診断経験(生涯)						
ある	42 (28. 4%)	5 (38. 5%)	7 (22. 6%)	0 (0.0%)	54 (27. 4%)	0. 427
ない	103 (69.6%)	8 (61.5%)	24 (77. 4%)	4 (80.0%)	139 (70.6%)	
無回答	3 (2.0%)	0 (0.0%)	0 (0.0%)	1 (20.0%)	4 (2.0%)	
STD被診断経験(過去1	年)					
ある ない 無回答						
薬物使用(生涯)						
ある	33 (22. 3%)	2 (15. 4%)	4 (12. 9%)	0 (0.0%)	39 (19.8%)	0. 389
ない	113 (76. 4%)	11 (84. 6%)	27 (87. 1%)	5 (100.0%)	156 (79. 2%)	
無回答	2 (1.4%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (1.0%)	
薬物使用(過去6ヶ月間 ある ない 無回答	i)					
HIV陽性						
HIV陽性	5 (3. 4%)	1 (7. 7%)	1 (3. 2%)	0 (0.0%)	7 (3. 6%)	0. 836
それ以外	143 (96. 6%)	12 (92. 3%)	30 (96. 8%)	5 (100.0%)	190 (96. 4%)	0. 000
相手の数(過去6ヶ月間		(- (,	,	
1人	31 (20. 9%)	2 (15. 4%)	15 (48. 4%)	1 (20.0%)	49 (24. 9%)	0. 000
2-3人	32 (21. 6%)	0 (0.0%)	8 (25. 8%)	0 (0.0%)	40 (20. 3%)	
4-5人	23 (15. 5%)	2 (15. 4%)	5 (16. 1%)	1 (20.0%)	31 (15. 7%)	
6人以上	40 (27. 0%)	8 (61. 5%)	0 (0.0%)	0 (0.0%)	48 (24. 4%)	
非該当(0人)	11 (7. 4%)	1 (7. 7%)	3 (9. 7%)	3 (60.0%)	18 (9.1%)	
無回答	11 (7. 4%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	11 (5. 6%)	
アナルセックス有の人のコンド				J (0. 0%)	., (0.0%)	
常用	34 (30.6%)	3 (33.3%)	7 (31. 8%)	1 (100.0%)	45 (31.5%)	0. 568
		0 (00.00)	, (01. 0/0)	. (100.0%)	10 (01.070)	0. 000
それ以外	70 (63. 1%)	6 (66. 7%)	14 (63. 6%)	0 (0.0%)	90 (62. 9%)	

	ネット出	用あり 会いあり 148	ネット出	用あり 会いなし 13	ネット	利用なし 出会いあり =31	ネット	利用なし 出会いなし 1=5	合計 n=197		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)					5 3 A. Galleria				4677	
ある	77	(52.0%)	9	(69. 2%)	0	(0.0%)	0	(0.0%)	86	(43. 7%)	0.000
ない	71	(48.0%)	4	(30.8%)	31	(100.0%)	5	(100.0%)	111	(56. 3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去	6ヶ月間)										
ある	24	(16.2%)	3	(23. 1%)	0	(0.0%)	0	(0.0%)	27	(13. 7%)	0. 057
ない	123	(83.1%)	10	(76.9%)	31	(100.0%)	5	(100.0%)	169	(85. 8%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
マンション系利用(過去6ヶ月間)										
ある	43	(29. 1%)	5	(38. 5%)	0	(0.0%)	0	(0.0%)	48	(24. 4%)	0. 002
ない	104	(70.3%)	8	(61.5%)	31	(100.0%)	5	(100.0%)	148	(75. 1%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
クラブ(男性限定)(過去6ヶ月間)										
ある	53	(35. 8%)	6	(46. 2%)	0	(0.0%)	0	(0.0%)	59	(29.9%)	0.000
ない	95	(64. 2%)	7	(53.8%)	31	(100.0%)	5	(100.0%)	138	(70.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの紀	経験(過去6ヶ	日間)									
ある	18	(12, 2%)	6	(46, 2%)	0	(0.0%)	0	(0.0%)	24	(12. 2%)	0.000
ない	128	(86, 5%)	7	(53. 8%)	30	(96. 8%)	5	(100.0%)	170	(86. 3%)	
無回答	2	(1. 4%)	0	(0.0%)	1	(3. 2%)	0	(0.0%)	3	(1.5%)	
ゲイバー利用(過去	6ヶ月間)										
ある	105	(70. 9%)	10	(76. 9%)	0	(0.0%)	0	(0.0%)	115	(58. 4%)	0. 000
ない	42	(28. 4%)	3	(23, 1%)	30	(96, 8%)	5	(100.0%)	80	(40.6%)	
無回答	1	(0. 7%)	0	(0.0%)	1	(3. 2%)	0		2	(1.0%)	

	施設利用あり ネット出会いあり n=88	施設利用あり ネット出会いなし n=7	施設利用なし ネット出会いあり n=15	施設利用なし ネット出会いなし n=2	合計 n=112	カイ2乗 検定
	n %	n %	n %	n %	n %	
年齢階級						
10歳代	3 (3.4%)	0 (0.0%)	1 (6. 7%)	1 (50.0%)	5 (4.5%)	0.322
20歳代	41 (46. 6%)	3 (42. 9%)	6 (40.0%)	0 (0.0%)	50 (44.6%)	
30歳代	32 (36. 4%)	2 (28. 6%)	5 (33. 3%)	1 (50.0%)	40 (35. 7%)	
40歳代	9 (10. 2%)	1 (14. 3%)	2 (13. 3%)	0 (0.0%)	12 (10. 7%)	
50歳代以上	3 (3.4%)	1 (14.3%)	1 (6. 7%)	0 (0.0%)	5 (4.5%)	
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
最終学歴 大卒以上	52 (59. 1%)	7 (100.0%)	9 (60.0%)	0 (0 0%)	CO (CO 7W)	
それ以外	36 (40. 9%)	0 (0.0%)	9 (60.0%) 6 (40.0%)	0 (0.0%) 2 (100.0%)	68 (60. 7%) 44 (39. 3%)	0.052
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
知識_感染しても長生き	- (,	0 (0.0%)	0 (0.0%)	U (U, U/II)	0 (0.0%)	
正解	56 (63.6%)	4 (57. 1%)	12 (80.0%)	1 (50.0%)	73 (65. 2%)	0.504
その他	32 (36. 4%)	3 (42. 9%)	3 (20.0%)	1 (50.0%)	39 (34. 8%)	0.584
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
知識_HIV検査感染から		(0. 0.0)	0 (0.0%)	4: (0.0%)	0 (0.0%)	
正解	72 (81.8%)	5 (71.4%)	13 (86. 7%)	2 (100.0%)	92 (82. 1%)	0.753
その他	16 (18. 2%)	2 (28. 6%)	2 (13. 3%)	0 (0.0%)	20 (17. 9%)	0.755
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
知識_STDはHIVの易感薬		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
正解	51 (58.0%)	5 (71.4%)	5 (33. 3%)	0 (0, 0%)	61 (54. 5%)	0.006
その他	37 (42. 0%)	2 (28.6%)	10 (66. 7%)	2 (100.0%)	51 (45. 5%)	0.096
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
抑うつ傾向					0 (0.00)	
あり	14 (15. 9%)	0 (0.0%)	1 (6. 7%)	1 (50.0%)	16 (14. 3%)	0.319
なし	67 (76. 1%)	6 (85. 7%)	11 (73. 3%)	1 (50.0%)	85 (75. 9%)	0.313
無回答	7 (8. 0%)	1 (14.3%)	3 (20.0%)	0 (0.0%)	11 (9. 8%)	
HIV抗体検査受検経験(to the second	· · · · · · · · · · · · · · · · · · ·			(0.00)	
ある						
ない 無回答						
HIV抗体検査受検経験(過去1年)					
ある	19 (21. 6%)	0 (0.0%)	3 (20.0%)	0 (0.0%)	22 (19. 6%)	0.491
ない	69 (78. 4%)	7 (100.0%)	12 (80.0%)	2 (100.0%)	90 (80. 4%)	0.431
無回答	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
STD被診断経験(生涯)					(0. 0%)	
ある	20 (22. 7%)	3 (42. 9%)	1 (6, 7%)	0 (0.0%)	24 (21. 4%)	0.239
ない	67 (76. 1%)	4 (57. 1%)	13 (86. 7%)	2 (100.0%)	86 (76. 8%)	0.233
無回答	1 (1.1%)	0 (0.0%)	1 (6, 7%)	0 (0.0%)	2 (1. 8%)	
STD被診断経験(過去1年	Ε)					
ある						
ない						
無回答						
薬物使用(生涯)						
ある	20 (22. 7%)	1 (14.3%)	2 (13. 3%)	0 (0.0%)	23 (20.5%)	0.689
ない	67 (76. 1%)	6 (85. 7%)	13 (86. 7%)	2 (100.0%)	88 (78. 6%)	
無回答	1 (1.1%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.9%)	
薬物使用(過去6ヶ月間)						
ある						
ない						
無回答						
HIV陽性						
HIV陽性	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
それ以外	88 (100.0%)	7 (100.0%)	15 (100.0%)	2 (100.0%)	112 (100.0%)	
相手の数(過去6ヶ月間))					
1人	18 (20. 5%)	2 (28. 6%)	7 (46. 7%)	0 (0.0%)	27 (24. 1%)	0.000
2-3人	26 (29.5%)	1 (14.3%)	5 (33. 3%)	0 (0.0%)	32 (28. 6%)	
4-5人	19 (21.6%)	2 (28. 6%)	1 (6. 7%)	0 (0.0%)	22 (19.6%)	
6人以上	18 (20. 5%)	0 (0.0%)	1 (6. 7%)	0 (0.0%)	19 (17.0%)	
非該当(0人)	4 (4.5%)	1 (14.3%)	1 (6. 7%)	2 (100.0%)	8 (7. 1%)	
無回答	3 (3. 4%)	1 (14.3%)	0 (0.0%)	0 (0.0%)	4 (3. 6%)	
アナルセックス有の人のコンドーム	4使用状況(過去6ヶ	月間)				
常用	23 (31. 9%)	3 (75.0%)	0 (0.0%)	0 (0.0%)	26 (31. 7%)	0.062
それ以外	44 (61.1%)	1 (25.0%)	5 (83. 3%)	0 (0.0%)		-1002
てイレスクト	11 (01. 1/0)	1 (20.0%)	0 (00. 070)	0 (0.0%)	50 (61.0%)	

	ネット出	川用あり 出会いあり =88	ネット	利用あり 出会いなし n= 7	ネット	利用なし 出会いあり =15	ネット	利用なし 出会いなし n=2	合計 n=112		カイ2乗 検定
	n	%		%	n	%		%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	43	(48. 9%)	1	(14. 3%)	0	(0.0%)	0	(0.0%)	44	(39. 3%)	0. 001
ない	45	(51. 1%)	6	(85. 7%)	15	(100.0%)	2	(100.0%)	68	(60. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去	6ヶ月間)										
ある	13	(14. 8%)	2	(28. 6%)	0	(0.0%)	0	(0.0%)	15	(13. 4%)	0. 244
ない	73	(83.0%)	5	(71.4%)	15	(100.0%)	2	(100.0%)	95	(84.8%)	
無回答	2	(2.3%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(1.8%)	
マンション系利用	(過去6ヶ月間))									
ある	18	(20. 5%)	3	(42. 9%)	0	(0.0%)	0	(0, 0%)	21	(18. 8%)	0. 080
ない	68	(77. 3%)	4	(57. 1%)	15	(100.0%)	2	(100.0%)	89	(79. 5%)	0.000
無回答	2	(2. 3%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(1.8%)	
クラブ(男性限定)	(過去6ヶ月間))									
ある	16	(18. 2%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	16	(14. 3%)	0. 161
ない	71	(80. 7%)	7	(100.0%)	15	(100.0%)	2	(100.0%)	95	(84.8%)	
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.9%)	
お金払ってセックスの約	経験(過去6ヶ	日間)									
ある	7	(8. 0%)	2	(28, 6%)	0	(0, 0%)	0	(0.0%)	9	(8.0%)	0. 143
ない	80	(90. 9%)		(71, 4%)	15	(100, 0%)	2	7 - 6 - 6 - 6 - 6	102	(91. 1%)	0. 110
無回答	1	(1. 1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.9%)	
ゲイバー利用(過去	6ヶ月間)										
ある	64	(72. 7%)	3	(42. 9%)	0	(0.0%)	0	(0.0%)	67	(59.8%)	0. 000
ない	24	(27. 3%)	4	(57. 1%)	14	(93. 3%)	2	(100.0%)	44	(39. 3%)	
無回答	0	(0.0%)	0	(0.0%)	1	(6, 7%)	0	(0.0%)	1	(0.9%)	

	ネット出	用あり 会いあり =93	ネット	利用あり 出会いな 1=8		ネット日	用なし 会いあり =29	ネットと	削用なし 出会いなし =4		134	カイ2乗 検定
4	n	%	n	%		n	%	n	%	n	%	
年齢階級	7	(7. 50/)	_	/0	00/)	,	(10,0%)	0	(0, 0%)		(0, 0%)	0 107
10歳代	7 56	(7. 5%) (60. 2%)	0		. 0%) . 5%)	4 14	(13. 8%) (48. 3%)	0	(0. 0%) (75. 0%)	11 76	(8. 2%) (56. 7%)	0. 127
20歳代		(24, 7%)	2		. 0%)	9	(31. 0%)	0	(0.0%)	34	(25. 4%)	
30歳代	23 4	(4. 3%)	3		. 5%)	2	(6. 9%)	1	(25. 0%)	10	(7. 5%)	
40歳代			0			0	(0. 9%)	0	(0.0%)	10	(0. 7%)	
50歳代以上	1 2	(1. 1%) (2. 2%)	0		. 0%) . 0%)	0	(0.0%)	0	(0.0%)	2	(1. 5%)	
無回答	2	(2. 270)		(0.	. U70)	U	(0. 070)	U	(0. 070)	۷	(1. 370)	
最終学歴 大卒以上	59	(63. 4%)	2	(25	. 0%)	16	(55, 2%)	3	(75. 0%)	80	(59. 7%)	0. 159
それ以外	34	(36. 6%)	6		. 0%)	13	(44. 8%)	1	(25. 0%)	54	(40, 3%)	0. 155
無回答	0	(0.0%)	0		. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き		(0. 0.0)		(0	. 0.0,		(61 610)					
正解	-ਤ ਸ਼ਾਲ 67	(72. 0%)	5	(62	. 5%)	20	(69.0%)	0	(0.0%)	92	(68. 7%)	0. 021
その他	25	(26. 9%)	3		. 5%)	9	(31.0%)	4	(100.0%)	41	(30. 6%)	0. 021
無回答	1	(1. 1%)	0		. 0%)	0	(0.0%)	0	(0.0%)	1	(0. 7%)	
知識_HIV検査感染から31		(1. 170)		(0	. 0,0)	, and a	(0. 0,0)		(0. 0.0)		(41.179)	
正解	71	(76. 3%)	8	(100	0%)	22	(75. 9%)	1	(25. 0%)	102	(76. 1%)	0. 041
その他	22	(23. 7%)	0		. 0%)	7	(24. 1%)	3	(75.0%)	32	(23. 9%)	
無回答	0	(0.0%)	0		. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識。STDはHIVの易感染	Ü	(0. 0.0)									, , , , ,	
正解	48	(51.6%)	2	(25	. 0%)	14	(48. 3%)	2	(50.0%)	66	(49. 3%)	0. 552
その他	45	(48. 4%)	6		. 0%)	15	(51. 7%)	2	(50.0%)	68	(50. 7%)	0.002
無回答	0	(0.0%)	0		. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向						. To					,	
あり	17	(18. 3%)	1	(12	. 5%)	6	(20. 7%)	1	(25.0%)	25	(18. 7%)	0. 993
なし	69	(74. 2%)	4		. 0%)	22	(75. 9%)	3	(75.0%)	98	(73. 1%)	
無回答	7	(7.5%)	3	(37	. 5%)	1	(3.4%)	0	(0.0%)	11	(8. 2%)	
HIV抗体検査受検経験(生	涯)											
ある ない												
無回答	+1/-1											
HIV抗体検査受検経験(過 ある	21	(22. 6%)	2	(25	. 0%)	1	(3. 4%)	0	(0, 0%)	24	(17. 9%)	0. 084
ない	72	(77. 4%)	6	100	. 0%)	28	(96. 6%)	4	(100.0%)	110	(82. 1%)	0. 004
無回答	0	(0.0%)	0		. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
	haras said	(0. 0%)		(0	. 070)	Ü	(0. 0/0)		(0. 010)		(0. 0/0)	
STD被診断経験(生涯) ある	26	(28. 0%)	4	(50	. 0%)	6	(20. 7%)	0	(0.0%)	36	(26. 9%)	0. 271
ない	64	(68. 8%)	4		. 0%)	23	(79. 3%)	3	(75. 0%)	94	(70. 1%)	0. 271
無回答	3	(3. 2%)	0		. 0%)	0	(0.0%)	1	(25. 0%)	4	(3. 0%)	
STD被診断経験(過去1年)				y All Diggs								
ある												
ない												
無回答												
薬物使用(生涯)												
ある	19	(20. 4%)	2	(25	. 0%)	3	(10.3%)	1	(25.0%)	25	(18. 7%)	0. 638
ない	73	(78. 5%)	6	(75	. 0%)	25	(86. 2%)	3	(75.0%)	107	(79.9%)	
無回答	1	(1.1%)	0	(0	. 0%)	1	(3.4%)	0	(0.0%)	2	(1.5%)	
薬物使用(過去6ヶ月間)												
ある												
ない												
無回答												
HIV陽性												
HIV陽性	2	(2. 2%)	0		. 0%)	0	(0.0%)	0	(0.0%)	2	(1. 5%)	0. 827
それ以外	91	(97. 8%)	8	(100	. 0%)	29	(100.0%)	4	(100.0%)	132	(98. 5%)	
相手の数(過去6ヶ月間)							/		/a=		(40 ===)	
1人	12	(12. 9%)	2		. 0%)	8	(27. 6%)	3	(75. 0%)	25	(18. 7%)	0. 000
2-3人	33	(35. 5%)	1		. 5%)	5	(17. 2%)	0	(0.0%)	39	(29. 1%)	
4-5人	18	(19. 4%)	2		. 0%)	1	(3. 4%)	0	(0.0%)	21	(15. 7%)	
6人以上	21	(22. 6%)	2		. 0%)	3	(10. 3%)	0	(0.0%)	26	(19. 4%)	
非該当(0人)	0	(0.0%)	1		. 5%)	9	(31.0%)	1	(25. 0%)	11	(8. 2%)	
無回答	9	(9. 7%)	0	(0	. 0%)	3	(10. 3%)	0	(0.0%)	12	(9. 0%)	
アナルセックス有の人のコンドームイ							(04)		(FO 221)		(OF 00)	
常用	21	(28. 0%)	0		. 0%)	3	(21. 4%)	1	(50. 0%)	25	(25. 8%)	0. 618
それ以外	49	(65. 3%)	3	(50	. 0%)	9	(64. 3%)	1	(50.0%)	62	(63. 9%)	
無回答	5	(6. 7%)	3		. 0%)	2	(14. 3%)	0	(0.0%)	10	(10.3%)	

	ネット出	用あり 会いあ 93	IJ	ネットと	用あり 会いなし 8	ネット	利用なし 出会いあり =29	ネット	利用なし 出会いなし 1=4	合計 n=134		カイ2乗 検定
	n	%		n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)											
ある	38	(40.	9%)	6	(75.0%)	0	(0.0%)	0	(0.0%)	44	(32.8%)	0.000
ない	55	(59.	1%)	2	(25.0%)	29	(100.0%)	4	(100.0%)	90	(67. 2%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6	6ヶ月間)											
ある	6	(6.	5%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	6	(4. 5%)	0. 429
ない	87	(93.	5%)	8	(100.0%)	29	(100.0%)	4	(100.0%)	128	(95.5%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(i	尚去6ヶ月間)										
ある	32	(34.	4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	32	(23. 9%)	0.000
ない	61	(65.	6%)	8	(100.0%)	29	(100.0%)	4	(100.0%)	102	(76. 1%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(3	過去6ヶ月間)										
ある	35	(37.	6%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	35	(26. 1%)	0. 000
ない	58	(62.	4%)	8	(100.0%)	29	(100.0%)	4	(100.0%)	99	(73. 9%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経	験(過去6ヶ	月間)	1									
ある	13	(14.		1	(12.5%)	0	(0.0%)	0	(0.0%)	14	(10.4%)	0. 159
ない	79	(84.	9%)	7	(87.5%)	29	(100.0%)	4	(100.0%)	119	(88.8%)	
無回答	1	(1.	1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.7%)	
ゲイバー利用(過去	6ヶ月間)											
ある	74	(79.	6%)	3	(37. 5%)	0	(0.0%)	0	(0.0%)	77	(57. 5%)	0. 000
ない	19	(20.	4%)	5	(62.5%)	27	(93. 1%)	4	(100.0%)	55	(41.0%)	
無回答	0	(0.	0%)	0	(0.0%)	2	(6. 9%)	0	(0.0%)	2	(1.5%)	

	施設利用ありネット出会いあ	うり ネット	利用あ		ネット出	利用なし 出会いあり	施設和	間来他改利 開なし 出会いなし	É	計	カイ2乗 検定
	n=148		n=19	v		=89		=13		269	快儿
年齢階級	n %	n	9	6	n	%	n	%	n	%	
10歳代	13 (8.	1%) () (0	. 0%)	14	(15. 1%)	1	(7. 7%)	28	(9.8%)	0. 001
20歳代	86 (53.			. 6%)	53	(57. 0%)	3	(23. 1%)	152	(53. 3%)	0. 001
30歳代	42 (26.			i. 8%)	22	(23. 7%)	6	(46. 2%)	73	(25. 6%)	
40歳代	100000	1%) 5		5. 3%)	2	(2. 2%)	2	(15. 4%)	22	(7. 7%)	
50歳代以上		6%) 1		. 3%)	0	(0.0%)	1	(7. 7%)	3	(1. 1%)	
無回答		1%)		. 0%)	2	(2. 2%)	0	(0.0%)	7		
	J (J.	1/0)	, (0	. (70)	2	(2. 270)	U	(0.0%)	/	(2. 5%)	
最終学歴 大卒以上	90 /E1	20) 12	(00	40/)	F1	(F.4. ON)		(00.0%)	450	(50.0%)	
	82 (51.			. 4%)	51	(54. 8%)	4	(30. 8%)	150	(52. 6%)	0. 200
それ以外	77 (48.			. 6%)	42	(45. 2%)	9	(69. 2%)	134	(47. 0%)	
無回答		6%) 0	(0	. 0%)	0	(0.0%)	0	(0.0%)	1	(0.4%)	
知識_感染しても長生き											
正解	104 (65.			. 4%)	58	(62. 4%)	7	(53. 8%)	182	(63. 9%)	0. 822
その他	56 (35.	0%) 6	(31	. 6%)	35	(37. 6%)	6	(46. 2%)	103	(36. 1%)	
無回答	0 (0.	0%) 0	(0	. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から	3日で可										
正解	139 (86.	9%) 17	(89	. 5%)	71	(76. 3%)	10	(76. 9%)	237	(83. 2%)	0. 135
その他	21 (13.			. 5%)	22	(23. 7%)	3	(23. 1%)	48	(16. 8%)	0. 100
無回答	0 (0.			. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識 STDはHIVの易感薬			, ,	/	Ü	(3. 5.0)	J	(0.070)	J	(0. 0/0)	
正解	86 (53.	8%) 10	(50	. 6%)	41	(44. 1%)	8	(61. 5%)	145	(50. 9%)	0.44.
その他	74 (46.										0. 414
		,		. 4%)	52	(55. 9%)	5	(38. 5%)	140	(49. 1%)	
無回答	0 (0.	0%) 0	(0	. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向											
あり	24 (15.			. 5%)	18	(19. 4%)	4	(30.8%)	48	(16.8%)	0. 335
なし	124 (77.	5%) 13	(68	. 4%)	69	(74. 2%)	7	(53.8%)	213	(74. 7%)	
無回答	12 (7.	5%) 4	(21	. 1%)	6	(6.5%)	2	(15.4%)	24	(8.4%)	
HIV抗体検査受検経験(生涯)										
ある ない 無回答 HIV抗体検査受検経験(:	過去1年)										
ある	32 (20.	0%) 4	(21	. 1%)	14	(15. 1%)	1	(7. 7%)	51	(17. 9%)	0. 553
ない	127 (79.			9%)	79	(84. 9%)	12	(92. 3%)	233	(81. 8%)	0. 555
無回答	1 (0.			. 0%)	0	(0.0%)	0	(0.0%)	1	(0. 4%)	
STD被診断経験(生涯)		0,00,	(0	. 070)		(0. 0%)		(0. 0%)		(0. 4/0)	
ある (土) (土) (土) (土) (土) (土) (土)	37 (23.	10/)	(10	E0/)	7	(7 50)	0	(15 40)	40	(10.00)	
				. 5%)	7	(7. 5%)	2	(15. 4%)	48	(16. 8%)	0. 014
ない	119 (74.			. 5%)	82	(88. 2%)	10	(76. 9%)	228	(80.0%)	
無回答	4 (2.	5%) 0	(0)	. 0%)	4	(4. 3%)	1	(7. 7%)	9	(3. 2%)	
STD被診断経験(過去1年)										
あるない無回答											
薬物使用(生涯)											
ある	41 (25.				15	(16. 1%)	3	(23. 1%)	62	(21.8%)	0. 261
ない	115 (71.			2%)	78	(83. 9%)	9	(69. 2%)	218	(76. 5%)	
無回答	4 (2.	5%) 0	(0.	0%)	0	(0.0%)	1	(7. 7%)	5	(1.8%)	
薬物使用(過去6ヶ月間) ある ない											
無回答											
HIV陽性											
HIV陽性	0 (0.		, -	0%)	2	(2.2%)	1	(7. 7%)	3	(1.1%)	0. 037
それ以外	160 (100.	0%) 19	(100.	0%)	91	(97.8%)	12	(92.3%)	282	(98.9%)	
相手の数(過去6ヶ月間)											
1人	30 (18.	8%) 6	(31.	6%)	34	(36.6%)	5	(38.5%)	75	(26. 3%)	0. 000
2-3人	47 (29.				14	(15. 1%)	0	(0.0%)	65	(22. 8%)	0. 000
4-5人	24 (15.			3%)	7	(7. 5%)	0	(0.0%)	32	(11. 2%)	
6人以上	36 (22.		(21.		6	(6.5%)	0	(0.0%)	46		
非該当(0人)	4 (2. !		(15.		21					(16. 1%)	
						(22. 6%)	8	(61. 5%)	36	(12.6%)	
無回答	19 (11.5		(5.	3%)	11	(11. 8%)	0	(0.0%)	31	(10. 9%)	
アナルセックス有の人のコンドーム											
常用	42 (34.				16	(31.4%)	1	(25.0%)	66	(35.5%)	0. 165
	And the second s										
それ以外無回答	70 (57. 9 9 (7.		(30.	0%) 0%)	32 3	(62. 7%) (5. 9%)	3	(75.0%)	108	(58. 1%)	

	ネット出	用あり 会いあり 148	ネット出	用あり 会いなし 19	ネット	利用なし 出会いあり =89	ネット	利用なし 出会いなし =13		\$計 :269	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)										7.6
ある	70	(43.8%)	13	(68. 4%)	0	(0.0%)	0	(0.0%)	83	(29. 1%)	0. 000
ない	90	(56. 3%)	6	(31.6%)	93	(100.0%)	13	(100.0%)	202	(70.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6	ヶ月間)										
ある	30	(18.8%)	6	(31.6%)	0	(0.0%)	0	(0.0%)	36	(12.6%)	0.000
ない	130	(81.3%)	13	(68. 4%)	93	(100.0%)	13	(100.0%)	249	(87. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(過	過去6ヶ月間)									
ある	41	(25. 6%)	6	(31. 6%)	0	(0.0%)	0	(0.0%)	47	(16. 5%)	0. 000
ない	119	(74. 4%)	13	(68. 4%)	92	(98. 9%)	13	(100.0%)	237	(83. 2%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.1%)	0	(0.0%)	1	(0.4%)	
クラブ(男性限定)(過	島去6ヶ月間)									
ある	41	(25. 6%)	4	(21. 1%)	0	(0.0%)	0	(0.0%)	45	(15. 8%)	0.000
ない	119	(74.4%)	15	(78, 9%)	93	(100.0%)	12	(92.3%)	239	(83. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0, 0%)	1	(7, 7%)	1	(0, 4%)	
お金払ってセックスの経	験(過去6ヶ	日間)		, , , , ,							
ある	18	(11. 3%)	2	(10.5%)	0	(0, 0%)	0	(0, 0%)	20	(7. 0%)	0. 005
ない	142	(88. 8%)	17	(89. 5%)	92	(98, 9%)	13	(100, 0%)	264	(92. 6%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	1	(1. 1%)	0	(0.0%)	1	(0. 4%)	
ゲイバー利用(過去6	ヶ月間)										
ある	122	(76. 3%)	12	(63. 2%)	0	(0, 0%)	0	(0.0%)	134	(47. 0%)	0. 000
ない	37	(23. 1%)	7	(36. 8%)	92	(98. 9%)	13	(100.0%)	149	(52. 3%)	5. 000
無回答	1	(0.6%)	0	(0.0%)	1	(1, 1%)	0	(0.0%)	2	(0. 7%)	

	ネットと	刊用あり 出会いあり =55	ネット	利用あり 出会いな =35		ネットと	削用なし 出会いあり =38	ネットと	刊用なし 出会いなし =1 4		含計 =142		か2乗 検定
-	n	%	n	 00 %		n	%	n	%	n	%		
年齢階級						Maria da S							
10歳代	2	(3.6%)	1		9%)	4	(10.5%)	2	(14. 3%)	9		3%)	0. 066
20歳代	14	(25. 5%)	17	(48.	6%)	19	(50.0%)	9	(64. 3%)	59	(41.		
30歳代	21	(38. 2%)	12	(34.	3%)	10	(26. 3%)	1	(7. 1%)	44	(31.	0%)	
40歳代	12	(21.8%)	5	(14.	3%)	3	(7. 9%)	2	(14.3%)	22	(15.	5%)	
50歳代以上	4	(7. 3%)	0	(0.	0%)	2	(5. 3%)	0	(0.0%)	6	(4.	2%)	
無回答	2	(3.6%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	2	(1.	4%)	
最終学歴													
大卒以上	29	(52. 7%)	18	(51.	4%)	19	(50.0%)	4	(28.6%)	70	(49.		0. 434
それ以外	26	(47. 3%)	17	(48.	6%)	19	(50.0%)	10	(71.4%)	72	(50.	7%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.	0%)	
知識_感染しても長生き豆	J能												
正解	55	(100.0%)	35	(100.	0%)	38	(100.0%)	14	(100.0%)	142	(100.	0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.	0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.	0%)	
知識_HIV検査感染から3E	で可												
正解	55	(100.0%)	35	(100.	0%)	38	(100.0%)	14	(100.0%)	142	(100.	0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.	0%)	
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.	0%)	
知識。STDはHIVの易感染		,/	J	, 5.							, , ,		
正解	55	(100.0%)	35	(100.	0%)	38	(100.0%)	14	(100.0%)	142	(100.	0%)	
その他	0	(0.0%)	0		0%)	0	(0, 0%)	0	(0.0%)	0		0%)	
無回答	0	(0, 0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	100	0%)	
抑うつ傾向													
あり	16	(29. 1%)	15	(42	9%)	16	(42. 1%)	6	(42. 9%)	53	(37	3%)	0. 425
なし	35	(63. 6%)	19	,	3%)	19	(50. 0%)	6	(42. 9%)	79	(55.		0. 120
無回答	4	(7. 3%)	1		9%)	3	(7. 9%)	2	(14. 3%)	10	,	0%)	
HIV抗体検査受検経験(生		(7. 0/0)		(2.	370)		(7. 5%)	-	(14. 0/0)		(/.	0,0)	
の ある	/王/ 14	(25. 5%)	10	(28	6%)	8	(21. 1%)	1	(7. 1%)	33	(23	2%)	0. 416
ない	41	(74. 5%)	25		4%)	30	(78. 9%)	13	(92. 9%)	109	(76.		0. 410
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0		0%)	
		(0. 0%)		(0.	070)	U	(0.0%)		(0. 0%)	es es condicion	(0.	0,0)	
HIV抗体検査受検経験(過 ある	五1十) 9	(16. 4%)	8	(22	9%)	3	(7. 9%)	0	(0.0%)	20	(14	1%)	0. 140
ない	46	(83. 6%)	27		1%)	35	(92. 1%)	14		122		9%)	0. 140
	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0		0%)	
無回答	U	(0. 0%)	U	(0	U70)	U	(0. 0%)		(0. 0%)	U	(0.	. (1/0)	
STD被診断経験(生涯)	16	(29. 1%)	12	(24	3%)	1	(2. 6%)	1	(7. 1%)	30	(21	1%)	0.000
ある ない	37	(67. 3%)	22		9%)	36	(94. 7%)	12	(85. 7%)	107		4%)	0. 002
	2	(3.6%)	1		9%)	1	(2. 6%)	1	(7. 1%)	5		5%)	
無回答	2	(3. 0/0)		(2	. 3/6)		(2. 0%)		(7. 170)	J	(0.	3/0)	
STD被診断経験(過去1年)	7	(12, 7%)	4	(11	4%)	0	(0.0%)	0	(0.0%)	11	(7	. 7%)	0. 068
ある	48	(87. 3%)	28		. 0%)	38	(100.0%)	14		128		1%)	0. 000
ない													
無回答	0	(0.0%)	3	(0	. 6%)	0	(0.0%)	0	(0.0%)	3	(2.	. 1%)	
薬物使用(生涯)	00	(EQ 70)	0.4	(00	CW)	1.4	(2C 0W)	7	(E0 0%)	7.4	(E 0	10/	0.050
ある	29	(52. 7%)	24		6%)	14	(36. 8%)	7		74		. 0%)	0. 050
ない	22	(40. 0%)	10		. 6%)	23	(60. 5%)	6	(42. 9%)	61 7			
無回答	4	(7. 3%)	1	(2	9%)	1	(2. 6%)	1	(7. 1%)	/	(4	. 9%)	
薬物使用(過去6ヶ月間)		(22 20)		/00	0.00		(40.0%)		(40, 00)		(07	00()	
ある	21	(38. 2%)	21		. 0%)	5	(13. 2%)	6	(42. 9%)	53		3%)	0. 001
ない	34	(61. 8%)	14		0%)	33	(86. 8%)	8	(57. 1%)	89		. 7%)	
無回答	0	(0.0%)	0	(0)	. 0%)	0	(0.0%)	0	(0.0%)	0	(0	. 0%)	
HIV陽性											(0	40.0	
HIV陽性	3	(5. 5%)	0		. 0%)	0	(0.0%)	0	(0.0%)	3		. 1%)	0. 18
それ以外	52	(94. 5%)	35	(100	. 0%)	38	(100.0%)	14	(100.0%)	139	(9/	. 9%)	
相手の数(過去6ヶ月間)													
1人	5	(9. 1%)	1		. 9%)	16	(42. 1%)	2		24		. 9%)	0. 000
2-3人	24	(43. 6%)	13		1%)	5	(13. 2%)	2	(14. 3%)	44		. 0%)	
4-5人	9	(16. 4%)	9	(25	. 7%)	2	(5. 3%)	6	(42. 9%)	26		. 3%)	
6人以上	10	(18. 2%)	11	(31	4%)	1	(2.6%)	2	(14. 3%)	24		. 9%)	
非該当(0人)	4	(7. 3%)	0		. 0%)	13	(34. 2%)	1	(7. 1%)	18			
無回答	3	(5.5%)	1	(2	. 9%)	1	(2.6%)	1	(7. 1%)	6	(4	. 2%)	
アナルセックス有の人のコンドームセ	E用状	兄(過去6ヶ	月間)										
常用	15	(37. 5%)	9	(29	0%)	5	(29. 4%)	4	(33. 3%)	33	(33	. 0%)	0. 568
それ以外	17	(42. 5%)	18		1%)	9	(52. 9%)	3	(25.0%)	47		. 0%)	
			. •	,									

	ネット出	用あり 会いあ 5 5	IJ	ネット出	用あり 会いなし 35	ネットと	利用なし 出会いあり =38	ネット出	用なし 会いなし 14	合計 n=142		カイ2乗 検定
	n	%		n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)											
ある	26	(47.	3%)	25	(71.4%)	0	(0.0%)	0	(0.0%)	51	(35. 9%)	0.000
ない	29	(52.	7%)	10	(28.6%)	38	(100.0%)	13	(92. 9%)	90	(63. 4%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(7.1%)	1	(0.7%)	
ビデオ系利用(過去	6ヶ月間)											
ある	20	(36.	4%)	15	(42.9%)	0	(0.0%)	0	(0.0%)	35	(24.6%)	0.000
ない	35	(63.	6%)	20	(57.1%)	38	(100.0%)	13	(92.9%)	106	(74.6%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(7.1%)	1	(0.7%)	
マンション系利用(過去6ヶ月間)										
ある	14	(25.	5%)	15	(42.9%)	0	(0.0%)	0	(0.0%)	29	(20.4%)	0. 000
ない	39	(70.	9%)	20	(57. 1%)	38	(100.0%)	13	(92. 9%)	110	(77.5%)	
無回答	2	(3.	6%)	0	(0.0%)	0	(0.0%)	1	(7.1%)	3	(2.1%)	
クラブ(男性限定)(過去6ヶ月間)										
ある	13	(23.	6%)	13	(37. 1%)	0	(0.0%)	0	(0.0%)	26	(18. 3%)	0.000
ない	42	(76.	4%)	22	(62.9%)	38	(100.0%)	13	(92.9%)	115	(81.0%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(7.1%)	1	(0.7%)	
お金払ってセックスの総	経験(過去6ヶ	月間)										
ある	16	(29.		7	(20.0%)	0	(0.0%)	0	(0.0%)	23	(16. 2%)	0. 001
ない	39	(70.	9%)	28	(80.0%)	38	(100.0%)	13	(92. 9%)	118	(83. 1%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(7.1%)	1	(0.7%)	
ゲイバー利用(過去	6ヶ月間)											
ある	34	(61.	8%)	23	(65. 7%)	0	(0.0%)	0	(0.0%)	57	(40. 1%)	0. 000
ない	21	(38.	2%)	12	(34, 3%)	38	(100.0%)	13	(92. 9%)	84	(59. 2%)	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
無回答	0	(0.		0	(0.0%)	0	(0.0%)	1	(7. 1%)	1	(0. 7%)	

	ネット	利用あり 出会いあり 1=35	ネット	利用あり 出会いなし =12	ネット	利用なし 出会いあり =13	ネット	利用なし 出会いなし n=6		合計 =66	カイ2乗 検定
	n	%	n	%	n	%	n	%		%	
年齢階級											
10歳代	1	(2. 9%)	1	(8. 3%)	3	(23. 1%)	1	(16. 7%)	6	(9. 1%)	0. 055
20歳代	12	(34. 3%)	7	(58. 3%)	5	(38.5%)	3	(50.0%)	27	(40.9%)	
30歳代	10	(28.6%)	4	(33. 3%)	5	(38.5%)	0	(0.0%)	19	(28.8%)	
40歳代	11	(31.4%)	0	(0.0%)	0	(0.0%)	1	(16. 7%)	12	(18. 2%)	
50歳代以上	1	(2.9%)	0	(0.0%)	0	(0.0%)	1	(16. 7%)	2	(3.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	22	(62. 9%)	7	(58. 3%)	5	(38. 5%)	3	(50.0%)	37	(56. 1%)	0. 493
それ以外	13	(37. 1%)	5	(41.7%)	8	(61.5%)	3	(50.0%)	29	(43. 9%)	(2) 100
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き	可能										
正解	35	(100.0%)	12	(100.0%)	13	(100.0%)	6	(100.0%)	66	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3	日で可										
正解	35	(100.0%)	12	(100.0%)	13	(100.0%)	6	(100.0%)	66	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
	U	(0. 0%)	U	(0. 0%)	U	(0. 0%)	U	(0. 0%)	U	(0. 070)	
知識_STDはHIVの易感染	25	(100.0%)	10	(100.0%)	1.0	(100 0%)		(100.0%)	00	(100.0%)	
正解 その他	35 0	(100.0%)	12 0	(100. 0%) (0. 0%)	13		6	,	66	(100.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0. 0%) (0. 0%)	0	(0.0%)	0	(0.0%)	
	U	(0. 0%)	U	(0.0%)	U	(0.0%)	U	(0.0%)	U	(0.0%)	
抑うつ傾向	10	(24.20/)	0	(00.7%)		(20, 0%)	0	(00, 0%)	00	(00 40)	0.054
あり	12	(34. 3%)	8	(66. 7%)	4	(30. 8%)	2	(33. 3%)	26	(39. 4%)	0. 251
なし	22	(62. 9%)	4	(33. 3%)	8	(61. 5%)	2	(33. 3%)	36	(54. 5%)	
無回答	, 1	(2. 9%)	0	(0.0%)	1	(7. 7%)	2	(33. 3%)	4	(6. 1%)	
IIV抗体検査受検経験(生											
ある	11	(31.4%)	5	(41. 7%)	2	(15. 4%)	1	(16. 7%)	19	(28. 8%)	0. 447
ない	24	(68. 6%)	7	(58. 3%)	11	(84. 6%)	5	(83. 3%)	47	(71. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HV抗体検査受検経験(過											
ある	3	(8.6%)	3	(25.0%)	1	(7. 7%)	0	(0.0%)	7	(10.6%)	0. 308
ない	32	(91.4%)	9	(75.0%)	12	(92.3%)	6	(100.0%)	59	(89. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)											
ある	12	(34. 3%)	3	(25.0%)	1	(7. 7%)	1	(16. 7%)	17	(25. 8%)	0. 383
ない	23	(65. 7%)	8	(66. 7%)	10	(76. 9%)	5	(83. 3%)	46	(69. 7%)	
無回答	0	(0.0%)	1	(8.3%)	2	(15. 4%)	0	(0.0%)	3	(4.5%)	
STD被診断経験(過去1年))										
ある	1	(2.9%)	2	(16. 7%)	0	(0.0%)	1	(16. 7%)	4	(6. 1%)	0. 188
ない	32	(91.4%)	10	(83, 3%)	13	(100.0%)	5	(83. 3%)	60	(90. 9%)	01.100
無回答	2	(5. 7%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(3.0%)	
薬物使用(生涯)				(-,-,-,-				(0.0.0)	_	(6. 6.0)	
ある	27	(77. 1%)	9	(75.0%)	1	(7. 7%)	3	(50.0%)	40	(60.6%)	0, 000
ない	8	(22. 9%)	3	(25. 0%)	10	(76. 9%)	3	(50.0%)	24	(36. 4%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	2	(15. 4%)	0	(0.0%)	2	(3. 0%)	
		(0. 0/0)		(0. 0/0)		(10. 4/0)		(0. 0/0)	_	(0. 0%)	
薬物使用(過去6ヶ月間)	19	(54. 3%)	8	(66. 7%)	1	(7. 7%)	2	(22 20)	20	(4E EW)	0.011
ある							2	(33. 3%)	30	(45. 5%)	0. 011
ない	16	(45. 7%)	4	(33. 3%)	12	(92. 3%)	4	(66. 7%)	36	(54. 5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HV陽性	0	(0, 00)		(0. 00()		(0, 0%)		(0.000)		(4 50)	
HIV陽性	0	(0.0%)	1	(8. 3%)	0	(0.0%)	0	(0.0%)	1	(1. 5%)	0. 206
それ以外	35	(100.0%)	11	(91. 7%)	13	(100.0%)	6	(100.0%)	65	(98. 5%)	
相手の数(過去6ヶ月間)											
1人	5	(14. 3%)	0	(0.0%)	6	(46. 2%)	0	(0.0%)	11	(16. 7%)	0. 007
2-3人	11	(31. 4%)	3	(25.0%)	2	(15. 4%)	4	(66. 7%)	20	(30. 3%)	
4-5人	6	(17. 1%)	2	(16. 7%)	0	(0.0%)	0	(0.0%)	8	(12. 1%)	
6人以上	10	(28.6%)	5	(41. 7%)	0	(0.0%)	2	(33. 3%)	17	(25. 8%)	
非該当(0人)	3	(8. 6%)	1	(8.3%)	4	(30.8%)	0	(0.0%)	8	(12.1%)	
無回答	0	(0.0%)	1	(8.3%)	1	(7. 7%)	0	(0.0%)	2	(3.0%)	
アナルセックス有の人のコンドームイ	使用状验	兄(過去6ヶ)	目間)								
常用	11	(40. 7%)	3 1417	(30.0%)	3	(37.5%)	0	(0.0%)	17	(33. 3%)	0. 368
											0. 000
それ以外	12	(44. 4%)	5	(50.0%)	2	(25.0%)	3	(50.0%)	22	(43. 1%)	

	ネット出	用あり 会いあり -35	ネット出	用あり 会いなし 12	ネット	利用なし 出会いあり =13	ネット	利用なし 出会いなし 1=6		÷≣† =66	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)										
ある	14	(40.0%)	8	(66. 7%)	0	(0.0%)	0	(0.0%)	22	(33. 3%)	0. 001
ない	21	(60.0%)	4	(33. 3%)	13	(100.0%)	6	(100.0%)	44	(66. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6	ヶ月間)										
ある	9	(25. 7%)	4	(33. 3%)	0	(0.0%)	0	(0.0%)	13	(19. 7%)	0. 076
ない	26	(74. 3%)	8	(66. 7%)	13	(100.0%)	6	(100.0%)	53	(80.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(過	去6ヶ月間)									
ある	10	(28.6%)	4	(33. 3%)	0	(0.0%)	0	(0.0%)	14	(21. 2%)	0. 063
ない	25	(71.4%)	8	(66. 7%)	13	(100.0%)	6	(100.0%)	52	(78, 8%)	
無回答	0	(0.0%)	0	(0, 0%)	0	(0, 0%)	0	(0, 0%)	0	(0.0%)	
クラブ(男性限定)(過	去6ヶ月間)				1031000000000					
ある	10	(28. 6%)	4	(33. 3%)	0	(0.0%)	0	(0.0%)	14	(21. 2%)	0. 063
ない	25	(71.4%)	8	(66. 7%)	13	(100.0%)	6	(100.0%)	52	(78.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経	験(過去6ヶ	月間)									
ある	7	(20.0%)	4	(33. 3%)	0	(0.0%)	0	(0.0%)	11	(16. 7%)	0. 090
ない	27	(77. 1%)	8	(66, 7%)	13	(100.0%)	6	(100.0%)	54	(81, 8%)	0. 000
無回答	1	(2. 9%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.5%)	
ゲイバー利用(過去6	ヶ月間)										
ある	22	(62. 9%)	10	(83. 3%)	0	(0.0%)	0	(0.0%)	32	(48. 5%)	0. 000
ない	13	(37. 1%)	2	(16. 7%)	13	(100.0%)	6	(100.0%)	34	(51.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	

	ネットと	刊用あり H会いあり :638	ネット	利用あり 出会いな =329	L	ネットと	利用なし 出会いも 268		ネット	利用なし 出会いな =76			含計 1311		か12乗 検定
	n	%	n	%		n	%		n	%		n	%		
年齢階級															
10歳代	19	(3. 0%)	11	(3.		39		6%)	20	(26.	,	89	,	8%)	0. 000
20歳代	244	(38. 2%)	177	(53.		117		. 7%)	41	(53.		579	0.00	2%)	
30歳代	263	(41. 2%)	118	(35.		70		. 1%)	10	(13.		461	100	2%)	
40歳代	80	(12.5%)	18	(5.		31		. 6%)	4		3%)	133		1%)	
50歳代以上	31	(4. 9%)	5	(1.		10		. 7%)	. 1		3%)	47		6%)	
無回答	1	(0. 2%)	0	(0.	0%)	1	(0	. 4%)	0	(0.	0%)	2	(0.	. 2%)	
最終学歴 大卒以上	394	(61. 8%)	166	/E 0	EW\	129	(40	. 1%)	36	(47.	40/\	725	/55	3%)	0.000
ス年以上 それ以外	241	(37. 8%)	162	(50. (49.		138		. 5%)	40	(52.		581		3%)	0. 000
無回答	3	(0.5%)	1	(0.		1		. 4%)	0		0%)	5		4%)	
知識 感染しても長生き		(0. 0/0)		(0.	070)		(0	. 470)	Ü	(0.	070)	Ü	(0.	. 170)	
正解	638	(100.0%)	329	(100.	O%)	268	(100	0%)	76	(100.	0%)	1311	(100	0%)	
その他	0.50	(0.0%)	0	(0.		0		. 0%)	0		0%)	0		. 0%)	
無回答	0	(0.0%)	0	(0.		0		. 0%)	0		0%)	0		. 0%)	
知識 HIV検査感染から3		(0. 0/0)		(0.	070)	U	(0	. 0/0)	U	(0.	ON)	U	(0	. 010)	
正解	638	(100.0%)	329	(100.	O%)	268	(100	0%)	76	(100.	0%)	1311	(100	0%)	
その他	. 0	(0.0%)	0	(0.		0		. 0%)	0		0%)	0		. 0%)	
無回答	0	(0.0%)	0	(0.		0	, -	. 0%)	0		0%)	0		. 0%)	
知識_STDはHIVの易感染	-	(0. 0/0)	Ü	ζο.	0,0,		(0	. 070)		(0.	0.07			. 0.0)	
正解	638	(100.0%)	329	(100.	0%)	268	(100	0%)	76	(100.	0%)	1311	(100	0%)	
その他	0	(0.0%)	0	(0.		0		. 0%)	0		0%)	0		. 0%)	
無回答	0	(0.0%)	0	(0.		0		. 0%)	0		0%)	0		. 0%)	
抑うつ傾向		(0. 0/0)	Ü	(0.	0,0)	·	(0	. 070)	Ü	(0.	0.00		(0	. 010)	
あり	208	(32. 6%)	139	(42.	2%)	107	(39	. 9%)	29	(38	2%)	483	(36	. 8%)	0. 031
なし	382	(59. 9%)	173	(52.		146		. 5%)	39		3%)	740		4%)	0. 001
無回答	48	(7. 5%)	17	(5.		15	24,000 000	. 6%)	8		5%)	88		7%)	
HIV抗体検査受検経験(生	‡ 涯)														
ある	272	(42. 6%)	156	(47.	4%)	63	(23	. 5%)	14	(18.	4%)	505	(38	. 5%)	0. 000
ない	366	(57. 4%)	173	(52.	6%)	205	(76	. 5%)	62	(81.	6%)	806	(61	. 5%)	
無回答	0	(0.0%)	0	(0.		0		. 0%)	0		0%)	0		. 0%)	
HIV抗体検査受検経験(i	周去1年)														
ある	129	(20. 2%)	99	(30.	1%)	28	(10	. 4%)	8	(10.	5%)	264	(20	. 1%)	0. 000
ない	509	(79.8%)	230	(69.	9%)	239	(89	. 2%)	68	(89.	5%)	1046	(79	. 8%)	
無回答	0	(0.0%)	0	(0.	0%)	1	(0	. 4%)	0	(0.	0%)	1	(0	. 1%)	
STD被診断経験(生涯)															
ある	181	(28. 4%)	102	(31.	0%)	36	(13	. 4%)	7	(9.	2%)	326	(24	. 9%)	0. 000
ない	447	(70.1%)	226	(68.	7%)	221	(82	. 5%)	63	(82.	9%)	957	(73	. 0%)	
無回答	10	(1.6%)	1	(0.	3%)	11	(4	. 1%)	6	(7.	9%)	28	(2	. 1%)	
STD被診断経験(過去1年															
ある	59	(9. 2%)	50	(15.		10		. 7%)	4		3%)	123		. 4%)	0. 000
ない	571	(89. 5%)	278	(84.	(*)	252		. 0%)	72		7%)	1173	*	. 5%)	
無回答	8	(1.3%)	1	(0.	3%)	6	(2	. 2%)	0	(0.	0%)	15	(1	. 1%)	
薬物使用(生涯)															
ある	362	(56. 7%)	243	(73.		110		. 0%)	36		4%)	751		. 3%)	0. 000
ない	264	(41.4%)	85	(25.		149		. 6%)	35		1%)	533		. 7%)	
無回答	12	(1. 9%)	1	(0.	3%)	9	(3	. 4%)	5	(6.	6%)	27	(2	. 1%)	
薬物使用(過去6ヶ月間)		(40. 40)	10-	//00	EW\		100	06/7	22	100	00/	505	/40	ON	
ある	256	(40. 1%)	199	(60.		57		. 3%)	23		3%)	535		. 8%)	0. 000
ない	381	(59. 7%)	128	(38.		210		. 4%)	53		7%)	772		. 9%)	
無回答	1	(0. 2%)	. 2	(0.	6%)	1	(0)	. 4%)	0	(0.	0%)	4	(0	. 3%)	
HIV陽性													/.	044)	
HIV陽性	26	(4. 1%)	17		2%)	5		. 9%)	2		6%)	50		. 8%)	0. 185
それ以外	612	(95. 9%)	312	(94.	8%)	263	(98	. 1%)	74	(97.	4%)	1261	(96	. 2%)	
相手の数(過去6ヶ月間)		/47 40/\	10	/=	E(/)	0.4	(05	10/	0	(10	EW)	000	(17	EW)	0.000
1人	109	(17. 1%)	18	(5.		94		. 1%)	8	(10.		229		. 5%)	0. 000
2-3人	155	(24. 3%)	66	(20.		49		. 3%)	29		2%)	299		. 8%)	
4-5人	116	(18. 2%)	65	(19.		26		. 7%)	9		8%)	216		. 5%)	
6人以上	183	(28. 7%)	161	(48.		10		. 7%)	15		7%)	369		. 1%)	
非該当(0人)	59	(9. 2%)	8		4%)	82		. 6%)	8		5%)	157		. 0%)	
無回答	16	(2.5%)	11	(3.	37b)	7	(2	. 6%)	7	(9.	2%)	41	(3	. 1%)	
アナルセックス有の人のコンドーム				(00	20/	20	(04	00/	1.4	(0.4	601	204	(04	2W1	0.000
常用	192	(42. 1%)	82			36		. 8%)	14		6%)	324		. 2%)	0. 000
それ以外	200	(43. 9%)	163			73		. 3%)	36		2%)	472		. 8%)	
無回答	64	(14.0%)	45	(15.	O%)	36	(24	. 8%)	7	(12.	3%)	152	(16	. 0%)	

	ネット出	用あり 会いあり 638	ネット出	用あり 会いなし 329	ネットと	利用なし 出会いあり :268	ネット日	用なし 会いなし -76		1311	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	285	(44. 7%)	162	(49. 2%)	0	(0.0%)	0	(0.0%)	447	(34. 1%)	0. 000
ない	351	(55.0%)	166	(50.5%)	267	(99.6%)	72	(94. 7%)	856	(65. 3%)	
無回答	2	(0.3%)	1	(0.3%)	1	(0.4%)	4	(5. 3%)	8	(0.6%)	
ビデオ系利用(過去	56ヶ月間)										
ある	162	(25. 4%)	134	(40. 7%)	0	(0.0%)	0	(0.0%)	296	(22.6%)	0. 000
ない	475	(74.5%)	195	(59. 3%)	264	(98.5%)	71	(93. 4%)	1005	(76. 7%)	
無回答	1	(0.2%)	0	(0.0%)	4	(1.5%)	5	(6.6%)	10	(0.8%)	
マンション系利用	(過去6ヶ月間))									
ある	193	(30. 3%)	169	(51. 4%)	0	(0.0%)	0	(0.0%)	362	(27. 6%)	0. 000
ない	443	(69. 4%)	160	(48. 6%)	267	(99.6%)	71	(93. 4%)	941	(71.8%)	
無回答	2	(0.3%)	0	(0.0%)	1	(0.4%)	5	(6. 6%)	8	(0.6%)	
クラブ(男性限定)	(過去6ヶ月間))									
ある	135	(21. 2%)	126	(38. 3%)	0	(0.0%)	0	(0.0%)	261	(19.9%)	0.000
ない	501	(78.5%)	203	(61, 7%)	266	(99. 3%)	70	(92. 1%)	1040	(79.3%)	
無回答	2	(0.3%)	0	(0.0%)	2	(0, 7%)	6	(7. 9%)	10	(0.8%)	
お金払ってセックスの	経験(過去6ヶ	日間)									
ある	128	(20. 1%)	67	(20. 4%)	0	(0, 0%)	0	(0.0%)	195	(14. 9%)	0.000
ない	510	(79. 9%)	262	(79. 6%)	268	(100.0%)	71	(93. 4%)	1111	(84. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	5	(6. 6%)	5	(0.4%)	
ゲイバー利用(過去	56ヶ月間)										
ある	413	(64. 7%)	251	(76. 3%)	0	(0.0%)	0	(0.0%)	664	(50. 6%)	0. 000
ない	225	(35, 3%)	78	(23. 7%)	266	(99. 3%)	71	(93. 4%)	640	(48. 8%)	3. 300
無回答	0	(0.0%)	0	(0.0%)	2	(0. 7%)	5	(6, 6%)	7	(0. 5%)	

	ネット	利用あり 出会いあり =863	ネット	利用あり 出会いなし =365	ネット	利用なし 出会いあり =203	ネット	利用なし 出会いなし =48		今計 :1479	カイ2乗 検定
	n	%	n	%	n	-203		-40 %	n	%	
年齢階級											
10歳代	11	(1.3%)	20	(5.5%)	31	(15. 3%)	5	(10.4%)	67	(4.5%)	0. 000
20歳代	300	(34.8%)	183	(50.1%)	91	(44.8%)	28	(58. 3%)	602	(40.7%)	
30歳代	401	(46.5%)	126	(34.5%)	52	(25. 6%)	11	(22.9%)	590	(39. 9%)	
40歳代	119	(13.8%)	32	(8.8%)	20	(9.9%)	3	(6.3%)	174	(11.8%)	
50歳代以上	31	(3.6%)	2	(0.5%)	9	(4.4%)	1	(2.1%)	43	(2. 9%)	
無回答	1	(0.1%)	2	(0.5%)	0	(0.0%)	0	(0.0%)	3	(0.2%)	
最終学歴											
大卒以上	598	(69. 3%)	199	(54. 5%)	131	(64. 5%)	32	(66. 7%)	960	(64. 9%)	0. 000
それ以外	263	(30.5%)	164	(44. 9%)	71	(35.0%)	16	(33. 3%)	514	(34.8%)	
無回答	2	(0.2%)	2	(0.5%)	1	(0.5%)	0	(0.0%)	5	(0.3%)	
知識 感染しても長生き	可能										
正解	863	(100.0%)	365	(100.0%)	203	(100.0%)	48	(100.0%)	1479	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識 HIV検査感染から	3日で可										
正解	863	(100.0%)	365	(100.0%)	203	(100.0%)	48	(100.0%)	1479	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識 STDはHIVの易感薬	L .	(6. 6.6)		(0.00)		(0. 0.0)		(0. 0%)	Ü	(0. 0/0)	
正解	863	(100, 0%)	365	(100.0%)	203	(100.0%)	48	(100.0%)	1479	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向				(4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4				(6. 6%)		(0. 0.0)	
あり	313	(36. 3%)	159	(43. 6%)	77	(37. 9%)	19	(39. 6%)	568	(38. 4%)	0. 086
なし	497	(57. 6%)	183	(50. 1%)	110	(54. 2%)	22	(45. 8%)	812	(54. 9%)	0. 000
無回答	53	(6. 1%)	23	(6. 3%)	16	(7. 9%)	7	(14. 6%)	99	(6. 7%)	
IIV抗体検査受検経験((0. 170)	20	(0. 0/0)	10	(7. 5%)		(14.0%)	00	(0. 7%)	
ある	工涯)	(58. 5%)	203	(55. 6%)	66	(32. 5%)	16	(33. 3%)	790	(53. 4%)	0. 000
ない	358	(41. 5%)	162	(44. 4%)	137	(67. 5%)	32	(66. 7%)	689	(46. 6%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
IIV抗体検査受検経験(_	(0. 0.0)		(0. 0/0)		(0. 0.0)	·	(0. 0%)		(0. 0%)	
ある	258	(29, 9%)	119	(32. 6%)	32	(15. 8%)	12	(25. 0%)	421	(28. 5%)	0. 000
ない	603	(69. 9%)	246	(67. 4%)	171	(84. 2%)	36	(75. 0%)	1056	(71. 4%)	0. 000
無回答	2	(0. 2%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(0.1%)	
TD被診断経験(生涯)	_	(0. 2/0)		(0. 0/0)	0	(0. 0%)	U	(0. 0%)	4	(0. 170)	
ある	350	(40, 6%)	160	(43. 8%)	47	(23. 2%)	9	(18. 8%)	566	(38. 3%)	0.000
ない	509	(59.0%)	200	(54, 8%)	156	(76. 8%)	36	(75. 0%)	901	(60. 9%)	0. 000
無回答	4	(0.5%)	5	(1. 4%)	0	(0.0%)	3	(6. 3%)	12	(0.8%)	
STD被診断経験(過去1年		(0. 5/0)		(1. 1/0)		(0. 0%)		(0. 0%)	12	(0. 0%)	
ある	130	(15. 1%)	66	(18. 1%)	17	(8. 4%)	5	(10. 4%)	218	(14. 7%)	0. 016
ない	724	(83. 9%)	297	(81. 4%)	183	(90. 1%)	43	(89. 6%)	1247	(84. 3%)	0. 010
無回答	9	(1.0%)	_	(· ·						(0. 9%)	
薬物使用(生涯)		(1.0%)	2	(0.5%)	3	(1.5%)	0	(0.0%)	14	(0. 5%)	
条物使用(生涯) ある	591	(68. 5%)	286	(78. 4%)	77	(37. 9%)	28	(58. 3%)	982	(66. 4%)	0. 000
ない	265	(30. 7%)	72	(19. 7%)	124	(61. 1%)	17	(35. 4%)	478	(32. 3%)	0. 000
無回答	7	(0.8%)	72	(1. 9%)	2	(1.0%)	3	(6. 3%)	19	(1. 3%)	
		(0.070)	. To Product of	(1. 370)		(1. U70)	3	(0. 370)	19	(1. 3%)	
薬物使用(過去6ヶ月間)		(50.40/)	051	(60 ON)	40	(20.7%)	00	(47.0%)	700	(E1 0%)	0.000
ある	452	(52. 4%)	251	(68. 8%)	42	(20. 7%)	23	(47. 9%)	768	(51. 9%)	0. 000
ない	410	(47. 5%)	113	(31. 0%)	160	(78. 8%)	25	(52. 1%)	708	(47. 9%)	
無回答	1	(0.1%)	1	(0. 3%)	1	(0.5%)	0	(0.0%)	3	(0. 2%)	
IIV陽性	71	(0 00)	44	(11 00/)	10	(E 00/)	^	(0.00/)	107	(0.0%)	
HIV陽性	71	(8. 2%)	41	(11. 2%)	12	(5. 9%)	3	(6. 3%)	127	(8. 6%)	0. 134
それ以外	792	(91. 8%)	324	(88. 8%)	191	(94. 1%)	45	(93. 8%)	1352	(91. 4%)	
相手の数(過去6ヶ月間)		(4.0. 00)		(6.5)		/0.					
1人	146	(16. 9%)	14	(3. 8%)	69	(34. 0%)	4	(8. 3%)	233	(15. 8%)	0. 000
2-3人	193	(22. 4%)	44	(12. 1%)	34	(16. 7%)	19	(39. 6%)	290	(19.6%)	
4-5人	148	(17. 1%)	61	(16. 7%)	12	(5. 9%)	7	(14. 6%)	228	(15. 4%)	
6人以上	283	(32. 8%)	219	(60.0%)	14	(6. 9%)	12	(25.0%)	528	(35. 7%)	
非該当(0人)	60	(7.0%)	9	(2.5%)	68	(33. 5%)	5	(10.4%)	142	(9.6%)	
無回答	33	(3.8%)	18	(4.9%)	6	(3.0%)	1	(2. 1%)	58	(3.9%)	
ナルセックス有の人のコント・ー	使用状态	元(過去6ヶ)	月間)								
常用	261	(40.0%)	100	(30.5%)	28	(28.0%)	13	(38. 2%)	402	(36. 1%)	0. 007
それ以外	307	(47.0%)	191	(58. 2%)	50	(50.0%)	14	(41. 2%)	562	(50. 4%)	
CAUDATE	007										

	ネット日	用あり 会いあり 863	ネット出	用あり 会いなし 365	ネット	利用なし 出会いあり =203	ネットは	用なし 会いなし -48		rā† 1479	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	357	(41.4%)	199	(54.5%)	0	(0.0%)	0	(0.0%)	556	(37.6%)	0.000
ない	504	(58. 4%)	165	(45. 2%)	202	(99.5%)	44	(91.7%)	915	(61.9%)	
無回答	2	(0.2%)	1	(0.3%)	1	(0.5%)	4	(8.3%)	8	(0.5%)	
ビデオ系利用(過去	6ヶ月間)										
ある	208	(24. 1%)	163	(44. 7%)	0	(0.0%)	0	(0.0%)	371	(25. 1%)	0. 000
ない	651	(75. 4%)	200	(54.8%)	202	(99.5%)	44	(91.7%)	1097	(74. 2%)	
無回答	4	(0.5%)	2	(0.5%)	1	(0.5%)	4	(8.3%)	11	(0.7%)	
マンション系利用(過去6ヶ月間)									
ある	326	(37. 8%)	192	(52.6%)	0	(0.0%)	0	(0.0%)	518	(35. 0%)	0. 000
ない	536	(62.1%)	171	(46.8%)	203	(100.0%)	44	(91.7%)	954	(64.5%)	
無回答	1	(0.1%)	2	(0.5%)	0	(0.0%)	4	(8. 3%)	7	(0.5%)	
クラブ(男性限定)(過去6ヶ月間)									
ある	244	(28. 3%)	176	(48. 2%)	0	(0.0%)	0	(0.0%)	420	(28. 4%)	0. 000
ない	616	(71.4%)	188	(51.5%)	203	(100.0%)	44	(91.7%)	1051	(71.1%)	
無回答	3	(0.3%)	1	(0.3%)	0	(0.0%)	4	(8.3%)	8	(0.5%)	
お金払ってセックスの約	経験(過去6ヶ	月間)									
ある	169	(19.6%)	97	(26. 6%)	0	(0.0%)	0	(0.0%)	266	(18.0%)	0. 000
ない	694	(80. 4%)	268	(73. 4%)	203	(100.0%)	44	(91.7%)	1209	(81. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	4	(8.3%)	4	(0.3%)	
ゲイバー利用(過去	6ヶ月間)										
ある	654	(75. 8%)	291	(79. 7%)	0	(0.0%)	0	(0.0%)	945	(63. 9%)	0.000
ない	207	(24.0%)	73	(20.0%)	203	(100.0%)	44	(91. 7%)	527	(35. 6%)	
無回答	2	(0. 2%)	1	(0.3%)	0	(0.0%)	4	(8. 3%)	7	(0.5%)	

	ネットと	利用あり 出会いあり =98	ネット	利用あり 出会いな =59		ネット	利用なし 出会いあり =55	ネット	利用なし 出会いなし ∩=9		合計 =221	カイ2乗 検定
	n	%	n	%		n	%		%	n	%	
年齢階級												
10歳代	2	(2.0%)	4	(6.	8%)	9	(16. 4%)	1	(11.1%)	16	(7. 2%)	0. 031
20歳代	39	(39.8%)	22	(37.	3%)	23	(41.8%)	6	(66. 7%)	90	(40. 7%)	
30歳代	35	(35. 7%)	26	(44.	1%)	17	(30.9%)	2	(22. 2%)	80	(36. 2%)	
40歳代	19	(19.4%)	6	(10.	2%)	3	(5.5%)	0	(0.0%)	28	(12.7%)	
50歳代以上	3	(3. 1%)	1		7%)	3	(5. 5%)	0	(0.0%)	7	(3. 2%)	
無回答	0	(0. 0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
		(0. 0/0)	U	(0.	070)	Ü	(0. 0%)	0	(0. 0/0)	Ü	(0. 0%)	
最終学歴	47	(40,0%)	07	(AE	8%)	00	(40.0%)	4	(44 40/)	100	(4E 00)	0.000
大卒以上	47	(48. 0%)	27			22	(40.0%)	4	(44. 4%)	100	(45. 2%)	0. 823
それ以外	51	(52. 0%)	32		2%)	33	(60.0%)	5	(55. 6%)	121	(54. 8%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き												
正解	98	(100.0%)	59	(100.	0%)	55	(100.0%)	9	(100.0%)	221	(100.0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3	B日で可											
正解	98	(100.0%)	59	(100.	0%)	55	(100.0%)	9	(100.0%)	221	(100.0%)	
その他	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
		(U. U/0)	U	(0.	0/0/	U	(0. 0/0)	U	(0. 0/0)	U	(0. 0/0)	
知識_STDはHIVの易感染		(4.00.000)		/400	201)		(4.00.000)		(4.00, 00)	001	(100.00)	
正解	98	(100.0%)	59	(100.	2000	55	(100.0%)	9		221	(100.0%)	
その他	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向												
あり	32	(32. 7%)	22	(37.	3%)	26	(47. 3%)	3	(33. 3%)	83	(37. 6%)	0. 355
なし	58	(59. 2%)	32	(54.	2%)	25	(45.5%)	5	(55.6%)	120	(54. 3%)	
無回答	8	(8. 2%)	5	(8	5%)	4	(7. 3%)	1	(11.1%)	18	(8. 1%)	
HIV抗体検査受検経験(st		(,					,					
ある	工/庄/ 42	(42. 9%)	28	(47	5%)	9	(16. 4%)	4	(44. 4%)	83	(37. 6%)	0. 002
	56	(57. 1%)	31	181 101 1		46	(83. 6%)	5	(55. 6%)	138	(62. 4%)	0. 002
ない					5%)			0		0		
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	U	(0.0%)	U	(0.0%)	
HIV抗体検査受検経験(i		(00 40)	00	(00	00()	_	(F FW)	0	(22.2%)	40	(00.0%)	0.000
ある	20	(20. 4%)	20		9%)	3	(5. 5%)	3		46	(20. 8%)	0. 002
ない	78	(79. 6%)	39	(66.	1%)	52	(94. 5%)	6	(66. 7%)	175	(79. 2%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)												
ある	23	(23. 5%)	24	(40.	7%)	5	(9. 1%)	1	(11.1%)	53	(24.0%)	0. 001
ない	72	(73.5%)	34	(57	6%)	47	(85. 5%)	8	(88. 9%)	161	(72.9%)	
無回答	3	(3.1%)	1		7%)	3	(5.5%)	0	(0.0%)	7	(3. 2%)	
STD被診断経験(過去1年	-)	are englished										
ある	17	(17. 3%)	8	(13	6%)	2	(3. 6%)	0	(0.0%)	27	(12. 2%)	0, 061
	81	(82. 7%)	50		7%)	52	(94. 5%)	9		192		0. 001
ない							7800 5000 00 10					
無回答	0	(0.0%)	1	(1.	7%)	1	(1.8%)	0	(0.0%)	2	(0.9%)	
薬物使用(生涯)												
ある	52	(53. 1%)	35		3%)	10	(18. 2%)	4		101		0. 000
ない	44	(44. 9%)	23	(39	0%)	43	(78. 2%)	5	(55. 6%)	115		
無回答	2	(2.0%)	1	(1.	7%)	2	(3.6%)	0	(0.0%)	5	(2.3%)	
薬物使用(過去6ヶ月間)												
ある	37	(37. 8%)	27	(45	8%)	4	(7. 3%)	4	(44. 4%)	72	(32.6%)	0. 000
ない	61	(62. 2%)	32		2%)	51	(92. 7%)	5		149		
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0		0		
	U	(0. 0/0)	U	(0	J/U)	U	(0. 0/0)	U	(0. 0/0)	U	(0. 0/0)	
HIV陽性	7	(7. 1%)	2	/E	10()	0	(3. 6%)	0	(0.0%)	10	(5. 4%)	0.00
HIV陽性			3		1%)	2				12		0. 697
それ以外	91	(92. 9%)	56	(94	9%)	53	(96. 4%)	9	(100.0%)	209	(94. 6%)	
相手の数(過去6ヶ月間)												
1人	13	(13. 3%)	2	(3	4%)	17	(30.9%)	1	(11.1%)	33	(14. 9%)	0. 000
2-3人	33	(33. 7%)	17	(28	8%)	10	(18. 2%)	1	(11.1%)	61	(27.6%)	
4-5人	16	(16.3%)	10	(16	9%)	3	(5.5%)	3	(33. 3%)	32	(14.5%)	
6人以上	23	(23. 5%)	26		1%)	2	(3.6%)	2		53		
非該当(0人)	11	(11. 2%)	1		7%)	23	(41. 8%)	2		37		
無回答	2	(2.0%)	3		1%)	0	(0.0%)	0		5		
				(3	1707	U	(0. 0/0)	U	(0. 0/0)	J	(2. 0/0)	
アナルセックス有の人のコンドーム				/00	10/	_	(00 40)		(10 70)		(00.00/)	
常用	23	(32. 4%)	12		1%)	7	(30. 4%)	1	,	43		0. 357
それ以外	38	(53. 5%)	30		7%)	7	(30. 4%)	5		80		
無回答	10	(14.1%)	10	(19	001	9	(39. 1%)	0	(0.0%)	29	(19. 1%)	

	ネット出	用あり 会いあり 98	ネット出	用あり 会いなし 5 9	ネット	利用なし 出会いあり =55	ネット	利用なし 出会いなし 7=9		計 221	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)										
ある	54	(55. 1%)	34	(57. 6%)	0	(0.0%)	0	(0.0%)	88	(39.8%)	0. 000
ない	44	(44.9%)	24	(40.7%)	55	(100.0%)	9	(100.0%)	132	(59. 7%)	
無回答	0	(0.0%)	1	(1.7%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
ビデオ系利用(過去6	ヶ月間)										
ある	19	(19.4%)	14	(23. 7%)	0	(0.0%)	0	(0.0%)	33	(14. 9%)	0. 001
ない	79	(80.6%)	45	(76.3%)	54	(98. 2%)	9	(100.0%)	187	(84.6%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.8%)	0	(0.0%)	1	(0.5%)	
マンション系利用(i	過去6ヶ月間))									
ある	18	(18. 4%)	26	(44. 1%)	0	(0.0%)	0	(0.0%)	44	(19.9%)	0. 000
ない	80	(81. 6%)	33	(55, 9%)	55	(100.0%)	9	(100.0%)	177	(80. 1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(j	過去6ヶ月間)									
ある	28	(28. 6%)	13	(22.0%)	0	(0.0%)	0	(0.0%)	41	(18.6%)	0. 000
ない	68	(69. 4%)	45	(76. 3%)	55	(100.0%)	9	(100.0%)	177	(80.1%)	
無回答	2	(2.0%)	1	(1.7%)	0	(0.0%)	0	(0.0%)	3	(1.4%)	
お金払ってセックスの経	験(過去6ヶ	日間)									
ある	18	(18. 4%)	13	(22.0%)	0	(0.0%)	0	(0, 0%)	31	(14.0%)	0. 002
ない	80	(81.6%)	46	(78.0%)	55	(100.0%)	9	(100.0%)	190	(86.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去6	6ヶ月間)										
ある	57	(58. 2%)	36	(61.0%)	0	(0.0%)	0	(0.0%)	93	(42.1%)	0. 000
ない	41	(41.8%)	23	(39.0%)	55	(100.0%)	9	(100.0%)	128	(57. 9%)	
無回答	0	(0.0%)	0	(0, 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	

	ネットと	利用あり 出会いあり : 147	ネット	利用あり 出会いなし = 74	ネット	利用なし 出会いあり 1=43	ネット	利用なし 出会いなし =16		合計 =280	カイ2乗 検定
	n	%	n	%		%	n	%	n	%	
年齢階級											
10歳代	4	(2. 7%)	6	(8. 1%)	6	(14.0%)	5	(31.3%)	21	(7.5%)	0. 001
20歳代	55	(37. 4%)	36	(48.6%)	16	(37. 2%)	8	(50.0%)	115	(41. 1%)	
30歳代	64	(43. 5%)	22	(29. 7%)	14	(32. 6%)	1	(6. 3%)	101	(36. 1%)	
40歳代	14	(9.5%)	8	(10.8%)	6	(14.0%)	2	(12.5%)	30	(10. 7%)	
50歳代以上	. 10	(6.8%)	2	(2. 7%)	1	(2.3%)	0	(0.0%)	13	(4.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	75	(51.0%)	39	(52. 7%)	25	(58. 1%)	7	(43. 8%)	146	(52. 1%)	0. 764
それ以外	72	(49.0%)	35	(47. 3%)	18	(41.9%)	9	(56. 3%)	134	(47. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識 感染しても長生き	可能										
正解		(100.0%)	74	(100.0%)	43	(100.0%)	16	(100.0%)	280	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
	_	(0. 0/0)	U	(0. 0/0)	Ü	(0. 0%)	U	(0. 0%)	U	(0. 0%)	
知識_HIV検査感染から		(100 0%)	74	(100.0%)	42	(100.0%)	10	(100.0%)	000	(100 00)	
正解	147	(100.0%)	74	(100.0%)	43		16	(100.0%)	280		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感薬											
正解	147	(100.0%)	74	(100.0%)	43		16	(100.0%)	280	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向											
あり	61	(41.5%)	33	(44.6%)	13	(30. 2%)	8	(50.0%)	115	(41. 1%)	0. 456
なし	76	(51.7%)	35	(47. 3%)	26	(60.5%)	8	(50.0%)	145	(51.8%)	
無回答	10	(6.8%)	6	(8. 1%)	4	(9. 3%)	0	(0.0%)	20	(7. 1%)	
·····································	生涯)										
ある	工 <i>/</i> 王/	(53. 1%)	39	(52. 7%)	8	(18. 6%)	2	(12. 5%)	127	(45. 4%)	0.000
ない	69	(46. 9%)	35	(47. 3%)	35	(81. 4%)	14	(87. 5%)		(54. 6%)	0. 000
無回答	09	(0.0%)	0	(0.0%)	0		0	2000	153		
		(0. 0%)	U	(0. 0%)		(0.0%)	U	(0.0%)	0	(0.0%)	
HV抗体検査受検経験(i	<u> </u>	(26 EW)	27	(26 50)	2	(4 70)	0	(10 EW)	70	(DE OW)	0.001
ある		(26. 5%)	27	(36. 5%)	2	(4. 7%)	2	(12.5%)	70	(25. 0%)	0. 001
ない	108	(73. 5%)	47	(63. 5%)	41	(95. 3%)	14	(87. 5%)	210	(75. 0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)											
ある	47	(32.0%)	29	(39. 2%)	2	(4. 7%)	2	(12.5%)	80	(28.6%)	0.000
ない	98	(66. 7%)	44	(59.5%)	39	(90. 7%)	13	(81.3%)	194	(69. 3%)	
無回答	2	(1.4%)	1	(1.4%)	2	(4. 7%)	1	(6.3%)	6	(2.1%)	
STD被診断経験(過去1年	Ξ)										
ある	27	(18.4%)	14	(18.9%)	0	(0.0%)	1	(6. 3%)	42	(15.0%)	0. 014
ない	119	(81.0%)	60	(81. 1%)	42	(97. 7%)	15	(93, 8%)	236	(84. 3%)	
無回答	1	(0.7%)	0	(0.0%)	1	(2. 3%)	0	(0.0%)	2	(0. 7%)	
薬物使用(生涯)		(0. 7.0)	580 50	(0. 0.0)		(2. 0.0)		(0. 0/0)		(0. 770)	
架物使用 (土)注) ある	84	(57. 1%)	60	(81. 1%)	15	(34. 9%)	4	(25. 0%)	160	(EQ QW)	0.000
ない	58	(39. 5%)		(17. 6%)	26	(60. 5%)		(68. 8%)	163	(58. 2%)	0. 000
無回答	5		13			2 10 10 10 10 10 10 10	11		108	(38. 6%)	
		(3. 4%)	1	(1.4%)	2	(4. 7%)	1	(6. 3%)	9	(3. 2%)	
薬物使用(過去6ヶ月間)		(40 00/)	F.	(00 00)		(00, 00)		(10.00)	10-	(44 000)	
ある	62	(42. 2%)	51	(68. 9%)	9	(20. 9%)	3	(18. 8%)	125	(44. 6%)	0. 000
ない	83	(56. 5%)	23	(31. 1%)	34	(79. 1%)	13	(81. 3%)	153	(54. 6%)	
無回答	2	(1.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(0.7%)	
HV陽性											
HIV陽性	14	(9.5%)	5	(6.8%)	0	(0.0%)	0	(0.0%)	19	(6.8%)	0. 110
それ以外	133	(90.5%)	69	(93. 2%)	43	(100.0%)	16	(100.0%)	261	(93. 2%)	
相手の数(過去6ヶ月間))										
1人	19	(12. 9%)	4	(5. 4%)	13	(30. 2%)	4	(25. 0%)	40	(14. 3%)	0. 000
2-3人	39	(26. 5%)	17	(23. 0%)	10	(23. 3%)	5	(31. 3%)	71	(25. 4%)	0. 000
4-5人	26	(17. 7%)		(14. 9%)	4	(9. 3%)					
			11				1	(6. 3%)	42	(15. 0%)	
6人以上	41	(27. 9%)	39	(52. 7%)	2	(4. 7%)	3	(18. 8%)	85	(30. 4%)	
非該当(0人)	15	(10. 2%)	2	(2. 7%)	14	(32. 6%)	3	(18. 8%)	34	(12. 1%)	
無回答	7	(4. 8%)	1	(1.4%)	0	(0.0%)	0	(0.0%)	8	(2. 9%)	
アナルセックス有の人のコンドーム											
常用	39	(37. 1%)	19	(30.6%)	4	(18. 2%)	3	(27. 3%)	65	(32.5%)	0. 195
	40	(46. 7%)	27	(59. 7%)	16	(72. 7%)	1	(36. 4%)	106	(53.0%)	
それ以外	49	(40. /70)	37	(09. 770)	10	(12. 170)	4	(30. 470)	100	(33. 0/0)	

	ネット出	l用あり i会いあり 147	ネット出	用あり 会いなし 74	ネット	利用なし 出会いあり = 43	ネット	利用なし 出会いなし =16		計 280	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)									481	
ある	81	(55. 1%)	48	(64. 9%)	0	(0.0%)	0	(0.0%)	129	(46. 1%)	0. 000
ない	66	(44. 9%)	26	(35. 1%)	43	(100.0%)	16	(100.0%)	151	(53. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去	6ヶ月間)										
ある	33	(22. 4%)	25	(33.8%)	0	(0.0%)	0	(0.0%)	58	(20. 7%)	0. 000
ない	112	(76. 2%)	48	(64.9%)	43	(100.0%)	16	(100.0%)	219	(78. 2%)	
無回答	2	(1.4%)	1	(1.4%)	0	(0.0%)	0	(0.0%)	3	(1.1%)	
マンション系利用(過去6ヶ月間)										
ある	56	(38. 1%)	34	(45. 9%)	0	(0.0%)	0	(0.0%)	90	(32. 1%)	0. 000
ない	90	(61.2%)	38	(51.4%)	43	(100.0%)	16	(100.0%)	187	(66.8%)	
無回答	1	(0.7%)	2	(2.7%)	0	(0.0%)	0	(0.0%)	3	(1.1%)	
クラブ(男性限定)('過去6ヶ日間'	1									
ある	43	(29. 3%)	34	(45. 9%)	0	(0.0%)	0	(0.0%)	77	(27. 5%)	0. 000
ない	104	(70. 7%)	40	(54. 1%)	42	(97. 7%)	16	(100.0%)	202	(72. 1%)	
無回答	0	(0.0%)	0	(0.0%)	1	(2.3%)	0	(0.0%)	1	(0.4%)	
お金払ってセックスの約	経験(過去6ヶ	月間)									
ある	25	(17.0%)	18	(24. 3%)	0	(0.0%)	0	(0.0%)	43	(15. 4%)	0. 001
ない	122	(83.0%)	56	(75. 7%)	43	(100.0%)	16	(100.0%)	237	(84.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去	6ヶ月間)										
ある	88	(59. 9%)	59	(79. 7%)	0	(0.0%)	0	(0.0%)	147	(52. 5%)	0. 000
ない	59	(40. 1%)	15	(20. 3%)	40	(93.0%)	16	(100.0%)	130	(46. 4%)	
無回答	0	(0.0%)	0	(0.0%)	3	(7.0%)	0	(0.0%)	3	(1.1%)	