競ネッ	ト田	川用あり H会いあり 249	ネット	利用あり 出会いな =135) ; L	ネット	利用なし 出会いあり =97	ネット	利用なし 出会いなし =32		合計 =513	カイ2乗 検定
n		%	n	%		n	%	n	%	n	%	
年齢階級					1400							
	11	(4.4%)	9		7%)	16	(16. 5%)	4	(12.5%)	40	(7. 8%)	0.000
	95	(38. 2%)	72		3%)	34	(35. 1%)	20	(62.5%)	221	(43. 1%)	
	90	(36. 1%)	38		1%)	30	(30.9%)	6	(18.8%)	164	(32.0%)	
	36	(14.5%)	7		2%)	11	(11.3%)	2	(6. 3%)	56		
	15	(6.0%)	7		2%)	6	(6. 2%)	0	(0.0%)	28	(5. 5%)	
無回答	2	(0.8%)	2	(1.	5%)	0	(0.0%)	0	(0.0%)	4	(0.8%)	
最終学歴												
大卒以上 1	56	(62. 7%)	81	(60.	0%)	51	(52.6%)	18	(56. 3%)	306	(59.6%)	0. 349
それ以外	93	(37. 3%)	54	(40.	0%)	46	(47. 4%)	13	(40.6%)	206	(40. 2%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	1	(3. 1%)	1	(0.2%)	
知識_感染しても長生き可能												
正解 2		(100.0%)	135	(100.	0%)	97	(100.0%)	32	(100.0%)	513		
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日です	ī											
	49	(100.0%)	135	(100.	0%)	97	(100.0%)	32	(100.0%)	513	(100.0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感染												
	49	(100.0%)	135	(100.	0%)	97	(100.0%)	32	(100, 0%)	513	(100.0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0		
抑うつ傾向				(0)	0.10,				(0.00)		(0, 0,0)	
	98	(39, 4%)	64	(47	4%)	34	(35. 1%)	14	(43. 8%)	210	(40, 9%)	0. 199
	29	(51. 8%)	61		2%)	57	(58. 8%)	14	(43. 8%)	261	(50. 9%)	0. 133
	22	(8. 8%)	10		4%)	6	(6. 2%)	4	(12. 5%)	42	(8. 2%)	
HIV抗体検査受検経験(生涯)		(0. 0/0)			1707	Ü	(0. 2/0)		(12. 0/0)	72	(0. 2/0)	
	99	(39. 8%)	60	(44	4%)	20	(20. 6%)	10	(31. 3%)	189	(36. 8%)	0. 001
-, -	50	(60. 2%)	75	(4)	6%)	77	(79. 4%)	22	(68. 8%)	324		0. 001
-	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0		
無回答	-	(0. 0%)	U	(0.	U70)	U	(0. 0%)	U	(0. 070)	U	(0. 070)	
HIV抗体検査受検経験(過去1年	‡) 57	(22. 9%)	30	(22	2%)	10	(10. 3%)	7	(21. 9%)	104	(20. 3%)	0.001
	92	(77. 1%)	105		8%)	87	(89. 7%)	25	(78. 1%)	409		0. 061
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0		
	U	(0. 0%)	U	(0.	U70)	U	(0. 0%)	U	(0. 0%)	U	(0. 0%)	
STD被診断経験(生涯)	co	(07.70)	40	(21	00/)	2	(0.10/)	1	(0.10)	110	(00 00)	0.000
	69 75	(27. 7%)	43		9%)	3	(3. 1%)	- 1	(3. 1%)	116		0. 000
_	75	(70. 3%)	89	151	9%)	86	(88. 7%)	30	(93. 8%)	380		
無回答	5	(2.0%)	3	(2	2%)	8	(8. 2%)	1	(3. 1%)	17	(3. 3%)	
STD被診断経験(過去1年)	٥٢	(10.00)		/10	40/)		(1 00/)		(0, 00)	40	(7.00()	
	25	(10.0%)	14		4%)	1	(1.0%)	0	(0.0%)	40		0. 009
	24	(90.0%)	121		6%)	95	(97. 9%)	31	(96. 9%)	471	(91. 8%)	
無回答	0	(0.0%)	0	(0.	0%)	1	(1.0%)	1	(3. 1%)	2	(0. 4%)	
薬物使用(生涯)												
ある 1	42	(57.0%)	99		3%)	31	(32.0%)	17		289		0. 000
ない 1	01	(40.6%)	34	(25	2%)	58	(59.8%)	14	(43.8%)	207	(40. 4%)	
無回答	6	(2.4%)	2	(1.	5%)	8	(8. 2%)	1	(3. 1%)	17	(3.3%)	
薬物使用(過去6ヶ月間)												
ある 1	80	(43. 4%)	86	(63.	7%)	18	(18.6%)	11	(34. 4%)	223	(43.5%)	0. 000
ない 1	41	(56.6%)	48	(35.	6%)	79	(81.4%)	20	(62.5%)	288	(56. 1%)	
無回答	0	(0.0%)	1	(0.	7%)	0	(0.0%)	1	(3. 1%)	2	(0.4%)	
HIV陽性												
	12	(4.8%)	7	(5.	2%)	0	(0.0%)	0	(0.0%)	19	(3. 7%)	0. 084
それ以外 2	37	(95. 2%)	128	(94	8%)	97	(100.0%)	32	(100.0%)	494	(96.3%)	
相手の数(過去6ヶ月間)												
	43	(17. 3%)	14	(10.	4%)	37	(38. 1%)	3	(9. 4%)	97	(18. 9%)	0. 000
	65	(26. 1%)	30		2%)	17	(17. 5%)	10	(31. 3%)	122		2. 230
	28	(11. 2%)	24		8%)	5	(5. 2%)	5	(15. 6%)	62		
	75	(30. 1%)	57		2%)	4	(4. 1%)	7	(21. 9%)	143		
	25	(10.0%)	7		2%)	33	(34. 0%)	5	(15. 6%)	70		
	13	(5. 2%)	3		2%)	1	(1.0%)	2	(6. 3%)	19		
				(2.	ZN)	1	(1. 070)	2	(0. 370)	19	(0. 170)	
アナルセックス有の人のコンドーム使用キ	天为 76	で(道太6ケ) (42.2%)	月間) 32	(20	3%)	17	(37. 8%)	6	(26 1%)	131	(36 34)	0.000
					3%)				(26. 1%)		(36. 3%)	0. 080
	74	(41. 1%)	61		0%)	20	(44. 4%)	11	(47. 8%)	166		
無回答	30	(16. 7%)	20	(17.	1%)	8	(17.8%)	6	(26. 1%)	64	(17. 7%)	

	ネット出	用あり 会いあり 249	ネット出	J用あり I会いなし 135	ネット	利用なし 出会いあり =97	ネットは	用なし 会いなし -32		f計 513	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)										
ある	131	(52.6%)	84	(62. 2%)	0	(0.0%)	0	(0.0%)	215	(41.9%)	0.000
ない	118	(47. 4%)	51	(37.8%)	96	(99.0%)	30	(93.8%)	295	(57.5%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.0%)	2	(6.3%)	3	(0.6%)	
ビデオ系利用(過去6	ヶ月間)										
ある	58	(23. 3%)	42	(31.1%)	0	(0.0%)	0	(0.0%)	100	(19.5%)	0.000
ない	190	(76. 3%)	93	(68. 9%)	96	(99.0%)	30	(93.8%)	409	(79. 7%)	
無回答	1	(0.4%)	0	(0.0%)	1	(1.0%)	2	(6.3%)	4	(0.8%)	
マンション系利用(過	過去6ヶ月間										
ある	84	(33. 7%)	54	(40.0%)	0	(0.0%)	0	(0.0%)	138	(26. 9%)	0. 000
ない	163	(65.5%)	81	(60.0%)	96	(99.0%)	29	(90.6%)	369	(71.9%)	
無回答	2	(0.8%)	0	(0.0%)	1	(1.0%)	3	(9.4%)	6	(1.2%)	
クラブ(男性限定)(過	過去6ヶ月間)									
ある	68	(27. 3%)	49	(36. 3%)	0	(0.0%)	0	(0.0%)	117	(22. 8%)	0.000
ない	180	(72.3%)	86	(63. 7%)	97	(100.0%)	30	(93.8%)	393	(76.6%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	2	(6.3%)	3	(0.6%)	
お金払ってセックスの経	験(過去6ヶ	月間)									
ある	47	(18. 9%)	26	(19.3%)	0	(0.0%)	0	(0.0%)	73	(14. 2%)	0. 000
ない	202	(81.1%)	109	(80. 7%)	97	(100.0%)	30	(93.8%)	438	(85. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(6.3%)	2	(0.4%)	
ゲイバー利用(過去6	ヶ月間)										
ある	162	(65. 1%)	105	(77.8%)	0	(0.0%)	0	(0.0%)	267	(52.0%)	0. 000
ない	87	(34.9%)	29	(21.5%)	97	(100.0%)	30	(93.8%)	243	(47. 4%)	
無回答	0	(0.0%)	1	(0.7%)	0	(0.0%)	2	(6, 3%)	3	(0.6%)	

	ネットと	利用あり 出会いあり =288	ネット	利用あり 出会いなし =150	ネット	利用なし 出会いあり 1=80	ネット	利用なし 出会いなし =23		合計 =541	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級		(0.40)	e e some de la composição	(0.70)		(40.000)					
10歳代	9	(3. 1%)	4	(2. 7%)	15	(18. 8%)	7	(30. 4%)	35	(6. 5%)	0. 000
20歳代	113	(39. 2%)	80	(53. 3%)	35	(43. 8%)	10	(43. 5%)	238	(44. 0%)	
30歳代	115	(39. 9%)	52	(34. 7%)	21	(26. 3%)	5	(21. 7%)	193	(35. 7%)	
40歳代 50歳代以上	40 11	(13. 9%) (3. 8%)	14	(9. 3%) (0. 0%)	8	(10.0%)	1	(4. 3%)	63	(11. 6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(1. 3%) (0. 0%)	0	(0. 0%) (0. 0%)	12	(2. 2%) (0. 0%)	
最終学歴	U	(0. 0%)	U	(0. 0%)	U	(0. 0%)	U	(0. 070)	U	(0. 0%)	
大卒以上	172	(59. 7%)	72	(48. 0%)	35	(43. 8%)	11	(47. 8%)	290	(53, 6%)	0. 022
それ以外	116	(40. 3%)	78	(52. 0%)	45	(56. 3%)	12	(52. 2%)	251	(46. 4%)	0. 022
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識」感染しても長生を	★可能										
正解	288	(100.0%)	150	(100.0%)	80	(100.0%)	23	(100.0%)	541	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から	3日で可										
正解	288	(100.0%)		(100.0%)	80	, ,	23	(100.0%)		(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感多		(100.0%)	150	(100.0%)	00	(100.0%)	00	(100 00)	F.1.	(100.0%)	
正解 その他	288 0	(0.0%)	150 0		80 0	(100.0%)	23 0	(100.0%)	541	(100.0%)	
無回答	0	(0.0%)	0	(0.0%) (0.0%)	0	(0.0%) (0.0%)	0	(0. 0%) (0. 0%)	0	(0.0%)	
抑うつ傾向		(0. 0%)	U	(0. 0/0)	U	(0. 0/0)		(0. 0/0)		(0. 0/0)	
あり	96	(33. 3%)	66	(44, 0%)	29	(36. 3%)	12	(52. 2%)	203	(37. 5%)	0. 042
なし	172	(59. 7%)	69	(46. 0%)	45	(56. 3%)	10	(43. 5%)	296	(54. 7%)	0. 042
無回答	20	(6. 9%)	15	(10.0%)	6	(7. 5%)	1	(4. 3%)	42	(7. 8%)	
HIV抗体検査受検経験(V		(ii = 1,			
ある	143	(49. 7%)	80	(53. 3%)	18	(22. 5%)	3	(13.0%)	244	(45. 1%)	0. 000
ない	145	(50.3%)	70	(46. 7%)	62	(77.5%)	20	(87.0%)	297	(54.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(
ある	75	(26. 0%)	60	(40.0%)	7	(8. 8%)	2	(8. 7%)	144	(26. 6%)	0. 000
ない	213	(74. 0%)	90	(60.0%)	73	(91. 3%)	21	(91. 3%)	397	(73. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)	97	(22 70/)	00	(40.0%)	15	(10 00)	2	(10,0%)	175	(20, 20/)	0.004
ある ない	188	(33. 7%) (65. 3%)	60 89	(40.0%) (59.3%)	15 60	(18. 8%) (75. 0%)	3 19	(13. 0%) (82. 6%)	175 356	(32. 3%) (65. 8%)	0. 004
無回答	3	(1.0%)	1	(0. 7%)	5	(6. 3%)	19	(4. 3%)	10	(1.8%)	
STD被診断経験(過去1年		(1. 070)		(0. 770)		(0. 0/0)	(a-5)	(4. 0/0)	10	(1. 0/0)	
ある	37	(12.8%)	30	(20.0%)	8	(10.0%)	1	(4.3%)	76	(14.0%)	0. 052
ない	250	(86. 8%)	119	(79. 3%)	72	(90.0%)	22	(95. 7%)	463	(85. 6%)	0. 002
無回答	1	(0.3%)	1	(0. 7%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
薬物使用(生涯)											
ある	176	(61.1%)	129	(86.0%)	29	(36. 3%)	12	(52. 2%)	346	(64.0%)	0.000
ない	110	(38. 2%)	20	(13. 3%)	46	(57.5%)	10	(43.5%)	186	(34. 4%)	
無回答	2	(0.7%)	1	(0. 7%)	5	(6. 3%)	1	(4. 3%)	9	(1. 7%)	
薬物使用(過去6ヶ月間				(=0.04)							
ある	124	(43. 1%)	108	(72. 0%)	17	(21. 3%)	10	(43. 5%)	259	(47. 9%)	0. 000
ない	162	(56. 3%)	42	(28. 0%)	63	(78. 8%)	13	(56. 5%)	280	(51. 8%)	
無回答	2	(0. 7%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(0. 4%)	
HIV陽性 HIV陽性	13	(4. 5%)	12	(8.0%)	4	(5.0%)	0	(0.0%)	29	(5. 4%)	0.005
それ以外	275	(95. 5%)	138	(92. 0%)	76	(95. 0%)		(100.0%)	512	(94. 6%)	0. 285
相手の数(過去6ヶ月間		(00. 070)	100	(02. 0%)	- 1 5 5 5	(00. 0/0)	20	(100.0%)	012	(04. 0/0)	
1人	67	(23. 3%)	12	(8.0%)	23	(28. 8%)	4	(17. 4%)	106	(19.6%)	0. 000
2-3人	63	(21. 9%)	22	(14. 7%)	18	(22. 5%)	9	(39. 1%)	112	(20. 7%)	0. 000
4-5人	38	(13. 2%)	27	(18. 0%)	2	(2. 5%)	5	(21. 7%)	72	(13. 3%)	
6人以上	93	(32. 3%)	78	(52. 0%)	6	(7. 5%)	2	(8. 7%)	179	(33. 1%)	
非該当(0人)	18	(6. 3%)	4	(2. 7%)	28	(35. 0%)	2	(8. 7%)	52	(9.6%)	
無回答	9	(3.1%)	7	(4. 7%)	3	(3.8%)	1	(4. 3%)	20	(3. 7%)	
アナルセックス有の人のコンドー	4使用状态	元(過去6	ヶ月間)								
常用	75	(36.6%)	37	(26.8%)	9	(22.0%)	9	(47. 4%)	130	(32. 3%)	0. 040
それ以外	99	(48. 3%)	85	(61.6%)	26	(63. 4%)	9	(47. 4%)	219	(54. 3%)	
無回答	31	(15. 1%)	16	(11.6%)	6	(14.6%)	1	(5.3%)	54	(13. 4%)	

	ネット出	川用あり ☆会いあり ・288	ネットと	川用あり 1会いなし 150	ネット	利用なし 出会いあり =80	ネットと	利用なし 出会いなし =23	,	音 :541	カイ2乗 検定
リナーを利用が見る	n	%	n	<u>%</u>	n	%	n	%	n	%	
サウナ系利用(過去6		(50.0%)	100	(70 70)		(0, 0%)	0	(0, 00)	001	(40, 00/)	0.000
ある	155	(53. 8%)	106	(70. 7%)	0	(0	(0.0%)	261	(48. 2%)	0. 000
ない	133	(46. 2%)	44	(29. 3%)	80		22	(95. 7%)	279	(51. 6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	I	(4. 3%)	I	(0. 2%)	
ビデオ系利用(過去6											
ある	58	(20. 1%)	41	(27. 3%)	0		0	(0.0%)	99	(18. 3%)	0.000
ない	229	(79.5%)	109	(72. 7%)	80	(100.0%)	22	(95. 7%)	440	(81.3%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1	(4.3%)	2	(0.4%)	
マンション系利用(過	過去6ヶ月間)									
ある	71	(24. 7%)	66	(44.0%)	0	(0.0%)	0	(0.0%)	137	(25. 3%)	0.000
ない	217	(75. 3%)	82	(54. 7%)	80	(100.0%)	22	(95. 7%)	401	(74. 1%)	
無回答	0	(0.0%)	2	(1.3%)	0	(0.0%)	1	(4.3%)	3	(0.6%)	
クラブ(男性限定)(過	高去6ヶ月間)									
ある	82	(28. 5%)	70	(46. 7%)	0	(0.0%)	0	(0.0%)	152	(28. 1%)	0, 000
ない	205	(71, 2%)	80	(53, 3%)	80	(100.0%)	21	(91.3%)	386	(71. 3%)	
無回答	1	(0. 3%)	0	(0.0%)	0		2	(8. 7%)	3	(0.6%)	
お金払ってセックスの経	除(温土6ヶ		, and the second	(6. 5.6)				(6. 1.0)		(4, 4, 5, 7,	
ある	65	(22, 6%)	24	(16, 0%)	0	(0.0%)	0	(0.0%)	89	(16. 5%)	0. 000
ない	222	(77. 1%)	126	(84. 0%)	79	(98. 8%)	22	(95. 7%)	449	(83. 0%)	0. 000
無回答	1	(0. 3%)	0	(0.0%)	1	(1. 3%)	1	(4. 3%)	3	(0.6%)	
ゲイバー利用(過去6	左日間)	(0. 0.0)	· ·	(6: 5:0)		(11 5.1)		()		(4, 5, 7)	
カる かの (地立)	192	(66, 7%)	119	(79. 3%)	0	(0.0%)	0	(0.0%)	311	(57. 5%)	0. 000
ない	95	(33. 0%)	28	(18. 7%)	80		21	(91. 3%)	224	(41. 4%)	0. 000
-	95	,				,		,	6	,	
無回答	I	(0.3%)	3	(2.0%)	0	(0.0%)	2	(8. 7%)	ь	(1.1%)	

	ネットと	利用あり 出会いあり = 74	ネットと	利用あり 出会いな =45		ネットと	利用なし 出会いあり = 45	ネットと	利用なし 出会いなし =13		≙計 =177	カイ2乗 検定
	n	%	n	%		n	%	n	%	n	%	
年齢階級	V. H.											
10歳代	0	(0.0%)	2		4%)	8	(17. 8%)	3	(23. 1%)	13	(7. 3%)	0. 001
20歳代	30	(40.5%)	27	(60.	0%)	22	(48. 9%)	5	(38. 5%)	84	(47. 5%)	
30歳代	32	(43. 2%)	9	(20.	0%)	10	(22. 2%)	4	(30.8%)	55	(31. 1%)	
40歳代	7	(9.5%)	7	(15.	6%)	2	(4.4%)	0	(0.0%)	16	(9.0%)	
50歳代以上	3	(4.1%)	0	(0.	0%)	2	(4.4%)	1	(7. 7%)	6	(3.4%)	
無回答	2	(2.7%)	0	(0.	0%)	1	(2.2%)	0	(0.0%)	3	(1.7%)	
最終学歴												
大卒以上	48	(64. 9%)	21	(46.	7%)	19	(42. 2%)	7	(53.8%)	95	(53. 7%)	0. 087
それ以外	26	(35. 1%)	24	(53.	3%)	25	(55. 6%)	6	(46. 2%)	81	(45. 8%)	
無回答	0	(0.0%)	0		0%)	1	(2. 2%)	0	(0.0%)	1	(0.6%)	
知識感染しても長生き		3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		ζ	0.0,		- C. 2.0,				(6. 0.0)	
正解	+J #E 74	(100.0%)	45	(100.	0%)	45	(100.0%)	13	(100.0%)	177	(100, 0%)	
その他	0	(0.0%)	0	0.000 0.7100	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答		(0.0%)	U	(0.	U70)	U	(0.0%)	0	(0. 0%)	U	(0. 0%)	
知識_HIV検査感染から3		(100.0%)		(100	00()	45	(100.0%)	10	(100.0%)	177	(100,000)	
正解	74	(100.0%)	45	(100.		45	(100.0%)	13	(100.0%)	177		
その他	0	(0.0%)	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識 STDはHIVの易感染												
正解	74	(100.0%)	45	(100.	0%)	45	(100.0%)	13	(100.0%)	177	(100.0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向												
あり	33	(44, 6%)	20	(44.	4%)	19	(42. 2%)	5	(38. 5%)	77	(43, 5%)	0. 943
なし	33	(44, 6%)	23		1%)	19	(42. 2%)	7	(53. 8%)	82	(46. 3%)	0. 0.0
無回答	8	(10. 8%)	2		4%)	7	(15. 6%)	1	(7. 7%)	18	(10. 2%)	
CONTRACTOR OF THE PARTY OF THE		(10.0%)		(4.	470)	,	(10.0%)		(7. 7/0)	10	(10. 2/0)	
HIV抗体検査受検経験(生		(OF 10)	10	(10	00()	-	(15 00)		(15 40/)	Γ.4	(20 EW)	0.000
ある	26	(35. 1%)	19		2%)	7	(15. 6%)	2	(15. 4%)	54	(30. 5%)	0. 020
ない	48	(64. 9%)	26		8%)	38	(84. 4%)	11	(84. 6%)	123	(69. 5%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過		(20, 20)		/00	201)		(000)		(7.70)	0.5	(40, 00)	
ある	15	(20. 3%)	15		3%)	4	(8. 9%)	1	(7. 7%)	35	(19. 8%)	0. 020
ない	59	(79. 7%)	30		7%)	41	(91. 1%)	12	(92. 3%)	142	(80. 2%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)												
ある	16	(21.6%)	11	(24.	4%)	7	(15.6%)	2	(15. 4%)	36	(20. 3%)	0. 798
ない	56	(75. 7%)	34	(75.	6%)	34	(75.6%)	11	(84.6%)	135	(76. 3%)	
無回答	2	(2. 7%)	0	(0.	0%)	4	(8.9%)	0	(0.0%)	6	(3.4%)	
STD被診断経験(過去1年))											
ある	4	(5. 4%)	4	(8.	9%)	1	(2. 2%)	0	(0.0%)	9	(5. 1%)	0. 419
ない	70	(94. 6%)	41		1%)	44	(97. 8%)		(100.0%)	168		0. 110
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0		0		
薬物使用(生涯)	U	(0. 0/0)	U	(0.	O/U)	U	(0. 0%)	U	(0. 0%)	Ü	(0. 0%)	
A RESIDENCE OF THE PROPERTY OF	49	(66. 2%)	30	(66	7%)	15	(33. 3%)	7	(53. 8%)	101	(57. 1%)	0. 006
ある	24	(32. 4%)	15			27	(60. 0%)	6	(46. 2%)	72		0. 000
ない					3%)							
無回答	1	(1. 4%)	0	(0.	0%)	3	(6. 7%)	0	(0.0%)	4	(2. 3%)	
薬物使用(過去6ヶ月間)						_					()	
ある	27	(36. 5%)	27		0%)	7	(15. 6%)	5	(38. 5%)	66		0. 000
ない	45	(60.8%)	18		0%)	38	(84. 4%)	8	(61.5%)	109		
無回答	2	(2.7%)	0	(0.	0%)	0	(0.0%)	0	(0.0%)	2	(1.1%)	
HIV陽性												
HIV陽性	1	(1.4%)	1	(2.	2%)	0	(0.0%)	0	(0.0%)	2	(1.1%)	0. 759
それ以外	73	(98.6%)	44	(97.	8%)	45	(100.0%)	13	(100.0%)	175	(98. 9%)	
相手の数(過去6ヶ月間)												
1人	18	(24. 3%)	5	(11	1%)	15	(33. 3%)	2	(15. 4%)	40	(22. 6%)	0. 000
2-3人	24	(32. 4%)	8	(17.		9	(20. 0%)	6	(46. 2%)	47	(26. 6%)	0. 000
										25		
4-5人	7	(9. 5%)	10	(22.		6	(13. 3%)	2	(15. 4%)		(14. 1%)	
6人以上	16	(21. 6%)	20		4%)	2	(4. 4%)	2	(15. 4%)	40	(22. 6%)	
非該当(0人)	7	(9. 5%)	1		2%)	12	(26. 7%)	1	(7. 7%)	21	(11. 9%)	
無回答	2	(2. 7%)	1	(2.	2%)	1	(2. 2%)	0	(0.0%)	4	(2. 3%)	
アナルセックス有の人のコンドーム	使用状况	元(過去6ヶ	月間)									
常用	18	(31.6%)	6	(14.	6%)	7	(30. 4%)	1	(9.1%)	32	(24. 2%)	0. 036
	00	(50.9%)	30	(73.	2%)	8	(34.8%)	9	(81.8%)	76	(57.6%)	
それ以外	29	(50. 970)	30	(70.	2/0)	O	(04. 0/0)	0	(01.0%)	, 0	(07. 070)	

	ネット出	用あり 会いあり 74	ネット出	用あり 会いなし -45	ネット	利用なし 出会いあり = 45	ネット	刊用なし 出会いなし =13	,	î ≣† 177	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	5ヶ月間)										
ある	25	(33.8%)	23	(51.1%)	0	(0.0%)	0	(0.0%)	48	(27. 1%)	0.000
ない	49	(66. 2%)	22	(48.9%)	45	(100.0%)	13	(100.0%)	129	(72. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去	シヶ月間)										
ある	8	(10.8%)	15	(33. 3%)	0	(0.0%)	0	(0.0%)	23	(13.0%)	0.000
ない	65	(87. 8%)	30	(66. 7%)	45	(100.0%)	13	(100.0%)	153	(86. 4%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
マンション系利用(j	過去6ヶ月間)									
ある	25	(33.8%)	18	(40.0%)	0	(0.0%)	0	(0.0%)	43	(24. 3%)	0. 000
ない	48	(64.9%)	27	(60.0%)	45	(100.0%)	13	(100.0%)	133	(75. 1%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
クラブ(男性限定)(過去6ヶ月間)									
ある	10	(13.5%)	14	(31.1%)	0	(0.0%)	0	(0.0%)	24	(13.6%)	0. 000
ない	64	(86.5%)	31	(68. 9%)	45	(100.0%)	13	(100.0%)	153	(86. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの紹	験(過去6ヶ	月間)									
ある	15	(20. 3%)	8	(17.8%)	0	(0.0%)	0	(0.0%)	23	(13.0%)	0. 005
ない	59	(79. 7%)	37	(82. 2%)	45	(100.0%)	13	(100.0%)	154	(87.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去	6ヶ月間)										
ある	49	(66. 2%)	38	(84. 4%)	0	(0.0%)	0	(0.0%)	87	(49. 2%)	0. 000
ない	25	(33. 8%)	7	(15.6%)	45	(100.0%)	13	(100.0%)	90	(50.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	

	ネット	利用あり 出会いあり =90	ネット	利用あり 出会いなし 1=78	ネット	利用なし 出会いあり 1=3 4	ネット	利用なし 出会いなし 1=15		合計 =217	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	8	(8. 9%)	8	(10.3%)	2		1	(6. 7%)	19	(8.8%)	0. 126
20歳代	29	(32. 2%)	41	(52.6%)	15	(44. 1%)	10	(66. 7%)	95	(43.8%)	
30歳代	36	(40.0%)	21	(26. 9%)	13	(38. 2%)	3	(20.0%)	73	(33. 6%)	
40歳代	14	(15. 6%)	8	(10. 3%)	4	(11. 8%)	0	(0.0%)	26	(12.0%)	
50歳代以上	3	(3. 3%)	0	(0.0%)	0	(0.0%)	1	(6. 7%)	4	(1. 8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴	EO	(E7 ON)	07	(47 40/)	0.4	(70, 0%)		(00, 0%)		(50.00)	
大卒以上 それ以外	52	(57. 8%)	37	(47. 4%)	24	(70. 6%)	9	(60.0%)	122	(56. 2%)	0. 140
無回答	38 0	(42. 2%)	41	(52. 6%)	10	(29. 4%)	6	(40.0%)	95	(43. 8%)	
		(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き	90	(100.0%)	78	(100.0%)	34	(100.0%)	15	(100.0%)	017	(100 0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(100. 0%) (0. 0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3		(0. 0%)	Ü	(0. 0/0)	U	(0. 0/0)	U	(0. 0%)	U	(0. 070)	
正解	90	(100, 0%)	78	(100.0%)	34	(100.0%)	15	(100.0%)	217	(100, 0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感染			te di girang de	(0. 0,0)	Ĭ	(0. 0%)	Ü	(0. 0%)	Ü	(0. 0/0)	
正解	90	(100.0%)	78	(100.0%)	34	(100.0%)	15	(100, 0%)	217	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向											
あり	41	(45. 6%)	38	(48. 7%)	13	(38. 2%)	9	(60.0%)	101	(46. 5%)	0. 272
なし	41	(45.6%)	34	(43.6%)	18	(52. 9%)	3	(20.0%)	96	(44. 2%)	0. 272
無回答	8	(8. 9%)	6	(7.7%)	3	(8.8%)	3	(20.0%)	20	(9. 2%)	
HIV抗体検査受検経験(生	上涯)										
ある	37	(41. 1%)	31	(39. 7%)	10	(29. 4%)	4	(26. 7%)	82	(37. 8%)	0. 502
ない	53	(58. 9%)	47	(60.3%)	24	(70.6%)	11	(73. 3%)	135	(62. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過											
ある	20	(22. 2%)	15	(19. 2%)	4	(11.8%)	2	(13. 3%)	41	(18. 9%)	0. 555
ない	70	(77. 8%)	63	(80. 8%)	30	(88. 2%)	13	(86. 7%)	176	(81. 1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)	07	(00, 0%)	0.4	(00, 00)		(00 50)		(0.70)			
ある	27	(30.0%)	24	(30. 8%)	9	(26. 5%)	10	(6. 7%)	61	(28. 1%)	0. 322
ない 無回答	63	(70.0%)	53	(67. 9%)	23	(67. 6%)	13	(86. 7%)	152	(70.0%)	
STD被診断経験(過去1年	0	(0.0%)	1	(1. 3%)	2	(5. 9%)	1	(6. 7%)	4	(1. 8%)	
310放診断栓映(廻女)年	10	(11. 1%)	9	(11. 5%)	6	(17. 6%)	1	(C 70)	0.0	(10.00/)	0.004
ない	79	(87. 8%)	67	(85. 9%)	28	(82. 4%)	14	(6. 7%) (93. 3%)	26	(12. 0%) (86. 6%)	0. 691
無回答	1	(1. 1%)	2	(2. 6%)	0	(0.0%)	0	(0.0%)	188 3	(1.4%)	
薬物使用(生涯)		(1. 170)		(2. 0/0)		(0. 0%)	0	(0. 0%)	J	(1. 470)	
ある	53	(58. 9%)	57	(73. 1%)	14	(41. 2%)	10	(66. 7%)	134	(61. 8%)	0. 009
ない	35	(38. 9%)	20	(25. 6%)	20	(58. 8%)	4	(26. 7%)	79	(36. 4%)	0. 009
無回答	2	(2. 2%)	1	(1. 3%)	0	(0.0%)	1	(6. 7%)	4	(1. 8%)	
薬物使用(過去6ヶ月間)		(=)		(1. 0.0)		(0. 0,0)		(0. 7%)		(1. 0/0)	
ある	39	(43. 3%)	49	(62. 8%)	10	(29. 4%)	6	(40.0%)	104	(47. 9%)	0. 006
ない	51	(56. 7%)	28	(35. 9%)	23	(67. 6%)	8	(53. 3%)	110	(50. 7%)	0. 000
無回答	0	(0.0%)	1	(1.3%)	1	(2. 9%)	1	(6. 7%)	3	(1. 4%)	
HIV陽性											
HIV陽性	5	(5. 6%)	3	(3.8%)	5	(14. 7%)	0	(0.0%)	13	(6.0%)	0. 102
それ以外	85	(94. 4%)	75	(96. 2%)	29	(85. 3%)	15	(100.0%)	204	(94.0%)	*****
相手の数(過去6ヶ月間)											
1人	14	(15.6%)	9	(11.5%)	12	(35. 3%)	0	(0.0%)	35	(16. 1%)	0. 000
2-3人	24	(26. 7%)	11	(14. 1%)	4	(11.8%)	5	(33. 3%)	44	(20. 3%)	
4-5人	12	(13. 3%)	13	(16. 7%)	2	(5. 9%)	3	(20.0%)	30	(13.8%)	
6人以上	29	(32. 2%)	42	(53. 8%)	3	(8.8%)	6	(40.0%)	80	(36. 9%)	
非該当(0人)	7	(7.8%)	1	(1.3%)	12	(35. 3%)	1	(6. 7%)	21	(9. 7%)	
無回答	4	(4. 4%)	2	(2. 6%)	1	(2. 9%)	0	(0.0%)	7	(3. 2%)	
アナルセックス有の人のコンドーム・			月間)								
常用	21	(31. 8%)	14	(20. 9%)	5	(33. 3%)	3	(27. 3%)	43	(27.0%)	0. 414
それ以外	41	(62. 1%)	40	(59. 7%)	5	(33. 3%)	4	(36. 4%)	90	(56. 6%)	
無回答	4	(6. 1%)	13	(19. 4%)	5	(33.3%)	4	(36.4%)	26	(16.4%)	

	ネット出	用あり 会いあり =90	ネット出	川用あり H会いなし =78	ネット	利用なし 出会いあり =34	ネット	利用なし 出会いなし = 15		計 217	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)		i i								
ある	27	(30.0%)	38	(48. 7%)	0	(0.0%)	0	(0.0%)	65	(30.0%)	0.000
ない	63	(70.0%)	40	(51.3%)	34	(100.0%)	15	(100.0%)	152	(70.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6	5ヶ月間)										
ある	7	(7. 8%)	17	(21.8%)	0	(0.0%)	0	(0.0%)	24	(11. 1%)	0. 001
ない	83	(92. 2%)	61	(78. 2%)	34	(100.0%)	15	(100.0%)	193	(88. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(i	過去6ヶ月間)									
ある	32	(35. 6%)	38	(48. 7%)	0	(0.0%)	0	(0.0%)	70	(32. 3%)	0.000
ない	58	(64. 4%)	40	(51.3%)	34	(100.0%)	15	(100.0%)	147	(67. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(j	過去6ヶ月間)									
ある	28	(31. 1%)	18	(23. 1%)	0	(0.0%)	0	(0.0%)	46	(21. 2%)	0. 000
ない	61	(67. 8%)	60	(76. 9%)	34	(100.0%)	15	(100.0%)	170	(78.3%)	
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
お金払ってセックスの経	験(過去6ヶ	月間)									
ある	9	(10.0%)	21	(26. 9%)	0	(0.0%)	0	(0.0%)	30	(13. 8%)	0.000
ない	80	(88. 9%)	57	(73. 1%)	34	(100.0%)	15	(100.0%)	186	(85. 7%)	
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
ゲイバー利用(過去6	ヶ月間)										
ある	68	(75. 6%)	58	(74. 4%)	0	(0.0%)	0	(0.0%)	126	(58. 1%)	0. 000
ない	22	(24. 4%)	20	(25.6%)	34	(100.0%)	15	(100.0%)	91	(41.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	

_	ネットと	刊用あり 出会いあり :334	ネット	司用あり 出会いな :205		ネットと	^{利用なし} 出会いあり :185	ネット	利用なし 出会いな =60	í.		含計 =784		カイ2乗 検定
- 1. D. C. C.	n	%	n	%		n	%	n	%		n	9	5	
年齢階級	10	(2.0%)	11	/E	40/)	07	/1/ CV)	0	(12	20()	56	(7	. 1%)	0.000
10歳代	10	(3.0%)	11		4%)	27	(14. 6%)	8	(13.		56			0. 000
20歳代	115	(34. 4%)	107	(52.		70	(37. 8%)	30	(50.		322		. 1%)	
30歳代	129	(38. 6%)	62	(30.		53	(28. 6%)	13	(21.		257		. 8%)	
40歳代	46	(13. 8%)	20		8%)	19	(10. 3%)	7	(11.		92		. 7%)	
50歳代以上	21	(6. 3%)	4		0%)	11	(5. 9%)	1		7%)	37		. 7%)	
無回答	13	(3. 9%)	1	(0.	5%)	5	(2. 7%)	1	(1.	7%)	20	(2	. 6%)	
最終学歴														
大卒以上	180	(53. 9%)	92	(44.		87	(47. 0%)	25	(41.		384		. 0%)	0. 094
それ以外	151	(45. 2%)	111	(54.		97	(52. 4%)	35	(58.		394	3400	. 3%)	
無回答	3	(0.9%)	2	(1.	0%)	1	(0.5%)	0	(0.	0%)	6	(0	. 8%)	
知識_感染しても長生き可能														
正解	334	(100.0%)	205	(100.		185	(100.0%)		(100.			(100		
その他	0	(0.0%)	0		0%)	0	(0.0%)	0		0%)	0		. 0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.	0%)	0	(0	. 0%)	
知識 HIV検査感染から3日で	で可													
正解	334	(100.0%)	205	(100.	0%)	185	(100.0%)	60	(100.	0%)	784	(100	. 0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.	0%)	0	(0	. 0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.	0%)	0	(0	. 0%)	
知識 STDはHIVの易感染														
正解	334	(100.0%)	205	(100.	0%)	185	(100.0%)	60	(100.	0%)	784	(100	0.0%)	
その他	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.	0%)	0	(0	0.0%)	
無回答	0	(0.0%)	0	(0.	0%)	0	(0.0%)	0	(0.	. 0%)	0	(0	0.0%)	
抑うつ傾向														
あり	110	(32. 9%)	85	(41.	5%)	81	(43. 8%)	26	(43	. 3%)	302	(38	3. 5%)	0. 080
なし	191	(57. 2%)	99	(48.		94	(50. 8%)	30		. 0%)	414		2. 8%)	0. 000
無回答	33	(9. 9%)	21	(10.		10	(5. 4%)	4		. 7%)	68		3. 7%)	
HIV抗体検査受検経験(生涯		(3. 3%)	21	(10.	2707	10	(0. 470)		(0	. 7707	00	(-	. 7707	
ある	131	(39. 2%)	82	(40	0%)	42	(22. 7%)	9	(15	. 0%)	264	(33	3. 7%)	0. 000
ない	203	(60. 8%)	123		0%)	143	(77. 3%)	51		. 0%)	520		3%)	0. 000
無回答	0	(0.0%)	0		0%)	0	(0.0%)	0		. 0%)	0		0.0%)	
		(0. 0%)	Ü	(0.	0/0/	Ü	(0. 0/0)	Ü	(0	. 0/0)	Ü	()	. 0/0)	
HIV抗体検査受検経験(過去 ある	68	(20. 4%)	53	(25	9%)	21	(11.4%)	4	(6	. 7%)	146	(18	3. 6%)	0, 000
ない	266	(79. 6%)	152		1%)	163	(88. 1%)	56		. 3%)	637		. 3%)	0. 000
無回答	0	(0.0%)	0		0%)	1	(0. 5%)	0		. 0%)	1). 1%)	
	U	(0.0%)	U	(0.	0/0)		(0. 5/4)	U	(0	. 0/0)			7. 1707	
STD被診断経験(生涯)	01	(04.00)	EO	(25	9%)	17	(9. 2%)	10	(16	. 7%)	161	(20), 5%)	0.000
ある	81	(24. 3%)	53	18000 000			(87. 0%)				603		6. 9%)	0. 000
ない	246	(73. 7%) (2. 1%)	149		7%)	161 7	(3.8%)	47	100	. 3%) . 0%)	20		2. 6%)	
無回答	7	(2. 1%)	3	(1.	5%)	/	(3.0%)	ა	(5)	. U%)	20	(2	. 070)	
STD被診断経験(過去1年)	20	(10,0%)	20	(1.4	CW)	0	(1 10/)	-	(0	20/)	70	/(9. 3%)	0.000
ある	36	(10. 8%)	30		6%)	2		5		. 3%)	73			0. 000
ない	292		174		9%)	180	1.0000000000000000000000000000000000000	55		. 7%)	701		9. 4%)	
無回答	6	(1.8%)	1	(0.	5%)	3	(1. 6%)	0	(0	. 0%)	10	(1	. 3%)	
薬物使用(生涯)	0.00			/00	241)		(40.000)		/05	00/	400	(5)	000	
ある	184	(55. 1%)	141		8%)	74		21		. 0%)	420		3. 6%)	0. 000
ない	136	(40. 7%)	61		8%)	103		35		. 3%)	335		2. 7%)	
無回答	14	(4. 2%)	3	(1.	. 5%)	8	(4. 3%)	4	(6	. 7%)	29	(3	3. 7%)	
薬物使用(過去6ヶ月間)												/		
ある	132		114		6%)	35		16		. 7%)	297		7. 9%)	0. 000
ない	199		90		9%)	149		44		. 3%)	482		. 5%)	
無回答	3	(0.9%)	1	(0.	. 5%)	1	(0.5%)	0	(0	. 0%)	5	((). 6%)	
HIV陽性														
HIV陽性	17	(5. 1%)	12	(5.	9%)	1	(0.5%)	1	(1	. 7%)	31	(4	1. 0%)	0. 022
それ以外	317	(94. 9%)	193	(94	1%)	184	(99.5%)	59	(98	. 3%)	753	(96	6.0%)	
相手の数(過去6ヶ月間)														
1人	72	(21.6%)	12	(5	9%)	69	(37. 3%)	10	(16	. 7%)	163	(20). 8%)	0. 000
2-3人	101	(30. 2%)	56		3%)	42		18		. 0%)	217		7. 7%)	
4-5人	42		37		0%)	8		13		. 7%)	100		2. 8%)	
6人以上	74		83		5%)	5		9		. 0%)	171		. 8%)	
非該当(0人)	30	(9.0%)	8		9%)	53		7		. 7%)	98		2. 5%)	
無回答	15		9		4%)	8		3		. 0%)	35		1. 5%)	
				(4	-1/0/	Ü	(7. 0/0)	J	(0	. 5/0/	33	,-	5/0/	
アナルセックス有の人のコンドーム使	円収 67		月间) 51	(20	U&)	28	(28. 6%)	17	(27	. 8%)	163	(20	9. 5%)	0. 516
常用		(28. 8%) (56. 2%)	108		. 0%) . 4%)	50		21		. 07) . 7%)	310		6. 2%)	0.516
それ以外	131													
無回答	35	(15. 0%)	17	(9	. 7%)	20	(20. 4%)	7	(15	. 6%)	79	(14	1. 3%)	

	ネット出	用あり 会いあり 334	ネット出	用あり 会いなし 205	ネットと	刊用なし 出会いあり :185	ネット出	用なし 会いなし 60		784	カイ2乗 検定
	n	%	n	%	n	%		%	n	(32.5%) (66.8%) (0.6%) (14.9%) (83.9%) (1.1%) (20.5%) (78.7%) (0.8%) (18.0%) (81.1%) (0.9%) (15.2%) (84.2%) (0.6%)	
サウナ系利用(過去		70				· ·					
ある	149	(44, 6%)	106	(51. 7%)	0	(0.0%)	0	(0.0%)	255	(32.5%)	0. 000
ない	184	(55. 1%)	99	(48. 3%)	185	(100.0%)	56	(93. 3%)	524	(66.8%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	4	(6. 7%)	5	(0.6%)	
ビデオ系利用(過去	6ヶ日間)										
ある	61	(18. 3%)	56	(27. 3%)	0	(0.0%)	0	(0.0%)	117	(14. 9%)	0.000
ない	270	(80. 8%)	149	(72, 7%)	183	(98, 9%)	56	(93. 3%)	658	(83. 9%)	
無回答	3	(0.9%)	0	(0.0%)	2	(1, 1%)	4	(6. 7%)	9	(1. 1%)	
マンション系利用(過去6ヶ月間)									
ある	74	(22. 2%)	87	(42. 4%)	0	(0.0%)	0	(0.0%)	161	(20.5%)	0. 000
ない	259	(77. 5%)	118	(57. 6%)	185	(100.0%)	55	(91.7%)	617	(78. 7%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	5	(8.3%)	6	(0.8%)	
クラブ(男性限定)(過去6ヶ月間)									
ある	71	(21. 3%)	70	(34. 1%)	0	(0.0%)	0	(0.0%)	141	(18.0%)	0. 000
ない	261	(78. 1%)	135	(65. 9%)	184	(99.5%)	56	(93. 3%)	636	(81. 1%)	
無回答	2	(0.6%)	0	(0.0%)	1	(0.5%)	4	(6. 7%)	7	(0.9%)	
お金払ってセックスの約	経験(過去6ヶ	月間)									
ある	78	(23. 4%)	41	(20.0%)	0	(0.0%)	0	(0.0%)	119	(15. 2%)	0.000
ない	256	(76.6%)	163	(79.5%)	185	(100.0%)	56	(93. 3%)	660	(84. 2%)	
無回答	0	(0.0%)	1	(0.5%)	0	(0.0%)	4	(6. 7%)	5	(0.6%)	
ゲイバー利用(過去	6ヶ日間)										
ある	225	(67. 4%)	152	(74. 1%)	0	(0.0%)	0	(0.0%)	377	(48. 1%)	0. 000
ない	109	(32. 6%)	53	(25. 9%)	184	(99.5%)	56	(93. 3%)	402	(51.3%)	
無回答	0	(0.0%)	0	(0.0%)	1	(0.5%)	4	(6. 7%)	5	(0.6%)	

	ネット	利用あり 出会いあり =70	ネット	利用を 出会し 1=32		ネット	利用なし 出会いあり 1=44	J	ネットと	削用なし 出会いなし =29		≙計 =175	カイ2乗 検定
	n	%	n		%		%		n	%	n	-173	
年齢階級													
10歳代	5	(7. 1%)	3		9. 4%)	7	,		3	(10.3%)	18	(10.3%)	0. 655
20歳代	21	(30.0%)	13		0. 6%)	12		(%)	13	(44.8%)	59	(33. 7%)	
30歳代	26	(37. 1%)	6	(1	8. 8%)	13	(29. 5	(%)	7	(24. 1%)	52	(29. 7%)	
40歳代	14	(20.0%)	6	(1	8. 8%)	8	(18. 2	(%)	5	(17. 2%)	33	(18.9%)	
50歳代以上	4	(5. 7%)	4	, ,	2. 5%)	4			1	(3.4%)	13	(7.4%)	
無回答	0	(0.0%)	0	(0. 0%)	0	(0. 0	(%)	0	(0.0%)	0	(0.0%)	
最終学歴													
大卒以上	36	(51.4%)	19	(5	9. 4%)	15	(34. 1	%)	9	(31.0%)	79	(45. 1%)	0. 037
それ以外	33	(47. 1%)	13	(4	0. 6%)	29	(65. 9	%)	20	(69.0%)	95	(54. 3%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0	%)	0	(0.0%)	1	(0.6%)	
知識_感染しても長生き	可能												
正解 .	41	(58. 6%)	18	(5	6. 3%)	32	(72. 7	%)	16	(55. 2%)	107	(61. 1%)	0. 425
その他	29	(41.4%)	13	(4	0. 6%)	12	(27. 3	%)	11	(37.9%)	65	(37.1%)	
無回答	0	(0.0%)	1	(3. 1%)	0	(0.0)	%)	2	(6.9%)	3	(1.7%)	
知識_HIV検査感染から3	日で可												
正解	49	(70.0%)	23	(7	1. 9%)	33	(75. 0	%)	17	(58.6%)	122	(69. 7%)	0. 752
その他	21	(30.0%)	9	(2)	3. 1%)	11	(25. 0	%)	10	(34.5%)	51	(29. 1%)	0. 702
無回答	0	(0.0%)	0	(0. 0%)	0	(0. 0		2	(6. 9%)	2	(1. 1%)	
知識 STDはHIVの易感染					2500					(0. 0.0)		(1. 170)	
正解	43	(61. 4%)	19	(5	9. 4%)	20	(45, 5	%)	16	(55. 2%)	98	(56. 0%)	0. 345
その他	26	(37. 1%)	13	(4)	0. 6%)	24	(54. 5	%)	11	(37. 9%)	74	(42. 3%)	0. 040
無回答	1	(1.4%)	0	(1	0. 0%)	0	(0. 0		2	(6. 9%)	3	(1. 7%)	
抑うつ傾向				ì					_	(0. 0.0)		(1. 7.0)	
あり	32	(45, 7%)	9	(2)	3. 1%)	25	(56. 89	%)	13	(44. 8%)	79	(45. 1%)	0. 091
なし	34	(48. 6%)	21		5. 6%)	17	(38. 69		11	(37. 9%)	83	(47. 4%)	0. 091
無回答	4	(5. 7%)	2		6. 3%)	2	(4. 59	-,	5	(17. 2%)	13	(7.4%)	
HIV抗体検査受検経験(生		(0. 7%)	_	(J. U/0)		(4. 0)	70)	J	(17. 270)	13	(7.470)	
ある	上/注/ 20	(28. 6%)	10	(3:	1. 3%)	9	(20. 59	ψ)	7	(24. 1%)	46	(26. 3%)	0.770
ない	49	(70.0%)	21	0.500	5. 6%)	32	(72. 79		20	(69.0%)	122	(69. 7%)	0. 778
無回答	1	(1.4%)	1		3. 1%)	3	(6. 89		20	(6. 9%)	7		
ⅢV抗体検査受検経験(過		(1. 470)		(1	J. 1707	ن	(0. 0)	70)	2	(0. 970)	/	(4.0%)	
ある	12	(17. 1%)	5	(1)	5. 6%)	4	(9. 19	D()	1	(3. 4%)	00	(10 CW)	
ない	57	(81. 4%)	26		1. 3%)	37	(84. 19		26	(89. 7%)	22	(12. 6%)	0. 277
無回答	1	(1. 4%)	1		3. 1%)	37	(6. 89		20		146	(83. 4%)	
		(1. 470)		(,	D. 170 <i>)</i>	3	(0. 0)	70)	2	(6. 9%)	7	(4. 0%)	
STD被診断経験(生涯) ぁる	20	(28. 6%)	C	/10	000	2	(0.00	1/\		(10.0%)	00	(40.00)	
ない	46	(65. 7%)	6		3. 8%) . 9%)	3	(6. 89		4	(13. 8%)	33	(18. 9%)	0. 035
無回答	40	(5. 7%)	23			38	(86. 49		21	(72. 4%)	128	(73. 1%)	
		(5. 7%)	3	()	9. 4%)	3	(6. 89	<i>ħ)</i>	4	(13. 8%)	14	(8.0%)	
STD被診断経験(過去1年)		(11 40/)	0	,,	2 00/		(0.00			(10.00)			
ある	8	(11. 4%)	2		6. 3%)	1	(2. 39		3	(10. 3%)	14	(8.0%)	0. 333
ない	58	(82. 9%)	26		. 3%)	40	(90. 99		22	(75. 9%)	146	(83. 4%)	
無回答	4	(5. 7%)	4	(12	2. 5%)	3	(6. 89	%)	4	(13.8%)	15	(8.6%)	
薬物使用(生涯)													
ある	44	(62. 9%)	13). 6%)	14	(31. 89	%)	9	(31.0%)	80	(45. 7%)	0.007
ない	24	(34. 3%)	18		6. 3%)	26	(59. 19	K)	16	(55. 2%)	84	(48.0%)	
無回答	2	(2. 9%)	1	(3	3. 1%)	4	(9. 19	₭)	4	(13.8%)	11	(6.3%)	
薬物使用(過去6ヶ月間)													
ある	26	(37. 1%)	2	(6	5. 3%)	8	(18. 29	K)	4	(13.8%)	40	(22. 9%)	0.003
ない	41	(58.6%)	29	(90). 6%)	32	(72. 79	6)	20	(69.0%)	122	(69. 7%)	
無回答	3	(4. 3%)	1	(3	3. 1%)	4	(9. 19	6)	5	(17.2%)	13	(7.4%)	
HV陽性 Transfer													
HIV陽性	1	(1.4%)	0	((0.0%)	0	(0.09	6)	2	(6.9%)	3	(1.7%)	0. 112
それ以外	69	(98.6%)	32	(100	0.0%)	44	(100.09	6)	27	(93.1%)	172	(98. 3%)	
相手の数(過去6ヶ月間)													
1人	8	(11.4%)	6	(18	8. 8%)	6	(13. 69	6)	9	(31.0%)	29	(16.6%)	0. 000
2-3人	15	(21.4%)	9		1. 1%)	22	(50. 09		1	(3. 4%)	47	(26. 9%)	0. 000
4-5人	19	(27. 1%)	4		. 5%)	9	(20. 59		1	(3. 4%)	33	(18. 9%)	
6人以上	26	(37. 1%)	6		. 8%)	5	(11. 49		0	(0.0%)	37	(21. 1%)	
非該当(0人)	1	(1.4%)	7		. 9%)	1	(2. 3%		17	(58. 6%)	26	(14. 9%)	
無回答	1	(1. 4%)	0		. 0%)	1	(2. 3%		1	(3. 4%)	3	(1. 7%)	
アナルセックス有の人のコンドームイ							(L. U/I			(0, 7/0)	J	(1. 7/0)	
常用	30	(47. 6%)	7月间/	(55	. 0%)	10	(28. 6%	6)	3	(30.0%)	54	(42. 2%)	0.010
それ以外	29	(46. 0%)	9		. 0%)	19	(54. 3%		6	(60.0%)	63	(42. 2%)	0. 342
無回答	4	(6. 3%)	0		. 0%)	6	(17. 1%		1				
, m 🖂 🖂	7	(0.00)	U	(0	. 0/0)	0	(17. 17	0/	į.	(10.0%)	11	(8. 6%)	

	ネット出	川用あり 出会いあり =70	ネットと	利用あり 出会いなし =32	ネット	利用なし 出会いあり =44	ネット出	用なし 会いなし 29			カイ2乗 検定
	n	%	n	%	n	%	n	%	n	≙ 計 =175 % (21. 1%) (77. 1%) (1. 7%) (13. 7%) (84. 0%) (2. 3%) (16. 0%) (81. 7%) (2. 3%) (10. 9%) (88. 0%) (1. 1%) (8. 6%) (90. 3%) (1. 1%) (38. 3%) (60. 0%)	
サウナ系利用(過去6	5ヶ月間)									91.	
ある	25	(35. 7%)	12	(37. 5%)	0	(0.0%)	0	(0.0%)	37	(21. 1%)	0. 000
ない	45	(64. 3%)	19	(59. 4%)	44	(100.0%)	27	(93. 1%)	135	(77. 1%)	
無回答	0	(0.0%)	1	(3.1%)	0	(0.0%)	2	(6. 9%)	3	(1.7%)	
ビデオ系利用(過去6	ヶ月間)										
ある	16	(22. 9%)	8	(25. 0%)	0	(0.0%)	0	(0.0%)	24	(13. 7%)	0. 000
ない	54	(77. 1%)	23	(71. 9%)	43	(97. 7%)	27	(93. 1%)	147		0. 000
無回答	0	(0.0%)	1	(3. 1%)	1	(2. 3%)	2	(6. 9%)	4	(2. 3%)	
マンション系利用(近	岡去6ヶ月間)									
ある	23	(32. 9%)	5	(15. 6%)	0	(0.0%)	0	(0.0%)	28	(16.0%)	0.000
ない	47	(67. 1%)	26	(81. 3%)	44	(100.0%)	26	(89. 7%)	143	(81. 7%)	
無回答	0	(0.0%)	1	(3. 1%)	0	(0.0%)	3	(10. 3%)	4	(2. 3%)	
クラブ(男性限定)(近	岡夫6ヶ月間)				,		· · · · · · · ·		(=, =,,	
ある	10	(14. 3%)	9	(28. 1%)	0	(0.0%)	0	(0.0%)	19	(10. 9%)	0. 000
ない	60	(85. 7%)	23	(71.9%)	44	(100.0%)	27	(93. 1%)	154	(88.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(6. 9%)	2	(1.1%)	
お金払ってセックスの経	験(過去6ヶ	月間)									
ある	13	(18. 6%)	2	(6. 3%)	0	(0.0%)	0	(0.0%)	15	(8.6%)	0. 001
ない	57	(81. 4%)	30	(93. 8%)	44	(100.0%)	27	(93. 1%)	158		0. 001
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(6. 9%)	2		
ゲイバー利用(過去6	ヶ月間)	(5. 5.5)		(0. 0)		(0. 0.0)	_	, 5. 5.0,	-	(1. 1.7)	
ある	44	(62. 9%)	23	(71. 9%)	0	(0.0%)	0	(0.0%)	67	(38, 3%)	0. 000
ない	25	(35. 7%)	9	(28. 1%)	44	(100.0%)	27	(93. 1%)	105	(60.0%)	5. 000
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	2	(6. 9%)	3	(1. 7%)	

	ネット出	用あり 会いあり :46	ネットと	^{利用あり} 出会いなし =25	ネット	利用なし 出会いあり =15	ネット出	用なし 会いなし =16		計 102	か12乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級								(05.04)		(40.70)	
10歳代	5	(10. 9%)	1	(4. 0%		(20.0%)	4	(25. 0%)	13	(12. 7%)	0. 123
20歳代	22	(47. 8%)	4	(16. 0%		(20.0%)	6	(37. 5%)	35	(34. 3%)	
30歳代	11	(23. 9%)	12	(48. 0%		(33. 3%)	4	(25. 0%)	32	(31. 4%)	
40歳代	5	(10.9%)	5	(20.0%		(26. 7%)	2	(12.5%)	16	(15. 7%)	
50歳代以上	3	(6.5%)	2	(8.0%	0	(0.0%)	0	(0.0%)	5	(4. 9%)	
無回答	0	(0.0%)	1	(4.0%	0	(0.0%)	0	(0.0%)	1	(1.0%)	
最終学歴											
大卒以上	26	(56. 5%)	15	(60.0%	7	(46. 7%)	7	(43.8%)	55	(53. 9%)	0.612
それ以外	20	(43.5%)	9	(36.0%	8	(53. 3%)	9	(56. 3%)	46	(45. 1%)	
無回答	0	(0.0%)	1	(4.0%	0	(0.0%)	0	(0.0%)	1	(1.0%)	
知識 感染しても長生き	可能										
正解	29	(63.0%)	14	(56. 0%	12	(80.0%)	. 6	(37. 5%)	61	(59.8%)	0. 207
その他	17	(37.0%)	11	(44.0%) 3	(20.0%)	8	(50.0%)	39	(38. 2%)	
無回答	0	(0.0%)	0	(0.0%	0	(0.0%)	2	(12.5%)	2	(2.0%)	
知識 HIV検査感染から	3日で可										
正解	34	(73. 9%)	16	(64. 0%) 11	(73. 3%)	10	(62.5%)	71	(69.6%)	0. 820
その他	12	(26. 1%)	9	(36. 0%		(26. 7%)	5	(31. 3%)	30	(29. 4%)	0. 020
無回答	0	(0.0%)	0	(0.0%		(0.0%)	1	(6. 3%)	1	(1.0%)	
知識_STDはHIVの易感剤	-	(0. 0/0)	Ü	, 0. 0%		(3. 5/4)		(5/4)		,	
正解	29	(63. 0%)	14	(56. 0%) 11	(73. 3%)	8	(50.0%)	62	(60.8%)	0. 643
その他	17	(37. 0%)	11	(44. 0%		(26. 7%)	7	(43. 8%)	39	(38. 2%)	0. 040
	0			4		(0.0%)	1	(6. 3%)	1	(1.0%)	
無回答	U	(0.0%)	0	(0.0%) . 0	(0. 0%)		(0. 370)		(1. 070)	
抑うつ傾向		(40 50)		/ 4 4 . 00		(70, 0%)		(00, 00)	F0	(50,0%)	
あり	20	(43. 5%)	11	(44. 0%		(73. 3%)	11	(68. 8%)	53	(52. 0%)	0. 062
なし	22	(47. 8%)	14	(56. 0%		(20.0%)	4	(25. 0%)	43	(42. 2%)	
無回答	4	(8. 7%)	0	(0. 0%) 1	(6. 7%)	1	(6. 3%)	6	(5. 9%)	
HIV抗体検査受検経験((0.4.0%)	4.0	(40.00		(00 7%)	0	(10 5%)	0.4	(00.0%)	0.455
ある	16	(34. 8%)	12	(48. 0%			2	(12.5%)	34	(33. 3%)	0. 155
ない	29	(63. 0%)	13	(52. 0%		, ,	13	(81. 3%)	65	(63. 7%)	
無回答	. 1	(2. 2%)	0	(0.0%) 1	(6. 7%)	1	(6. 3%)	3	(2. 9%)	
HIV抗体検査受検経験(
ある	8	(17. 4%)	6	(24. 0%			1	(6. 3%)	17	(16. 7%)	0. 557
ない	37	(80. 4%)	19	(76. 0%			14	(87. 5%)	82	(80. 4%)	
無回答	1	(2. 2%)	0	(0. 09) 1	(6. 7%)	1	(6. 3%)	3	(2. 9%)	
STD被診断経験(生涯)											
ある	8	(17. 4%)	8	(32. 09) 1	(6. 7%)	1	(6. 3%)	18	(17. 6%)	0. 129
ない	37	(80.4%)	16	(64. 09) 13	(86. 7%)	12	(75.0%)	78	(76.5%)	
無回答	1	(2.2%)	1	(4. 09) 1	(6. 7%)	3	(18.8%)	6	(5.9%)	
STD被診断経験(過去1年											
ある	2	(4. 3%)	2	(8. 09) 0	(0.0%)	0	(0.0%)	4	(3.9%)	0. 527
ない	43	(93.5%)	22	(88. 09) 14	(93. 3%)	13	(81.3%)	92	(90. 2%)	
無回答	1	(2.2%)	1	(4. 09) 1	(6. 7%)	3	(18.8%)	6	(5.9%)	
薬物使用(生涯)											
ある	23	(50.0%)	16	(64. 09) 6	(40.0%)	7	(43.8%)	52	(51.0%)	0. 505
ない	18	(39. 1%)	9	(36. 09			7	(43.8%)	43	(42. 2%)	
無回答	5	(10. 9%)	0	(0. 09			2	(12. 5%)	7	(6. 9%)	
薬物使用(過去6ヶ月間		(10.00)		er aggreg		(a. a.,					
ある	10	(21. 7%)	5	(20. 09) 2	(13. 3%)	1	(6. 3%)	18	(17. 6%)	0. 470
ない	30	(65. 2%)	20	(80. 09			13	(81. 3%)	76	(74. 5%)	0. 170
	6	(13. 0%)	0				2	(12. 5%)	8	(7. 8%)	
無回答	O	(13.0%)	U	(0. 09) 0	(0. 0%)	2	(12. 5/0)	U	(7. 0/0)	
HIV陽性		(4.0%)	0	(0.00	\	(0, 0%)	1	(0.0%)	0	(0.00)	0 540
HIV陽性	2	(4. 3%)	0	(0. 09			1	(6. 3%)	3	(2. 9%)	0. 543
それ以外	. 44	(95. 7%)	25	(100. 09) 15	(100.0%)	15	(93. 8%)	99	(97. 1%)	
相手の数(過去6ヶ月間		(10.00/)	_	(00.00	, -	(22 20)	-	(21 20)	01	(20 6%)	0.000
1人	6	(13. 0%)	5	(20. 09			5	(31. 3%)	21	(20. 6%)	0. 000
2-3人	9	(19. 6%)	8	(32. 09			1	(6. 3%)	20	(19.6%)	
4-5人	9	(19. 6%)	5	(20. 09			0	(0.0%)	19	(18. 6%)	
6人以上	22	(47. 8%)	5	(20. 09		(6. 7%)	1	(6. 3%)	29	(28. 4%)	
非該当(0人)	0	(0.0%)	2	(8. 09) 1	(6. 7%)	9	(56. 3%)	12	(11.8%)	
無回答	0	(0.0%)	0	(0.09) 1	(6. 7%)	0	(0.0%)	1	(1.0%)	
アナルセックス有の人のコンドー	4使用状态	兄(過去6ヶ	月間)								
常用	15	(44. 1%)	7	(38. 99) 2	(22. 2%)	2	(50.0%)	26	(40.0%)	0. 357
rto /TO											
それ以外	16	(47. 1%)	8	(44. 49) 5	(55. 6%)	0	(0.0%)	29	(44.6%)	

	ネット出	施設利用あり ネット出会いあり n=46		ネット出	I用あり i会いなし :25	ネットと	^{利用なし} 出会いあり = 15	ネット出	用なし 会いなし 16		102	カイ2乗 検定
	n	%		n	%	n	%	n	%	n	%	
サウナ系利用(過去	3ヶ月間)											
ある	17	(37.	0%)	4	(16.0%)	0	(0.0%)	0	(0.0%)	21	(20.6%)	0. 001
ない	29	(63.	0%)	21	(84.0%)	15	(100.0%)	15	(93.8%)	80	(78. 4%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(6.3%)	1	(1.0%)	
ビデオ系利用(過去	3ヶ月間)											
ある	14	(30.	4%)	4	(16.0%)	0	(0.0%)	0	(0.0%)	18	(17. 6%)	0.008
ない	31	(67.	4%)	21	(84.0%)	15	(100.0%)	15	(93.8%)	82	(80. 4%)	
無回答	1	(2.	2%)	0	(0.0%)	0	(0.0%)	1	(6. 3%)	2	(2.0%)	
マンション系利用(過去6ヶ月間)										
ある	17	(37.	0%)	8	(32.0%)	0	(0.0%)	0	(0.0%)	25	(24. 5%)	0. 003
ない	29	(63.	0%)	17	(68.0%)	15	(100.0%)	15	(93.8%)	76	(74.5%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(6.3%)	1	(1.0%)	
クラブ(男性限定)(過去6ヶ月間)										
ある	10	(21.	7%)	8	(32.0%)	0	(0.0%)	0	(0.0%)	18	(17. 6%)	0. 015
ない	36	(78.	3%)	17	(68.0%)	15	(100.0%)	15	(93.8%)	83	(81. 4%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(6. 3%)	1	(1.0%)	
お金払ってセックスの紀	経験(過去6ヶ	月間))									
ある	9	(19.		3	(12.0%)	0	(0.0%)	0	(0.0%)	12	(11.8%)	0. 084
ない	37	(80.	4%)	22	(88.0%)	15	(100.0%)	15	(93.8%)	89	(87. 3%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	1	(6. 3%)	1	(1.0%)	
ゲイバー利用(過去	6ヶ月間)											
ある	28	(60.	9%)	19	(76.0%)	0	(0.0%)	0	(0.0%)	47	(46. 1%)	0. 000
ない	18	(39.	1%)	6	(24.0%)	14	(93. 3%)	15	(93.8%)	53	(52.0%)	
無回答	0	(0.	0%)	0	(0.0%)	1	(6. 7%)	1	(6. 3%)	2	(2.0%)	

	ネットと	利用あり 出会いあり :511	ネット	利用あり 出会いなし =361	ネット	利用なし 出会いあり =217	ネット	利用なし 出会いなし =209		≙計 1298	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	26	(5. 1%)	10	(2.8%)	49	(22.6%)	19	(9.1%)	104	(8.0%)	0. 000
20歳代	249	(48. 7%)	111	(30. 7%)	91	(41. 9%)	77	(36.8%)	528	(40.7%)	
30歳代	158	(30. 9%)	152	(42. 1%)	48	(22. 1%)	79	(37. 8%)	437	(33. 7%)	
40歳代	60	(11. 7%)	58	(16. 1%)	17	(7.8%)	22	(10.5%)	157	(12.1%)	
50歳代以上	17	(3.3%)	29	(8.0%)	12	(5.5%)	12	(5. 7%)	70	(5. 4%)	
無回答	1	(0.2%)	1	(0.3%)	0	(0.0%)	0	(0.0%)	2	(0.2%)	
最終学歴											
大卒以上	276	(54.0%)	228	(63. 2%)	97	(44. 7%)	104	(49.8%)	705	(54. 3%)	0. 000
それ以外	234	(45.8%)	130	(36.0%)	120	(55. 3%)	105	(50. 2%)	589	(45. 4%)	0. 000
無回答	1	(0.2%)	3	(0.8%)	0	(0.0%)	0	(0.0%)	4	(0. 3%)	
知識_感染しても長生き	可能									,	
正解	331	(64. 8%)	263	(72. 9%)	137	(63. 1%)	134	(64, 1%)	865	(66. 6%)	0. 030
その他	178	(34. 8%)	97	(26. 9%)	80	(36. 9%)	74	(35. 4%)	429	(33. 1%)	0. 030
無回答	2	(0.4%)	1	(0. 3%)	0	(0.0%)	1	(0.5%)	423	(0. 3%)	
知識_HIV検査感染から3		(0. 470)		(0. 0%)	U	(0. 070)		(0. 5%)	4	(0. 370)	
正解	395	(77. 3%)	279	(77. 3%)	165	(76. 0%)	144	(60 OW)	000	(7E 7W)	0.404
その他	113						144	(68. 9%)	983	(75. 7%)	0. 104
		(22. 1%)	80	(22. 2%)	51	(23. 5%)	63	(30. 1%)	307	(23. 7%)	
無回答	3	(0.6%)	2	(0. 6%)	1	(0.5%)	2	(1.0%)	8	(0. 6%)	
知識_STDはHIVの易感染											
正解	325	(63. 6%)	256	(70. 9%)	133	(61. 3%)	109	(52. 2%)	823	(63. 4%)	0.000
その他	182	(35. 6%)	103	(28.5%)	83	(38. 2%)	97	(46. 4%)	465	(35.8%)	
無回答	4	(0.8%)	2	(0.6%)	1	(0.5%)	3	(1.4%)	10	(0.8%)	
抑うつ傾向											
あり	239	(46.8%)	138	(38. 2%)	121	(55. 8%)	100	(47. 8%)	598	(46. 1%)	0. 002
なし	238	(46.6%)	192	(53. 2%)	85	(39. 2%)	95	(45.5%)	610	(47.0%)	
無回答	34	(6.7%)	31	(8.6%)	11	(5. 1%)	14	(6. 7%)	90	(6. 9%)	
HIV抗体検査受検経験(生	上涯)					(4. 1.7)		(6. 7.0)		(0. 0.0)	
ある	253	(49. 5%)	154	(42. 7%)	58	(26. 7%)	54	(25. 8%)	519	(40.0%)	0. 000
ない	254	(49. 7%)	203	(56. 2%)	158	(72. 8%)	152	(72. 7%)	767	(59. 1%)	0. 000
無回答	4	(0.8%)	4	(1. 1%)	1	(0.5%)	3	(1. 4%)	12		
HIV抗体検査受検経験(過		(0. 0%)	7	(1. 170)		(0. 5%)	J	(1. 470)	12	(0. 9%)	
ある	147	(28. 8%)	76	(21. 1%)	33	(15. 2%)	18	(8. 6%)	274	(21. 1%)	0.000
ない	360	(70. 5%)	281	(77. 8%)	183	(84. 3%)	188				0. 000
無回答						1000		(90.0%)	1012	(78. 0%)	
	4	(0.8%)	4	(1. 1%)	1	(0. 5%)	3	(1. 4%)	12	(0.9%)	
STD被診断経験(生涯)											
ある	134	(26. 2%)	95	(26. 3%)	29	(13. 4%)	25	(12.0%)	283	(21.8%)	0.000
ない	352	(68. 9%)	251	(69. 5%)	168	(77. 4%)	164	(78. 5%)	935	(72.0%)	
無回答	. 25	(4. 9%)	15	(4. 2%)	20	(9. 2%)	20	(9. 6%)	80	(6. 2%)	
STD被診断経験(過去1年											
ある	52	(10.2%)	24	(6.6%)	12	(5.5%)	8	(3.8%)	96	(7. 4%)	0. 018
ない	434	(84. 9%)	322	(89. 2%)	185	(85. 3%)	181	(86.6%)	1122	(86. 4%)	
無回答	25	(4.9%)	15	(4. 2%)	20	(9. 2%)	20	(9.6%)	80	(6. 2%)	
薬物使用(生涯)									41,470	(0. 2.0)	
ある	309	(60.5%)	170	(47. 1%)	72	(33. 2%)	68	(32. 5%)	619	(47. 7%)	0. 000
ない	191	(37. 4%)	179	(49.6%)	137	(63. 1%)	127	(60. 8%)	634	(48. 8%)	0. 000
無回答	11	(2.2%)	12	(3. 3%)	8	(3. 7%)	14	(6. 7%)	45	(3. 5%)	
薬物使用(過去6ヶ月間)						(6. 7.0)		(0. 7%)		(0. 0%)	
ある	150	(29. 4%)	52	(14. 4%)	22	(10. 1%)	17	(8. 1%)	241	(10 CW)	0.000
ない									241	(18. 6%)	0.000
	347	(67. 9%)	294	(81. 4%)	184	(84. 8%)	177	(84. 7%)	1002	(77. 2%)	
無回答	14	(2. 7%)	15	(4. 2%)	11	(5. 1%)	15	(7. 2%)	55	(4. 2%)	
HIV陽性											
HIV陽性	20	(3. 9%)	5	(1.4%)	3	(1.4%)	4	(1.9%)	32	(2.5%)	0.057
それ以外	491	(96. 1%)	356	(98. 6%)	214	(98. 6%)	205	(98. 1%)	1266	(97. 5%)	
相手の数(過去6ヶ月間)											
1人	52	(10. 2%)	69	(19. 1%)	48	(22. 1%)	54	(25. 8%)	223	(17. 2%)	0.000
2-3人	131	(25.6%)	101	(28.0%)	72	(33. 2%)	28	(13.4%)	332	(25.6%)	
4-5人	106	(20.7%)	44	(12.2%)	39	(18.0%)	2	(1.0%)	191	(14. 7%)	
6人以上	191	(37. 4%)	85	(23. 5%)	35	(16. 1%)	4	(1. 9%)	315	(24. 3%)	
非該当(0人)	13	(2.5%)	48	(13. 3%)	17	(7. 8%)	116	(55. 5%)	194	(14. 9%)	
無回答	18	(3. 5%)	14	(3. 9%)	6	(2. 8%)	5	(2. 4%)	43	(3. 3%)	
アナルセックス有の人のコンドームー				(5. 5/0)		(2. 5/0)	3	(L. T/U)	40	(0. 0/0)	
常用	153	(36.0%)	116	(47. 9%)	48	(33. 1%)	16	(23. 2%)	222	(27 00)	0.000
							16		333	(37. 8%)	0. 000
それ以外	228	(53. 6%)	89	(36. 8%)	77	(53. 1%)	37	(53. 6%)	431	(48. 9%)	
無回答	44	(10.4%)	37	(15. 3%)	20	(13.8%)	16	(23. 2%)	117	(13.3%)	

	ネット出	施設利用あり ネット出会いあり n=511		用あり 会いなし 361	ネット	利用なし 出会いあり =217	ネット出	別用なし 出会いなし 209		音計 1298	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	207	(40.5%)	129	(35. 7%)	0	(0.0%)	0	(0.0%)	336	(25. 9%)	0.000
ない	304	(59.5%)	228	(63. 2%)	215	(99.1%)	204	(97.6%)	951	(73. 3%)	
無回答	0	(0.0%)	4	(1.1%)	2	(0.9%)	5	(2.4%)	11	(0.8%)	
ビデオ系利用(過去	6ヶ月間)										
ある	124	(24. 3%)	68	(18.8%)	0	(0.0%)	0	(0.0%)	192	(14.8%)	0. 000
ない	387	(75. 7%)	290	(80.3%)	216	(99.5%)	203	(97.1%)	1096	(84. 4%)	
無回答	0	(0.0%)	3	(0.8%)	1	(0.5%)	6	(2.9%)	10	(0.8%)	
マンション系利用(過去6ヶ月間)									
ある	196	(38. 4%)	106	(29. 4%)	0	(0.0%)	0	(0.0%)	302	(23. 3%)	0. 000
ない	312	(61.1%)	255	(70.6%)	217	(100.0%)	204	(97.6%)	988	(76. 1%)	
無回答	3	(0.6%)	0	(0.0%)	0	(0.0%)	5	(2.4%)	8	(0.6%)	
クラブ(男性限定)(過去6ヶ月間)									
ある	135	(26. 4%)	59	(16. 3%)	0	(0.0%)	0	(0.0%)	194	(14. 9%)	0. 000
ない	375	(73. 4%)	302	(83. 7%)	217	(100.0%)	203	(97. 1%)	1097	(84.5%)	
無回答	1	(0.2%)	0	(0.0%)	0	(0.0%)	6	(2.9%)	7	(0.5%)	
お金払ってセックスの約	経験(過去6ヶ	月間)									
ある	93	(18. 2%)	90	(24. 9%)	0	(0.0%)	0	(0.0%)	183	(14. 1%)	0. 000
ない	417	(81.6%)	270	(74.8%)	216	(99.5%)	203	(97. 1%)	1106	(85. 2%)	0. 000
無回答	1	(0. 2%)	1	(0.3%)	1	(0.5%)	6	(2. 9%)	9	(0. 7%)	
ゲイバー利用(過去	6ヶ月間)										
ある	368	(72.0%)	215	(59.6%)	0	(0.0%)	0	(0.0%)	583	(44. 9%)	0. 000
ない	143	(28.0%)	145	(40.2%)	216	(99.5%)	203	(97.1%)	707	(54.5%)	
無回答	0	(0.0%)	1	(0.3%)	1	(0.5%)	6	(2.9%)	8	(0.6%)	

		用あり 会いあり 674	ネット出	用あり 会いな 480	L	ネット出	用なし 会いあり 139	ネット出	用なし 会いなし 175		468	カイ2乗 検定
	n	%	n	%		n	%	n	%	n	%	
年齢階級									(0.00)		(4.00/)	
10歳代	27	(4.0%)	3	(0.		14	(10. 1%)	15	(8. 6%)	59	(4. 0%)	0. 000
20歳代	291	(43. 2%)	138	(28.	8%)	82	(59.0%)	62	(35. 4%)	573	(39.0%)	
30歳代	267	(39.6%)	218	(45.	4%)	30	(21.6%)	61	(34. 9%)	576	(39. 2%)	
40歳代	74	(11.0%)	97	(20.	2%)	10	(7. 2%)	27	(15. 4%)	208	(14. 2%)	
50歳代以上	15	(2.2%)	23	(4.	8%)	3	(2.2%)	7	(4.0%)	48	(3. 3%)	
無回答	0	(0.0%)	1	(0.	2%)	0	(0.0%)	3	(1.7%)	4	(0.3%)	
		(0. 0%)		(0.	270)	·	(0. 0,0)	Ü	(1. 7.0)		(6. 6.1)	
最終学歴	420	(64 10)	220	(66	70/\	0.0	(EO OV)	111	(63, 4%)	0.45	(64. 4%)	0.206
大卒以上	432	(64. 1%)	320	(66.		82	(59. 0%)	111		945		0. 396
それ以外	240	(35. 6%)	159	(33.		57	(41. 0%)	62	(35. 4%)	518	(35. 3%)	
無回答	2	(0. 3%)	1	(0.	2%)	0	(0.0%)	2	(1. 1%)	5	(0. 3%)	
知識 感染しても長生き	可能											
正解	494	(73. 3%)	377	(78.	5%)	94	(67.6%)	106	(60.6%)	1071	(73.0%)	0.000
その他	179	(26.6%)	102	(21.	3%)	45	(32.4%)	65	(37. 1%)	391	(26.6%)	
無回答	1	(0. 1%)	1	(0.		0	(0, 0%)	4	(2. 3%)	6	(0. 4%)	
		(0. 170)		(υ.	270)		(0.0%)		(2. 0%)	Ü	(0. 4/0)	
知識_HIV検査感染から3		(70 00')	000	(01	20/7	20	(71 00)	110	(CA 00/)	1100	(76 00)	0 000
正解	527	(78. 2%)	390	(81.		99	(71. 2%)	112	(64. 0%)	1128	(76. 8%)	0. 000
その他	143	(21. 2%)	90	(18.		40	(28. 8%)	59	(33. 7%)	332	(22. 6%)	
無回答	4	(0.6%)	0	(0.	0%)	0	(0.0%)	4	(2.3%)	8	(0.5%)	
知識_STDはHIVの易感染	<u>y</u>											
正解	498	(73. 9%)	351	(73.	1%)	79	(56. 8%)	96	(54, 9%)	1024	(69.8%)	0. 000
	173	(25. 7%)	127	(26.		59	(42. 4%)	75	(42. 9%)	434	(29. 6%)	5. 000
その他												
無回答	3	(0.4%)	2	(0.	4%)	1	(0. 7%)	4	(2. 3%)	10	(0. 7%)	
抑うつ傾向												
あり	306	(45. 4%)	182	(37.	9%)	65	(46.8%)	76	(43.4%)	629	(42.8%)	0. 030
なし	318	(47. 2%)	266	(55.	4%)	62	(44.6%)	86	(49. 1%)	732	(49.9%)	
無回答	50	(7. 4%)	32	(6	7%)	12	(8.6%)	13	(7.4%)	107	(7. 3%)	
	Acres de la constante de la co	(7. 170)	02	(0.	, ,,,	,-	(6. 6.6)					
HIV抗体検査受検経験((50.1%)	005	/55	00/\	47	(22 08)	C.C.	(21 40/)	765	(50 10)	0.000
ある	398	(59. 1%)	265	(55.		47	(33. 8%)	55	(31. 4%)	765	(52. 1%)	0. 000
ない	275	(40.8%)	212	(44.	2%)	89	(64.0%)	114	(65. 1%)	690	(47.0%)	
無回答	1	(0.1%)	3	(0.	6%)	3	(2. 2%)	6	(3. 4%)	13	(0.9%)	
HIV抗体検査受検経験(i	渦去1年)											
ある	223	(33. 1%)	130	(27.	1%)	28	(20. 1%)	18	(10.3%)	399	(27. 2%)	0. 000
ない	449	(66, 6%)	346	(72.	1%)	108	(77. 7%)	151	(86. 3%)	1054	(71.8%)	
	2	(0. 3%)	4		8%)	3	(2. 2%)	6	(3. 4%)	15	(1.0%)	
無回答	۷.	(0. 3/0)	4	(0.	0/0)	J	(2. 2/0)	Ü	(0. 4/0)	10	(1. 0%)	
STD被診断経験(生涯)											(04 50)	
ある	262	(38. 9%)	150	(31.	3%)	23	(16. 5%)	27	(15. 4%)	462	(31.5%)	0. 000
ない	393	(58. 3%)	316	(65.	8%)	113	(81.3%)	131	(74. 9%)	953	(64. 9%)	
無回答	19	(2.8%)	14	(2.	9%)	3	(2. 2%)	17	(9.7%)	53	(3.6%)	
STD被診断経験(過去1年	=)											
ある	106	(15. 7%)	36	(7	5%)	13	(9. 4%)	7	(4.0%)	162	(11.0%)	0. 000
	548	(81. 3%)	428	(89.		122	(87. 8%)	151	(86. 3%)	1249	(85, 1%)	0. 000
ない							,				()	
無回答	20	(3.0%)	16	(3.	3%)	4	(2. 9%)	17	(9. 7%)	57	(3. 9%)	
薬物使用(生涯)												
ある	433	(64. 2%)	269	(56.	0%)	61	(43. 9%)	49	(28.0%)	812	(55. 3%)	0.000
ない	233	(34.6%)	201	(41.	9%)	76	(54. 7%)	114	(65. 1%)	624	(42.5%)	
無回答	8	(1. 2%)	10		1%)	2	(1.4%)	12	(6. 9%)	32	(2. 2%)	
		(1. 2/0)	10	\2.	1707	_	(1. 1/0)				(=, =,,,	
薬物使用(過去6ヶ月間)		(26 EW)	00	(00	10()	O.E.	(18.0%)	9	(5. 1%)	378	(25. 7%)	0. 000
ある	246	(36. 5%)	98	(20.		25						0. 000
ない	419	(62. 2%)	368	(76.		111	(79. 9%)	154	(88. 0%)	1052	(71. 7%)	
無回答	9	(1.3%)	14	(2.	9%)	3	(2.2%)	12	(6. 9%)	38	(2.6%)	
HIV陽性												
HIV陽性	38	(5. 6%)	21	(4	4%)	2	(1.4%)	5	(2. 9%)	66	(4.5%)	0. 103
			459	(95.		137	(98. 6%)	170	(97. 1%)	1402	(95. 5%)	0. 100
それ以外	636	(94. 4%)	409	(95.	0/0)	137	(30.0%)	170	(37. 170)	1402	(33. 3/0)	
相手の数(過去6ヶ月間)		(7)		(0)	00/		(00 5%)	F.0	(00.40)	005	(10 10/)	0.000
1人	51	(7. 6%)	115	(24.		41	(29. 5%)	58	(33. 1%)	265	(18. 1%)	0. 000
2-3人	154	(22. 8%)	105	(21.	9%)	46	(33. 1%)	10	(5. 7%)	315	(21.5%)	
4-5人	126	(18. 7%)	61	(12.	7%)	21	(15.1%)	2	(1.1%)	210	(14.3%)	
6人以上	312	(46. 3%)	131	(27.		22	(15. 8%)	1	(0.6%)	466	(31. 7%)	
										163	(11. 1%)	
非該当(0人)	6	(0. 9%)	50	(10.		6	(4. 3%)	101	(57. 7%)			
無回答	25	(3. 7%)	18	(3.	8%)	3	(2. 2%)	3	(1. 7%)	49	(3. 3%)	
アナルセックス有の人のコンドール	4使用状态	元(過去6ヶ	月間)									
常用	185	(32. 3%)	133	(39.	2%)	37	(35. 2%)	12	(24. 5%)	367	(34. 5%)	0. 088
それ以外	334	(58. 4%)	176	(51.		50	(47.6%)	29	(59. 2%)	589	(55. 3%)	
無回答	53	(9. 3%)	30		8%)	18	(17. 1%)	8	(16. 3%)	109	(10. 2%)	
	0.0	(0. 0/0)	30	(0.	010)	10	(17. 170)	U	(10.00)	100	(. J. L/0)	

	ネット出	施設利用あり ネット出会いあり n=674		施設利用あり ネット出会いなし n=480		刊用なし 出会いあり :139	施設利用なし ネット出会いなし n=175			1468	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	290	(43.0%)	173	(36.0%)	0	(0.0%)	0	(0.0%)	463	(31.5%)	0. 000
ない	383	(56.8%)	306	(63.8%)	139	(100.0%)	168	(96.0%)	996	(67.8%)	
無回答	1	(0.1%)	1	(0.2%)	0	(0.0%)	7	(4.0%)	9	(0.6%)	
ビデオ系利用(過去	6ヶ月間)										
ある	188	(27. 9%)	93	(19.4%)	0	(0.0%)	0	(0.0%)	281	(19. 1%)	0. 000
ない	485	(72.0%)	386	(80.4%)	139	(100.0%)	168	(96.0%)	1178	(80. 2%)	
無回答	1	(0.1%)	1	(0.2%)	0	(0.0%)	7	(4.0%)	9	(0.6%)	
マンション系利用(過去6ヶ月間)									
ある	320	(47. 5%)	137	(28. 5%)	0	(0.0%)	0	(0.0%)	457	(31. 1%)	0. 000
ない	351	(52. 1%)	341	(71.0%)	138	(99.3%)	167	(95. 4%)	997	(67. 9%)	
無回答	3	(0.4%)	2	(0.4%)	1	(0.7%)	8	(4.6%)	14	(1.0%)	
クラブ(男性限定)(過去6ヶ月間)									
ある	247	(36. 6%)	101	(21.0%)	0	(0.0%)	0	(0.0%)	348	(23. 7%)	0. 000
ない	425	(63. 1%)	378	(78.8%)	139	(100.0%)	168	(96.0%)	1110	(75.6%)	
無回答	2	(0.3%)	1	(0.2%)	0	(0.0%)	7	(4.0%)	10	(0.7%)	
お金払ってセックスの紹	経験(過去6ヶ	月間)									
ある	119	(17. 7%)	90	(18.8%)	0	(0.0%)	0	(0.0%)	209	(14. 2%)	0. 000
ない	553	(82.0%)	387	(80.6%)	139	(100.0%)	168	(96.0%)	1247	(84. 9%)	
無回答	2	(0.3%)	3	(0.6%)	0	(0.0%)	7	(4.0%)	12	(0.8%)	
ゲイバー利用(過去	6ヶ月間)										
ある	541	(80. 3%)	356	(74. 2%)	0	(0.0%)	0	(0.0%)	897	(61. 1%)	0.000
ない	131	(19.4%)	123	(25.6%)	139	(100.0%)	167	(95. 4%)	560	(38. 1%)	
無回答	2	(0.3%)	1	(0.2%)	0	(0.0%)	8	(4.6%)	11	(0.7%)	

	ネット	利用あり 出会いあり =94	ネット	利用あり 出会いなし 1=53	ネット	利用なし 出会いあり = 45	ネットと	利用なし 出会いなし = 49		計 241	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級				reliance and							
10歳代	2	(2. 1%)	1	(1. 9%)	9	(20.0%)	4	(8. 2%)	16	(6.6%)	0. 001
20歳代	44	(46. 8%)	13		15	(33. 3%)	17	(34. 7%)	89	(36. 9%)	
30歳代	37	(39. 4%)	24	(45. 3%)	16	(35. 6%)	18	(36. 7%)	95	(39. 4%)	
40歳代	6	(6. 4%)	9	(17.0%)	4	(8. 9%)	9	(18. 4%)	28	(11.6%)	
50歳代以上	5	(5. 3%)	6	(11.3%)	1	(2.2%)	1	(2.0%)	13	(5. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	36	(38. 3%)	24	(45. 3%)	19	(42. 2%)	22	(44. 9%)	101	(41. 9%)	0. 781
それ以外	58	(61. 7%)	28	(52.8%)	25	(55.6%)	27	(55. 1%)	138	(57. 3%)	
無回答	0	(0.0%)	1	(1.9%)	1	(2.2%)	0	(0.0%)	2	(0.8%)	
知識_感染しても長生き可	能										
正解	64	(68. 1%)	40	(75. 5%)	21	(46. 7%)	31	(63. 3%)	156	(64. 7%)	0. 022
その他	30	(31.9%)	13	(24.5%)	24	(53. 3%)	18	(36. 7%)	85	(35. 3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日	で可										
正解	74	(78. 7%)	40	(75. 5%)	32	(71. 1%)	29	(59. 2%)	175	(72. 6%)	0. 091
その他	20	(21. 3%)	13	(24.5%)	13	(28. 9%)	20	(40. 8%)	66	(27. 4%)	0. 001
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感染	Ü	(0. 0.0)	Ü	(0. 0%)	Ü	(0. 0%)	Ü	(0.0%)	U	(0. 0%)	
正解	66	(70. 2%)	27	(50. 9%)	18	(40.0%)	30	(61 00)	141	(EQ EW)	0.007
その他	28	(29. 8%)	25	(47. 2%)	26			(61. 2%) (38. 8%)	141	(58. 5%)	0. 007
無回答	0	(0.0%)	1	(1.9%)	20	(57. 8%)	19		98	(40. 7%)	
抑うつ傾向	U	(0. 0%)		(1. 970)		(2. 2%)	0	(0.0%)	2	(0.8%)	
かりがり	42	(44, 7%)	19	(35. 8%)	00	(51, 1%)	200	(40, 0%)	104	(40, 00/)	. 740
なし	45				23		20	(40. 8%)	104	(43. 2%)	0. 749
	7	(47. 9%)	26	(49. 1%)	20	(44. 4%)	24	(49. 0%)	115	(47. 7%)	
無回答		(7. 4%)	8	(15. 1%)	2	(4. 4%)	5	(10. 2%)	22	(9. 1%)	
HIV抗体検査受検経験(生涯											
ある	46	(48. 9%)	31	(58. 5%)	6	(13. 3%)	11	(22. 4%)	94	(39.0%)	0.000
ない	47	(50.0%)	20	(37. 7%)	39	(86. 7%)	38	(77. 6%)	144	(59.8%)	
無回答	1	(1. 1%)	2	(3.8%)	0	(0.0%)	0	(0.0%)	3	(1.2%)	
HIV抗体検査受検経験(過去											
ある	28	(29. 8%)	13	(24. 5%)	5	(11. 1%)	6	(12. 2%)	52	(21.6%)	0.020
ない	65	(69. 1%)	38	(71. 7%)	40	(88. 9%)	43	(87. 8%)	186	(77. 2%)	
無回答	1	(1.1%)	2	(3.8%)	0	(0.0%)	0	(0.0%)	3	(1.2%)	
STD被診断経験(生涯)											
ある	20	(21.3%)	11	(20.8%)	5	(11.1%)	4	(8. 2%)	40	(16.6%)	0. 152
ない	70	(74.5%)	39	(73.6%)	37	(82. 2%)	41	(83. 7%)	187	(77.6%)	
無回答	4	(4. 3%)	3	(5. 7%)	3	(6. 7%)	4	(8. 2%)	14	(5.8%)	
STD被診断経験(過去1年)											
ある	7	(7. 4%)	3	(5. 7%)	3	(6. 7%)	2	(4. 1%)	15	(6. 2%)	0. 899
ない	83	(88. 3%)	47	(88. 7%)	39	(86. 7%)	43	(87. 8%)	212	(88.0%)	0. 000
無回答	4	(4. 3%)	3	(5. 7%)	3	(6. 7%)	4	(8. 2%)	14	(5. 8%)	
薬物使用(生涯)		(dr.m	7		(0. 7%)		(0. 270)	17	(0. 0/0)	
ある	55	(58. 5%)	22	(41.5%)	13	(28. 9%)	15	(30. 6%)	105	(43.6%)	0. 001
ない	36	(38. 3%)	30	(56. 6%)	31	(68. 9%)	34	(69. 4%)	131	(54. 4%)	0. 001
無回答	3	(3. 2%)	1	(1. 9%)	1	(2. 2%)	0	(0.0%)	5	(2. 1%)	
薬物使用(過去6ヶ月間)		(0. 2/0)	e istore di	(1.0%)		(2. 2/0)	Ü	(0. 0%)	J	(2. 170)	
ある	21	(22. 3%)	9	(17.0%)	5	(11. 1%)	2	(4 10)	27	(1E 40/)	0.000
							2	(4. 1%)	37	(15. 4%)	0. 022
ない	69	(73. 4%)	42	(79. 2%)	39	(86. 7%)	47	(95. 9%)	197	(81. 7%)	
無回答	4	(4. 3%)	2	(3.8%)	1	(2. 2%)	0	(0.0%)	7	(2. 9%)	
HIV陽性		(a a.v.)									
HIV陽性	3	(3. 2%)	1	(1. 9%)	1	(2. 2%)	0	(0.0%)	5	(2.1%)	0. 653
それ以外	91	(96. 8%)	52	(98. 1%)	44	(97. 8%)	49	(100.0%)	236	(97. 9%)	
相手の数(過去6ヶ月間)											
1人	11	(11. 7%)	18	(34.0%)	10	(22. 2%)	14	(28.6%)	53	(22.0%)	0.000
2-3人	30	(31.9%)	17	(32. 1%)	16	(35.6%)	5	(10.2%)	68	(28. 2%)	
4-5人	13	(13.8%)	4	(7.5%)	6	(13.3%)	1	(2.0%)	24	(10.0%)	
6人以上	33	(35. 1%)	10	(18.9%)	7	(15.6%)	0	(0.0%)	50	(20. 7%)	
非該当(0人)	2	(2. 1%)	4	(7. 5%)	6	(13. 3%)	26	(53. 1%)	38	(15. 8%)	
無回答	5	(5. 3%)	0	(0.0%)	0	(0.0%)	3	(6. 1%)	8	(3. 3%)	
アナルセックス有の人のコンドーム使タ									4332.10	,-, 5/4/	
常用	23	(28. 8%)	8	(19.5%)	10	(31. 3%)	4	(30.8%)	45	(27. 1%)	0. 835
それ以外	50	(62. 5%)	24	(58. 5%)	19	(59. 4%)	7	(53. 8%)			U. 833
	7								100	(60. 2%)	
無回答	/	(8.8%)	9	(22.0%)	3	(9.4%)	2	(15. 4%)	21	(12.7%)	

	ネット出	用あり 会いあり 94	ネットは	用あり 会いなし =53	ネット	利用なし 出会いあり = 45	ネット	利用なし 出会いなし = 4 9		合計 n=241	
	n	%	n	%	n	%		%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	43	(45. 7%)	18	(34.0%)	0	(0.0%)	0	(0.0%)	61	(25. 3%)	0. 000
ない	51	(54. 3%)	35	(66.0%)	45	(100.0%)	49	(100.0%)	180	(74. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6	6ヶ月間)										
ある	25	(26. 6%)	4	(7. 5%)	0	(0.0%)	0	(0.0%)	29	(12.0%)	0. 000
ない	69	(73. 4%)	49	(92.5%)	45	(100.0%)	49	(100.0%)	212	(88.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(i	過去6ヶ月間)									
ある	38	(40. 4%)	11	(20.8%)	0	(0.0%)	0	(0.0%)	49	(20. 3%)	0. 000
ない	56	(59.6%)	41	(77. 4%)	45	(100.0%)	49	(100.0%)	191	(79. 3%)	0.000
無回答	0	(0.0%)	1	(1.9%)	0	(0.0%)	0	(0.0%)	1	(0.4%)	
クラブ(男性限定)(i	過去6ヶ月間)									
ある	24	(25. 5%)	9	(17.0%)	0	(0.0%)	0	(0.0%)	33	(13. 7%)	0. 000
ない	70	(74.5%)	44	(83.0%)	45	(100.0%)	49	(100.0%)	208	(86. 3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経	歸(過去6ヶ	日間)		(· /				(11, 11,		(0) 011/	
ある	20	(21. 3%)	12	(22.6%)	0	(0, 0%)	0	(0, 0%)	32	(13. 3%)	0. 000
ない	74	(78. 7%)	41	(77. 4%)	44	(97. 8%)	49	(100.0%)	208	(86. 3%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	1	(2. 2%)	0	(0.0%)	1	(0.4%)	
ゲイバー利用(過去6	5ヶ月間)									,	
ある	59	(62. 8%)	30	(56. 6%)	0	(0.0%)	0	(0.0%)	89	(36. 9%)	0, 000
ない	35	(37. 2%)	22	(41.5%)	45	(100.0%)	49	(100.0%)	151	(62. 7%)	0. 000
無回答	0	(0, 0%)	1	(1. 9%)	0	(0.0%)	0	(0.0%)	1	(0. 4%)	