

	施設利用あり ネット出会いあり n=171		施設利用あり ネット出会いなし n=74		施設利用なし ネット出会いあり n=51		施設利用なし ネット出会いなし n=47		合計 n=343		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	9	(5.3%)	1	(1.4%)	9	(17.6%)	5	(10.6%)	24	(7.0%)	0.000
20歳代	80	(46.8%)	16	(21.6%)	23	(45.1%)	18	(38.3%)	137	(39.9%)	
30歳代	56	(32.7%)	37	(50.0%)	10	(19.6%)	18	(38.3%)	121	(35.3%)	
40歳代	18	(10.5%)	15	(20.3%)	3	(5.9%)	3	(6.4%)	39	(11.4%)	
50歳代以上	8	(4.7%)	4	(5.4%)	6	(11.8%)	3	(6.4%)	21	(6.1%)	
無回答	0	(0.0%)	1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
最終学歴											
大卒以上	88	(51.5%)	43	(58.1%)	23	(45.1%)	28	(59.6%)	182	(53.1%)	0.397
それ以外	82	(48.0%)	31	(41.9%)	28	(54.9%)	19	(40.4%)	160	(46.6%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
知識_感染しても長生き可能											
正解	114	(66.7%)	49	(66.2%)	29	(56.9%)	31	(66.0%)	223	(65.0%)	0.581
その他	52	(30.4%)	25	(33.8%)	21	(41.2%)	16	(34.0%)	114	(33.2%)	
無回答	5	(2.9%)	0	(0.0%)	1	(2.0%)	0	(0.0%)	6	(1.7%)	
知識_HIV検査感染から3日で可											
正解	136	(79.5%)	57	(77.0%)	35	(68.6%)	37	(78.7%)	265	(77.3%)	0.426
その他	32	(18.7%)	17	(23.0%)	15	(29.4%)	10	(21.3%)	74	(21.6%)	
無回答	3	(1.8%)	0	(0.0%)	1	(2.0%)	0	(0.0%)	4	(1.2%)	
知識_STDはHIVの易感染											
正解	108	(63.2%)	43	(58.1%)	31	(60.8%)	25	(53.2%)	207	(60.3%)	0.597
その他	62	(36.3%)	31	(41.9%)	20	(39.2%)	22	(46.8%)	135	(39.4%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
抑うつ傾向											
あり	75	(43.9%)	30	(40.5%)	23	(45.1%)	21	(44.7%)	149	(43.4%)	0.894
なし	80	(46.8%)	39	(52.7%)	23	(45.1%)	23	(48.9%)	165	(48.1%)	
無回答	16	(9.4%)	5	(6.8%)	5	(9.8%)	3	(6.4%)	29	(8.5%)	
HIV抗体検査受検経験(生涯)											
ある	101	(59.1%)	40	(54.1%)	13	(25.5%)	20	(42.6%)	174	(50.7%)	0.000
ない	68	(39.8%)	33	(44.6%)	37	(72.5%)	26	(55.3%)	164	(47.8%)	
無回答	2	(1.2%)	1	(1.4%)	1	(2.0%)	1	(2.1%)	5	(1.5%)	
HIV抗体検査受検経験(過去1年)											
ある	67	(39.2%)	23	(31.1%)	8	(15.7%)	4	(8.5%)	102	(29.7%)	0.000
ない	102	(59.6%)	50	(67.6%)	42	(82.4%)	42	(89.4%)	236	(68.8%)	
無回答	2	(1.2%)	1	(1.4%)	1	(2.0%)	1	(2.1%)	5	(1.5%)	
STD被診断経験(生涯)											
ある	57	(33.3%)	25	(33.8%)	5	(9.8%)	6	(12.8%)	93	(27.1%)	0.001
ない	106	(62.0%)	47	(63.5%)	41	(80.4%)	39	(83.0%)	233	(67.9%)	
無回答	8	(4.7%)	2	(2.7%)	5	(9.8%)	2	(4.3%)	17	(5.0%)	
STD被診断経験(過去1年)											
ある	24	(14.0%)	7	(9.5%)	1	(2.0%)	1	(2.1%)	33	(9.6%)	0.018
ない	139	(81.3%)	65	(87.8%)	45	(88.2%)	44	(93.6%)	293	(85.4%)	
無回答	8	(4.7%)	2	(2.7%)	5	(9.8%)	2	(4.3%)	17	(5.0%)	
薬物使用(生涯)											
ある	96	(56.1%)	38	(51.4%)	20	(39.2%)	15	(31.9%)	169	(49.3%)	0.018
ない	67	(39.2%)	33	(44.6%)	29	(56.9%)	27	(57.4%)	156	(45.5%)	
無回答	8	(4.7%)	3	(4.1%)	2	(3.9%)	5	(10.6%)	18	(5.2%)	
薬物使用(過去6ヶ月間)											
ある	49	(28.7%)	16	(21.6%)	9	(17.6%)	3	(6.4%)	77	(22.4%)	0.010
ない	109	(63.7%)	53	(71.6%)	39	(76.5%)	39	(83.0%)	240	(70.0%)	
無回答	13	(7.6%)	5	(6.8%)	3	(5.9%)	5	(10.6%)	26	(7.6%)	
HIV陽性											
HIV陽性	11	(6.4%)	4	(5.4%)	0	(0.0%)	0	(0.0%)	15	(4.4%)	0.093
それ以外	160	(93.6%)	70	(94.6%)	51	(100.0%)	47	(100.0%)	328	(95.6%)	
相手の数(過去6ヶ月間)											
1人	11	(6.4%)	18	(24.3%)	7	(13.7%)	18	(38.3%)	54	(15.7%)	0.000
2-3人	46	(26.9%)	23	(31.1%)	17	(33.3%)	3	(6.4%)	89	(25.9%)	
4-5人	33	(19.3%)	5	(6.8%)	7	(13.7%)	4	(8.5%)	49	(14.3%)	
6人以上	71	(41.5%)	15	(20.3%)	11	(21.6%)	2	(4.3%)	99	(28.9%)	
非該当(0人)	5	(2.9%)	11	(14.9%)	7	(13.7%)	19	(40.4%)	42	(12.2%)	
無回答	5	(2.9%)	2	(2.7%)	2	(3.9%)	1	(2.1%)	10	(2.9%)	
アルコール有の人のコンドーム使用状況(過去6ヶ月間)											
常用	57	(33.8%)	19	(25.7%)	14	(27.7%)	5	(10.6%)	95	(27.7%)	0.494
それ以外	77	(45.0%)	20	(27.1%)	16	(31.4%)	13	(27.7%)	126	(36.6%)	
無回答	13	(7.7%)	11	(14.9%)	3	(5.9%)	4	(8.5%)	31	(9.1%)	

	施設利用あり ネット出会いあり n=171		施設利用あり ネット出会いなし n=74		施設利用なし ネット出会いあり n=51		施設利用なし ネット出会いなし n=47		合計 n=343		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	81	(47.4%)	30	(40.5%)	0	(0.0%)	0	(0.0%)	111	(32.4%)	0.000
ない	90	(52.6%)	44	(59.5%)	51	(100.0%)	47	(100.0%)	232	(67.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6ヶ月間)											
ある	23	(13.5%)	16	(21.6%)	0	(0.0%)	0	(0.0%)	39	(11.4%)	0.000
ない	148	(86.5%)	58	(78.4%)	51	(100.0%)	47	(100.0%)	304	(88.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(過去6ヶ月間)											
ある	55	(32.2%)	14	(18.9%)	0	(0.0%)	0	(0.0%)	69	(20.1%)	0.000
ない	115	(67.3%)	60	(81.1%)	51	(100.0%)	47	(100.0%)	273	(79.6%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	44	(25.7%)	14	(18.9%)	0	(0.0%)	0	(0.0%)	58	(16.9%)	0.000
ない	126	(73.7%)	60	(81.1%)	51	(100.0%)	47	(100.0%)	284	(82.8%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	29	(17.0%)	17	(23.0%)	0	(0.0%)	0	(0.0%)	46	(13.4%)	0.000
ない	141	(82.5%)	57	(77.0%)	51	(100.0%)	47	(100.0%)	296	(86.3%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
ゲイバー利用(過去6ヶ月間)											
ある	112	(65.5%)	53	(71.6%)	0	(0.0%)	0	(0.0%)	165	(48.1%)	0.000
ない	59	(34.5%)	21	(28.4%)	51	(100.0%)	47	(100.0%)	178	(51.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	

	施設利用あり ネット出会いあり n=233		施設利用あり ネット出会いなし n=124		施設利用なし ネット出会いあり n=90		施設利用なし ネット出会いなし n=76		合計 n=523		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	15	(6.4%)	5	(4.0%)	21	(23.3%)	6	(7.9%)	47	(9.0%)	0.000
20歳代	101	(43.3%)	47	(37.9%)	40	(44.4%)	31	(40.8%)	219	(41.9%)	
30歳代	74	(31.8%)	43	(34.7%)	21	(23.3%)	22	(28.9%)	160	(30.6%)	
40歳代	29	(12.4%)	18	(14.5%)	7	(7.8%)	13	(17.1%)	67	(12.8%)	
50歳代以上	14	(6.0%)	11	(8.9%)	0	(0.0%)	3	(3.9%)	28	(5.4%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.1%)	1	(1.3%)	2	(0.4%)	
最終学歴											
大卒以上	140	(60.1%)	70	(56.5%)	47	(52.2%)	45	(59.2%)	302	(57.7%)	0.615
それ以外	93	(39.9%)	54	(43.5%)	43	(47.8%)	31	(40.8%)	221	(42.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能											
正解	169	(72.5%)	85	(68.5%)	53	(58.9%)	48	(63.2%)	355	(67.9%)	0.102
その他	64	(27.5%)	39	(31.5%)	37	(41.1%)	27	(35.5%)	167	(31.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	1	(0.2%)	
知識_HIV検査感染から3日で可											
正解	177	(76.0%)	101	(81.5%)	66	(73.3%)	57	(75.0%)	401	(76.7%)	0.604
その他	54	(23.2%)	23	(18.5%)	23	(25.6%)	18	(23.7%)	118	(22.6%)	
無回答	2	(0.9%)	0	(0.0%)	1	(1.1%)	1	(1.3%)	4	(0.8%)	
知識_STDはHIVの易感染											
正解	156	(67.0%)	81	(65.3%)	49	(54.4%)	41	(53.9%)	327	(62.5%)	0.085
その他	77	(33.0%)	42	(33.9%)	40	(44.4%)	34	(44.7%)	193	(36.9%)	
無回答	0	(0.0%)	1	(0.8%)	1	(1.1%)	1	(1.3%)	3	(0.6%)	
抑うつ傾向											
あり	111	(47.6%)	58	(46.8%)	38	(42.2%)	25	(32.9%)	232	(44.4%)	0.279
なし	113	(48.5%)	60	(48.4%)	47	(52.2%)	43	(56.6%)	263	(50.3%)	
無回答	9	(3.9%)	6	(4.8%)	5	(5.6%)	8	(10.5%)	28	(5.4%)	
HIV抗体検査受検経験(生涯)											
ある	110	(47.2%)	55	(44.4%)	24	(26.7%)	22	(28.9%)	211	(40.3%)	0.001
ない	120	(51.5%)	67	(54.0%)	64	(71.1%)	51	(67.1%)	302	(57.7%)	
無回答	3	(1.3%)	2	(1.6%)	2	(2.2%)	3	(3.9%)	10	(1.9%)	
HIV抗体検査受検経験(過去1年)											
ある	55	(23.6%)	30	(24.2%)	15	(16.7%)	6	(7.9%)	106	(20.3%)	0.015
ない	173	(74.2%)	91	(73.4%)	73	(81.1%)	67	(88.2%)	404	(77.2%)	
無回答	5	(2.1%)	3	(2.4%)	2	(2.2%)	3	(3.9%)	13	(2.5%)	
STD被診断経験(生涯)											
ある	69	(29.6%)	30	(24.2%)	7	(7.8%)	8	(10.5%)	114	(21.8%)	0.000
ない	147	(63.1%)	88	(71.0%)	75	(83.3%)	60	(78.9%)	370	(70.7%)	
無回答	17	(7.3%)	6	(4.8%)	8	(8.9%)	8	(10.5%)	39	(7.5%)	
STD被診断経験(過去1年)											
ある	24	(10.3%)	14	(11.3%)	1	(1.1%)	3	(3.9%)	42	(8.0%)	0.015
ない	192	(82.4%)	104	(83.9%)	81	(90.0%)	65	(85.5%)	442	(84.5%)	
無回答	17	(7.3%)	6	(4.8%)	8	(8.9%)	8	(10.5%)	39	(7.5%)	
薬物使用(生涯)											
ある	142	(60.9%)	66	(53.2%)	33	(36.7%)	17	(22.4%)	258	(49.3%)	0.000
ない	82	(35.2%)	54	(43.5%)	52	(57.8%)	50	(65.8%)	238	(45.5%)	
無回答	9	(3.9%)	4	(3.2%)	5	(5.6%)	9	(11.8%)	27	(5.2%)	
薬物使用(過去6ヶ月間)											
ある	73	(31.3%)	29	(23.4%)	9	(10.0%)	4	(5.3%)	115	(22.0%)	0.000
ない	149	(63.9%)	89	(71.8%)	75	(83.3%)	63	(82.9%)	376	(71.9%)	
無回答	11	(4.7%)	6	(4.8%)	6	(6.7%)	9	(11.8%)	32	(6.1%)	
HIV陽性											
HIV陽性	5	(2.1%)	6	(4.8%)	0	(0.0%)	1	(1.3%)	12	(2.3%)	0.110
それ以外	228	(97.9%)	118	(95.2%)	90	(100.0%)	75	(98.7%)	511	(97.7%)	
相手の数(過去6ヶ月間)											
1人	16	(6.9%)	29	(23.4%)	19	(21.1%)	30	(39.5%)	94	(18.0%)	0.000
2-3人	49	(21.0%)	26	(21.0%)	29	(32.2%)	8	(10.5%)	112	(21.4%)	
4-5人	34	(14.6%)	15	(12.1%)	16	(17.8%)	1	(1.3%)	66	(12.6%)	
6人以上	110	(47.2%)	34	(27.4%)	17	(18.9%)	0	(0.0%)	161	(30.8%)	
非該当(0人)	13	(5.6%)	12	(9.7%)	7	(7.8%)	33	(43.4%)	65	(12.4%)	
無回答	11	(4.7%)	8	(6.5%)	2	(2.2%)	4	(5.3%)	25	(4.8%)	
アルコール有の人のコントロール使用状況(過去6ヶ月間)											
常用	62	(31.5%)	34	(40.0%)	18	(28.6%)	4	(20.0%)	118	(32.3%)	0.398
それ以外	108	(54.8%)	43	(50.6%)	38	(60.3%)	11	(55.0%)	200	(54.8%)	
無回答	27	(13.7%)	8	(9.4%)	7	(11.1%)	5	(25.0%)	47	(12.9%)	

	施設利用あり ネット出会いあり n=233		施設利用あり ネット出会いなし n=124		施設利用なし ネット出会いあり n=90		施設利用なし ネット出会いなし n=76		合計 n=523		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	128	(54.9%)	56	(45.2%)	0	(0.0%)	0	(0.0%)	184	(35.2%)	0.000
ない	105	(45.1%)	68	(54.8%)	89	(98.9%)	74	(97.4%)	336	(64.2%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.1%)	2	(2.6%)	3	(0.6%)	
ビデオ系利用(過去6ヶ月間)											
ある	53	(22.7%)	21	(16.9%)	0	(0.0%)	0	(0.0%)	74	(14.1%)	0.000
ない	180	(77.3%)	103	(83.1%)	89	(98.9%)	75	(98.7%)	447	(85.5%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.1%)	1	(1.3%)	2	(0.4%)	
マンション系利用(過去6ヶ月間)											
ある	83	(35.6%)	32	(25.8%)	0	(0.0%)	0	(0.0%)	115	(22.0%)	0.000
ない	149	(63.9%)	92	(74.2%)	89	(98.9%)	75	(98.7%)	405	(77.4%)	
無回答	1	(0.4%)	0	(0.0%)	1	(1.1%)	1	(1.3%)	3	(0.6%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	71	(30.5%)	33	(26.6%)	0	(0.0%)	0	(0.0%)	104	(19.9%)	0.000
ない	162	(69.5%)	91	(73.4%)	90	(100.0%)	75	(98.7%)	418	(79.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	1	(0.2%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	40	(17.2%)	26	(21.0%)	0	(0.0%)	0	(0.0%)	66	(12.6%)	0.000
ない	193	(82.8%)	98	(79.0%)	90	(100.0%)	75	(98.7%)	456	(87.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	1	(0.2%)	
ゲイバー利用(過去6ヶ月間)											
ある	162	(69.5%)	76	(61.3%)	0	(0.0%)	0	(0.0%)	238	(45.5%)	0.000
ない	69	(29.6%)	48	(38.7%)	90	(100.0%)	75	(98.7%)	282	(53.9%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	3	(0.6%)	

	施設利用あり ネット出会いあり n=282		施設利用あり ネット出会いなし n=172		施設利用なし ネット出会いあり n=70		施設利用なし ネット出会いなし n=68		合計 n=592		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	12	(4.3%)	6	(3.5%)	13	(18.6%)	5	(7.4%)	36	(6.1%)	0.000
20歳代	126	(44.7%)	52	(30.2%)	39	(55.7%)	25	(36.8%)	242	(40.9%)	
30歳代	98	(34.8%)	74	(43.0%)	10	(14.3%)	25	(36.8%)	207	(35.0%)	
40歳代	33	(11.7%)	28	(16.3%)	6	(8.6%)	10	(14.7%)	77	(13.0%)	
50歳代以上	13	(4.6%)	12	(7.0%)	2	(2.9%)	3	(4.4%)	30	(5.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	151	(53.5%)	107	(62.2%)	29	(41.4%)	29	(42.6%)	316	(53.4%)	0.006
それ以外	130	(46.1%)	65	(37.8%)	41	(58.6%)	39	(57.4%)	275	(46.5%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.2%)	
知識_感染しても長生き可能											
正解	196	(69.5%)	128	(74.4%)	45	(64.3%)	47	(69.1%)	416	(70.3%)	0.440
その他	86	(30.5%)	44	(25.6%)	25	(35.7%)	20	(29.4%)	175	(29.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.5%)	1	(0.2%)	
知識_HIV検査感染から3日で可											
正解	233	(82.6%)	133	(77.3%)	56	(80.0%)	50	(73.5%)	472	(79.7%)	0.277
その他	47	(16.7%)	39	(22.7%)	13	(18.6%)	17	(25.0%)	116	(19.6%)	
無回答	2	(0.7%)	0	(0.0%)	1	(1.4%)	1	(1.5%)	4	(0.7%)	
知識_STDはHIVの易感染											
正解	187	(66.3%)	124	(72.1%)	46	(65.7%)	37	(54.4%)	394	(66.6%)	0.085
その他	94	(33.3%)	47	(27.3%)	24	(34.3%)	30	(44.1%)	195	(32.9%)	
無回答	1	(0.4%)	1	(0.6%)	0	(0.0%)	1	(1.5%)	3	(0.5%)	
抑うつ傾向											
あり	117	(41.5%)	87	(50.6%)	29	(41.4%)	30	(44.1%)	263	(44.4%)	0.193
なし	147	(52.1%)	72	(41.9%)	37	(52.9%)	33	(48.5%)	289	(48.8%)	
無回答	18	(6.4%)	13	(7.6%)	4	(5.7%)	5	(7.4%)	40	(6.8%)	
HIV抗体検査受検経験(生涯)											
ある	152	(53.9%)	91	(52.9%)	17	(24.3%)	26	(38.2%)	286	(48.3%)	0.000
ない	129	(45.7%)	81	(47.1%)	51	(72.9%)	41	(60.3%)	302	(51.0%)	
無回答	1	(0.4%)	0	(0.0%)	2	(2.9%)	1	(1.5%)	4	(0.7%)	
HIV抗体検査受検経験(過去1年)											
ある	86	(30.5%)	40	(23.3%)	11	(15.7%)	10	(14.7%)	147	(24.8%)	0.010
ない	195	(69.1%)	131	(76.2%)	57	(81.4%)	57	(83.8%)	440	(74.3%)	
無回答	1	(0.4%)	1	(0.6%)	2	(2.9%)	1	(1.5%)	5	(0.8%)	
STD被診断経験(生涯)											
ある	91	(32.3%)	56	(32.6%)	6	(8.6%)	14	(20.6%)	167	(28.2%)	0.000
ない	178	(63.1%)	112	(65.1%)	59	(84.3%)	50	(73.5%)	399	(67.4%)	
無回答	13	(4.6%)	4	(2.3%)	5	(7.1%)	4	(5.9%)	26	(4.4%)	
STD被診断経験(過去1年)											
ある	41	(14.5%)	21	(12.2%)	3	(4.3%)	3	(4.4%)	68	(11.5%)	0.026
ない	228	(80.9%)	147	(85.5%)	62	(88.6%)	61	(89.7%)	498	(84.1%)	
無回答	13	(4.6%)	4	(2.3%)	5	(7.1%)	4	(5.9%)	26	(4.4%)	
薬物使用(生涯)											
ある	190	(67.4%)	92	(53.5%)	23	(32.9%)	21	(30.9%)	326	(55.1%)	0.000
ない	87	(30.9%)	78	(45.3%)	43	(61.4%)	44	(64.7%)	252	(42.6%)	
無回答	5	(1.8%)	2	(1.2%)	4	(5.7%)	3	(4.4%)	14	(2.4%)	
薬物使用(過去6ヶ月間)											
ある	100	(35.5%)	35	(20.3%)	2	(2.9%)	1	(1.5%)	138	(23.3%)	0.000
ない	173	(61.3%)	133	(77.3%)	63	(90.0%)	64	(94.1%)	433	(73.1%)	
無回答	9	(3.2%)	4	(2.3%)	5	(7.1%)	3	(4.4%)	21	(3.5%)	
HIV陽性											
HIV陽性	16	(5.7%)	12	(7.0%)	0	(0.0%)	5	(7.4%)	33	(5.6%)	0.158
それ以外	266	(94.3%)	160	(93.0%)	70	(100.0%)	63	(92.6%)	559	(94.4%)	
相手の数(過去6ヶ月間)											
1人	32	(11.3%)	36	(20.9%)	21	(30.0%)	18	(26.5%)	107	(18.1%)	0.000
2-3人	56	(19.9%)	42	(24.4%)	23	(32.9%)	8	(11.8%)	129	(21.8%)	
4-5人	52	(18.4%)	22	(12.8%)	11	(15.7%)	2	(2.9%)	87	(14.7%)	
6人以上	128	(45.4%)	41	(23.8%)	10	(14.3%)	0	(0.0%)	179	(30.2%)	
非該当(0人)	3	(1.1%)	27	(15.7%)	4	(5.7%)	39	(57.4%)	73	(12.3%)	
無回答	11	(3.9%)	4	(2.3%)	1	(1.4%)	1	(1.5%)	17	(2.9%)	
コンドーム使用状況(過去6ヶ月間)											
常に	73	(28.9%)	43	(36.8%)	15	(28.8%)	4	(23.5%)	135	(30.8%)	0.292
それ以外	149	(58.9%)	57	(48.7%)	30	(57.7%)	11	(64.7%)	247	(56.3%)	
無回答	31	(12.3%)	17	(14.5%)	7	(13.5%)	2	(11.8%)	57	(13.0%)	

	施設利用あり ネット出会いあり n=282		施設利用あり ネット出会いなし n=172		施設利用なし ネット出会いあり n=70		施設利用なし ネット出会いなし n=68		合計 n=592		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	167	(59.2%)	81	(47.1%)	0	(0.0%)	0	(0.0%)	248	(41.9%)	0.000
ない	114	(40.4%)	91	(52.9%)	69	(98.6%)	66	(97.1%)	340	(57.4%)	
無回答	1	(0.4%)	0	(0.0%)	1	(1.4%)	2	(2.9%)	4	(0.7%)	
ビデオ系利用(過去6ヶ月間)											
ある	55	(19.5%)	15	(8.7%)	0	(0.0%)	0	(0.0%)	70	(11.8%)	0.000
ない	226	(80.1%)	157	(91.3%)	69	(98.6%)	66	(97.1%)	518	(87.5%)	
無回答	1	(0.4%)	0	(0.0%)	1	(1.4%)	2	(2.9%)	4	(0.7%)	
マンション系利用(過去6ヶ月間)											
ある	82	(29.1%)	37	(21.5%)	0	(0.0%)	0	(0.0%)	119	(20.1%)	0.000
ない	200	(70.9%)	134	(77.9%)	70	(100.0%)	66	(97.1%)	470	(79.4%)	
無回答	0	(0.0%)	1	(0.6%)	0	(0.0%)	2	(2.9%)	3	(0.5%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	99	(35.1%)	44	(25.6%)	0	(0.0%)	0	(0.0%)	143	(24.2%)	0.000
ない	183	(64.9%)	127	(73.8%)	70	(100.0%)	65	(95.6%)	445	(75.2%)	
無回答	0	(0.0%)	1	(0.6%)	0	(0.0%)	3	(4.4%)	4	(0.7%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	32	(11.3%)	34	(19.8%)	0	(0.0%)	0	(0.0%)	66	(11.1%)	0.000
ない	249	(88.3%)	137	(79.7%)	70	(100.0%)	66	(97.1%)	522	(88.2%)	
無回答	1	(0.4%)	1	(0.6%)	0	(0.0%)	2	(2.9%)	4	(0.7%)	
ゲイバー利用(過去6ヶ月間)											
ある	201	(71.3%)	117	(68.0%)	0	(0.0%)	0	(0.0%)	318	(53.7%)	0.000
ない	81	(28.7%)	55	(32.0%)	68	(97.1%)	64	(94.1%)	268	(45.3%)	
無回答	0	(0.0%)	0	(0.0%)	2	(2.9%)	4	(5.9%)	6	(1.0%)	

	施設利用あり ネット出会いあり n=113		施設利用あり ネット出会いなし n=70		施設利用なし ネット出会いあり n=70		施設利用なし ネット出会いなし n=47		合計 n=300		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	3	(2.7%)	0	(0.0%)	9	(12.9%)	3	(6.4%)	15	(5.0%)	0.075
20歳代	35	(31.0%)	24	(34.3%)	27	(38.6%)	15	(31.9%)	101	(33.7%)	
30歳代	48	(42.5%)	26	(37.1%)	21	(30.0%)	18	(38.3%)	113	(37.7%)	
40歳代	16	(14.2%)	14	(20.0%)	6	(8.6%)	6	(12.8%)	42	(14.0%)	
50歳代以上	10	(8.8%)	6	(8.6%)	7	(10.0%)	5	(10.6%)	28	(9.3%)	
無回答	1	(0.9%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
最終学歴											
大卒以上	61	(54.0%)	41	(58.6%)	26	(37.1%)	16	(34.0%)	144	(48.0%)	0.008
それ以外	52	(46.0%)	29	(41.4%)	44	(62.9%)	31	(66.0%)	156	(52.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能											
正解	87	(77.0%)	47	(67.1%)	49	(70.0%)	20	(42.6%)	203	(67.7%)	0.000
その他	25	(22.1%)	23	(32.9%)	21	(30.0%)	27	(57.4%)	96	(32.0%)	
無回答	1	(0.9%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
知識_HIV検査感染から3日で可											
正解	86	(76.1%)	52	(74.3%)	54	(77.1%)	26	(55.3%)	218	(72.7%)	0.024
その他	25	(22.1%)	17	(24.3%)	16	(22.9%)	21	(44.7%)	79	(26.3%)	
無回答	2	(1.8%)	1	(1.4%)	0	(0.0%)	0	(0.0%)	3	(1.0%)	
知識_STDIはHIVの易感染											
正解	74	(65.5%)	43	(61.4%)	40	(57.1%)	24	(51.1%)	181	(60.3%)	0.351
その他	39	(34.5%)	27	(38.6%)	30	(42.9%)	23	(48.9%)	119	(39.7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向											
あり	56	(49.6%)	33	(47.1%)	31	(44.3%)	23	(48.9%)	143	(47.7%)	0.944
なし	50	(44.2%)	35	(50.0%)	32	(45.7%)	23	(48.9%)	140	(46.7%)	
無回答	7	(6.2%)	2	(2.9%)	7	(10.0%)	1	(2.1%)	17	(5.7%)	
HIV抗体検査受検経験(生涯)											
ある	51	(45.1%)	26	(37.1%)	24	(34.3%)	7	(14.9%)	108	(36.0%)	0.004
ない	61	(54.0%)	43	(61.4%)	45	(64.3%)	39	(83.0%)	188	(62.7%)	
無回答	1	(0.9%)	1	(1.4%)	1	(1.4%)	1	(2.1%)	4	(1.3%)	
HIV抗体検査受検経験(過去1年)											
ある	22	(19.5%)	9	(12.9%)	15	(21.4%)	4	(8.5%)	50	(16.7%)	0.191
ない	89	(78.8%)	60	(85.7%)	54	(77.1%)	42	(89.4%)	245	(81.7%)	
無回答	2	(1.8%)	1	(1.4%)	1	(1.4%)	1	(2.1%)	5	(1.7%)	
STD被診断経験(生涯)											
ある	27	(23.9%)	12	(17.1%)	9	(12.9%)	4	(8.5%)	52	(17.3%)	0.092
ない	78	(69.0%)	52	(74.3%)	57	(81.4%)	36	(76.6%)	223	(74.3%)	
無回答	8	(7.1%)	6	(8.6%)	4	(5.7%)	7	(14.9%)	25	(8.3%)	
STD被診断経験(過去1年)											
ある	10	(8.8%)	4	(5.7%)	3	(4.3%)	0	(0.0%)	17	(5.7%)	0.175
ない	95	(84.1%)	60	(85.7%)	63	(90.0%)	40	(85.1%)	258	(86.0%)	
無回答	8	(7.1%)	6	(8.6%)	4	(5.7%)	7	(14.9%)	25	(8.3%)	
薬物使用(生涯)											
ある	71	(62.8%)	33	(47.1%)	24	(34.3%)	15	(31.9%)	143	(47.7%)	0.000
ない	37	(32.7%)	35	(50.0%)	45	(64.3%)	24	(51.1%)	141	(47.0%)	
無回答	5	(4.4%)	2	(2.9%)	1	(1.4%)	8	(17.0%)	16	(5.3%)	
薬物使用(過去6ヶ月間)											
ある	34	(30.1%)	11	(15.7%)	10	(14.3%)	2	(4.3%)	57	(19.0%)	0.001
ない	72	(63.7%)	54	(77.1%)	59	(84.3%)	37	(78.7%)	222	(74.0%)	
無回答	7	(6.2%)	5	(7.1%)	1	(1.4%)	8	(17.0%)	21	(7.0%)	
HIV陽性											
HIV陽性	5	(4.4%)	1	(1.4%)	1	(1.4%)	0	(0.0%)	7	(2.3%)	0.285
それ以外	108	(95.6%)	69	(98.6%)	69	(98.6%)	47	(100.0%)	293	(97.7%)	
相手の数(過去6ヶ月間)											
1人	2	(1.8%)	22	(31.4%)	11	(15.7%)	10	(21.3%)	45	(15.0%)	0.000
2-3人	25	(22.1%)	14	(20.0%)	31	(44.3%)	3	(6.4%)	73	(24.3%)	
4-5人	39	(34.5%)	10	(14.3%)	10	(14.3%)	1	(2.1%)	60	(20.0%)	
6人以上	35	(31.0%)	8	(11.4%)	9	(12.9%)	1	(2.1%)	53	(17.7%)	
非該当(0人)	6	(5.3%)	14	(20.0%)	5	(7.1%)	29	(61.7%)	54	(18.0%)	
無回答	6	(5.3%)	2	(2.9%)	4	(5.7%)	3	(6.4%)	15	(5.0%)	
アルコール有の人のコントロール使用状況(過去6ヶ月間)											
常用	25	(25.8%)	10	(23.8%)	21	(38.2%)	2	(18.2%)	58	(28.3%)	0.329
それ以外	60	(61.9%)	25	(59.5%)	28	(50.9%)	7	(63.6%)	120	(58.5%)	
無回答	12	(12.4%)	7	(16.7%)	6	(10.9%)	2	(18.2%)	27	(13.2%)	

	施設利用あり ネット出会いあり n=113		施設利用あり ネット出会いなし n=70		施設利用なし ネット出会いあり n=70		施設利用なし ネット出会いなし n=47		合計 n=300		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	50	(44.2%)	21	(30.0%)	0	(0.0%)	0	(0.0%)	71	(23.7%)	0.000
ない	62	(54.9%)	49	(70.0%)	70	(100.0%)	46	(97.9%)	227	(75.7%)	
無回答	1	(0.9%)	0	(0.0%)	0	(0.0%)	1	(2.1%)	2	(0.7%)	
ビデオ系利用(過去6ヶ月間)											
ある	13	(11.5%)	2	(2.9%)	0	(0.0%)	0	(0.0%)	15	(5.0%)	0.001
ない	100	(88.5%)	67	(95.7%)	70	(100.0%)	44	(93.6%)	281	(93.7%)	
無回答	0	(0.0%)	1	(1.4%)	0	(0.0%)	3	(6.4%)	4	(1.3%)	
マンション系利用(過去6ヶ月間)											
ある	43	(38.1%)	17	(24.3%)	0	(0.0%)	0	(0.0%)	60	(20.0%)	0.000
ない	70	(61.9%)	52	(74.3%)	68	(97.1%)	46	(97.9%)	236	(78.7%)	
無回答	0	(0.0%)	1	(1.4%)	2	(2.9%)	1	(2.1%)	4	(1.3%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	31	(27.4%)	8	(11.4%)	0	(0.0%)	0	(0.0%)	39	(13.0%)	0.000
ない	82	(72.6%)	62	(88.6%)	70	(100.0%)	46	(97.9%)	260	(86.7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(2.1%)	1	(0.3%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	12	(10.6%)	12	(17.1%)	0	(0.0%)	0	(0.0%)	24	(8.0%)	0.000
ない	99	(87.6%)	58	(82.9%)	69	(98.6%)	45	(95.7%)	271	(90.3%)	
無回答	2	(1.8%)	0	(0.0%)	1	(1.4%)	2	(4.3%)	5	(1.7%)	
ゲイバー利用(過去6ヶ月間)											
ある	80	(70.8%)	41	(58.6%)	0	(0.0%)	0	(0.0%)	121	(40.3%)	0.000
ない	33	(29.2%)	29	(41.4%)	70	(100.0%)	45	(95.7%)	177	(59.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(4.3%)	2	(0.7%)	

表36. 居住地域ブロック 福岡(2007)

PC携帯を介した出会い×商業施設利用

316

	施設利用あり ネット出会いあり n=152		施設利用あり ネット出会いなし n=69		施設利用なし ネット出会いあり n=56		施設利用なし ネット出会いなし n=39		合計 n=316		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	7	(4.6%)	2	(2.9%)	10	(17.9%)	2	(5.1%)	21	(6.6%)	0.002
20歳代	61	(40.1%)	22	(31.9%)	29	(51.8%)	22	(56.4%)	134	(42.4%)	
30歳代	57	(37.5%)	31	(44.9%)	14	(25.0%)	10	(25.6%)	112	(35.4%)	
40歳代	20	(13.2%)	12	(17.4%)	2	(3.6%)	5	(12.8%)	39	(12.3%)	
50歳代以上	7	(4.6%)	2	(2.9%)	1	(1.8%)	0	(0.0%)	10	(3.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	84	(55.3%)	34	(49.3%)	25	(44.6%)	21	(53.8%)	164	(51.9%)	0.526
それ以外	68	(44.7%)	35	(50.7%)	31	(55.4%)	17	(43.6%)	151	(47.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(2.6%)	1	(0.3%)	
知識 感染しても長生き可能											
正解	111	(73.0%)	46	(66.7%)	32	(57.1%)	26	(66.7%)	215	(68.0%)	0.207
その他	40	(26.3%)	22	(31.9%)	23	(41.1%)	13	(33.3%)	98	(31.0%)	
無回答	1	(0.7%)	1	(1.4%)	1	(1.8%)	0	(0.0%)	3	(0.9%)	
知識 HIV検査感染から3日で可											
正解	126	(82.9%)	57	(82.6%)	39	(69.6%)	26	(66.7%)	248	(78.5%)	0.041
その他	26	(17.1%)	12	(17.4%)	17	(30.4%)	13	(33.3%)	68	(21.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識 STDはHIVの易感染											
正解	107	(70.4%)	46	(66.7%)	36	(64.3%)	21	(53.8%)	210	(66.5%)	0.266
その他	45	(29.6%)	23	(33.3%)	20	(35.7%)	18	(46.2%)	106	(33.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向											
あり	62	(40.8%)	23	(33.3%)	27	(48.2%)	14	(35.9%)	126	(39.9%)	0.206
なし	79	(52.0%)	45	(65.2%)	24	(42.9%)	21	(53.8%)	169	(53.5%)	
無回答	11	(7.2%)	1	(1.4%)	5	(8.9%)	4	(10.3%)	21	(6.6%)	
HIV抗体検査受検経験(生涯)											
ある	66	(43.4%)	32	(46.4%)	15	(26.8%)	11	(28.2%)	124	(39.2%)	0.047
ない	85	(55.9%)	36	(52.2%)	40	(71.4%)	27	(69.2%)	188	(59.5%)	
無回答	1	(0.7%)	1	(1.4%)	1	(1.8%)	1	(2.6%)	4	(1.3%)	
HIV抗体検査受検経験(過去1年)											
ある	39	(25.7%)	14	(20.3%)	9	(16.1%)	4	(10.3%)	66	(20.9%)	0.150
ない	112	(73.7%)	54	(78.3%)	46	(82.1%)	34	(87.2%)	246	(77.8%)	
無回答	1	(0.7%)	1	(1.4%)	1	(1.8%)	1	(2.6%)	4	(1.3%)	
STD被診断経験(生涯)											
ある	41	(27.0%)	23	(33.3%)	9	(16.1%)	5	(12.8%)	78	(24.7%)	0.024
ない	103	(67.8%)	41	(59.4%)	46	(82.1%)	32	(82.1%)	222	(70.3%)	
無回答	8	(5.3%)	5	(7.2%)	1	(1.8%)	2	(5.1%)	16	(5.1%)	
STD被診断経験(過去1年)											
ある	13	(8.6%)	7	(10.1%)	1	(1.8%)	1	(2.6%)	22	(7.0%)	0.140
ない	130	(85.5%)	57	(82.6%)	54	(96.4%)	36	(92.3%)	277	(87.7%)	
無回答	9	(5.9%)	5	(7.2%)	1	(1.8%)	2	(5.1%)	17	(5.4%)	
薬物使用(生涯)											
ある	104	(68.4%)	40	(58.0%)	21	(37.5%)	14	(35.9%)	179	(56.6%)	0.000
ない	47	(30.9%)	28	(40.6%)	34	(60.7%)	25	(64.1%)	134	(42.4%)	
無回答	1	(0.7%)	1	(1.4%)	1	(1.8%)	0	(0.0%)	3	(0.9%)	
薬物使用(過去6ヶ月間)											
ある	49	(32.2%)	17	(24.6%)	7	(12.5%)	0	(0.0%)	73	(23.1%)	0.000
ない	100	(65.8%)	49	(71.0%)	48	(85.7%)	39	(100.0%)	236	(74.7%)	
無回答	3	(2.0%)	3	(4.3%)	1	(1.8%)	0	(0.0%)	7	(2.2%)	
HIV陽性											
HIV陽性	3	(2.0%)	2	(2.9%)	1	(1.8%)	1	(2.6%)	7	(2.2%)	0.967
それ以外	149	(98.0%)	67	(97.1%)	55	(98.2%)	38	(97.4%)	309	(97.8%)	
相手の数(過去6ヶ月間)											
1人	13	(8.6%)	15	(21.7%)	10	(17.9%)	18	(46.2%)	56	(17.7%)	0.000
2-3人	36	(23.7%)	15	(21.7%)	18	(32.1%)	5	(12.8%)	74	(23.4%)	
4-5人	17	(11.2%)	13	(18.8%)	15	(26.8%)	0	(0.0%)	45	(14.2%)	
6人以上	79	(52.0%)	15	(21.7%)	8	(14.3%)	0	(0.0%)	102	(32.3%)	
非該当(0人)	3	(2.0%)	6	(8.7%)	2	(3.6%)	15	(38.5%)	26	(8.2%)	
無回答	4	(2.6%)	5	(7.2%)	3	(5.4%)	1	(2.6%)	13	(4.1%)	
7人用コンドーム使用状況(過去6ヶ月間)											
常用	41	(29.7%)	20	(35.7%)	15	(37.5%)	4	(23.5%)	80	(31.9%)	0.520
それ以外	74	(53.6%)	24	(42.9%)	18	(45.0%)	9	(52.9%)	125	(49.8%)	
無回答	23	(16.7%)	12	(21.4%)	7	(17.5%)	4	(23.5%)	46	(18.3%)	

	施設利用あり ネット出会いあり n=152		施設利用あり ネット出会いなし n=69		施設利用なし ネット出会いあり n=56		施設利用なし ネット出会いなし n=39		合計 n=316		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	52	(34.2%)	22	(31.9%)	0	(0.0%)	0	(0.0%)	74	(23.4%)	0.000
ない	99	(65.1%)	47	(68.1%)	55	(98.2%)	39	(100.0%)	240	(75.9%)	
無回答	1	(0.7%)	0	(0.0%)	1	(1.8%)	0	(0.0%)	2	(0.6%)	
ビデオ系利用(過去6ヶ月間)											
ある	20	(13.2%)	6	(8.7%)	0	(0.0%)	0	(0.0%)	26	(8.2%)	0.004
ない	132	(86.8%)	63	(91.3%)	56	(100.0%)	39	(100.0%)	290	(91.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(過去6ヶ月間)											
ある	72	(47.4%)	21	(30.4%)	0	(0.0%)	0	(0.0%)	93	(29.4%)	0.000
ない	79	(52.0%)	48	(69.6%)	55	(98.2%)	39	(100.0%)	221	(69.9%)	
無回答	1	(0.7%)	0	(0.0%)	1	(1.8%)	0	(0.0%)	2	(0.6%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	38	(25.0%)	19	(27.5%)	0	(0.0%)	0	(0.0%)	57	(18.0%)	0.000
ない	114	(75.0%)	50	(72.5%)	56	(100.0%)	39	(100.0%)	259	(82.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	26	(17.1%)	5	(7.2%)	0	(0.0%)	0	(0.0%)	31	(9.8%)	0.000
ない	126	(82.9%)	64	(92.8%)	54	(96.4%)	39	(100.0%)	283	(89.6%)	
無回答	0	(0.0%)	0	(0.0%)	2	(3.6%)	0	(0.0%)	2	(0.6%)	
ゲイバー利用(過去6ヶ月間)											
ある	111	(73.0%)	51	(73.9%)	0	(0.0%)	0	(0.0%)	162	(51.3%)	0.000
ない	40	(26.3%)	18	(26.1%)	56	(100.0%)	39	(100.0%)	153	(48.4%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	

	施設利用あり ネット出会いあり n=358		施設利用あり ネット出会いなし n=217		施設利用なし ネット出会いあり n=193		施設利用なし ネット出会いなし n=156		合計 n=924		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	16	(4.5%)	2	(0.9%)	24	(12.4%)	13	(8.3%)	55	(6.0%)	0.000
20歳代	140	(39.1%)	71	(32.7%)	99	(51.3%)	61	(39.1%)	371	(40.2%)	
30歳代	147	(41.1%)	87	(40.1%)	50	(25.9%)	48	(30.8%)	332	(35.9%)	
40歳代	36	(10.1%)	40	(18.4%)	15	(7.8%)	21	(13.5%)	112	(12.1%)	
50歳代以上	14	(3.9%)	12	(5.5%)	5	(2.6%)	9	(5.8%)	40	(4.3%)	
無回答	5	(1.4%)	5	(2.3%)	0	(0.0%)	4	(2.6%)	14	(1.5%)	
最終学歴											
大卒以上	189	(52.8%)	125	(57.6%)	89	(46.1%)	73	(46.8%)	476	(51.5%)	0.063
それ以外	168	(46.9%)	90	(41.5%)	103	(53.4%)	82	(52.6%)	443	(47.9%)	
無回答	1	(0.3%)	2	(0.9%)	1	(0.5%)	1	(0.6%)	5	(0.5%)	
知識_感染しても長生き可能											
正解	231	(64.5%)	147	(67.7%)	118	(61.1%)	97	(62.2%)	593	(64.2%)	0.515
その他	126	(35.2%)	70	(32.3%)	75	(38.9%)	59	(37.8%)	330	(35.7%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.1%)	
知識_HIV検査感染から3日で可											
正解	265	(74.0%)	171	(78.8%)	151	(78.2%)	107	(68.6%)	694	(75.1%)	0.103
その他	90	(25.1%)	46	(21.2%)	42	(21.8%)	49	(31.4%)	227	(24.6%)	
無回答	3	(0.8%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	3	(0.3%)	
知識_STDはHIVの易感染											
正解	224	(62.6%)	140	(64.5%)	112	(58.0%)	80	(51.3%)	556	(60.2%)	0.037
その他	131	(36.6%)	77	(35.5%)	81	(42.0%)	76	(48.7%)	365	(39.5%)	
無回答	3	(0.8%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	3	(0.3%)	
抑うつ傾向											
あり	154	(43.0%)	78	(35.9%)	86	(44.6%)	58	(37.2%)	376	(40.7%)	0.140
なし	163	(45.5%)	119	(54.8%)	96	(49.7%)	85	(54.5%)	463	(50.1%)	
無回答	41	(11.5%)	20	(9.2%)	11	(5.7%)	13	(8.3%)	85	(9.2%)	
HIV抗体検査受検経験(生涯)											
ある	150	(41.9%)	102	(47.0%)	62	(32.1%)	42	(26.9%)	356	(38.5%)	0.000
ない	202	(56.4%)	115	(53.0%)	129	(66.8%)	114	(73.1%)	560	(60.6%)	
無回答	6	(1.7%)	0	(0.0%)	2	(1.0%)	0	(0.0%)	8	(0.9%)	
HIV抗体検査受検経験(過去1年)											
ある	77	(21.5%)	52	(24.0%)	34	(17.6%)	19	(12.2%)	182	(19.7%)	0.024
ない	274	(76.5%)	165	(76.0%)	156	(80.8%)	137	(87.8%)	732	(79.2%)	
無回答	7	(2.0%)	0	(0.0%)	3	(1.6%)	0	(0.0%)	10	(1.1%)	
STD被診断経験(生涯)											
ある	87	(24.3%)	40	(18.4%)	20	(10.4%)	21	(13.5%)	168	(18.2%)	0.000
ない	255	(71.2%)	169	(77.9%)	165	(85.5%)	116	(74.4%)	705	(76.3%)	
無回答	16	(4.5%)	8	(3.7%)	8	(4.1%)	19	(12.2%)	51	(5.5%)	
STD被診断経験(過去1年)											
ある	31	(8.7%)	10	(4.6%)	6	(3.1%)	5	(3.2%)	52	(5.6%)	0.017
ない	311	(86.9%)	199	(91.7%)	179	(92.7%)	132	(84.6%)	821	(88.9%)	
無回答	16	(4.5%)	8	(3.7%)	8	(4.1%)	19	(12.2%)	51	(5.5%)	
薬物使用(生涯)											
ある	209	(58.4%)	88	(40.6%)	65	(33.7%)	40	(25.6%)	402	(43.5%)	0.000
ない	138	(38.5%)	122	(56.2%)	116	(60.1%)	106	(67.9%)	482	(52.2%)	
無回答	11	(3.1%)	7	(3.2%)	12	(6.2%)	10	(6.4%)	40	(4.3%)	
薬物使用(過去6ヶ月間)											
ある	99	(27.7%)	21	(9.7%)	20	(10.4%)	5	(3.2%)	145	(15.7%)	0.000
ない	246	(68.7%)	187	(86.2%)	159	(82.4%)	141	(90.4%)	733	(79.3%)	
無回答	13	(3.6%)	9	(4.1%)	14	(7.3%)	10	(6.4%)	46	(5.0%)	
HIV陽性											
HIV陽性	9	(2.5%)	4	(1.8%)	1	(0.5%)	2	(1.3%)	16	(1.7%)	0.368
それ以外	349	(97.5%)	213	(98.2%)	192	(99.5%)	154	(98.7%)	908	(98.3%)	
相手の数(過去6ヶ月間)											
1人	32	(8.9%)	69	(31.8%)	51	(26.4%)	60	(38.5%)	212	(22.9%)	0.000
2-3人	83	(23.2%)	60	(27.6%)	65	(33.7%)	9	(5.8%)	217	(23.5%)	
4-5人	93	(26.0%)	24	(11.1%)	27	(14.0%)	1	(0.6%)	145	(15.7%)	
6人以上	126	(35.2%)	30	(13.8%)	35	(18.1%)	4	(2.6%)	195	(21.1%)	
非該当(0人)	16	(4.5%)	27	(12.4%)	10	(5.2%)	77	(49.4%)	130	(14.1%)	
無回答	8	(2.2%)	7	(3.2%)	5	(2.6%)	5	(3.2%)	25	(2.7%)	
7ルツツ有の人のコト-4使用状況(過去6ヶ月間)											
常用	92	(31.3%)	50	(36.2%)	44	(30.1%)	15	(24.6%)	201	(31.5%)	0.354
それ以外	171	(58.2%)	66	(47.8%)	84	(57.5%)	33	(54.1%)	354	(55.4%)	
無回答	31	(10.5%)	22	(15.9%)	18	(12.3%)	13	(21.3%)	84	(13.1%)	

	施設利用あり ネット出会いあり n=358		施設利用あり ネット出会いなし n=217		施設利用なし ネット出会いあり n=193		施設利用なし ネット出会いなし n=156		合計 n=924		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	143	(39.9%)	76	(35.0%)	0	(0.0%)	0	(0.0%)	219	(23.7%)	0.000
ない	215	(60.1%)	141	(65.0%)	193	(100.0%)	151	(96.8%)	700	(75.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	5	(3.2%)	5	(0.5%)	
ビデオ系利用(過去6ヶ月間)											
ある	72	(20.1%)	29	(13.4%)	0	(0.0%)	0	(0.0%)	101	(10.9%)	0.000
ない	286	(79.9%)	187	(86.2%)	193	(100.0%)	151	(96.8%)	817	(88.4%)	
無回答	0	(0.0%)	1	(0.5%)	0	(0.0%)	5	(3.2%)	6	(0.6%)	
マンション系利用(過去6ヶ月間)											
ある	132	(36.9%)	42	(19.4%)	0	(0.0%)	0	(0.0%)	174	(18.8%)	0.000
ない	223	(62.3%)	175	(80.6%)	193	(100.0%)	151	(96.8%)	742	(80.3%)	
無回答	3	(0.8%)	0	(0.0%)	0	(0.0%)	5	(3.2%)	8	(0.9%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	110	(30.7%)	53	(24.4%)	0	(0.0%)	0	(0.0%)	163	(17.6%)	0.000
ない	248	(69.3%)	164	(75.6%)	193	(100.0%)	152	(97.4%)	757	(81.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	4	(2.6%)	4	(0.4%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	60	(16.8%)	39	(18.0%)	0	(0.0%)	0	(0.0%)	99	(10.7%)	0.000
ない	297	(83.0%)	175	(80.6%)	192	(99.5%)	152	(97.4%)	816	(88.3%)	
無回答	1	(0.3%)	3	(1.4%)	1	(0.5%)	4	(2.6%)	9	(1.0%)	
ゲイバー利用(過去6ヶ月間)											
ある	264	(73.7%)	131	(60.4%)	0	(0.0%)	0	(0.0%)	395	(42.7%)	0.000
ない	93	(26.0%)	84	(38.7%)	191	(99.0%)	152	(97.4%)	520	(56.3%)	
無回答	1	(0.3%)	2	(0.9%)	2	(1.0%)	4	(2.6%)	9	(1.0%)	

	施設利用あり ネット出会いあり n=44		施設利用あり ネット出会いなし n=28		施設利用なし ネット出会いあり n=39		施設利用なし ネット出会いなし n=31		合計 n=142		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	2	(4.5%)	0	(0.0%)	3	(7.7%)	6	(19.4%)	11	(7.7%)	0.409
20歳代	20	(45.5%)	10	(35.7%)	19	(48.7%)	12	(38.7%)	61	(43.0%)	
30歳代	13	(29.5%)	11	(39.3%)	11	(28.2%)	10	(32.3%)	45	(31.7%)	
40歳代	6	(13.6%)	4	(14.3%)	3	(7.7%)	2	(6.5%)	15	(10.6%)	
50歳代以上	3	(6.8%)	3	(10.7%)	3	(7.7%)	1	(3.2%)	10	(7.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	24	(54.5%)	20	(71.4%)	16	(41.0%)	14	(45.2%)	74	(52.1%)	0.078
それ以外	20	(45.5%)	8	(28.6%)	23	(59.0%)	17	(54.8%)	68	(47.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能											
正解	30	(68.2%)	19	(67.9%)	27	(69.2%)	18	(58.1%)	94	(66.2%)	0.756
その他	14	(31.8%)	9	(32.1%)	12	(30.8%)	13	(41.9%)	48	(33.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日で可											
正解	32	(72.7%)	19	(67.9%)	27	(69.2%)	16	(51.6%)	94	(66.2%)	0.264
その他	12	(27.3%)	9	(32.1%)	12	(30.8%)	15	(48.4%)	48	(33.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDIはHIVの易感染											
正解	25	(56.8%)	16	(57.1%)	22	(56.4%)	19	(61.3%)	82	(57.7%)	0.976
その他	19	(43.2%)	12	(42.9%)	17	(43.6%)	12	(38.7%)	60	(42.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(生涯)											
ある	20	(45.5%)	8	(28.6%)	12	(30.8%)	8	(25.8%)	48	(33.8%)	0.239
ない	23	(52.3%)	20	(71.4%)	24	(61.5%)	23	(74.2%)	90	(63.4%)	
無回答	1	(2.3%)	0	(0.0%)	3	(7.7%)	0	(0.0%)	4	(2.8%)	
HIV抗体検査受検経験(過去1年)											
ある	9	(20.5%)	3	(10.7%)	9	(23.1%)	2	(6.5%)	23	(16.2%)	0.192
ない	35	(79.5%)	25	(89.3%)	30	(76.9%)	29	(93.5%)	119	(83.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)											
ある	6	(13.6%)	4	(14.3%)	3	(7.7%)	2	(6.5%)	15	(10.6%)	0.602
ない	34	(77.3%)	24	(85.7%)	33	(84.6%)	29	(93.5%)	120	(84.5%)	
無回答	4	(9.1%)	0	(0.0%)	3	(7.7%)	0	(0.0%)	7	(4.9%)	
STD被診断経験(過去1年)											
ある	2	(4.5%)	1	(3.6%)	2	(5.1%)	0	(0.0%)	5	(3.5%)	0.678
ない	42	(95.5%)	27	(96.4%)	37	(94.9%)	30	(96.8%)	136	(95.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(3.2%)	1	(0.7%)	
薬物使用(生涯)											
ある	27	(61.4%)	10	(35.7%)	15	(38.5%)	5	(16.1%)	57	(40.1%)	0.001
ない	15	(34.1%)	18	(64.3%)	22	(56.4%)	26	(83.9%)	81	(57.0%)	
無回答	2	(4.5%)	0	(0.0%)	2	(5.1%)	0	(0.0%)	4	(2.8%)	
薬物使用(過去6ヶ月間)											
ある	8	(18.2%)	3	(10.7%)	7	(17.9%)	0	(0.0%)	18	(12.7%)	0.079
ない	36	(81.8%)	25	(89.3%)	32	(82.1%)	31	(100.0%)	124	(87.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV陽性											
HIV陽性	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
それ以外	44	(100.0%)	28	(100.0%)	39	(100.0%)	31	(100.0%)	142	(100.0%)	
相手の数(過去6ヶ月間)											
1人	3	(6.8%)	7	(25.0%)	11	(28.2%)	5	(16.1%)	26	(18.3%)	0.000
2-3人	14	(31.8%)	9	(32.1%)	21	(53.8%)	2	(6.5%)	46	(32.4%)	
4-5人	10	(22.7%)	2	(7.1%)	2	(5.1%)	1	(3.2%)	15	(10.6%)	
6人以上	13	(29.5%)	5	(17.9%)	3	(7.7%)	0	(0.0%)	21	(14.8%)	
非該当(0人)	1	(2.3%)	4	(14.3%)	0	(0.0%)	22	(71.0%)	27	(19.0%)	
無回答	3	(6.8%)	1	(3.6%)	2	(5.1%)	1	(3.2%)	7	(4.9%)	
アルコール有の人のネット使用状況(過去6ヶ月間)											
常用	13	(38.2%)	11	(57.9%)	6	(19.4%)	1	(14.3%)	31	(34.1%)	0.022
それ以外	17	(50.0%)	5	(26.3%)	19	(61.3%)	5	(71.4%)	46	(50.5%)	
無回答	4	(11.8%)	3	(15.8%)	6	(19.4%)	1	(14.3%)	14	(15.4%)	

	施設利用あり ネット出会いあり n=44		施設利用あり ネット出会いなし n=28		施設利用なし ネット出会いあり n=39		施設利用なし ネット出会いなし n=31		合計 n=142		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	15	(34.1%)	9	(32.1%)	0	(0.0%)	0	(0.0%)	24	(16.9%)	0.000
ない	29	(65.9%)	19	(67.9%)	39	(100.0%)	31	(100.0%)	118	(83.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6ヶ月間)											
ある	11	(25.0%)	3	(10.7%)	0	(0.0%)	0	(0.0%)	14	(9.9%)	0.000
ない	33	(75.0%)	25	(89.3%)	39	(100.0%)	31	(100.0%)	128	(90.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(過去6ヶ月間)											
ある	18	(40.9%)	4	(14.3%)	0	(0.0%)	0	(0.0%)	22	(15.5%)	0.000
ない	26	(59.1%)	24	(85.7%)	39	(100.0%)	31	(100.0%)	120	(84.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	7	(15.9%)	3	(10.7%)	0	(0.0%)	0	(0.0%)	10	(7.0%)	0.011
ない	37	(84.1%)	25	(89.3%)	39	(100.0%)	31	(100.0%)	132	(93.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	7	(15.9%)	11	(39.3%)	0	(0.0%)	0	(0.0%)	18	(12.7%)	0.000
ない	37	(84.1%)	17	(60.7%)	39	(100.0%)	31	(100.0%)	124	(87.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去6ヶ月間)											
ある	33	(75.0%)	17	(60.7%)	0	(0.0%)	0	(0.0%)	50	(35.2%)	0.000
ない	11	(25.0%)	11	(39.3%)	37	(94.9%)	31	(100.0%)	90	(63.4%)	
無回答	0	(0.0%)	0	(0.0%)	2	(5.1%)	0	(0.0%)	2	(1.4%)	

	施設利用あり ネット出会いあり n=33		施設利用あり ネット出会いなし n=20		施設利用なし ネット出会いあり n=13		施設利用なし ネット出会いなし n=18		合計 n=84		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	3	(9.1%)	0	(0.0%)	2	(15.4%)	4	(22.2%)	9	(10.7%)	0.450
20歳代	13	(39.4%)	6	(30.0%)	7	(53.8%)	7	(38.9%)	33	(39.3%)	
30歳代	11	(33.3%)	9	(45.0%)	4	(30.8%)	5	(27.8%)	29	(34.5%)	
40歳代	5	(15.2%)	5	(25.0%)	0	(0.0%)	2	(11.1%)	12	(14.3%)	
50歳代以上	1	(3.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	20	(60.6%)	12	(60.0%)	5	(38.5%)	11	(61.1%)	48	(57.1%)	0.533
それ以外	13	(39.4%)	8	(40.0%)	8	(61.5%)	7	(38.9%)	36	(42.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能											
正解	24	(72.7%)	19	(95.0%)	6	(46.2%)	12	(66.7%)	61	(72.6%)	0.020
その他	9	(27.3%)	1	(5.0%)	7	(53.8%)	5	(27.8%)	22	(26.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	1	(1.2%)	
知識_HIV検査感染から3日で可											
正解	22	(66.7%)	17	(85.0%)	9	(69.2%)	13	(72.2%)	61	(72.6%)	0.531
その他	11	(33.3%)	3	(15.0%)	4	(30.8%)	5	(27.8%)	23	(27.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感染											
正解	22	(66.7%)	10	(50.0%)	9	(69.2%)	14	(77.8%)	55	(65.5%)	0.331
その他	11	(33.3%)	10	(50.0%)	4	(30.8%)	4	(22.2%)	29	(34.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(生涯)											
ある	15	(45.5%)	8	(40.0%)	2	(15.4%)	4	(22.2%)	29	(34.5%)	0.145
ない	17	(51.5%)	11	(55.0%)	10	(76.9%)	14	(77.8%)	52	(61.9%)	
無回答	1	(3.0%)	1	(5.0%)	1	(7.7%)	0	(0.0%)	3	(3.6%)	
HIV抗体検査受検経験(過去1年)											
ある	7	(21.2%)	6	(30.0%)	1	(7.7%)	2	(11.1%)	16	(19.0%)	0.324
ない	26	(78.8%)	14	(70.0%)	12	(92.3%)	16	(88.9%)	68	(81.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)											
ある	10	(30.3%)	4	(20.0%)	1	(7.7%)	2	(11.1%)	17	(20.2%)	0.203
ない	21	(63.6%)	16	(80.0%)	11	(84.6%)	16	(88.9%)	64	(76.2%)	
無回答	2	(6.1%)	0	(0.0%)	1	(7.7%)	0	(0.0%)	3	(3.6%)	
STD被診断経験(過去1年)											
ある	2	(6.1%)	1	(5.0%)	0	(0.0%)	0	(0.0%)	3	(3.6%)	0.614
ない	31	(93.9%)	19	(95.0%)	13	(100.0%)	17	(94.4%)	80	(95.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	1	(1.2%)	
薬物使用(生涯)											
ある	23	(69.7%)	8	(40.0%)	2	(15.4%)	3	(16.7%)	36	(42.9%)	0.001
ない	10	(30.3%)	12	(60.0%)	10	(76.9%)	14	(77.8%)	46	(54.8%)	
無回答	0	(0.0%)	0	(0.0%)	1	(7.7%)	1	(5.6%)	2	(2.4%)	
薬物使用(過去6ヶ月間)											
ある	10	(30.3%)	1	(5.0%)	0	(0.0%)	0	(0.0%)	11	(13.1%)	0.001
ない	21	(63.6%)	19	(95.0%)	13	(100.0%)	18	(100.0%)	71	(84.5%)	
無回答	2	(6.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(2.4%)	
HIV陽性											
HIV陽性	2	(6.1%)	1	(5.0%)	0	(0.0%)	0	(0.0%)	3	(3.6%)	0.592
それ以外	31	(93.9%)	19	(95.0%)	13	(100.0%)	18	(100.0%)	81	(96.4%)	
相手の数(過去6ヶ月間)											
1人	3	(9.1%)	5	(25.0%)	3	(23.1%)	4	(22.2%)	15	(17.9%)	0.000
2-3人	9	(27.3%)	6	(30.0%)	7	(53.8%)	2	(11.1%)	24	(28.6%)	
4-5人	4	(12.1%)	4	(20.0%)	0	(0.0%)	0	(0.0%)	8	(9.5%)	
6人以上	14	(42.4%)	3	(15.0%)	3	(23.1%)	0	(0.0%)	20	(23.8%)	
非該当(0人)	1	(3.0%)	2	(10.0%)	0	(0.0%)	11	(61.1%)	14	(16.7%)	
無回答	2	(6.1%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	3	(3.6%)	
アルコール有の人のコンピュータ使用状況(過去6ヶ月間)											
常用	10	(38.5%)	2	(15.4%)	4	(36.4%)	1	(20.0%)	17	(30.9%)	0.338
それ以外	10	(38.5%)	9	(69.2%)	7	(63.6%)	3	(60.0%)	29	(52.7%)	
無回答	6	(23.1%)	2	(15.4%)	0	(0.0%)	1	(20.0%)	9	(16.4%)	

	施設利用あり ネット出会いあり n=33		施設利用あり ネット出会いなし n=20		施設利用なし ネット出会いあり n=13		施設利用なし ネット出会いなし n=18		合計 n=84		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	15	(45.5%)	4	(20.0%)	0	(0.0%)	0	(0.0%)	19	(22.6%)	0.000
ない	18	(54.5%)	16	(80.0%)	13	(100.0%)	17	(94.4%)	64	(76.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	1	(1.2%)	
ビデオ系利用(過去6ヶ月間)											
ある	13	(39.4%)	6	(30.0%)	0	(0.0%)	0	(0.0%)	19	(22.6%)	0.002
ない	20	(60.6%)	14	(70.0%)	13	(100.0%)	17	(94.4%)	64	(76.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	1	(1.2%)	
マンション系利用(過去6ヶ月間)											
ある	15	(45.5%)	6	(30.0%)	0	(0.0%)	0	(0.0%)	21	(25.0%)	0.001
ない	18	(54.5%)	14	(70.0%)	13	(100.0%)	17	(94.4%)	62	(73.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	1	(1.2%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	9	(27.3%)	2	(10.0%)	0	(0.0%)	0	(0.0%)	11	(13.1%)	0.013
ない	23	(69.7%)	18	(90.0%)	13	(100.0%)	17	(94.4%)	71	(84.5%)	
無回答	1	(3.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	2	(2.4%)	
お金払ってセグスの経験(過去6ヶ月間)											
ある	7	(21.2%)	5	(25.0%)	0	(0.0%)	0	(0.0%)	12	(14.3%)	0.042
ない	25	(75.8%)	15	(75.0%)	13	(100.0%)	17	(94.4%)	70	(83.3%)	
無回答	1	(3.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	2	(2.4%)	
ゲイバー利用(過去6ヶ月間)											
ある	21	(63.6%)	5	(25.0%)	0	(0.0%)	0	(0.0%)	26	(31.0%)	0.000
ない	12	(36.4%)	15	(75.0%)	13	(100.0%)	17	(94.4%)	57	(67.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(5.6%)	1	(1.2%)	

	施設利用あり ネット出会いあり n=422		施設利用あり ネット出会いなし n=329		施設利用なし ネット出会いあり n=211		施設利用なし ネット出会いなし n=199		合計 n=1161		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	16	(3.8%)	8	(2.4%)	42	(19.9%)	15	(7.5%)	81	(7.0%)	0.000
20歳代	182	(43.1%)	111	(33.7%)	95	(45.0%)	87	(43.7%)	475	(40.9%)	
30歳代	162	(38.4%)	137	(41.6%)	50	(23.7%)	60	(30.2%)	409	(35.2%)	
40歳代	49	(11.6%)	55	(16.7%)	16	(7.6%)	29	(14.6%)	149	(12.8%)	
50歳代以上	12	(2.8%)	17	(5.2%)	8	(3.8%)	7	(3.5%)	44	(3.8%)	
無回答	1	(0.2%)	1	(0.3%)	0	(0.0%)	1	(0.5%)	3	(0.3%)	
最終学歴											
大卒以上	243	(57.6%)	213	(64.7%)	112	(53.1%)	100	(50.3%)	668	(57.5%)	0.006
それ以外	178	(42.2%)	116	(35.3%)	99	(46.9%)	97	(48.7%)	490	(42.2%)	
無回答	1	(0.2%)	0	(0.0%)	0	(0.0%)	2	(1.0%)	3	(0.3%)	
知識_感染しても長生き可能											
正解	313	(74.2%)	218	(66.3%)	145	(68.7%)	124	(62.3%)	800	(68.9%)	0.030
その他	107	(25.4%)	110	(33.4%)	64	(30.3%)	69	(34.7%)	350	(30.1%)	
無回答	2	(0.5%)	1	(0.3%)	2	(0.9%)	6	(3.0%)	11	(0.9%)	
知識_HIV検査感染から3日で可											
正解	330	(78.2%)	244	(74.2%)	153	(72.5%)	130	(65.3%)	857	(73.8%)	0.016
その他	90	(21.3%)	83	(25.2%)	58	(27.5%)	65	(32.7%)	296	(25.5%)	
無回答	2	(0.5%)	2	(0.6%)	0	(0.0%)	4	(2.0%)	8	(0.7%)	
知識_STDはHIVの易感染											
正解	289	(68.5%)	241	(73.3%)	117	(55.5%)	105	(52.8%)	752	(64.8%)	0.000
その他	133	(31.5%)	87	(26.4%)	94	(44.5%)	88	(44.2%)	402	(34.6%)	
無回答	0	(0.0%)	1	(0.3%)	0	(0.0%)	6	(3.0%)	7	(0.6%)	
HIV抗体検査受検経験(生涯)											
ある	220	(52.1%)	141	(42.9%)	62	(29.4%)	40	(20.1%)	463	(39.9%)	0.000
ない	190	(45.0%)	174	(52.9%)	143	(67.8%)	148	(74.4%)	655	(56.4%)	
無回答	12	(2.8%)	14	(4.3%)	6	(2.8%)	11	(5.5%)	43	(3.7%)	
HIV抗体検査受検経験(過去1年)											
ある	128	(30.3%)	76	(23.1%)	41	(19.4%)	22	(11.1%)	267	(23.0%)	0.000
ない	294	(69.7%)	253	(76.9%)	169	(80.1%)	177	(88.9%)	893	(76.9%)	
無回答	0	(0.0%)	0	(0.0%)	1	(0.5%)	0	(0.0%)	1	(0.1%)	
STD被診断経験(生涯)											
ある	126	(29.9%)	76	(23.1%)	22	(10.4%)	19	(9.5%)	243	(20.9%)	0.000
ない	280	(66.4%)	232	(70.5%)	177	(83.9%)	163	(81.9%)	852	(73.4%)	
無回答	16	(3.8%)	21	(6.4%)	12	(5.7%)	17	(8.5%)	66	(5.7%)	
STD被診断経験(過去1年)											
ある	51	(12.1%)	17	(5.2%)	7	(3.3%)	7	(3.5%)	82	(7.1%)	0.000
ない	367	(87.0%)	310	(94.2%)	204	(96.7%)	190	(95.5%)	1071	(92.2%)	
無回答	4	(0.9%)	2	(0.6%)	0	(0.0%)	2	(1.0%)	8	(0.7%)	
薬物使用(生涯)											
ある	231	(54.7%)	140	(42.6%)	58	(27.5%)	64	(32.2%)	493	(42.5%)	0.000
ない	173	(41.0%)	172	(52.3%)	143	(67.8%)	121	(60.8%)	609	(52.5%)	
無回答	18	(4.3%)	17	(5.2%)	10	(4.7%)	14	(7.0%)	59	(5.1%)	
薬物使用(過去6ヶ月間)											
ある	107	(25.4%)	40	(12.2%)	20	(9.5%)	19	(9.5%)	186	(16.0%)	0.000
ない	310	(73.5%)	286	(86.9%)	190	(90.0%)	179	(89.9%)	965	(83.1%)	
無回答	5	(1.2%)	3	(0.9%)	1	(0.5%)	1	(0.5%)	10	(0.9%)	
HIV陽性											
HIV陽性	21	(5.0%)	15	(4.6%)	2	(0.9%)	5	(2.5%)	43	(3.7%)	0.056
それ以外	401	(95.0%)	314	(95.4%)	209	(99.1%)	194	(97.5%)	1118	(96.3%)	
相手の数(過去6ヶ月間)											
1人	32	(7.6%)	70	(21.3%)	69	(32.7%)	66	(33.2%)	237	(20.4%)	0.000
2-3人	99	(23.5%)	85	(25.8%)	65	(30.8%)	16	(8.0%)	265	(22.8%)	
4-5人	89	(21.1%)	39	(11.9%)	38	(18.0%)	2	(1.0%)	168	(14.5%)	
6人以上	164	(38.9%)	81	(24.6%)	18	(8.5%)	3	(1.5%)	266	(22.9%)	
非該当(0人)	12	(2.8%)	36	(10.9%)	13	(6.2%)	104	(52.3%)	165	(14.2%)	
無回答	26	(6.2%)	18	(5.5%)	8	(3.8%)	8	(4.0%)	60	(5.2%)	
アルコール有の人のコントロール使用状況(過去6ヶ月間)											
常用	124	(34.1%)	84	(39.3%)	45	(28.5%)	21	(31.3%)	274	(34.1%)	0.021
それ以外	184	(50.5%)	81	(37.9%)	88	(55.7%)	34	(50.7%)	387	(48.2%)	
無回答	56	(15.4%)	49	(22.9%)	25	(15.8%)	12	(17.9%)	142	(17.7%)	

	施設利用あり ネット出会いあり n=422		施設利用あり ネット出会いなし n=329		施設利用なし ネット出会いあり n=211		施設利用なし ネット出会いなし n=199		合計 n=1161		カイ乗 検定
	n	%	n	%	n	%	n	%	n	%	
	サウナ系利用(過去6ヶ月間)										
ある	181	(42.9%)	113	(34.3%)	0	(0.0%)	0	(0.0%)	294	(25.3%)	0.000
ない	238	(56.4%)	216	(65.7%)	210	(99.5%)	195	(98.0%)	859	(74.0%)	
無回答	3	(0.7%)	0	(0.0%)	1	(0.5%)	4	(2.0%)	8	(0.7%)	
ビデオ系利用(過去6ヶ月間)											
ある	82	(19.4%)	59	(17.9%)	0	(0.0%)	0	(0.0%)	141	(12.1%)	0.000
ない	340	(80.6%)	267	(81.2%)	211	(100.0%)	195	(98.0%)	1013	(87.3%)	
無回答	0	(0.0%)	3	(0.9%)	0	(0.0%)	4	(2.0%)	7	(0.6%)	
マンション系利用(過去6ヶ月間)											
ある	156	(37.0%)	93	(28.3%)	0	(0.0%)	0	(0.0%)	249	(21.4%)	0.000
ない	266	(63.0%)	235	(71.4%)	210	(99.5%)	193	(97.0%)	904	(77.9%)	
無回答	0	(0.0%)	1	(0.3%)	1	(0.5%)	6	(3.0%)	8	(0.7%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	105	(24.9%)	50	(15.2%)	0	(0.0%)	0	(0.0%)	155	(13.4%)	0.000
ない	313	(74.2%)	279	(84.8%)	209	(99.1%)	195	(98.0%)	996	(85.8%)	
無回答	4	(0.9%)	0	(0.0%)	2	(0.9%)	4	(2.0%)	10	(0.9%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	74	(17.5%)	91	(27.7%)	0	(0.0%)	0	(0.0%)	165	(14.2%)	0.000
ない	348	(82.5%)	238	(72.3%)	210	(99.5%)	194	(97.5%)	990	(85.3%)	
無回答	0	(0.0%)	0	(0.0%)	1	(0.5%)	5	(2.5%)	6	(0.5%)	
ゲイバー利用(過去6ヶ月間)											
ある	291	(69.0%)	169	(51.4%)	0	(0.0%)	0	(0.0%)	460	(39.6%)	0.000
ない	131	(31.0%)	160	(48.6%)	210	(99.5%)	194	(97.5%)	695	(59.9%)	
無回答	0	(0.0%)	0	(0.0%)	1	(0.5%)	5	(2.5%)	6	(0.5%)	

	施設利用あり ネット出会いあり n=589		施設利用あり ネット出会いなし n=472		施設利用なし ネット出会いあり n=122		施設利用なし ネット出会いなし n=164		合計 n=1347		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	17	(2.9%)	5	(1.1%)	14	(11.5%)	10	(6.1%)	46	(3.4%)	0.000
20歳代	250	(42.4%)	114	(24.2%)	68	(55.7%)	60	(36.6%)	492	(36.5%)	
30歳代	222	(37.7%)	231	(48.9%)	27	(22.1%)	63	(38.4%)	543	(40.3%)	
40歳代	82	(13.9%)	96	(20.3%)	10	(8.2%)	24	(14.6%)	212	(15.7%)	
50歳代以上	16	(2.7%)	24	(5.1%)	2	(1.6%)	7	(4.3%)	49	(3.6%)	
無回答	2	(0.3%)	2	(0.4%)	1	(0.8%)	0	(0.0%)	5	(0.4%)	
最終学歴											
大卒以上	356	(60.4%)	317	(67.2%)	75	(61.5%)	104	(63.4%)	852	(63.3%)	0.202
それ以外	229	(38.9%)	155	(32.8%)	46	(37.7%)	60	(36.6%)	490	(36.4%)	
無回答	4	(0.7%)	0	(0.0%)	1	(0.8%)	0	(0.0%)	5	(0.4%)	
知識_感染しても長生き可能											
正解	490	(83.2%)	368	(78.0%)	73	(59.8%)	115	(70.1%)	1046	(77.7%)	0.000
その他	99	(16.8%)	103	(21.8%)	49	(40.2%)	46	(28.0%)	297	(22.0%)	
無回答	0	(0.0%)	1	(0.2%)	0	(0.0%)	3	(1.8%)	4	(0.3%)	
知識_HIV検査感染から3日で可											
正解	500	(84.9%)	379	(80.3%)	87	(71.3%)	107	(65.2%)	1073	(79.7%)	0.000
その他	87	(14.8%)	92	(19.5%)	35	(28.7%)	53	(32.3%)	267	(19.8%)	
無回答	2	(0.3%)	1	(0.2%)	0	(0.0%)	4	(2.4%)	7	(0.5%)	
知識_STDはHIVの易感染											
正解	429	(72.8%)	342	(72.5%)	75	(61.5%)	100	(61.0%)	946	(70.2%)	0.005
その他	159	(27.0%)	129	(27.3%)	47	(38.5%)	61	(37.2%)	396	(29.4%)	
無回答	1	(0.2%)	1	(0.2%)	0	(0.0%)	3	(1.8%)	5	(0.4%)	
HIV抗体検査受検経験(生涯)											
ある	363	(61.6%)	260	(55.1%)	33	(27.0%)	64	(39.0%)	720	(53.5%)	0.000
ない	222	(37.7%)	203	(43.0%)	86	(70.5%)	94	(57.3%)	605	(44.9%)	
無回答	4	(0.7%)	9	(1.9%)	3	(2.5%)	6	(3.7%)	22	(1.6%)	
HIV抗体検査受検経験(過去1年)											
ある	183	(31.1%)	132	(28.0%)	20	(16.4%)	21	(12.8%)	356	(26.4%)	0.000
ない	404	(68.6%)	339	(71.8%)	101	(82.8%)	143	(87.2%)	987	(73.3%)	
無回答	2	(0.3%)	1	(0.2%)	1	(0.8%)	0	(0.0%)	4	(0.3%)	
STD被診断経験(生涯)											
ある	218	(37.0%)	124	(26.3%)	15	(12.3%)	21	(12.8%)	378	(28.1%)	0.000
ない	352	(59.8%)	330	(69.9%)	103	(84.4%)	129	(78.7%)	914	(67.9%)	
無回答	19	(3.2%)	18	(3.8%)	4	(3.3%)	14	(8.5%)	55	(4.1%)	
STD被診断経験(過去1年)											
ある	83	(14.1%)	43	(9.1%)	5	(4.1%)	4	(2.4%)	135	(10.0%)	0.000
ない	497	(84.4%)	424	(89.8%)	116	(95.1%)	159	(97.0%)	1196	(88.8%)	
無回答	9	(1.5%)	5	(1.1%)	1	(0.8%)	1	(0.6%)	16	(1.2%)	
薬物使用(生涯)											
ある	360	(61.1%)	238	(50.4%)	39	(32.0%)	47	(28.7%)	684	(50.8%)	0.000
ない	211	(35.8%)	214	(45.3%)	79	(64.8%)	102	(62.2%)	606	(45.0%)	
無回答	18	(3.1%)	20	(4.2%)	4	(3.3%)	15	(9.1%)	57	(4.2%)	
薬物使用(過去6ヶ月間)											
ある	199	(33.8%)	89	(18.9%)	14	(11.5%)	5	(3.0%)	307	(22.8%)	0.000
ない	384	(65.2%)	382	(80.9%)	107	(87.7%)	156	(95.1%)	1029	(76.4%)	
無回答	6	(1.0%)	1	(0.2%)	1	(0.8%)	3	(1.8%)	11	(0.8%)	
HIV陽性											
HIV陽性	54	(9.2%)	32	(6.8%)	2	(1.6%)	5	(3.0%)	93	(6.9%)	0.004
それ以外	535	(90.8%)	440	(93.2%)	120	(98.4%)	159	(97.0%)	1254	(93.1%)	
相手の数(過去6ヶ月間)											
1人	49	(8.3%)	109	(23.1%)	36	(29.5%)	59	(36.0%)	253	(18.8%)	0.000
2-3人	120	(20.4%)	110	(23.3%)	38	(31.1%)	17	(10.4%)	285	(21.2%)	
4-5人	93	(15.8%)	60	(12.7%)	19	(15.6%)	1	(0.6%)	173	(12.8%)	
6人以上	278	(47.2%)	120	(25.4%)	14	(11.5%)	3	(1.8%)	415	(30.8%)	
非該当(0人)	17	(2.9%)	42	(8.9%)	7	(5.7%)	78	(47.6%)	144	(10.7%)	
無回答	32	(5.4%)	31	(6.6%)	8	(6.6%)	6	(3.7%)	77	(5.7%)	
7alセックス有の人のコンドーム使用状況(過去6ヶ月間)											
常用	187	(37.2%)	143	(45.8%)	32	(35.2%)	20	(35.7%)	382	(39.7%)	0.025
それ以外	250	(49.7%)	124	(39.7%)	49	(53.8%)	23	(41.1%)	446	(46.4%)	
無回答	66	(13.1%)	45	(14.4%)	10	(11.0%)	13	(23.2%)	134	(13.9%)	

	施設利用あり ネット出会いあり n=589		施設利用あり ネット出会いなし n=472		施設利用なし ネット出会いあり n=122		施設利用なし ネット出会いなし n=164		合計 n=1347		カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月間)											
ある	245	(41.6%)	159	(33.7%)	0	(0.0%)	0	(0.0%)	404	(30.0%)	0.000
ない	343	(58.2%)	312	(66.1%)	122	(100.0%)	159	(97.0%)	936	(69.5%)	
無回答	1	(0.2%)	1	(0.2%)	0	(0.0%)	5	(3.0%)	7	(0.5%)	
ビデオ系利用(過去6ヶ月間)											
ある	168	(28.5%)	71	(15.0%)	0	(0.0%)	0	(0.0%)	239	(17.7%)	0.000
ない	420	(71.3%)	401	(85.0%)	121	(99.2%)	158	(96.3%)	1100	(81.7%)	
無回答	1	(0.2%)	0	(0.0%)	1	(0.8%)	6	(3.7%)	8	(0.6%)	
マンション系利用(過去6ヶ月間)											
ある	249	(42.3%)	129	(27.3%)	0	(0.0%)	0	(0.0%)	378	(28.1%)	0.000
ない	338	(57.4%)	343	(72.7%)	122	(100.0%)	159	(97.0%)	962	(71.4%)	
無回答	2	(0.3%)	0	(0.0%)	0	(0.0%)	5	(3.0%)	7	(0.5%)	
クラブ(男性限定)(過去6ヶ月間)											
ある	218	(37.0%)	103	(21.8%)	0	(0.0%)	0	(0.0%)	321	(23.8%)	0.000
ない	370	(62.8%)	368	(78.0%)	122	(100.0%)	158	(96.3%)	1018	(75.6%)	
無回答	1	(0.2%)	1	(0.2%)	0	(0.0%)	6	(3.7%)	8	(0.6%)	
お金払ってセックスの経験(過去6ヶ月間)											
ある	103	(17.5%)	114	(24.2%)	0	(0.0%)	0	(0.0%)	217	(16.1%)	0.000
ない	485	(82.3%)	357	(75.6%)	121	(99.2%)	159	(97.0%)	1122	(83.3%)	
無回答	1	(0.2%)	1	(0.2%)	1	(0.8%)	5	(3.0%)	8	(0.6%)	
ゲイバー利用(過去6ヶ月間)											
ある	447	(75.9%)	332	(70.3%)	0	(0.0%)	0	(0.0%)	779	(57.8%)	0.000
ない	141	(23.9%)	140	(29.7%)	122	(100.0%)	159	(97.0%)	562	(41.7%)	
無回答	1	(0.2%)	0	(0.0%)	0	(0.0%)	5	(3.0%)	6	(0.4%)	