	ネット出	用あり 会いあり =87	ネット	利用あ 出会い; =69	り なし	ネット	利用なし 出会いあり =40	ネットと	用なし 会いなし =39		計計 235	カイ2乗 検定
	n	%	n	9	6	n	%	n	%	n	%	
年齢階級												
10歳代	4	(4. 6%)	0		. 0%)	8	(20.0%)	2	(5. 1%)	14	(6.0%)	0. 026
20歳代	35	(40. 2%)	25	(36	. 2%)	14	(35.0%)	12	(30.8%)	86	(36. 6%)	
30歳代	30	(34.5%)	30	(43	. 5%)	13	(32.5%)	15	(38. 5%)	88	(37. 4%)	
40歳代	14	(16. 1%)	9	(13	. 0%)	2	(5.0%)	7	(17. 9%)	32	(13.6%)	
50歳代以上	4	(4.6%)	5	(7	. 2%)	3	(7.5%)	2	(5. 1%)	14	(6.0%)	
無回答	0	(0.0%)	0	(0	. 0%)	0	(0.0%)	1	(2.6%)	1	(0.4%)	
最終学歴												
大卒以上	39	(44.8%)	34	(49	. 3%)	12	(30.0%)	16	(41.0%)	101	(43.0%)	0. 272
それ以外	48	(55. 2%)	34	(49	. 3%)	27	(67.5%)	23	(59.0%)	132	(56. 2%)	
無回答	0	(0.0%)	1	(1	. 4%)	1	(2.5%)	0	(0.0%)	2	(0.9%)	
知識_感染しても長生き可	能											
正解	59	(67. 8%)	44	(63	. 8%)	22	(55.0%)	24	(61.5%)	149	(63. 4%)	0. 518
その他	28	(32. 2%)	23	(33	. 3%)	18	(45.0%)	11	(28. 2%)	80	(34.0%)	
無回答	0	(0.0%)	2	(2	. 9%)	0	(0.0%)	4	(10.3%)	6	(2.6%)	
知識 HIV検査感染から3日	で可											
正解	64	(73. 6%)	55	(79	. 7%)	31	(77. 5%)	23	(59.0%)	173	(73. 6%)	0. 449
その他	23	(26. 4%)	14		. 3%)	9	(22. 5%)	12	(30. 8%)	58	(24. 7%)	0. 110
無回答	0	(0.0%)	0		. 0%)	0	(0.0%)	4	(10. 3%)	4	(1. 7%)	
知識 STDはHIVの易感染	Ü	(0. 0%)	Ü		. 070)		(0. 0/0)		(10.0%)	a terroria	(1.770)	
和調_310はF110の	61	(70. 1%)	44	(63	. 8%)	19	(47. 5%)	22	(56. 4%)	146	(62. 1%)	0. 110
その他	26	(29. 9%)	25		. 2%)	21	(52. 5%)	13	(33. 3%)	85	(36. 2%)	0. 110
無回答	0	(0.0%)	0		0. 0%)	0	(0.0%)	4	(10. 3%)	4	(1. 7%)	
		(0. 0/0)	U	(0	. 0/0/	U	(0. 0/0)	4	(10. 3/0)	4	(1.770)	
HIV抗体検査受検経験(生活		(40, 40/)	01	(44	00/)	7	(17 EW)	17	(40,0%)	00	(41 70)	0.010
ある	43	(49. 4%)	31		. 9%)	7	(17. 5%)	17	(43. 6%)	98	(41. 7%)	0. 012
ない	40	(46. 0%)	37		6%)	29	(72. 5%)	21	(53. 8%)	127	(54. 0%)	
無回答	4	(4. 6%)	1	(1	. 4%)	4	(10.0%)	1	(2. 6%)	10	(4. 3%)	
HIV抗体検査受検経験(過												
ある	19	(21. 8%)	15		. 7%)	6	(15. 0%)	5	(12. 8%)	45	(19. 1%)	0. 527
ない	67	(77. 0%)	54	5.50	3%)	34	(85. 0%)	34	(87. 2%)	189	(80. 4%)	
無回答	1	(1. 1%)	0	(0	0%)	0	(0.0%)	0	(0.0%)	1	(0. 4%)	
STD被診断経験(生涯)										SE		
ある	23	(26. 4%)	9		3. 0%)	5	(12. 5%)	6	(15. 4%)	43	(18. 3%)	0. 091
ない	57	(65. 5%)	56		. 2%)	32	(80.0%)	28	(71.8%)	173	(73. 6%)	
無回答	7	(8.0%)	4	(5	. 8%)	3	(7. 5%)	5	(12.8%)	19	(8. 1%)	
STD被診断経験(過去1年)												
ある	10	(11.5%)	1	(1	. 4%)	2	(5.0%)	1	(2.6%)	14	(6.0%)	0. 043
ない	77	(88. 5%)	68	(98	8. 6%)	38	(95.0%)	38	(97. 4%)	221	(94.0%)	
無回答	0	(0.0%)	0	(0	0. 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
薬物使用(生涯)												
ある	43	(49. 4%)	29	(42	2. 0%)	9	(22.5%)	12	(30.8%)	93	(39.6%)	0. 030
ない	38	(43. 7%)	36	(52	2. 2%)	25	(62.5%)	25	(64. 1%)	124	(52.8%)	
無回答	6	(6.9%)	4	(5	5. 8%)	6	(15.0%)	2	(5. 1%)	18	(7. 7%)	
薬物使用(過去6ヶ月間)												
ある	17	(19.5%)	9	(13	8. 0%)	4	(10.0%)	3	(7. 7%)	33	(14.0%)	0. 242
ない	69	(79. 3%)	59		5. 5%)	36	(90.0%)	36	(92. 3%)	200	(85. 1%)	
無回答	1	(1. 1%)	1		. 4%)	0	(0.0%)	0	(0.0%)	2	(0.9%)	
HIV陽性					,							
HIV陽性	3	(3. 4%)	0	((0.0%)	0	(0.0%)	1	(2.6%)	4	(1. 7%)	0. 292
それ以外	84	(96. 6%)	69		200 DE		(100.0%)	38	(97. 4%)	231	(98. 3%)	0. 202
	04	(30. 0%)	00	(100	. 0/0)	40	(100.0%)	00	(07. 470)	201	(00. 0%)	
相手の数(過去6ヶ月間)	10	(11. 5%)	17	(24	. 6%)	13	(32. 5%)	16	(41.0%)	56	(23. 8%)	0. 000
2-3人	16				. 9%)	7	(17. 5%)	5	(12. 8%)	50	(21. 3%)	0. 000
		(18. 4%)	22									
4-5人	21	(24. 1%)	10		5%)	8	(20.0%)	1	(2. 6%)	40	(17. 0%)	
6人以上	33	(37. 9%)	8		. 6%)	4	(10.0%)	0	(0.0%)	45	(19. 1%)	
非該当(0人)	2	(2. 3%)	6		3. 7%)	4	(10.0%)	17	(43. 6%)	29	(12. 3%)	
無回答	5	(5. 7%)	6	(8	3. 7%)	4	(10.0%)	0	(0.0%)	15	(6. 4%)	
アナルセックス有の人のコンドーム使							(00)		(4.5)		(00)	
常用	28	(36. 8%)	17		. 0%)	9	(32. 1%)	3	(17. 6%)	57	(33. 3%)	0. 50
それ以外	34	(44. 7%)	23		6. 0%)	15	(53. 6%)	10	(58.8%)	. 82	(48.0%)	
無回答	14	(18. 4%)	10	(20	0.0%)	4	(14.3%)	4	(23. 5%)	32	(18. 7%)	

	ネット出	用あり 会いあり -87	ネット	刊用あり 出会いなし =69	ネットと	刊用なし 出会いあり =40	ネット出	用なし 会いなし 39		計 235	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6	ヶ月間)										
ある	36	(41. 49	6) 21	(30.4%)	0	(0.0%)	0	(0.0%)	57	(24. 3%)	0.000
ない	51	(58. 69	(6) 48	(69.6%)	39	(97. 5%)	33	(84.6%)	171	(72.8%)	
無回答	0	(0.09	6) 0	(0.0%)	1	(2.5%)	6	(15.4%)	7	(3.0%)	
ビデオ系利用(過去6	5ヶ月間)										
ある	24	(27. 69	%) 4	(5.8%)	0	(0.0%)	0	(0.0%)	28	(11. 9%)	0. 000
ない	63	(72. 49	%) 65	(94. 2%)	40	(100.0%)	34	(87. 2%)	202	(86.0%)	
無回答	0	(0.09	%) 0	(0.0%)	0	(0.0%)	5	(12.8%)	5	(2.1%)	
マンション系利用(i	過去6ヶ月間)									
ある	20	(23. 09	K) 15	(21.7%)	0	(0.0%)	0	(0.0%)	35	(14. 9%)	0. 000
ない	67	(77. 09	%) 54	(78. 3%)	39	(97.5%)	34	(87. 2%)	194	(82.6%)	
無回答	0	(0.09	%) 0	(0.0%)	1	(2.5%)	5	(12.8%)	6	(2.6%)	
クラブ(男性限定)(油	過去6ヶ月間)									
ある	20	(23. 09	%) 8	(11.6%)	0	(0.0%)	0	(0.0%)	28	(11.9%)	0. 000
ない	67	(77. 09	%) 61	(88. 4%)	40	(100.0%)	34	(87. 2%)	202	(86.0%)	
無回答	0	(0.09)	%) 0	(0.0%)	0	(0.0%)	5	(12.8%)	5	(2.1%)	
お金払ってセックスの経	験(過去6ヶ	月間)									
ある	17	(19. 59	%) 30	(43. 5%)	0	(0.0%)	0	(0.0%)	47	(20.0%)	0. 000
ない	70	(80, 59	%) 39	(56, 5%)	40	(100.0%)	34	(87. 2%)	183	(77. 9%)	
無回答	0	(0. 09	%) 0	(0.0%)	0	(0.0%)	5	(12.8%)	5	(2.1%)	
ゲイバー利用(過去6	5ヶ月間)										
ある	55	(63. 29	%) 29	(42.0%)	0	(0.0%)	0	(0.0%)	84	(35. 7%)	0. 000
ない	32	(36. 89	%) 40	(58.0%)	39	(97.5%)	34	(87. 2%)	145	(61.7%)	
無回答	0	(0.09	%) 0	(0.0%)	1	(2.5%)	5	(12.8%)	6	(2.6%)	

	ネット日	川用あり H会いあり 128	ネットと	用あり 会いなし 89	ネット出	用なし 会いあり =64	ネット	刊用なし 出会いなし =44		325	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	5	(3. 9%)	1	(1. 1%)	10	(15. 6%)	3	(6.8%)	19	(5.8%)	0. 001
20歳代	49	(38. 3%)	27	(30. 3%)	32	(50.0%)	15	(34. 1%)	123	(37. 8%)	
30歳代	51	(39. 8%)	40	(44. 9%)	18	(28. 1%)	12	(27. 3%)	121	(37. 2%)	
40歳代	17	(13. 3%)	18	(20. 2%)	2	(3. 1%)	10	(22. 7%)	47	(14. 5%)	
50歳代以上	6	(4. 7%)	3	(3. 4%)	2	(3. 1%)	3	(6.8%)	14	(4. 3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(2. 3%)	1	(0.3%)	
最終学歴											
大卒以上	58	(45. 3%)	60	(67. 4%)	34	(53. 1%)	20	(45.5%)	172	(52. 9%)	0. 009
それ以外	70	(54. 7%)	29	(32.6%)	30	(46. 9%)	24	(54.5%)	153	(47. 1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き	可能										
正解	91	(71. 1%)	61	(68.5%)	40	(62.5%)	29	(65. 9%)	221	(68.0%)	0. 643
その他	36	(28. 1%)	28	(31.5%)	24	(37. 5%)	14	(31.8%)	102	(31.4%)	
無回答	1	(0.8%)	0	(0.0%)	0	(0.0%)	1	(2.3%)	2	(0.6%)	
知識_HIV検査感染から3	日で可										
正解	100	(78. 1%)	67	(75. 3%)	48	(75.0%)	30	(68. 2%)	245	(75. 4%)	0. 685
その他	27	(21.1%)	22	(24. 7%)	16	(25.0%)	13	(29.5%)	78	(24.0%)	
無回答	1	(0.8%)	0	(0.0%)	0	(0.0%)	1	(2. 3%)	2	(0.6%)	
知識_STDはHIVの昜感染											
正解	85	(66. 4%)	59	(66. 3%)	37	(57. 8%)	25	(56. 8%)	206	(63. 4%)	0. 500
その他	42	(32.8%)	30	(33. 7%)	27	(42. 2%)	18	(40.9%)	117	(36.0%)	0.000
無回答	1	(0.8%)	0	(0.0%)	0	(0.0%)	1	(2. 3%)	2	(0.6%)	
HIV抗体検査受検経験(生	+涯)			Constant							
ある	74	(57. 8%)	36	(40. 4%)	25	(39. 1%)	14	(31.8%)	149	(45. 8%)	0. 007
ない	52	(40.6%)	49	(55. 1%)	38	(59. 4%)	28	(63. 6%)	167	(51. 4%)	0. 007
無回答	2	(1.6%)	4	(4. 5%)	1	(1. 6%)	2	(4. 5%)	9	(2.8%)	
HIV抗体検査受検経験(i		(11. 0.0)		(1. 0.0)		(1. 0.0)	-	(1. 0.0)		(2. 0/0)	
ある	52	(40.6%)	18	(20. 2%)	13	(20. 3%)	4	(9. 1%)	87	(26. 8%)	0. 000
ない	76	(59. 4%)	71	(79. 8%)	51	(79. 7%)	40	(90. 9%)	238	(73. 2%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)		(0.0%)	Ü	(0. 0/0)	Ü	(0.0%)		(0. 0/0)		(0.0%)	
ある	34	(26. 6%)	16	(18.0%)	5	(7. 8%)	3	(6.8%)	58	(17.8%)	0. 003
ない	90	(70. 3%)	66	(74. 2%)	56	(87. 5%)	37	(84. 1%)	249	(76. 6%)	0. 000
無回答	4	(3. 1%)	7	(7. 9%)	3	(4. 7%)	4	(9. 1%)	18	(5. 5%)	
STD被診断経験(過去1年		(0. 170)		(7. 0%)		(1. 7/0)		(0. 170)		(0.0%)	
310放砂的柱線(週五14	11	(8. 6%)	6	(6. 7%)	2	(3. 1%)	1	(0.0%)	20	(C 0W)	0.000
	114							(2. 3%)	20	(6. 2%)	0. 296
ない 無回答	3	(89. 1%) (2. 3%)	82	(92. 1%)	62 0	(96. 9%) (0. 0%)	43	(97. 7%)	301	(92. 6%)	
	J	(2. 370)	1	(1. 1%)	U	(0.0%)	0	(0.0%)	4	(1. 2%)	
薬物使用(生涯) ある	76	(59. 4%)	26	(29. 2%)	29	(45, 3%)	7	(1E 00)	120	(42, 5%)	0.000
ない	46	(35. 9%)	20 57					(15. 9%)	138		0. 000
	_			(64. 0%)	34	(53. 1%)	32	(72. 7%)	169	(52. 0%)	
無回答	6	(4. 7%)	6	(6. 7%)	A HE LOW DATE OF	(1.6%)	5	(11. 4%)	18	(5. 5%)	
薬物使用(過去6ヶ月間)		(00,000)		(0. 70)		(0.10)					
ある	37	(28. 9%)	6	(6. 7%)	6	(9. 4%)	1	(2. 3%)	50	(15. 4%)	0. 000
ない	90	(70. 3%)	83	(93. 3%)	55	(85. 9%)	43	(97. 7%)	271	(83. 4%)	
無回答	1	(0.8%)	0	(0.0%)	3	(4. 7%)	0	(0.0%)	4	(1. 2%)	
HIV陽性		(4 700)		(0.00)		(0.10)		(0.00)			
HIV陽性	6	(4. 7%)	2	(2. 2%)	2	(3. 1%)	1	(2. 3%)	11	(3. 4%)	0. 794
それ以外	122	(95. 3%)	87	(97. 8%)	62	(96. 9%)	43	(97. 7%)	314	(96.6%)	
相手の数(過去6ヶ月間)											
1人	7	(5.5%)	22	(24. 7%)	15	(23. 4%)	16	(36. 4%)	60	(18.5%)	0. 000
2-3人	30	(23. 4%)	23	(25. 8%)	23	(35. 9%)	3	(6.8%)	79	(24.3%)	
4-5人	16	(12.5%)	14	(15. 7%)	13	(20.3%)	0	(0.0%)	43	(13. 2%)	
6人以上	67	(52. 3%)	15	(16. 9%)	8	(12.5%)	0	(0.0%)	90	(27. 7%)	
非該当(0人)	0	(0.0%)	10	(11.2%)	0	(0.0%)	21	(47. 7%)	31	(9.5%)	
無回答	8	(6.3%)	5	(5.6%)	5	(7.8%)	4	(9.1%)	22	(6.8%)	
アナルセックス有の人のコンドーム	使用状况		月間)					. 47 Km of			
常用	34	(29. 1%)	23	(39.0%)	15	(30.0%)	7	(33. 3%)	79	(32.0%)	0. 632
それ以外	57	(48. 7%)	26	(44. 1%)	27	(54. 0%)	13	(61. 9%)	123	(49. 8%)	5, 002
	0,	(22. 2%)	20	(16. 9%)	~ /	(16. 0%)	10	(4. 8%)	120		

	ネット出	用あり 会いあり 128	ネット出	用あり 会いなし 89	ネット	利用なし 出会いあり =64	ネット出	用なし 会いなし -44		計 325	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	長6ヶ月間)				. 11			104-20			
ある	65	(50.8%)	37	(41.6%)	0	(0.0%)	0	(0.0%)	102	(31.4%)	0.000
ない	63	(49. 2%)	52	(58. 4%)	64	(100.0%)	43	(97. 7%)	222	(68.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(2.3%)	1	(0.3%)	
ビデオ系利用(過去	56ヶ月間)										
ある	22	(17. 2%)	10	(11. 2%)	0	(0.0%)	0	(0.0%)	32	(9.8%)	0. 000
ない	106	(82.8%)	78	(87. 6%)	64	(100.0%)	43	(97. 7%)	291	(89.5%)	
無回答	0	(0.0%)	1	(1.1%)	0	(0.0%)	1	(2.3%)	2	(0.6%)	
マンション系利用	(過去6ヶ月間))									
ある	46	(35. 9%)	21	(23.6%)	0	(0.0%)	0	(0.0%)	67	(20.6%)	0. 000
ない	82	(64. 1%)	67	(75.3%)	64	(100.0%)	43	(97. 7%)	256	(78.8%)	
無回答	0	(0.0%)	1	(1.1%)	0	(0.0%)	1	(2.3%)	2	(0.6%)	
クラブ(男性限定)	(過去6ヶ月間))									
ある	45	(35. 2%)	16	(18.0%)	0	(0.0%)	0	(0.0%)	61	(18.8%)	0. 000
ない	83	(64.8%)	72	(80.9%)	64	(100.0%)	43	(97. 7%)	262	(80.6%)	
無回答	0	(0.0%)	1	(1.1%)	0	(0.0%)	1	(2.3%)	2	(0.6%)	
お金払ってセックスの	経験(過去6ヶ	月間)									
ある	22	(17. 2%)	31	(34.8%)	0	(0.0%)	0	(0.0%)	53	(16. 3%)	0. 000
ない	106	(82.8%)	57	(64.0%)	64	(100.0%)	43	(97. 7%)	270	(83. 1%)	
無回答	0	(0.0%)	1	(1.1%)	0	(0.0%)	1	(2.3%)	2	(0.6%)	
ゲイバー利用(過去	56ヶ月間)										
ある	90	(70. 3%)	50	(56. 2%)	0	(0.0%)	0	(0.0%)	140	(43. 1%)	0. 000
ない	38	(29. 7%)	38	(42.7%)	64	(100.0%)	43	(97. 7%)	183	(56. 3%)	
無回答	0	(0.0%)	1	(1.1%)	0	(0.0%)	1	(2.3%)	2	(0.6%)	

	ネットは	用あり 会いあり 186	ネット出	用あり 会いなし 141	ネットは	用なし 会いあり 92	ネットと	利用なし 出会いなし = 78		181 497	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	18	(9. 7%)	2	(1.4%)	18	(19.6%)	8	(10.3%)	46	(9.3%)	0. 001
20歳代	78	(41.9%)	48	(34.0%)	42	(45. 7%)	30	(38.5%)	198	(39.8%)	
30歳代	55	(29.6%)	52	(36. 9%)	19	(20.7%)	23	(29.5%)	149	(30.0%)	
40歳代	28	(15. 1%)	27	(19.1%)	9	(9.8%)	10	(12.8%)	74	(14.9%)	
50歳代以上	6	(3. 2%)	10	(7. 1%)	3	(3. 3%)	4	(5. 1%)	23	(4.6%)	
無回答	1	(0. 5%)	2	(1.4%)	1	(1. 1%)	3	(3. 8%)	7	(1, 4%)	
最終学歴		(0. 0/0)	_	(1. 170)		(1. 1.0)		(0. 0/0)		(1. 1/0)	
	103	(55. 4%)	93	(66, 0%)	51	(55. 4%)	43	(55. 1%)	290	(58. 4%)	0.100
大卒以上	83	(44. 6%)	48	(34, 0%)	41	(44. 6%)	35	(44. 9%)	290	(41. 6%)	0. 196
それ以外	0	(0.0%)	0	(0, 0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答		(0. 0%)		(0.0%)	U	(0. 0%)	U	(0. 0%)	U	(0. 0%)	
知識_感染しても長生		(71 00)	100	(76 cw)	66	(71 70)	E4	(60, 0%)	260	(70.4%)	0.700
正解	132	(71. 0%)	108	(76. 6%)	66	(71. 7%)	54	(69. 2%)	360	(72. 4%)	0. 720
その他	53	(28. 5%)	33	(23. 4%)	25	(27. 2%)	22	(28. 2%)	133	(26. 8%)	
無回答	1	(0.5%)	0	(0.0%)	1	(1. 1%)	2	(2.6%)	4	(0.8%)	
知識_HIV検査感染から	3日で可										
正解	136	(73. 1%)	110	(78.0%)	63	(68. 5%)	57	(73. 1%)	366	(73. 6%)	0. 498
その他	50	(26. 9%)	31	(22.0%)	28	(30. 4%)	19	(24.4%)	128	(25. 8%)	
無回答	0	(0.0%)	0	(0.0%)	1	(1.1%)	2	(2.6%)	3	(0.6%)	
知識_STDはHIVの易感多											
正解	127	(68. 3%)	95	(67. 4%)	51	(55. 4%)	48	(61.5%)	321	(64. 6%)	0. 206
その他	58	(31. 2%)	45	(31.9%)	39	(42.4%)	29	(37. 2%)	171	(34. 4%)	
無回答	1	(0.5%)	1	(0. 7%)	2	(2. 2%)	1	(1.3%)	5	(1.0%)	
HIV抗体検査受検経験((0. 0/0)		(0. 770)		(2. 270)		(1. 0.0)		(11. 0.0)	
ロVが中央主文快社駅へ ある	(土)庄) 91	(48, 9%)	65	(46. 1%)	29	(31. 5%)	18	(23. 1%)	203	(40. 8%)	0. 000
ない	92	(49. 5%)	74	(52. 5%)	62	(67. 4%)	56	(71. 8%)	284	(57. 1%)	0. 000
無回答	3	(1. 6%)	2	(1. 4%)	1	(1. 1%)	4	(5. 1%)	10	(2.0%)	
		(1.0%)	_	(1.470)		(1, 170)	4	(0. 1/0)	10	(2. 0%)	
HIV抗体検査受検経験((00 EW)	24	(04.10)	10	(10 GV)	8	(10, 20)	112	(22 78)	0.011
ある	53	(28. 5%)	34	(24. 1%)	18	(19. 6%)		(10. 3%)	113	(22. 7%)	0. 011
ない	133	(71. 5%)	106	(75. 2%)	74	(80. 4%)	70	(89. 7%)	383	(77. 1%)	
無回答	0	(0.0%)	1	(0. 7%)	0	(0.0%)	0	(0.0%)	1	(0. 2%)	
STD被診断経験(生涯)		(00 70)	00	(00.4%)		(0. 5%)		(7. 70)	00	(4.7. 000)	
ある	44	(23. 7%)	33	(23. 4%)	6	(6. 5%)	6	(7. 7%)	89	(17. 9%)	0. 000
ない	135	(72. 6%)	102	(72. 3%)	81	(88. 0%)	66	(84. 6%)	384	(77. 3%)	
無回答	7	(3. 8%)	6	(4. 3%)	5	(5. 4%)	6	(7. 7%)	24	(4. 8%)	
STD被診断経験(過去14	丰)										
ある	13	(7.0%)	8	(5. 7%)	3	(3. 3%)	2	(2.6%)	26	(5. 2%)	0. 383
ない	173	(93.0%)	133	(94. 3%)	89	(96. 7%)	76	(97. 4%)	471	(94. 8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
薬物使用(生涯)											
ある	89	(47. 8%)	55	(39.0%)	24	(26. 1%)	22	(28. 2%)	190	(38. 2%)	0. 001
ない	89	(47.8%)	79	(56.0%)	64	(69.6%)	52	(66. 7%)	284	(57. 1%)	
無回答	8	(4.3%)	7	(5.0%)	4	(4.3%)	4	(5.1%)	23	(4.6%)	
薬物使用(過去6ヶ月間	1)										
ある	37	(19. 9%)	9	(6. 4%)	14	(15. 2%)	6	(7. 7%)	66	(13. 3%)	0. 002
ない	148	(79. 6%)	131	(92. 9%)	78	(84. 8%)	71	(91.0%)	428	(86. 1%)	0. 002
無回答	1	(0.5%)	1	(0. 7%)	0	(0.0%)	1	(1.3%)	3	(0.6%)	
HIV陽性						(0.00)				(
HIV陽性	7	(3. 8%)	4	(2.8%)	1	(1. 1%)	1	(1. 3%)	13	(2. 6%)	0. 521
それ以外	179	(96. 2%)	137	(97. 2%)	91	(98. 9%)	77	(98. 7%)	484	(97. 4%)	0. 021
		(30. 2/0)	107	(37. 2/0)	01	(30. 3/6)	,,	(00. 770)	707	(07. 470)	
相手の数(過去6ヶ月間		(10.00)	00	(10 OP)	00	(2E 08)	07	(34 GN)	07	(10 50)	0.000
1人	19	(10. 2%)	28	(19. 9%)	23	(25. 0%)	27	(34. 6%)	97	(19. 5%)	0. 000
2-3人	46	(24. 7%)	48	(34.0%)	27	(29. 3%)	8	(10. 3%)	129	(26. 0%)	
4-5人	32	(17. 2%)	21	(14. 9%)	11	(12.0%)	3	(3. 8%)	67	(13. 5%)	
6人以上	75	(40. 3%)	23	(16. 3%)	18	(19. 6%)	0	(0.0%)	116	(23. 3%)	
非該当(0人)	4	(2. 2%)	12	(8. 5%)	4	(4. 3%)	37	(47. 4%)	57	(11. 5%)	
無回答	10	(5. 4%)	9	(6. 4%)	9	(9.8%)	3	(3. 8%)	31	(6. 2%)	
アナルセックス有の人のコンドー	4使用状况	記(過去6ヶ	月間)								
常用	55	(35.0%)	40	(41. 7%)	22	(31.0%)	7	(21. 2%)	124	(34. 7%)	0. 239
7 10 11 17	74	(47. 1%)	41	(42. 7%)	36	(50. 7%)	18	(54.5%)	169	(47. 3%)	
それ以外	4.1										

	ネット出	用あり 会いあり 186	ネット出	用あり 会いなし 141	ネット	利用なし 出会いあり =92	ネット出	用なし 会いなし 78		497	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月	月間)										
ある	99	(53. 2%)	53	(37. 6%)	0	(0.0%)	0	(0.0%)	152	(30.6%)	0.000
ない	86	(46. 2%)	87	(61. 7%)	92	(100.0%)	77	(98. 7%)	342	(68. 8%)	
無回答	1	(0.5%)	1	(0.7%)	0	(0.0%)	1	(1.3%)	3	(0.6%)	
ビデオ系利用(過去6ヶ月	月間)										
ある	39	(21.0%)	20	(14. 2%)	0	(0.0%)	0	(0.0%)	59	(11. 9%)	0.000
ない	147	(79.0%)	121	(85. 8%)	92	(100.0%)	77	(98. 7%)	437	(87. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	1	(0.2%)	
マンション系利用(過去	6ヶ月間))									
ある	57	(30.6%)	27	(19. 1%)	0	(0.0%)	0	(0.0%)	84	(16. 9%)	0. 000
ない	129	(69.4%)	113	(80. 1%)	91	(98. 9%)	76	(97.4%)	409	(82. 3%)	
無回答	0	(0.0%)	1	(0.7%)	1	(1.1%)	2	(2.6%)	4	(0.8%)	
クラブ(男性限定)(過去	6ヶ月間)									
ある	43	(23. 1%)	25	(17. 7%)	0	(0.0%)	0	(0.0%)	68	(13. 7%)	0.000
ない	142	(76.3%)	116	(82. 3%)	92	(100.0%)	76	(97.4%)	426	(85. 7%)	
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	2	(2.6%)	3	(0.6%)	
お金払ってセックスの経験(過去6ヶ	月間)									
ある	34	(18. 3%)	47	(33. 3%)	0	(0.0%)	0	(0.0%)	81	(16. 3%)	0.000
ない	151	(81. 2%)	94	(66. 7%)	92	(100.0%)	77	(98. 7%)	414	(83. 3%)	
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	2	(0.4%)	
ゲイバー利用(過去6ヶ)	3間)										
ある	123	(66. 1%)	80	(56. 7%)	0	(0.0%)	0	(0.0%)	203	(40.8%)	0. 000
ない	62	(33. 3%)	61	(43. 3%)	91	(98. 9%)	77	(98. 7%)	291	(58. 6%)	
無回答	1	(0.5%)	0	(0.0%)	1	(1. 1%)	1	(1.3%)	3	(0.6%)	

	ネット日	川用あり H会いあり 1250	ネットと	川用あり H会いなし 175	ネット日	川用なし 出会いあり =65	ネット日	利用なし 出会いなし =80		計 570	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	16	(6. 4%)	2	(1.1%)	10	(15. 4%)	3	(3.8%)	31	(5. 4%)	0.004
20歳代	99	(39. 6%)	65	(37. 1%)	31	(47. 7%)	31	(38.8%)	226	(39.6%)	
30歳代	89	(35. 6%)	68	(38. 9%)	17	(26. 2%)	24	(30.0%)	198	(34. 7%)	
40歳代	32	(12.8%)	26	(14.9%)	6	(9. 2%)	15	(18.8%)	79	(13. 9%)	
50歳代以上	13	(5. 2%)	12	(6.9%)	1	(1.5%)	7	(8.8%)	33	(5.8%)	
無回答	1	(0.4%)	2	(1.1%)	0	(0.0%)	0	(0.0%)	3	(0.5%)	
最終学歴											
大卒以上	128	(51. 2%)	105	(60.0%)	25	(38. 5%)	44	(55.0%)	302	(53.0%)	0. 025
それ以外	121	(48. 4%)	70	(40.0%)	40	(61.5%)	36	(45.0%)	267	(46.8%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.2%)	
知識_感染しても長生き	可能										
正解	185	(74.0%)	134	(76.6%)	44	(67. 7%)	57	(71. 3%)	420	(73. 7%)	0. 512
その他	63	(25. 2%)	41	(23. 4%)	21	(32. 3%)	23	(28.8%)	148	(26.0%)	
無回答	2	(0.8%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
知識_HIV検査感染から	3日で可										
正解	209	(83.6%)	139	(79. 4%)	46	(70.8%)	62	(77. 5%)	456	(80.0%)	0. 119
その他	41	(16.4%)	34	(19.4%)	19	(29, 2%)	18	(22.5%)	112	(19.6%)	
無回答	0	(0.0%)	2	(1. 1%)	0	(0.0%)	0	(0.0%)	2	(0. 4%)	
知識 STDはHIVの易感剤	<u>t</u>		_	anach da				(0. 0.0)	_	(6. 1.6)	
正解	184	(73. 6%)	130	(74. 3%)	38	(58. 5%)	48	(60.0%)	400	(70. 2%)	0. 009
その他	65	(26, 0%)	44	(25. 1%)	27	(41. 5%)	32	(40.0%)	168	(29. 5%)	0. 000
無回答	1	(0.4%)	1	(0.6%)	0	(0.0%)	0	(0.0%)	2	(0. 4%)	
HIV抗体検査受検経験(生涯)			(-	(0. 1.0)	
ある	151	(60. 4%)	83	(47, 4%)	15	(23. 1%)	34	(42. 5%)	283	(49, 6%)	0. 000
ない	96	(38. 4%)	86	(49. 1%)	47	(72. 3%)	44	(55. 0%)	273	(47. 9%)	0. 000
無回答	3	(1. 2%)	6	(3. 4%)	3	(4. 6%)	2	(2. 5%)	14	(2. 5%)	
HIV抗体検査受検経験((1. 2/0)	U	(3. 4/0)	J	(4. 0%)	_	(2. 5/0)	14	(2. 3%)	
が加州快直文快社鉄(ある	94	(37. 6%)	42	(24.0%)	5	(7. 7%)	15	(18.8%)	156	(27. 4%)	0.000
ない	156	(62. 4%)	133	(76. 0%)	60	(92. 3%)	65	(81. 3%)	414	(72. 6%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)	12 (5 1) 1950 90	(0.0%)		(0. 0%)		(0. 0%)	1051005-0-70	(0. 0/0)		(0. 0/0)	
3101奴砂め1柱駅(土)店/ ある	86	(34. 4%)	53	(30. 3%)	8	(12. 3%)	17	(21. 3%)	164	(28. 8%)	0.004
ない	161	(64. 4%)	113	(64. 6%)	51	(78. 5%)	61	(76. 3%)	386	(67. 7%)	0. 004
無回答	3	(1. 2%)	9	(5. 1%)	6	(9. 2%)	2	(2. 5%)		(3.5%)	
		(1. 270)	Э	(0. 170)	0	(9. 2%)	2	(2. 5%)	20	(3. 5%)	
STD被診断経験(過去1年 ある	F) 42	(16. 8%)	12	(6. 9%)	3	(4 CW)	C	(7 EN)	00	(11 10)	0.000
						(4. 6%)	6	(7. 5%)	63	(11. 1%)	0. 002
ない	206	(82. 4%)	161	(92.0%)	62	(95. 4%)	74	(92. 5%)	503	(88. 2%)	
無回答	2	(0.8%)	2	(1. 1%)	0	(0.0%)	0	(0.0%)	4	(0. 7%)	
薬物使用(生涯)	1.10	(50.4%)	70	(45 400)	00	(00,00)		(00.00)		(40.40)	
ある	146	(58. 4%)	79	(45. 1%)	20	(30. 8%)	29	(36. 3%)	274	(48. 1%)	0. 000
ない	97	(38. 8%)	85	(48. 6%)	39	(60.0%)	47	(58. 8%)	268	(47. 0%)	
無回答	, /	(2.8%)	11	(6. 3%)	6	(9. 2%)	4	(5. 0%)	28	(4. 9%)	
薬物使用(過去6ヶ月間		(00 40)	00	(4.000)		(4.00)		(0.04)			
ある	76	(30. 4%)	22	(12.6%)	3	(4. 6%)	7	(8.8%)	108	(18. 9%)	0. 000
ない	173	(69. 2%)	151	(86. 3%)	62	(95. 4%)	73	(91. 3%)	459	(80. 5%)	
無回答	1	(0.4%)	2	(1.1%)	0	(0.0%)	0	(0.0%)	3	(0.5%)	
HIV陽性											
HIV陽性	23	(9. 2%)	11	(6. 3%)	3	(4. 6%)	5	(6. 3%)	42	(7. 4%)	0. 586
それ以外	227	(90.8%)	164	(93. 7%)	62	(95. 4%)	75	(93.8%)	528	(92.6%)	
相手の数(過去6ヶ月間)											
1人	26	(10. 4%)	44	(25. 1%)	15	(23. 1%)	26	(32.5%)	111	(19.5%)	0. 000
2-3人	52	(20.8%)	39	(22. 3%)	15	(23. 1%)	5	(6.3%)	111	(19.5%)	
4-5人	43	(17. 2%)	17	(9. 7%)	17	(26. 2%)	3	(3.8%)	80	(14.0%)	
6人以上	114	(45.6%)	38	(21.7%)	11	(16.9%)	1	(1.3%)	164	(28.8%)	
非該当(0人)	4	(1.6%)	25	(14. 3%)	0	(0.0%)	42	(52.5%)	71	(12.5%)	
無回答	11	(4.4%)	12	(6.9%)	7	(10.8%)	3	(3.8%)	33	(5.8%)	
フナルセックス有の人のコンドー	4使用状况	見(過去6ヶ)	月間)								
常用	61	(28. 4%)	47	(42. 3%)	21	(37.5%)	12	(40.0%)	141	(34. 2%)	0. 058
それ以外	119	(55. 3%)	47	(42. 3%)	28	(50.0%)	13	(43. 3%)	207	(50. 2%)	
無回答	35	(16.3%)	17	(15. 3%)	7	(12.5%)	5	(16. 7%)	64	(15. 5%)	

	ネット出	川用あり ∃会いあり 250	ネット出	用あり 会いなし 175	ネット	利用なし 出会いあり =65	ネット日	用なし 会いなし 80		570	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	56ヶ月間)										100
ある	144	(57.6%)	67	(38. 3%)	0	(0.0%)	0	(0.0%)	211	(37.0%)	0. 000
ない	106	(42.4%)	108	(61. 7%)	65	(100.0%)	79	(98.8%)	358	(62.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(1.3%)	1	(0.2%)	
ビデオ系利用(過去	長6ヶ月間)										
ある	63	(25. 2%)	26	(14.9%)	0	(0.0%)	0	(0.0%)	89	(15. 6%)	0. 000
ない	187	(74.8%)	149	(85. 1%)	65	(100.0%)	78	(97.5%)	479	(84.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(2.5%)	2	(0.4%)	
マンション系利用	(過去6ヶ月間))									
ある	71	(28. 4%)	32	(18, 3%)	0	(0.0%)	0	(0.0%)	103	(18. 1%)	0. 000
ない	177	(70. 8%)	142	(81. 1%)	65	(100.0%)	79	(98. 8%)	463	(81. 2%)	
無回答	2	(0.8%)	1	(0.6%)	0	(0.0%)	1	(1.3%)	4	(0. 7%)	
クラブ(男性限定)	(過去6ヶ月間))									
ある	90	(36.0%)	50	(28. 6%)	0	(0.0%)	0	(0.0%)	140	(24. 6%)	0. 000
ない	160	(64.0%)	124	(70.9%)	65	(100.0%)	79	(98.8%)	428	(75. 1%)	
無回答	0	(0.0%)	1	(0.6%)	0	(0.0%)	1	(1.3%)	2	(0.4%)	
お金払ってセックスの	経験(過去6ヶ	月間)									
ある	41	(16, 4%)	40	(22. 9%)	0	(0.0%)	0	(0, 0%)	81	(14, 2%)	0. 000
ない	209	(83. 6%)	134	(76. 6%)	65	(100.0%)	79	(98.8%)	487	(85. 4%)	
無回答	0	(0.0%)	1	(0.6%)	0	(0.0%)	1	(1.3%)	2	(0.4%)	
ゲイバー利用(過去	56ヶ月間)										
ある	178	(71. 2%)	115	(65. 7%)	0	(0.0%)	0	(0.0%)	293	(51. 4%)	0. 000
ない	72	(28. 8%)	58	(33. 1%)	64	(98.5%)	79	(98.8%)	273	(47. 9%)	
無回答	0	(0.0%)	2	(1. 1%)	1	(1. 5%)	1	(1. 3%)	4	(0. 7%)	

	ネット出	用あり 会いあり :73	ネットと	刊用あり 出会いなし =38	ネット	刊用なし 出会いあり =35	ネットと	刊用なし 出会いなし =32		計 178	か12乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	5	(6.8%)	1	(2.6%)	5	(14. 3%)	2	(6. 3%)	13	(7. 3%)	0. 024
20歳代	25	(34. 2%)	11	(28. 9%)	23	(65. 7%)	12	(37. 5%)	71	(39. 9%)	
30歳代	26	(35. 6%)	16	(42. 1%)	3	(8. 6%)	10	(31. 3%)	55	(30. 9%)	
40歳代	13	(17.8%)	7	(18.4%)	2	(5. 7%)	4	(12.5%)	26	(14.6%)	
50歳代以上	4	(5.5%)	3	(7.9%)	2	(5. 7%)	4	(12.5%)	13	(7.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	29	(39. 7%)	17	(44. 7%)	20	(57. 1%)	20	(62. 5%)	86	(48. 3%)	0. 093
それ以外	44	(60. 3%)	21	(55. 3%)	14	(40.0%)	12	(37. 5%)	91	(51. 1%)	
無回答	0	(0.0%)	0	(0.0%)	1	(2. 9%)	0	(0.0%)	1	(0.6%)	
知識_感染しても長生き		(0. 0.0)		(0. 0.0)		(2. 0%)		(0. 0.0)		(0. 0.0)	
川誠_窓来しても女王。 正解	53	(72. 6%)	28	(73. 7%)	26	(74. 3%)	22	(68. 8%)	129	(72. 5%)	0.001
											0. 991
その他	20	(27. 4%)	10	(26. 3%)	9	(25. 7%)	9	(28. 1%)	48	(27. 0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(3. 1%)	1	(0.6%)	
知識_HIV検査感染から		/7F 00/	<u> </u>	(00.40)	2.0	(00, 00)		(00 50)	100	/77 EM	
正解	55	(75. 3%)	35	(92. 1%)	28	(80. 0%)	20	(62. 5%)	138	(77. 5%)	0. 028
その他	17	(23. 3%)	3	(7. 9%)	7	(20. 0%)	12	(37. 5%)	39	(21. 9%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
知識 STDはHIVの易感	染										
正解	43	(58. 9%)	25	(65.8%)	25	(71. 4%)	19	(59. 4%)	112	(62. 9%)	0. 636
その他	29	(39. 7%)	13	(34. 2%)	10	(28.6%)	13	(40.6%)	65	(36.5%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
HIV抗体検査受検経験	(牛涯)										
ある	31	(42.5%)	19	(50.0%)	12	(34. 3%)	7	(21. 9%)	69	(38. 8%)	0. 092
ない	42	(57. 5%)	19	(50.0%)	22	(62. 9%)	25	(78. 1%)	108	(60. 7%)	
無回答	0	(0.0%)	0	(0.0%)	1	(2. 9%)	0	(0.0%)	1	(001.1.0)	
		(0.0%)	U	(0, 0%)		(2. 3/0)	U	(0. 0%)			
HIV抗体検査受検経験((01 0%)	10	(00.0%)	C	(17 10)	2	(0.40/)	o E	(10.7%)	0.010
ある	16	(21. 9%)	10	(26. 3%)	6	(17. 1%)	3	(9. 4%)	35	(19. 7%)	0. 310
ない	57	(78. 1%)	28	(73. 7%)	29	(82. 9%)	29	(90. 6%)	143	(80. 3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)	0.5	(0.4.0%)	_	(10.00)		(0, 0%)		(0.40)	00	(00 0%)	
ある	25	(34. 2%)	5	(13. 2%)	3	(8. 6%)	3	(9. 4%)	36	(20. 2%)	0. 001
ない	45	(61. 6%)	32	(84. 2%)	32	(91. 4%)	27	(84. 4%)	136	(76. 4%)	
無回答	3	(4. 1%)	1	(2.6%)	0	(0.0%)	2	(6. 3%)	6	(3. 4%)	
STD被診断経験(過去14	年)										
ある	9	(12.3%)	2	(5. 3%)	2	(5. 7%)	0	(0.0%)	13	(7. 3%)	0. 126
ない	63	(86. 3%)	36	(94. 7%)	33	(94. 3%)	32	(100.0%)	164	(92. 1%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
薬物使用(生涯)											
ある	35	(47. 9%)	16	(42. 1%)	10	(28.6%)	7	(21.9%)	68	(38. 2%)	0. 021
ない	34	(46.6%)	21	(55. 3%)	25	(71.4%)	25	(78. 1%)	105	(59.0%)	
無回答	4	(5.5%)	1	(2.6%)	0	(0.0%)	0	(0.0%)	5	(2.8%)	
The second secon		(0.01)		(2. 6.6)		(0. 0.0)		(0, 0,0)		(2, 5,0)	
薬物使用(過去6ヶ月間 ある	14	(19. 2%)	4	(10. 5%)	2	(5. 7%)	0	(0.0%)	20	(11. 2%)	0. 021
ない	59	(80. 8%)	34	(89. 5%)	33	(94. 3%)		(100.0%)	158	(88. 8%)	0. 021
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
	U	(0. 0%)	U	(0. 0%)	U	(0. 0%)	U	(0. 070)	U	(0. 070)	
HIV陽性		(F F0/)		(0, 00/)		(0.0%)	0	(0.0%)		(0, 0%)	
HIV陽性	4	(5. 5%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	4	(2. 2%)	0. 113
それ以外	69	(94. 5%)	38	(100.0%)	35	(100.0%)	32	(100.0%)	174	(97. 8%)	
相手の数(過去6ヶ月間])										
1人	12	(16. 4%)	14	(36.8%)	9	(25. 7%)	9	(28. 1%)	44	(24. 7%)	0. 000
2-3人	20	(27. 4%)	13	(34. 2%)	15	(42. 9%)	2	(6. 3%)	50	(28. 1%)	
4-5人	8	(11.0%)	3	(7. 9%)	7	(20.0%)	0	(0.0%)	18	(10.1%)	
6人以上	28	(38.4%)	0	(0.0%)	3	(8.6%)	1	(3.1%)	32	(18.0%)	
非該当(0人)	1	(1.4%)	8	(21.1%)	0	(0.0%)	19	(59.4%)	28	(15. 7%)	
無回答	4	(5. 5%)	0	(0.0%)	1	(2. 9%)	1	(3. 1%)	6	(3.4%)	
				(0, 0/0)		(=. 0/4)		(0, 1/0)	Ü	(3. 1/0)	
	-4使用状沟 12	(19.4%)	月间) 7	(30. 4%)	6	(27. 3%)	4	(40. 0%)	29	(24. 8%)	0. 317
常用		(58. 1%)				(27. 3%) (45. 5%)					U. 31/
それ以外 無回答	36 14	(22. 6%)	12 4	(52. 2%) (17. 4%)	10 6	(45. 5%)	3	(30. 0%) (30. 0%)	61 27	(52. 1%) (23. 1%)	
			4	(1/4%)	h	1// 5701	- 3	(30 (1%)	//	1 / 3 1%	

	ネット出	用あり 会いあり -73	ネット出	用あり 会いなし =38	ネット	刊用なし 出会いあり =35	ネット	利用なし 出会いなし =32		計 178	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	28	(38. 4%)	12	(31.6%)	0	(0.0%)	0	(0.0%)	40	(22. 5%)	0. 000
ない	45	(61.6%)	26	(68. 4%)	35	(100.0%)	32	(100.0%)	138	(77.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去	6ヶ月間)										
ある	14	(19. 2%)	4	(10.5%)	0	(0.0%)	0	(0.0%)	18	(10. 1%)	0. 003
ない	59	(80.8%)	34	(89.5%)	35	(100.0%)	32	(100.0%)	160	(89. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
マンション系利用(過去6ヶ月間)									
ある	27	(37.0%)	6	(15. 8%)	0	(0.0%)	0	(0.0%)	33	(18.5%)	0. 000
ない	46	(63.0%)	32	(84. 2%)	35	(100.0%)	32	(100.0%)	145	(81.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(過去6ヶ月間)									
ある	10	(13. 7%)	7	(18. 4%)	0	(0.0%)	0	(0.0%)	17	(9.6%)	0. 008
ない	63	(86. 3%)	31	(81.6%)	35	(100.0%)	31	(96. 9%)	160	(89.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(3. 1%)	1	(0.6%)	
お金払ってセックスの約	経験(過去6ヶ	月間)									
ある	15	(20. 5%)	10	(26. 3%)	0	(0.0%)	0	(0.0%)	25	(14.0%)	0. 000
ない	58	(79. 5%)	28	(73. 7%)	35	(100, 0%)	32	(100.0%)	153	(86. 0%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去	6ヶ月間)										
ある	56	(76. 7%)	22	(57. 9%)	0	(0.0%)	0	(0.0%)	78	(43. 8%)	0. 000
ない	17	(23. 3%)	16	(42. 1%)	35	(100.0%)	32	(100.0%)	100	(56. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0, 0%)	0	(0.0%)	0	(0.0%)	

	ネット出	月用あり 3会いあり =92	ネットと	刊用あり 出会いなし =37	ネットと	刊用なし 出会いあり =29	ネット	利用なし 出会いなし =22		180	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	9	(9.8%)	0	(0.0%)	4	(13.8%)	3	(13.6%)	16	(8. 9%)	0. 243
20歳代	45	(48. 9%)	11	(29. 7%)	15	(51. 7%)	11	(50.0%)	82	(45. 6%)	
30歳代	26	(28. 3%)	17	(45. 9%)	6	(20. 7%)	5	(22. 7%)	54	(30.0%)	
40歳代	10	(10.9%)	7	(18. 9%)	3	(10.3%)	3	(13.6%)	23	(12.8%)	
50歳代以上	2	(2.2%)	2	(5.4%)	1	(3.4%)	0	(0.0%)	5	(2.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴											
大卒以上	53	(57. 6%)	22	(59. 5%)	19	(65. 5%)	12	(54. 5%)	106	(58. 9%)	0. 893
それ以外	39	(42, 4%)	15	(40. 5%)	10	(34. 5%)	9	(40. 9%)	73	(40. 6%)	0. 000
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(4. 5%)	1	(0. 6%)	
知識 感染しても長生き可		(0.00)		Salta de rechar		(6. 6.6)		(1. 0.0)		A Literature	
正解	63	(68. 5%)	27	(73. 0%)	20	(69. 0%)	12	(54. 5%)	122	(67. 8%)	0. 520
その他	29	(31, 5%)	10	(27. 0%)	9	(31.0%)	10	(45. 5%)	58	(32. 2%)	0. 520
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
		(0. 0%)	U	(0. 0%)	U	(0.0%)	U	(0. 070)	U	(0. 0%)	
知識_HIV検査感染から3日		(00 40)	0.4	(00.0%)		(00.00)	<u>, , , , , , , , , , , , , , , , , , , </u>	(77, 00)	4.10	(04 40)	
正解	74	(80. 4%)	31	(83. 8%)	24	(82. 8%)	17	(77. 3%)	146	(81. 1%)	0. 927
その他	18	(19.6%)	6	(16. 2%)	5	(17. 2%)	5	(22. 7%)	34	(18. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIVの易感染											
正解	62	(67. 4%)	23	(62. 2%)	18	(62. 1%)	11	(50.0%)	114	(63. 3%)	0.498
その他	30	(32.6%)	14	(37. 8%)	11	(37. 9%)	11	(50.0%)	66	(36. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(生涯	厓)										
ある	45	(48. 9%)	17	(45, 9%)	7	(24. 1%)	4	(18. 2%)	73	(40.6%)	0. 023
ない	46	(50.0%)	20	(54. 1%)	22	(75, 9%)	15	(68. 2%)	103	(57. 2%)	0. 020
無回答	1	(1. 1%)	0	(0.0%)	0	(0.0%)	3	(13. 6%)	4	(2. 2%)	
HIV抗体検査受検経験(過去	上1年)	(1. 170)		(0. 0.0)	ŭ	(0. 0%)		10.00)			
ある	25	(27, 2%)	9	(24. 3%)	6	(20. 7%)	1	(4. 5%)	41	(22. 8%)	0.150
	67	(72. 8%)				,	01				0. 152
ない			28	(75. 7%)	23	(79. 3%)	21	(95. 5%)	139	(77. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)	00	(20.40/)	10	(20, 4%)		(10,0%)		(0.10)	40	(05 0%)	
ある	28	(30. 4%)	12	(32. 4%)	4	(13. 8%)	2	(9. 1%)	46	(25. 6%)	0. 126
ない	64	(69. 6%)	25	(67. 6%)	25	(86. 2%)	15	(68. 2%)	129	(71. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	5	(22. 7%)	5	(2. 8%)	
STD被診断経験(過去1年)											
ある	13	(14. 1%)	4	(10.8%)	2	(6.9%)	0	(0.0%)	19	(10.6%)	0. 228
ない	78	(84.8%)	33	(89. 2%)	27	(93. 1%)	22	(100.0%)	160	(88. 9%)	
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
薬物使用(生涯)											
ある	51	(55. 4%)	20	(54. 1%)	10	(34.5%)	4	(18. 2%)	85	(47. 2%)	0. 015
ない	41	(44.6%)	16	(43. 2%)	19	(65.5%)	15	(68. 2%)	91	(50.6%)	
無回答	0	(0.0%)	1	(2. 7%)	0	(0.0%)	3	(13.6%)	4	(2. 2%)	
薬物使用(過去6ヶ月間)				e in relies							
ある	17	(18.5%)	3	(8. 1%)	3	(10.3%)	0	(0.0%)	23	(12.8%)	0. 075
ない	74	(80. 4%)	34	(91. 9%)	26	(89. 7%)	22	(100.0%)	156	(86. 7%)	0. 075
無回答	1	(1. 1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1 1 1	(0.6%)	
		(1. 170)	U	(0. 0/0)		(0. 0%)	0	(0. 0%)		(0. 0%)	
HIV陽性	3	(2.20)	1	(0.7%)	1	(2 40)	0	(0 0%)	5	(0.0%)	0.000
HIV陽性		(3. 3%)		(2. 7%)		(3. 4%)	0	(0.0%)		(2. 8%)	0. 898
それ以外	89	(96. 7%)	36	(97. 3%)	28	(96.6%)	22	(100.0%)	175	(97. 2%)	
相手の数(過去6ヶ月間)											
1人	12	(13. 0%)	7	(18. 9%)	8	(27.6%)	5	(22. 7%)	32	(17. 8%)	0.000
2-3人	20	(21. 7%)	4	(10.8%)	9	(31.0%)	3	(13.6%)	36	(20.0%)	
4-5人	11	(12.0%)	9	(24. 3%)	3	(10.3%)	0	(0.0%)	23	(12.8%)	
6人以上	41	(44.6%)	10	(27.0%)	3	(10.3%)	0	(0.0%)	54	(30.0%)	
非該当(0人)	3	(3.3%)	6	(16. 2%)	1	(3.4%)	13	(59.1%)	23	(12.8%)	
無回答	5	(5. 4%)	1	(2. 7%)	5	(17. 2%)	1	(4. 5%)	12	(6. 7%)	
アナルセックス有の人のコンドーム使						/	na Garañ	/			
常用	25	(29.4%)	万 (BJ) 7	(29. 2%)	5	(22. 7%)	3	(37. 5%)	40	(28. 8%)	0. 926
	47	(55. 3%)			12		4				0. 920
それ以外			15	(62. 5%)		(54. 5%)		(50.0%)	78	(56. 1%)	
無回答	13	(15. 3%)	2	(8. 3%)	5	(22. 7%)	1	(12.5%)	21	(15. 1%)	

	ネット日	川用あり H会いあり =92	ネット出	刊用あり 出会いなし = 37	ネット	利用なし 出会いあり =29	ネット	利用なし 出会いなし =22		計 :180	カイ2乗 検定
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去	6ヶ月間)										
ある	30	(32.6%)	13	(35. 1%)	0	(0.0%)	0	(0.0%)	43	(23. 9%)	0. 000
ない	61	(66. 3%)	24	(64. 9%)	29	(100.0%)	22	(100.0%)	136	(75. 6%)	
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
ビデオ系利用(過去	6ヶ月間)										
ある	16	(17.4%)	2	(5. 4%)	0	(0.0%)	0	(0.0%)	18	(10.0%)	0. 006
ない	75	(81.5%)	35	(94.6%)	29	(100.0%)	22	(100.0%)	161	(89. 4%)	*****
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
マンション系利用(過去6ヶ月間)									
ある	43	(46. 7%)	13	(35. 1%)	0	(0.0%)	0	(0.0%)	56	(31. 1%)	0. 000
ない	49	(53. 3%)	24	(64. 9%)	29	(100.0%)	22	(100.0%)	124	(68. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(j	過去6ヶ月間)									
ある	20	(21. 7%)	5	(13. 5%)	0	(0.0%)	0	(0.0%)	25	(13. 9%)	0. 005
ない	72	(78. 3%)	32	(86. 5%)	29	(100.0%)	22	(100.0%)	155	(86. 1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経	経験(過去6ヶ	月間)									
ある	8	(8. 7%)	4	(10.8%)	0	(0.0%)	0	(0.0%)	12	(6. 7%)	0. 151
ない	83	(90. 2%)	33	(89. 2%)	29	(100.0%)	22	(100.0%)	167	(92. 8%)	0. 101
無回答	1	(1. 1%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0. 6%)	
ゲイバー利用(過去	6ヶ月間)					,,		12.00		(3. 0.0)	
ある	68	(73. 9%)	26	(70. 3%)	0	(0.0%)	0	(0.0%)	94	(52. 2%)	0. 000
ない	23	(25.0%)	11	(29. 7%)	29	(100.0%)	21	(95. 5%)	84	(46. 7%)	3. 000
無回答	1	(1.1%)	0	(0.0%)	0	(0.0%)	1	(4.5%)	2	(1. 1%)	

	ネット出	用あり 会いあり 298	ネット出	用あり 会いなし 192	ネット仕	J用なし 1会いあり 158	施設利 ネット出 n=*		合計 n=806		カイ2乗 検定
•	n	%	n	%	n	%	n	%	n	%	
年齢階級											
10歳代	15	(5. 0%)	3	(1. 6%)	31	(19. 6%)	12	(7. 6%)	61	(7. 6%)	0. 000
20歳代	120	(40. 3%)	52	(27. 1%)	68	(43. 0%)	66	(41. 8%)	306	(38. 0%)	
30歳代	118	(39. 6%)	82	(42. 7%)	44	(27. 8%)	49	(31.0%)	293	(36. 4%)	
40歳代	30	(10. 1%)	31	(16. 1%)	9	(5. 7%)	19	(12.0%)	89	(11.0%)	
50歳代以上	11	(3. 7%)	15	(7.8%)	5	(3. 2%)	9	(5. 7%)	40	(5.0%)	
無回答	4	(1. 3%)	9	(4. 7%)	1	(0.6%)	3	(1. 9%)	17	(2. 1%)	
最終学歴											
大卒以上	151	(50. 7%)	104	(54. 2%)	76	(48. 1%)	75	(47. 5%)	406	(50. 4%)	0. 515
それ以外	146	(49.0%)	85	(44. 3%)	81	(51. 3%)	82	(51. 9%)	394	(48. 9%)	
無回答	1	(0. 3%)	3	(1. 6%)	1	(0.6%)	1	(0.6%)	6	(0. 7%)	
知識_感染しても長生き可能											
正解	232	(77. 9%)	126	(65. 6%)	99	(62. 7%)	95	(60. 1%)	552	(68. 5%)	0.000
その他	66	(22. 1%)	64	(33. 3%)	59	(37. 3%)	59	(37. 3%)	248	(30. 8%)	
無回答	0	(0.0%)	2	(1.0%)	0	(0.0%)	4	(2.5%)	6	(0. 7%)	
知識_HIV検査感染から3日で可	Ţ										
正解	232	(77. 9%)	148	(77. 1%)	113	(71.5%)	103	(65. 2%)	596	(73. 9%)	0.063
その他	66	(22. 1%)	44	(22. 9%)	45	(28.5%)	50	(31.6%)	205	(25. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	5	(3.2%)	5	(0.6%)	
知識 STDはHIVの易感染											
正解	213	(71.5%)	124	(64. 6%)	84	(53. 2%)	87	(55. 1%)	508	(63.0%)	0.000
その他	82	(27.5%)	66	(34. 4%)	72	(45.6%)	66	(41.8%)	286	(35. 5%)	
無回答	3	(1.0%)	2	(1.0%)	2	(1.3%)	5	(3.2%)	12	(1.5%)	
HIV抗体検査受検経験(生涯)											
ある	163	(54. 7%)	94	(49.0%)	45	(28. 5%)	42	(26.6%)	344	(42. 7%)	0. 000
ない	133	(44.6%)	92	(47. 9%)	109	(69.0%)	103	(65. 2%)	437	(54. 2%)	
無回答	2	(0. 7%)	6	(3. 1%)	4	(2.5%)	13	(8. 2%)	25	(3.1%)	
HIV抗体検査受検経験(過去1年											
ある	100	(33. 6%)	46	(24.0%)	31	(19.6%)	16	(10.1%)	193	(23. 9%)	0. 000
ない	197	(66. 1%)	146	(76.0%)	127	(80. 4%)	142	(89. 9%)	612	(75. 9%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	1	(0.1%)	
STD被診断経験(生涯)											
ある	88	(29. 5%)	43	(22. 4%)	16	(10. 1%)	13	(8. 2%)	160	(19.9%)	0. 000
ない	200	(67. 1%)	139	(72. 4%)	132	(83. 5%)	131	(82. 9%)	602	(74. 7%)	0, 000
無回答	10	(3. 4%)	10	(5. 2%)	10	(6. 3%)	14	(8. 9%)	44	(5. 5%)	
STD被診断経験(過去1年)											
ある	34	(11.4%)	5	(2. 6%)	5	(3. 2%)	7	(4. 4%)	51	(6. 3%)	0. 000
ない	262	(87. 9%)	187	(97. 4%)	153	(96. 8%)	151	(95.6%)	753	(93. 4%)	
無回答	2	(0. 7%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	2	(0.2%)	
薬物使用(生涯)		(6. 7.0)		(51 511)				(1)		,	
条物使用(主座)	164	(55. 0%)	68	(35. 4%)	48	(30. 4%)	40	(25. 3%)	320	(39. 7%)	0. 000
ない	127	(42. 6%)	112	(58. 3%)	101	(63. 9%)	101	(63. 9%)	441	(54. 7%)	0. 000
無回答	7	(2. 3%)	12	(6. 3%)	9	(5. 7%)	17	(10.8%)	45	(5. 6%)	
薬物使用(過去6ヶ月間)		(2. 0.0)	,_			(0, 7.1)				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
ある	75	(25. 2%)	8	(4. 2%)	16	(10. 1%)	8	(5. 1%)	107	(13. 3%)	0. 000
ない	222	(74. 5%)	183	(95. 3%)	141	(89. 2%)	148	(93. 7%)	694	(86. 1%)	0. 000
無回答	1	(0. 3%)	1	(0. 5%)	1	(0. 6%)	2	(1. 3%)	5	(0.6%)	
		(0. 3%)		(0. 5/1)		(0. 0/0)	_	(1. 0/0)	J	(0. 0%)	
HIV陽性 HIV陽性	19	(6. 4%)	3	(1.6%)	4	(2. 5%)	4	(2. 5%)	30	(3. 7%)	0. 029
それ以外	279	(93. 6%)	189	(98. 4%)	154	(97. 5%)	154	(97. 5%)	776	(96. 3%)	0. 020
	273	(33. 0%)	100	(50. 4%)	104	(07. 0%)	104	(07: 0/0)	770	(00. 0/0)	
相手の数(過去6ヶ月間)	35	(11. 7%)	52	(27. 1%)	38	(24. 1%)	46	(29. 1%)	171	(21. 2%)	0. 000
2-3人	62	(20. 8%)	48	(25. 0%)	52	(32. 9%)	16	(10. 1%)	178	(22. 1%)	5. 000
4-5人	63	(21. 1%)	32	(16. 7%)	24	(15. 2%)	2	(1.3%)	121	(15. 0%)	
					28	(17. 7%)	1	(0.6%)	167	(20. 7%)	
6人以上	113	(37. 9%)	25	(13.0%)							
非該当(0人)	10	(3. 4%)	24	(12. 5%)	3	(1. 9%)	82	(51. 9%)	119	(14. 8%)	
無回答	15 	(5.0%)	11	(5. 7%)	13	(8. 2%)	11	(7.0%)	50	(6. 2%)	
アナルセックス有の人のコンドーム使用ヤ			E4	(40 00)	40	(21 EN)	17	(20 00)	100	(3/1 70)	0.000
常用	124	(33. 7%)	54	(42. 9%)	40	(31. 5%)	17	(28. 8%)	198	(34. 7%)	0. 029
それ以外	134	(51. 9%)	44	(34. 9%)	66	(52. 0%)	30	(50. 8%)	274	(48. 1%)	
無回答	37	(14. 3%)	28	(22. 2%)	21	(16. 5%)	12	(20. 3%)	98	(17. 2%)	

		用あり 会いあり 298	ネット出	用あり 会いなし 192	ネットと	利用なし 出会いあり :158	施設利用なし 合計 ネット出会いなし n=158 n=806			カイ2乗 検定	
	n	%	n	%	n	%	n	%	n	%	
サウナ系利用(過去6ヶ月	間)										
ある	123	(41. 3%)	48	(25.0%)	0	(0.0%)	0	(0.0%)	171	(21.2%)	0.000
ない	175	(58. 7%)	141	(73. 4%)	158	(100.0%)	151	(95.6%)	625	(77.5%)	
無回答	0	(0.0%)	3	(1.6%)	0	(0.0%)	7	(4.4%)	10	(1.2%)	
ビデオ系利用(過去6ヶ月	間)										
ある	58	(19.5%)	30	(15.6%)	0	(0.0%)	0	(0.0%)	88	(10.9%)	0. 000
ない	240	(80.5%)	161	(83. 9%)	157	(99. 4%)	151	(95.6%)	709	(88.0%)	
無回答	0	(0.0%)	1	(0.5%)	1	(0.6%)	7	(4.4%)	9	(1.1%)	
マンション系利用(過去6	ヶ月間)										
ある	98	(32. 9%)	34	(17. 7%)	0	(0.0%)	0	(0.0%)	132	(16. 4%)	0. 000
ない	196	(65. 8%)	155	(80. 7%)	158	(100.0%)	151	(95.6%)	660	(81.9%)	
無回答	4	(1.3%)	3	(1.6%)	0	(0.0%)	7	(4.4%)	14	(1.7%)	
クラブ(男性限定)(過去6	ヶ月間)										
ある	83	(27. 9%)	35	(18. 2%)	0	(0.0%)	0	(0.0%)	118	(14.6%)	0. 000
ない	215	(72. 1%)	155	(80. 7%)	158	(100.0%)	150	(94. 9%)	678	(84. 1%)	
無回答	0	(0.0%)	2	(1.0%)	0	(0.0%)	8	(5. 1%)	10	(1.2%)	
お金払ってセックスの経験(注	過去6ヶ月間)									
ある	61	(20.5%)	56	(29. 2%)	0	(0.0%)	0	(0.0%)	117	(14.5%)	0. 000
ない	236	(79. 2%)	135	(70.3%)	158	(100.0%)	151	(95.6%)	680	(84.4%)	
無回答	1	(0.3%)	1	(0.5%)	0	(0.0%)	7	(4. 4%)	9	(1.1%)	
ゲイバー利用(過去6ヶ月	間)										
ある	207	(69.5%)	115	(59. 9%)	0	(0.0%)	0	(0.0%)	322	(40.0%)	0. 000
ない	89	(29. 9%)	76	(39.6%)	157	(99. 4%)	151	(95.6%)	473	(58. 7%)	
無回答	2	(0.7%)	1	(0.5%)	1	(0.6%)	7	(4.4%)	11	(1.4%)	

宮城活動(やろっこ)			
2005年宮城(やろっこ)に関する質問項目なし		≙計 =1 4 2	
See JEA REP OF	n	%	
年齢階級 10歳代		(C 20/)	
20歳代	9 59	1	
30歳代	44		
40歳代	22		
50歳以上	6		
無回答	2		
最終学歷			
大卒以上	70	(49.3%)	
それ以外	72		
無回答	0	(0.0%)	
知識」感染しても長生き可能			
正解		(100.0%)	
その他	0	4	
無回答	0	(0.0%)	
知識_HIV検査感染から3日で可 正解	140	(100 0%)	
その他	0	(100. 0%) (0. 0%)	
無回答	0	1107	
知識_STDはHIV易感染		(0.0/0)	
正解	142	(100.0%)	
その他	0		
無回答	0	(0.0%)	
抑うつ傾向			
あり	53	(37. 3%)	
なし	79	(55.6%)	
無回答	10	(7.0%)	
HIV抗体検査受検経験(生涯)			
ある	33		
ない Manager	109		
無回答	0	(0.0%)	
HIV抗体検査受検経験(過去1年)	00	(4.4.40)	
ある	20		
その他 無回答		(85. 9%)	
STD被診断経験(生涯)	0	(0.0%)	
ある	30	(21. 1%)	
ない	107	(75. 4%)	
無回答	5	(3.5%)	
STD被診断経験(過去1年)			
ある	11	(7. 7%)	
その他	128	(90.1%)	
無回答	3	(2.1%)	
薬物使用(生涯)			
ある	74	(52. 1%)	
ない	61	(43.0%)	
無回答	7	(4. 9%)	
薬物使用(過去6ヶ月)			
ある	53	(37. 3%)	
その他	89	(62. 7%)	
無回答	0	(0.0%)	
HIV陽性 HIV陽性	•	(0 10/)	
TIV Mit Communication Commun	120	(2. 1%)	
CVIE	139	(97. 9%)	

宮城活動(やろっこ)			
2005年宮城(やろっこ)に関する質問項目なし		計 142	
	n	%	
相手の数(過去6ヶ月間)			
1人	24		
2-3人	44	(31.0%)	
4-5人	26	(18.3%)	
6人以上	24	(16.9%)	
非該当(0人)	18	(12.7%)	
無回答	6	(4.2%)	
アナルセックス有の人のコンドーム使用状況(過去6ヶ月)			
常用	33	(33.0%)	
それ以外	47	(47.0%)	
無回答	20		
サウナ系利用(過去6ヶ月間)		(==: 0,0)	
ある	51	(35. 9%)	
ない	90		
無回答	1	(0.7%)	
ビデオ系利用(過去6ヶ月間)		(0.170)	
ある	35	(24.6%)	
かる ない	106		
	100	(0.7%)	
無回答	1	(0. 170)	
マンション系利用(過去6ヶ月間)	00	(00 40/)	
ある	29	(20. 4%)	
ない	110		
無回答	3	(2. 1%)	
クラブ(男性限定)(過去6ヶ月間)		(40.0%)	
ある	26	(18. 3%)	
ない	115	(81.0%)	
無回答	1	(0.7%)	
お金払ってセックスの経験(過去6ヶ月間)			
ある	23		
ない	118		
無回答	1	(0.7%)	
ゲイバー利用(過去6ヶ月間)			
ある	57		
ない	84	(59.2%)	
無回答	1	(0.7%)	
ネット相手とセックスの経験(過去6ヶ月間)			
ある	81	(57.0%)	
ない	60	(42.3%)	
無回答	1	(0.7%)	
携帯相手とセックスの経験(過去6ヶ月間)			
ある	55	(38. 7%)	
ない	85	(59.9%)	
無回答	2	(1.4%)	
		1/0/	

宮城活動(やろっこ)			
2005年は宮城(やろっこ)に関する質問項目なし		計 1=66	
	n	%	
年齢階級		(0. 40/)	
10歳代	6	3	
20歳代 30歳代	27 19		
40歳代	19		
50歳以上	2		
無回答	0		
最終学歴	U	(0. 0%)	
大卒以上	37	(56. 1%)	
それ以外	29		
無回答	0		
	U	(0.0%)	
知識_感染しても長生き可能	cc	(100 00/)	
正解その他	0	(100.0%)	
無回答	0	,	
知識 HIV検査感染から3日で可	U	(U. U70)	
和誠_NIV快重恣未から3日で可 正解	66	(100.0%)	
その他	0		
無回答	0		
	U	(0.0%)	
知識_STDはHIV易感染 正解	66	(100.0%)	
その他	0		
無回答	0		
抑うつ傾向	U	(0.0%)	
がりつ頃間	26	(39. 4%)	
なし	36		
無回答	4		
HIV抗体検査受検経験(生涯)	4	(0. 170)	
TIV加州(12) (大) (大) (大) (大) (大) (大) (大) (大) (大) (大	19	(28. 8%)	
ない	47		
無回答	0		
HIV抗体検査受検経験(過去1年)	U	(0. 0%)	
MIV抗体快宜文快柱駅(週去1年) ある	7	(10. 6%)	
その他		(89. 4%)	
無回答	0		
	U	(0. 0%)	
STD被診断経験(生涯)	17	(OF OW)	
ある ない			
	46 3		
無回答	ა	(4. 5%)	
STD被診断経験(過去1年)		/C 10/\	
ある	4		
その他	60		
無回答	2	(3.0%)	
薬物使用(生涯)	40	(00, 00/)	
ある	40		
ない	24		
無回答	2	(3.0%)	
薬物使用(過去6ヶ月)	^^	/AE E%	
ある	30		
その他	36		
無回答	0	(0.0%)	
HIV陽性		/4 = 5/2	
HIV陽性	1		
その他	65	(98.5%)	

2005年は宮城(やろっこ)に関する質問項目なし		清十 =66	
	n	%	
相手の数(過去6ヶ月間)			
1人	11		
2-3人	20	(30.3%)	
4-5人	8	(12.1%)	
6人以上	17	(25.8%)	
非該当(0人)	8	(12.1%)	
無回答	2	(3.0%)	
アナルセックス有の人のコンドーム使用状況(過去6ヶ月)			
常用	17	(33.3%)	
それ以外	22	(43. 1%)	
無回答	12	(23.5%)	
サウナ系利用(過去6ヶ月間)			
ある	22	(33. 3%)	
ない	44	(66. 7%)	
無回答	0	(0.0%)	
ビデオ系利用(過去6ヶ月間)			
ある	13	(19. 7%)	
ない	53	(80.3%)	
無回答	0	(0.0%)	
マンション系利用(過去6ヶ月間)			
ある	14	(21.2%)	
ない	52	(78.8%)	
無回答	0	(0.0%)	
クラブ(男性限定)(過去6ヶ月間)			
ある	14	(21.2%)	
ない	52	(78.8%)	
無回答	0	(0.0%)	
お金払ってセックスの経験(過去6ヶ月間)			
ある	11	(16. 7%)	
ない	54	(81.8%)	
無回答	1	(1.5%)	
ゲイバー利用(過去6ヶ月間)			
ある	32	(48.5%)	
ない	34	(51.5%)	
無回答	0	(0.0%)	
ネット相手とセックスの経験(過去6ヶ月間)			
ある	42	(63.6%)	
ない	24	(36.4%)	
無回答	0	(0.0%)	
携帯相手とセックスの経験(過去6ヶ月間)			
ある	22	(33. 3%)	
ない	44	(66. 7%)	
無回答	0	(0.0%)	

	東京活動(akta, R2, デリヘル) いずれかを 全てを									
		回らない =596	知っ	れかを ている =644	知っ	ている		計 1311	検定	
	n	%	n	%	n	%	n	%		
年齡階級										
10歳代	45	(7.6%)	43	(6. 7%)	1	(1.4%)	89	(6.8%)	0	
20歳代	234	(39.3%)	302	(46.9%)	43	(60.6%)	579	(44. 2%)		
30歳代	204	(34. 2%)	234	(36.3%)	23	(32.4%)	461	(35. 2%)		
40歳代	73	(12.2%)	56	(8. 7%)	4	(5.6%)	133	(10.1%)		
50歳以上	39	(6.5%)	8	(1.2%)	0	(0.0%)	47	(3.6%)		
無回答	1	(0.2%)	1	(0.2%)	0	(0.0%)	2	(0.2%)		
最終学歴										
大卒以上	322	(54.0%)	360	(55. 9%)	43	(60.6%)	725	(55.3%)	0. 558	
それ以外	271	(45.5%)	282	(43.8%)	28	(39.4%)	581	(44.3%)		
無回答	3	(0.5%)	2	(0.3%)	0	(0.0%)	5	(0.4%)		
知識_感染しても長生きる										
正解				(100.0%)	71	(100.0%)	1311			
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
知識_HIV検査感染から3E										
正解				(100.0%)	71			(100.0%)		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
知識_STDはHIV易感染										
正解	596	(100.0%)	644	(100.0%)	71	(100.0%)	1311	(100.0%)		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
抑うつ傾向										
あり	219	(36. 7%)	243	(37. 7%)	21	(29.6%)	483	(36. 8%)	0. 32	
なし	333	(55. 9%)	360	(55. 9%)	47	(66. 2%)	740	(56. 4%)		
無回答	44	(7.4%)	41	(6. 4%)	3	(4. 2%)	88	(6. 7%)		
HIV抗体検査受検経験(生										
ある	213	(35. 7%)	241	(37. 4%)	51	(71.8%)	505	(38.5%)	0	
ない	383	(64. 3%)	403	(62.6%)	20	(28. 2%)	806	(61.5%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
HIV抗体検査受検経験(過										
ある	105	(17. 6%)	129	(20.0%)	30	(42.3%)	264	(20. 1%)	0	
その他	490	(82. 2%)	515	(80.0%)	41	(57. 7%)	1046	(79.8%)		
無回答	1	(0.2%)	0	(0.0%)	0	(0.0%)	1	(0.1%)		
STD被診断経験(生涯)										
ある	151	(25. 3%)	154	(23. 9%)	21	(29.6%)	326	(24. 9%)	0. 592	
ない	431	(72. 3%)	476	(73. 9%)	50	(70. 4%)	957	(73.0%)		
無回答	14	(2.3%)	14	(2. 2%)	0	(0.0%)	28	(2. 1%)		
STD被診断経験(過去1年)										
ある	56	(9.4%)	58	(9.0%)	9	(12. 7%)	123	(9.4%)	0. 584	
その他	529	(88. 8%)	583	(90. 5%)	61	(85. 9%)	1173	(89.5%)		
無回答	11	(1.8%)	3	(0.5%)	1	(1.4%)	15	(1.1%)		
薬物使用(生涯)										
ある	327	(54. 9%)	370	(57. 5%)	54	(76. 1%)	751	(57. 3%)	0.007	
ない	251	(42. 1%)	265	(41. 1%)	17	(23.9%)	533	(40. 7%)		
無回答	18	(3.0%)	9	(1.4%)	0	(0.0%)	27	(2. 1%)		
薬物使用(過去6ヶ月)		404								
ある	235	(39. 4%)	265	(41. 1%)	35	(49. 3%)	535	(40.8%)	0. 272	
その他	360	(60.4%)	376	(58.4%)	36	(50. 7%)	772	(58.9%)		
無回答	1	(0.2%)	3	(0.5%)	0	(0.0%)	4	(0.3%)		
HIV陽性										
HIV陽性	20	(3.4%)	27	(4. 2%)	3	(4. 2%)	50	(3.8%)	0.731	
その他	576	(96.6%)	617	(95.8%)	68	(95.8%)	1261	(96.2%)		

		東京		ta, R2, デリヘ	ル)				カイ2乗
		全く知らない n=596		れかを ている 644	知つ	てを ている =71	合計 n=1311		検定
	n	330	n	%	n	-71	n	%	
相手の数(過去6ヶ月間									
1人	108	(18. 1%)	108	(16.8%)	13	(18.3%)	229	(17.5%)	0.084
2-3人	148	(24. 8%)	137	(21.3%)	14	(19.7%)	299	(22.8%)	
4-5人	103	(17. 3%)	106	(16.5%)	7	(9.9%)	216	(16.5%)	
6人以上	153	(25. 7%)	187	(29.0%)	29	(40.8%)	369	(28. 1%)	
非該当(0人)	67	(11.2%)	86	(13.4%)	4	(5.6%)	157	(12.0%)	
無回答	17	(2.9%)	20	(3.1%)	4	(5.6%)	41	(3.1%)	
アナルセックス有の人のコンド									
常用	143	(32. 7%)	157	(34. 7%)	24	(41.4%)	324	(34. 2%)	0. 749
それ以外	216	(49.4%)	227	(50.1%)	29	(50.0%)	472	(49.8%)	
無回答	78	(17.8%)	69	(15. 2%)	5	(8.6%)	152	(16.0%)	
サウナ系利用(過去64	- 日間)								
ある	194	(32.6%)	221	(34. 3%)	32	(45. 1%)	447	(34. 1%)	0. 077
ない	399	(66. 9%)	420	(65. 2%)	37	(52. 1%)	856	(65. 3%)	0.077
無回答	3	(0.5%)	3	(0.5%)	2	(2.8%)	8	(0.6%)	
ビデオ系利用(過去6点	7月間)								
ある	124	(20.8%)	155	(24. 1%)	17	(23.9%)	296	(22.6%)	0. 413
ない	465	(78.0%)	487	(75.6%)	53	(74.6%)	1005	(76. 7%)	
無回答	7	(1. 2%)	2	(0.3%)	1	(1.4%)	10	(0.8%)	
マンション系利用(過	夫64日間								
ある	131	(22.0%)	202	(31.4%)	29	(40.8%)	362	(27. 6%)	0
ない	461	(77. 3%)	440	(68.3%)	40	(56. 3%)	941	(71. 8%)	v
無回答	4	(0.7%)	2	(0.3%)	2	(2.8%)	8	(0.6%)	
クラブ(男性限定)(過	去6ヶ日間								
ある	93	(15. 6%)	136	(21.1%)	32	(45. 1%)	261	(19.9%)	0
ない	499	(83. 7%)	502	(78.0%)	39	(54. 9%)	1040	(79. 3%)	Ŭ
無回答	4	(0. 7%)	6	(0.9%)	0	(0.0%)	10	(0.8%)	
お金払ってセックスの経り				(0.070)					
ある	86	(14.4%)	103	(16.0%)	6	(8.5%)	195	(14.9%)	0. 221
ない	506	(84. 9%)	540	(83.9%)	65	(91.5%)	1111	(84. 7%)	0. 221
無回答	4	(0. 7%)	1	(0. 2%)	0	(0.0%)	5	(0.4%)	
ゲイバー利用(過去6点	- 日間)	(0,0)				(0.070)			
ある	265	(44. 5%)	341	(53.0%)	58	(81.7%)	664	(50.6%)	0
ない	326	(54. 7%)	301	(46. 7%)	13	(18.3%)	640	(48.8%)	
無回答	5	(0.8%)	2	(0.3%)	0	(0.0%)	7	(0.5%)	
ネット相手とセックスの約	圣歸(過去6								
ある	348	(58.4%)	353	(54. 8%)	36	(50. 7%)	737	(56. 2%)	0. 235
ない	244	(40.9%)	290	(45.0%)	35	(49.3%)	569	(43. 4%)	0. 200
無回答	4	(0. 7%)	1	(0. 2%)	0	(0.0%)	5	(0.4%)	
携帯相手とセックスの経馬	命(過去6ヶ	,							
ある	210	(35. 2%)	241	(37.4%)	27	(38.0%)	478	(36.5%)	0. 721
ない	382	(64. 1%)	402	(62.4%)	43	(60.6%)	827	(63. 1%)	
無回答	4	(0.7%)	1	(0. 2%)	1	(1.4%)	6	(0.5%)	