	東京活動 (akta, R2, デリヘル)								カイ2乗	
全		田らな =595	い	知っ	れかを ている =729	知っ	てを ている :155		計 1479	検定
r	1	%		n	%	n	%	n	%	
年齡階級		l de								
10歳代	30	(5.	0%)	32	(4.4%)	5	(3.2%)	67	(4.5%)	0.002
20歳代	215	(36.	1%)	315	(43.2%)	72	(46.5%)	602	(40. 7%)	
	237			290	(39.8%)	63	(40.6%)	590	(39.9%)	
40歳代	82			79	(10.8%)	13	(8.4%)	174		
50歳以上	29		9%)	12	(1.6%)	2	(1.3%)	43		
無回答	2	(0.	3%)	1	(0.1%)	0	(0.0%)	3	(0. 2%)	
最終学歴										
	408	(68.		456	(62.6%)	96	(61. 9%)	960		0. 052
	185	(31.		271	(37. 2%)	58	(37. 4%)	514		
無回答	2	(0.	3%)	2	(0.3%)	1	(0.6%)	5	(0.3%)	
知識_感染しても長生き可能		/100	00/3	700	(400 00)	455	(400.00)	4.470	(400.00)	
		(100.			(100.0%)	155			(100.0%)	
その他	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日で		(400	00/)	700	(400,000)		(400 00)	4.470	(400.00)	
	595				(100.0%)		(100.0%)		(100.0%)	
その他	0		0%)	0	(0.0%)	0	(0.0%)	0		
無回答	0	(0.	0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIV易感染	EOE	(100	00/)	720	(100 00/)	155	(100 00/)	1.470	(100 0%)	
	090	(100.	0%)	0	(100.0%)	155 0	(100.0%)		(100.0%)	
その他 無回答	0		0%)	0	(0.0%) (0.0%)	0	(0.0%) (0.0%)	0		
	U	(0.	U70)	U	(0.0%)	U	(0.0%)	U	(0. 0%)	
抑うつ傾向あり	217	(36.	5%)	296	(40.6%)	55	(35. 5%)	568	(38. 4%)	0. 181
	337	(56.		383	(52. 5%)	92	(59. 4%)	812		0. 101
無回答	41		9%)	50	(6. 9%)	8	(5. 2%)	99	(6. 7%)	
HIV抗体検査受検経験(生涯)										
	297	(49.	9%)	373	(51. 2%)	120	(77. 4%)	790	(53. 4%)	0
	298	(50.		356	(48. 8%)	35	(22.6%)	689	(46. 6%)	U
無回答	0		0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過去1	年)									
	141	(23.	7%)	211	(28.9%)	69	(44.5%)	421	(28.5%)	0
その他	454	(76.	3%)	516	(70.8%)	86	(55.5%)	1056	(71.4%)	
無回答	0	(0.	0%)	2	(0.3%)	0	(0.0%)	2	(0.1%)	
STD被診断経験(生涯)										
	218	(36.	6%)	280	(38.4%)	68	(43.9%)	566	(38. 3%)	0. 286
ない	372	(62.	5%)	442	(60.6%)	87	(56. 1%)	901	(60.9%)	
無回答	5	(0.	8%)	7	(1.0%)	0	(0.0%)	12	(0.8%)	
STD被診断経験(過去1年)										
ある	81	(13.	6%)	109	(15.0%)	28	(18. 1%)	218	(14. 7%)	0. 354
その他	512	(86.	1%)	609	(83.5%)	126	(81.3%)	1247	(84. 3%)	
無回答	2	(0.	3%)	11	(1.5%)	1	(0.6%)	14	(0.9%)	
薬物使用(生涯)										
	357	(60.		506	(69.4%)	119	(76.8%)	982	(66. 4%)	0
	228	(38.		216	(29.6%)	34	(21.9%)	478	(32. 3%)	
無回答	10	(1.	7%)	7	(1.0%)	2	(1.3%)	19	(1.3%)	
薬物使用(過去6ヶ月)										
	281	(47.		387	(53. 1%)	100	(64. 5%)	768	(51. 9%)	0
	313	(52.		340	(46. 6%)	55	(35. 5%)	708	(47. 9%)	
無回答	1	(0.	2%)	2	(0.3%)	0	(0.0%)	3	(0. 2%)	
HIV陽性										
HIV陽性	48	(8.		54	(7. 4%)	25	(16. 1%)	127	(8.6%)	0. 002
その他	547	(91.	9%)	675	(92. 6%)	130	(83. 9%)	1352	(91. 4%)	

		東京	活動(ak	ta, R2, デリヘ	ル)				カイ2乗
		 1らない 595	知っ	れかを ている 729	知って	てを ている 155		i計 1479	検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月間	引)								
1人	107	(18.0%)	105	(14. 4%)	21	(13.5%)	233	(15.8%)	0.017
2-3人	117	(19.7%)	148	(20.3%)	25	(16. 1%)	290	(19.6%)	
4-5人	85	(14. 3%)	120	(16.5%)	23	(14.8%)	228	(15.4%)	
6人以上	191	(32. 1%)	265	(36. 4%)	72	(46.5%)	528	(35. 7%)	
非該当(0人)	67	(11. 3%)	68	(9.3%)	7	(4.5%)	142	(9.6%)	
無回答	28	(4. 7%)	23	(3. 2%)	7	(4.5%)	58	(3.9%)	
アナルセックス有の人のコンド	- 4.使用状的		目)						
常用	129	(30. 1%)	216	(39. 1%)	57	(42.5%)	402	(36. 1%)	0. 036
それ以外	226	(52. 8%)	267	(48.3%)	69	(51.5%)	562	(50. 4%)	0.000
無回答	73	(17. 1%)	70	(12. 7%)	8	(6.0%)	151	(13.5%)	
サウナ系利用(過去6点				(12.7,0)		(0.0/0)		(10.0)	
ある	222	(37. 3%)	261	(35. 8%)	73	(47. 1%)	556	(37. 6%)	0. 035
ない	369	(62.0%)	464	(63.6%)	82	(52. 9%)	915	(61.9%)	0. 033
無回答	4	(0. 7%)	4	(0.5%)	0	(0.0%)	8	(0.5%)	
ビデオ系利用(過去6点		(0. 7/0)		(0. 0/0)		(0.0/0)	·	(0.0/0)	
ある	133	(22. 4%)	202	(27. 7%)	36	(23. 2%)	371	(25. 1%)	0. 072
ない	457	(76. 8%)	522	(71.6%)	118	(76. 1%)	1097	(74. 2%)	0.072
無回答	5	(0.8%)	5	(0. 7%)	1	(0.6%)	11	(0.7%)	
マンション系利用(過				(0. 1%)		(0.0%)		(0. 170)	
マンション赤利用(週ある	(本07月回) 193	(32. 4%)	251	(34. 4%)	74	(47. 7%)	518	(35.0%)	0.000
ない	398	(66. 9%)	476		80		954		0. 002
無回答	390	(0.7%)	4/6	(65. 3%)	1	(51.6%)	954 7	(64.5%)	
				(0.3%)		(0.6%)	1	(0.5%)	
クラブ(男性限定)(過			010	(00 0%)	00	(50,0%)	400	(00 40/)	
ある	125	(21.0%)	213	(29. 2%)	82	(52.9%)	420	(28.4%)	0
ない	465	(78. 2%)	513	(70.4%)	73	(47. 1%)	1051	(71. 1%)	
無回答	5	(0.8%)	3	(0.4%)	0	(0.0%)	8	(0.5%)	
お金払ってセックスの経験									
ある	103	(17. 3%)	139	(19. 1%)	24	(15.5%)	266	(18.0%)	0. 497
ない	489	(82. 2%)	589	(80.8%)	131	(84. 5%)	1209	(81. 7%)	
無回答	3	(0.5%)	1	(0.1%)	0	(0.0%)	4	(0.3%)	
ゲイバー利用(過去6点									
ある	337	(56. 6%)	467	(64. 1%)	141	(91.0%)	945	(63.9%)	0
ない	254	(42. 7%)	259	(35.5%)	14	(9.0%)	527	(35.6%)	
無回答		(0.7%)	3	(0.4%)	0	(0.0%)	7	(0.5%)	
ネット相手とセックスの約									
ある	325	(54.6%)	412	(56.5%)	83	(53.5%)	820	(55.4%)	0. 742
ない	263	(44. 2%)	313	(42.9%)	71	(45.8%)	647	(43.7%)	
無回答	7	(1.2%)	4	(0.5%)	1	(0.6%)	12	(0.8%)	
携帯相手とセックスの経馬	倹(過去6ヶ	月間)							
ある	171	(28. 7%)	242	(33. 2%)	53	(34. 2%)	466	(31.5%)	0. 171
ない	420	(70.6%)	482	(66.1%)	102	(65.8%)	1004	(67.9%)	
無回答	4	(0.7%)	5	(0.7%)	0	(0.0%)	9	(0.6%)	

		名		为(rise, ALN)					カイ2乗
全		知らない =184	知っ	れかを ている =17	知っ	てを ている =20		計 =221	検定
n		%	n	%	n	%	n	%	
年齢階級									
10歳代	13	(7. 1%)	2	(11.8%)	1	(5.0%)	16	(7. 2%)	0. 586
20歳代	78	(42. 4%)	5	(29.4%)	7	(35.0%)	90	(40. 7%)	
30歳代	61	(33. 2%)	9	(52. 9%)	10	(50.0%)	80	(36. 2%)	
40歳代	25	(13.6%)	1	(5.9%)	2	(10.0%)	28	(12. 7%)	
50歳以上	7	(3.8%)	0	(0.0%)	0	(0.0%)	7	(3.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴									
大卒以上	83	(45. 1%)	5	(29.4%)	12	(60.0%)	100	(45. 2%)	0.176
それ以外	01	(54.9%)	12	(70.6%)	8	(40.0%)	121	(54.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能									
	84	(100.0%)	17	(100.0%)	20	(100.0%)	221	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日で	न								
		(100.0%)	17	(100.0%)	20	(100.0%)	221	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIV易感染	Ü	(0.0/0)		(0.0/0)		(0.0/0)	0	(0. 0/0)	
	01	(100.0%)	17	(100.0%)	20	(100.0%)	221	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向	U	(0.0%)		(0.0%)	U	(0.0%)		(0. 0%)	
あり	66	(35. 9%)	9	(52. 9%)	8	(40.0%)	83	(27 6%)	0.410
	02	(55. 4%)	7	(41. 2%)	11	(55.0%)		(37.6%)	0. 416
無回答	16	(8. 7%)	1	(5.9%)	1	(5.0%)	120 18	(54. 3%)	
	10	(0. 1%)	1	(5.9%)	l e	(5.0%)	10	(8. 1%)	
HIV抗体検査受検経験(生涯)	F 4	(00, 00)	44	(04 70)	10	(00, 00/)	00	(07.0%)	
ある	54	(29. 3%)	11	(64. 7%)	18	(90.0%)	83	(37. 6%)	0
	30	(70. 7%)	6	(35. 3%)	2	(10.0%)	138	(62. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過去1:	2.3		Mala j						
ある	28	(15. 2%)	8	(47. 1%)	10	(50.0%)	46	(20.8%)	0
	56	(84. 8%)	9	(52.9%)	10	(50.0%)	175	(79. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)									
ある	43	(23.4%)	4	(23.5%)	6	(30.0%)	53	(24.0%)	0. 77
	35	(73.4%)	13	(76.5%)	13	(65.0%)	161	(72.9%)	
無回答	6	(3.3%)	0	(0.0%)	1	(5.0%)	7	(3.2%)	
STD被診断経験(過去1年)									
ある	22	(12.0%)	2	(11.8%)	3	(15.0%)	27	(12.2%)	0.929
その他	60	(87.0%)	15	(88. 2%)	17	(85.0%)	192	(86.9%)	
無回答	2	(1.1%)	0	(0.0%)	0	(0.0%)	2	(0.9%)	
薬物使用(生涯)									
ある	80	(43.5%)	12	(70.6%)	9	(45.0%)	101	(45. 7%)	0. 118
	00	(54. 3%)	5	(29.4%)	10	(50.0%)	115	(52.0%)	
無回答	4	(2. 2%)	0	(0.0%)	1	(5.0%)	5	(2.3%)	
薬物使用(過去6ヶ月)									
ある	55	(29.9%)	11	(64. 7%)	6	(30.0%)	72	(32.6%)	0. 013
	29	(70. 1%)	6	(35. 3%)	14	(70.0%)	149	(67. 4%)	0.010
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV陽性	J	(3. 0/0/		(3. 0/0)	J	(0.0/0)		(0. 0/0)	
HIV陽性	9	(4. 9%)	1	(5.9%)	2	(10.0%)	12	(5. 4%)	0.00
	75	(95. 1%)	16	(94. 1%)	18	(90.0%)	209	(94.6%)	0. 63
COLE	10	(30. 170)	10	(34. I70)	10	(90.0%)	209	(34. 0%)	

		名		ከ(rise, ALN)					カイ2乗
		1らない 184	知っ	れかを ている =17	知つ	てを ている =20		f計 221	検定
	n	%		%	n		n	%	
相手の数(過去6ヶ月	間)						77		
1人	32	(17.4%)	0	(0.0%)	1	(5.0%)	33	(14.9%)	0
2-3人	53	(28.8%)	2	(11.8%)	6	(30.0%)	61	(27.6%)	
4-5人	28	(15. 2%)	2	(11.8%)	2	(10.0%)	32	(14.5%)	
6人以上	32	(17. 4%)	12	(70. 6%)	9	(45.0%)	53	(24. 0%)	
非該当(0人)	34	(18.5%)	1	(5. 9%)	2	(10.0%)	37	(16. 7%)	
無回答	5	(2. 7%)	0	(0.0%)	0	(0.0%)	5	(2.3%)	
アナルセックス有の人のコンド	-4使用状污		月)						
常用	33	(27.0%)	3	(21.4%)	7	(43.8%)	43	(28. 3%)	0. 586
それ以外	62	(50.8%)	9	(64.3%)	9	(56.3%)	80	(52.6%)	
無回答	27	(22. 1%)	2	(14.3%)	0	(0.0%)	29	(19.1%)	
サウナ系利用(過去6	ケ日間)			,					
ある	69	(37. 5%)	8	(47. 1%)	11	(55.0%)	88	(39. 8%)	0. 269
ない	114	(62.0%)	9	(52. 9%)	9	(45.0%)	132	(59. 7%)	0. 203
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
ビデオ系利用(過去6	ヶ日間)	(0.00)		(0.070)				(0.0,0)	
ある	29	(15. 8%)	3	(17. 6%)	1	(5.0%)	33	(14. 9%)	0. 414
ない	154	(83. 7%)	14	(82. 4%)	19	(95.0%)	187	(84. 6%)	0. 414
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
マンション系利用(過	ナ6ヶ日間			(0. 070)		(0.070)		(0.0/0)	
ある	33	(17. 9%)	7	(41.2%)	4	(20.0%)	44	(19. 9%)	0. 072
ない	151	(82. 1%)	10	(58. 8%)	16	(80.0%)	177	(80. 1%)	0.072
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
クラブ(男性限定)(過	_			(0.070)		(0. 0/0)		(0. 0/0/	
ある	30	(16. 3%)	5	(29.4%)	6	(30.0%)	41	(18.6%)	0. 14
ない	152	(82. 6%)	12	(70.6%)	13	(65.0%)	177	(80. 1%)	0.14
無回答	2	(1. 1%)	0	(0.0%)	1	(5.0%)	3	(1.4%)	
お金払ってセックスの経験				(0. 070)		(0.070)		(1. 4/0)	
ある	26	(14. 1%)	4	(23.5%)	1	(5.0%)	31	(14.0%)	0. 269
ない	158	(85. 9%)	13	(76. 5%)	19	(95.0%)	190	(86.0%)	0. 208
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去6	-	(0. 0/0)		4.6.6		(0.0/0)		(0.0/0/	
ある	69	(37.5%)	10	(58. 8%)	14	(70.0%)	93	(42. 1%)	0. 007
ない	115	(62. 5%)	7	(41. 2%)	6	(30.0%)	128	(57. 9%)	0.007
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ネット相手とセックスの名				(0.070)		(0.0/0)		(0.0/0)	
ある	97	(52. 7%)	11	(64. 7%)	11	(55.0%)	119	(53. 8%)	0. 634
ない	87	(47. 3%)	6	(35. 3%)	9	(45.0%)	102	(46. 2%)	0. 004
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
携帯相手とセックスの経験				(0.0/0)		(0.0/0/		(0.0/0)	
ある	級 (地立) 7	(35. 3%)	8	(47. 1%)	6	(30.0%)	79	(35. 7%)	0 500
									0. 583
ない <u>無回答</u>	118 1	(64. 1%) (0. 5%)	9	(52. 9%) (0. 0%)	13 1	(65. 0%) (5. 0%)	140 2	(63. 3%) (0. 9%)	

		2		力(rise, ALN)					カイ2乗
全。		1らない 211	知っ	れかを ている =38	知っ	てを ている =31		計 =280	検定
n		%	n	%	n	%	n	%	
年齢階級									au ir
10歳代	16	(7.6%)	3	(7.9%)	2	(6.5%)	21	(7.5%)	0.874
20歳代	88	(41.7%)	16	(42. 1%)	11	(35.5%)	115	(41.1%)	
1414	72	(34. 1%)	15	(39.5%)	14	(45. 2%)	101	(36. 1%)	
40歳代	23	(10.9%)	4	(10.5%)	3	(9.7%)	30	(10. 7%)	
50歳以上	12	(5.7%)	0	(0.0%)	1	(3.2%)	13	(4.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴									
	12	(53. 1%)	16	(42. 1%)	18	(58. 1%)	146	(52. 1%)	0.36
それ以外	99	(46.9%)	22	(57.9%)	13	(41.9%)	134	(47. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能									
A STATE OF THE PROPERTY OF THE	11	(100.0%)	38	(100.0%)	31	(100.0%)	280	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日です									
		(100.0%)	38	(100.0%)	31	(100.0%)	280	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0		
	U	(0.0%)	U	(0.0%)	U	(0.0/0)	U	(0.0%)	
知識_STDはHIV易感染	44	(100 00/)	20	(100,0%)	01	(100 00/)	200	(100 0%)	
	11	(100.0%)	38 0		31 0	(100.0%) (0.0%)	280	(100.0%) (0.0%)	
その他	0	(0.0%)	0	(0. 0%) (0. 0%)	0	(0.0%)	0	(0.0%)	
無回答	U	(0.0%)	U	(0.0%)	U	(0.0%)	U	(0.0%)	
抑うつ傾向	00	(41 70)	1.4	(26 0%)	10	(41 00/)	115	(41 10)	0.004
あり	88 07	(41. 7%) (50. 7%)	14 23	(36. 8%) (60. 5%)	13 15	(41. 9%) (48. 4%)	115 145	(41. 1%) (51. 8%)	0. 694
	16	(7. 6%)	1	(2. 6%)	3		20	(7. 1%)	
A STATE OF THE STA	10	(7.0%)	I accessor access	(2.0%)	ن	(9. 7%)	20	(7. 170)	
HIV抗体検査受検経験(生涯)	0.4	(00, 00)	00	(57.0%)	0.1	(07. 70)	107	(4E 40/)	
ある	84	(39.8%)	22	(57. 9%)	21	(67. 7%)	127		0. 004
-	27	(60. 2%)	16	(42. 1%)	10	(32. 3%)	153	9 (c) (c) (c) (c) (c)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過去1									
ある	41	(19.4%)	15	(39.5%)	14	(45. 2%)	70		0. 001
その他 1	70	(80.6%)	23	(60.5%)	17	(54.8%)	210		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)									
ある	50	(23. 7%)	14		16	(51.6%)	80		0.004
ない 1	56	(73.9%)	23	(60.5%)	15	(48.4%)	194		
無回答	5	(2.4%)	1	(2.6%)	0	(0.0%)	6	(2.1%)	
STD被診断経験(過去1年)									
ある	23	(10.9%)	10	(26.3%)	9	(29.0%)	42	(15.0%)	0.004
その他 1	86	(88. 2%)	28	(73.7%)	22	(71.0%)	236	(84. 3%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.7%)	
薬物使用(生涯)									
	14	(54.0%)	25	(65.8%)	24	(77. 4%)	163	(58. 2%)	0. 026
ない	90	(42. 7%)	12	(31.6%)	6	(19.4%)	108		
無回答	7	(3. 3%)	1	(2.6%)	1	(3. 2%)	9		
薬物使用(過去6ヶ月)									
ある	85	(40.3%)	19	(50.0%)	21	(67. 7%)	125	(44. 6%)	0. 015
	24	(58. 8%)	19	(50.0%)	10	(32.3%)	153		0.010
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2		
	L	(U. 3/0)	U	(U. U/0)	U	(0.070)		(0. 1/0)	
HIV陽性	O	(4. 3%)	4	(10.5%)	c	(19. 4%)	19	(6. 8%)	0. 005
HIV陽性 その他	9	(4. 3%)	34		6 25	(80.6%)	261		0.005
その他	υZ	(90.1%)	34	(09. 3%)	20	(OU. U%)	201	(33. Z%)	

		名	古屋活動	(rise, ALN))				カイ2乗
		1らない 211	知っ	れかを ている =38	知って	てを ている :31		·計 280	検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月	間)								
1人	32	(15. 2%)	5	(13. 2%)	3	(9.7%)	40	(14.3%)	0. 477
2-3人	52	(24.6%)	11	(28.9%)	8	(25.8%)	71	(25.4%)	
4-5人	33	(15.6%)	6	(15.8%)	3	(9.7%)	42	(15.0%)	
6人以上	58	(27.5%)	13	(34. 2%)	14	(45. 2%)	85	(30.4%)	
非該当(0人)	30	(14. 2%)	2	(5.3%)	2	(6.5%)	34	(12. 1%)	
無回答	6	(2.8%)	1	(2.6%)	1	(3.2%)	8	(2.9%)	
アナルセックス有の人のコンド	- / 使用状资		目)						
常用	38	(26.6%)	15	(46. 9%)	12	(48.0%)	65	(32.5%)	0.09
それ以外	79	(55. 2%)	15	(46. 9%)	12	(48.0%)	106	(53.0%)	0.00
無回答	26	(18. 2%)	2	(6.3%)	1	(4.0%)	29	(14. 5%)	
サウナ系利用(過去6		(10.2%)	_	(0.070)					
ある	رانظا در ر 85	(40. 3%)	25	(65.8%)	19	(61.3%)	129	(46. 1%)	0. 003
ない	126	(59. 7%)	13	(34. 2%)	12	(38. 7%)	151	(53. 9%)	0.003
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
	and the second decrease and the second	(0.0%)	U	(0.0%)	U	(0.0%)	U	(0.0%)	
ビデオ系利用(過去6		(20, 40/)	E	(12 20)	10	(22 20)	EO	(20.7%)	0.15
ある	43	(20.4%)	5	(13. 2%)	10	(32. 3%)	58	(20. 7%)	0. 15
ない	165	(78. 2%)	33	(86.8%)	21	(67. 7%)	219	(78. 2%)	
無回答	3	(1.4%)	0	(0.0%)	0	(0.0%)	3	(1.1%)	
マンション系利用(過									
ある	69	(32. 7%)	10	(26. 3%)	11	(35. 5%)	90	(32. 1%)	0. 66
ない	139	(65.9%)	28	(73. 7%)	20	(64. 5%)	187	(66.8%)	
無回答	3	(1.4%)	0	(0.0%)	0	(0.0%)	3	(1.1%)	
クラブ(男性限定)(過	去6ヶ月間								
ある	49	(23. 2%)	14	(36.8%)	14	(45. 2%)	77	(27.5%)	0.016
ない	161	(76.3%)	24	(63.2%)	17	(54.8%)	202	(72. 1%)	
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1	(0.4%)	
お金払ってセックスの経	験(過去6ヶ	月間)							
ある	29	(13.7%)	8	(21.1%)	6	(19.4%)	43	(15.4%)	0.416
ない	182	(86.3%)	30	(78.9%)	25	(80.6%)	237	(84.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ゲイバー利用(過去6	ヶ月間)								
ある	93	(44. 1%)	31	(81.6%)	23	(74. 2%)	147	(52.5%)	0
ない	115	(54.5%)	7	(18.4%)	8	(25. 8%)	130	(46. 4%)	
無回答	3	(1.4%)		(0.0%)	0	(0.0%)		(1.1%)	
ネット相手とセックスの	経験(過去6	and the second second second second							
ある	129	(61.1%)	21	(55. 3%)	22	(71.0%)	172	(61.4%)	0. 405
ない	82	(38. 9%)	17	(44. 7%)	9	(29.0%)	108	(38. 6%)	0. 400
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
			J	(U. U/0)	U	(U. U/0)	J	(0.0/0/	
携帯相手とセックスの経り			44	(20 ON)	1.4	(AE 00/)	115	(41 10/)	0 044
ある	90	(42. 7%)	11	(28. 9%)	14	(45. 2%)	115	(41. 1%)	0. 241
ない	119	(56. 4%)	27	(71. 1%)	17	(54. 8%)	163	(58. 2%)	
無回答	2	(0. 9%)	0	(0.0%)	0	(0.0%)	2	(0. 7%)	

_		大阪		sh, sal+, dis					カイ2乗
:		担らない =364	知っ	れかを ている =97	知っ	てを ている =52		計 =513	検定
	n	%	n	%	n	%	n	%	
年齢階級									
10歳代	33	(9. 1%)	_1	(1.0%)	6	(11.5%)	40		0.008
20歳代	151	(41.5%)	51	(52.6%)	19	(36.5%)	221	(43. 1%)	
30歳代	108	(29. 7%)	32	(33.0%)	24	(46. 2%)	164		
40歳代	45	(12.4%)	8	(8. 2%)	3	(5.8%)	56	(10.9%)	
50歳以上	24	(6.6%)	4	(4.1%)	0	(0.0%)	28	(5.5%)	
無回答	3	(0.8%)	1	(1.0%)	0	(0.0%)	4	(0.8%)	
最終学歴									
大卒以上	205	(56.3%)	63	(64. 9%)	38	(73.1%)	306	(59.6%)	0. 038
それ以外	158	(43.4%)	34	(35. 1%)	14	(26.9%)	206	(40. 2%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1	(0.2%)	
知識_感染しても長生き可	能								
正解		(100.0%)	97	(100.0%)	52	(100.0%)	513	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日	েল								
正解		(100.0%)	97	(100.0%)	52	(100.0%)	513	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIV易感染		(0.0%)	U	(0.0%)	U	(0.0%)	U	(0.0%)	
川誠_31川3川17	264	(100.0%)	07	(100.0%)	E0	(100.0%)	E12	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0			(100.0%)	
無回答	0		0			(0.0%)	0	(0.0%)	
	U	(0.0%)	U	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向	155	(40, 0%)	20	(07 10/)	10	(0.0 F0/)	010	(40, 00)	
あり	155 179	(42.6%)	36	(37. 1%)	19	(36.5%)	210		0. 462
なし 無回答	30	(49. 2%) (8. 2%)	54	(55. 7%)	28	(53.8%)	261	(50.9%)	
		(O. Z70)	7	(7. 2%)	5	(9.6%)	42	(8. 2%)	
HIV抗体検査受検経験(生涯		(00 0%)	Ε0.	(50, 00/)	40	(70,0%)	100	(0.0 0.0)	
ある	97	(26. 6%)	52	(53. 6%)	40	(76. 9%)	189	(36. 8%)	0
ない	267	(73. 4%)	45	(46. 4%)	12	(23. 1%)	324	(63. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過去									
ある	47	(12.9%)	32	(33.0%)	25	(48.1%)	104	(20.3%)	0
その他	317	(87. 1%)	65	(67.0%)	27	(51.9%)	409	(79. 7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)									
ある	62		29	(29.9%)	25	(48. 1%)	116	(22.6%)	0
ない	286	(78.6%)	67	(69. 1%)	27	(51.9%)	380	(74. 1%)	
無回答	16	(4.4%)	1	(1.0%)	0	(0.0%)	17	(3.3%)	
STD被診断経験(過去1年)									
ある	21	(5.8%)	10	(10.3%)	9	(17.3%)	40	(7.8%)	0.009
その他	341	(93.7%)	87	(89. 7%)	43	(82. 7%)	471	(91.8%)	
無回答	2	(0.5%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
薬物使用(生涯)									
ある	186	(51. 1%)	65	(67.0%)	38	(73. 1%)	289	(56.3%)	0. 003
ない	162	(44.5%)	31	(32.0%)	14	(26.9%)	207	(40.4%)	0.000
無回答	16	(4.4%)	1	(1.0%)	0	(0.0%)	17	(3.3%)	
薬物使用(過去6ヶ月)					ARRADE			///	
ある	141	(38. 7%)	51	(52.6%)	31	(59.6%)	223	(43.5%)	0. 003
その他	221	(60. 7%)	46	(47. 4%)	21	(40.4%)	288	(56. 1%)	0.003
無回答	2	(0.5%)	0	(0.0%)	0	(0.0%)	200	(0.4%)	
HIV陽性	_	(3. 3/0)		(0. 0/0)	U	(0.0/0)		(0. 470)	
HIV陽性	11	(3.0%)	4	(4. 1%)	A	(7 70/)	10	(2 70/)	0.044
	353	(3.0%)			4	(7.7%)	19	(3.7%)	0. 241
その他	აეპ	(97. U%)	93	(95.9%)	48	(92.3%)	494	(96.3%)	

		大阪:	活動(mas	h, sal+, dis	ta)				カイ2乗
		1らない 364	知っ	れかを ている =97	知っ	てを ている :52		·計 513	検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月間	間)		3120/2109						
1人	77	(21.2%)	16	(16.5%)	4	(7.7%)	97	(18.9%)	0.01
2-3人	82	(22.5%)	27	(27.8%)	13	(25.0%)	122	(23.8%)	
4-5人	42	(11.5%)	13	(13.4%)	7	(13.5%)	62	(12. 1%)	
6人以上	90	(24. 7%)	30	(30.9%)	23	(44. 2%)	143	(27.9%)	
非該当(0人)	60	(16.5%)	7	(7.2%)	3	(5.8%)	70	(13.6%)	
無回答	13	(3.6%)	4	(4.1%)	2	(3.8%)	19	(3.7%)	
アナルセックス有の人のコンド	-4使用状况	元(過去6ヶ)	∃)						
常用	79	(32.0%)	30	(41.1%)	22	(53. 7%)	131	(36. 3%)	0. 152
それ以外	114	(46. 2%)	36	(49.3%)	16	(39.0%)	166	(46.0%)	
無回答	54	(21. 9%)	7	(9.6%)	3	(7.3%)	64	(17. 7%)	
サウナ系利用(過去6)	누 日間)								
ある	133	(36. 5%)	44	(45. 4%)	38	(73. 1%)	215	(41. 9%)	0
ない	228	(62.6%)	53	(54. 6%)	14	(26. 9%)	295	(57. 5%)	U
無回答	3	(0.8%)	0	(0.0%)	0	(0.0%)	3	(0.6%)	
ビデオ系利用(過去6/		(0.0/0/		(0.0/0/		(0.0/0)	Ü	(0. 0/0/	
ある	68	(18. 7%)	20	(20.6%)	12	(23. 1%)	100	(19. 5%)	0. 732
ない	293	(80.5%)	76	(78. 4%)	40	(76. 9%)	409	(79. 7%)	0. 732
無回答	3	(0.8%)	1	(1.0%)	0	(0.0%)	409	(0.8%)	
			4000 July 20	(1.0%)	U	(0.0%)	4	(0. 070)	
マンション系利用(過			00	(00 00/)	0.1	(40, 40/)	100	(00 0%)	0.045
ある	89	(24.5%)	28	(28.9%)	21	(40.4%)	138	(26. 9%)	0. 045
ない	270	(74. 2%)	69	(71. 1%)	30	(57. 7%)	369	(71. 9%)	
無回答	5	(1. 4%)	0	(0.0%)	1	(1.9%)	6	(1. 2%)	
クラブ(男性限定)(過			07	(00 10)	00	(00 FN)	117	(00 00/)	
ある	47	(12. 9%)	37	(38. 1%)	33	(63.5%)	117	(22. 8%)	0
ない	314	(86.3%)	60	(61.9%)	19	(36.5%)	393	(76. 6%)	
無回答	3	(0.8%)	0	(0.0%)	0	(0.0%)	3	(0.6%)	
お金払ってセックスの経験									
ある	58	(15. 9%)	12	(12.4%)	3	(5.8%)	73	(14. 2%)	0. 119
ない	304	(83. 5%)	85	(87. 6%)	49	(94. 2%)	438	(85. 4%)	
無回答	2	(0.5%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
ゲイバー利用(過去6)									
ある	152	(41.8%)	68	(70. 1%)	47	(90.4%)	267	(52.0%)	0
ない	209	(57. 4%)	29	(29.9%)	5	(9.6%)	243	(47. 4%)	
無回答	3	(0.8%)	0	(0.0%)	0	(0.0%)	3	(0.6%)	
ネット相手とセックスの約	経験(過去6								
ある	210	(57. 7%)	54	(55. 7%)	27	(51.9%)	291	(56. 7%)	0. 681
ない	152	(41.8%)	43	(44. 3%)	25	(48.1%)	220	(42. 9%)	
無回答	2	(0.5%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
携帯相手とセックスの経験	険(過去6ヶ	月間)							
ある	141	(38. 7%)	43	(44.3%)	17	(32.7%)	201	(39. 2%)	0. 344
ない	218	(59.9%)	53	(54.6%)	35	(67.3%)	306	(59.6%)	
無回答	5	(1.4%)	1	(1.0%)	0	(0.0%)	6	(1.2%)	

		大阪		sh, sal+, dis					カイ2乗
全〈		1らない 303	知っ	れかを ている =168	知っ	てを ている =70		計 =541	検定
n		%	n	%	n	%	n	%	
年齢階級									
	28	(9. 2%)	5	(3.0%)	2	(2.9%)	35	(6.5%)	0.002
	28	(42.2%)	66	(39. 3%)	44	(62.9%)	238	(44.0%)	
	02	(33. 7%)	73	(43.5%)	18	(25. 7%)	193	(35. 7%)	
	35	(11.6%)	22	(13. 1%)	6	(8.6%)	63	(11.6%)	
	10	(3.3%)	2	(1.2%)	0	(0.0%)	12	(2. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴									
	60	(52. 8%)	93	(55. 4%)	37	(52. 9%)	290	(53. 6%)	0.86
	43	(47. 2%)	75	(44. 6%)	33	(47. 1%)	251	(46. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_感染しても長生き可能									
	03	(100.0%)	168	(100.0%)	70	(100.0%)	541		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_HIV検査感染から3日です	ij								
正解 3	03	(100.0%)	168	(100.0%)	70	(100.0%)	541	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIV易感染									
正解 3	03	(100.0%)	168	(100.0%)	70	(100.0%)	541	(100.0%)	
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向									
T 12 12 12 12 12 12 12 12 12 12 12 12 12	16	(38.3%)	62	(36.9%)	25	(35. 7%)	203	(37.5%)	0.869
なし 1	64	(54. 1%)	91	(54. 2%)	41	(58.6%)	296	(54. 7%)	
無回答	23	(7.6%)	15	(8.9%)	4	(5.7%)	42	(7.8%)	
HIV抗体検査受検経験(生涯)									
	80	(26.4%)	112	(66. 7%)	52	(74.3%)	244	(45. 1%)	0
	23	(73.6%)	56	(33.3%)	18	(25.7%)	297	(54. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(過去1年	E)								
	42	(13.9%)	70	(41.7%)	32	(45. 7%)	144	(26.6%)	0
その他 2	61	(86. 1%)	98	(58.3%)	38	(54.3%)	397	(73.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)									
	65	(21.5%)	76	(45. 2%)	34	(48.6%)	175	(32.3%)	0
	28	(75. 2%)	92	(54.8%)	36	(51.4%)	356		
	10	(3.3%)	0	(0.0%)	0	(0.0%)	10	(1.8%)	
STD被診断経験(過去1年)									
	31	(10. 2%)	33	(19.6%)	12	(17. 1%)	76	(14.0%)	0. 013
	71	(89.4%)	134	(79.8%)	58	(82.9%)	463	(85.6%)	
無回答	1	(0.3%)	1	(0.6%)	0	(0.0%)	2		
薬物使用(生涯)									
	59	(52. 5%)	129	(76. 8%)	58	(82.9%)	346	(64.0%)	0
	35	(44. 6%)	39	(23. 2%)	12	(17. 1%)	186		O
無回答	9	(3.0%)	0	(0.0%)	0	(0.0%)	9	(1. 7%)	
薬物使用(過去6ヶ月)			J	, (%)					
	16	(38. 3%)	97	(57. 7%)	46	(65. 7%)	259	(47. 9%)	0
	85	(61. 1%)	71	(42.3%)	24	(34. 3%)	280		U
無回答	2	(0.7%)	0	(0.0%)	0	(0.0%)	200	(0.4%)	
	2	(0. 170)	U	(0.0/0)	U	(0.070)		(U. 470)	
HIV陽性 HIV陽性	10	(3.3%)	14	(8.3%)	5	(7. 1%)	29	(5. 4%)	0. 052
	93	(96. 7%)	154	(91. 7%)	65	(92. 9%)	512		0. 052
7 VIE 2	30	(30. 1/0)	104	(31.770)	00	(JL. 370)	312	(34. U/0)	

		大阪:		h, sal+, dis	ta)				カイ2乗
		1らない 303	知って	れかを ている 168	知って	てを ている :70		計 541	検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月	間)								
1人	55	(18. 2%)	37	(22.0%)	14	(20.0%)	106	(19.6%)	0. 001
2-3人	77	(25. 4%)	27	(16. 1%)	8	(11.4%)	112	(20.7%)	
4-5人	38	(12.5%)	25	(14. 9%)	9	(12.9%)	72	(13.3%)	
6人以上	82	(27. 1%)	64	(38. 1%)	33	(47. 1%)	179	(33. 1%)	
非該当(0人)	40	(13. 2%)	8	(4.8%)	4	(5.7%)	52	(9.6%)	
無回答	11	(3.6%)	7	(4. 2%)	2	(2.9%)	20	(3.7%)	
アナルセックス有の人のコンド	-4.使用状况		目)						
常用	61	(28.8%)	47	(34.8%)	22	(39.3%)	130	(32. 3%)	0. 51
それ以外	116	(54. 7%)	73	(54. 1%)	30	(53.6%)	219	(54.3%)	
無回答	35	(16.5%)	15	(11. 1%)	4	(7.1%)	54	(13.4%)	
サウナ系利用(過去6	ヶ日間)								
ある	126	(41.6%)	94	(56.0%)	41	(58.6%)	261	(48. 2%)	0. 002
ない	176	(58. 1%)	74	(44. 0%)	29	(41.4%)	279	(51.6%)	0.002
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1	(0. 2%)	
ビデオ系利用(過去6									
ある	53	(17.5%)	39	(23. 2%)	7	(10.0%)	99	(18.3%)	0. 049
ない	248	(81.8%)	129	(76. 8%)	63	(90.0%)	440	(81.3%)	0. 010
無回答	2	(0.7%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
マンション系利用(過				(0.070)		7.00		(0. 1,0)	
ある	60 60	(19.8%)	51	(30. 4%)	26	(37.1%)	137	(25.3%)	0. 002
ない	241	(79.5%)	116	(69.0%)	44	(62.9%)	401	(74. 1%)	0.002
無回答	2	(0. 7%)	1	(0.6%)	0	(0.0%)	3	(0.6%)	
クラブ(男性限定)(過			u di	(0. 0/0/	and on	(0.070)		(0.070)	
ある	48	(15. 8%)	59	(35. 1%)	45	(64.3%)	152	(28. 1%)	0
ない	253	(83. 5%)	108	(64. 3%)	25	(35. 7%)	386	(71.3%)	·
無回答	2	(0. 7%)	1	(0.6%)	0	(0.0%)	3	(0.6%)	
お金払ってセックスの経				(0.0/0)	Ū	(0.070)		(0. 0/0)	
ある	62	(20. 5%)	20	(11.9%)	7	(10.0%)	89	(16.5%)	0. 016
ない	239	(78. 9%)	147	(87. 5%)	63	(90.0%)	449	(83.0%)	0. 010
無回答	2	(0.7%)	1	(0.6%)	0	(0.0%)	3	(0.6%)	
ゲイバー利用(過去6		(0.7/0)		(0.070)		(0.070)		(0.070)	
ある	7 /JIII/	(39. 3%)	129	(76. 8%)	63	(90.0%)	311	(57. 5%)	0
ない	181	(59. 7%)	37	(22.0%)	6	(8.6%)	224	(41.4%)	O
無回答	3	(1.0%)	2	(1. 2%)	1	(1.4%)	6	(1.1%)	
ネット相手とセックスの			_ 	(1. =/0)				(11.170)	
ある	が主角史(200 250 174	(57.4%)	88	(52. 4%)	42	(60.0%)	304	(56. 2%)	0. 556
ない	128	(42. 2%)	77	(45. 8%)	28	(40.0%)	233	(43. 1%)	0. 000
無回答	120	(0.3%)	3	(1.8%)	0	(0.0%)	4	(0.7%)	
			J	(1.0/0)	Ü	(0. 0/0/	7	(0. 1/0)	
携帯相手とセックスの経		月间) (35.0%)	60	(37 5%)	20	(42 0%)	100	(36 9%)	0 477
ある ない	106 195		63 104	(37. 5%) (61. 9%)	30 40	(42. 9%) (57. 1%)	199 339	(36. 8%) (62. 7%)	0. 477
		(64. 4%)					3	(0.6%)	
無回答	2	(0. 7%)	1	(0.6%)	0	(0.0%)	3	(0.0%)	

		福	岡活動(LAF, season)				カイ2乗
		知らない =159	知っ	れかを ている =14	知っ	てを ている 1=4		 計 =177	検定
	n	%	n	%	n	%	n	%	
年齢階級									
10歳代	13		0		0		13	(7.3%)	6.427
20歳代	73	(45. 9%)	8	(57. 1%)	3	(75.0%)	84	(47.5%)	
30歳代	51	(32. 1%)	3	(21.4%)	1	(25.0%)	55	(31.1%)	
40歳代	13	(8. 2%)	3	(21.4%)	0	(0.0%)	16	(9.0%)	
50歳以上	6	(3.8%)	0	(0.0%)	0	(0.0%)	6	(3.4%)	
無回答	3	(1.9%)	0	(0.0%)	0	(0.0%)	3	(1.7%)	
最終学歴									
それ以外	86	(54. 1%)	8	(57. 1%)	1	(25.0%)	95	(53. 7%)	1.652
大学卒業以上	73	(45.9%)	5	(35. 7%)	3	(75.0%)	81	(45.8%)	
無回答	0	(0.0%)	1	(7.1%)	0		1	(0.6%)	
知識_感染しても長生き	可能								
該当なし		(100.0%)	14	(100.0%)	4	(100.0%)	177	(100.0%)	
該当なし	0		0	(0.0%)	0	(0.0%)	0	(0.0%)	
該当なし	0	(0.0%)	0	(0.0%)	0		0	(0.0%)	
知識_HIV検査感染から3		(0.070)		(0. 0/0)		(0. 0/0)	·	(0.0/0)	
該当なし		(100.0%)	1/	(100.0%)	1	(100.0%)	177	(100.0%)	
該当なし	0		0	(0.0%)	0	(0.0%)	0		
該当なし	0		0					(0.0%)	
	U	(0.0%)	U	(0.0%)	0	(0.0%)	0	(0.0%)	
知識_STDはHIV易感染	150	(100 00/)		(100.00)		(100 00)			
該当なし		(100.0%)		(100.0%)		(100.0%)		(100.0%)	
該当なし	0		0	(0.0%)	0		0	(0.0%)	
該当なし	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
抑うつ傾向		(40.00)							
それ以外	65	,	9	(64. 3%)	3		77		5.005
抑うつ	77		5	(35. 7%)	0	(0.0%)	82	(46. 3%)	
無回答	17	(10. 7%)	0	(0.0%)	1	(25.0%)	18	(10. 2%)	
HIV抗体検査受検経験(
ある	43		9		2		54		9.151
ない	116	(73.0%)	5	(35. 7%)	2		123	(69.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
HIV抗体検査受検経験(i	過去1年)								
ある	27	(17.0%)	6	(42.9%)	2	(50.0%)	35	(19.8%)	7.788
ない	132		8	(57. 1%)	2		142	(80. 2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
STD被診断経験(生涯)									
ある	29	(18.2%)	4	(28.6%)	3	(75.0%)	36	(20.3%)	7.886
ない	124	(78.0%)	10	(71.4%)	1	(25.0%)	135	(76.3%)	
無回答	6	(3.8%)	0	(0.0%)	0	(0.0%)	6	(3.4%)	
STD被診断経験(過去1年	Ξ)								
ある	6	(3.8%)	1	(7. 1%)	2	(50.0%)	9	(5. 1%)	17.409
ない	153	(96.2%)	13	(92.9%)	2	(50.0%)	168	(94.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
薬物使用(生涯)						198.20		7. (2.4.1.4.1.4.1.4.1.4.1.4.1.4.1.4.1.4.1.4.	
ある	86	(54. 1%)	12	(85. 7%)	3	(75.0%)	101	(57. 1%)	5.295
ない	69	(43. 4%)	2	(14. 3%)	1	(25.0%)	72	(40. 7%)	5.295
無回答	4	(2.5%)	0	(0.0%)	0	(0.0%)	4	(2. 3%)	
薬物使用(過去6ヶ月)		\ J/0/		(0. 0/0/	· ·	(0. 5/0/	202-1-	(2. 0/0/	
ある	56	(35. 2%)	8	(57. 1%)	n	(50.0%)	CC	(27 20/)	0.707
ない	101	(63.5%)	6		2	(50.0%)	100	(37. 3%)	2.786
無回答	2			(42. 9%)	2	(50.0%)	109	(61.6%)	
		(1.3%)	0	(0.0%)	0	(0.0%)	2	(1.1%)	
HIV陽性	4	(0 00/)		/7 40/\	^	(0.00/)		/4 40/3	
HIV陽性	1 158	(0.6%) (99.4%)	1 13	(7. 1%) (92. 9%)	0	(0.0%) (100.0%)	2 175	(1. 1%) (98. 9%)	4.934
その他				111/11/1				(1112 (10)/)	

		福		LAF, season					カイ2乗
		1らない 159	知っ	れかを ている =14	知っ	てを ている 1=4		·計 177	検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月間)								
1人	35	(22.0%)	4	(28.6%)	1	(25.0%)	40	(22.6%)	9.737
2-3人	46	(28.9%)	1	(7.1%)	0	(0.0%)	47	(26.6%)	
4-5人	21	(13.2%)	3	(21.4%)	1	(25.0%)	25	(14. 1%)	
6人以上	35	(22.0%)	5	(35. 7%)	0	(0.0%)	40	(22.6%)	
非該当(0人)	20	(12.6%)	0		1		21	(11.9%)	
無回答	2	(1.3%)	1	(7. 1%)	1		4	(2. 3%)	
アナルセックス有の人のコンドー			B)						
常用	27	(23. 1%)	4	(33. 3%)	1	(33. 3%)	32	(24. 2%)	1.018
それ以外	69	(59.0%)	6		1		76	(57. 6%)	1.010
無回答	21	(17. 9%)	2		1		24	(18. 2%)	
		(17. 3/0)	_	(10. 7,0)		(00.0%)	27	(10. 2/0)	
サウナ系利用(過去6ヶ		(07 70)	2	(01 40/)		(25.0%)	40	(07 10/)	
常用 それ以外	44	(27. 7%)	3		1		48	(27. 1%) (72. 9%)	0.263
	115 0	(72.3%)	11 0		3		129 0		
無回答	•	(0.0%)	U	(0.0%)	U	(0.0%)	U	(0.0%)	
ビデオ系利用(過去6ヶ		(40.0%)		(7.4%)		(05.0%)	0.0	(40.0%)	
常用	21	(13. 2%)	1	(10)	1	(=-:	23	(13.0%)	0.941
それ以外	137	(86. 2%)	13		3	(153	(86. 4%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
マンション系利用(過去									
常用		(23.3%)	3		3	(10)	43	(24. 3%)	5.697
それ以外	121	(76. 1%)	11	(78.6%)	1	(25.0%)	133	(75. 1%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
クラブ(男性限定)(過去	56ヶ月間)							
常用	20	(12.6%)	2	(14.3%)	2	(50.0%)	24	(13.6%)	4.669
それ以外	139	(87.4%)	12	(85. 7%)	2	(50.0%)	153	(86.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
お金払ってセックスの経験	(過去6ヶ	月間)							
常用		(14.5%)	0	(0.0%)	0	(0.0%)	23	(13.0%)	2.993
それ以外	136	(85.5%)		(100.0%)		(100.0%)	154	(87.0%)	2.000
無回答	0	(0.0%)	0	(0.0%)	0		0	(0.0%)	
ゲイバー利用(過去6ヶ		(0.0/0)		(0. 0,0)		(0.070)		(0.0/0)	
常用	74	(46.5%)	9	(64. 3%)	1	(100.0%)	87	(49. 2%)	5.855
それ以外	85	(53.5%)	5		0		90	(50. 8%)	5.655
						(0.0%)			
無回答		(0.0%)	0	(0.0%)	U	(0.0%)	U	(0.0%)	
ネット相手とセックスの経				(57.40)		(05.0%)	404	(53.4%)	
常用		(57. 9%)	8	(57. 1%)	1	,,	101	(57. 1%)	1.720
それ以外	67	(42. 1%)	6	(42. 9%)	3	* : = : = ::	76	(42. 9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
携帯相手とセックスの経験									
常用	69	(43.4%)	5	(35. 7%)	1		75	(42.4%)	0.817
それ以外	90	(56.6%)	9	(64. 3%)	3	(75.0%)	102	(57.6%)	
無回答		(0.0%)		(0.0%)	0	(0.0%)	0	(0.0%)	

	福岡活動(LAF, season)									
1	全く知らない n=163		いずれかを 知っている n=35		全てを 知っている n=19		合計 n=217		カイ2乗 検定	
	n	%	n	%	n	%	n	%		
年齢階級										
10歳代	17	(10.4%)	0	(0.0%)	2	(10.5%)	19	(8.8%)	7.070	
20歳代	71	(43.6%)	18	(51.4%)	6	(31.6%)	95	(43.8%)		
30歳代	53	(32.5%)	12	(34.3%)	8	(42. 1%)	73	(33.6%)		
40歳代	18	(11.0%)	5	(14.3%)	3	(15.8%)	26	(12.0%)		
50歳以上	4	(2.5%)	0	(0.0%)	0	(0.0%)	4	(1.8%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
最終学歴										
大卒以上	92	(56. 4%)	18	(51.4%)	12	(63.2%)	122	(56. 2%)	0.701	
それ以外	71	(43.6%)	17	(48.6%)	7	(36.8%)	95	(43.8%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
知識_感染しても長生き可能										
正解	163	(100.0%)	35	(100.0%)	19	(100.0%)	217	(100.0%)		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
知識_HIV検査感染から3日です	ij .									
正解	163	(100.0%)	35	(100.0%)	19	(100.0%)	217	(100.0%)		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
知識_STDはHIV易感染										
正解	163	(100.0%)	35	(100.0%)	19	(100.0%)	217	(100.0%)		
その他	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
抑うつ傾向										
あり	79	(48.5%)	15	(42.9%)	7	(36.8%)	101	(46.5%)	1.209	
なし	70	(42.9%)	20	(57. 1%)	6	(31.6%)	96	(44. 2%)		
無回答	14	(8.6%)	0	(0.0%)	6	(31.6%)	20	(9.2%)		
HIV抗体検査受検経験(生涯)										
ある	52	(31.9%)	15	(42.9%)	15	(78.9%)	82	(37.8%)	16.477	
ない	111	(68.1%)	20	(57. 1%)	4	(21.1%)	135	(62.2%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
HIV抗体検査受検経験(過去1年	王)									
ある	22	(13.5%)	9	(25. 7%)	10	(52.6%)	41	(18.9%)	18.273	
その他	141	(86.5%)	26	(74.3%)	9	(47. 4%)	176	(81.1%)		
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)		
STD被診断経験(生涯)										
ある	44	(27.0%)	11	(31.4%)	6	(31.6%)	61	(28. 1%)	0.411	
ない	116	(71.2%)	23	(65. 7%)	13	(68.4%)	152	(70.0%)		
無回答	3	(1.8%)	1	(2.9%)	0	(0.0%)	4	(1.8%)		
STD被診断経験(過去1年)										
ある	18	(11.0%)	5	(14. 3%)	3	(15.8%)	26	(12.0%)	0.507	
その他	142	(87. 1%)	30	(85. 7%)	16	(84. 2%)	188	(86.6%)		
無回答	3	(1.8%)	0	(0.0%)	0	(0.0%)	3	(1.4%)		
薬物使用(生涯)										
ある	95	(58.3%)	25	(71.4%)	14	(73. 7%)	134	(61.8%)	4.331	
ない	66	(40.5%)	8	(22.9%)	5	(26.3%)	79	(36.4%)		
無回答	2	(1.2%)	2	(5. 7%)	0	(0.0%)	4	(1.8%)		
薬物使用(過去6ヶ月)										
ある	72	(44. 2%)	20	(57. 1%)	12	(63. 2%)	104	(47. 9%)	3.465	
その他	88	(54.0%)	15	(42.9%)	7	(36.8%)	110	(50. 7%)		
無回答	3	(1.8%)	0	(0.0%)	0	(0.0%)	3	(1.4%)		
HIV陽性										
HIV陽性	8	(4. 9%)	2	(5. 7%)	3	(15. 8%)	13	(6.0%)	3.583	
その他	155	(95. 1%)	33	(94. 3%)	16	(84. 2%)	204	(94.0%)		
C 10	. 50	(\- 1. • /U/		\- · · = /0/	201	/		

		福	岡活動(L	AF, season))				カイ2乗
	全く知らない n=163		いずれかを 知っている n=35		全てを 知っている n=19		合計 n=217		検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月間)									
1人	26	(16.0%)	3	(8.6%)	6	(31.6%)	35	(16. 1%)	7.688
2-3人	33	(20. 2%)	8	(22.9%)	3	(15.8%)	44	(20.3%)	
4-5人	21	(12.9%)	6	(17. 1%)	3	(15.8%)	30	(13.8%)	
6人以上	60	(36.8%)	13	(37. 1%)	7	(36.8%)	80	(36.9%)	
非該当(0人)	19	(11.7%)	2	(5.7%)	0	(0.0%)	21	(9.7%)	
無回答	4	(2.5%)	3	(8.6%)	0	(0.0%)	7	(3.2%)	
アナルセックス有の人のコンドームイタ	声用状況(過去6ヶ月)							
常用	35	(30. 4%)	3	(10.3%)	5	(33. 3%)	43	(27.0%)	6.213
それ以外	62	(53. 9%)	22	(75. 9%)	6	(40.0%)	90	(56. 6%)	0.210
無回答	18	(15. 7%)	4	(13. 8%)	4	(26. 7%)	26	(16. 4%)	
サウナ系利用(過去6ヶ月	間)								
ある	48	(29.4%)	14	(40.0%)	3	(15. 8%)	65	(30.0%)	3.520
ない	115	(70.6%)	21	(60.0%)	16	(84. 2%)	152	(70.0%)	0.020
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ビデオ系利用(過去6ヶ月		(0.0%)	Ü	(0.0%)	Ü	(0.0/0)	Ü	(0.0%)	
ある	20	(12. 3%)	3	(8. 6%)	1	(5. 3%)	24	(11. 1%)	1.112
ない	143	(87. 7%)	32	(91. 4%)	18	(94. 7%)	193	(88. 9%)	1.112
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
		(0.0/0/	Ü	(0. 0/0)	U	(0.0%)	Ü	(0.0/0)	
マンション系利用(過去6		(31.9%)	1.4	(40.0%)	1	(21. 1%)	70	(22.20)	0.001
ある ない	52 111	(68. 1%)	14 21	(60.0%)	4	(78. 9%)	70 147	(32. 3%) (67. 7%)	2.061
	0	(0.0%)	0		15 0		0		
無回答		(0.0%)	Ü	(0.0%)	U	(0.0%)	U	(0.0%)	
クラブ(男性限定)(過去6		(10, 00/)	10	(07.4%)	10	(00 00/)	40	(01 00/)	
ある	21	(12. 9%)	13	(37. 1%)	12	(63. 2%)	46	(21. 2%)	31.821
ない	141	(86.5%)	22	(62. 9%)	7	(36. 8%)	170	(78. 3%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	1	(0.5%)	
お金払ってセックスの経験(対									
ある	24	(14. 7%)	5	(14. 3%)	1	(5. 3%)	30	(13.8%)	1.145
ない	139	(85. 3%)	30	(85. 7%)	17	(89.5%)	186	(85. 7%)	
無回答	0	(0.0%)	0	(0.0%)	1	(5. 3%)	1	(0.5%)	
ゲイバー利用(過去6ヶ月									
ある	81	(49. 7%)	30	(85. 7%)	15	(78.9%)	126	(58. 1%)	19.083
ない	82	(50.3%)	5	(14.3%)	4	(21. 1%)	91	(41.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
ネット相手とセックスの経験	(過去6ヶ	月間)							
ある	111	(68. 1%)	23	(65. 7%)	9	(47. 4%)	143	(65.9%)	3.255
ない	52	(31.9%)	12	(34. 3%)	10	(52.6%)	74	(34. 1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
携帯相手とセックスの経験(近	過去6ヶ月	間)							
ある	78	(47.9%)	16	(45. 7%)	5	(26.3%)	99	(45.6%)	2.632
ない	85	(52. 1%)	19	(54.3%)	13	(68.4%)	117	(53.9%)	
無回答	0	(0.0%)	0	(0.0%)	1	(5.3%)	1	(0.5%)	

北洲	毎道,	北區	坴,	信
越,	中四	玉,	沖	縄
		704		

	n=	=784
	n	%
年齢階級		
10歳代	56	(7. 1%)
20歳代	322	(41.1%)
30歳代	257	(32.8%)
40歳代	92	(11.7%)
50歳以上	37	(4.7%)
無回答	20	(2.6%)
最終学歴		
大卒以上	384	(49.0%)
それ以外	394	(50.3%)
無回答	6	(0.8%)
知識 感染しても長生き可能		
正解	784	(100.0%)
その他	0	(0.0%)
無回答	0	(0.0%)
知識 HIV検査感染から3日で可		(0.0/0)
正解	784	(100.0%)
その他	0	(0.0%)
無回答	0	(0.0%)
知識_STDはHIV易感染	704	(100 00)
正解	784	(100.0%)
その他	0	(0.0%)
無回答	0	(0.0%)
抑うつ傾向		
あり	302	
なし	414	(52.8%)
無回答	68	(8.7%)
HIV抗体検査受検経験(生涯)		
ある	264	(33.7%)
ない	520	(66.3%)
無回答	0	(0.0%)
HIV抗体検査受検経験(過去1年)		
ある	146	(18.6%)
ない	637	(81.3%)
無回答	1	(0.1%)
STD被診断経験(生涯)		
ある	161	(20.5%)
ない	603	(76.9%)
無回答	20	(2.6%)
STD被診断経験(過去1年)	20	(2. 0/0/
ある	73	(9.3%)
かる ない	701	(89. 4%)
	10	(1.3%)
無回答	10	(1.3%)
薬物使用(生涯)	400	(FO 00/)
ある	420	(53.6%)
ない	335	(42. 7%)
無回答	29	(3. 7%)
薬物使用(過去6ヶ月間)		
ある	297	(37.9%)
ない	482	(61.5%)
無回答	5	(0.6%)
HIV陽性		
HIV陽性	31	(4.0%)
それ以外	753	(96.0%)

北海道, 北陸, 信 越, 中四国, 沖縄 n=784

	n=	784
_	n	%
相手の数(過去6ヶ月間)		
1人	163	(20.8%)
2-3人	217	(27.7%)
4-5人	100	(12.8%)
6人以上	171	(21. 8%)
非該当(0人)	98	(12. 5%)
	35	
無回答		(4.5%)
アナルセックス有の人のコンドーム使用状況(過		月间)
常用	163	(29.5%)
それ以外	310	(56. 2%)
無回答	79	(14. 3%)
サウナ系利用(過去6ヶ月間)		
ある	255	(32.5%)
ない	524	(66.8%)
無回答	5	(0.6%)
ビデオ系利用(過去6ヶ月間)		
ある	117	(14. 9%)
ない	658	(83. 9%)
	9	(1. 1%)
無回答	9	(1.1%)
マンション系利用(過去6ヶ月間)	101	(00 FN)
ある	161	(20.5%)
ない	617	(78. 7%)
無回答	6	(0.8%)
クラブ(男性限定)(過去6ヶ月間)		
ある	141	(18.0%)
ない	636	(81.1%)
無回答	7	(0.9%)
お金払ってセックスの経験(過去6ヶ月間))	
ある	119	(15. 2%)
ない	660	(84. 2%)
無回答	5	(0.6%)
ゲイバー利用(過去6ヶ月間)	· ·	(0. 0/0)
	377	(48. 1%)
ある		
ない	402	(51. 3%)
無回答	5	(0.6%)
ネット相手とセックスの経験(過去6ヶ月	間)	
ある	451	(57.5%)
ない	328	(41.8%)
無回答	5	(0.6%)
携帯相手とセックスの経験(過去6ヶ月間))	
ある	308	(39.3%)
ない	468	(59. 7%)
無回答	8	(1.0%)
WELL	-	(1.0/0)

		ない 160	- n=	 n=0		知っている n=15		合計 n=175	
	n	%	n	%	n	%	n	%	
年齢階級									
10代	16	(10.0%)	0	(0.0%)	2	(13. 3%)	18	(10. 3%)	0. 698
20代	55	(34. 4%)	0	(0.0%)	4	(26. 7%)	59	(33. 7%)	
30代	46	(28. 8%)	0	(0.0%)	6	(40.0%)	52	(29. 7%)	
40歳代	30	(18.8%)	0	(0.0%)	3	(20.0%)	33	(18. 9%)	
50歳以上	13	(8. 1%)	0	(0.0%)	0	(0.0%)	13	(7. 4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
最終学歴									
大卒以上	72	(45.0%)	0	(0.0%)	7	(46. 7%)	79	(45. 1%)	0. 918
それ以外	87	(54. 4%)	0	(0.0%)	8	(53. 3%)	95	(54. 3%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
知識_感染しても長生きず	可能								
正解	97	(60.6%)	0	(0.0%)	10	(66. 7%)	107	(61. 1%)	0. 709
その他	60	(37. 5%)	0	(0.0%)	5	(33. 3%)	65	(37. 1%)	
無回答	3	(1. 9%)	0	(0.0%)	0	(0.0%)	3	(1. 7%)	
知識_HIV検査感染から3		(1. 070)		(0. 070)		(0. 0%)		(1. 7/0)	
和調_ITM快宜松業からい 正解	110	(68. 8%)	0	(0.0%)	12	(80.0%)	122	(69. 7%)	0. 399
1,501	48	(30. 0%)	0	(0.0%)	3				0. 399
その他	2	(1. 3%)				(20.0%)	51 2	(29. 1%)	
無回答	2	(1. 3%)	0	(0.0%)	0	(0.0%)	2	(1. 1%)	
知識_STDはHIV易感染	0.0	(50,000)	0	(0, 00)	10	(00,0%)	00	(50.0%)	0.050
正解	86	(53. 8%)	0	(0.0%)	12	(80.0%)	98	(56. 0%)	0. 059
その他	71	(44. 4%)	0	(0.0%)	3	(20.0%)	74	(42. 3%)	
無回答	3	(1. 9%)	0	(0.0%)	0	(0.0%)	3	(1. 7%)	
抑うつ傾向									
あり	70	(43. 8%)	0	(0.0%)	9	(60.0%)	79	(45. 1%)	0. 361
なし	77	(48. 1%)	0	(0.0%)	6	(40.0%)	83	(47. 4%)	
無回答	13	(8. 1%)	0	(0.0%)	0	(0.0%)	13	(7. 4%)	
HIV抗体検査受検経験(生	生涯)								
ある	38	(23.8%)	0	(0.0%)	8	(53. 3%)	46	(26. 3%)	0. 018
ない	115	(71.9%)	0	(0.0%)	7	(46. 7%)	122	(69. 7%)	
無回答	7	(4. 4%)	0	(0.0%)	0	(0.0%)	7	(4.0%)	
HIV抗体検査経験(過去1	(年)								
ある	18	(11.3%)	0	(0.0%)	4	(26. 7%)	22	(12.6%)	0. 103
その他	135	(84. 4%)	0	(0.0%)	11	(73. 3%)	146	(83. 4%)	
無回答	7	(4. 4%)	0	(0.0%)	0	(0.0%)	7	(4.0%)	
STD被診断経験(生涯)									
ある	28	(17. 5%)	0	(0.0%)	5	(33. 3%)	33	(18. 9%)	0. 196
ない	118	(73. 8%)	0	(0.0%)	10	(66. 7%)	128	(73. 1%)	
無回答	14	(8. 8%)	0	(0.0%)	0	(0.0%)	14	(8.0%)	
STD被診断経験(過去1年)		(6. 670)		(6. 670)				(6. 6.6)	
ある	12	(7. 5%)	0	(0.0%)	2	(13. 3%)	14	(8.0%)	0. 509
その他	133	(83. 1%)	0	(0.0%)	13	(86. 7%)	146	(83. 4%)	0. 509
無回答	15	(9. 4%)	0	(0.0%)	0	(0.0%)	15	(8. 6%)	
	10	(9. 470)	U	(0.0%)		(0. 0%)	10	(0. 070)	
薬物乱用(生涯)	71	(0	(0.00/)	0	(60 OW)	00	(AE 70)	0.000
ある	71	(44. 4%)	0	(0.0%)	9	(60.0%)	80	(45. 7%)	0. 362
ない	78	(48. 8%)	0	(0.0%)	6	(40.0%)	84	(48. 0%)	
無回答	11	(6. 9%)	0	(0.0%)	0	(0.0%)	11	(6. 3%)	
薬物乱用(過去6ヶ月)		(04 .00)		(0, 02)		(40, 65)		(00.00)	
ある	34	(21. 3%)	0	(0.0%)	6	(40.0%)	40	(22. 9%)	0. 149
その他	113	(70. 6%)	0	(0.0%)	9	(60.0%)	122	(69. 7%)	
無回答	13	(8. 1%)	0	(0.0%)	0	(0.0%)	13	(7. 4%)	
HIV陽性									
HIV陽性	1	(0.6%)	0	(0.0%)	2	(13. 3%)	3	(1. 7%)	0. 000
その他	159	(99. 4%)	0	(0.0%)	13	(86. 7%)	172	(98. 3%)	

		ない 160	— n=0		知っている n=15		合計 n=175		検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月	間)								
1人	26	(16. 3%)	0	(0.0%)	3	(20.0%)	29	(16.6%)	0. 570
2-3人	42	(26. 3%)	0	(0.0%)	5	(33. 3%)	47	(26. 9%)	
4-5人	30	(18.8%)	0	(0.0%)	3	(20.0%)	33	(18.9%)	
6人以上	34	(21. 3%)	0	(0.0%)	3	(20.0%)	37	(21.1%)	
非該当(0人)	26	(16. 3%)	0	(0.0%)	0	(0.0%)	26	(14.9%)	
無回答	2	(1.3%)	0	(0.0%)	. 1	(6. 7%)	3	(1.7%)	
アナルセックス有の人のコンド	`-ム使用状況	元(過去6ヶ)	月)						
常用	49	(43. 0%)	0	(0.0%)	5	(35. 7%)	54	(42. 2%)	0. 555
それ以外	55	(48. 2%)	0	(0.0%)	8	(57. 1%)	63	(49. 2%)	
無回答	10	(8.8%)	0	(0.0%)	1	(7. 1%)	11	(8.6%)	
サウナ系利用(過去6	ヶ日間)								
ある	34	(21. 3%)	0	(0.0%)	3	(20.0%)	37	(21.1%)	0. 881
ない	123	(76. 9%)	0	(0.0%)	12	(80. 0%)	135	(77. 1%)	0. 001
無回答	3	(1. 9%)	0	(0.0%)	0	(0.0%)	3	(1.7%)	
ビデオ系利用(過去6	左日間)								
ある	23	(14. 4%)	0	(0.0%)	1	(6. 7%)	24	(13. 7%)	0. 390
ない	133	(83. 1%)	0	(0.0%)	14	(93. 3%)	147	(84. 0%)	0. 000
無回答	4	(2. 5%)	0	(0.0%)	0	(0.0%)	4	(2. 3%)	
マンション系利用(過			00-01-00				- CONTRACTOR	(2. 5.7)	
ある	25	(15. 6%)	0	(0.0%)	3	(20.0%)	28	(16.0%)	0. 691
ない	131	(81. 9%)	0	(0.0%)	12	(80.0%)	143	(81. 7%)	0. 001
無回答	4	(2. 5%)	0	(0.0%)	0	(0.0%)	4	(2. 3%)	
クラブ(男性限定)(過				(0. 0/0)		(0. 0/0)		(2. 0/0)	
カノノの知住院定人運	15	(9. 4%)	0	(0.0%)	4	(26. 7%)	19	(10. 9%)	0. 042
ない	143	(89. 4%)	0	(0.0%)	11	(73. 3%)	154	(88. 0%)	0. 042
無回答	2	(1. 3%)	0	(0.0%)	0	(0.0%)	2	(1. 1%)	
				(0.0%)	0	(0. 0%)	_	(1.170)	
お金払ってセックスの経		月旬) (8.8%)	٥	(0, 0%)		(6. 7%)	15	(8. 6%)	0.770
ある ない	14 144	(90.0%)	0	(0. 0%) (0. 0%)	14	(93. 3%)	158	(90. 3%)	0. 773
無回答	2	(1. 3%)	0	(0.0%)	0	(0.0%)	2	(1.1%)	
		(1. 370)	U	(0. 070)	U	(0.0%)	2	(1.170)	
ゲイバー利用(過去6		(35. 0%)	٥	(0, 0%)	11	(73. 3%)	67	(38. 3%)	0.004
ある	56		0	(0.0%)			105		0. 004
ない	101	(63. 1%)	0	(0.0%)	4	(26. 7%)		(60. 0%)	
無回答	3	(1. 9%)	0	(0.0%)	0	(0.0%)	3	(1.7%)	
ネット相手とセックスの				(0, 00()	0	(40, 00)	0.4	(50.70)	0.040
ある	88	(55. 0%)	0	(0.0%)	6	(40.0%)	94	(53. 7%)	0. 243
ない	70	(43. 8%)	0	(0.0%)	9	(60.0%)	79	(45. 1%)	
無回答	2	(1. 3%)	0	(0.0%)	0	(0.0%)	2	(1.1%)	
携帯相手とセックスの経				(0, 021)		(FO 001)	7.0	(44.00)	
ある	70	(43. 8%)	0	(0.0%)	8	(53. 3%)	78	(44. 6%)	0. 530
ない	86	(53. 8%)	0	(0.0%)	7	(46. 7%)	93	(53. 1%)	
無回答	4	(2. 5%)	0	(0.0%)	0	(0.0%)	4	(2. 3%)	

	宮城活動(やろっこ)							
	知らない n=73		_ n=0		知っている n=29		合計 n=102	
n	%	n	%	n	%	n	%	
年齢階級								
10代 10	(13. 7%)	0	(0.0%)	3	(10. 3%)	13	(12. 7%)	0. 393
20代 27	(37.0%)	0	(0.0%)	8	(27. 6%)	35	(34. 3%)	
30代 20	(27. 4%)	0	(0.0%)	12	(41. 4%)	32	(31.4%)	
40歳代 11	(15. 1%)	0	(0.0%)	5	(17. 2%)	16	(15. 7%)	
50歳以上 5	(6.8%)	0	(0.0%)	0	(0.0%)	5	(4. 9%)	
無回答 0	(0.0%)	. 0	(0.0%)	1	(3. 4%)	1	(1.0%)	
最終学歴								
大卒以上 38	(52. 1%)	0	(0.0%)	17	(58. 6%)	55	(53. 9%)	0. 594
それ以外 34	(46. 6%)	0	(0.0%)	12	(41. 4%)	46	(45. 1%)	
無回答 1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
知識_感染しても長生き可能								
正解 46	(63.0%)	0	(0.0%)	15	(51. 7%)	61	(59.8%)	0. 224
その他 25	(34. 2%)	0	(0.0%)	14	(48. 3%)	39	(38. 2%)	0. 221
無回答 2	(2. 7%)	0	(0.0%)	0	(0.0%)	2	(2. 0%)	
知識_HIV検査感染から3日で可					(5. 5/5)		(2. 5/0)	
正解 50	(68. 5%)	0	(0.0%)	21	(72. 4%)	71	(69. 6%)	0. 768
その他 22	(30. 1%)	0	(0.0%)	8	(27. 6%)	30	(29. 4%)	0. 700
無回答 1	(1. 4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
知識 STDはHIV易感染	(1.470)	U	(0. 0%)	U	(0. 0%)		(1. 0%)	
	(60, 20/)	0	(0, 0%)	10	(00 10)	00	(00 0%)	
	(60. 3%)	0	(0.0%)	18	(62. 1%)	62	(60. 8%)	0. 929
その他 28	(38. 4%)	0	(0.0%)	11	(37. 9%)	39	(38. 2%)	
無回答 1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
抑うつ傾向								
あり 40	(54. 8%)	0	(0.0%)	13	(44. 8%)	53	(52.0%)	0. 267
なし 28	(38. 4%)	0	(0.0%)	15	(51. 7%)	43	(42. 2%)	
無回答 5	(6.8%)	0	(0.0%)	1	(3. 4%)	6	(5. 9%)	
川V抗体検査受検経験(生涯)								
ある 21	(28.8%)	0	(0.0%)	13	(44.8%)	34	(33. 3%)	0. 157
ない 49	(67. 1%)	0	(0.0%)	16	(55. 2%)	65	(63. 7%)	
無回答 3	(4.1%)	0	(0.0%)	0	(0.0%)	3	(2.9%)	
IIV抗体検査経験(過去1年)								
ある 8	(11.0%)	0	(0.0%)	9	(31.0%)	17	(16. 7%)	0. 019
その他 62	(84. 9%)	0	(0.0%)	20	(69.0%)	82	(80. 4%)	0. 010
無回答 3		0	(0.0%)		(0.0%)	3		
STD被診断経験(生涯)			(3. 3.3)		(6. 6.6)		(2. 5/0)	
ある 9	(12. 3%)	0	(0.0%)	9	(31.0%)	18	(17. 6%)	0. 022
ない 60	(82. 2%)	0	(0.0%)	18	(62. 1%)	78	(76. 5%)	0. 022
無回答 4	(5. 5%)	0	(0.0%)	2	(6. 9%)	6		
	(5. 5%)	U	(0. 0%)	2	(6. 9%)	О	(5. 9%)	
STD被診断経験(過去1年)	(0.70/)	0	(0, 00/)		(0.00%)		(0.00)	
ある 2	(2. 7%)	0	(0.0%)	2	(6. 9%)	4	(3. 9%)	0. 320
その他 67	(91. 8%)	0	(0.0%)	25	(86. 2%)	92	(90. 2%)	
無回答 4	(5. 5%)	0	(0.0%)	2	(6. 9%)	6	(5. 9%)	
薬物乱用(生涯)								
ある 33	(45. 2%)	0	(0.0%)	19	(65.5%)	52	(51.0%)	0.097
ない 34	(46. 6%)	0	(0.0%)	9	(31.0%)	43	(42. 2%)	
無回答 6	(8. 2%)	0	(0.0%)	1	(3.4%)	7	(6. 9%)	
薬物乱用(過去6ヶ月)								
ある 8	(11.0%)	0	(0.0%)	10	(34.5%)	18	(17.6%)	0. 008
その他 58	(79. 5%)	0	(0.0%)	18	(62. 1%)	76	(74. 5%)	0. 000
無回答 7	(9. 6%)	0	(0.0%)	1	(3. 4%)	8	(7. 8%)	
V陽性	(3. 0/0)		(0. 0/0)		(U. T/U)	U	(7.070)	
IIV P 写1主 HIV 陽性 1	(1.4%)	0	(0.0%)	2	(6. 9%)	3	(2. 9%)	0 100
その他 72	(98. 6%)	0	(0.0%)	27	(93. 1%)	99		0. 136
() ()	(30. 070)	U	(U. U/0)	21	(33.170)	99	(97. 1%)	

	宮城活動(やろっこ)								カイ2乗
*		知らない n=73		— n=0		ている =29	合計 n=102		検定
	n	%	n	%	n	%	n	%	
相手の数(過去6ヶ月間	引)								
1人	16	(21.9%)	0	(0.0%)	5	(17. 2%)	21	(20.6%)	0. 190
2-3人	15	(20.5%)	0	(0.0%)	5	(17. 2%)	20	(19.6%)	
4-5人	10	(13.7%)	0	(0.0%)	9	(31.0%)	19	(18.6%)	
6人以上	20	(27. 4%)	0	(0.0%)	9	(31.0%)	29	(28.4%)	
非該当(0人)	. 11	(15. 1%)	0	(0.0%)	1	(3.4%)	12	(11.8%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
アナルセックス有の人のコンド	-4使用状态	元(過去6ヶ	月)						
常用	17	(37. 8%)	0	(0.0%)	9	(45.0%)	26	(40.0%)	0. 778
それ以外	20	(44.4%)	0	(0.0%)	9	(45.0%)	29	(44.6%)	
無回答	8	(17. 8%)	0	(0.0%)	2	(10.0%)	10	(15. 4%)	
サウナ系利用(過去6ヶ	-	(17. 070)		(0. 0/0)		(10.0%)	10	(10. 1/0)	
カラノ 赤利用 (過去0%)	/ 万间/ 11	(15. 1%)	0	(0.0%)	10	(34. 5%)	21	(20, 6%)	0. 031
ない	61	(83. 6%)	0	(0.0%)	19	(65. 5%)	80	(78. 4%)	0. 031
無回答	1	(1. 4%)	0	(0.0%)	0	(0.0%)	1	(1. 0%)	
ビデオ系利用(過去6ヶ		(1. 470)		(0. 0/0)	Ü	(0.0%)		(1. 0/0)	
A STATE OF THE PROPERTY OF THE		(12 70)	0	(0, 0%)	0	(27. 6%)	10	(17 CV)	0 111
ある	10	(13. 7%)	0	(0.0%)	8		18	(17. 6%)	0. 111
ない	61	(83. 6%)	0	(0.0%)	21	(72. 4%)	82	(80. 4%)	
無回答	2	(2. 7%)	0	(0.0%)	0	(0.0%)	2	(2.0%)	
マンション系利用(過			0	(0.00()		(04.10)	٥٢	(04 5%)	
ある	18	(24. 7%)	0	(0.0%)	7	(24. 1%)	25	(24. 5%)	0. 928
ない	54	(74.0%)	0	(0.0%)	22	(75. 9%)	76	(74. 5%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
クラブ(男性限定)(過	去6ヶ月間								
ある	5	(6.8%)	0	(0.0%)	13	(44. 8%)	18	(17.6%)	0.000
ない	67	(91.8%)	0	(0.0%)	16	(55. 2%)	83	(81. 4%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
お金払ってセックスの経験	食(過去6ヶ	月間)							
ある	9	(12.3%)	0	(0.0%)	3	(10.3%)	12	(11.8%)	0. 762
ない	63	(86. 3%)	0	(0.0%)	26	(89. 7%)	89	(87. 3%)	
無回答	1	(1.4%)	0	(0.0%)	0	(0.0%)	1	(1.0%)	
ゲイバー利用(過去6ヶ	7月間)								
ある	24	(32. 9%)	0	(0.0%)	23	(79. 3%)	47	(46. 1%)	0. 000
ない	47	(64. 4%)	0	(0.0%)	6	(20. 7%)	53	(52.0%)	
無回答	2	(2. 7%)	0	(0.0%)	0			(2.0%)	
ネット相手とセックスの糸						(0.0%)		(2. 0.0)	
ある	36	(49. 3%)	0	(0.0%)	15	(51. 7%)	51	(50.0%)	0. 926
ない	35	(47. 9%)	0	(0.0%)	14	(48. 3%)	49	(48. 0%)	0. 320
無回答	2	(2. 7%)	0	(0.0%)	0	(0.0%)	2	(2. 0%)	
携帯相手とセックスの経動				(0. 0/0)		(0. 0/0)		(2. 0/0)	
			0	(0 0%)	10	(11 10/)	ΛΛ	(12 14)	0.700
ある	32	(43. 8%)	0	(0.0%)	12	(41. 4%)	44	(43. 1%)	0. 736
ない	39	(53. 4%)	0	(0.0%)	17	(58. 6%)	56	(54. 9%)	
無回答	2	(2. 7%)	0	(0.0%)	0	(0.0%)	2	(2.0%)	