

表62. 居住地域プロック 関東（2007）

1298

	東京活動(akta, monthly, R2, テリヘル)						カイ2乗検定	
	全く知らない n=940		いずれかを 知っている n=307		全てを 知っている n=51			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	82	(8.7%)	21	(6.8%)	1	(2.0%)	104 (8.0%)	0.067
20代	378	(40.2%)	130	(42.3%)	20	(39.2%)	528 (40.7%)	
30代	301	(32.0%)	112	(36.5%)	24	(47.1%)	437 (33.7%)	
40歳代	117	(12.4%)	35	(11.4%)	5	(9.8%)	157 (12.1%)	
50歳以上	60	(6.4%)	9	(2.9%)	1	(2.0%)	70 (5.4%)	
無回答	2	(0.2%)	0	(0.0%)	0	(0.0%)	2 (0.2%)	
<b>最終学歴</b>								
大卒以上	492	(52.3%)	182	(59.3%)	31	(60.8%)	705 (54.3%)	0.065
それ以外	445	(47.3%)	125	(40.7%)	19	(37.3%)	589 (45.4%)	
無回答	3	(0.3%)	0	(0.0%)	1	(2.0%)	4 (0.3%)	
<b>知識_感染しても長生き可能</b>								
正解	593	(63.1%)	229	(74.6%)	43	(84.3%)	865 (66.6%)	0.000
その他	347	(36.9%)	75	(24.4%)	7	(13.7%)	429 (33.1%)	
無回答	0	(0.0%)	3	(1.0%)	1	(2.0%)	4 (0.3%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	699	(74.4%)	241	(78.5%)	43	(84.3%)	983 (75.7%)	0.054
その他	238	(25.3%)	62	(20.2%)	7	(13.7%)	307 (23.7%)	
無回答	3	(0.3%)	4	(1.3%)	1	(2.0%)	8 (0.6%)	
<b>知識_STDはHIV易感染</b>								
正解	562	(59.8%)	220	(71.7%)	41	(80.4%)	823 (63.4%)	0.000
その他	371	(39.5%)	85	(27.7%)	9	(17.6%)	465 (35.8%)	
無回答	7	(0.7%)	2	(0.7%)	1	(2.0%)	10 (0.8%)	
<b>抑うつ傾向</b>								
あり	438	(46.6%)	140	(45.6%)	20	(39.2%)	598 (46.1%)	0.686
なし	439	(46.7%)	145	(47.2%)	26	(51.0%)	610 (47.0%)	
無回答	63	(6.7%)	22	(7.2%)	5	(9.8%)	90 (6.9%)	
<b>HIV抗体検査受検経験（生涯）</b>								
ある	332	(35.3%)	145	(47.2%)	42	(82.4%)	519 (40.0%)	0.000
ない	599	(63.7%)	159	(51.8%)	9	(17.6%)	767 (59.1%)	
無回答	9	(1.0%)	3	(1.0%)	0	(0.0%)	12 (0.9%)	
<b>HIV抗体検査経験（過去1年）</b>								
ある	173	(18.4%)	73	(23.8%)	28	(54.9%)	274 (21.1%)	0.000
その他	758	(80.6%)	231	(75.2%)	23	(45.1%)	1012 (78.0%)	
無回答	9	(1.0%)	3	(1.0%)	0	(0.0%)	12 (0.9%)	
<b>STD被診断経験（生涯）</b>								
ある	170	(18.1%)	90	(29.3%)	23	(45.1%)	283 (21.8%)	0.000
ない	706	(75.1%)	201	(65.5%)	28	(54.9%)	935 (72.0%)	
無回答	64	(6.8%)	16	(5.2%)	0	(0.0%)	80 (6.2%)	
<b>STD被診断経験（過去1年）</b>								
ある	53	(5.6%)	32	(10.4%)	11	(21.6%)	96 (7.4%)	0.000
その他	823	(87.6%)	259	(84.4%)	40	(78.4%)	1122 (86.4%)	
無回答	64	(6.8%)	16	(5.2%)	0	(0.0%)	80 (6.2%)	
<b>薬物乱用（生涯）</b>								
ある	400	(42.6%)	183	(59.6%)	36	(70.6%)	619 (47.7%)	0.000
ない	501	(53.3%)	118	(38.4%)	15	(29.4%)	634 (48.8%)	
無回答	39	(4.1%)	6	(2.0%)	0	(0.0%)	45 (3.5%)	
<b>薬物乱用（過去6ヶ月）</b>								
ある	147	(15.6%)	80	(26.1%)	14	(27.5%)	241 (18.6%)	0.000
その他	746	(79.4%)	219	(71.3%)	37	(72.5%)	1002 (77.2%)	
無回答	47	(5.0%)	8	(2.6%)	0	(0.0%)	55 (4.2%)	
<b>HIV陽性</b>								
HIV陽性	19	(2.0%)	8	(2.6%)	5	(9.8%)	32 (2.5%)	0.002
その他	921	(98.0%)	299	(97.4%)	46	(90.2%)	1266 (97.5%)	

表62. 居住地域ブロック 関東 (2007)

1298

	東京活動(akta, monthly, R2, テーリヘル)						カイ2乗検定	
	全く知らない n=940		いずれかを 知っている n=307		全てを 知っている n=51			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	172	(18.3%)	45	(14.7%)	6	(11.8%)	223 (17.2%)	0.000
2-3人	242	(25.7%)	80	(26.1%)	10	(19.6%)	332 (25.6%)	
4-5人	147	(15.6%)	41	(13.4%)	3	(5.9%)	191 (14.7%)	
6人以上	191	(20.3%)	103	(33.6%)	21	(41.2%)	315 (24.3%)	
非該当(0人)	155	(16.5%)	30	(9.8%)	9	(17.6%)	194 (14.9%)	
無回答	33	(3.5%)	8	(2.6%)	2	(3.9%)	43 (3.3%)	
<b>ナルセックス有の人のコンドーム使用状況(過去6ヶ月)</b>								
常用	211	(34.8%)	105	(44.5%)	17	(44.7%)	333 (37.8%)	0.266
それ以外	297	(48.9%)	114	(48.3%)	20	(52.6%)	431 (48.9%)	
無回答	99	(16.3%)	17	(7.2%)	1	(2.6%)	117 (13.3%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	207	(22.0%)	104	(33.9%)	25	(49.0%)	336 (25.9%)	0.000
ない	725	(77.1%)	201	(65.5%)	25	(49.0%)	951 (73.3%)	
無回答	8	(0.9%)	2	(0.7%)	1	(2.0%)	11 (0.8%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	118	(12.6%)	63	(20.5%)	11	(21.6%)	192 (14.8%)	0.001
ない	814	(86.6%)	243	(79.2%)	39	(76.5%)	1096 (84.4%)	
無回答	8	(0.9%)	1	(0.3%)	1	(2.0%)	10 (0.8%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	165	(17.6%)	115	(37.5%)	22	(43.1%)	302 (23.3%)	0.000
ない	769	(81.8%)	191	(62.2%)	28	(54.9%)	988 (76.1%)	
無回答	6	(0.6%)	1	(0.3%)	1	(2.0%)	8 (0.6%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	88	(9.4%)	77	(25.1%)	29	(56.9%)	194 (14.9%)	0.000
ない	847	(90.1%)	229	(74.6%)	21	(41.2%)	1097 (84.5%)	
無回答	5	(0.5%)	1	(0.3%)	1	(2.0%)	7 (0.5%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	137	(14.6%)	43	(14.0%)	3	(5.9%)	183 (14.1%)	0.250
ない	799	(85.0%)	261	(85.0%)	46	(90.2%)	1106 (85.2%)	
無回答	4	(0.4%)	3	(1.0%)	2	(3.9%)	9 (0.7%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	355	(37.8%)	183	(59.6%)	45	(88.2%)	583 (44.9%)	0.000
ない	579	(61.6%)	123	(40.1%)	5	(9.8%)	707 (54.5%)	
無回答	6	(0.6%)	1	(0.3%)	1	(2.0%)	8 (0.6%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	479	(51.0%)	149	(48.5%)	28	(54.9%)	656 (50.5%)	0.471
ない	450	(47.9%)	157	(51.1%)	21	(41.2%)	628 (48.4%)	
無回答	11	(1.2%)	1	(0.3%)	2	(3.9%)	14 (1.1%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	300	(31.9%)	87	(28.3%)	19	(37.3%)	406 (31.3%)	0.288
ない	629	(66.9%)	218	(71.0%)	31	(60.8%)	878 (67.6%)	
無回答	11	(1.2%)	2	(0.7%)	1	(2.0%)	14 (1.1%)	

表63. 居住地域プロック 東京 (2007)

1468

	東京活動(akta, monthly, R2, テーリヘル)						カイ2乗検定	
	全く知らない n=844		いざれかを 知っている n=518		全てを 知っている n=106			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	41	(4.9%)	17	(3.3%)	1	(0.9%)	59 (4.0%)	
20代	344	(40.8%)	191	(36.9%)	38	(35.8%)	573 (39.0%)	
30代	291	(34.5%)	230	(44.4%)	55	(51.9%)	576 (39.2%)	
40歳代	128	(15.2%)	69	(13.3%)	11	(10.4%)	208 (14.2%)	
50歳以上	37	(4.4%)	10	(1.9%)	1	(0.9%)	48 (3.3%)	
無回答	3	(0.4%)	1	(0.2%)	0	(0.0%)	4 (0.3%)	
<b>最終学歴</b>								
大卒以上	520	(61.6%)	353	(68.1%)	72	(67.9%)	945 (64.4%)	
それ以外	322	(38.2%)	162	(31.3%)	34	(32.1%)	518 (35.3%)	
無回答	2	(0.2%)	3	(0.6%)	0	(0.0%)	5 (0.3%)	
<b>知識_感染しても長生き可能</b>								
正解	553	(65.5%)	420	(81.1%)	98	(92.5%)	1071 (73.0%)	
その他	287	(34.0%)	96	(18.5%)	8	(7.5%)	391 (26.6%)	
無回答	4	(0.5%)	2	(0.4%)	0	(0.0%)	6 (0.4%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	603	(71.4%)	428	(82.6%)	97	(91.5%)	1128 (76.8%)	
その他	235	(27.8%)	88	(17.0%)	9	(8.5%)	332 (22.6%)	
無回答	6	(0.7%)	2	(0.4%)	0	(0.0%)	8 (0.5%)	
<b>知識_STDはHIV易感染</b>								
正解	521	(61.7%)	409	(79.0%)	94	(88.7%)	1024 (69.8%)	
その他	316	(37.4%)	106	(20.5%)	12	(11.3%)	434 (29.6%)	
無回答	7	(0.8%)	3	(0.6%)	0	(0.0%)	10 (0.7%)	
<b>抑うつ傾向</b>								
あり	361	(42.8%)	224	(43.2%)	44	(41.5%)	629 (42.8%)	
なし	411	(48.7%)	268	(51.7%)	53	(50.0%)	732 (49.9%)	
無回答	72	(8.5%)	26	(5.0%)	9	(8.5%)	107 (7.3%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	342	(40.5%)	343	(66.2%)	80	(75.5%)	765 (52.1%)	
ない	492	(58.3%)	173	(33.4%)	25	(23.6%)	690 (47.0%)	
無回答	10	(1.2%)	2	(0.4%)	1	(0.9%)	13 (0.9%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	170	(20.1%)	187	(36.1%)	42	(39.6%)	399 (27.2%)	
その他	664	(78.7%)	328	(63.3%)	62	(58.5%)	1054 (71.8%)	
無回答	10	(1.2%)	3	(0.6%)	2	(1.9%)	15 (1.0%)	
<b>STD被診断経験(生涯)</b>								
ある	218	(25.8%)	197	(38.0%)	47	(44.3%)	462 (31.5%)	
ない	585	(69.3%)	312	(60.2%)	56	(52.8%)	953 (64.9%)	
無回答	41	(4.9%)	9	(1.7%)	3	(2.8%)	53 (3.6%)	
<b>STD被診断経験(過去1年)</b>								
ある	68	(8.1%)	76	(14.7%)	18	(17.0%)	162 (11.0%)	
その他	733	(86.8%)	431	(83.2%)	85	(80.2%)	1249 (85.1%)	
無回答	43	(5.1%)	11	(2.1%)	3	(2.8%)	57 (3.9%)	
<b>薬物乱用(生涯)</b>								
ある	421	(49.9%)	320	(61.8%)	71	(67.0%)	812 (55.3%)	
ない	398	(47.2%)	191	(36.9%)	35	(33.0%)	624 (42.5%)	
無回答	25	(3.0%)	7	(1.4%)	0	(0.0%)	32 (2.2%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	186	(22.0%)	151	(29.2%)	41	(38.7%)	378 (25.7%)	
その他	631	(74.8%)	358	(69.1%)	63	(59.4%)	1052 (71.7%)	
無回答	27	(3.2%)	9	(1.7%)	2	(1.9%)	38 (2.6%)	
<b>HIV陽性</b>								
HIV陽性	20	(2.4%)	33	(6.4%)	13	(12.3%)	66 (4.5%)	
その他	824	(97.6%)	485	(93.6%)	93	(87.7%)	1402 (95.5%)	

表63. 居住地域ブロック 東京 (2007)

1468

	東京活動(akta, monthly, R2, テーリヘル)						カイ2乗検定	
	全く知らない n=844		いずれかを 知っている n=518		全てを 知っている n=106			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	168	(19.9%)	83	(16.0%)	14	(13.2%)	265 (18.1%)	
2-3人	195	(23.1%)	106	(20.5%)	14	(13.2%)	315 (21.5%)	
4-5人	117	(13.9%)	74	(14.3%)	19	(17.9%)	210 (14.3%)	
6人以上	222	(26.3%)	198	(38.2%)	46	(43.4%)	466 (31.7%)	
非該当(0人)	122	(14.5%)	38	(7.3%)	3	(2.8%)	163 (11.1%)	
無回答	20	(2.4%)	19	(3.7%)	10	(9.4%)	49 (3.3%)	
<b>アナルセックス有りの人のコットーム使用状況(過去6ヶ月)</b>								
常用	187	(32.1%)	145	(36.5%)	35	(40.7%)	367 (34.5%)	
それ以外	319	(54.8%)	221	(55.7%)	49	(57.0%)	589 (55.3%)	
無回答	76	(13.1%)	31	(7.8%)	2	(2.3%)	109 (10.2%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	213	(25.2%)	200	(38.6%)	50	(47.2%)	463 (31.5%)	
ない	622	(73.7%)	318	(61.4%)	56	(52.8%)	996 (67.8%)	
無回答	9	(1.1%)	0	(0.0%)	0	(0.0%)	9 (0.6%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	136	(16.1%)	122	(23.6%)	23	(21.7%)	281 (19.1%)	
ない	701	(83.1%)	394	(76.1%)	83	(78.3%)	1178 (80.2%)	
無回答	7	(0.8%)	2	(0.4%)	0	(0.0%)	9 (0.6%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	205	(24.3%)	206	(39.8%)	46	(43.4%)	457 (31.1%)	
ない	627	(74.3%)	312	(60.2%)	58	(54.7%)	997 (67.9%)	
無回答	12	(1.4%)	0	(0.0%)	2	(1.9%)	14 (1.0%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	122	(14.5%)	175	(33.8%)	51	(48.1%)	348 (23.7%)	
ない	713	(84.5%)	342	(66.0%)	55	(51.9%)	1110 (75.6%)	
無回答	9	(1.1%)	1	(0.2%)	0	(0.0%)	10 (0.7%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	119	(14.1%)	76	(14.7%)	14	(13.2%)	209 (14.2%)	
ない	717	(85.0%)	439	(84.7%)	91	(85.8%)	1247 (84.9%)	
無回答	8	(0.9%)	3	(0.6%)	1	(0.9%)	12 (0.8%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	417	(49.4%)	384	(74.1%)	96	(90.6%)	897 (61.1%)	
ない	418	(49.5%)	132	(25.5%)	10	(9.4%)	560 (38.1%)	
無回答	9	(1.1%)	2	(0.4%)	0	(0.0%)	11 (0.7%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	421	(49.9%)	269	(51.9%)	56	(52.8%)	746 (50.8%)	
ない	415	(49.2%)	246	(47.5%)	50	(47.2%)	711 (48.4%)	
無回答	8	(0.9%)	3	(0.6%)	0	(0.0%)	11 (0.7%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	243	(28.8%)	152	(29.3%)	37	(34.9%)	432 (29.4%)	
ない	589	(69.8%)	364	(70.3%)	68	(64.2%)	1021 (69.6%)	
無回答	12	(1.4%)	2	(0.4%)	1	(0.9%)	15 (1.0%)	

表64. 居住地域プロック 東海 (2007)

241

	名古屋活動(rise, ALN)						か12乗 検定	
	全く知らない n=201		いずれかを 知っている n=26		全てを 知っている n=14			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	15	(7.5%)	0	(0.0%)	1	(7.1%)	16 (6.6%)	
20代	67	(33.3%)	14	(53.8%)	8	(57.1%)	89 (36.9%)	
30代	80	(39.8%)	10	(38.5%)	5	(35.7%)	95 (39.4%)	
40歳代	26	(12.9%)	2	(7.7%)	0	(0.0%)	28 (11.6%)	
50歳以上	13	(6.5%)	0	(0.0%)	0	(0.0%)	13 (5.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>最終学歴</b>								
大卒以上	80	(39.8%)	13	(50.0%)	8	(57.1%)	101 (41.9%)	
それ以外	119	(59.2%)	13	(50.0%)	6	(42.9%)	138 (57.3%)	
無回答	2	(1.0%)	0	(0.0%)	0	(0.0%)	2 (0.8%)	
<b>知識_感染しても長生き可能</b>								
正解	121	(60.2%)	23	(88.5%)	12	(85.7%)	156 (64.7%)	
その他	80	(39.8%)	3	(11.5%)	2	(14.3%)	85 (35.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	141	(70.1%)	20	(76.9%)	14	(100.0%)	175 (72.6%)	
その他	60	(29.9%)	6	(23.1%)	0	(0.0%)	66 (27.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_STDはHIV易感染</b>								
正解	112	(55.7%)	17	(65.4%)	12	(85.7%)	141 (58.5%)	
その他	87	(43.3%)	9	(34.6%)	2	(14.3%)	98 (40.7%)	
無回答	2	(1.0%)	0	(0.0%)	0	(0.0%)	2 (0.8%)	
<b>抑うつ傾向</b>								
あり	83	(41.3%)	15	(57.7%)	6	(42.9%)	104 (43.2%)	
なし	100	(49.8%)	9	(34.6%)	6	(42.9%)	115 (47.7%)	
無回答	18	(9.0%)	2	(7.7%)	2	(14.3%)	22 (9.1%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	68	(33.8%)	16	(61.5%)	10	(71.4%)	94 (39.0%)	
ない	130	(64.7%)	10	(38.5%)	4	(28.6%)	144 (59.8%)	
無回答	3	(1.5%)	0	(0.0%)	0	(0.0%)	3 (1.2%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	35	(17.4%)	10	(38.5%)	7	(50.0%)	52 (21.6%)	
その他	163	(81.1%)	16	(61.5%)	7	(50.0%)	186 (77.2%)	
無回答	3	(1.5%)	0	(0.0%)	0	(0.0%)	3 (1.2%)	
<b>STD被診断経験(生涯)</b>								
ある	35	(17.4%)	4	(15.4%)	1	(7.1%)	40 (16.6%)	
ない	152	(75.6%)	22	(84.6%)	13	(92.9%)	187 (77.6%)	
無回答	14	(7.0%)	0	(0.0%)	0	(0.0%)	14 (5.8%)	
<b>STD被診断経験(過去1年)</b>								
ある	12	(6.0%)	3	(11.5%)	0	(0.0%)	15 (6.2%)	
その他	175	(87.1%)	23	(88.5%)	14	(100.0%)	212 (88.0%)	
無回答	14	(7.0%)	0	(0.0%)	0	(0.0%)	14 (5.8%)	
<b>薬物乱用(生涯)</b>								
ある	82	(40.8%)	14	(53.8%)	9	(64.3%)	105 (43.6%)	
ない	115	(57.2%)	11	(42.3%)	5	(35.7%)	131 (54.4%)	
無回答	4	(2.0%)	1	(3.8%)	0	(0.0%)	5 (2.1%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	28	(13.9%)	6	(23.1%)	3	(21.4%)	37 (15.4%)	
その他	167	(83.1%)	19	(73.1%)	11	(78.6%)	197 (81.7%)	
無回答	6	(3.0%)	1	(3.8%)	0	(0.0%)	7 (2.9%)	
<b>HIV陽性</b>								
HIV陽性	4	(2.0%)	1	(3.8%)	0	(0.0%)	5 (2.1%)	
その他	197	(98.0%)	25	(96.2%)	14	(100.0%)	236 (97.9%)	

表64. 居住地域ブロック 東海 (2007)

241

	名古屋活動(rise, ALN)						カイ2乗 検定	
	全く知らない n=201		いずれかを 知っている n=26		全てを 知っている n=14			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	47	(23.4%)	5	(19.2%)	1	(7.1%)	53 (22.0%)	
2-3人	56	(27.9%)	8	(30.8%)	4	(28.6%)	68 (28.2%)	
4-5人	22	(10.9%)	0	(0.0%)	2	(14.3%)	24 (10.0%)	
6人以上	37	(18.4%)	8	(30.8%)	5	(35.7%)	50 (20.7%)	
非該当(0人)	34	(16.9%)	4	(15.4%)	0	(0.0%)	38 (15.8%)	
無回答	5	(2.5%)	1	(3.8%)	2	(14.3%)	8 (3.3%)	
<b>ナルセックス有の人のコンドーム使用状況(過去6ヶ月)</b>								
常用	40	(29.4%)	1	(5.6%)	4	(33.3%)	45 (27.1%)	
それ以外	76	(55.9%)	16	(88.9%)	8	(66.7%)	100 (60.2%)	
無回答	20	(14.7%)	1	(5.6%)	0	(0.0%)	21 (12.7%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	46	(22.9%)	11	(42.3%)	4	(28.6%)	61 (25.3%)	
ない	155	(77.1%)	15	(57.7%)	10	(71.4%)	180 (74.7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	22	(10.9%)	6	(23.1%)	1	(7.1%)	29 (12.0%)	
ない	179	(89.1%)	20	(76.9%)	13	(92.9%)	212 (88.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	36	(17.9%)	7	(26.9%)	6	(42.9%)	49 (20.3%)	
ない	164	(81.6%)	19	(73.1%)	8	(57.1%)	191 (79.3%)	
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1 (0.4%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	14	(7.0%)	11	(42.3%)	8	(57.1%)	33 (13.7%)	
ない	187	(93.0%)	15	(57.7%)	6	(42.9%)	208 (86.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	26	(12.9%)	4	(15.4%)	2	(14.3%)	32 (13.3%)	
ない	174	(86.6%)	22	(84.6%)	12	(85.7%)	208 (86.3%)	
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1 (0.4%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	63	(31.3%)	14	(53.8%)	12	(85.7%)	89 (36.9%)	
ない	138	(68.7%)	11	(42.3%)	2	(14.3%)	151 (62.7%)	
無回答	0	(0.0%)	1	(3.8%)	0	(0.0%)	1 (0.4%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	106	(52.7%)	12	(46.2%)	9	(64.3%)	127 (52.7%)	
ない	93	(46.3%)	14	(53.8%)	5	(35.7%)	112 (46.5%)	
無回答	2	(1.0%)	0	(0.0%)	0	(0.0%)	2 (0.8%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	69	(34.3%)	11	(42.3%)	7	(50.0%)	87 (36.1%)	
ない	129	(64.2%)	15	(57.7%)	7	(50.0%)	151 (62.7%)	
無回答	3	(1.5%)	0	(0.0%)	0	(0.0%)	3 (1.2%)	

表65. 居住地域プロック 愛知 (2007)

343

	名古屋活動(rise, ALN)						カイ2乗検定	
	全く知らない n=239		いずれかを 知っている n=69		全てを 知っている n=35			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	21	(8.8%)	3	(4.3%)	0	(0.0%)	24 (7.0%)	0.105
20代	98	(41.0%)	27	(39.1%)	12	(34.3%)	137 (39.9%)	
30代	78	(32.6%)	28	(40.6%)	15	(42.9%)	121 (35.3%)	
40歳代	24	(10.0%)	7	(10.1%)	8	(22.9%)	39 (11.4%)	
50歳以上	17	(7.1%)	4	(5.8%)	0	(0.0%)	21 (6.1%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
<b>最終学歴</b>								
大卒以上	122	(51.0%)	41	(59.4%)	19	(54.3%)	182 (53.1%)	0.446
それ以外	117	(49.0%)	28	(40.6%)	15	(42.9%)	160 (46.6%)	
無回答	0	(0.0%)	0	(0.0%)	1	(2.9%)	1 (0.3%)	
<b>知識_感染しても長生き可能</b>								
正解	151	(63.2%)	47	(68.1%)	25	(71.4%)	223 (65.0%)	0.430
その他	85	(35.6%)	19	(27.5%)	10	(28.6%)	114 (33.2%)	
無回答	3	(1.3%)	3	(4.3%)	0	(0.0%)	6 (1.7%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	184	(77.0%)	54	(78.3%)	27	(77.1%)	265 (77.3%)	0.957
その他	52	(21.8%)	14	(20.3%)	8	(22.9%)	74 (21.6%)	
無回答	3	(1.3%)	1	(1.4%)	0	(0.0%)	4 (1.2%)	
<b>知識_STDはHIV易感染</b>								
正解	142	(59.4%)	42	(60.9%)	23	(65.7%)	207 (60.3%)	0.755
その他	97	(40.6%)	26	(37.7%)	12	(34.3%)	135 (39.4%)	
無回答	0	(0.0%)	1	(1.4%)	0	(0.0%)	1 (0.3%)	
<b>抑うつ傾向</b>								
あり	103	(43.1%)	28	(40.6%)	18	(51.4%)	149 (43.4%)	0.405
なし	110	(46.0%)	40	(58.0%)	15	(42.9%)	165 (48.1%)	
無回答	26	(10.9%)	1	(1.4%)	2	(5.7%)	29 (8.5%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	104	(43.5%)	46	(66.7%)	24	(68.6%)	174 (50.7%)	0.001
ない	130	(54.4%)	23	(33.3%)	11	(31.4%)	164 (47.8%)	
無回答	5	(2.1%)	0	(0.0%)	0	(0.0%)	5 (1.5%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	55	(23.0%)	29	(42.0%)	18	(51.4%)	102 (29.7%)	0.000
その他	179	(74.9%)	40	(58.0%)	17	(48.6%)	236 (68.8%)	
無回答	5	(2.1%)	0	(0.0%)	0	(0.0%)	5 (1.5%)	
<b>STD被診断経験(生涯)</b>								
ある	56	(23.4%)	23	(33.3%)	14	(40.0%)	93 (27.1%)	0.083
ない	168	(70.3%)	45	(65.2%)	20	(57.1%)	233 (67.9%)	
無回答	15	(6.3%)	1	(1.4%)	1	(2.9%)	17 (5.0%)	
<b>STD被診断経験(過去1年)</b>								
ある	17	(7.1%)	9	(13.0%)	7	(20.0%)	33 (9.6%)	0.041
その他	207	(86.6%)	59	(85.5%)	27	(77.1%)	293 (85.4%)	
無回答	15	(6.3%)	1	(1.4%)	1	(2.9%)	17 (5.0%)	
<b>薬物乱用(生涯)</b>								
ある	110	(46.0%)	40	(58.0%)	19	(54.3%)	169 (49.3%)	0.237
ない	115	(48.1%)	27	(39.1%)	14	(40.0%)	156 (45.5%)	
無回答	14	(5.9%)	2	(2.9%)	2	(5.7%)	18 (5.2%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	48	(20.1%)	16	(23.2%)	13	(37.1%)	77 (22.4%)	0.068
その他	172	(72.0%)	49	(71.0%)	19	(54.3%)	240 (70.0%)	
無回答	19	(7.9%)	4	(5.8%)	3	(8.6%)	26 (7.6%)	
<b>HIV陽性</b>								
HIV陽性	6	(2.5%)	6	(8.7%)	3	(8.6%)	15 (4.4%)	0.038
その他	233	(97.5%)	63	(91.3%)	32	(91.4%)	328 (95.6%)	

表65. 居住地域ブロック 愛知 (2007)

343

	名古屋活動(rise, ALN)						カイ2乗 検定		
	全く知らない n=239		いずれかを 知っている n=69		全てを 知っている n=35				
	n	%	n	%	n	%			
<b>相手の数(過去6ヶ月間)</b>									
1人	32	(13.4%)	16	(23.2%)	6	(17.1%)	54	(15.7%)	0.725
2-3人	66	(27.6%)	14	(20.3%)	9	(25.7%)	89	(25.9%)	
4-5人	36	(15.1%)	8	(11.6%)	5	(14.3%)	49	(14.3%)	
6人以上	68	(28.5%)	21	(30.4%)	10	(28.6%)	99	(28.9%)	
非該当(0人)	30	(12.6%)	9	(13.0%)	3	(8.6%)	42	(12.2%)	
無回答	7	(2.9%)	1	(1.4%)	2	(5.7%)	10	(2.9%)	
<b>アナルセックス有りの人のコンドーム使用状況(過去6ヶ月)</b>									
常用	58	(33.1%)	27	(52.9%)	10	(38.5%)	95	(37.7%)	0.053
それ以外	92	(52.6%)	19	(37.3%)	15	(57.7%)	126	(50.0%)	
無回答	25	(14.3%)	5	(9.8%)	1	(3.8%)	31	(12.3%)	
<b>サウナ系利用(過去6ヶ月間)</b>									
ある	66	(27.6%)	28	(40.6%)	17	(48.6%)	111	(32.4%)	0.012
ない	173	(72.4%)	41	(59.4%)	18	(51.4%)	232	(67.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>ビデオ系利用(過去6ヶ月間)</b>									
ある	24	(10.0%)	8	(11.6%)	7	(20.0%)	39	(11.4%)	0.222
ない	215	(90.0%)	61	(88.4%)	28	(80.0%)	304	(88.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>マンション系利用(過去6ヶ月間)</b>									
ある	41	(17.2%)	17	(24.6%)	11	(31.4%)	69	(20.1%)	0.079
ない	198	(82.8%)	51	(73.9%)	24	(68.6%)	273	(79.6%)	
無回答	0	(0.0%)	1	(1.4%)	0	(0.0%)	1	(0.3%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>									
ある	32	(13.4%)	13	(18.8%)	13	(37.1%)	58	(16.9%)	0.002
ない	206	(86.2%)	56	(81.2%)	22	(62.9%)	284	(82.8%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>									
ある	36	(15.1%)	7	(10.1%)	3	(8.6%)	46	(13.4%)	0.400
ない	203	(84.9%)	61	(88.4%)	32	(91.4%)	296	(86.3%)	
無回答	0	(0.0%)	1	(1.4%)	0	(0.0%)	1	(0.3%)	
<b>ゲイバー利用(過去6ヶ月間)</b>									
ある	90	(37.7%)	46	(66.7%)	29	(82.9%)	165	(48.1%)	0.000
ない	149	(62.3%)	23	(33.3%)	6	(17.1%)	178	(51.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>									
ある	137	(57.3%)	43	(62.3%)	19	(54.3%)	199	(58.0%)	0.690
ない	101	(42.3%)	26	(37.7%)	16	(45.7%)	143	(41.7%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>									
ある	101	(42.3%)	32	(46.4%)	13	(37.1%)	146	(42.6%)	0.657
ない	138	(57.7%)	37	(53.6%)	22	(62.9%)	197	(57.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	

表66. 居住地域ブロック 近畿 (2007)

523

	大阪活動(mash, sal+, dista)						カイ2乗検定	
	全く知らない n=339		いずれかを 知っている n=119		全てを 知っている n=65			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	37	(10.9%)	9	(7.6%)	1	(1.5%)	47 (9.0%) 0.020	
20代	142	(41.9%)	47	(39.5%)	30	(46.2%)	219 (41.9%)	
30代	89	(26.3%)	43	(36.1%)	28	(43.1%)	160 (30.6%)	
40歳代	46	(13.6%)	16	(13.4%)	5	(7.7%)	67 (12.8%)	
50歳以上	23	(6.8%)	4	(3.4%)	1	(1.5%)	28 (5.4%)	
無回答	2	(0.6%)	0	(0.0%)	0	(0.0%)	2 (0.4%)	
<b>最終学歴</b>								
大卒以上	190	(56.0%)	73	(61.3%)	39	(60.0%)	302 (57.7%) 0.558	
それ以外	149	(44.0%)	46	(38.7%)	26	(40.0%)	221 (42.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_感染しても長生き可能</b>								
正解	208	(61.4%)	90	(75.6%)	57	(87.7%)	355 (67.9%) 0.000	
その他	130	(38.3%)	29	(24.4%)	8	(12.3%)	167 (31.9%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1 (0.2%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	241	(71.1%)	102	(85.7%)	58	(89.2%)	401 (76.7%) 0.000	
その他	95	(28.0%)	17	(14.3%)	6	(9.2%)	118 (22.6%)	
無回答	3	(0.9%)	0	(0.0%)	1	(1.5%)	4 (0.8%)	
<b>知識_STDはHIV易感染</b>								
正解	188	(55.5%)	84	(70.6%)	55	(84.6%)	327 (62.5%) 0.000	
その他	148	(43.7%)	35	(29.4%)	10	(15.4%)	193 (36.9%)	
無回答	3	(0.9%)	0	(0.0%)	0	(0.0%)	3 (0.6%)	
<b>抑うつ傾向</b>								
あり	147	(43.4%)	54	(45.4%)	31	(47.7%)	232 (44.4%) 0.988	
なし	168	(49.6%)	61	(51.3%)	34	(52.3%)	263 (50.3%)	
無回答	24	(7.1%)	4	(3.4%)	0	(0.0%)	28 (5.4%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	96	(28.3%)	67	(56.3%)	48	(73.8%)	211 (40.3%) 0.000	
ない	237	(69.9%)	50	(42.0%)	15	(23.1%)	302 (57.7%)	
無回答	6	(1.8%)	2	(1.7%)	2	(3.1%)	10 (1.9%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	49	(14.5%)	33	(27.7%)	24	(36.9%)	106 (20.3%) 0.000	
その他	284	(83.8%)	83	(69.7%)	37	(56.9%)	404 (77.2%)	
無回答	6	(1.8%)	3	(2.5%)	4	(6.2%)	13 (2.5%)	
<b>STD被診断経験(生涯)</b>								
ある	55	(16.2%)	35	(29.4%)	24	(36.9%)	114 (21.8%) 0.000	
ない	257	(75.8%)	73	(61.3%)	40	(61.5%)	370 (70.7%)	
無回答	27	(8.0%)	11	(9.2%)	1	(1.5%)	39 (7.5%)	
<b>STD被診断経験(過去1年)</b>								
ある	21	(6.2%)	12	(10.1%)	9	(13.8%)	42 (8.0%) 0.098	
その他	291	(85.8%)	96	(80.7%)	55	(84.6%)	442 (84.5%)	
無回答	27	(8.0%)	11	(9.2%)	1	(1.5%)	39 (7.5%)	
<b>薬物乱用(生涯)</b>								
ある	148	(43.7%)	65	(54.6%)	45	(69.2%)	258 (49.3%) 0.000	
ない	174	(51.3%)	47	(39.5%)	17	(26.2%)	238 (45.5%)	
無回答	17	(5.0%)	7	(5.9%)	3	(4.6%)	27 (5.2%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	60	(17.7%)	33	(27.7%)	22	(33.8%)	115 (22.0%) 0.004	
その他	257	(75.8%)	79	(66.4%)	40	(61.5%)	376 (71.9%)	
無回答	22	(6.5%)	7	(5.9%)	3	(4.6%)	32 (6.1%)	
<b>HIV陽性</b>								
HIV陽性	4	(1.2%)	2	(1.7%)	6	(9.2%)	12 (2.3%) 0.000	
その他	335	(98.8%)	117	(98.3%)	59	(90.8%)	511 (97.7%)	

表66. 居住地域ブロック 近畿 (2007)

523

	大阪活動(mash, sal+, dista)						カイ2乗 検定	
	全く知らない n=339		いずれかを 知っている n=119		全てを 知っている n=65			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	67	(19.8%)	16	(13.4%)	11	(16.9%)	94 (18.0%)	
2-3人	77	(22.7%)	22	(18.5%)	13	(20.0%)	112 (21.4%)	
4-5人	43	(12.7%)	17	(14.3%)	6	(9.2%)	66 (12.6%)	
6人以上	89	(26.3%)	48	(40.3%)	24	(36.9%)	161 (30.8%)	
非該当(0人)	50	(14.7%)	10	(8.4%)	5	(7.7%)	65 (12.4%)	
無回答	13	(3.8%)	6	(5.0%)	6	(9.2%)	25 (4.8%)	
<b>アナルセックス有りの人のコンドーム使用状況(過去6ヶ月)</b>								
常用	62	(28.7%)	31	(32.0%)	25	(48.1%)	118 (32.3%)	
それ以外	119	(55.1%)	56	(57.7%)	25	(48.1%)	200 (54.8%)	
無回答	35	(16.2%)	10	(10.3%)	2	(3.8%)	47 (12.9%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	90	(26.5%)	57	(47.9%)	37	(56.9%)	184 (35.2%)	
ない	246	(72.6%)	62	(52.1%)	28	(43.1%)	336 (64.2%)	
無回答	3	(0.9%)	0	(0.0%)	0	(0.0%)	3 (0.6%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	35	(10.3%)	28	(23.5%)	11	(16.9%)	74 (14.1%)	
ない	302	(89.1%)	91	(76.5%)	54	(83.1%)	447 (85.5%)	
無回答	2	(0.6%)	0	(0.0%)	0	(0.0%)	2 (0.4%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	57	(16.8%)	35	(29.4%)	23	(35.4%)	115 (22.0%)	
ない	279	(82.3%)	84	(70.6%)	42	(64.6%)	405 (77.4%)	
無回答	3	(0.9%)	0	(0.0%)	0	(0.0%)	3 (0.6%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	27	(8.0%)	37	(31.1%)	40	(61.5%)	104 (19.9%)	
ない	311	(91.7%)	82	(68.9%)	25	(38.5%)	418 (79.9%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1 (0.2%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	47	(13.9%)	13	(10.9%)	6	(9.2%)	66 (12.6%)	
ない	291	(85.8%)	106	(89.1%)	59	(90.8%)	456 (87.2%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1 (0.2%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	104	(30.7%)	80	(67.2%)	54	(83.1%)	238 (45.5%)	
ない	233	(68.7%)	39	(32.8%)	10	(15.4%)	282 (53.9%)	
無回答	2	(0.6%)	0	(0.0%)	1	(1.5%)	3 (0.6%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	186	(54.9%)	75	(63.0%)	32	(49.2%)	293 (56.0%)	
ない	150	(44.2%)	44	(37.0%)	32	(49.2%)	226 (43.2%)	
無回答	3	(0.9%)	0	(0.0%)	1	(1.5%)	4 (0.8%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	134	(39.5%)	51	(42.9%)	23	(35.4%)	208 (39.8%)	
ない	202	(59.6%)	67	(56.3%)	42	(64.6%)	311 (59.5%)	
無回答	3	(0.9%)	1	(0.8%)	0	(0.0%)	4 (0.8%)	

表67. 居住地域ブロック 大阪 (2007)

592

	大阪活動(mash, sal+, dista)						カイ2乗検定	
	全く知らない n=288		いずれかを 知っている n=187		全てを 知っている n=117			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	25	(8.7%)	6	(3.2%)	5	(4.3%)	36 (6.1%)	
20代	117	(40.6%)	69	(36.9%)	56	(47.9%)	242 (40.9%)	
30代	89	(30.9%)	81	(43.3%)	37	(31.6%)	207 (35.0%)	
40歳代	33	(11.5%)	28	(15.0%)	16	(13.7%)	77 (13.0%)	
50歳以上	24	(8.3%)	3	(1.6%)	3	(2.6%)	30 (5.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>最終学歴</b>								
大卒以上	147	(51.0%)	108	(57.8%)	61	(52.1%)	316 (53.4%)	
それ以外	140	(48.6%)	79	(42.2%)	56	(47.9%)	275 (46.5%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1 (0.2%)	
<b>知識_感染しても長生き可能</b>								
正解	180	(62.5%)	139	(74.3%)	97	(82.9%)	416 (70.3%)	
その他	108	(37.5%)	47	(25.1%)	20	(17.1%)	175 (29.6%)	
無回答	0	(0.0%)	1	(0.5%)	0	(0.0%)	1 (0.2%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	214	(74.3%)	157	(84.0%)	101	(86.3%)	472 (79.7%)	
その他	73	(25.3%)	27	(14.4%)	16	(13.7%)	116 (19.6%)	
無回答	1	(0.3%)	3	(1.6%)	0	(0.0%)	4 (0.7%)	
<b>知識_STDはHIV易感染</b>								
正解	157	(54.5%)	138	(73.8%)	99	(84.6%)	394 (66.6%)	
その他	130	(45.1%)	47	(25.1%)	18	(15.4%)	195 (32.9%)	
無回答	1	(0.3%)	2	(1.1%)	0	(0.0%)	3 (0.5%)	
<b>抑うつ傾向</b>								
あり	119	(41.3%)	93	(49.7%)	51	(43.6%)	263 (44.4%)	
なし	145	(50.3%)	82	(43.9%)	62	(53.0%)	289 (48.8%)	
無回答	24	(8.3%)	12	(6.4%)	4	(3.4%)	40 (6.8%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	78	(27.1%)	118	(63.1%)	90	(76.9%)	286 (48.3%)	
ない	206	(71.5%)	69	(36.9%)	27	(23.1%)	302 (51.0%)	
無回答	4	(1.4%)	0	(0.0%)	0	(0.0%)	4 (0.7%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	37	(12.8%)	61	(32.6%)	49	(41.9%)	147 (24.8%)	
その他	247	(85.8%)	126	(67.4%)	67	(57.3%)	440 (74.3%)	
無回答	4	(1.4%)	0	(0.0%)	1	(0.9%)	5 (0.8%)	
<b>STD被診断経験(生涯)</b>								
ある	47	(16.3%)	74	(39.6%)	46	(39.3%)	167 (28.2%)	
ない	223	(77.4%)	111	(59.4%)	65	(55.6%)	399 (67.4%)	
無回答	18	(6.3%)	2	(1.1%)	6	(5.1%)	26 (4.4%)	
<b>STD被診断経験(過去1年)</b>								
ある	14	(4.9%)	34	(18.2%)	20	(17.1%)	68 (11.5%)	
その他	256	(88.9%)	151	(80.7%)	91	(77.8%)	498 (84.1%)	
無回答	18	(6.3%)	2	(1.1%)	6	(5.1%)	26 (4.4%)	
<b>薬物乱用(生涯)</b>								
ある	114	(39.6%)	125	(66.8%)	87	(74.4%)	326 (55.1%)	
ない	163	(56.6%)	60	(32.1%)	29	(24.8%)	252 (42.6%)	
無回答	11	(3.8%)	2	(1.1%)	1	(0.9%)	14 (2.4%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	35	(12.2%)	58	(31.0%)	45	(38.5%)	138 (23.3%)	
その他	238	(82.6%)	125	(66.8%)	70	(59.8%)	433 (73.1%)	
無回答	15	(5.2%)	4	(2.1%)	2	(1.7%)	21 (3.5%)	
<b>HIV陽性</b>								
HIV陽性	4	(1.4%)	20	(10.7%)	9	(7.7%)	33 (5.6%)	
その他	284	(98.6%)	167	(89.3%)	108	(92.3%)	559 (94.4%)	

表67. 居住地域ブロック 大阪 (2007)

592

	大阪活動 (mash, sal+, dista)						カイ2乗検定	
	全く知らない n=288		いずれかを 知っている n=187		全てを 知っている n=117			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	52	(18.1%)	39	(20.9%)	16	(13.7%)	107 (18.1%)	
2-3人	82	(28.5%)	28	(15.0%)	19	(16.2%)	129 (21.8%)	
4-5人	36	(12.5%)	33	(17.6%)	18	(15.4%)	87 (14.7%)	
6人以上	64	(22.2%)	64	(34.2%)	51	(43.6%)	179 (30.2%)	
非該当(0人)	48	(16.7%)	17	(9.1%)	8	(6.8%)	73 (12.3%)	
無回答	6	(2.1%)	6	(3.2%)	5	(4.3%)	17 (2.9%)	
<b>アナルセックス有りの人のコンドーム使用状況(過去6ヶ月)</b>								
常用	59	(29.8%)	39	(26.9%)	37	(38.5%)	135 (30.8%)	
それ以外	109	(55.1%)	86	(59.3%)	52	(54.2%)	247 (56.3%)	
無回答	30	(15.2%)	20	(13.8%)	7	(7.3%)	57 (13.0%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	88	(30.6%)	91	(48.7%)	69	(59.0%)	248 (41.9%)	
ない	197	(68.4%)	95	(50.8%)	48	(41.0%)	340 (57.4%)	
無回答	3	(1.0%)	1	(0.5%)	0	(0.0%)	4 (0.7%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	29	(10.1%)	28	(15.0%)	13	(11.1%)	70 (11.8%)	
ない	257	(89.2%)	157	(84.0%)	104	(88.9%)	518 (87.5%)	
無回答	2	(0.7%)	2	(1.1%)	0	(0.0%)	4 (0.7%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	46	(16.0%)	40	(21.4%)	33	(28.2%)	119 (20.1%)	
ない	241	(83.7%)	145	(77.5%)	84	(71.8%)	470 (79.4%)	
無回答	1	(0.3%)	2	(1.1%)	0	(0.0%)	3 (0.5%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	26	(9.0%)	56	(29.9%)	61	(52.1%)	143 (24.2%)	
ない	259	(89.9%)	130	(69.5%)	56	(47.9%)	445 (75.2%)	
無回答	3	(1.0%)	1	(0.5%)	0	(0.0%)	4 (0.7%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	39	(13.5%)	20	(10.7%)	7	(6.0%)	66 (11.1%)	
ない	247	(85.8%)	166	(88.8%)	109	(93.2%)	522 (88.2%)	
無回答	2	(0.7%)	1	(0.5%)	1	(0.9%)	4 (0.7%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	89	(30.9%)	122	(65.2%)	107	(91.5%)	318 (53.7%)	
ない	194	(67.4%)	64	(34.2%)	10	(8.5%)	268 (45.3%)	
無回答	5	(1.7%)	1	(0.5%)	0	(0.0%)	6 (1.0%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	153	(53.1%)	101	(54.0%)	61	(52.1%)	315 (53.2%)	
ない	131	(45.5%)	85	(45.5%)	56	(47.9%)	272 (45.9%)	
無回答	4	(1.4%)	1	(0.5%)	0	(0.0%)	5 (0.8%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	107	(37.2%)	69	(36.9%)	44	(37.6%)	220 (37.2%)	
ない	180	(62.5%)	113	(60.4%)	73	(62.4%)	366 (61.8%)	
無回答	1	(0.3%)	5	(2.7%)	0	(0.0%)	6 (1.0%)	

表68. 居住地域ブロック 九州 (2007)

300

	福岡活動(haco, season, laf)						か12乗 検定	
	全く知らない n=260		いずれかを 知っている n=34		全てを 知っている n=6			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	15	(5.8%)	0	(0.0%)	0	(0.0%)	15 (5.0%)	
20代	86	(33.1%)	13	(38.2%)	2	(33.3%)	101 (33.7%)	
30代	97	(37.3%)	14	(41.2%)	2	(33.3%)	113 (37.7%)	
40歳代	36	(13.8%)	6	(17.6%)	0	(0.0%)	42 (14.0%)	
50歳以上	25	(9.6%)	1	(2.9%)	2	(33.3%)	28 (9.3%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
<b>最終学歴</b>								
大卒以上	126	(48.5%)	14	(41.2%)	4	(66.7%)	144 (48.0%)	
それ以外	134	(51.5%)	20	(58.8%)	2	(33.3%)	156 (52.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_感染しても長生き可能</b>								
正解	178	(68.5%)	21	(61.8%)	4	(66.7%)	203 (67.7%)	
その他	81	(31.2%)	13	(38.2%)	2	(33.3%)	96 (32.0%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	190	(73.1%)	23	(67.6%)	5	(83.3%)	218 (72.7%)	
その他	67	(25.8%)	11	(32.4%)	1	(16.7%)	79 (26.3%)	
無回答	3	(1.2%)	0	(0.0%)	0	(0.0%)	3 (1.0%)	
<b>知識_STDはHIV易感染</b>								
正解	158	(60.8%)	19	(55.9%)	4	(66.7%)	181 (60.3%)	
その他	102	(39.2%)	15	(44.1%)	2	(33.3%)	119 (39.7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>抑うつ傾向</b>								
あり	124	(47.7%)	17	(50.0%)	2	(33.3%)	143 (47.7%)	
なし	122	(46.9%)	14	(41.2%)	4	(66.7%)	140 (46.7%)	
無回答	14	(5.4%)	3	(8.8%)	0	(0.0%)	17 (5.7%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	92	(35.4%)	14	(41.2%)	2	(33.3%)	108 (36.0%)	
ない	165	(63.5%)	19	(55.9%)	4	(66.7%)	188 (62.7%)	
無回答	3	(1.2%)	1	(2.9%)	0	(0.0%)	4 (1.3%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	41	(15.8%)	7	(20.6%)	2	(33.3%)	50 (16.7%)	
その他	216	(83.1%)	25	(73.5%)	4	(66.7%)	245 (81.7%)	
無回答	3	(1.2%)	2	(5.9%)	0	(0.0%)	5 (1.7%)	
<b>STD被診断経験(生涯)</b>								
ある	46	(17.7%)	5	(14.7%)	1	(16.7%)	52 (17.3%)	
ない	192	(73.8%)	27	(79.4%)	4	(66.7%)	223 (74.3%)	
無回答	22	(8.5%)	2	(5.9%)	1	(16.7%)	25 (8.3%)	
<b>STD被診断経験(過去1年)</b>								
ある	15	(5.8%)	1	(2.9%)	1	(16.7%)	17 (5.7%)	
その他	223	(85.8%)	31	(91.2%)	4	(66.7%)	258 (86.0%)	
無回答	22	(8.5%)	2	(5.9%)	1	(16.7%)	25 (8.3%)	
<b>薬物乱用(生涯)</b>								
ある	122	(46.9%)	17	(50.0%)	4	(66.7%)	143 (47.7%)	
ない	122	(46.9%)	17	(50.0%)	2	(33.3%)	141 (47.0%)	
無回答	16	(6.2%)	0	(0.0%)	0	(0.0%)	16 (5.3%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	48	(18.5%)	7	(20.6%)	2	(33.3%)	57 (19.0%)	
その他	193	(74.2%)	25	(73.5%)	4	(66.7%)	222 (74.0%)	
無回答	19	(7.3%)	2	(5.9%)	0	(0.0%)	21 (7.0%)	
<b>HIV陽性</b>								
HIV陽性	7	(2.7%)	0	(0.0%)	0	(0.0%)	7 (2.3%)	
その他	253	(97.3%)	34	(100.0%)	6	(100.0%)	293 (97.7%)	

表68. 居住地域ブロック 九州 (2007)

300

	福岡活動(haco, season, laf)						カイ2乗 検定	
	全く知らない n=260		いずれかを 知っている n=34		全てを 知っている n=6			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	41	(15.8%)	4	(11.8%)	0	(0.0%)	45 (15.0%)	12.937
2~3人	64	(24.6%)	8	(23.5%)	1	(16.7%)	73 (24.3%)	
4~5人	53	(20.4%)	5	(14.7%)	2	(33.3%)	60 (20.0%)	
6人以上	39	(15.0%)	11	(32.4%)	3	(50.0%)	53 (17.7%)	
非該当(0人)	50	(19.2%)	4	(11.8%)	0	(0.0%)	54 (18.0%)	
無回答	13	(5.0%)	2	(5.9%)	0	(0.0%)	15 (5.0%)	
<b>ナルセックス有りの人のコンドーム使用状況(過去6ヶ月)</b>								
常用	46	(26.4%)	10	(40.0%)	2	(33.3%)	58 (28.3%)	1.055
それ以外	102	(58.6%)	14	(56.0%)	4	(66.7%)	120 (58.5%)	
無回答	26	(14.9%)	1	(4.0%)	0	(0.0%)	27 (13.2%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	56	(21.5%)	12	(35.3%)	3	(50.0%)	71 (23.7%)	5.368
ない	202	(77.7%)	22	(64.7%)	3	(50.0%)	227 (75.7%)	
無回答	2	(0.8%)	0	(0.0%)	0	(0.0%)	2 (0.7%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	11	(4.2%)	4	(11.8%)	0	(0.0%)	15 (5.0%)	3.806
ない	245	(94.2%)	30	(88.2%)	6	(100.0%)	281 (93.7%)	
無回答	4	(1.5%)	0	(0.0%)	0	(0.0%)	4 (1.3%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	47	(18.1%)	11	(32.4%)	2	(33.3%)	60 (20.0%)	4.283
ない	209	(80.4%)	23	(67.6%)	4	(66.7%)	236 (78.7%)	
無回答	4	(1.5%)	0	(0.0%)	0	(0.0%)	4 (1.3%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	24	(9.2%)	12	(35.3%)	3	(50.0%)	39 (13.0%)	25.324
ない	235	(90.4%)	22	(64.7%)	3	(50.0%)	260 (86.7%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	21	(8.1%)	3	(8.8%)	0	(0.0%)	24 (8.0%)	0.573
ない	235	(90.4%)	30	(88.2%)	6	(100.0%)	271 (90.3%)	
無回答	4	(1.5%)	1	(2.9%)	0	(0.0%)	5 (1.7%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	95	(36.5%)	21	(61.8%)	5	(83.3%)	121 (40.3%)	12.385
ない	163	(62.7%)	13	(38.2%)	1	(16.7%)	177 (59.0%)	
無回答	2	(0.8%)	0	(0.0%)	0	(0.0%)	2 (0.7%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	149	(57.3%)	14	(41.2%)	2	(33.3%)	165 (55.0%)	4.432
ない	110	(42.3%)	20	(58.8%)	4	(66.7%)	134 (44.7%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	98	(37.7%)	10	(29.4%)	4	(66.7%)	112 (37.3%)	3.168
ない	158	(60.8%)	24	(70.6%)	2	(33.3%)	184 (61.3%)	
無回答	4	(1.5%)	0	(0.0%)	0	(0.0%)	4 (1.3%)	

表69. 居住地域ブロック 福岡 (2007)

316

	福岡活動(haco, season, laf)						か12乗 検定	
	全く知らない n=173		いずれかを 知っている n=99		全てを 知っている n=44			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10代	15	(8.7%)	5	(5.1%)	1	(2.3%)	21 (6.6%)	
20代	70	(40.5%)	47	(47.5%)	17	(38.6%)	134 (42.4%)	
30代	58	(33.5%)	31	(31.3%)	23	(52.3%)	112 (35.4%)	
40歳代	23	(13.3%)	13	(13.1%)	3	(6.8%)	39 (12.3%)	
50歳以上	7	(4.0%)	3	(3.0%)	0	(0.0%)	10 (3.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>最終学歴</b>								
大卒以上	97	(56.1%)	51	(51.5%)	16	(36.4%)	164 (51.9%)	
それ以外	75	(43.4%)	48	(48.5%)	28	(63.6%)	151 (47.8%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
<b>知識_感染しても長生き可能</b>								
正解	114	(65.9%)	67	(67.7%)	34	(77.3%)	215 (68.0%)	
その他	59	(34.1%)	30	(30.3%)	9	(20.5%)	98 (31.0%)	
無回答	0	(0.0%)	2	(2.0%)	1	(2.3%)	3 (0.9%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	125	(72.3%)	82	(82.8%)	41	(93.2%)	248 (78.5%)	
その他	48	(27.7%)	17	(17.2%)	3	(6.8%)	68 (21.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_STDIはHIV易感染</b>								
正解	111	(64.2%)	66	(66.7%)	33	(75.0%)	210 (66.5%)	
その他	62	(35.8%)	33	(33.3%)	11	(25.0%)	106 (33.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>抑うつ傾向</b>								
あり	65	(37.6%)	45	(45.5%)	16	(36.4%)	126 (39.9%)	
なし	95	(54.9%)	49	(49.5%)	25	(56.8%)	169 (53.5%)	
無回答	13	(7.5%)	5	(5.1%)	3	(6.8%)	21 (6.6%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	56	(32.4%)	41	(41.4%)	27	(61.4%)	124 (39.2%)	
ない	114	(65.9%)	57	(57.6%)	17	(38.6%)	188 (59.5%)	
無回答	3	(1.7%)	1	(1.0%)	0	(0.0%)	4 (1.3%)	
<b>HIV抗体検査経験(過去1年)</b>								
ある	28	(16.2%)	22	(22.2%)	16	(36.4%)	66 (20.9%)	
その他	142	(82.1%)	76	(76.8%)	28	(63.6%)	246 (77.8%)	
無回答	3	(1.7%)	1	(1.0%)	0	(0.0%)	4 (1.3%)	
<b>STD被診断経験(生涯)</b>								
ある	34	(19.7%)	26	(26.3%)	18	(40.9%)	78 (24.7%)	
ない	132	(76.3%)	65	(65.7%)	25	(56.8%)	222 (70.3%)	
無回答	7	(4.0%)	8	(8.1%)	1	(2.3%)	16 (5.1%)	
<b>STD被診断経験(過去1年)</b>								
ある	6	(3.5%)	9	(9.1%)	7	(15.9%)	22 (7.0%)	
その他	159	(91.9%)	82	(82.8%)	36	(81.8%)	277 (87.7%)	
無回答	8	(4.6%)	8	(8.1%)	1	(2.3%)	17 (5.4%)	
<b>薬物乱用(生涯)</b>								
ある	87	(50.3%)	57	(57.6%)	35	(79.5%)	179 (56.6%)	
ない	83	(48.0%)	42	(42.4%)	9	(20.5%)	134 (42.4%)	
無回答	3	(1.7%)	0	(0.0%)	0	(0.0%)	3 (0.9%)	
<b>薬物乱用(過去6ヶ月)</b>								
ある	32	(18.5%)	24	(24.2%)	17	(38.6%)	73 (23.1%)	
その他	137	(79.2%)	74	(74.7%)	25	(56.8%)	236 (74.7%)	
無回答	4	(2.3%)	1	(1.0%)	2	(4.5%)	7 (2.2%)	
<b>HIV陽性</b>								
HIV陽性	3	(1.7%)	3	(3.0%)	1	(2.3%)	7 (2.2%)	
その他	170	(98.3%)	96	(97.0%)	43	(97.7%)	309 (97.8%)	

表69. 居住地域 ブロック 福岡 (2007)

316

	福岡活動(haco, season, laf)						カイ2乗 検定	
	全く知らない n=173		いずれかを 知っている n=99		全てを 知っている n=44			
	n	%	n	%	n	%		
相手の数(過去6ヶ月間)								
1人	34	(19.7%)	15	(15.2%)	7	(15.9%)	56 (17.7%)	24.413
2-3人	50	(28.9%)	18	(18.2%)	6	(13.6%)	74 (23.4%)	
4-5人	24	(13.9%)	18	(18.2%)	3	(6.8%)	45 (14.2%)	
6人以上	39	(22.5%)	38	(38.4%)	25	(56.8%)	102 (32.3%)	
非該当(0人)	17	(9.8%)	7	(7.1%)	2	(4.5%)	26 (8.2%)	
無回答	9	(5.2%)	3	(3.0%)	1	(2.3%)	13 (4.1%)	
ナルセックス有の人のコットーム使用状況(過去6ヶ月)								
常用	38	(29.9%)	25	(29.8%)	17	(42.5%)	80 (31.9%)	0.641
それ以外	63	(49.6%)	41	(48.8%)	21	(52.5%)	125 (49.8%)	
無回答	26	(20.5%)	18	(21.4%)	2	(5.0%)	46 (18.3%)	
サウナ系利用(過去6ヶ月間)								
ある	33	(19.1%)	27	(27.3%)	14	(31.8%)	74 (23.4%)	4.359
ない	139	(80.3%)	71	(71.7%)	30	(68.2%)	240 (75.9%)	
無回答	1	(0.6%)	1	(1.0%)	0	(0.0%)	2 (0.6%)	
ビデオ系利用(過去6ヶ月間)								
ある	12	(6.9%)	11	(11.1%)	3	(6.8%)	26 (8.2%)	1.588
ない	161	(93.1%)	88	(88.9%)	41	(93.2%)	290 (91.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
マンション系利用(過去6ヶ月間)								
ある	42	(24.3%)	28	(28.3%)	23	(52.3%)	93 (29.4%)	13.115
ない	130	(75.1%)	70	(70.7%)	21	(47.7%)	221 (69.9%)	
無回答	1	(0.6%)	1	(1.0%)	0	(0.0%)	2 (0.6%)	
クラブ(男性限定)(過去6ヶ月間)								
ある	13	(7.5%)	23	(23.2%)	21	(47.7%)	57 (18.0%)	40.999
ない	160	(92.5%)	76	(76.8%)	23	(52.3%)	259 (82.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
お金払ってセックスの経験(過去6ヶ月間)								
ある	19	(11.0%)	11	(11.1%)	1	(2.3%)	31 (9.8%)	3.322
ない	152	(87.9%)	88	(88.9%)	43	(97.7%)	283 (89.6%)	
無回答	2	(1.2%)	0	(0.0%)	0	(0.0%)	2 (0.6%)	
ゲイバー利用(過去6ヶ月間)								
ある	57	(32.9%)	66	(66.7%)	39	(88.6%)	162 (51.3%)	56.620
ない	115	(66.5%)	33	(33.3%)	5	(11.4%)	153 (48.4%)	
無回答	1	(0.6%)	0	(0.0%)	0	(0.0%)	1 (0.3%)	
ネット相手とセックスの経験(過去6ヶ月間)								
ある	97	(56.1%)	64	(64.6%)	26	(59.1%)	187 (59.2%)	2.214
ない	76	(43.9%)	34	(34.3%)	18	(40.9%)	128 (40.5%)	
無回答	0	(0.0%)	1	(1.0%)	0	(0.0%)	1 (0.3%)	
携帯相手とセックスの経験(過去6ヶ月間)								
ある	74	(42.8%)	42	(42.4%)	20	(45.5%)	136 (43.0%)	0.229
ない	99	(57.2%)	57	(57.6%)	23	(52.3%)	179 (56.6%)	
無回答	0	(0.0%)	0	(0.0%)	1	(2.3%)	1 (0.3%)	

表70. 居住地域 ブロック (2007)

	北海道, 北陸, 信 越, 中四国, 沖縄	
	n	%
<b>年齢階級</b>		
10代	55	(6. 0%)
20代	371	(40. 2%)
30代	332	(35. 9%)
40歳代	112	(12. 1%)
50歳以上	40	(4. 3%)
無回答	14	(1. 5%)
<b>最終学歴</b>		
大卒以上	476	(51. 5%)
それ以外	443	(47. 9%)
無回答	5	(0. 5%)
<b>知識_感染しても長生き可能</b>		
正解	593	(64. 2%)
その他	330	(35. 7%)
無回答	1	(0. 1%)
<b>知識_HIV検査感染から3日で可</b>		
正解	694	(75. 1%)
その他	227	(24. 6%)
無回答	3	(0. 3%)
<b>知識_STDはHIV易感染</b>		
正解	556	(60. 2%)
その他	365	(39. 5%)
無回答	3	(0. 3%)
<b>抑うつ傾向</b>		
あり	376	(40. 7%)
なし	463	(50. 1%)
無回答	85	(9. 2%)
<b>HIV抗体検査受検経験(生涯)</b>		
ある	356	(38. 5%)
ない	560	(60. 6%)
無回答	8	(0. 9%)
<b>HIV抗体検査受検経験(過去1年)</b>		
ある	182	(19. 7%)
ない	732	(79. 2%)
無回答	10	(1. 1%)
<b>STD被診断経験(生涯)</b>		
ある	168	(18. 2%)
ない	705	(76. 3%)
無回答	51	(5. 5%)
<b>STD被診断経験(過去1年)</b>		
ある	52	(5. 6%)
ない	821	(88. 9%)
無回答	51	(5. 5%)
<b>薬物使用(生涯)</b>		
ある	402	(43. 5%)
ない	482	(52. 2%)
無回答	40	(4. 3%)
<b>薬物使用(過去6ヶ月間)</b>		
ある	145	(15. 7%)
ない	733	(79. 3%)
無回答	46	(5. 0%)
<b>HIV陽性</b>		
HIV陽性	16	(1. 7%)
それ以外	908	(98. 3%)

表70. 居住地域ブロック (2007)

	北海道, 北陸, 信 越, 中四国, 沖縄	
	n	%
<b>相手の数(過去6ヶ月間)</b>		
1人	212	(22. 9%)
2-3人	217	(23. 5%)
4-5人	145	(15. 7%)
6人以上	195	(21. 1%)
非該当(0人)	130	(14. 1%)
無回答	25	(2. 7%)
<b>ナルセックス有りの人のコントローム使用状況(過去6ヶ月間)</b>		
常用	201	(31. 5%)
それ以外	354	(55. 4%)
無回答	84	(13. 1%)
<b>サウナ系利用(過去6ヶ月間)</b>		
ある	219	(23. 7%)
ない	700	(75. 8%)
無回答	5	(0. 5%)
<b>ビデオ系利用(過去6ヶ月間)</b>		
ある	101	(10. 9%)
ない	817	(88. 4%)
無回答	6	(0. 6%)
<b>マンション系利用(過去6ヶ月間)</b>		
ある	174	(18. 8%)
ない	742	(80. 3%)
無回答	8	(0. 9%)
<b>クラブ(男性限定)(過去6ヶ月間)</b>		
ある	163	(17. 6%)
ない	757	(81. 9%)
無回答	4	(0. 4%)
<b>お金払ってセックスの経験(過去6ヶ月間)</b>		
ある	99	(10. 7%)
ない	816	(88. 3%)
無回答	9	(1. 0%)
<b>ゲイバー利用(過去6ヶ月間)</b>		
ある	395	(42. 7%)
ない	520	(56. 3%)
無回答	9	(1. 0%)
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>		
ある	489	(52. 9%)
ない	426	(46. 1%)
無回答	9	(1. 0%)
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>		
ある	363	(39. 3%)
ない	555	(60. 1%)
無回答	6	(0. 6%)

表71. 居住地域ブロック 東北 (2008)

142

	宮城活動(やろっこ)						カイ2乗検定	
	知らない n=131		ー n=0		知っている n=11			
	n	%	n	%	n	%		
<b>年齢階級</b>								
10歳代	10	(7.6%)	0	(0.0%)	1	(9.1%)	11 (7.7%)	
20歳代	57	(43.5%)	0	(0.0%)	4	(36.4%)	61 (43.0%)	
30歳代	39	(29.8%)	0	(0.0%)	6	(54.5%)	45 (31.7%)	
40歳代	15	(11.5%)	0	(0.0%)	0	(0.0%)	15 (10.6%)	
50歳以上	10	(7.6%)	0	(0.0%)	0	(0.0%)	10 (7.0%)	
無回答・無効回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>最終学歴</b>								
大卒以上	69	(52.7%)	0	(0.0%)	5	(45.5%)	74 (52.1%)	
それ以外	62	(47.3%)	0	(0.0%)	6	(54.5%)	68 (47.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_感染しても長生き可能</b>								
正解	84	(64.1%)	0	(0.0%)	10	(90.9%)	94 (66.2%)	
その他	47	(35.9%)	0	(0.0%)	1	(9.1%)	48 (33.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_HIV検査感染から3日で可</b>								
正解	85	(64.9%)	0	(0.0%)	9	(81.8%)	94 (66.2%)	
その他	46	(35.1%)	0	(0.0%)	2	(18.2%)	48 (33.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>知識_STDはHIV易感染</b>								
正解	76	(58.0%)	0	(0.0%)	6	(54.5%)	82 (57.7%)	
その他	55	(42.0%)	0	(0.0%)	5	(45.5%)	60 (42.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>抑うつ傾向</b>								
あり	56	(42.7%)	0	(0.0%)	6	(54.5%)	62 (43.7%)	
なし	66	(50.4%)	0	(0.0%)	5	(45.5%)	71 (50.0%)	
無回答	9	(6.9%)	0	(0.0%)	0	(0.0%)	9 (6.3%)	
<b>HIV抗体検査受検経験(生涯)</b>								
ある	43	(32.8%)	0	(0.0%)	5	(45.5%)	48 (33.8%)	
ない	85	(64.9%)	0	(0.0%)	5	(45.5%)	90 (63.4%)	
無回答	3	(2.3%)	0	(0.0%)	1	(9.1%)	4 (2.8%)	
<b>HIV抗体検査受検経験(過去1年)</b>								
ある	21	(16.0%)	0	(0.0%)	2	(18.2%)	23 (16.2%)	
その他	110	(84.0%)	0	(0.0%)	9	(81.8%)	119 (83.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>STD被診断経験(生涯)</b>								
ある	15	(11.5%)	0	(0.0%)	0	(0.0%)	15 (10.6%)	
ない	110	(84.0%)	0	(0.0%)	10	(90.9%)	120 (84.5%)	
無回答	6	(4.6%)	0	(0.0%)	1	(9.1%)	7 (4.9%)	
<b>STD被診断経験(過去1年)</b>								
ある	5	(3.8%)	0	(0.0%)	0	(0.0%)	5 (3.5%)	
その他	125	(95.4%)	0	(0.0%)	11	(100.0%)	136 (95.8%)	
無回答	1	(0.8%)	0	(0.0%)	0	(0.0%)	1 (0.7%)	
<b>薬物使用(生涯)</b>								
ある	52	(39.7%)	0	(0.0%)	5	(45.5%)	57 (40.1%)	
ない	75	(57.3%)	0	(0.0%)	6	(54.5%)	81 (57.0%)	
無回答	4	(3.1%)	0	(0.0%)	0	(0.0%)	4 (2.8%)	
<b>薬物使用(過去6ヶ月)</b>								
ある	15	(11.5%)	0	(0.0%)	3	(27.3%)	18 (12.7%)	
その他	116	(88.5%)	0	(0.0%)	8	(72.7%)	124 (87.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>HIV陽性</b>								
HIV陽性	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
その他	131	(100.0%)	0	(0.0%)	11	(100.0%)	142 (100.0%)	

表71. 居住地域ブロック 東北 (2008)

142

	宮城活動(やろっこ)						カイ2乗 検定	
	知らない n=131		ー n=0		知っている n=11			
	n	%	n	%	n	%		
<b>相手の数(過去6ヶ月間)</b>								
1人	24	(18.3%)	0	(0.0%)	2	(18.2%)	26 (18.3%) 0.199	
2-3人	45	(34.4%)	0	(0.0%)	1	(9.1%)	46 (32.4%)	
4-5人	14	(10.7%)	0	(0.0%)	1	(9.1%)	15 (10.6%)	
6人以上	17	(13.0%)	0	(0.0%)	4	(36.4%)	21 (14.8%)	
非該当(0人)	25	(19.1%)	0	(0.0%)	2	(18.2%)	27 (19.0%)	
無回答	6	(4.6%)	0	(0.0%)	1	(9.1%)	7 (4.9%)	
<b>アナルセックス有りの人のコンドーム使用状況(過去6ヶ月)</b>								
常用	27	(32.5%)	0	(0.0%)	4	(50.0%)	31 (34.1%) 0.339	
それ以外	43	(51.8%)	0	(0.0%)	3	(37.5%)	46 (50.5%)	
無回答	13	(15.7%)	0	(0.0%)	1	(12.5%)	14 (15.4%)	
<b>サウナ系利用(過去6ヶ月間)</b>								
ある	21	(16.0%)	0	(0.0%)	3	(27.3%)	24 (16.9%) 0.339	
ない	110	(84.0%)	0	(0.0%)	8	(72.7%)	118 (83.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>ビデオ系利用(過去6ヶ月間)</b>								
ある	13	(9.9%)	0	(0.0%)	1	(9.1%)	14 (9.9%) 0.929	
ない	118	(90.1%)	0	(0.0%)	10	(90.9%)	128 (90.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>マンション系利用(過去6ヶ月間)</b>								
ある	19	(14.5%)	0	(0.0%)	3	(27.3%)	22 (15.5%) 0.261	
ない	112	(85.5%)	0	(0.0%)	8	(72.7%)	120 (84.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>								
ある	7	(5.3%)	0	(0.0%)	3	(27.3%)	10 (7.0%) 0.006	
ない	124	(94.7%)	0	(0.0%)	8	(72.7%)	132 (93.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>								
ある	18	(13.7%)	0	(0.0%)	0	(0.0%)	18 (12.7%) 0.188	
ない	113	(86.3%)	0	(0.0%)	11	(100.0%)	124 (87.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>ゲイバー利用(過去6ヶ月間)</b>								
ある	41	(31.3%)	0	(0.0%)	9	(81.8%)	50 (35.2%) 0.000	
ない	89	(67.9%)	0	(0.0%)	1	(9.1%)	90 (63.4%)	
無回答	1	(0.8%)	0	(0.0%)	1	(9.1%)	2 (1.4%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>								
ある	57	(43.5%)	0	(0.0%)	7	(63.6%)	64 (45.1%) 0.198	
ない	74	(56.5%)	0	(0.0%)	4	(36.4%)	78 (54.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>								
ある	49	(37.4%)	0	(0.0%)	7	(63.6%)	56 (39.4%) 0.087	
ない	82	(62.6%)	0	(0.0%)	4	(36.4%)	86 (60.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0 (0.0%)	