

	宮城活動(やろっこ)								カイ乗 検定
	知らない n=61		— n=0		知っている n=23		合計 n=84		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	8	(13.1%)	0	(0.0%)	1	(4.3%)	9	(10.7%)	0.699
20歳代	22	(36.1%)	0	(0.0%)	11	(47.8%)	33	(39.3%)	
30歳代	21	(34.4%)	0	(0.0%)	8	(34.8%)	29	(34.5%)	
40歳代	9	(14.8%)	0	(0.0%)	3	(13.0%)	12	(14.3%)	
50歳以上	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
無回答・無効回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>最終学歴</b>									
大卒以上	36	(59.0%)	0	(0.0%)	12	(52.2%)	48	(57.1%)	0.572
それ以外	25	(41.0%)	0	(0.0%)	11	(47.8%)	36	(42.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>知識_感染しても長生き可能</b>									
正解	43	(70.5%)	0	(0.0%)	18	(78.3%)	61	(72.6%)	0.542
その他	17	(27.9%)	0	(0.0%)	5	(21.7%)	22	(26.2%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	44	(72.1%)	0	(0.0%)	17	(73.9%)	61	(72.6%)	0.870
その他	17	(27.9%)	0	(0.0%)	6	(26.1%)	23	(27.4%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>知識_STDIはHIV易感染</b>									
正解	39	(63.9%)	0	(0.0%)	16	(69.6%)	55	(65.5%)	0.628
その他	22	(36.1%)	0	(0.0%)	7	(30.4%)	29	(34.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>抑うつ傾向</b>									
あり	32	(52.5%)	0	(0.0%)	9	(39.1%)	41	(48.8%)	0.105
なし	22	(36.1%)	0	(0.0%)	14	(60.9%)	36	(42.9%)	
無回答	7	(11.5%)	0	(0.0%)	0	(0.0%)	7	(8.3%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	13	(21.3%)	0	(0.0%)	16	(69.6%)	29	(34.5%)	0.000
ない	45	(73.8%)	0	(0.0%)	7	(30.4%)	52	(61.9%)	
無回答	3	(4.9%)	0	(0.0%)	0	(0.0%)	3	(3.6%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	6	(9.8%)	0	(0.0%)	10	(43.5%)	16	(19.0%)	0.000
その他	55	(90.2%)	0	(0.0%)	13	(56.5%)	68	(81.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>STD被診断経験(生涯)</b>									
ある	7	(11.5%)	0	(0.0%)	10	(43.5%)	17	(20.2%)	0.001
ない	52	(85.2%)	0	(0.0%)	12	(52.2%)	64	(76.2%)	
無回答	2	(3.3%)	0	(0.0%)	1	(4.3%)	3	(3.6%)	
<b>STD被診断経験(過去1年)</b>									
ある	1	(1.6%)	0	(0.0%)	2	(8.7%)	3	(3.6%)	0.002
その他	59	(96.7%)	0	(0.0%)	21	(91.3%)	80	(95.2%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>薬物使用(生涯)</b>									
ある	24	(39.3%)	0	(0.0%)	12	(52.2%)	36	(42.9%)	0.346
ない	35	(57.4%)	0	(0.0%)	11	(47.8%)	46	(54.8%)	
無回答	2	(3.3%)	0	(0.0%)	0	(0.0%)	2	(2.4%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	7	(11.5%)	0	(0.0%)	4	(17.4%)	11	(13.1%)	0.596
その他	53	(86.9%)	0	(0.0%)	18	(78.3%)	71	(84.5%)	
無回答	1	(1.6%)	0	(0.0%)	1	(4.3%)	2	(2.4%)	
<b>HIV陽性</b>									
HIV陽性	1	(1.6%)	0	(0.0%)	2	(8.7%)	3	(3.6%)	
その他	60	(98.4%)	0	(0.0%)	21	(91.3%)	81	(96.4%)	

表72. 居住地域ブロック 宮城 (2008)

	宮城活動(やろっこ)								カイ乗 検定
	知らない n=61		— n=0		知っている n=23		合計 n=84		
	n	%	n	%	n	%	n	%	
<b>相手の数(過去6ヶ月間)</b>									
1人	11	(18.0%)	0	(0.0%)	4	(17.4%)	15	(17.9%)	0.792
2-3人	16	(26.2%)	0	(0.0%)	8	(34.8%)	24	(28.6%)	
4-5人	6	(9.8%)	0	(0.0%)	2	(8.7%)	8	(9.5%)	
6人以上	15	(24.6%)	0	(0.0%)	5	(21.7%)	20	(23.8%)	
非該当(0人)	12	(19.7%)	0	(0.0%)	2	(8.7%)	14	(16.7%)	
無回答	1	(1.6%)	0	(0.0%)	2	(8.7%)	3	(3.6%)	
<b>アルコール有の人のコンドーム使用状況(過去6ヶ月)</b>									
常用	11	(28.9%)	0	(0.0%)	6	(35.3%)	17	(30.9%)	0.956
それ以外	19	(50.0%)	0	(0.0%)	10	(58.8%)	29	(52.7%)	
無回答	8	(21.1%)	0	(0.0%)	1	(5.9%)	9	(16.4%)	
<b>サウナ系利用(過去6ヶ月間)</b>									
ある	13	(21.3%)	0	(0.0%)	6	(26.1%)	19	(22.6%)	0.668
ない	47	(77.0%)	0	(0.0%)	17	(73.9%)	64	(76.2%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>ビデオ系利用(過去6ヶ月間)</b>									
ある	13	(21.3%)	0	(0.0%)	6	(26.1%)	19	(22.6%)	0.668
ない	47	(77.0%)	0	(0.0%)	17	(73.9%)	64	(76.2%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>マンション系利用(過去6ヶ月間)</b>									
ある	11	(18.0%)	0	(0.0%)	10	(43.5%)	21	(25.0%)	0.018
ない	49	(80.3%)	0	(0.0%)	13	(56.5%)	62	(73.8%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>									
ある	1	(1.6%)	0	(0.0%)	10	(43.5%)	11	(13.1%)	0.000
ない	58	(95.1%)	0	(0.0%)	13	(56.5%)	71	(84.5%)	
無回答	2	(3.3%)	0	(0.0%)	0	(0.0%)	2	(2.4%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>									
ある	10	(16.4%)	0	(0.0%)	2	(8.7%)	12	(14.3%)	0.390
ない	50	(82.0%)	0	(0.0%)	20	(87.0%)	70	(83.3%)	
無回答	1	(1.6%)	0	(0.0%)	1	(4.3%)	2	(2.4%)	
<b>ゲイバー利用(過去6ヶ月間)</b>									
ある	11	(18.0%)	0	(0.0%)	15	(65.2%)	26	(31.0%)	0.000
ない	49	(80.3%)	0	(0.0%)	8	(34.8%)	57	(67.9%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>									
ある	27	(44.3%)	0	(0.0%)	11	(47.8%)	38	(45.2%)	0.817
ない	33	(54.1%)	0	(0.0%)	12	(52.2%)	45	(53.6%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>									
ある	20	(32.8%)	0	(0.0%)	10	(43.5%)	30	(35.7%)	0.389
ない	40	(65.6%)	0	(0.0%)	13	(56.5%)	53	(63.1%)	
無回答	1	(1.6%)	0	(0.0%)	0	(0.0%)	1	(1.2%)	

表73. 居住地域ブロック 関東 (2008)

1161

	東京活動 (akta, monthly, R2, デリヘル)								カイ乗 検定
	全く知らない n=797		いずれかを 知っている n=317		全てを 知っている n=47		合計 n=1161		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	62	(7.8%)	19	(6.0%)	0	(0.0%)	81	(7.0%)	0.007
20歳代	323	(40.5%)	133	(42.0%)	19	(40.4%)	475	(40.9%)	
30歳代	264	(33.1%)	124	(39.1%)	21	(44.7%)	409	(35.2%)	
40歳代	105	(13.2%)	37	(11.7%)	7	(14.9%)	149	(12.8%)	
50歳以上	41	(5.1%)	3	(0.9%)	0	(0.0%)	44	(3.8%)	
無回答・無効回答	2	(0.3%)	1	(0.3%)	0	(0.0%)	3	(0.3%)	
<b>最終学歴</b>									
大卒以上	441	(55.3%)	199	(62.8%)	28	(59.6%)	668	(57.5%)	0.085
それ以外	353	(44.3%)	118	(37.2%)	19	(40.4%)	490	(42.2%)	
無回答	3	(0.4%)	0	(0.0%)	0	(0.0%)	3	(0.3%)	
<b>知識_感染しても長生き可能</b>									
正解	519	(65.1%)	240	(75.7%)	41	(87.2%)	800	(68.9%)	0.000
その他	271	(34.0%)	73	(23.0%)	6	(12.8%)	350	(30.1%)	
無回答	7	(0.9%)	4	(1.3%)	0	(0.0%)	11	(0.9%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	560	(70.3%)	254	(80.1%)	43	(91.5%)	857	(73.8%)	0.000
その他	234	(29.4%)	58	(18.3%)	4	(8.5%)	296	(25.5%)	
無回答	3	(0.4%)	5	(1.6%)	0	(0.0%)	8	(0.7%)	
<b>知識_STDはHIV易感染</b>									
正解	461	(57.8%)	246	(77.6%)	45	(95.7%)	752	(64.8%)	0.000
その他	332	(41.7%)	68	(21.5%)	2	(4.3%)	402	(34.6%)	
無回答	4	(0.5%)	3	(0.9%)	0	(0.0%)	7	(0.6%)	
<b>抑うつ傾向</b>									
あり	347	(43.5%)	138	(43.5%)	23	(48.9%)	508	(43.8%)	0.906
なし	397	(49.8%)	157	(49.5%)	23	(48.9%)	577	(49.7%)	
無回答	53	(6.6%)	22	(6.9%)	1	(2.1%)	76	(6.5%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	261	(32.7%)	168	(53.0%)	34	(72.3%)	463	(39.9%)	0.000
ない	502	(63.0%)	140	(44.2%)	13	(27.7%)	655	(56.4%)	
無回答	34	(4.3%)	9	(2.8%)	0	(0.0%)	43	(3.7%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	140	(17.6%)	103	(32.5%)	24	(51.1%)	267	(23.0%)	0.000
その他	656	(82.3%)	214	(67.5%)	23	(48.9%)	893	(76.9%)	
無回答	1	(0.1%)	0	(0.0%)	0	(0.0%)	1	(0.1%)	
<b>STD被診断経験(生涯)</b>									
ある	132	(16.6%)	88	(27.8%)	23	(48.9%)	243	(20.9%)	0.000
ない	613	(76.9%)	216	(68.1%)	23	(48.9%)	852	(73.4%)	
無回答	52	(6.5%)	13	(4.1%)	1	(2.1%)	66	(5.7%)	
<b>STD被診断経験(過去1年)</b>									
ある	44	(5.5%)	30	(9.5%)	8	(17.0%)	82	(7.1%)	0.000
その他	749	(94.0%)	284	(89.6%)	38	(80.9%)	1071	(92.2%)	
無回答	4	(0.5%)	3	(0.9%)	1	(2.1%)	8	(0.7%)	
<b>薬物使用(生涯)</b>									
ある	286	(35.9%)	175	(55.2%)	32	(68.1%)	493	(42.5%)	0.000
ない	467	(58.6%)	127	(40.1%)	15	(31.9%)	609	(52.5%)	
無回答	44	(5.5%)	15	(4.7%)	0	(0.0%)	59	(5.1%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	103	(12.9%)	72	(22.7%)	11	(23.4%)	186	(16.0%)	0.000
その他	690	(86.6%)	240	(75.7%)	35	(74.5%)	965	(83.1%)	
無回答	4	(0.5%)	5	(1.6%)	1	(2.1%)	10	(0.9%)	
<b>HIV陽性</b>									
HIV陽性	17	(2.1%)	19	(6.0%)	7	(14.9%)	43	(3.7%)	
その他	780	(97.9%)	298	(94.0%)	40	(85.1%)	1118	(96.3%)	

表73. 居住地域ブロック 関東 (2008)

1161

	東京活動 (akta, monthly, R2, テレヘル)						カイ乗 検定		
	全く知らない n=797		いずれかを 知っている n=317		全てを 知っている n=47			合計 n=1161	
	n	%	n	%	n	%		n	%
<b>相手の数 (過去6ヶ月間)</b>									
1人	187	(23.5%)	45	(14.2%)	5	(10.6%)	237	(20.4%)	0.000
2-3人	187	(23.5%)	70	(22.1%)	8	(17.0%)	265	(22.8%)	
4-5人	112	(14.1%)	50	(15.8%)	6	(12.8%)	168	(14.5%)	
6人以上	141	(17.7%)	103	(32.5%)	22	(46.8%)	266	(22.9%)	
非該当 (0人)	123	(15.4%)	37	(11.7%)	5	(10.6%)	165	(14.2%)	
無回答	47	(5.9%)	12	(3.8%)	1	(2.1%)	60	(5.2%)	
<b>アナルセックス有の人のコンドーム使用状況 (過去6ヶ月)</b>									
常用	175	(32.7%)	86	(37.2%)	13	(35.1%)	274	(34.1%)	0.544
それ以外	263	(49.2%)	107	(46.3%)	17	(45.9%)	387	(48.2%)	
無回答	97	(18.1%)	38	(16.5%)	7	(18.9%)	142	(17.7%)	
<b>サウナ系利用 (過去6ヶ月間)</b>									
ある	167	(21.0%)	107	(33.8%)	20	(42.6%)	294	(25.3%)	0.000
ない	626	(78.5%)	206	(65.0%)	27	(57.4%)	859	(74.0%)	
無回答	4	(0.5%)	4	(1.3%)	0	(0.0%)	8	(0.7%)	
<b>ビデオ系利用 (過去6ヶ月間)</b>									
ある	77	(9.7%)	56	(17.7%)	8	(17.0%)	141	(12.1%)	0.000
ない	718	(90.1%)	257	(81.1%)	38	(80.9%)	1013	(87.3%)	
無回答	2	(0.3%)	4	(1.3%)	1	(2.1%)	7	(0.6%)	
<b>マンション系利用 (過去6ヶ月間)</b>									
ある	127	(15.9%)	103	(32.5%)	19	(40.4%)	249	(21.4%)	0.000
ない	666	(83.6%)	210	(66.2%)	28	(59.6%)	904	(77.9%)	
無回答	4	(0.5%)	4	(1.3%)	0	(0.0%)	8	(0.7%)	
<b>クラブ (男性限定) (過去6ヶ月間)</b>									
ある	63	(7.9%)	74	(23.3%)	18	(38.3%)	155	(13.4%)	0.000
ない	729	(91.5%)	238	(75.1%)	29	(61.7%)	996	(85.8%)	
無回答	5	(0.6%)	5	(1.6%)	0	(0.0%)	10	(0.9%)	
<b>お金払ってセックスの経験 (過去6ヶ月間)</b>									
ある	117	(14.7%)	43	(13.6%)	5	(10.6%)	165	(14.2%)	0.702
ない	678	(85.1%)	270	(85.2%)	42	(89.4%)	990	(85.3%)	
無回答	2	(0.3%)	4	(1.3%)	0	(0.0%)	6	(0.5%)	
<b>ゲイバー利用 (過去6ヶ月間)</b>									
ある	236	(29.6%)	187	(59.0%)	37	(78.7%)	460	(39.6%)	0.000
ない	559	(70.1%)	126	(39.7%)	10	(21.3%)	695	(59.9%)	
無回答	2	(0.3%)	4	(1.3%)	0	(0.0%)	6	(0.5%)	
<b>ネット相手とセックスの経験 (過去6ヶ月間)</b>									
ある	382	(47.9%)	149	(47.0%)	23	(48.9%)	554	(47.7%)	0.934
ない	408	(51.2%)	165	(52.1%)	23	(48.9%)	596	(51.3%)	
無回答	7	(0.9%)	3	(0.9%)	1	(2.1%)	11	(0.9%)	
<b>携帯相手とセックスの経験 (過去6ヶ月間)</b>									
ある	243	(30.5%)	93	(29.3%)	15	(31.9%)	351	(30.2%)	0.923
ない	547	(68.6%)	220	(69.4%)	32	(68.1%)	799	(68.8%)	
無回答	7	(0.9%)	4	(1.3%)	0	(0.0%)	11	(0.9%)	



表74. 居住地域ブロック 東京 (2008)

1347

	東京活動 (akta, monthly, R2, テリヘル)								カイ乗 検定
	全く知らない n=754		いずれかを 知っている n=469		全てを 知っている n=124		合計 n=1347		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	32	(4.2%)	13	(2.8%)	1	(0.8%)	46	(3.4%)	0.000
20歳代	287	(38.1%)	160	(34.1%)	45	(36.3%)	492	(36.5%)	
30歳代	286	(37.9%)	207	(44.1%)	50	(40.3%)	543	(40.3%)	
40歳代	104	(13.8%)	82	(17.5%)	26	(21.0%)	212	(15.7%)	
50歳以上	41	(5.4%)	7	(1.5%)	1	(0.8%)	49	(3.6%)	
無回答・無効回答	4	(0.5%)	0	(0.0%)	1	(0.8%)	5	(0.4%)	
<b>最終学歴</b>									
大卒以上	461	(61.1%)	319	(68.0%)	72	(58.1%)	852	(63.3%)	0.023
それ以外	291	(38.6%)	148	(31.6%)	51	(41.1%)	490	(36.4%)	
無回答	2	(0.3%)	2	(0.4%)	1	(0.8%)	5	(0.4%)	
<b>知識_感染しても長生き可能</b>									
正解	543	(72.0%)	387	(82.5%)	116	(93.5%)	1046	(77.7%)	0.000
その他	207	(27.5%)	82	(17.5%)	8	(6.5%)	297	(22.0%)	
無回答	4	(0.5%)	0	(0.0%)	0	(0.0%)	4	(0.3%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	552	(73.2%)	406	(86.6%)	115	(92.7%)	1073	(79.7%)	0.000
その他	197	(26.1%)	62	(13.2%)	8	(6.5%)	267	(19.8%)	
無回答	5	(0.7%)	1	(0.2%)	1	(0.8%)	7	(0.5%)	
<b>知識_STDはHIV易感染</b>									
正解	475	(63.0%)	363	(77.4%)	108	(87.1%)	946	(70.2%)	0.000
その他	275	(36.5%)	105	(22.4%)	16	(12.9%)	396	(29.4%)	
無回答	4	(0.5%)	1	(0.2%)	0	(0.0%)	5	(0.4%)	
<b>抑うつ傾向</b>									
あり	298	(39.5%)	181	(38.6%)	42	(33.9%)	521	(38.7%)	0.315
なし	391	(51.9%)	257	(54.8%)	75	(60.5%)	723	(53.7%)	
無回答	65	(8.6%)	31	(6.6%)	7	(5.6%)	103	(7.6%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	325	(43.1%)	303	(64.6%)	92	(74.2%)	720	(53.5%)	0.000
ない	412	(54.6%)	162	(34.5%)	31	(25.0%)	605	(44.9%)	
無回答	17	(2.3%)	4	(0.9%)	1	(0.8%)	22	(1.6%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	150	(19.9%)	153	(32.6%)	53	(42.7%)	356	(26.4%)	0.000
その他	601	(79.7%)	315	(67.2%)	71	(57.3%)	987	(73.3%)	
無回答	3	(0.4%)	1	(0.2%)	0	(0.0%)	4	(0.3%)	
<b>STD被診断経験(生涯)</b>									
ある	181	(24.0%)	141	(30.1%)	56	(45.2%)	378	(28.1%)	0.000
ない	532	(70.6%)	315	(67.2%)	67	(54.0%)	914	(67.9%)	
無回答	41	(5.4%)	13	(2.8%)	1	(0.8%)	55	(4.1%)	
<b>STD被診断経験(過去1年)</b>									
ある	62	(8.2%)	53	(11.3%)	20	(16.1%)	135	(10.0%)	0.000
その他	683	(90.6%)	409	(87.2%)	104	(83.9%)	1196	(88.8%)	
無回答	9	(1.2%)	7	(1.5%)	0	(0.0%)	16	(1.2%)	
<b>薬物使用(生涯)</b>									
ある	327	(43.4%)	267	(56.9%)	90	(72.6%)	684	(50.8%)	0.000
ない	380	(50.4%)	193	(41.2%)	33	(26.6%)	606	(45.0%)	
無回答	47	(6.2%)	9	(1.9%)	1	(0.8%)	57	(4.2%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	135	(17.9%)	129	(27.5%)	43	(34.7%)	307	(22.8%)	0.000
その他	613	(81.3%)	336	(71.6%)	80	(64.5%)	1029	(76.4%)	
無回答	6	(0.8%)	4	(0.9%)	1	(0.8%)	11	(0.8%)	
<b>HIV陽性</b>									
HIV陽性	32	(4.2%)	38	(8.1%)	23	(18.5%)	93	(6.9%)	
その他	722	(95.8%)	431	(91.9%)	101	(81.5%)	1254	(93.1%)	

表74. 居住地域ブロック 東京 (2008)

1347

	東京活動 (akta, monthly, R2, デリヘル)								カイ乗 検定
	全く知らない n=754		いずれかを 知っている n=469		全てを 知っている n=124		合計 n=1347		
	n	%	n	%	n	%	n	%	
<b>相手の数 (過去6ヶ月間)</b>									
1人	158	(21.0%)	80	(17.1%)	15	(12.1%)	253	(18.8%)	0.001
2-3人	158	(21.0%)	102	(21.7%)	25	(20.2%)	285	(21.2%)	
4-5人	93	(12.3%)	57	(12.2%)	23	(18.5%)	173	(12.8%)	
6人以上	205	(27.2%)	162	(34.5%)	48	(38.7%)	415	(30.8%)	
非該当 (0人)	98	(13.0%)	40	(8.5%)	6	(4.8%)	144	(10.7%)	
無回答	42	(5.6%)	28	(6.0%)	7	(5.6%)	77	(5.7%)	
<b>アルコール有の人のコンドーム使用状況 (過去6ヶ月)</b>									
常用	195	(37.9%)	137	(39.5%)	50	(49.5%)	382	(39.7%)	0.268
それ以外	243	(47.3%)	160	(46.1%)	43	(42.6%)	446	(46.4%)	
無回答	76	(14.8%)	50	(14.4%)	8	(7.9%)	134	(13.9%)	
<b>サウナ系利用 (過去6ヶ月間)</b>									
ある	200	(26.5%)	154	(32.8%)	50	(40.3%)	404	(30.0%)	0.002
ない	548	(72.7%)	315	(67.2%)	73	(58.9%)	936	(69.5%)	
無回答	6	(0.8%)	0	(0.0%)	1	(0.8%)	7	(0.5%)	
<b>ビデオ系利用 (過去6ヶ月間)</b>									
ある	126	(16.7%)	93	(19.8%)	20	(16.1%)	239	(17.7%)	0.346
ない	622	(82.5%)	374	(79.7%)	104	(83.9%)	1100	(81.7%)	
無回答	6	(0.8%)	2	(0.4%)	0	(0.0%)	8	(0.6%)	
<b>マンション系利用 (過去6ヶ月間)</b>									
ある	180	(23.9%)	142	(30.3%)	56	(45.2%)	378	(28.1%)	0.000
ない	568	(75.3%)	326	(69.5%)	68	(54.8%)	962	(71.4%)	
無回答	6	(0.8%)	1	(0.2%)	0	(0.0%)	7	(0.5%)	
<b>クラブ (男性限定) (過去6ヶ月間)</b>									
ある	124	(16.4%)	137	(29.2%)	60	(48.4%)	321	(23.8%)	0.000
ない	622	(82.5%)	332	(70.8%)	64	(51.6%)	1018	(75.6%)	
無回答	8	(1.1%)	0	(0.0%)	0	(0.0%)	8	(0.6%)	
<b>お金払ってセックスの経験 (過去6ヶ月間)</b>									
ある	142	(18.8%)	66	(14.1%)	9	(7.3%)	217	(16.1%)	0.001
ない	606	(80.4%)	401	(85.5%)	115	(92.7%)	1122	(83.3%)	
無回答	6	(0.8%)	2	(0.4%)	0	(0.0%)	8	(0.6%)	
<b>ゲイバー利用 (過去6ヶ月間)</b>									
ある	346	(45.9%)	329	(70.1%)	104	(83.9%)	779	(57.8%)	0.000
ない	403	(53.4%)	139	(29.6%)	20	(16.1%)	562	(41.7%)	
無回答	5	(0.7%)	1	(0.2%)	0	(0.0%)	6	(0.4%)	
<b>ネット相手とセックスの経験 (過去6ヶ月間)</b>									
ある	346	(45.9%)	223	(47.5%)	61	(49.2%)	630	(46.8%)	0.815
ない	400	(53.1%)	246	(52.5%)	63	(50.8%)	709	(52.6%)	
無回答	8	(1.1%)	0	(0.0%)	0	(0.0%)	8	(0.6%)	
<b>携帯相手とセックスの経験 (過去6ヶ月間)</b>									
ある	219	(29.0%)	143	(30.5%)	33	(26.6%)	395	(29.3%)	0.667
ない	526	(69.8%)	323	(68.9%)	91	(73.4%)	940	(69.8%)	
無回答	9	(1.2%)	3	(0.6%)	0	(0.0%)	12	(0.9%)	

	名古屋活動 (rise, ALN)								カイ乗 検定
	全く知らない n=201		いずれかを 知っている n=19		全てを 知っている n=15		合計 n=235		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	12	(6.0%)	1	(5.3%)	1	(6.7%)	14	(6.0%)	0.820
20歳代	73	(36.3%)	6	(31.6%)	7	(46.7%)	86	(36.6%)	
30歳代	74	(36.8%)	8	(42.1%)	6	(40.0%)	88	(37.4%)	
40歳代	27	(13.4%)	4	(21.1%)	1	(6.7%)	32	(13.6%)	
50歳以上	14	(7.0%)	0	(0.0%)	0	(0.0%)	14	(6.0%)	
無回答・無効回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1	(0.4%)	
<b>最終学歴</b>									
大卒以上	87	(43.3%)	8	(42.1%)	6	(40.0%)	101	(43.0%)	0.955
それ以外	112	(55.7%)	11	(57.9%)	9	(60.0%)	132	(56.2%)	
無回答	2	(1.0%)	0	(0.0%)	0	(0.0%)	2	(0.9%)	
<b>知識_感染しても長生き可能</b>									
正解	124	(61.7%)	12	(63.2%)	13	(86.7%)	149	(63.4%)	0.157
その他	73	(36.3%)	5	(26.3%)	2	(13.3%)	80	(34.0%)	
無回答	4	(2.0%)	2	(10.5%)	0	(0.0%)	6	(2.6%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	145	(72.1%)	14	(73.7%)	14	(93.3%)	173	(73.6%)	0.234
その他	52	(25.9%)	5	(26.3%)	1	(6.7%)	58	(24.7%)	
無回答	4	(2.0%)	0	(0.0%)	0	(0.0%)	4	(1.7%)	
<b>知識_STDはHIV易感染</b>									
正解	118	(58.7%)	14	(73.7%)	14	(93.3%)	146	(62.1%)	0.022
その他	79	(39.3%)	5	(26.3%)	1	(6.7%)	85	(36.2%)	
無回答	4	(2.0%)	0	(0.0%)	0	(0.0%)	4	(1.7%)	
<b>抑うつ傾向</b>									
あり	76	(37.8%)	7	(36.8%)	11	(73.3%)	94	(40.0%)	0.053
なし	107	(53.2%)	11	(57.9%)	4	(26.7%)	122	(51.9%)	
無回答	18	(9.0%)	1	(5.3%)	0	(0.0%)	19	(8.1%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	71	(35.3%)	14	(73.7%)	13	(86.7%)	98	(41.7%)	0.000
ない	120	(59.7%)	5	(26.3%)	2	(13.3%)	127	(54.0%)	
無回答	10	(5.0%)	0	(0.0%)	0	(0.0%)	10	(4.3%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	27	(13.4%)	8	(42.1%)	10	(66.7%)	45	(19.1%)	0.000
その他	173	(86.1%)	11	(57.9%)	5	(33.3%)	189	(80.4%)	
無回答	1	(0.5%)	0	(0.0%)	0	(0.0%)	1	(0.4%)	
<b>STD被診断経験(生涯)</b>									
ある	34	(16.9%)	5	(26.3%)	4	(26.7%)	43	(18.3%)	0.451
ない	150	(74.6%)	13	(68.4%)	10	(66.7%)	173	(73.6%)	
無回答	17	(8.5%)	1	(5.3%)	1	(6.7%)	19	(8.1%)	
<b>STD被診断経験(過去1年)</b>									
ある	11	(5.5%)	1	(5.3%)	2	(13.3%)	14	(6.0%)	0.541
その他	190	(94.5%)	18	(94.7%)	13	(86.7%)	221	(94.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>薬物使用(生涯)</b>									
ある	75	(37.3%)	10	(52.6%)	8	(53.3%)	93	(39.6%)	0.223
ない	110	(54.7%)	9	(47.4%)	5	(33.3%)	124	(52.8%)	
無回答	16	(8.0%)	0	(0.0%)	2	(13.3%)	18	(7.7%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	23	(11.4%)	4	(21.1%)	6	(40.0%)	33	(14.0%)	0.029
その他	177	(88.1%)	14	(73.7%)	9	(60.0%)	200	(85.1%)	
無回答	1	(0.5%)	1	(5.3%)	0	(0.0%)	2	(0.9%)	
<b>HIV陽性</b>									
HIV陽性	3	(1.5%)	1	(5.3%)	0	(0.0%)	4	(1.7%)	
その他	198	(98.5%)	18	(94.7%)	15	(100.0%)	231	(98.3%)	

表75. 居住地域ブロック 東海 (2008)

235

	名古屋活動 (rise, ALN)								カイ2乗 検定
	全く知らない n=201		いずれかを 知っている n=19		全てを 知っている n=15		合計 n=235		
	n	%	n	%	n	%	n	%	
<b>相手の数 (過去6ヶ月間)</b>									
1人	50	(24.9%)	2	(10.5%)	4	(26.7%)	56	(23.8%)	0.180
2-3人	44	(21.9%)	3	(15.8%)	3	(20.0%)	50	(21.3%)	
4-5人	35	(17.4%)	4	(21.1%)	1	(6.7%)	40	(17.0%)	
6人以上	33	(16.4%)	6	(31.6%)	6	(40.0%)	45	(19.1%)	
非該当 (0人)	25	(12.4%)	4	(21.1%)	0	(0.0%)	29	(12.3%)	
無回答	14	(7.0%)	0	(0.0%)	1	(6.7%)	15	(6.4%)	
<b>マッチョ有の人のコンドーム使用状況 (過去6ヶ月)</b>									
常用	52	(36.1%)	2	(13.3%)	3	(25.0%)	57	(33.3%)	0.025
それ以外	60	(41.7%)	13	(86.7%)	9	(75.0%)	82	(48.0%)	
無回答	32	(22.2%)	0	(0.0%)	0	(0.0%)	32	(18.7%)	
<b>サウナ系利用 (過去6ヶ月間)</b>									
ある	43	(21.4%)	6	(31.6%)	8	(53.3%)	57	(24.3%)	0.021
ない	151	(75.1%)	13	(68.4%)	7	(46.7%)	171	(72.8%)	
無回答	7	(3.5%)	0	(0.0%)	0	(0.0%)	7	(3.0%)	
<b>ビデオ系利用 (過去6ヶ月間)</b>									
ある	25	(12.4%)	2	(10.5%)	1	(6.7%)	28	(11.9%)	0.765
ない	171	(85.1%)	17	(89.5%)	14	(93.3%)	202	(86.0%)	
無回答	5	(2.5%)	0	(0.0%)	0	(0.0%)	5	(2.1%)	
<b>マンション系利用 (過去6ヶ月間)</b>									
ある	25	(12.4%)	5	(26.3%)	5	(33.3%)	35	(14.9%)	0.039
ない	170	(84.6%)	14	(73.7%)	10	(66.7%)	194	(82.6%)	
無回答	6	(3.0%)	0	(0.0%)	0	(0.0%)	6	(2.6%)	
<b>クラブ (男性限定) (過去6ヶ月間)</b>									
ある	18	(9.0%)	7	(36.8%)	3	(20.0%)	28	(11.9%)	0.001
ない	178	(88.6%)	12	(63.2%)	12	(80.0%)	202	(86.0%)	
無回答	5	(2.5%)	0	(0.0%)	0	(0.0%)	5	(2.1%)	
<b>お金払ってセックスの経験 (過去6ヶ月間)</b>									
ある	43	(21.4%)	3	(15.8%)	1	(6.7%)	47	(20.0%)	0.321
ない	153	(76.1%)	16	(84.2%)	14	(93.3%)	183	(77.9%)	
無回答	5	(2.5%)	0	(0.0%)	0	(0.0%)	5	(2.1%)	
<b>ゲイバー利用 (過去6ヶ月間)</b>									
ある	61	(30.3%)	11	(57.9%)	12	(80.0%)	84	(35.7%)	0.000
ない	134	(66.7%)	8	(42.1%)	3	(20.0%)	145	(61.7%)	
無回答	6	(3.0%)	0	(0.0%)	0	(0.0%)	6	(2.6%)	
<b>ネット相手とセックスの経験 (過去6ヶ月間)</b>									
ある	94	(46.8%)	6	(31.6%)	7	(46.7%)	107	(45.5%)	0.393
ない	102	(50.7%)	13	(68.4%)	8	(53.3%)	123	(52.3%)	
無回答	5	(2.5%)	0	(0.0%)	0	(0.0%)	5	(2.1%)	
<b>携帯相手とセックスの経験 (過去6ヶ月間)</b>									
ある	65	(32.3%)	8	(42.1%)	5	(33.3%)	78	(33.2%)	0.750
ない	129	(64.2%)	11	(57.9%)	10	(66.7%)	150	(63.8%)	
無回答	7	(3.5%)	0	(0.0%)	0	(0.0%)	7	(3.0%)	

	名古屋活動 (rise, ALN)								カイ乗 検定
	全く知らない n=235		いずれかを 知っている n=46		全てを 知っている n=44		合計 n=325		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	17	(7.2%)	2	(4.3%)	0	(0.0%)	19	(5.8%)	0.011
20歳代	97	(41.3%)	10	(21.7%)	16	(36.4%)	123	(37.8%)	
30歳代	81	(34.5%)	22	(47.8%)	18	(40.9%)	121	(37.2%)	
40歳代	26	(11.1%)	12	(26.1%)	9	(20.5%)	47	(14.5%)	
50歳以上	13	(5.5%)	0	(0.0%)	1	(2.3%)	14	(4.3%)	
無回答・無効回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
<b>最終学歴</b>									
大卒以上	124	(52.8%)	27	(58.7%)	21	(47.7%)	172	(52.9%)	0.579
それ以外	111	(47.2%)	19	(41.3%)	23	(52.3%)	153	(47.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>知識_感染しても長生き可能</b>									
正解	140	(59.6%)	42	(91.3%)	39	(88.6%)	221	(68.0%)	0.000
その他	93	(39.6%)	4	(8.7%)	5	(11.4%)	102	(31.4%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	169	(71.9%)	42	(91.3%)	34	(77.3%)	245	(75.4%)	0.024
その他	64	(27.2%)	4	(8.7%)	10	(22.7%)	78	(24.0%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>知識_STDはHIV易感染</b>									
正解	135	(57.4%)	35	(76.1%)	36	(81.8%)	206	(63.4%)	0.002
その他	98	(41.7%)	11	(23.9%)	8	(18.2%)	117	(36.0%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>抑うつ傾向</b>									
あり	105	(44.7%)	20	(43.5%)	16	(36.4%)	141	(43.4%)	0.560
なし	113	(48.1%)	23	(50.0%)	25	(56.8%)	161	(49.5%)	
無回答	17	(7.2%)	3	(6.5%)	3	(6.8%)	23	(7.1%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	89	(37.9%)	26	(56.5%)	34	(77.3%)	149	(45.8%)	0.000
ない	142	(60.4%)	15	(32.6%)	10	(22.7%)	167	(51.4%)	
無回答	4	(1.7%)	5	(10.9%)	0	(0.0%)	9	(2.8%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	47	(20.0%)	12	(26.1%)	28	(63.6%)	87	(26.8%)	0.000
その他	188	(80.0%)	34	(73.9%)	16	(36.4%)	238	(73.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>STD被診断経験(生涯)</b>									
ある	32	(13.6%)	12	(26.1%)	14	(31.8%)	58	(17.8%)	0.005
ない	190	(80.9%)	30	(65.2%)	29	(65.9%)	249	(76.6%)	
無回答	13	(5.5%)	4	(8.7%)	1	(2.3%)	18	(5.5%)	
<b>STD被診断経験(過去1年)</b>									
ある	10	(4.3%)	4	(8.7%)	6	(13.6%)	20	(6.2%)	0.024
その他	223	(94.9%)	42	(91.3%)	36	(81.8%)	301	(92.6%)	
無回答	2	(0.9%)	0	(0.0%)	2	(4.5%)	4	(1.2%)	
<b>薬物使用(生涯)</b>									
ある	95	(40.4%)	21	(45.7%)	22	(50.0%)	138	(42.5%)	0.608
ない	125	(53.2%)	22	(47.8%)	22	(50.0%)	169	(52.0%)	
無回答	15	(6.4%)	3	(6.5%)	0	(0.0%)	18	(5.5%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	26	(11.1%)	12	(26.1%)	12	(27.3%)	50	(15.4%)	0.017
その他	205	(87.2%)	34	(73.9%)	32	(72.7%)	271	(83.4%)	
無回答	4	(1.7%)	0	(0.0%)	0	(0.0%)	4	(1.2%)	
<b>HIV陽性</b>									
HIV陽性	4	(1.7%)	2	(4.3%)	5	(11.4%)	11	(3.4%)	
その他	231	(98.3%)	44	(95.7%)	39	(88.6%)	314	(96.6%)	

	名古屋活動 (rise, ALN)								カイ2乗 検定
	全く知らない n=235		いずれかを 知っている n=46		全てを 知っている n=44		合計 n=325		
	n	%	n	%	n	%	n	%	
<b>相手の数 (過去6ヶ月間)</b>									
1人	44	(18.7%)	6	(13.0%)	10	(22.7%)	60	(18.5%)	0.283
2-3人	63	(26.8%)	6	(13.0%)	10	(22.7%)	79	(24.3%)	
4-5人	30	(12.8%)	8	(17.4%)	5	(11.4%)	43	(13.2%)	
6人以上	57	(24.3%)	16	(34.8%)	17	(38.6%)	90	(27.7%)	
非該当 (0人)	24	(10.2%)	5	(10.9%)	2	(4.5%)	31	(9.5%)	
無回答	17	(7.2%)	5	(10.9%)	0	(0.0%)	22	(6.8%)	
<b>アパレル系有の人のコンドーム使用状況 (過去6ヶ月)</b>									
常用	55	(31.1%)	12	(33.3%)	12	(35.3%)	79	(32.0%)	0.997
それ以外	85	(48.0%)	19	(52.8%)	19	(55.9%)	123	(49.8%)	
無回答	37	(20.9%)	5	(13.9%)	3	(8.8%)	45	(18.2%)	
<b>サウナ系利用 (過去6ヶ月間)</b>									
ある	61	(26.0%)	20	(43.5%)	21	(47.7%)	102	(31.4%)	0.003
ない	173	(73.6%)	26	(56.5%)	23	(52.3%)	222	(68.3%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1	(0.3%)	
<b>ビデオ系利用 (過去6ヶ月間)</b>									
ある	19	(8.1%)	5	(10.9%)	8	(18.2%)	32	(9.8%)	0.121
ない	214	(91.1%)	41	(89.1%)	36	(81.8%)	291	(89.5%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>マンション系利用 (過去6ヶ月間)</b>									
ある	41	(17.4%)	14	(30.4%)	12	(27.3%)	67	(20.6%)	0.075
ない	192	(81.7%)	32	(69.6%)	32	(72.7%)	256	(78.8%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>クラブ (男性限定) (過去6ヶ月間)</b>									
ある	30	(12.8%)	9	(19.6%)	22	(50.0%)	61	(18.8%)	0.000
ない	203	(86.4%)	37	(80.4%)	22	(50.0%)	262	(80.6%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>お金払ってセックスの経験 (過去6ヶ月間)</b>									
ある	40	(17.0%)	9	(19.6%)	4	(9.1%)	53	(16.3%)	0.341
ない	193	(82.1%)	37	(80.4%)	40	(90.9%)	270	(83.1%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>ゲイバー利用 (過去6ヶ月間)</b>									
ある	79	(33.6%)	27	(58.7%)	34	(77.3%)	140	(43.1%)	0.000
ない	154	(65.5%)	19	(41.3%)	10	(22.7%)	183	(56.3%)	
無回答	2	(0.9%)	0	(0.0%)	0	(0.0%)	2	(0.6%)	
<b>ネット相手とセックスの経験 (過去6ヶ月間)</b>									
ある	119	(50.6%)	22	(47.8%)	25	(56.8%)	166	(51.1%)	0.690
ない	112	(47.7%)	24	(52.2%)	19	(43.2%)	155	(47.7%)	
無回答	4	(1.7%)	0	(0.0%)	0	(0.0%)	4	(1.2%)	
<b>携帯相手とセックスの経験 (過去6ヶ月間)</b>									
ある	85	(36.2%)	14	(30.4%)	17	(38.6%)	116	(35.7%)	0.636
ない	146	(62.1%)	32	(69.6%)	26	(59.1%)	204	(62.8%)	
無回答	4	(1.7%)	0	(0.0%)	1	(2.3%)	5	(1.5%)	

表77. 居住地域ブロック 近畿 (2008)

497

	大阪活動(mash, sal+, dista)								カイ2乗 検定
	全く知らない n=322		いずれかを 知っている n=115		全てを 知っている n=60		合計 n=497		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	35	(10.9%)	9	(7.8%)	2	(3.3%)	46	(9.3%)	0.140
20歳代	121	(37.6%)	51	(44.3%)	26	(43.3%)	198	(39.8%)	
30歳代	90	(28.0%)	39	(33.9%)	20	(33.3%)	149	(30.0%)	
40歳代	51	(15.8%)	12	(10.4%)	11	(18.3%)	74	(14.9%)	
50歳以上	19	(5.9%)	4	(3.5%)	0	(0.0%)	23	(4.6%)	
無回答・無効回答	6	(1.9%)	0	(0.0%)	1	(1.7%)	7	(1.4%)	
<b>最終学歴</b>									
大卒以上	185	(57.5%)	66	(57.4%)	39	(65.0%)	290	(58.4%)	0.537
それ以外	137	(42.5%)	49	(42.6%)	21	(35.0%)	207	(41.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>知識_感染しても長生き可能</b>									
正解	214	(66.5%)	92	(80.0%)	54	(90.0%)	360	(72.4%)	0.000
その他	105	(32.6%)	22	(19.1%)	6	(10.0%)	133	(26.8%)	
無回答	3	(0.9%)	1	(0.9%)	0	(0.0%)	4	(0.8%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	221	(68.6%)	94	(81.7%)	51	(85.0%)	366	(73.6%)	0.002
その他	99	(30.7%)	20	(17.4%)	9	(15.0%)	128	(25.8%)	
無回答	2	(0.6%)	1	(0.9%)	0	(0.0%)	3	(0.6%)	
<b>知識_STDIはHIV易感染</b>									
正解	182	(56.5%)	89	(77.4%)	50	(83.3%)	321	(64.6%)	0.000
その他	137	(42.5%)	24	(20.9%)	10	(16.7%)	171	(34.4%)	
無回答	3	(0.9%)	2	(1.7%)	0	(0.0%)	5	(1.0%)	
<b>抑うつ傾向</b>									
あり	149	(46.3%)	54	(47.0%)	23	(38.3%)	226	(45.5%)	0.428
なし	153	(47.5%)	54	(47.0%)	34	(56.7%)	241	(48.5%)	
無回答	20	(6.2%)	7	(6.1%)	3	(5.0%)	30	(6.0%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	99	(30.7%)	62	(53.9%)	42	(70.0%)	203	(40.8%)	0.000
ない	213	(66.1%)	53	(46.1%)	18	(30.0%)	284	(57.1%)	
無回答	10	(3.1%)	0	(0.0%)	0	(0.0%)	10	(2.0%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	47	(14.6%)	40	(34.8%)	26	(43.3%)	113	(22.7%)	0.000
その他	274	(85.1%)	75	(65.2%)	34	(56.7%)	383	(77.1%)	
無回答	1	(0.3%)	0	(0.0%)	0	(0.0%)	1	(0.2%)	
<b>STD被診断経験(生涯)</b>									
ある	39	(12.1%)	31	(27.0%)	19	(31.7%)	89	(17.9%)	0.000
ない	262	(81.4%)	81	(70.4%)	41	(68.3%)	384	(77.3%)	
無回答	21	(6.5%)	3	(2.6%)	0	(0.0%)	24	(4.8%)	
<b>STD被診断経験(過去1年)</b>									
ある	9	(2.8%)	12	(10.4%)	5	(8.3%)	26	(5.2%)	0.000
その他	313	(97.2%)	103	(89.6%)	55	(91.7%)	471	(94.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>薬物使用(生涯)</b>									
ある	104	(32.3%)	52	(45.2%)	34	(56.7%)	190	(38.2%)	0.001
ない	199	(61.8%)	59	(51.3%)	26	(43.3%)	284	(57.1%)	
無回答	19	(5.9%)	4	(3.5%)	0	(0.0%)	23	(4.6%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	38	(11.8%)	17	(14.8%)	11	(18.3%)	66	(13.3%)	0.003
その他	282	(87.6%)	98	(85.2%)	48	(80.0%)	428	(86.1%)	
無回答	2	(0.6%)	0	(0.0%)	1	(1.7%)	3	(0.6%)	
<b>HIV陽性</b>									
HIV陽性	0	(0.0%)	8	(7.0%)	5	(8.3%)	13	(2.6%)	
その他	322	(100.0%)	107	(93.0%)	55	(91.7%)	484	(97.4%)	



表77. 居住地域ブロック 近畿 (2008)

497

	大阪活動 (mash, sal+, dista)						カイ乗 検定		
	全く知らない n=322		いずれかを 知っている n=115		全てを 知っている n=60			合計 n=497	
	n	%	n	%	n	%		n	%
<b>相手の数(過去6ヶ月間)</b>									
1人	70	(21.7%)	17	(14.8%)	10	(16.7%)	97	(19.5%)	0.010
2-3人	85	(26.4%)	30	(26.1%)	14	(23.3%)	129	(26.0%)	
4-5人	43	(13.4%)	14	(12.2%)	10	(16.7%)	67	(13.5%)	
6人以上	59	(18.3%)	40	(34.8%)	17	(28.3%)	116	(23.3%)	
非該当(0人)	46	(14.3%)	7	(6.1%)	4	(6.7%)	57	(11.5%)	
無回答	19	(5.9%)	7	(6.1%)	5	(8.3%)	31	(6.2%)	
<b>アルコール有の人のコンドーム使用状況(過去6ヶ月)</b>									
常用	69	(32.1%)	34	(36.2%)	21	(43.8%)	124	(34.7%)	0.525
それ以外	102	(47.4%)	46	(48.9%)	21	(43.8%)	169	(47.3%)	
無回答	44	(20.5%)	14	(14.9%)	6	(12.5%)	64	(17.9%)	
<b>サウナ系利用(過去6ヶ月間)</b>									
ある	72	(22.4%)	45	(39.1%)	35	(58.3%)	152	(30.6%)	0.000
ない	249	(77.3%)	69	(60.0%)	24	(40.0%)	342	(68.8%)	
無回答	1	(0.3%)	1	(0.9%)	1	(1.7%)	3	(0.6%)	
<b>ビデオ系利用(過去6ヶ月間)</b>									
ある	27	(8.4%)	22	(19.1%)	10	(16.7%)	59	(11.9%)	0.004
ない	295	(91.6%)	92	(80.0%)	50	(83.3%)	437	(87.9%)	
無回答	0	(0.0%)	1	(0.9%)	0	(0.0%)	1	(0.2%)	
<b>マンション系利用(過去6ヶ月間)</b>									
ある	46	(14.3%)	21	(18.3%)	17	(28.3%)	84	(16.9%)	0.028
ない	273	(84.8%)	93	(80.9%)	43	(71.7%)	409	(82.3%)	
無回答	3	(0.9%)	1	(0.9%)	0	(0.0%)	4	(0.8%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>									
ある	19	(5.9%)	25	(21.7%)	24	(40.0%)	68	(13.7%)	0.000
ない	301	(93.5%)	89	(77.4%)	36	(60.0%)	426	(85.7%)	
無回答	2	(0.6%)	1	(0.9%)	0	(0.0%)	3	(0.6%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>									
ある	55	(17.1%)	20	(17.4%)	6	(10.0%)	81	(16.3%)	0.362
ない	266	(82.6%)	94	(81.7%)	54	(90.0%)	414	(83.3%)	
無回答	1	(0.3%)	1	(0.9%)	0	(0.0%)	2	(0.4%)	
<b>ゲイバー利用(過去6ヶ月間)</b>									
ある	83	(25.8%)	66	(57.4%)	54	(90.0%)	203	(40.8%)	0.000
ない	237	(73.6%)	48	(41.7%)	6	(10.0%)	291	(58.6%)	
無回答	2	(0.6%)	1	(0.9%)	0	(0.0%)	3	(0.6%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>									
ある	162	(50.3%)	55	(47.8%)	22	(36.7%)	239	(48.1%)	0.133
ない	157	(48.8%)	59	(51.3%)	38	(63.3%)	254	(51.1%)	
無回答	3	(0.9%)	1	(0.9%)	0	(0.0%)	4	(0.8%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>									
ある	100	(31.1%)	42	(36.5%)	16	(26.7%)	158	(31.8%)	0.320
ない	221	(68.6%)	71	(61.7%)	44	(73.3%)	336	(67.6%)	
無回答	1	(0.3%)	2	(1.7%)	0	(0.0%)	3	(0.6%)	

	大阪活動 (mash, sal+, dista)								カイ乗 検定
	全く知らない n=282		いずれかを 知っている n=180		全てを 知っている n=108		合計 n=570		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	21	(7.4%)	7	(3.9%)	3	(2.8%)	31	(5.4%)	0.000
20歳代	118	(41.8%)	62	(34.4%)	46	(42.6%)	226	(39.6%)	
30歳代	76	(27.0%)	75	(41.7%)	47	(43.5%)	198	(34.7%)	
40歳代	38	(13.5%)	30	(16.7%)	11	(10.2%)	79	(13.9%)	
50歳以上	26	(9.2%)	6	(3.3%)	1	(0.9%)	33	(5.8%)	
無回答・無効回答	3	(1.1%)	0	(0.0%)	0	(0.0%)	3	(0.5%)	
<b>最終学歴</b>									
大卒以上	144	(51.1%)	95	(52.8%)	63	(58.3%)	302	(53.0%)	0.453
それ以外	137	(48.6%)	85	(47.2%)	45	(41.7%)	267	(46.8%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1	(0.2%)	
<b>知識_感染しても長生き可能</b>									
正解	188	(66.7%)	138	(76.7%)	94	(87.0%)	420	(73.7%)	0.000
その他	94	(33.3%)	42	(23.3%)	12	(11.1%)	148	(26.0%)	
無回答	0	(0.0%)	0	(0.0%)	2	(1.9%)	2	(0.4%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	219	(77.7%)	140	(77.8%)	97	(89.8%)	456	(80.0%)	0.022
その他	61	(21.6%)	40	(22.2%)	11	(10.2%)	112	(19.6%)	
無回答	2	(0.7%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
<b>知識_STDIはHIV易感染</b>									
正解	168	(59.6%)	135	(75.0%)	97	(89.8%)	400	(70.2%)	0.000
その他	114	(40.4%)	43	(23.9%)	11	(10.2%)	168	(29.5%)	
無回答	0	(0.0%)	2	(1.1%)	0	(0.0%)	2	(0.4%)	
<b>抑うつ傾向</b>									
あり	113	(40.1%)	81	(45.0%)	46	(42.6%)	240	(42.1%)	0.424
なし	152	(53.9%)	84	(46.7%)	57	(52.8%)	293	(51.4%)	
無回答	17	(6.0%)	15	(8.3%)	5	(4.6%)	37	(6.5%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	93	(33.0%)	102	(56.7%)	88	(81.5%)	283	(49.6%)	0.000
ない	178	(63.1%)	76	(42.2%)	19	(17.6%)	273	(47.9%)	
無回答	11	(3.9%)	2	(1.1%)	1	(0.9%)	14	(2.5%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	54	(19.1%)	57	(31.7%)	45	(41.7%)	156	(27.4%)	0.000
その他	228	(80.9%)	123	(68.3%)	63	(58.3%)	414	(72.6%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>STD被診断経験(生涯)</b>									
ある	54	(19.1%)	64	(35.6%)	46	(42.6%)	164	(28.8%)	0.000
ない	212	(75.2%)	112	(62.2%)	62	(57.4%)	386	(67.7%)	
無回答	16	(5.7%)	4	(2.2%)	0	(0.0%)	20	(3.5%)	
<b>STD被診断経験(過去1年)</b>									
ある	19	(6.7%)	24	(13.3%)	20	(18.5%)	63	(11.1%)	0.000
その他	262	(92.9%)	155	(86.1%)	86	(79.6%)	503	(88.2%)	
無回答	1	(0.4%)	1	(0.6%)	2	(1.9%)	4	(0.7%)	
<b>薬物使用(生涯)</b>									
ある	101	(35.8%)	103	(57.2%)	70	(64.8%)	274	(48.1%)	0.000
ない	162	(57.4%)	71	(39.4%)	35	(32.4%)	268	(47.0%)	
無回答	19	(6.7%)	6	(3.3%)	3	(2.8%)	28	(4.9%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	32	(11.3%)	42	(23.3%)	34	(31.5%)	108	(18.9%)	0.000
その他	249	(88.3%)	137	(76.1%)	73	(67.6%)	459	(80.5%)	
無回答	1	(0.4%)	1	(0.6%)	1	(0.9%)	3	(0.5%)	
<b>HIV陽性</b>									
HIV陽性	11	(3.9%)	12	(6.7%)	19	(17.6%)	42	(7.4%)	
その他	271	(96.1%)	168	(93.3%)	89	(82.4%)	528	(92.6%)	

	大阪活動 (mash, sal+, dista)								カイ2乗 検定
	全く知らない n=282		いずれかを 知っている n=180		全てを 知っている n=108		合計 n=570		
	n	%	n	%	n	%	n	%	
<b>相手の数(過去6ヶ月間)</b>									
1人	58	(20.6%)	27	(15.0%)	26	(24.1%)	111	(19.5%)	0.008
2-3人	59	(20.9%)	37	(20.6%)	15	(13.9%)	111	(19.5%)	
4-5人	40	(14.2%)	26	(14.4%)	14	(13.0%)	80	(14.0%)	
6人以上	59	(20.9%)	66	(36.7%)	39	(36.1%)	164	(28.8%)	
非該当(0人)	43	(15.2%)	19	(10.6%)	9	(8.3%)	71	(12.5%)	
無回答	23	(8.2%)	5	(2.8%)	5	(4.6%)	33	(5.8%)	
<b>7/24セックス有の人のコンドーム使用状況(過去6ヶ月)</b>									
常用	64	(32.5%)	47	(34.8%)	30	(37.5%)	141	(34.2%)	0.896
それ以外	99	(50.3%)	67	(49.6%)	41	(51.3%)	207	(50.2%)	
無回答	34	(17.3%)	21	(15.6%)	9	(11.3%)	64	(15.5%)	
<b>サウナ系利用(過去6ヶ月間)</b>									
ある	79	(28.0%)	83	(46.1%)	49	(45.4%)	211	(37.0%)	0.000
ない	202	(71.6%)	97	(53.9%)	59	(54.6%)	358	(62.8%)	
無回答	1	(0.4%)	0	(0.0%)	0	(0.0%)	1	(0.2%)	
<b>ビデオ系利用(過去6ヶ月間)</b>									
ある	39	(13.8%)	30	(16.7%)	20	(18.5%)	89	(15.6%)	0.486
ない	241	(85.5%)	150	(83.3%)	88	(81.5%)	479	(84.0%)	
無回答	2	(0.7%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
<b>マンション系利用(過去6ヶ月間)</b>									
ある	35	(12.4%)	36	(20.0%)	32	(29.6%)	103	(18.1%)	0.000
ない	246	(87.2%)	144	(80.0%)	73	(67.6%)	463	(81.2%)	
無回答	1	(0.4%)	0	(0.0%)	3	(2.8%)	4	(0.7%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>									
ある	26	(9.2%)	47	(26.1%)	67	(62.0%)	140	(24.6%)	0.000
ない	255	(90.4%)	132	(73.3%)	41	(38.0%)	428	(75.1%)	
無回答	1	(0.4%)	1	(0.6%)	0	(0.0%)	2	(0.4%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>									
ある	38	(13.5%)	28	(15.6%)	15	(13.9%)	81	(14.2%)	0.832
ない	242	(85.8%)	152	(84.4%)	93	(86.1%)	487	(85.4%)	
無回答	2	(0.7%)	0	(0.0%)	0	(0.0%)	2	(0.4%)	
<b>ゲイバー利用(過去6ヶ月間)</b>									
ある	95	(33.7%)	110	(61.1%)	88	(81.5%)	293	(51.4%)	0.000
ない	185	(65.6%)	69	(38.3%)	19	(17.6%)	273	(47.9%)	
無回答	2	(0.7%)	1	(0.6%)	1	(0.9%)	4	(0.7%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>									
ある	132	(46.8%)	82	(45.6%)	52	(48.1%)	266	(46.7%)	0.927
ない	149	(52.8%)	97	(53.9%)	56	(51.9%)	302	(53.0%)	
無回答	1	(0.4%)	1	(0.6%)	0	(0.0%)	2	(0.4%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>									
ある	106	(37.6%)	62	(34.4%)	42	(38.9%)	210	(36.8%)	0.746
ない	175	(62.1%)	116	(64.4%)	66	(61.1%)	357	(62.6%)	
無回答	1	(0.4%)	2	(1.1%)	0	(0.0%)	3	(0.5%)	

	福岡活動 (rise,aln)								カイ乗 検定
	全く知らない n=149		いずれかを 知っている n=23		全てを 知っている n=6		合計 n=178		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	13	(8.7%)	0	(0.0%)	0	(0.0%)	13	(7.3%)	10.439
20歳代	61	(40.9%)	9	(39.1%)	1	(16.7%)	71	(39.9%)	
30歳代	44	(29.5%)	9	(39.1%)	2	(33.3%)	55	(30.9%)	
40歳代	19	(12.8%)	4	(17.4%)	3	(50.0%)	26	(14.6%)	
50歳以上	12	(8.1%)	1	(4.3%)	0	(0.0%)	13	(7.3%)	
無回答・無効回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>最終学歴</b>									
大卒以上	75	(50.3%)	8	(34.8%)	3	(50.0%)	86	(48.3%)	2.018
それ以外	73	(49.0%)	15	(65.2%)	3	(50.0%)	91	(51.1%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
<b>知識_感染しても長生き可能</b>									
正解	108	(72.5%)	18	(78.3%)	3	(50.0%)	129	(72.5%)	0.768
その他	41	(27.5%)	5	(21.7%)	2	(33.3%)	48	(27.0%)	
無回答	0	(0.0%)	0	(0.0%)	1	(16.7%)	1	(0.6%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	118	(79.2%)	17	(73.9%)	3	(50.0%)	138	(77.5%)	1.290
その他	31	(20.8%)	6	(26.1%)	2	(33.3%)	39	(21.9%)	
無回答	0	(0.0%)	0	(0.0%)	1	(16.7%)	1	(0.6%)	
<b>知識_STDはHIV易感染</b>									
正解	90	(60.4%)	18	(78.3%)	4	(66.7%)	112	(62.9%)	2.639
その他	58	(38.9%)	5	(21.7%)	2	(33.3%)	65	(36.5%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
<b>抑うつ傾向</b>									
あり	67	(45.0%)	14	(60.9%)	3	(50.0%)	84	(47.2%)	1.648
なし	70	(47.0%)	8	(34.8%)	3	(50.0%)	81	(45.5%)	
無回答	12	(8.1%)	1	(4.3%)	0	(0.0%)	13	(7.3%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	54	(36.2%)	13	(56.5%)	2	(33.3%)	69	(38.8%)	3.443
ない	94	(63.1%)	10	(43.5%)	4	(66.7%)	108	(60.7%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	27	(18.1%)	6	(26.1%)	2	(33.3%)	35	(19.7%)	1.535
その他	122	(81.9%)	17	(73.9%)	4	(66.7%)	143	(80.3%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>STD被診断経験(生涯)</b>									
ある	28	(18.8%)	7	(30.4%)	1	(16.7%)	36	(20.2%)	1.450
ない	116	(77.9%)	16	(69.6%)	4	(66.7%)	136	(76.4%)	
無回答	5	(3.4%)	0	(0.0%)	1	(16.7%)	6	(3.4%)	
<b>STD被診断経験(過去1年)</b>									
ある	11	(7.4%)	2	(8.7%)	0	(0.0%)	13	(7.3%)	0.539
その他	137	(91.9%)	21	(91.3%)	6	(100.0%)	164	(92.1%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	
<b>薬物使用(生涯)</b>									
ある	51	(34.2%)	14	(60.9%)	3	(50.0%)	68	(38.2%)	5.684
ない	93	(62.4%)	9	(39.1%)	3	(50.0%)	105	(59.0%)	
無回答	5	(3.4%)	0	(0.0%)	0	(0.0%)	5	(2.8%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	15	(10.1%)	4	(17.4%)	1	(16.7%)	20	(11.2%)	1.255
その他	134	(89.9%)	19	(82.6%)	5	(83.3%)	158	(88.8%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>HIV陽性</b>									
HIV陽性	2	(1.3%)	2	(8.7%)	0	(0.0%)	4	(2.2%)	4.784
その他	147	(98.7%)	21	(91.3%)	6	(100.0%)	174	(97.8%)	

	福岡活動 (rise, aln)								カイ乗 検定
	全く知らない n=149		いずれかを 知っている n=23		全てを 知っている n=6		合計 n=178		
	n	%	n	%	n	%	n	%	
<b>相手の数 (過去6ヶ月間)</b>									
1人	40	(26.8%)	4	(17.4%)	0	(0.0%)	44	(24.7%)	22.680
2-3人	41	(27.5%)	9	(39.1%)	0	(0.0%)	50	(28.1%)	
4-5人	16	(10.7%)	1	(4.3%)	1	(16.7%)	18	(10.1%)	
6人以上	24	(16.1%)	3	(13.0%)	5	(83.3%)	32	(18.0%)	
非該当 (0人)	22	(14.8%)	6	(26.1%)	0	(0.0%)	28	(15.7%)	
無回答	6	(4.0%)	0	(0.0%)	0	(0.0%)	6	(3.4%)	
<b>アルコール系有の人のコンドーム使用状況 (過去6ヶ月)</b>									
常用	25	(26.0%)	4	(26.7%)	0	(0.0%)	29	(24.8%)	3.329
それ以外	45	(46.9%)	10	(66.7%)	6	(100.0%)	61	(52.1%)	
無回答	26	(27.1%)	1	(6.7%)	0	(0.0%)	27	(23.1%)	
<b>サウナ系利用 (過去6ヶ月間)</b>									
ある	30	(20.1%)	7	(30.4%)	3	(50.0%)	40	(22.5%)	3.914
ない	119	(79.9%)	16	(69.6%)	3	(50.0%)	138	(77.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>ビデオ系利用 (過去6ヶ月間)</b>									
ある	14	(9.4%)	4	(17.4%)	0	(0.0%)	18	(10.1%)	2.100
ない	135	(90.6%)	19	(82.6%)	6	(100.0%)	160	(89.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>マンション系利用 (過去6ヶ月間)</b>									
ある	24	(16.1%)	6	(26.1%)	3	(50.0%)	33	(18.5%)	5.383
ない	125	(83.9%)	17	(73.9%)	3	(50.0%)	145	(81.5%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>クラブ (男性限定) (過去6ヶ月間)</b>									
ある	9	(6.0%)	7	(30.4%)	1	(16.7%)	17	(9.6%)	14.297
ない	140	(94.0%)	16	(69.6%)	4	(66.7%)	160	(89.9%)	
無回答	0	(0.0%)	0	(0.0%)	1	(16.7%)	1	(0.6%)	
<b>お金払ってセックスの経験 (過去6ヶ月間)</b>									
ある	21	(14.1%)	4	(17.4%)	0	(0.0%)	25	(14.0%)	1.194
ない	128	(85.9%)	19	(82.6%)	6	(100.0%)	153	(86.0%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>ゲイバー利用 (過去6ヶ月間)</b>									
ある	60	(40.3%)	13	(56.5%)	5	(83.3%)	78	(43.8%)	6.076
ない	89	(59.7%)	10	(43.5%)	1	(16.7%)	100	(56.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>ネット相手とセックスの経験 (過去6ヶ月間)</b>									
ある	75	(50.3%)	9	(39.1%)	3	(50.0%)	87	(48.9%)	1.004
ない	74	(49.7%)	14	(60.9%)	3	(50.0%)	91	(51.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>携帯相手とセックスの経験 (過去6ヶ月間)</b>									
ある	68	(45.6%)	6	(26.1%)	3	(50.0%)	77	(43.3%)	3.301
ない	80	(53.7%)	17	(73.9%)	3	(50.0%)	100	(56.2%)	
無回答	1	(0.7%)	0	(0.0%)	0	(0.0%)	1	(0.6%)	

	福岡活動 (rise, aln)								カイ乗 検定
	全く知らない n=87		いずれかを 知っている n=66		全てを 知っている n=27		合計 n=180		
	n	%	n	%	n	%	n	%	
<b>年齢階級</b>									
10歳代	11	(12.6%)	3	(4.5%)	2	(7.4%)	16	(8.9%)	9.598
20歳代	35	(40.2%)	34	(51.5%)	13	(48.1%)	82	(45.6%)	
30歳代	23	(26.4%)	20	(30.3%)	11	(40.7%)	54	(30.0%)	
40歳代	15	(17.2%)	7	(10.6%)	1	(3.7%)	23	(12.8%)	
50歳以上	3	(3.4%)	2	(3.0%)	0	(0.0%)	5	(2.8%)	
無回答・無効回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>最終学歴</b>									
大卒以上	56	(64.4%)	39	(59.1%)	11	(40.7%)	106	(58.9%)	4.789
それ以外	31	(35.6%)	26	(39.4%)	16	(59.3%)	73	(40.6%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	
<b>知識_感染しても長生き可能</b>									
正解	56	(64.4%)	47	(71.2%)	19	(70.4%)	122	(67.8%)	0.903
その他	31	(35.6%)	19	(28.8%)	8	(29.6%)	58	(32.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>知識_HIV検査感染から3日で可</b>									
正解	71	(81.6%)	50	(75.8%)	25	(92.6%)	146	(81.1%)	3.572
その他	16	(18.4%)	16	(24.2%)	2	(7.4%)	34	(18.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>知識_STDIはHIV易感染</b>									
正解	49	(56.3%)	48	(72.7%)	17	(63.0%)	114	(63.3%)	4.351
その他	38	(43.7%)	18	(27.3%)	10	(37.0%)	66	(36.7%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>抑うつ傾向</b>									
あり	40	(46.0%)	29	(43.9%)	9	(33.3%)	78	(43.3%)	2.473
なし	42	(48.3%)	28	(42.4%)	18	(66.7%)	88	(48.9%)	
無回答	5	(5.7%)	9	(13.6%)	0	(0.0%)	14	(7.8%)	
<b>HIV抗体検査受検経験(生涯)</b>									
ある	26	(29.9%)	28	(42.4%)	19	(70.4%)	73	(40.6%)	13.188
ない	58	(66.7%)	37	(56.1%)	8	(29.6%)	103	(57.2%)	
無回答	3	(3.4%)	1	(1.5%)	0	(0.0%)	4	(2.2%)	
<b>HIV抗体検査受検経験(過去1年)</b>									
ある	14	(16.1%)	14	(21.2%)	13	(48.1%)	41	(22.8%)	12.183
その他	73	(83.9%)	52	(78.8%)	14	(51.9%)	139	(77.2%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>STD被診断経験(生涯)</b>									
ある	15	(17.2%)	18	(27.3%)	13	(48.1%)	46	(25.6%)	9.852
ない	69	(79.3%)	46	(69.7%)	14	(51.9%)	129	(71.7%)	
無回答	3	(3.4%)	2	(3.0%)	0	(0.0%)	5	(2.8%)	
<b>STD被診断経験(過去1年)</b>									
ある	8	(9.2%)	7	(10.6%)	4	(14.8%)	19	(10.6%)	0.688
その他	79	(90.8%)	58	(87.9%)	23	(85.2%)	160	(88.9%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	
<b>薬物使用(生涯)</b>									
ある	29	(33.3%)	35	(53.0%)	21	(77.8%)	85	(47.2%)	17.288
ない	56	(64.4%)	29	(43.9%)	6	(22.2%)	91	(50.6%)	
無回答	2	(2.3%)	2	(3.0%)	0	(0.0%)	4	(2.2%)	
<b>薬物使用(過去6ヶ月)</b>									
ある	8	(9.2%)	12	(18.2%)	3	(11.1%)	23	(12.8%)	2.938
その他	79	(90.8%)	53	(80.3%)	24	(88.9%)	156	(86.7%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	
<b>HIV陽性</b>									
HIV陽性	1	(1.1%)	2	(3.0%)	2	(7.4%)	5	(2.8%)	2.871
その他	86	(98.9%)	64	(97.0%)	25	(92.6%)	175	(97.2%)	

	福岡活動(rise,aln)								カイ乗 検定
	全く知らない n=87		いずれかを 知っている n=66		全てを 知っている n=27		合計 n=180		
	n	%	n	%	n	%	n	%	
<b>相手の数(過去6ヶ月間)</b>									
1人	20	(23.0%)	8	(12.1%)	4	(14.8%)	32	(17.8%)	10.410
2-3人	17	(19.5%)	14	(21.2%)	5	(18.5%)	36	(20.0%)	
4-5人	11	(12.6%)	6	(9.1%)	6	(22.2%)	23	(12.8%)	
6人以上	19	(21.8%)	27	(40.9%)	8	(29.6%)	54	(30.0%)	
非該当(0人)	13	(14.9%)	7	(10.6%)	3	(11.1%)	23	(12.8%)	
無回答	7	(8.0%)	4	(6.1%)	1	(3.7%)	12	(6.7%)	
<b>7人セックス有の人のコンドーム使用状況(過去6ヶ月)</b>									
常用	17	(26.2%)	16	(30.2%)	7	(33.3%)	40	(28.8%)	0.269
それ以外	37	(56.9%)	29	(54.7%)	12	(57.1%)	78	(56.1%)	
無回答	11	(16.9%)	8	(15.1%)	2	(9.5%)	21	(15.1%)	
<b>サウナ系利用(過去6ヶ月間)</b>									
ある	20	(23.0%)	16	(24.2%)	7	(25.9%)	43	(23.9%)	0.117
ない	67	(77.0%)	49	(74.2%)	20	(74.1%)	136	(75.6%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	
<b>ビデオ系利用(過去6ヶ月間)</b>									
ある	11	(12.6%)	5	(7.6%)	2	(7.4%)	18	(10.0%)	1.255
ない	76	(87.4%)	60	(90.9%)	25	(92.6%)	161	(89.4%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	
<b>マンション系利用(過去6ヶ月間)</b>									
ある	18	(20.7%)	25	(37.9%)	13	(48.1%)	56	(31.1%)	9.476
ない	69	(79.3%)	41	(62.1%)	14	(51.9%)	124	(68.9%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>クラブ(男性限定)(過去6ヶ月間)</b>									
ある	9	(10.3%)	9	(13.6%)	7	(25.9%)	25	(13.9%)	4.188
ない	78	(89.7%)	57	(86.4%)	20	(74.1%)	155	(86.1%)	
無回答	0	(0.0%)	0	(0.0%)	0	(0.0%)	0	(0.0%)	
<b>お金払ってセックスの経験(過去6ヶ月間)</b>									
ある	3	(3.4%)	9	(13.6%)	0	(0.0%)	12	(6.7%)	8.716
ない	84	(96.6%)	56	(84.8%)	27	(100.0%)	167	(92.8%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	
<b>ゲイバー利用(過去6ヶ月間)</b>									
ある	31	(35.6%)	41	(62.1%)	22	(81.5%)	94	(52.2%)	22.547
ない	55	(63.2%)	25	(37.9%)	4	(14.8%)	84	(46.7%)	
無回答	1	(1.1%)	0	(0.0%)	1	(3.7%)	2	(1.1%)	
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>									
ある	48	(55.2%)	40	(60.6%)	15	(55.6%)	103	(57.2%)	0.567
ない	38	(43.7%)	25	(37.9%)	12	(44.4%)	75	(41.7%)	
無回答	1	(1.1%)	1	(1.5%)	0	(0.0%)	2	(1.1%)	
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>									
ある	34	(39.1%)	30	(45.5%)	10	(37.0%)	74	(41.1%)	1.010
ない	53	(60.9%)	35	(53.0%)	17	(63.0%)	105	(58.3%)	
無回答	0	(0.0%)	1	(1.5%)	0	(0.0%)	1	(0.6%)	



表81. 居住地域ブロック (2008)

	北海道, 北陸, 信 越, 中四国, 沖縄 n=806	
	n	%
<b>年齢階級</b>		
10歳代	61	(7.6%)
20歳代	306	(38.0%)
30歳代	293	(36.4%)
40歳代	89	(11.0%)
50歳以上	40	(5.0%)
無回答・無効回答	17	(2.1%)
<b>最終学歴</b>		
大卒以上	406	(50.4%)
それ以外	394	(48.9%)
無回答	6	(0.7%)
<b>知識_感染しても長生き可能</b>		
正解	552	(68.5%)
その他	248	(30.8%)
無回答	6	(0.7%)
<b>知識_HIV検査感染から3日で可</b>		
正解	596	(73.9%)
その他	205	(25.4%)
無回答	5	(0.6%)
<b>知識_STDIはHIV易感染</b>		
正解	508	(63.0%)
その他	286	(35.5%)
無回答	12	(1.5%)
<b>抑うつ傾向</b>		
あり	343	(42.6%)
なし	398	(49.4%)
無回答	65	(8.1%)
<b>HIV抗体検査受検経験(生涯)</b>		
ある	344	(42.7%)
ない	437	(54.2%)
無回答	25	(3.1%)
<b>HIV抗体検査受検経験(過去1年)</b>		
ある	193	(23.9%)
ない	612	(75.9%)
無回答	1	(0.1%)
<b>STD被診断経験(生涯)</b>		
ある	160	(19.9%)
ない	602	(74.7%)
無回答	44	(5.5%)
<b>STD被診断経験(過去1年)</b>		
ある	51	(6.3%)
ない	753	(93.4%)
無回答	2	(0.2%)
<b>薬物使用(生涯)</b>		
ある	320	(39.7%)
ない	441	(54.7%)
無回答	45	(5.6%)
<b>薬物使用(過去6ヶ月間)</b>		
ある	107	(13.3%)
ない	694	(86.1%)
無回答	5	(0.6%)
<b>HIV陽性</b>		
HIV陽性	30	(3.7%)
それ以外	776	(96.3%)

表81. 居住地域ブロック (2008)

	北海道, 北陸, 信 越, 中四国, 沖縄 n=806	
	n	%
<b>相手の数(過去6ヶ月間)</b>		
1人	171	(21.2%)
2-3人	178	(22.1%)
4-5人	121	(15.0%)
6人以上	167	(20.7%)
非該当(0人)	119	(14.8%)
無回答	50	(6.2%)
<b>リアルセックス有の人のコンドーム使用状況(過去6ヶ月間)</b>		
常用	198	(34.7%)
それ以外	274	(48.1%)
無回答	98	(17.2%)
<b>サウナ系利用(過去6ヶ月間)</b>		
ある	171	(21.2%)
ない	625	(77.5%)
無回答	10	(1.2%)
<b>ビデオ系利用(過去6ヶ月間)</b>		
ある	88	(10.9%)
ない	709	(88.0%)
無回答	9	(1.1%)
<b>マンション系利用(過去6ヶ月間)</b>		
ある	132	(16.4%)
ない	660	(81.9%)
無回答	14	(1.7%)
<b>クラブ(男性限定)(過去6ヶ月間)</b>		
ある	118	(14.6%)
ない	678	(84.1%)
無回答	10	(1.2%)
<b>お金払ってセックスの経験(過去6ヶ月間)</b>		
ある	117	(14.5%)
ない	680	(84.4%)
無回答	9	(1.1%)
<b>ゲイバー利用(過去6ヶ月間)</b>		
ある	322	(40.0%)
ない	473	(58.7%)
無回答	11	(1.4%)
<b>ネット相手とセックスの経験(過去6ヶ月間)</b>		
ある	396	(49.1%)
ない	400	(49.6%)
無回答	10	(1.2%)
<b>携帯相手とセックスの経験(過去6ヶ月間)</b>		
ある	270	(33.5%)
ない	523	(64.9%)
無回答	13	(1.6%)