

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
鈴木哲朗、政木 隆博、相崎英樹	C型肝炎ウイル スの感染粒子形 成機構	小柳義夫	ウイルス	日本ウ イルス 学会	東京	2008	199-206
Aizaki H, <u>Suzuki T.</u>	RNA Replication of Hepatitis C Virus	Cheng RH, Miyamura T.	Structure-b ased Study of Viral Replication	World Scienti fic	Singapo re	2008	151-172
下遠野邦忠	C型肝炎ウイルス 研究の新知見		医学のあゆみ		東京	2010	1223-122 4
堀田 博	肝炎ウイルス	東匡伸, 堀 田博, 小熊 恵三	標準微生物学 第10版,	医学書院	東京	2009	pp.531-54 0,
堀田 博	肝炎ウイルス	東匡伸, 堀 田博, 小熊 恵三	シンプル微生 物学 第5版	南江堂	東京	2011	印刷中
Kazuyuki Takai, Tatsuya Sawasaki and Yaeta Endo	RNA N-Glycosidase Activity of Ribosome-Inactivati ng Proteins	J. J. Michael Lord and Martin R. Hartley	Plant Cell Monographs	Springer	イギリス	2010	27-39
Miki Watanabe, Ken-ichi Miyazono, Masaru Tanokura, Tatsuya Sawasaki, Yaeta Endo and Ichizo Kobayashi	Cell-Free Protein Synthesis for Structure Determination by X-ray Crystallography	Yaeta Endo, Kazuyuki Takai and Takuya Ueda	Methods in Molecular Biology	Springer/ Humana Press	米国	2010	148-160
Takafumi Tsuboi, Satoru Takeo, Tatsuya Sawasaki, Motomi Torii and Yaeta Endo	An Efficient Approach to the Production of Vaccines Against the Malaria Parasite	Yaeta Endo, Kazuyuki Takai and Takuya Ueda	Methods in Molecular Biology	Springer/ Humana Press	米国	2010	73-84
Tatsuya Sawasaki and Yaeta Endo	Cell-Free Based Protein Microarray Technology Using Agarose/ DNA Microplate	Yaeta Endo, Kazuyuki Takai and Takuya Ueda	Methods in Molecular Biology	Springer/ Humana Press	米国	2010	63-72
鐘ヶ江 裕美、斎 藤 泉	アデノウイルスベ クターを用いた遺 伝子発現	村松 正實、 山本 雅、 岡崎 康司	改訂第5版 新遺伝子工学 ハンドブック	羊土社	東京	2010	190-197

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Watanabe N, Aizaki H, Matsuura T, Kojima S, Wakita T, <u>Suzuki T.</u>	Hepatitis C virus RNA replication in human stellate cells regulates gene expression of extracellular matrix-related molecules.	Biochem Biophys Res Commun			In press
Inoue, Y., Aizaki, H., Hara, H., Matsuda, M., Ando, T., Shimoji, T., Murakami, K., Masaki, T., Shoji, I., Homma, S., Matsuura, Y., Miyamura, T., Lai, MMC, Wakita, T., and <u>Suzuki, T.</u>	Chaperonin TRiC/CCT participates in replication of hepatitis C virus genome via interaction with the viral NS5B protein.	Virology	410	38-47	2011
Wen X, Abe T, Kukihara H, Taguwa S, Mori Y, Tani H, Kato N, <u>Suzuki T.</u> , Tatsumi M, Moriishi K, <u>Matsuura Y.</u>	Elimination of hepatitis C virus from hepatocytes by a selective activation of therapeutic molecules.	PLoS One	6	e15967	2011
Hmwe SS, Aizaki H, Date T, Murakami K, Ishii K, Miyamura T, Koike K, Wakita T, <u>Suzuki T</u>	Identification of hepatitis C virus genotype 2a replicon variants with reduced susceptibility to ribavirin.	Antiviral Res	85	520-524	2010
Masaki T, Suzuki R, Saeed M, Mori K, Matsuda M, Aizaki H, Ishii K, Maki N, Miyamura T, Matsuura Y, Wakita T, <u>Suzuki T</u>	Production of infectious hepatitis C virus by using RNA polymerase I-mediated transcription.	J Virol	84	5824-5835	2010
Braconi C, Valeri N, Gasparini P, Huang N, Taccioli C, Nuovo G, <u>Suzuki T</u> , Croce CM, Patel T	Hepatitis C virus proteins modulate microRNA expression and chemosensitivity in malignant hepatocytes.	Clin Cancer Res	16	957-966	2010
Tanaka Y, Mori Y, Tani H, Abe T, Moriishi K, Kojima H, Nagano T, Okabe T, <u>Suzuki T</u> , Tatsumi M, Matsuura Y.	Establishment of an indicator cell system for hepatitis C virus.	Microbiol Immunol.	54	206-220	2010
Takahashi H, Akazawa D, Kato T, Date T, Shirakura M, Nakamura N, Mochizuki H, Tanaka-Kaneko K, Sata T, Tanaka Y, Mizokami M, <u>Suzuki T</u> , Wakita T.	Biological properties of purified recombinant HCV particles with an epitope-tagged envelope.	Biochem Biophys Res Commun.	395	565-571	2010

Ito M, Murakami K, <u>Suzuki T</u> , Mochida K, Suzuki M, Ikebuchi K, Yamaguchi K, Mizuochi T.	Enhanced expression of lymphomagenesis-related genes in peripheral blood B cells of chronic hepatitis C patients.	Clin Immunol	135	459-465	2010
Murayama A, Weng L, Date T, Akazawa D, Tian X, <u>Suzuki T</u> , Kato T, Tanaka Y, Mizokami M, Wakita T, Toyoda T.	RNA polymerase activity and specific RNA structure are required for efficient HCV replication in cultured cells.	PLOS Pathog	6	E1000885	2010
Hara, H., Aizaki, H., Matsuda, M., Shinkai-Ouchi, F., Inoue, Y., Murakami, K., Shoji, I., Kawakami, H., <u>Matsuura, Y.</u> , Lai, M.M.C., Miyamura, T., Wakita, T., <u>Suzuki, T.</u>	Involvement of creatine kinase B in hepatitis C virus genome replication through interaction with the viral NS4A protein.	J. Virol.		in press	2009
Suzuki, R., Moriishi, K., Fukuda, K., Shirakura, M., Ishii, K., Wakita, T., Miyamura, T., <u>Matsuura,</u> <u>Y.</u> , <u>Suzuki, T</u>	Proteasomal turnover of hepatitis C virus core protein is regulated by two distinct mechanisms: ubiquitin-dependent and ubiquitin-independent but PA28gamma-dependent.	J.Viro.	83	2389-2392	2009
Kukihara H, Moriishi K, Taguwa S, Tani H, Abe T, Mori Y, <u>Suzuki T</u> , Fukuhara T, Taketomi A, Maehara Y, <u>Matsuura Y</u>	Human VAP-C negatively regulates hepatitis C virus propagation.	J.Viro.	83	7959-7969	2009
Tsutsumi T, Matsuda M, Aizaki H, Moriya K, Miyoshi H, Fujie H, Shintani Y, Yotsuyanagi H, Miyamura T, <u>Suzuki T</u> , <u>Koike K.</u>	Proteomics analysis of mitochondrial proteins reveals overexpression of a mitochondrial protein chaperone, prohibitin, in cells expressing hepatitis C virus core protein.	Hepatol	50	378-386	2009
Taguwa S, Kambara H, Omori H, Tani H, Abe T, Mori Y, <u>Suzuki T</u> , Yoshimori T, Moriishi K, <u>Matsuura Y.</u>	Co-chaperone activity of human butyrate-induced transcript 1 facilitates hepatitis C virus replication through an Hsp90-dependent pathway..	J.Viro.	83	10427-1043 6	2009
Shimoji T, Murakami K, Sugiyama Y, Matsuda M, Inubushi S, Nasu J, Shirakura M, <u>Suzuki T</u> , Wakita T, Kishino T, Hotta H, Miyamura T, Shoji I	Identification of Annexin A1 as a novel substrate for E6AP-mediated ubiquitylation.	J Cell Biochem	16	1123-1135	2009

Murakami Y, Noguchi K, Yamagoe S, <u>Suzuki T</u> , Wakita T, Fukasawa H	Identification of bisindolylmaleimides and indolocarbazoles as inhibitors of HCV replication by tube-capture-RT-PCR.	Antiviral Res.	83	112-117	2009
Moriya K, Miyoshi H, Tsutsumi T, Shinzawa S, Fujie H, Shintani Y, Yotsuyanagi H, Moriishi K, <u>Matsuura Y</u> , <u>Suzuki T</u> , Miyamura T, <u>Koike K</u>	Tacrolimus ameliorates metabolic disturbance and oxidative stress caused by hepatitis C virus core protein: analysis using mouse model and cultured cells.	Am J Pathol	175	1515-1524	2009
Nitahara-Kasahara Y, <u>Fukasawa M</u> , Shinkai-Ouchi F, Sato S, <u>Suzuki T</u> , Murakami K, Wakita T, Hanada K, Miyamura T, Nishijima M.	Cellular vimentin content regulates the protein level of Hepatitis C virus core protein and the Hepatitis C virus production in cultured cells.	Virology	383	319-327	2009
Saeed M, Suzuki R, Kondo M, Aizaki H, Kato T, Mizuochi T, Wakita T, Watanabe H, <u>Suzuki T</u>	Evaluation of hepatitis C virus core antigen assays in detecting recombinant viral antigens of various genotypes.	J Clin Microbiol	47	4141-4143	2009
Akazawa D, Date T, Morikawa K, Murayama A, Omi N, Takahashi H, Nakamura N, Ishii K, <u>Suzuki T</u> , Mizokami M, Mochizuki H, Wakita T.	Characterzation of infectious hepatitis C virus from liver-derived cell lines.	Biochem. Biophys. Res. Commun.	377	747-751	2008
Masaki, T., Suzuki, R., Murakami, K., Aizaki, H., Ishii, K., Murayama, A., Date, T., <u>Matsuura, Y.</u> , Miyamura, T., Wakita, T., <u>Suzuki, T.</u>	Interaction of hepatitis C virus nonstructural protein 5A with core protein is critical for the production of infectious virus production.	J. Virol.	82	7964-7976	2008
Ishii, K., Murakami, K., Hmwe, SS., Bin, Z., Li, J., Shirakura, M., Morikawa, K., Suzuki, R., Miyamura, T., Wakita, T., <u>Suzuki, T.</u>	Trans-encapsidation of hepatitis C virus subgenomic replicon RNA with viral structure proteins.	Biochem. Biophys. Res. Commun.	371	446-450	2008
Aizaki, H., Morikawa, K., Fukasawa, M., Hara, H., Inoue, Y., Tani, H., Saito, K., Nishijima, M., Hanada, K., <u>Matsuura, Y.</u> , Lai, M.M., Miyamura, T., Wakita, T., <u>Suzuki, T.</u>	A Critical Role of Virion-Associated Cholesterol and Sphingolipid in Hepatitis C Virus Infection.	J. Virol.	82:	5715-5724	2008
Okamoto K., Mori Y., Komoda Y., Okamoto T., Okochi M., Takeda M., <u>Suzuki T.</u> , Moriishi	Intramembrane processing by signal peptide peptidase regulates the membrane	J. Virol.	82:	8349-8361	2008

K., <u>Matsuura Y.</u>	localization of hepatitis C virus core protein and viral propagation.				
Okamoto T., Omori H., Kaname Y., Abe T., Nishimura Y., <u>Suzuki T.</u> , Miyamura T., Yoshimori T., Moriishi K., <u>Matsuura Y.</u>	A single amino acid mutation in hepatitis C virus NS5A disrupting FKBP8 interaction impairs viral replication.	J. Virol.	82:	3480-3489	2008
Taguwa S, Okamoto T, Abe T, Mori Y, <u>Suzuki T.</u> , Moriishi K, <u>Matsuura Y.</u>	Human Butyrate-Induced Transcript 1 Interacts with Hepatitis C Virus NS5A and Regulates Viral Replication.	J. Virol.	82	2631-2641	2008
Omata, K., Suzuki, R., Masaki, T., Miyamura, T., Satoh, T., <u>Suzuki, T.</u>	Identification and characterization of the human inhibitor of caspase-activated DNase gene promoter.	Apoptosis	13	929-937	2008
Murakami, K., Kimura, T., Osaki, M., Ishii, K., Miyamura, T., <u>Suzuki, T.</u> , Wakita, T., Shoji, I.	Virological characterization of HCV JFH-1 strain in lymphocytic cell lines.	J. Gen. Virol.	89	1587-1592	2008
Murakami K, Inoue Y, Hmwe SS, Omata K, Hongo T, Ishii K, Yoshizaki S, Aizaki H, Matsuura T, Shoji I, Miyamura T, <u>Suzuki T.</u>	Dynamic behavior of hepatitis C virus quasispecies in a long-term culture of the three-dimensional radial-flow bioreactor system.	J. Virol. Methods.	148	174-181	2008
Ikejiri M, Ohshima T, Fukushima A, Shimotohno K, Maruyama T.	Synthesis and evaluation of 5'-modified 2'-deoxyadenosine analogues as anti-hepatitis C virus agents.	Bioorg Med Chem Lett.	18	4638-4641	2008
Noguchi T, Otsubaki T, Ando I, Ogura N, Ikeda S, Shimotohno K.	Isolation and gene analysis of interferon alpha-resistant cell clones of the hepatitis C virus subgenome.	Virology.	375	424-432-	2008
Nakamura M, Saito H, Ikeda M, Tada S, Kumagai N, Kato N, Shimotohno K, Hibi T.	Possible molecular mechanism of the relationship between NS5B polymorphisms and early clearance of hepatitis C virus during interferon plus ribavirin treatment.	J Med Virol	80	632-639	2008
Aly HH, Shimotohno K, Hijikata M. 3D cultured immortalized human hepatocytes useful to develop drugs for blood-borne HCV.	3D cultured immortalized human hepatocytes useful to develop drugs for blood-borne HCV	Biochem Biophys Res Commun.	379	330-334	2009

Okamoto M, Sakai M, Goto Y, Salim MT, Baba C, Goto K, Watashi K, Shimotohno K, Baba M.	Anti-bovine viral diarrhoea virus and hepatitis C virus activity of the cyclooxygenase inhibitor SC-560	Antivir Chem Chemother.	20	47-54	2009
Ikejiri M, Ohshima T, Fukushima A, Shimotohno K, Maruyama T.	Synthesis and anti-HCV activity of 2',5'-deoxy-5'-phenacyladenosine analogs.	Nucleic Acids Symp Ser (Oxf)	53	103-104	2009
Goto K, Watashi K, Inoue D, Hijikata M, Shimotohno K.	Identification of cellular and viral factors related to anti-hepatitis C virus activity of cyclophilin inhibitor.	Cancer Sci.	100	1943-1950	2009
Ogawa K, Hishiki T, Shimizu Y, Funami K, Sugiyama K, Miyanari Y, Shimotohno K.	Hepatitis C virus utilizes lipid droplet for production of infectious virus	Proc Jpn Acad Ser B Phys Biol Sci.	85	217-228	2009
Aly HH, Qi Y, Atsuzawa K, Usuda N, Takada Y, Mizokami M, Shimotohno K, Hijikata M.	Strain-dependent viral dynamics and virus-cell interactions in a novel in vitro system supporting the life cycle of blood-borne hepatitis C virus.	Hepatology	50	689-696	2009
Sugiyama K, Suzuki K, Nakazawa T, Funami K, Hishiki T, Ogawa K, Saito S, Shimotohno KW, Suzuki T, Shimizu Y, Tobita R, Hijikata M, Takaku H, Shimotohno K.	Genetic analysis of hepatitis C virus with defective genome and its infectivity in vitro.	J Virol	83	6922-6928	2009
Murakami Y, Tanaka M, Toyoda H, Hayashi K, Kuroda M, Tajima A, Shimotohno K.	Hepatic microRNA expression is associated with the response to interferon treatment of chronic hepatitis C.	BMC Med Genomics.	3(1)	48	2010
Weng L, Hirata Y, Arai M, Kohara M, Wakita T, Watashi K, Shimotohno K, He Y, Zhong J, Toyoda T.	Sphingomyelin activates hepatitis C virus RNA polymerase in a genotype-specific manner.	J Virol.	84(22)	11761-1170	2010
Hishiki T, Shimizu Y, Tobita R, Sugiyama K, Ogawa K, Funami K, Ohsaki Y, Fujimoto T, Takaku H, Wakita T, Baumert TF, Miyanari Y, Shimotohno K.	Infectivity of hepatitis C virus is influenced by association with apolipoprotein E isoforms.	J Virol.	84(22)	12048-12057	2010

Shimizu Y, Hishiki T, Sugiyama K, Ogawa K, Funami K, Kato A, Ohsaki Y, Fujimoto T, Takaku H, Shimotohno K.	Lipoprotein lipase and hepatic triglyceride lipase reduce the infectivity of hepatitis C virus (HCV) through their catalytic activities on HCV-associated lipoproteins.	Virology.	407(1)	152-915	2010
Moriishi K, Shoji I, Mori Y, Suzuki R, Suzuki T, Kataoka C, and Matsuura Y.	Involvement of PA28g in the propagation of hepatitis C virus.	Hepatology	52	411- 420	2010
Tani H, Shiokawa M, Kaname Y, Kambara H, Mori Y, Abe T, Moriishi K, and Matsuura Y.	Involvement of ceramide in the propagation of Japanese encephalitis virus.	J.Virol.	84	2798-2807	2010
Masaki T, Suzuki R, Saeed M, Mori KI, Matsuda M, Aizaki H, Ishii K, Maki N, Miyamura T, Matsuura Y, Wakita T, and Suzuki T.	Production of infectious hepatitis C virus by using RNA polymerase I-mediated transcription.	J.Virol.	84	5824- 5835	2010
Fukuhara T, Taketomi A, Motomura T, Okano S, Ninomiya A, Abe T, Uchiyama H, Soejima Y, Shirabe K, Matsuura Y, and Maehara Y.	Variants in IL28B in liver recipients and donors correlate with response to peginterferon and ribavirin therapy for recurrent hepatitis C.	Gastroenterology	39	1577- 1585	2010
Ito M, Masumi A, Mochida K, Kukihara H, Moriishi K, Matsuura Y, Yamaguchi K, and Mizuochi T.	Peripheral B Cells May Serve as a Reservoir for Persistent Hepatitis C Virus Infection.	J. Innate Immun.	2	2539- 2553	2010
Tripathi LP, Kataoka C, Taguwa S, Moriishi K, Mori Y, Matsuura Y, and Mizuguchi K.	Network based analysis of hepatitis C virus Core and NS4B protein interactions.	Mol. Biosyst.	6	1577- 1585	2010
Abe T., Kaname Y., Wen X., Tani H., Moriishi K., Uematsu S., Takeuchi O., Ishii K.J., Kawai T., Akira S., and Matsuura Y.	Baculovirus induces type I IFN production through TLR-dependent and -independent pathways in a cell type-specific manner.	J.Virol.	83	7629-7640	2009
Tanida I, Fukasawa M, Ueno T, Kominami E, Wakita T, Hanada K.	Knockdown of autophagy-related gene decreases the production of infectious hepatitis C virus particles.	Autophagy	5	937-945	2009

Fukasawa M	Cellular lipid droplets and hepatitis C virus life cycle	Biol. Pharm. Bull.	33	355-359	2010
Rivier AS, Castillon GA, Michon L, Fukasawa M, Romanova-Michaelides M, Jaensch N, Hanada K, Watanabe R	Exit of GPI-anchored proteins from the ER differs in yeast and mammalian cells.	Traffic	11	1017-33	2010
Deng L, Adachi T, Kitayama K, Bungyoku Y, Kitazawa S, Ishido S, Shoji I, Hotta H.	Hepatitis C virus infection induces apoptosis through a Bax-triggered, mitochondrion-mediated, caspase-3-dependent pathway.	J Virol	82(21)	10375-10385	2008
Inubushi S, Nagano-Fujii M, Kitayama K, Tanaka M, An C, Yokozaki H, Yamamura H, Nuriya H, Kohara M, Sada K, Hotta H	Hepatitis C virus NS5A protein interacts with and negatively regulates the non-receptor protein-tyrosine kinase Syk.	J Gen Virol	89(5)	1231-1242	2008
El-Shamy A, Nagano-Fujii M, Sasase N, Imoto S, Kim SR, Hotta H.	Sequence variation in the hepatitis C virus NS5A protein predicts clinical outcome of pegylated interferon/ ribavirin combination therapy.	Hepatology	48(1)	38-47	2008
Sasase N, Kim SR, Kim KI, Taniguchi M, Imoto S, Mita K, Hotta H, Shoji I, El-Shamy A, Kawada N, Kudo M, Hayashi Y.	Usefulness of new immuno-radiometric assay of HCV core antigen to predict virological response during PEG-IFN/RBV combination therapy for chronic hepatitis with high viral loads of serum HCV RNA genotype 1b.	Intervirology	51(Suppl 1)	70-75	2008
Kasai D, Adachi T, Deng L, Nagano-Fujii M, Sada K, Ikeda M, Kato N, Ide Y, Shoji I, Hotta H.	HCV replication suppresses cellular glucose uptake through down-regulation of cell surface expression of glucose transporters.	J Hepatol	50	883-894,	2009
Bungyoku Y, Shoji I, Makine T, Adachi T, Hayashida K, Nagano-Fujii M, Ide Y, Deng L, Hotta H.	Efficient production of infectious hepatitis C virus with adaptive mutations in cultured hepatoma.	J Gen Virol	90(7)	1681-1691,	2009

Amako Y, Sarkeshik A, Hotta H, Yates J 3rd, Siddiqui A.	Role of Oxysterol Binding Protein in Hepatitis C Virus infection.	J Virol	83(18)	9237-9246,	2009
Mohd-Ismail NK, Deng L, Sukumaran SK, Yu VC, Hotta H, Tan YJ.	The hepatitis C virus core protein contains a BH3 domain that regulates apoptosis through specific interaction with human MCL-1.	J Virol	83(19)	9993-10006,	2009
Kim S R, Imoto S, Mita K, Taniguchi M, Sasase N, Muramatsu A, Kudo M, Kitai S, El-Shamy A, Hotta H, Hayashi Y.	Pegylated interferon plus ribavirin combination therapy for chronic hepatitis C with high viral load of serum HCV RNA, genotype 1b, discontinued on attaining sustained virological response in week 16 after onset of acute pancreatitis.	Digestion	79(1)	36-39	2009
Kim SR, Imoto S, Kudo M, Mita K, Taniguchi M, Kim KI, Sasase N, Shoji I, Nagano-Fujii M, El-Shamy A, Hotta H, Nagai T, Nagata Y, Hayashi Y.	Double-filtration plasmapheresis plus IFN for HCV-1b patients with non-sustained virological response to previous combination therapy: early viral dynamics.	Intervirology	53(1)	44-48	2010
Sasase N, Kim SR, Kudo M, Kim KI, Taniguchi M, Imoto S, Mita K, Hayashi Y, Shoji I, El-Shamy A, Hotta H	Outcome and early viral dynamics with viral mutation in PEG-IFN/RBV therapy for chronic hepatitis in patients with high viral loads of serum HCV RNA genotype 1b.	Intervirology	53(1)	49-54	2010
Hayashida K, Shoji I, Deng L, Jiang D-P, Ide Y-H, Hotta H.	17 β -Estradiol inhibits the production of infectious particles of hepatitis C virus.	Microbiol Immunol.	54(11)	684-690	2010
Sanjo M, Saito T, Ishii R, Nishise Y, Haga H, Okumoto K, Ito J, Watanabe H, Saito K, Togashi H, Fukuda K, Imai Y, El-Shamy A, Deng L, Shoji I, Hotta H, Kawata S.	Secondary structure of the amino-terminal region of HCV NS3 and virological response to pegylated interferon plus ribavirin therapy for chronic hepatitis C.	J Med Virol	82(8)	1364 -1370	2010
Nasu J, Murakami K, Miyagawa S, Yamashita R, Ichimura T, Wakita T, Hotta H, Miyamura T, Suzuki T, Satoh T, Shoji I.	E6AP ubiquitin ligase mediates ubiquitin-dependent degradation of peroxiredoxin 1.	J Cell Biochem	111(3)	676-685	2010

El-Shamy A, Kim SR, Ide YH, Sasase N, Imoto S, Deng L, Shoji I, Hotta H.	Polymorphisms of hepatitis C virus NS5A and core proteins and clinical outcome of pegylated Interferon/Ribavirin combination therapy.	Intervirology	In press		2011
Watanabe S, Enomoto N, Koike K, Izumi N, Takikawa H, Hashimoto E, Moriyasu F, Kumada H, Imawari M.	Prolonged treatment with pegylated interferon alpha 2b plus ribavirin improves sustained virological response in chronic hepatitis C genotype 1 patients with late response in a clinical real-life setting in Japan.	Hepatol Res	40	135-44	2010
Tejima K, Masuzaki R, Ikeda H, Yoshida H, Tateishi R, Sugioka Y, Kume Y, Okano T, Iwai T, Gotoh H, Katoh S, Suzuki A, Koike Y, Yatomi Y, Omata M, Koike K.	Thrombocytopenia is more severe in patients with advanced chronic hepatitis C than B with the same grade of liver stiffness and splenomegaly.	J Gastroenterol	45	876-84.	2010
Sakamoto A, Ishizaka Y, Toda EI, Nagai R, Koike K, Yamakado M, Ishizaka N.	Impact of Changes in Obesity Parameters on Glucose Metabolism and Insulin Resistance Over a One-Year Period.	J Atheroscler Thromb		in press	2010
Ohtomo N, Tomiya T, Tanoue Y, Inoue Y, Nishikawa T, Ikeda H, Seyama Y, Kokudo N, Shibahara J, Fukayama M, Koike K, Shirataki H, Fujiwara K.	Expression of alpha-taxilin in hepatocellular carcinoma correlates with growth activity and malignant potential of the tumor.	Int J Oncol	37	1417-23.	2010
Moriya K, Miyoshi H, Shinzawa S, Tsutsumi T, Fujie H, Goto K, Shintani Y, Yotsuyanagi H, Koike K.	Hepatitis C virus core protein compromises iron-induced activation of antioxidants in mice and HepG2 cells.	J Med Virol	82	776-92	2010
Masuzaki R, Shiina S, Tateishi R, Yoshida H, Goto E, Sugioka Y, Kondo Y, Goto T, Ikeda H, Omata M, Koike K.	Utility of Contrast Enhanced Ultrasonography with Sonazoid in Radiofrequency Ablation for Hepatocellular Carcinoma.	J Gastroenterol Hepatol		in press	2010
Koike K, Tsutsumi T, Yotsuyanagi H, Moriya K.	Lipid metabolism and liver disease in hepatitis C viral infection.	Oncology	78 Suppl 1	24-30	2010

Koike K, Moriya K, Matsuura Y.	Animal models for hepatitis C and related liver disease.	Hepatol Res	40	69-82	2010
Kanamori H, Yuhashi K, Ohnishi S, Koike K, Kodama T.	RNA-dependent RNA polymerase of hepatitis C virus binds to its coding region RNA stem-loop structure, 5BSL3.2, and its negative strand.	J Gen Virol	91	1207-12.	2010
Ishizaka N, Ishizaka Y, Toda E, Yamakado M, Koike K, Nagai R.	Association between gamma-glutamyltransferase levels and insulin resistance according to alcohol consumption and number of cigarettes smoked.	J Atheroscler Thromb	17	476-85	2010
Ishizaka N, Ishizaka Y, Toda E, Yamakado M, Koike K, Nagai R.	Changes in waist circumference and body mass index in relation to changes in serum uric acid in Japanese individuals.	J Rheumatol	37	410-6	2010
Ishizaka N, Hongo M, Matsuzaki G, Furuta K, Saito K, Sakurai R, Sakamoto A, Koike K, Nagai R.	Effects of the AT(1) receptor blocker losartan and the calcium channel blocker benidipine on the accumulation of lipids in the kidney of a rat model of metabolic syndrome	Hypertens Res	33	263-8	2010
Ikeda H, Ohkawa R, Watanabe N, Nakamura K, Kume Y, Nakagawa H, Yoshida H, Okubo S, Yokota H, Tomiya T, Inoue Y, Nishikawa T, Ohtomo N, Tanoue Y, Koike K, Yatomi Y.	Plasma concentration of bioactive lipid mediator sphingosine 1-phosphate is reduced in patients with chronic hepatitis C.	Clin Chim Acta	411	765-70	2010
Okuse C, et al.	Effect of nucleoside analogue-interferon sequential therapy on patients with acute exacerbation of chronic hepatitis B.	Hepatol Res	40	461-469	2010
Ishizaka N, Ishizaka Y, Toda E, Koike K, Yamakado M, Nagai R.	Impacts of changes in obesity parameters for the prediction of blood pressure change in Japanese individuals.	Kidney Blood Press Res	32	421-427	2009
Tsutsumi T, Matsuda M, Aizaki H, Moriya K, Miyoshi H, Fujie H, Shintani Y, Yotsuyanagi H, Miyamura T, Suzuki T, Koike K.	Proteomics analysis of mitochondrial proteins reveals overexpression of a mitochondrial protein chaperone, prohibitin, in cells expressing hepatitis	Hepatology	50	378-386	2009

	C virus core protein.				
Yotsuyanagi H, Kikuchi Y, Tsukada K, Nishida K, Kato M, Sakai H, Takamatsu J, Hige S, Chayama K, Moriya K, Koike K.	Chronic hepatitis C in patients coinfected with human immunodeficiency virus in Japan: a retrospective multicenter analysis.	Hepatol Res	39	657-663.	2009
Ishizaka Y, Ishizaka N, Tani M, Toda A, Toda EI, Koike K, Nagai R, Yamakado M.	Association between changes in obesity parameters and incidence of chronic kidney disease in Japanese individuals.	Kidney Blood Press Res	32	141-149	2009
Murata M, Matsuzaki K, Yoshida K, Sekimoto G, Uemura Y, Sakaida N, Fujisawa J, Seki T, Koike K, Okazaki K.	Hepatitis B virus X protein shifts hepatic Smad3-mediated signaling from tumor-suppression to oncogenesis in chronic hepatitis B.	Hepatology	49	1203-1217	2009
Yanagimoto S, Tatsuno K, Okugawa S, Kitazawa T, Tsukada K, Koike K, Kodama T, Kimura S, Shibasaki Y, Ota Y.	A single amino acid of toll-like receptor 4 that is pivotal for its signaltransduction and subcellular localization.	J Biol Chem	284	3513-3520	2009
Ishizaka N, Ishizaka Y, Yamakado M, Toda E, Koike K, Nagai R.	Association between metabolic syndrome and carotid atherosclerosis in individuals without diabetes based on the oral glucose tolerance test.	Atherosclerosis	204	619-623	2009
Koike K	Steatosis, Liver injury and hepatocarcinogenesis in hepatitis C viral infection.	J Gastroenterol	44supl:	82-88	2009
Ichibangase T, Moriya K, Koike K, Imai K.	Limitation of immunoaffinity column for the removal of abundant proteins from plasma in quantitative plasma proteomics.	Biomed Chromatogr	23	480-487	2009
Tanaka N, Moriya K, Kiyosawa K, Koike K, Gonzalez FJ, Aoyama T.	PPAR-alpha is essential for severe hepatic steatosis and hepatocellular carcinoma induced by HCV core protein.	J Clin Invest	118	683-694	2008
Newell P, Villanueva A, Friedman SL, Koike K, Llovet JM.	Experimental models of hepatocellular carcinoma.	J Hepatol	48	858-879	2008

Koike K, Tsutsumi T, Miyoshi H, Shinzawa S, Shintani Y, Fujie H, Yotsuyanagi H, Moriya K.	Molecular Basis for the Synergy between Alcohol and Hepatitis C Virus in Hepatocarcinogenesis.	J Gastroenterol Hepatol	23	S87-91	2008
Ishizaka N, Ishizaka Y, Seki G, Nagai R, Yamakado M, Koike K.	Association between hepatitis B/C viral infection, chronic kidney disease and insulin resistance in individuals undergoing general health screening	Hepatol Res	38	775-783	2008
Nagase Y, Yotsuyanagi H, Okuse C, Yasuda K, Kato T, Koike K, Suzuki M, Nishioka K, Iino S, Itoh F.	Effect of treatment with interferon alpha-2b and ribavirin in patients infected with genotype 2 hepatitis C virus.	Hepatol Res	38	2522-258	2008
Koike K, Kikuchi Y, Kato M, Takamatsu J, Shintani Y, Tsutsumi T, Fujie H, Miyoshi H, Moriya K, Yotsuyanagi H.	Prevalence of Hepatitis B Virus Infection in Patients with Human Immunodeficiency Virus in Japan.	Hepatol Res	38	310-314	2008
Tanaka N, Moriya K, Kiyosawa K, Koike K, Aoyama T.	Hepatitis C virus core protein induces spontaneous and persistent activation of peroxisome proliferator-activated receptor alpha in transgenic mice: Implications for HCV-associated hepatocarcinogenesis.	Int J Cancer	122	124-131	2008
Miyashita, M., H. Oshiumi, M. Matsumoto, and T. Seya.	The SKI2-related helicase DDX60 is a novel antiviral factor promoting RIG-I-like receptor-mediated signaling.	Molec. Cell. Biol.	in press		2011
Sawahata, R., H. Shime, S. Yamazaki, Y. Fujimoto, K. Fukase, T. Akazawa, N. Inoue, M. Matsumoto, and T. Seya.	Failure of mycoplasmal lipoprotein MALP-2 to activate NK cells through dendritic cell TLR2.	Microbes Infect.	in press		2011
Watanabe, A. M. Tatematsu, K. Saeki, S. Shibata, H. Shime, A. Yoshimura, C. Obuse, T. Seya, and M. Matsumoto.	Raftlin is involved in the nucleocapture complex to induce poly(I:C)-mediated TLR3 activation.	J. Biol. Chem.	DOI 10.1074/jbc.M110.185793		2011
Takaki, H., Y. Watanabe, M. Shingai, H. Oshiumi, M. Matsumoto, and T. Seya.	Strain-to-strain difference of V protein of measles virus affects MDA5-mediated IFN- β -inducing potential.	Molec. Immunol.	48	497-504	2011

Yabu, M., H. Shime, H. Hara, T. Saito, M. Matsumoto, T. Seya, T. Akazawa, and N. Inoue.	Lactic acid acts on macrophages to induce antigen-dependent IL-17 production from effector/memory helper T cells.	Int. Immunol.	23	29-41	2010
Oshiumi, H., M. Miyashita, N. Inoue, M. Okabe, M. Matsumoto, and T. Seya.	Essential role of Riplet in RIG-I-dependent antiviral innate immune responses.	Cell host microbe.	8	496-509	2010
Oshiumi, H., H. Mori, M. Ikeda, N. Kato, M. Matsumoto, O. Takeuchi, S. Akira, K. Shimotohno, and T. Seya.	Hepatitis C virus (HCV) core protein promotes viral replication by abrogating IFN- β -inducing function of DEAD/H BOX 3 (DDX3) helicase.	PLoS ONE.	5	e14258	2010
Ehira, N., H. Oshiumi, M. Matsumoto, T. Kondo, M. Asaka and T. Seya.	An embryo-specific expressing TGF-beta family protein, growth-differentiation factor 3 (GDF3), augments progression of B16 melanoma.	J. Exp. Clin. Cancer Res.	29	135	2010
Ebihara, T., M. Azuma, H. Oshiumi, J. Kasamatsu, K. Iwabuchi, K. Matsumoto, H. Saito, T. Taniguchi, M. Matsumoto, and T. Seya.	Identification of a polyI:C-inducible membrane protein, that participates in dendritic cell-mediated natural killer cell activation.	J. Exp. Med.	207	2675-2687	2010
Tatematsu M., A. Ishii, H. Oshiumi, M. Horiuchi, F. Inagaki, T. Seya, and M. Matsumoto.	A molecular mechanism for Toll/IL-1 receptor domain-containing adaptor molecule-1-mediated IRF-3 activation.	J. Biol. Chem.	285	20128-20136	2010
Azuma, M., R. Sawahata, Y. Akao, T. Ebihara, S. Yamazaki, M. Matsumoto, M. Hashimoto, K. Fukase, Y. Fujimoto, and T. Seya.	The peptide sequence of diacyl lipopeptides determines dendritic cell TLR2-mediated NK activation.	PLoS ONE	5	e12550	2010
Kasamatsu, J., H. Oshiumi, M. Matsumoto, Kasahara, and T. Seya.	Phylogenetic and expression analysis of Lamprey Toll-like receptors.	Dev. Comp. Immunol.	34	855-865	2010
Akazawa, T., N. Inoue, H. Shime, K. Sugiura, K. Kodama, M. Matsumoto, and T. Seya.	Adjuvant engineering for cancer immunotherapy: development of a synthetic TLR2 ligand with increased cell adhesion.	Cancer Sci.	101	1596-1603	2010

Oshiumi, H., K. Sakai, M. Matsumoto, and T. Seya.	DEAD/H BOX 3 (DDX3) helicase binds the RIG-I adaptor IPS-1 to up-regulate IFN-beta inducing potential.	Eur. J. Immunol.	40	940-948	2010
Hirata, N., Y. Yanagawa, M. Satoh, H. Ogura, T. Ebihara, M. Noguchi, M. Matsumoto, H. Togashi, T. Seya, K. Onoé, and K. Iwabuchi.	Dendritic cell-derived TNF-a is responsible for development of IL-10-producing CD4+ T cells.	Cell. Immunol.	261	37-41	2010
Kubota, N., T. Ebihara, M. Matsumoto, S. Gando, and T. Seya.	IL-6 and interferon-alpha induced by polyI:C-stimulated bone-marrow-derived dendritic cells regulate peripheral expansion of regulatory T cells.	Biochem. Biophys. Res. Commun.	391	1421-1426	2010
Sasai, M., H. Oshiumi, K. Funami, M. Matsumoto, and T. Seya.	Direct binding of TRAF2 and TRAF6 to TICAM-1/TRIF adaptor of the Toll-like receptor 3/4 pathway.	Molec. Immunol.	47	1283–1291	2010
Matsumoto, M., H. Oshiumi, and T. Seya.	Antiviral responses induced by the TLR3 pathway. (review)	Rev. Med. Virol.	DOI: 10.1002/rmv.680		2011
T. Seya.	Innate immunity and vaccine. (preface)	Vaccine	28	8041-8042	2010
Seya, T., H. Shime, T. Ebihara, H. Oshiumi, and M. Matsumoto	Pattern-recognition receptors of innate immunity and their application to tumor immunotherapy. (review)	Cancer Sci.	101	313-320	2010
Oshiumi, H., M. Matsumoto, S. Hatakeyama, and T. Seya.	Riplet/RNF135, a RING-finger protein, ubiquitinates RIG-I to promote interferon-induction during the early phase of viral infection.	J. Biol. Chem.	284	807-817.	2009.
Wu, J. D., C. L. Atteridge, X. J. Wang, T. Seya, and S. R. Plymate.	Obstructing shedding of the immune stimulatory MHC class I chain-related gene B prevents tumor formation.	Clin. Cancer Res.	15	632-640.	2009

Oshiumi, H., Y. Suzuki, M. Matsumoto, and T. Seya.	Regulator of Complement Activation (RCA) gene cluster in <i>Xenopus tropicalis</i> .	Immunogenetics	61	371-384	2009
Akao, Y., T. Ebihara, H. Masuda, Y. Saeki, K. Hazeki, O. Hazeki, M. Matsumoto, and T. Seya.	Enhancement of antitumor natural killer cell activation by orally administered Spirulina extract in mice.	Cancer Sci.	100	1494-1501.	2009
Fujimoto, Y., M. Hashimoto, M. Furuyashiki, M. Katsumoto, T. Seya, Y. Suda, and K. Fukase.	Innate Immunostimulatory lipopeptides of <i>Staphylococcus aureus</i> as TLR2 ligands; Prediction with mRNA expression, chemical synthesis and immunostimulatory activities.	ChemBio Chem.	10	2311-2315.	2009
Yasukawa, K., H. Oshiumi, M. Takeda, Y. Yanagi, T. Seya, S. Kawabata and T. Koshiba.	Mitofusin 2, a mitochondrial fusion mediator, acts as a negative regulator for mitochondrial antiviral signaling.	Science Signaling.	2(84)	ra47	2009
Takaki, H., H. Oshiumi, T. Kawanishi, M. Sasai, M. Matsumoto, and T. Seya.	Cytoplasmic oligomerized TICAM-1 recruits nuclear BS69 to enhance type I interferon induction.	Eur. J. Immunol.	39	3469-3476.	2009
Watanabe, T., K. Ito, M. Matsumoto, T. Seya, K. Hatakeyama, S. Nishikawa, T. Hasegawa, and K. Fukuda.	Isolation and Characterization of RNA aptamers specific for the human Toll-like receptor 3 ectodomain.	Viva Origino	37	10-18	2009
Iwakiri, D., L. Zhou, M. Samanta, M. Matsumoto, T. Ebihara, T. Seya, S. Imai, M. Fujieda, K. Kawa, and K. Takada.	Epstein-Barr virus (EBV)-encoded small RNA is released from EBV-infected cells and activates signalinomToll-like receptor 3.	J. Exp. Med.	206	2091-2099.	2009
Kodama, K., M. Higashiyama, K. Takami, K. Oda, J. Okami, J. Maeda, T. Akazawa, M. Matsumoto, T. Seya, M. Wada, A. Hayashi, and K. Toyoshima.	Innate immune therapy with a BCG cell wall skeleton for lung cancer: a case presentation and a case control study.	Surgery Today.	39	194-200.	2009
Seya, T., M. Matsumoto, T. Ebihara, and H. Oshiumi.	Functional evolution of the TICAM-1 (TRIF) pathway for extrinsic RNA	Immunol. Rev.	227	44-53 (review).	2009

	sensing.				
Seya, T., and M. Matsumoto.	The extrinsic RNA-sensing pathway for adjuvant immunotherapy for cancer.	Cancer Immunol. Immunother.	58	1175-1184 (review).	2009
Ebihara, T. M. Matsumoto, and T. Seya.	Dendritic cell/NK cell interaction in RNA virus infection.	Curr. Immunol. Rev.	5	200-207 (review).	2009
Higuchi, M., A. Matsuo,M. Shingai, A. Ishii, K. Funami, H. Oshiumi,M. Matsumoto, and T. Seya.	Combinational recognition of bacterial lipoproteins and peptidoglycan by chicken Toll-like receptor 2 subfamily.	Dev. Comp. Immunol.	32	147-155.	2008
Bas, S., L. Neff, M. Vuillet, U. Spenato, T. Seya, M. Matsumoto, and C. Gabay.	The proinflammatory cytokine response to Chlamydia trachomatis elementary bodies in human macrophages is partly mediated by a lipoprotein, the macrophage infectivity potentiator, through TLR2/TLR1/TLR6 and CD14.	J. Immunol.	180	1158-1168	2008
Shime, H., M. Yabu, T. Akazawa, K. Kodama, M. Matsumoto, T. Seya and N. Inoue.	Tumor-secreted lactic acid promotes IL-23-IL-17 proinflammatory pathway.	J. Immunol.	180	7175-7183.	2008
Matsuo, A., H. Oshiumi,T. Tsujita, H. Mitani, H.Kasai, M. Yoshimizu, M. Matsumoto, and T. Seya.	Teleost TLR22 recognizes RNA duplex to induce IFN and protect cells from birnaviruses.	J. Immunol.	181	3474-3485	2008
Shingai, M., M. Azuma,T. Ebihara, M. Sasai, K. Funami, M. Ayata, H. Ogura, H. Tsutsumi, M. Matsumoto, and T. Seya.	Soluble G protein of respiratory syncytial virus inhibits Toll-like receptor 3/4-mediated IFN-beta induction.	Int. Immunol.	20	1169-1180	2008
Nakamura, M., K. Funami, A. Komori, T. Yokoyama, Y. Aiba, A. Araki, Y. Takii, M. Ito, M. Matsuyama, M. Koyabu, K. Migita, K.	Increased expression of Toll-like receptor3 in intrahepatic biliary epithelial cells at sites of ductular reaction in diseased	Hepatology Int.	2	222-230.	2008

Taniguchi, H. Fujioka, H. Yatsuhashi, M. Matsumoto, H. Ishibashi, and T. Seya.	livers.				
Ebihara, T., M. Shingai, M. Matsumoto, T. Wakita, and T. Seya.	Hepatitis C virus (HCV)-infected hepatocytes extrinsically modulate dendritic cell maturation to activate T cells and natural killer cells.	Hepatology.	48	48-58	2008
Funami K., M. Sasai, H. Oshiumi, T. Seya, and M. Matsumoto.	Homo-oligomerization is essential for Toll/IL-1 receptor domain containing adaptor molecule-1-mediated NF-kappaB and interferon regulatory factor-3 activation.	J. Biol. Chem.	283	18283-18291.	2008
Fukuda, K., T. Watanabe, T. Tokisue, T. Tsujita, S. Nishikawa, T. Hasegawa, T. Seya, and M. Matsumoto.	Modulation of Double-stranded RNA Recognition by the N-terminal Histidine-rich Region of the Human Toll-like Receptor 3.	J. Biol. Chem.	283	22787-22794.	2008
Hirata, N., Y. Yanagawa, T. Ebihara, T. Seya, S. Uematsu, S. Akira, F. Hayashi, K. Iwabuchi, and K. Onoe.	Selective synergy in anti-inflammatory cytokine production upon cooperated signaling via TLR4 and TLR2 in murine conventional dendritic cells.	Mol. Immunol.	45	2734-2742.	2008
Itoh, K., A. Watanabe, K. Funami, T. Seya, and M. Matsumoto	The clathrin-mediated endocytic pathway participates in dsRNA-induced IFN-beta production.	J. Immunol.	181	5522-5529.	2008
Matsumoto, M., and T. Seya.	TLR3 : interferon induction by double-stranded RNA including poly(I:C).	Adv. Drug Deliv. Rev.	60	805-812. (review)	2008
Seya, T.	Preface: Toll-like receptor and pattern sensing for evoking immune response.	Adv. Drug Deliv. Rev.	60	779-781. (preface)	2008
Oshiumi, H., A. Matsuo, M. Matsumoto, and T. Seya.	Pan-vertebrate Toll-like receptors during evolution.	Curr. Genomics	9	488-493 (Review).	2008

Makino S, Sawasaki T, Endo Y, Takai K,	Use of domain enzymes from wheat RNA ligase for in vitro preparation of RNA molecules	Biochemical and Biophysical Research Communicatio ns	404(4)	1050-4	2010
Kanchiswamy C N, Muroi A, Maffei M E, Yoshioka H, Sawasaki T, Arimura G,	Ca2+-dependent protein kinases and their substrate HsfB2a are differently involved in the heat response signaling pathway in <i>Arabidopsis</i>	Plant Biotechnology	27(5)	469-73	2010
Arimura G and Sawasaki T,	<i>Arabidopsis</i> CPK3 plays extensive roles in various biological and environmental responses	Plant Signaling and Behavior	5 (10)	1263-5	2010
Tadokoro D, Takahama S, Shimizu K, Hayashi S, Endo Y and Sawasaki T,	Characterization of a caspase-3-substrate kinome using an N- and C-terminally tagged protein kinase library produced by a cell-free system	Cell Death and Disease	1	Article number e89	2010
Madono M, Sawasaki T, Morishita R and Endo Y	Wheat germ cell-free protein production system for post-genomic research	New Biotechnology	in press		2010
Matsuoka, K, Komori H, Nose M, Endo Y, Sawasaki T,	Simple screening method for autoantigen proteins using the N-terminal biotinylated protein library produced by wheat cell-free synthesis	Journal of proteome research	9	4264-73	2010
Makino S, Sawasaki T, Endo Y, Takai K,	In vitro dissection revealed that the kinase domain of wheat RNA ligase is physically isolatable from the flanking domains as a non-overlapping domain enzyme	Biochemical and Biophysical Research Communicatio ns	397	762-6	2010
Matsunaga S, Matsuoka K, Shimizu K, Endo Y, Sawasaki T,	Biotinylated-sortase self-cleavage purification (BISOP) method for cell-free produced proteins	BMC Biotechnology	10	Article number 42	2010
Nagamangala Kanchiswamy C, Takahashi H, Quadro S, Maffei M E, Bossi S, Bertea C, Atsbaugh Zebelo S, Muroi A, Ishihama N, Yoshioka H, Boland W, Takabayashi J, Endo Y,	Regulation of <i>Arabidopsis</i> defense responses against <i>Spodoptera littoralis</i> by CPK-mediated calcium signaling	BMC Plant Biology		97(in press).	2010

Sawasaki T and Arimura G					
Takai K, Sawasaki T and Endo Y,	The Wheat-Germ Cell-Free Expression System	Current Pharmaceutical Biotechnology	11(3)	272-8	2010
Tanaka Y, Komori H, Mori S, Soga Y, Tsubaki T, Terada M, Miyazaki T, Fujino T, Nakamura S, Kanno H, Sawasaki T, Endo Y, Nose M	Evaluating the Role of Rheumatoid Factors for the Development of Rheumatoid Arthritis in a Mouse Model with a Newly Established ELISA System	The Tohoku Journal of Experimental Medicine	220(3)	199-206	2010
Takai K, Sawasaki T, Endo Y.	Practical cell-free protein synthesis system using purified wheat embryos.	Nature Protocols	5(2)	227-38	2010
Shimada H, Hirai K, Simamura E, Hatta T, Iwakiri H, Mizuki K, Hatta T, Sawasaki T, Matsunaga S, Endo Y, Shimizu S.	Paraquat toxicity induced by voltage-dependent anion channel 1 acting as an NADH- dependent oxidoreductase.	Journal of Biological Chemistry	284(42)	28642-9	2009
Nozawa A, Matsubara Y, Tanaka Y, Takahashi H, Akagi T, Seki M, Shinozaki K, Endo Y, Sawasaki T.	Construction of a protein library of arabidopsis transcription factors using a wheat cell-free protein production system and its application for DNA binding analysis.	Bioscience, Biotechnology and Biochemistry	73(7)	1661-4	2009
Igawa T, Fujiwara M, Takahashi H, Sawasaki T, Endo Y, Seki M, Shinozaki K, Fukao Y, Yanagawa Y.	Isolation and identification of ubiquitin-related proteins from Arabidopsis seedlings.	Journal of Experimental Botany	60(11)	3067- 73	2009
Takahashi H, Nozawa A, Seki M, Shinozaki K, Endo Y, Sawasaki T.	A simple and high-sensitivity method for analysis of ubiquitination and polyubiquitination based on wheat cell-free protein synthesis.	BMC Plant Biology	9	art. no. 39	2009
Nishi M, Ryo A, Tsurutani N, Ohba K, Sawasaki T, Morishita R, Perrem K, Aoki I, Morikawa Y, Yamamoto N.	Requirement for microtubule integrity in the SOCS1-mediated intracellular dynamics of HIV-1 Gag	FEBS Letters	583(8)	1243-50	2009