

- Dohnal V, Jezkova A, Jun D and Kuca K, 2008. Metabolic pathways of T-2 toxin. *Curr. Drug Metab.*, 9, 77-82.
- Doi K, Ishigami N and Sehata S, 2008. T-2 toxin-induced toxicity in pregnant mice and rats. *Int. J. Mol. Sci.*, 9, 2146-2158.
- Doi K, Shinozuka J and Sehata S, 2006. T-2 toxin and apoptosis. *J. Toxicol. Pathol.*, 19, 15-27.
- Dong K, Sugita-Konishi Y, Yu J, Tulayakul P and Kumagai S, 2008. The effects of subcutaneous administration of T-2 toxin on liver drug metabolizing enzymes in piglets. *Toxicol. Environ. Chem.*, 90, 401-413.
- Dvorska JE, Pappas AC, Karadas F, Speake BK and Surai PF, 2007. Protective effect of modified glucomannans and organic selenium against antioxidant depletion in the chicken liver due to T-2 toxin-contaminated feed consumption. *Comp. Biochem. Physiol., C: Toxicol. Pharmacol.*, 145C, 582-587.
- ECHA, European Chemical Agency, 2008. Guidance on information requirements and chemical safety assessment. Chapter R.10: Characterisation of dose [concentration]-response for environment. <http://guidance.echa.europa.eu/>.
- Eriksen GS and Alexander J, 1998. Fusarium toxins in cereals - a risk assessment. TemaNord 1998:502. Nordic Council of Ministers, Copenhagen.
- Frankic T, Pajk T, Rezar V, Levart A and Salobir J, 2006. The role of dietary nucleotides in reduction of DNA damage induced by T-2 toxin and deoxynivalenol in chicken leukocytes. *Food Chem. Toxicol.*, 44, 1838-1844.
- Frankic T, Salobir J and Rezar V, 2008. The effect of vitamin E supplementation on reduction of lymphocyte DNA damage induced by T-2 toxin and deoxynivalenol in weaned pigs. *Anim. Feed Sci. Technol.*, 141, 274-286.
- Friend DW, Thompson BK, Trenholm HL, Boermans HJ, Hartin KE and Panich PL, 1992. Toxicity of T-2 toxin and its interaction with deoxynivalenol when fed to young pigs. *Can. J. Anim. Sci.*, 72, 703-711.
- Froquet R, Arnold F, Batina P and Parent-Massin D, 2003. Do trichothecenes reduce viability of circulating blood cells and modify haemostasis parameters? *Mycopathologia*, 156, 349-356.
- Froquet R, Sibiril Y and Parent-Massin D, 2001. Trichothecene toxicity on human megakaryocyte progenitors (CFU-MK). *Hum. Exp. Toxicol.*, 20, 84-89.
- Guerre P, Eeckhoutte C, Burgat V and Galtier P, 2000. The effects of T-2 toxin exposure on liver drug metabolizing enzymes in rabbit. *Food Addit. Contam.*, 17, 1019-1026.
- Holme JA, Morrison E, Samuelsen JT, Wiger R, Låg M, Schwarze PE, Bernhoft A and Refsnes M, 2003. Mechanisms involved in the induction of apoptosis by T-2 and HT-2 toxins in HL-60 human promyelocytic leukemia cells. *Cell Biol. Toxicol.*, 19, 53-68.
- Huszenicza G, Fekete S, Szigeti G, Kulcsár M, Fébel H, Kellems RO, Nagy P, Cseh S, Veresegyházy T and Hullár I, 2000. Ovarian consequences of low dose peroral Fusarium (T-2) toxin in a ewe and heifer model. *Theriogenology*, 53, 1631-1639.
- Hymery N, Léon K, Carpentier F-G, Jung J-L and Parent-Massin D, 2009. T-2 toxin inhibits the differentiation of human monocytes into dendritic cells and macrophages. *Toxicol. In Vitro*, 23, 509-519.
- Hymery N, Sibiril Y and Parent-Massin D, 2006. In vitro effects of trichothecenes on human dendritic cells. *Toxicol. In Vitro*, 20, 899-909.
- IARC, International Agency for Research on Cancer, 1993. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Vol. 56. Some Naturally Occuring Substances: Food Items and Constituents, Heterocyclic Aromatic Amines and Mycotoxins. WHO World Health Organization Geneva.
- Ishigami N, Shinozuka J, Katayama K, Nakayama H and Doi K, 2001. Apoptosis in mouse fetuses from dams exposed to T-2 toxin at different days of gestation. *Exp. Toxicol. Pathol.*, 52, 493-501.
- Jacevic V, Bokonjic D, Stojiljkovic M, Resanovic R, Bocarov-Stancic A, Kilibarda V and Popovic N, 2007. Morphometric changes of cardiac mast cells in rats acutely poisoned by T-2 toxin. *Acta Vet. (Beogr)*, 57, 47-57.
- Jagadeesan V, Rukmini C, Vijayaraghavan M and Tulpule PG, 1982. Immune studies with T-2

- toxin: effect of feeding and withdrawal in monkeys. *Food Chem. Toxicol.*, 20, 83-87.
- Jaradat ZW, 2005. T-2 mycotoxin in the diet and its effects on tissues. In: Watson RR and Preedy VR. *Reviews in Food and Nutrition Toxicity. Volume 4.* CRC Press. 173-212.
 - Jaradat ZW, ViIa B and Marquardt RR, 2006. Adverse effects of T-2 toxin on chicken lymphocytes blastogenesis and its protection with Vitamin E. *Toxicology*, 225, 90-96.
 - Jovanovic D, Sinovec SM, Jovanovic M, Stojiljkovic MP, Bocarov-Stancic A and Jacevic V, 2000. Biochemical and histological alterations in rats subacutely poisoned with T-2 toxin. *Journal of Medical Chemical, Biological, and Radiological Defense Conference Proceedings, CBMTS III, Spiez, Switzerland, 7 to 12 May 2000*,
 - Kamalavenkatesh P, Vairamuthu S, Balachandran C, Manohar BM and Raj GD, 2005. Immunopathological effect of the mycotoxins cyclopiazonic acid and T-2 toxin on broiler chicken. *Mycopathologia*, 159, 273-279.
 - Kempainen BW, Riley RT, Pace JG, Hoerr FJ and Joyave J, 1986. Evaluation of monkey skin as a model for in vitro percutaneous penetration and metabolism of [³H]T-2 toxin in human skin. *Fundam. Appl. Toxicol.*, 7, 367-375.
 - Königs M, Mulac D, Schwerdt G, Gekle M and Humpf H-U, 2009. Metabolism and cytotoxic effects of T-2 toxin and its metabolites on human cells in primary culture. *Toxicology*, 258, 106-115.
 - Krishnamoorthy P, Vairamuthu S, Balachandran C and Muralimanohar B, 2007. Pathology of chlorpyrifos and T-2 toxin on broiler chicken. *Vet. arhiv*, 77, 47-57.
 - Li M, Cuff CF and Pestka JJ, 2006a. T-2 toxin impairment of enteric reovirus clearance in the mouse associated with suppressed immunoglobulin and IFN-gamma responses. *Toxicol. Appl. Pharmacol.*, 214, 318-325.
 - Li M, Harkema JR, Islam Z, Cuff CF and Pestka JJ, 2006b. T-2 toxin impairs murine immune response to respiratory reovirus and exacerbates viral bronchiolitis. *Toxicol. Appl. Pharmacol.*, 217, 76-85.
 - Li M and Pestka JJ, 2008. Comparative induction of 28S ribosomal RNA cleavage by ricin and the trichothecenes deoxynivalenol and T-2 toxin in the macrophage. *Toxicol. Sci.*, 105, 67-78.
 - Liao L-L, Grollman AP and Horwitz SB, 1976. Mechanism of action of the 12, 13-epoxytrichothecene, anguidine, an inhibitor of protein synthesis. *Biochim. Biophys. Acta*, 454, 273-284.
 - Lindenfelser LA, Lillehoj EB and Burmeister HR, 1974. Aflatoxin and trichothecene toxins: skin tumor induction and synergistic acute toxicity in white mice. *J. Natl. Cancer Inst.*, 52, 113-116.
 - Manning BB, Li MH, Robinson EH, Gaunt PS, Camus AC and Rottinghaus GE, 2003. Response of channel catfish to diets containing T-2 toxin. *J. Aquat. Anim. Health*, 15, 229-238.
 - Marasas WF, Bamburg JR, Smalley EB, Strong FM, Ragland WL and Degurse PE, 1969. Toxic effects on trout, rats, and mice of T-2 toxin produced by the fungus *Fusarium tricinctum* (Cd.) Snyder et Hans. *Toxicol. Appl. Pharmacol.*, 15, 471-482.
 - McKean C, Tang L, Billam M, Tang M, Theodorakis CW, Kendall RJ and Wang J-S, 2006. Comparative acute and combinative toxicity of aflatoxin B1 and T-2 toxin in animals and immortalized human cell lines. *J. Appl. Toxicol.*, 26, 139-147.
 - Meissonnier GM, Laffitte J, Raymond I, Benoit E, Cossalter AM, Pinton P, Bertin G, Oswald IP and Galtier P, 2008. Subclinical doses of T-2 toxin impair acquired immune response and liver cytochrome P450 in pigs. *Toxicology*, 247, 46-54.
 - Meissonnier GM, Raymond I, Laffitte J, Cossalter AM, Pinton P, Benoit E, Bertin G, Galtier P and Oswald IP, 2009. Dietary glucomannan improves the vaccinal response in pigs exposed to aflatoxin B1 or T-2 toxin. *World Mycotoxin Journal*, 2, 161-172.
 - Meko FA, Hardie LJ, Evans SW and Wild CP, 2001. Deoxynivalenol-induced immunomodulation of human lymphocyte proliferation and cytokine production. *Food Chem. Toxicol.*, 39, 827-836.
 - Miller JD, 2002. Aspects of the ecology of fusarium toxins in cereals. In: De Vries J, Trucksess M and Jackson L. *Mycotoxins and Food Safety.* Kluwer Academic/Plenum Publishers, New York. 19-27.
 - Minervini F, Fornelli F, Lucivero G, Romano C and Visconti A, 2005. T-2 toxin immunotoxicity on human B and T lymphoid cell lines. *Toxicology*, 210, 81-91.

- Muto Y, Suzuki M, Tani Y, Katayama K-I and Doi K, 2002a. Effects of T-2 toxin on the expression of connexin 32 in the mouse liver. *J. Toxicol. Pathol.*, 15, 221-224.
- Muto Y, Tani Y, Okada T, Katayama K-I, Suzuki M, Uetsuka K, Nakayama H and Doi K, 2002b. Effects of T-2 toxin treatment on CCl₄-induced hepatic necrosis in mice. *J. Toxicol. Pathol.*, 15, 161-166.
- Nagata T, Suzuki H, Ishigami N, Shinozuka J, Uetsuka K, Nakayama H and Doi K, 2001. Development of apoptosis and changes in lymphocyte subsets in thymus, mesenteric lymph nodes and Peyer's patches of mice orally inoculated with T-2 toxin. *Exp. Toxicol. Pathol.*, 53, 309-315.
- Naseem SM, Pace JG and Wannemacher RW, Jr., 1995. A high-performance liquid chromatographic method for determining [³H]T-2 and its metabolites in biological fluids of the cynomolgus monkey. *J. Anal. Toxicol.*, 19, 151-156.
- Nataraja TH, Swamy HDN, Vijayasarithi SK, Kumar BS and Prakash GC, 2003. Pathology of lymphoid organs in afla and T-2 toxicosis of broiler chickens. *Indian J. Anim. Sci.*, 73, 1342-1343.
- Nguansangiam S, Angsubhakorn S, Bhamarapravati S and Suksamrarn A, 2003. Effects of elephant garlic volatile oil (*Allium ampeloprasum*) and T-2 toxin on murine skin. *Southeast Asian J. Trop. Med. Public Health*, 34, 899-905.
- Ohtsubo K and Saito M, 1977. Chronic effects of trichothecene toxins In: Rodricks JV, Hesseltine CW and Mehlman MA. *Mycotoxins in Human and Animal Health. Proceedings of a Conference on Mycotoxins in Human and Animal Health, convened at University of Maryland, University College Center of Adult Education, College Park, Maryland, October 4-8, 1976. Park Forest South, Pathotox Publishers. 255-262.*
- Pál L, Dublec K, Weber M, Balogh K, Erdélyi M, Szigeti G and Mézes M, 2009. Effect of combined treatment with aflatoxin B₁ and T-2 toxin and metabolites on some production traits and lipid peroxide status parameters of broiler chickens. *Acta Vet. Hung.*, 57, 75-84.
- Pande VV, Kurkure NV and Bhandarkar AG, 2006. Effect of T-2 toxin on growth, performance and haematobiochemical alterations in broilers. *Indian J. Exp. Biol.*, 44, 86-88.
- Pestka JJ, 2008. Mechanisms of deoxynivalenol-induced gene expression and apoptosis. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*, 25, 1128-1140.
- Pfeiffer RL, Swanson SP and Buck WB, 1988. Metabolism of T-2 toxin in rats: effects of dose, route and time. *J. Agric. Food Chem.*, 36, 1227-1232.
- Rafai P, Bata Á, Ványi A, Papp Z, Brydl E, Jakab L, Tuboly S and Túry E, 1995a. Effect of various levels of T-2 toxin on the clinical status, performance and metabolism of growing pigs. *Vet. Rec.*, 136, 485-489.
- Rafai P, Pettersson H, Bata A, Papp Z, Glavits R, Tuboly S, Vanyi A and Soos P, 2000. Effect of dietary T-2 fusariotoxin concentrations on the health and production of white Pekin duck broilers. *Poult. Sci.*, 79, 1548-1556.
- Rafai P, Tuboly S, Bata Á, Tilly P, Ványi A, Papp Z, Jakab L and Túry E, 1995b. Effect of various levels of T-2 toxin in the immune system of growing pigs. *Vet. Rec.*, 136, 511-514.
- Rajeev K, Satyanarayana ML, Vijayasarithi SK, Rao S and Upendra HA, 2003. Pathology of ochratoxin, T-2 toxin and their combined toxicity in broiler chickens. *Indian J. Anim. Sci.*, 73, 650-651.
- Rajmon R, Sedmíková M, Jílek F, Koubková M, Härtlová H, Bárta I and Smerák P, 2001. Combined effects of repeated low doses of aflatoxin B₁ and T-2 toxin on the Chinese hamster. *Vet. Med. (Praha)*. 46, 301-307.
- Rakkestad KE, Skaar I, Ansteinsson VE, Solhaug A, Holme JA, Pestka JJ, Samuelsen JT, Dahlman HJ, Hongslo JK and Becher R, 2010. DNA damage and DNA damage responses in THP-1 monocytes after exposure to spores of either *Stachybotrys chartarum* or *Aspergillus versicolor* or to T-2 toxin. *Toxicol. Sci.*, 115, 140-155.
- Reddy NB, Devegowda G and Shashidhara RG, 2004. Ability of modified glucomannan to sequester T-2 toxin in the gastrointestinal tract of chicken. *Asian-australas. J. Anim. Sci.*, 17, 259-262.
- Rezar V, Frankic T, Narat M, Levart A and Salobir J, 2007. Dose-dependent effects of T-2 toxin on

- performance, lipid peroxidation, and genotoxicity in broiler chickens. *Poult. Sci.*, 86, 1155-1160.
- Rocha O, Ansari K and Doohan FM, 2005. Effects of trichothecene mycotoxins on eukaryotic cells: a review. *Food Addit. Contam.*, 22, 369-378.
 - Rousseaux CG, Schiefer HB and Hancock DS, 1986. Reproductive and teratological effects of continuous low-level dietary T-2 toxin in female CD-1 mice for two generations. *J. Appl. Toxicol.*, 6, 179-184.
 - Rukmini C, Prasad JS and Rao K, 1980. Effects of feeding T-2 toxin to rats and monkeys. *Food Cosmet. Toxicol.*, 18, 267-269.
 - Sakai A, Suzuki C, Masui Y, Kuramashi A, Takatori K and Tanaka N, 2007. The activities of mycotoxins derived from *Fusarium* and related substances in a short-term transformation assay using v-Ha-ras-transfected BALB/3T3 cells (Bhas 42 cells). *Mutat. Res.-Genet. Toxicol. Environ. Mutag.*, 630, 103-111.
 - SCF, Scientific Committee on Food, 2001. Opinion of the Scientific Committee on Food on *Fusarium* Toxins. Part 5: T-2 Toxin and HT-2 Toxin, adopted on 30 May 2001. SCF/CS/CNTM/MYC/25 Rev 6 Final. http://ec.europa.eu/food/fs/sc/scf/out88_en.pdf.
 - Schiefer HB, Rousseaux CG, Hancock DS and Blakley BR, 1987. Effects of low-level longterm oral exposure to T-2 toxin in CD-1 mice. *Food Chem. Toxicol.*, 25, 593-601.
 - Sehata S, Kiyosawa N, Atsumi F, Ito K, Yamoto T, Teranishi M, Uetsuka K, Nakayama H and Doi K, 2005a. Microarray analysis of T-2 toxin-induced apoptotic lesions of the liver, placenta and fetal liver in pregnant rats. *Abstr. No. 1433. Toxicologist*, 84, Suppl. 1, 292.
 - Sehata S, Kiyosawa N, Atsumi F, Ito K, Yamoto T, Teranishi M, Uetsuka K, Nakayama H and Doi K, 2005b. Microarray analysis of T-2 toxin-induced liver, placenta and fetal liver lesions in pregnant rats. *Exp. Toxicol. Pathol.*, 57, 15-28.
 - Sehata S, Kiyosawa N, Makino T, Atsumi F, Ito K, Yamoto T, Teranishi M, Baba Y, Uetsuka K, Nakayama H and Doi K, 2004a. Morphological and microarray analysis of T-2 toxin-induced rat fetal brain lesion. *Food Chem. Toxicol.*, 42, 1727-1736.
 - Sehata S, Kiyosawa N, Sakuma K, Ito K, Yamoto T, Teranishi M, Uetsuka K, Nakayama H and Doi K, 2004b. Gene expression profiles in pregnant rats treated with T-2 toxin. *Exp. Toxicol. Pathol.*, 55, 357-366.
 - Sehata S, Teranishi M, Atsumi F, Uetsuka K, Nakayama H and Doi K, 2003. T-2 toxin-induced morphological changes in pregnant rats. *J. Toxicol. Pathol.*, 16, 59-65.
 - Shinozuka J, Miwa S, Fujimura H, Toriumi W and Doi K, 2009. T-2 toxin-induced hepatotoxicity in mice: histopathology and gene expression profile. *Toxicol. Pathol.*, 37, 134-135.
 - Sklan D, Klipper E, Friedman A, Shelly M and Makovsky B, 2001. The effect of chronic feeding of diacetoxyscirpenol, T-2 toxin, and aflatoxin on performance, health, and antibody production in chicks. *J. Appl. Poult. Res.*, 10, 79-85.
 - Sklan D, Shelly M, Makovsky B, Geyra A, Klipper E and Friedman A, 2003. The effect of chronic feeding of diacetoxyscirpenol and T-2 toxin on performance, health, small intestinal physiology and antibody production in turkey poults. *Br. Poult. Sci.*, 44, 46-52.
 - Sokolovic M, Garaj-Vrhovac V, Ramic S and Simpraga B, 2007. Chicken nucleated blood cells as a cellular model for genotoxicity testing using the comet assay. *Food Chem. Toxicol.*, 45, 2165-2170.
 - Sokolovic M, Garaj-Vrhovac V and Simpraga B, 2008. T-2 toxin: incidence and toxicity in poultry. *Arh. Hig. Rada Toksikol.*, 59, 43-52.
 - Sudakin DL, 2003. Trichothecenes in the environment: relevance to human health. *Toxicol. Lett.*, 143, 97-107.
 - Sugita-Konishi Y, Yashiro C, Kobayashi-Hattori K, Tsunoda M and Takita T, 2006. Immunosuppressive effect on F1 generation mice following gestational exposure to trichothecenes mycotoxin, T-2 toxin. *Abstr. No. 275. Toxicologist*, 90, Suppl. 1, 56-57.
 - Thompson WL and Wannemacher RW, Jr., 1990. In vivo effects of T-2 mycotoxin on synthesis of proteins and DNA in rat tissues. *Toxicol. Appl. Pharmacol.*, 105, 483-491.
 - Venkatesh PK, Vairamuthu S, Balachandran C, Manohar BM and Raj GD, 2005. Induction of apoptosis by fungal culture materials containing cyclopiazonic acid and T-2 toxin in primary

lymphoid organs of broiler chickens. *Mycopathologia*, 159, 393-400.

- Vilà B, Jaradat ZW, Marquardt RR and Frohlich AA, 2002. Effect of T-2 toxin on in vivo lipid peroxidation and vitamin E status in mice. *Food Chem. Toxicol.*, 40, 479-486.
 - Vlata Z, Porichis F, Tzanakakis G, Tsatsakis A and Krambovitis E, 2005. In vitro cytopathic effects of mycotoxin T-2 on human peripheral blood T lymphocytes. *Toxicol. Lett.*, 160, 60-68.
 - Wannemacher RW and Wiener SL, 1997. Trichothecene mycotoxins. Chapter 34. In: Sidell FR, Takafuji ET and Franz DR. *Medical Aspects of Chemical and Biological Warfare*. Office of The Surgeon General at TMM Publications, Borden Institute, Walter Reed Army Medical Center, Washington, DC. 655-676.
 - Weaver GA, Kurtz HJ, Bates FY, Chi MS, Mirocha CJ, Behrens JC and Robison TS, 1978. Acute and chronic toxicity of T-2 mycotoxin in swine. *Vet. Rec.*, 103, 531-535.
 - Weber M, Fodor J, Balogh K, Erdélyi M and Mézes M, 2006. Dose-dependent effect of T-2 toxin on the immunity against Newcastle disease virus in chickens. *Acta Vet. (Brno)*, 75, 387-391.
 - Weber M, Fodor J, Balogh K, Wágner L, Erdélyi M and Mézes M, 2008. Effect of vitamin E supplementation on immunity against Newcastle disease virus in T-2 toxin challenged chickens. *Acta Vet. (Brno)*, 77, 45-49.
 - WHO, World Health Organization, 2001. WHO Food Additives Series: 47. Safety evaluation of certain mycotoxins in food. Prepared by the Fifty-sixth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA).
<http://www.inchem.org/documents/jecfa/jecmono/v47je01.htm>.
 - Wijnands LM and van Leusden FM, 2000. An Overview of Adverse Health Effects Caused by Mycotoxins and Bioassays for their Detection. RIVM Report 257852 004. RIVM, Rijksinstituut voor Volksgezondheid en Milieu, Bilthoven Netherlands.
 - Wu Q, Dohnal V, Huang L, Kuca K and Yuan Z, 2010. Metabolic pathways of trichothecenes. *Drug Metab. Rev.*, 42, 250-267.
- Yang JY, Zhang YF, Liang AM, Kong XF, Li YX, Ma KW, Jing AH, Feng SY and Qiao XL, 2010. Toxic effects of T-2 toxin on reproductive system in male mice. *Toxicol. Ind. Health*, 26, 25-31.
- Yang S and Xia OJ, 1988a. [Papilloma of forestomach induced by Fusarium T-2 toxin in mice]. *Zhonghua Zhong Liu Za Zhi*, 10, 339-341.
 - Yang S and Xia QJ, 1988b. [Studies on the promoting and initiating effects of Fusarium T-2 toxin]. *Zhonghua Bing Li Xue Za Zhi*, 17, 107-110.

