

- Higa K.; Shimmura S.; Miyashita H.; Shimazaki J.; Tsubota K. Melanocytes in the corneal limbus interact with K19-positive basal epithelial cells. *Exp Eye Res* 81: 218–223; 2005. doi:10.1016/j.exer.2005.01.023.
- Hollowell J. P.; Villadiego A.; Rich K. M. Sciatic nerve regeneration across gaps within silicone chambers: long-term effects of NGF and consideration of axonal branching. *Exp Neurol* 110: 45–51; 1990. doi:10.1016/0014-4886(90)90050-3.
- Johansson A.; Lundborg M.; Sköld C. M.; Lundahl J.; Tomling G.; Eklund A.; Camner P. Functional morphological and phenotypical differences between rat alveolar and interstitial macrophages. *Am J Respir Cell Mol Biol* 16: 582–588; 1997.
- Kim H. S.; Jun S. X.; de Paiva C. S.; Chen Z.; Pflugfelder S. C.; Li D. Q. Phenotypic characterization of human corneal epithelial cells expanded ex vivo from limbal explant and single cell cultures. *Exp Eye Res* 79: 41–49; 2004. doi:10.1016/j.exer.2004.02.015.
- Koizumi N.; Cooper L. J.; Fullwood N. J.; Nakamura T.; Inoki K.; Tsuzuki M.; Kinoshita S. An evaluation of cultivated corneal limbal epithelial cells, using cell-suspension culture. *Invest Ophthalmol Vis Sci* 43: 2114–2121; 2002.
- Kunimura C.; Kikuchi K.; Ahmed N.; Shimizu A.; Yasumoto S. Telomerase activity in a specific cell subset co-expressing integrin beta1/EGFR but not p75NGFR/bcl2/integrin beta4 in normal human epithelial cells. *Oncogene* 17: 187–197; 1998.
- Levi-Montalcini R.; Booker B. Destruction of the sympathetic ganglia in mammals by an antiserum to a nerve growth protein. *Proc Natl Acad Sci USA* 46: 384–391; 1960.
- Li W.; Hayashida Y.; Chen Y. T.; Tseng S. C. Niche regulation of corneal epithelial stem cells at the limbus. *Cell Res* 17: 26–36; 2007. doi:10.1038/sj.cr.7310137.
- Li X.; Meng G.; Krawetz R.; Liu S.; Rancourt D. E. The ROCK inhibitor Y-27632 enhances the survival rate of human embryonic stem cells following cryopreservation. *Stem Cells Dev* 17: 1079–1085; 2008.
- Liu J.; Song G.; Wang Z.; Huang B.; Gao Q.; Liu B.; Xu Y.; Liang X.; Ma P.; Gao N.; Ge J. Establishment of a corneal epithelial cell line spontaneously derived from human limbal cells. *Exp Eye Res* 84: 599–609; 2007. doi:10.1016/j.exer.2006.11.014.
- Nakamura T.; Ang L. P.; Rigby H.; Sekiyama E.; Inatomi T.; Sotozono C.; Fullwood N. J.; Kinoshita S. The use of autologous serum in the development of corneal and oral epithelial equivalents in patients with Stevens–Johnson syndrome. *Invest Ophthalmol Vis Sci* 47: 909–916; 2006. doi:10.1167/iops.05-1188.
- Okumura T.; Shimada Y.; Imamura M.; Yasumoto S. Neurotrophin receptor p75 (NTR) characterizes human esophageal keratinocyte stem cells in vitro. *Oncogene* 22: 4017–4026; 2003. doi:10.1038/sj.onc.1206525.
- Qi H.; Chuang E. Y.; Yoon K. C.; de Paiva C. S.; Shine H. D.; Jones D. B.; Pflugfelder S. C.; Li D. Q. Patterned expression of neurotrophic factors and receptors in human limbal and corneal regions. *Mol Vis* 13: 1934–1941; 2007.
- Qi H.; Li D. Q.; Shine H. D.; Chen Z.; Yoon K. C.; Jones D. B.; Pflugfelder S. C. Nerve growth factor and its receptor TrkA serve as potential markers for human corneal epithelial progenitor cells. *Exp Eye Res* 86: 34–40; 2008. doi:10.1016/j.exer.2007.09.003.
- Schermer A.; Galvin S.; Sun T. T. Differentiation-related expression of a major 64 K corneal keratin in vivo and in culture suggests limbal location of corneal epithelial stem cells. *J Cell Biol* 103: 49–62; 1986.
- Touhami A.; Grueterich M.; Tseng S. C. The role of NGF signaling in human limbal epithelium expanded by amniotic membrane culture. *Invest Ophthalmol Vis Sci* 43: 987–994; 2002.
- Utheim T. P.; Raeder S.; Olstad O. K.; Utheim Ø. A.; de La Paz M.; Cheng R.; Huynh T. T.; Messelt E.; Roald B.; Lyberg T. Comparison of the histology, gene expression profile, and phenotype of cultured human limbal epithelial cells from different limbal regions. *Invest Ophthalmol Vis Sci* 50: 5165–5172; 2009. doi:10.1167/iops.08-2884.
- Yamamoto N.; Akamatsu H.; Hasegawa S.; Yamada T.; Nakata S.; Ohkuma M.; Miyachi E.; Marunouchi T.; Matsunaga K. Isolation of multipotent stem cells from mouse adipose tissue. *J Dermatol Sci* 48: 43–52; 2007. doi:10.1016/j.jdermsci.2007.05.015.
- Yamamoto N.; Majima K.; Marunouchi T. A study of the proliferating activity in lens epithelium and the identification of tissue-type stem cells. *Med Mol Morphol* 41: 83–91; 2008. doi:10.1007/s00795-008-0395-x.

