

Cambodia: health profile



Cambodia is located in the WHO Western Pacific Region.

Place of residence


- ✕ Urban
- * Total
- + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


Utilisation of health services*




Population using improved water and sanitation




Health workforce*




Tobacco smoking (adults 15+) (2006)




Obesity (adults 20+) (2008)



Inequities in health service utilization**




Inequities in mortality**



Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	1 198 003	
	Population living in urban areas (%)	30	33	50	
	Gross national income per capita (PPP int. \$)	3 280	3 330	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	63	64	66
		Female	66	67	71
		Both sexes	65	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	212	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	66	59	60
	Maternal mortality ratio* (per 100 000 live births)		230	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		3	3	8
	Prevalence of tuberculosis (per 100 000 population)		249	278	201

Per capita total expenditure on health




India is located in the WHO South-East Asia Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



India: health profile










India is located in the WHO South-East Asia Region.

Place of residence
 X Urban
 * Total
 + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.

** For data sources and years, see the World Health Statistics 2011.


Last update: 4 April 2011.



Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	229 965	
	Population living in urban areas (%)	53	33	50	
	Gross national income per capita (PPP int. \$)	3 720	3 330	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	66	64	66
		Female	71	67	71
		Both sexes	68	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	190	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	39	59	60
	Maternal mortality ratio* (per 100 000 live births)		240	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		2	3	8
	Prevalence of tuberculosis (per 100 000 population)		285	278	201

Per capita total expenditure on health




Indonesia is located in the WHO South-East Asia Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Indonesia: health profile



Indonesia is located in the WHO South-East Asia Region.








Place of residence

- ✕ Urban
- * Total
- + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.

** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.




Lao People's Democratic Republic: health profile



Selected indicators (2009)

	Country	Regional average	Global average
General			
Total population (thousands)	6 320
Population living in urban areas (%)	32	48	50
Gross national income per capita (PPP int. \$)	2 200	9 497	10 599
Mortality and burden of disease			
Life expectancy at birth (years)	Male	62	72
	Female	64	77
	Both sexes	63	75
Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	269	116
Under-5 mortality rate (per 1000 live births)	Both sexes	59	21
Maternal mortality ratio* (per 100 000 live births)		580	51
Prevalence of HIV (per 1000 adults 15-49 years)		2	1
Prevalence of tuberculosis (per 100 000 population)		131	160

Per capita total expenditure on health




Lao People's Democratic Republic is located in the WHO Western Pacific Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Lao People's Democratic Republic: health profile



Lao People's Democratic Republic is located in the WHO Western Pacific Region.

Place of residence


- ✕ Urban
- * Total
- + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.

Utilisation of health services*




Population using improved water and sanitation





Obesity (adults 20+) (2008)


Health workforce*



Tobacco smoking (adults 15+) (2006)



Inequities in health service utilization**




Inequities in mortality**

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	27 468	
	Population living in urban areas (%)	71	48	50	
	Gross national income per capita (PPP int. \$)	13 710	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	71	72	66
		Female	76	77	71
		Both sexes	73	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	137	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	6	21	60
	Maternal mortality ratio* (per 100 000 live births)		31	51	260
	Prevalence of HIV (per 1000 adults 15-49 years)		5	1	8
	Prevalence of tuberculosis (per 100 000 population)		109	160	201

Per capita total expenditure on health




Malaysia is located in the WHO Western Pacific Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Malaysia: health profile



Malaysia is located in the WHO Western Pacific Region.


Place of residence
 X Urban
 * Total
 + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


Utilisation of health services*




Population using improved water and sanitation




Health workforce*



Tobacco smoking (adults 15+) (2006)



Obesity (adults 20+) (2008)




Inequities in health service utilization**

Inequities in mortality**

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	50 020	
	Population living in urban areas (%)	33	33	50	
Mortality and burden of disease	Life expectancy at birth (years)	Male	61	64	66
		Female	67	67	71
	Both sexes	64	65	68	
		Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	231	209
	Under-5 mortality rate (per 1000 live births)	Both sexes	71	59	60
	Maternal mortality ratio* (per 100 000 live births)		240	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		6	3	8
Prevalence of tuberculosis (per 100 000 population)		597	278	201	

Per capita total expenditure on health




Myanmar is located in the WHO South-East Asia Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Myanmar: health profile



Myanmar is located in the WHO South-East Asia Region.


Place of residence
 X Urban
 * Total
 + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


Utilisation of health services*




Population using improved water and sanitation




Health workforce*



Tobacco smoking (adults 15+) (2006)



Obesity (adults 20+) (2008)



Inequities in health service utilization**


Inequities in mortality**

Philippines: health profile

Selected indicators (2009)

	Country	Regional average	Global average	
General				
Total population (thousands)	91 983	
Population living in urban areas (%)	66	48	50	
Gross national income per capita (PPP int. \$)	3 540	9 497	10 599	
Mortality and burden of disease				
Life expectancy at birth (years)	Male	67	72	66
	Female	73	77	71
	Both sexes	70	75	68
Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	187	116	176
Under-5 mortality rate (per 1000 live births)	Both sexes	33	21	60
Maternal mortality ratio* (per 100 000 live births)		94	51	260
Prevalence of HIV** (per 1000 adults 15-49 years)		1	1	8
Prevalence of tuberculosis (per 100 000 population)		520	160	201

Per capita total expenditure on health



Philippines is located in the WHO Western Pacific Region.


▲ Country
○ Regional average

* Data refers to 2008.


** Country data is estimated at less than 1.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)





Under-5 mortality rate



Philippines: health profile



Philippines is located in the WHO Western Pacific Region.








Place of residence
 X Urban
 * Total
 + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.

** For data sources and years, see the World Health Statistics 2011.


Last update: 4 April 2011.



Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	4 737	
	Population living in urban areas (%)	100	48	50	
	Gross national income per capita (PPP int. \$)	49 780	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	79	72	66
		Female	84	77	71
		Both sexes	82	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	59	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	3	21	60
	Maternal mortality ratio* (per 100 000 live births)		9	51	260
	Prevalence of HIV (per 1000 adults 15-49 years)		1	1	8
	Prevalence of tuberculosis (per 100 000 population)		43	160	201

Per capita total expenditure on health




Singapore is located in the WHO Western Pacific Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Singapore: health profile



Singapore is located in the WHO Western Pacific Region.


Place of residence
 X Urban
 * Total

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


Utilisation of health services*




Population using improved water and sanitation




Health workforce*



Tobacco smoking (adults 15+) (2006)



Obesity (adults 20+) (2008)




Inequities in health service utilization**

Inequities in mortality**

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	67 764	
	Population living in urban areas (%)	34	33	50	
	Gross national income per capita (PPP int. \$)	7 640	3 330	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	66	64	66
		Female	74	67	71
		Both sexes	70	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	205	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	14	59	60
	Maternal mortality ratio* (per 100 000 live births)		48	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		13	3	8
	Prevalence of tuberculosis (per 100 000 population)		189	278	201

Per capita total expenditure on health




Thailand is located in the WHO South-East Asia Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Thailand: health profile



Thailand is located in the WHO South-East Asia Region.


Place of residence
 X Urban
 * Total
 + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


Utilisation of health services*




Population using improved water and sanitation




Health workforce*




Tobacco smoking (adults 15+) (2006)



Obesity (adults 20+) (2008)



Inequities in health service utilization**




Inequities in mortality**

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	88 069	
	Population living in urban areas (%)	28	48	50	
	Gross national income per capita (PPP int. \$)	2 790	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	70	72	66
		Female	74	77	71
		Both sexes	72	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	139	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	24	21	60
	Maternal mortality ratio* (per 100 000 live births)		56	51	260
	Prevalence of HIV (per 1000 adults 15-49 years)		4	1	8
	Prevalence of tuberculosis (per 100 000 population)		333	160	201

Per capita total expenditure on health




Viet Nam is located in the WHO Western Pacific Region.


▲ Country
○ Regional average

* Data refers to 2008.
Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



Viet Nam: health profile



Viet Nam is located in the WHO Western Pacific Region.


Place of residence
 X Urban
 * Total
 + Rural

* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at www.who.int/gho.


** For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


Utilisation of health services*




Population using improved water and sanitation




Health workforce*




Tobacco smoking (adults 15+) (2006)




Obesity (adults 20+) (2008)



Inequities in health service utilization**



Inequities in mortality**



資料3:
血液自給に関する WHO 会議プログラム
及び会議結果サマリー