


# Brunei Darussalam: health profile


Selected indicators (2009)					
	Country	Regional average	Global average		
General	Total population (thousands)	400	...	...	
	Population living in urban areas (%)	75	48	50	
Mortality and burden of disease	Life expectancy at birth (years)	Male	76	72	66
		Female	77	77	71
		Both sexes	77	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	93	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	7	21	60
	Maternal mortality ratio* (per 100 000 live births)		21	51	260
Prevalence of tuberculosis (per 100 000 population)		72	160	201	






Brunei Darussalam is located in the WHO Western Pacific Region.

▲ Country  
○ Regional average

\* Data refers to 2008.  
Last update: 4 April 2011.





Children aged under-5 stunted



# Brunei Darussalam: health profile







Brunei Darussalam is located in the WHO Western Pacific Region.



\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.




# Cambodia: health profile

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	14 805	...	...	
	Population living in urban areas (%)	22	48	50	
	Gross national income per capita (PPP int. \$)	1 820	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	57	72	66
		Female	65	77	71
		Both sexes	61	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	267	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	88	21	60
	Maternal mortality ratio* (per 100 000 live births)		290	51	260
	Prevalence of HIV (per 1000 adults 15-49 years)		5	1	8
	Prevalence of tuberculosis (per 100 000 population)	693	160	201	

Per capita total expenditure on health




Cambodia is located in the WHO Western Pacific Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# Cambodia: health profile










Cambodia is located in the WHO Western Pacific Region.

**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.




# India: health profile

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	1 198 003	...	...	
	Population living in urban areas (%)	30	33	50	
	Gross national income per capita (PPP int. \$)	3 280	3 330	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	63	64	66
		Female	66	67	71
		Both sexes	65	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	212	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	66	59	60
	Maternal mortality ratio* (per 100 000 live births)		230	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		3	3	8
	Prevalence of tuberculosis (per 100 000 population)		249	278	201

Per capita total expenditure on health




India is located in the WHO South-East Asia Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# India: health profile










India is located in the WHO South-East Asia Region.

**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.




# Indonesia: health profile

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	229 965	...	...	
	Population living in urban areas (%)	53	33	50	
	Gross national income per capita (PPP int. \$)	3 720	3 330	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	66	64	66
		Female	71	67	71
		Both sexes	68	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	190	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	39	59	60
	Maternal mortality ratio* (per 100 000 live births)		240	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		2	3	8
Prevalence of tuberculosis (per 100 000 population)		285	278	201	

Per capita total expenditure on health




Indonesia is located in the WHO South-East Asia Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# Indonesia: health profile










Indonesia is located in the WHO South-East Asia Region.

**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.



Last update: 4 April 2011.





# Lao People's Democratic Republic: health profile





Selected indicators (2009)				
	Country	Regional average	Global average	
<b>General</b>				
Total population (thousands)	6 320	...	...	
Population living in urban areas (%)	32	48	50	
Gross national income per capita (PPP int. \$)	2 200	9 497	10 599	
<b>Mortality and burden of disease</b>				
Life expectancy at birth (years)	Male	62	72	66
	Female	64	77	71
	Both sexes	63	75	68
Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	269	116	176
Under-5 mortality rate (per 1000 live births)	Both sexes	59	21	60
Maternal mortality ratio* (per 100 000 live births)		580	51	260
Prevalence of HIV (per 1000 adults 15-49 years)		2	1	8
Prevalence of tuberculosis (per 100 000 population)		131	160	201



Lao People's Democratic Republic is located in the WHO Western Pacific Region.

▲ Country  
○ Regional average

\* Data refers to 2008.  
Last update: 4 April 2011.



# Lao People's Democratic Republic: health profile









Lao People's Democratic Republic is located in the WHO Western Pacific Region.

**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gdo](http://www.who.int/gdo).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.




### Inequities in mortality\*\*

# Malaysia: health profile

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	27 468	...	...	
	Population living in urban areas (%)	71	48	50	
	Gross national income per capita (PPP int. \$)	13 710	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	71	72	66
		Female	76	77	71
		Both sexes	73	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	137	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	6	21	60
	Maternal mortality ratio* (per 100 000 live births)		31	51	260
	Prevalence of HIV (per 1000 adults 15-49 years)		5	1	8
Prevalence of tuberculosis (per 100 000 population)		109	160	201	

Per capita total expenditure on health




Malaysia is located in the WHO Western Pacific Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# Malaysia: health profile








Malaysia is located in the WHO Western Pacific Region.

**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.



### Inequities in health service utilization\*\*


### Inequities in mortality\*\*

# Myanmar: health profile

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	50 020	...	...	
	Population living in urban areas (%)	33	33	50	
Mortality and burden of disease	Life expectancy at birth (y ears)	Male	61	64	66
		Female	67	67	71
		Both sexes	64	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	231	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	71	59	60
	Maternal mortality ratio* (per 100 000 live births)		240	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		6	3	8
	Prevalence of tuberculosis (per 100 000 population)	597	278	201	

Per capita total expenditure on health




Myanmar is located in the WHO South-East Asia Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# Myanmar: health profile



Myanmar is located in the WHO South-East Asia Region.


**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).


\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


## Utilisation of health services\*




## Population using improved water and sanitation




## Health workforce\*



## Tobacco smoking (adults 15+) (2006)



## Obesity (adults 20+) (2008)





## Inequities in health service utilization\*\*

## Inequities in mortality\*\*

# Philippines: health profile

Selected indicators (2009)					
	Country	Regional average	Global average		
General	Total population (thousands)	91 983	...	...	
	Population living in urban areas (%)	66	48	50	
	Gross national income per capita (PPP int. \$)	3 540	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	67	72	66
		Female	73	77	71
		Both sexes	70	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	187	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	33	21	60
	Maternal mortality ratio* (per 100 000 live births)		94	51	260
	Prevalence of HIV** (per 1000 adults 15-49 years)		1	1	8
Prevalence of tuberculosis (per 100 000 population)		520	160	201	







Philippines is located in the WHO Western Pacific Region.

▲ Country  
○ Regional average

\* Data refers to 2008.  
\*\* Country data is estimated at less than 1.



Last update: 4 April 2011.



# Philippines: health profile



Philippines is located in the WHO Western Pacific Region.








**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.






# Singapore: health profile


Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	4 737	...	...	
	Population living in urban areas (%)	100	48	50	
	Gross national income per capita (PPP int. \$)	49 780	9 497	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	79	72	66
		Female	84	77	71
		Both sexes	82	75	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	59	116	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	3	21	60
	Maternal mortality ratio* (per 100 000 live births)		9	51	260
	Prevalence of HIV (per 1000 adults 15-49 years)		1	1	8
Prevalence of tuberculosis (per 100 000 population)		43	160	201	

Per capita total expenditure on health



DTP3 immunization among 1-year-olds




Singapore is located in the WHO Western Pacific Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# Singapore: health profile



Singapore is located in the WHO Western Pacific Region.


Place of residence  
 X Urban  
 \* Total

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).


\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.


## Utilisation of health services\*




## Population using improved water and sanitation




## Health workforce\*



## Tobacco smoking (adults 15+) (2006)



## Obesity (adults 20+) (2008)



## Inequities in health service utilization\*\*


## Inequities in mortality\*\*

# Thailand: health profile

Selected indicators (2009)

		Country	Regional average	Global average	
General	Total population (thousands)	67 764	...	...	
	Population living in urban areas (%)	34	33	50	
	Gross national income per capita (PPP int. \$)	7 640	3 330	10 599	
Mortality and burden of disease	Life expectancy at birth (years)	Male	66	64	66
		Female	74	67	71
		Both sexes	70	65	68
	Adult mortality rate (per 1000 adults 15-59 years)	Both sexes	205	209	176
	Under-5 mortality rate (per 1000 live births)	Both sexes	14	59	60
	Maternal mortality ratio* (per 100 000 live births)		48	240	260
	Prevalence of HIV (per 1000 adults 15-49 years)		13	3	8
Prevalence of tuberculosis (per 100 000 population)		189	278	201	

Per capita total expenditure on health




Thailand is located in the WHO South-East Asia Region.

▲ Country  
○ Regional average


\* Data refers to 2008.

Last update: 4 April 2011.


DTP3 immunization among 1-year-olds




Children aged under-5 stunted




Distribution of years of life lost by causes (2008)



Distribution of causes of deaths in children under-5 (2008)



Under-5 mortality rate



# Thailand: health profile







Thailand is located in the WHO South-East Asia Region.

**Place of residence**  
 X Urban  
 \* Total  
 + Rural

\* Data refer to latest year available from 2000. For specific years and references, visit the Global Health Observatory at [www.who.int/gho](http://www.who.int/gho).

\*\* For data sources and years, see the World Health Statistics 2011.

Last update: 4 April 2011.



### Inequities in mortality\*\*