

Escherichia coli isolated from humans and farms during four outbreaks in Japan and Belgium. IUMS 2011, 10 September, 2011, Sapporo.

- 51) 楠本正博, 深水大, 吉田英二, 山本史子, F. Shahada, 岩田剛敏, 秋庭正人, 大岡唯祐, 小椋義俊, 林哲也: ブタから分離された毒素原性大腸菌における IS-excision enhancer の分布. 第 94 回細菌学会関東支部総会, 10/6-7, 2011, 東京.
- 52) 林哲也 (シンポジスト): 同じ病原菌種内での菌株の違いをゲノムからみる: 病原性大腸菌を例として. 日本神経感染症学会総会, 11/4-5, 2011, 東京.
- 53) 岡安芳, 寺田祥子, 齊藤貴, 楠本正博, 林哲也, 関根靖彦: Iee により引き起こされる大腸菌のトランスポゾンの切り出し反応と融合体形成反応の解析. 第 34 回分子生物学会年会, 12/13-16, 2011, 横浜.
- 54) 藤井 潤, 溝上 哲也, 北 敏郎, 城 宏輔, 岸本 宏志, 名矢 結香, 中村 勤, 中田 友里, 宇賀神 貞夫, 斎藤 京子, 丸山 保夫, 多田 有希, 岡部 信彦, 吉田 真一, わが国において成人女性は腸管出血性大腸菌感染による溶血性尿毒症症候群のリスク要因である, 第 15 回腸管出血性大腸菌感染症研究会, 平成 23 年 7 月 15 日, 大阪, プログラム・抄録集 p23.
- 55) Segawa T, Nomura K, Villanueva S, Nomura K, Fujii J, Yoshida S. Proteomic analysis of urine of rats infected with *Leptospira interrogans* serovar Manilae. International Union of Microbiological Societies 2011 Congress, Sep. 6-7, Sapporo, Final program, P-BR03-9, p168.
- 56) Segawa T, Nomura K, Villanueva S, Nomura K, Fujii J, Yoshida S. Proteomic analysis of urine of rats infected with *Leptospira interrogans* serovar Manilae. 7th International Leptospirosis Society, Merida, Yucatan, Mexico, Sep. 19-22nd, P50, 2011.
- 57) Amran MA, Fujii J, and Yoshida S. Successful azithromycin treatment of a fatal neurological mouse model orally infected with Shiga toxin 2c-producing *Escherichia coli* O157:H-, International Union of Microbiological Societies 2011 Congress, Sep. 6-7, Sapporo, Final program, P-BA24-12, p217.
- 58) Amran MA, Fujii J, and Yoshida S. Successful azithromycin and Daiou combination treatment of mouse models orally infected with Shiga toxin-producing *Escherichia coli*. US-Japan cooperative medical science program Cholera and other bacterial enteric infections. 46th Conference. Dec 13-15th, 2011, Kolkata, India. Abstract p221.

- 59) Yamamoto, T. 2011. Novel *Salmonella* effectors capable of activating caspase-8 in macrophages, leading to induction of a pro-inflammatory response. UMS 2011. Sapporo.
- 60) Samizo, C., Y. Sato, A. Takaya and T. Yamamoto. 2011. Identification of novel *Salmonella* effectors by genome-wide *in silico* screening. IUMS 2011. Sapporo.
- 61) Takaya, A., Y. Sato and T. Yamamoto. 2011. Novel *Salmonella* effectors, GogA and GtgA2 are involved in induction of pro-inflammatory response within murine bone marrow-derived macrophage cells. IUMS 2011. Sapporo.
- 62) Sato, Y., A. Takaya and T. Yamamoto. 2011. Meta-analysis based prediction system of secreted virulence effectors. IUMS 2011. Sapporo.
- 63) Sone, K., A. Takaya and T. Yamamoto. 2011. Combination of *erm* gene and mutation in riboproteins results in high-level telithromycin resistance in *Streptococcus pneumoniae*. IUMS 2011, Sapporo.
- 64) Ito, M., T., Shibata, A. Takaya, Y. Sato, K. Endo and T. Yamamoto. 2011. Telithromycin-resistant *Streptococcus pneumoniae* clinically isolated between 2009 and 2010 in Japan. IUMS 2011, Sapporo.
- 65) Takaya, A., Y. Sato and T. Yamamoto. 2011. YdiV is a novel adaptor protein for ClpXP protease. 9th International Conference on AAA proteins. Kumamoto
- 66) Yamamoto, T. 2011. Bacterial strategies hijacking host cell functions for a successful infection. 2nd Chiba-Seoul Joint Meeting, Seoul
- 67) Kamiya, S.: Microbial ecology between *Helicobacter pylori* and microbiota in gastric mucosa. The Joint Meeting of 17th International Symposium on Gnotobiology and 34th Congress of the Society for Microbial Ecology and Disease. Yokohama, Nov. 20-23, 2011. Program: 42-43.
- 68) Yonezawa, H., S. Kamiya.: Biofilm formation of *Helicobacter pylori*. The Joint Meeting of 17th International Symposium on Gnotobiology and 34th Congress of the Society for Microbial Ecology and Disease. Yokohama, Nov. 20-23, 2011. Program: 96-97.

- 69) Osaki, T., C. Zaman, T. Matsuki, T. Asahara, H. Yonezawa, T. Hanawa, S. Kurata, F. Hojo, H. Taguchi, S. Kamiya.: Comparative analysis of gastric bacterial microbiota in Mongolian gerbil after long-term infection with *Helicobacter pylori*. The Joint Meeting of 17th International Symposium on Gnotobiology and 34th Congress of the Society for Microbial Ecology and Disease. Yokohama, Nov. 20-23, 2011. Program: 139.
- 70) Yonezawa, H., T. Osaki, S. Kurata, C. Zaman, T. Hanawa, S. Kamiya: Oral bacteria affects the virulence of *Helicobacter pylori*. International Union of Microbiological Societies 2011 Congress. Sapporo, Sept. 6-16, 2011. Final Program: 239.
- 71) Osaki, T., S. Kato, C. Zaman, H. Yonezawa, T. Hanawa, S. Kurata, F. Hojo, S. Kamiya: The characterization of *Helicobacter pylori* strains isolated from the iron deficiency anemia patients. International Union of Microbiological Societies 2011 Congress, Sapporo, Sept 6-16, 2011. Final Program: 151.
- 72) Osaki, T., S. Kato, H. Yonezawa, S. Kurata, C. Zaman, T. Hanawa, S. Kamiya: Analysis of iron transport and storage gene in *Helicobacter pylori* isolated from iron deficiency anemia patients. The 16th International Workshop on Campylobacter, Helicobacter, and Related Organisms. Vancouver, Aug28-Sept1, 2011. CHRO 2011 Final Program and Abstract Book: 83.
- 73) Kamiya, S., C. Zaman, H. Yonezawa, F. Hojo, T. Osaki.: Analysis for between *Helicobacter pylori* and gastric microbiota in Mongolian gerbil. The 16th International Workshop on Campylobacter, Helicobacter, and Related Organisms. Vancouver, Aug 28 - Sept 1, 2011. CHRO 2011 Final Program and Abstract Book: 195.
- 74) 米澤英雄、大崎敬子、花輪智子、Zaman Cynthia、神谷茂 : *Helicobacter pylori* のバイオフィルム形成とクラリスロマイシン耐性. 第17回日本ヘリコバクター学会学術集会、富山、平成23年6月24-25日. プログラム抄録集: 145.
- 75) 大崎敬子、加藤晴一、米澤英雄、Zaman Cynthia, 北条史、花輪智子、神谷茂 : *Helicobacter pylori* と Caco-2 細胞の混合培養時の相互作用について. 第17回日本ヘリコバクター学会学術集会富山、平成23年6月24-25日. プログラム抄録集: 149.
- 76) 有満秀幸、越智定幸、塚本健太郎、佐々木慶子、清水 健、辻 孝雄: 変異志賀毒素を抗原としたコレラ毒素及びその変異体のアジュバント効果の比較. 第58回トキシシン

ポジウム(東京) 予稿集 P. 137-138 . 2011.

- 77) 有満秀幸、塚本健太郎、越智定幸、佐々木慶子、辻孝雄. 変異 Shiga toxin-2 トキソイドの過剰産生系の作製 第 48 回日本細菌学会中部支部総会(名古屋)予稿集 A1-03 .2011.
- 78) H. Arimitsu, K. Tsukamoto, S. Ochi, K. Sasaki, M. Kato, T. Tsuji. Over-expression methods of Shiga toxin 1, Shiga toxin 2 and their mutants in *Escherichia coli* for evaluating toxoid vaccine. IUMS 2011 Sapporo P-BA31-3
- 79) K. Tsukamoto, N. Nuemket, Y. Tanaka, H. Arimitsu, S. Ochi, K. Nakamura, S. Kozaki, I. Tanaka, T. Tsuji. Structure and activity of receptor binding domain of *Clostridium botulinum* D/C mosaic neurotoxin. IUMS 2011 Sapporo BA10-1.
- 80) H. Arimitsu, S. Ochi, K. Tsukamoto, K. Sasaki, T. Tsuji. Lincomycin-induced overexpression method of mutant Shiga toxin-2 for vaccine antigen. 42nd U.S. –Japan Cholera & Other Bacterial Enteric Infections Joint Panel Meeting-2011 in Kolkata.
- 81) 越智定幸、Martin Bundi、Sora Suka、有満秀幸、塚本健太郎、佐々木慶子、清水利康、一瀬休生、辻孝雄. ケニア・マンデラ地方下痢症のアウトブレイクに関連する EAST1 遺伝子保有大腸菌. 第 85 回日本細菌学会 (長崎) .
- 82) 塚本健太郎、有満秀幸、越智定幸、中村佳司、幸田知子、小崎俊司、辻孝雄. 胚性腫瘍細胞 P19 を用いたボツリヌス神経毒素の作用機構の解析 第 85 回日本細菌学会 (長崎)
- 83) Jiro Mitobe, Shouji Yamamoto, Makoto Ohnishi and Haruo Watanabe. Bacterial cytoskeleton protein RodZ is involved in post-transcriptional processing of *Shigella* type III secretion system. 2011, Sept. 6-10,P-BA27-31, XIII International Congress of Bacteriology and Applied Microbiology. Sapporo Convention Center. Sapporo, Japan.
- 84) Jiro Mitobe, Hemanta Koley, Ritam Shinha, Ken Shimuta, Nobuo Koizumi, Jun Terajima, Makoto Ohnishi, G.Balakrish Nair and Haruo Watanabe. An attempt to develop experimental *Shigella* vaccine based on virulence gene expression. 2011, Dec. 13-15 US-Japan Cooperative Medical Science Program. 46th Annual Joint Panel Meeting for Cholera and Other Bacterial Enteric Infections. Kolkata. India
- 85) Yamamoto T, Takano T, Nishiyama A, Saito K. Strong motility and high-speed-driving units in *Campylobacter jejuni* and *C. coli*. (A-205) The 16th international workshop on *Campylobacter*, *Helicobacter*, and related organisms

(CHRO2011), August 2011. Vancouver, Canada

- 86) 八尋錦之助、古川 健、寺崎 泰弘、辻 厚至、盛永直子、野田公俊. 腸管出血性大腸菌の産生する SubAB のマウスにおける病態発現解析. 第 58 回トキシシンポジウム 2011.7.6-7.
- 87) Takeshi Furukawa, Kinnosuke Yahiro, Atsushi B. Tsuji, Yasuhiro Terasaki, Naoko Morinaga, Masaru Miyazaki, Yuh Fukuda, Tsuneo Saga, Masatoshi Noda. Subtilase cytotoxin produced by Shiga-toxigenic *Escherichia coli* induces fetal hemorrhage in mice. IUMS2011.2011. 9.7.
- 88) Kinnosuke Yahiro, Takeshi Furukawa, Atsushi B. Tsuji, Yasuhiro Terasaki, Naoko Morinaga, Masatoshi Noda. Subtilase cytotoxin produced by *Escherichia coli* induces fatal hemorrhage in mice. 46th US-Japan Cholera and Other Bacterial Enteric Infections Joint Panel Meeting.2010. 12.13-15.

