

Ando K, Ohtsu H, Arakawa Y, Kubota K, Yamaguchi T, Nagase M, Yamada A, Fujita T; Eplerenone combination Versus conventional Agents to Lower blood pressure on Urinary Antialbuminuric Treatment Effect Study Investigators. Rationale and design of the Eplerenone combination Versus conventional Agents to Lower blood pressure on Urinary Antialbuminuric Treatment Effect (EVALUATE) trial: a double-blinded randomized placebo-controlled trial to evaluate the antialbuminuric effects of an aldosterone blocker in hypertensive patients with albuminuria. *Hypertension Research* 2010; **33**(6): 616-21.

Aihara T, Takatsuka Y, Ohsumi S, Aogi K, Hozumi Y, Imoto S, Mukai H, Iwata H, Watanabe T, Shimizu C, Nakagami K, Tamura M, Ito T, Masuda N, Ogino N, Hisamatsu K, Mitsuyama S, Abe H, Tanaka S, Yamaguchi T, Ohashi Y. Phase III randomized adjuvant study of tamoxifen alone versus sequential tamoxifen and anastrozole in Japanese postmenopausal women with hormone-responsive breast cancer: N-SAS BC03 study. *Breast Cancer Research and Treatment* 2010; **121**(2): 379-87.

Kondo K, Suzukawa K, Sakamoto T, Watanabe K, Kanaya K, Ushio M, Yamaguchi T, Nibu K, Kaga K, Yamasoba T. Age-related changes in cell dynamics of the postnatal mouse olfactory neuroepithelium: cell proliferation, neuronal differentiation, and cell death. *Journal of Comparative Neurology* 2010; **518**(11): 1962-75.

Hatanaka N, Takita M, Yamaguchi T, Kami M, Matsumoto S. Interests in beta-cell replacement therapies among Japanese patients with type 1 diabetes. *Diabetes Research and Clinical Practice* 2010; **89**(1): e5-8.

Tsubokura M, Nakada H, Matsumura T, Kodama Y, Narimatsu H, Yamaguchi T, Kami M. The impact of H1N1 influenza A virus pandemic on the blood donations in Hyogo Prefecture, Japan. *Transfusion* 2010 May 3. [Epub ahead of print]

Kurosawa S, Yamaguchi T, Miyawaki S, Uchida N, Sakura T, Kanamori H, Usuki K, Yamashita T, Okoshi Y, Shibayama H, Nakamae H, Mawatari M, Hatanaka K, Sunami K, Shimoyama M, Fujishima N, Maeda Y, Miura I, Takaue Y, Fukuda T. Prognostic factors and outcomes of adult patients with acute myeloid leukemia after first relapse. *Haematologica* 2010; **95**(11): 1857-64.

Kurosawa S, Yamaguchi T, Uchida N, Miyawaki S, Usuki K, Watanabe M, Yamashita T, Kanamori H, Tomiyama J, Nawa Y, Yano S, Takeuchi J, Yakushiji K, Sano F, Uoshima N, Yano T, Nannya Y, Moriuchi Y, Miura I, Takaue Y, Fukuda T. Comparison of allogeneic hematopoietic cell transplantation and chemotherapy in elderly patients with non-M3 acute myeloid leukemia in first complete remission. *Biology of Blood and Marrow Transplantation* 2010 Jul 24. [Epub ahead of print]

Ueta T, Yanagi Y, Tamaki Y, Yamaguchi T. Ranibizumab and stroke. *Ophthalmology* 2010; 117(9): 1860; author reply 1860-1.

Kurosawa S, Yamaguchi T, Miyawaki S, Uchida N, Kanamori H, Usuki K, Yamashita T, Watanabe M, Yakushiji K, Yano S, Nawa Y, Taguchi J, Takeuchi J, Tomiyama J, Nakamura Y, Miura I, Kanda Y, Takaue Y, Fukuda T. A Markov decision analysis of allogeneic hematopoietic cell transplantation versus chemotherapy in patients with acute myeloid leukemia in first remission. *Blood* 2010 Nov 24. [Epub ahead of print]

Murayama H, Narabu H, Kojima T, Tomaru M, Tachibana R, Yamaguchi T, Murashima S. Program development to promote network building between disciplinary agencies and informal community organizations. *Nippon Koshu Eisei Zasshi* 2010 57(10) :900-8. Japanese.

Murayama H, Kojima T, Tomaru M, Narabu H, Tachibana R, Yamaguchi T, Murashima S. Evaluation of a program to promote network building between disciplinary agencies and informal community organizations: trial in a community comprehensive support center. *Nippon Koshu Eisei Zasshi* 2010; 57(10): 909-20. Japanese.

Nishi H, Shibagaki Y, Hirano K, Akahane M, Kido R, Nangaku M, Kaname S, Sasahira N, Isayama H, Tada M, Tsukamoto R, Ohtomo K, Omata M, Fujita T. Laboratory and imaging features of kidney involvement in autoimmune pancreatitis: Clinical significance, incidence and steroid therapy response. *Clin Nephrol* 2010; 73: 270-276.

Kido R, Shibagaki Y, Iwadoh K, Nakajima I, Fuchinoue S, Fujita T, Teraoka S. Persistent Glomerular Hematuria in Living Kidney Donors Confers a Risk of progressive Kidney Disease in Donors After Heminephrectomy. *Am J Transplant* 2010; 10:1597-604.

Kido R, Shibagaki Y, Iwadoh K, Nakajima I, Fuchinoue S, Fujita T, Teraoka S. Very low but stable glomerular filtration rate after living kidney donation: Is the concept of "chronic kidney disease" applicable to kidney donors? *Clin Exp Nephrol* 2010; 14:356-362.

Tsuruoka K, Yasuda T, Koitabashi K, Yazawa M, Shimazaki M, Sakurada T, Shirai S, Shibagaki Y, Kimura K, Tsujimoto F. Evaluation of renal microcirculation by contrast-enhanced ultrasound with Sonazoid as a contrast agent. *Int Heart J*. 2010; 51:176-182.

Matsui K, Shibagaki Y, Sasaki H, Chikaraishi T, Yasuda T, Kimura K. Mycophenolate mofetil-induced agranulocytosis in a renal transplant recipient. *Clin Exp Nephrol*. 2010; 14: 637-640.

Hasegawa T, Bragg-Gresham JL, Pisoni RL, Robinson BM, Fukuhara S, Akiba T, Saito A, Kurokawa K, Akizawa T. Changes in Anemia Management And Hemoglobin Levels after Implementation of A Recombinant Human Erythropoietin Bundling Policy in Japan: Results from The Japan DOPPS. *Kidney International* 2010; 79: 340-6.

Hasegawa T, Koiwa F, Yamazaki S, Yoshimura A. In Reply to 'Predialytic Period and Baseline Peritoneal Membrane Status-Any Connection?'. *Perit Dial Int*. 30(4): 478-480, 2010

Kakudate N, Morita M, Sugai M, Nagayama M, Fukuhara S, Kawanami M, Chiba I. Comparison of Dental Practice Income and Expenses According to Treatment Types in the Japanese Insurance System. *Japanese Dental Science Review*. 2010; 46: 4-10.

Akizawa T, Asano Y, Morita S, Wakita T, Onishi Y, Fukuhara S, Gejyo F, Matsuo S, Yorioka N, Kurokawa K, for CAP-KD study group. A multicenter, randomized, controlled trial of a carbonaceous oral adsorbent's effectiveness against the progression of chronic kidney disease: the CAP-KD study. *American Journal of Kidney Diseases*. 2010; 20: 54-61.

Yamamoto Y, Yamazaki S, Hayashino Y, Takahashi O, Tokuda Y, Shimbo T, Fukui T, Hinohara S, Miyachi Y, Fukuhara S. Association between frequency of pruritic symptoms and perceived psychological stress: a Japanese population-based study. *Archives of Dermatology*. 2009; 145: 1384-8.

Hayashino Y, Fukuhara S, Akiba T, Akizawa T, Asano Y, Saito S, Kurokawa K. Low health-related quality of life is associated with high risk of all-cause mortality in patients with diabetes on hemodialysis: the Japan Dialysis Outcomes and Practice Pattern Study. *Diabetic Medicine*. 2009; 26: 921-7.

Yamamoto Y, Hayashino Y, Yamazaki S, Takegami M, Fukuhara S. Violent patient behavior is associated with bodily pain and high burden on informal caregivers. *Journal of General Internal Medicine*. 2009; 24: 1085-8.

Yamamoto Y, Hayashino Y, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Fukuhara S, for J-DOPPS research group. Depressive symptoms predict the subsequent risk of bodily pain in dialysis patients: Japan Dialysis Outcomes and Practice Patterns Study. *Pain Medicine*. 2009; 24: 883-9.

Yokoyama Y, Suzukamo Y, Hotta O, Yamazaki S, Kawaguchi T, Hasegawa T, Chiba S, Moriya T, Abe E, Sasaki S, Haga M, Fukuhara S, for the Dialysis Nutrition Research Group. Dialysis Staff Encouragement and fluid control adherence in patient on hemodialysis. *Nephrology Nursing Journal*. 2009; 36: 289-97.

Kawaguchi T, Ieiri N, Yamazaki S, Hayashino Y, Gillespie B, Miyazaki M, Taguma Y, Fukuhara S, Hotta O. The clinical effectiveness of steroid pulse therapy combined with tonsillectomy in patients with Immunoglobulin A nephropathy presenting glomerular hematuria and minimal proteinuria. *Nephrology*. 2010; 15: 116-23.

Takegami M, Hayashino Y, Chin K, Sokejima S, Kadotani H, Akashiba T, Kimura H, Ohi M, Fukuhara S. Simple four-variable screening tool for identification of patients with sleep-disordered breathing. *SLEEP*. 2009; 32: 939-48.

Yokoyama Y, Yamazaki S, Hasegawa T, Wakita T, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Fukuhara S, Pre-dialysis Early Referral to a Nephrologist is Associated with Improved Mental Health among Hemodialysis Patients: A Dialysis Outcomes and Practice Patterns Study. *Nephron Clinical Practice*. 2009; 113: c191-7.

Shimada T, Noguchi T, Jeffrey L. Jackson, Miyashita J, Hayashino Y, Kamiya T, Yamazaki S, Matsumura T, Fukuhara S. Systematic review and meta-analysis: Urinary antigen tests for Legionellosis. *CHEST*. 2009; 136: 1576-85.

Brazier J, Fukuhara S, Roberts J, Yamamoto Y, Ikeda S, Doherty J, Kurokawa K. Estimating a preference-based index from the Japanese SF-36. *Journal of Clinical Epidemiology*. 2009; 62: 1323-31.

Nakao K, Makino H, Morita S, Takahashi Y, Akizawa T, Saito A, Asano Y, Kurokawa K, Fukuhara S, Akiba T. Beta-blocker Prescription and Outcomes in Hemodialysis Patients from the Japan Dialysis Outcomes and Practice Patterns Study. *Nephron Clinical Practice*. 2009; 113: c132-9.

Miyashita M, Narita Y, Sakamoto A, Kawada N, Akiyama M, Kayama M, Suzukamo Y, Fukuhara S. Care burden and depression in caregivers caring for patients with intractable neurological diseases at home in Japan. *Journal of the Neurological Sciences*. 2009; 276: 148-52.

Yamamoto Y, Hayashino Y, Yamazaki S, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, J-DOPPS research group, Miyachi Y, Fukuhara S. Depressive symptoms predict the future risk of severe pruritus in hemodialysis patients: Japan Dialysis Outcomes and Practice Patterns Study. *British Journal of Dermatology*. 2009;161(2):384-389.

Hasegawa T, Bragg-Gresham JL, Yamazaki S, Fukuhara S, Akizawa T, Kleophas W, Greenwood R, Pisoni RL. Greater First-Year Survival on Hemodialysis in Facilities in Which Patients Are Provided Earlier and More Frequent Pre-Nephrology Visit. *Clinical Journal of the American Society of Nephrology*. 2009;4:595-602.

角館直樹, 次橋幸男, 横山葉子, 山本洋介, 三品浩基, 中村文明, 福森則男, 竹上未紗, 大野慎也, 佐藤恵子, 脇田貴文, 渡部一宏, 山口拓洋, 福原俊一. 臨床研究に関するブレンデッド型遠隔学習プログラムの教育効果. *医学教育* (査読中).

三品浩基, 横山葉子, Mitchell D Feldman, 角館直樹, 福原俊一 (2011) 臨床研究教育におけるメンタリングの促進・阻害因子の探索的研究—メンティーのインタビュー調査から. *医学教育*, 42, 75-80.

中村文明、福原俊一. 臨床研究を担うもう一つの車輪、遺伝子医学MOOK17「事例に学ぶ。実践、臨床応用研究の進め方」; 2010. 67-71

中村文明、福原俊一. 臨床研究の教育、*医学教育白書*2010年版; 2010. 86-88

渡部一宏、横山葉子、大野慎也、川井朋子、倉田洋子、網岡克雄、関根祐子、井関健、福原俊一: 薬剤師のニーズに合致した臨床研究教育ワークショップの立案・実施・評価. *薬局薬学*, 2010; 2: 44-52

坂本進、小寺聰、鈴木洋輝、櫛田俊一、佐藤寿俊、宮地浩太郎、神田順二: 巨大卵巣腫瘍により下大静脈が圧迫され深部静脈血栓症、肺血栓症を生じた症例. *心臓*, 42(7): 953-955, 2010

福森 則男、福原 俊一：エビデンス・レベルの再考 - 「RCT 至上主義」を超えて、総合臨牀、5 (679) -9 (683)

山口拓洋. サンプルサイズの設計. 健康医療評価研究機構. 2010.

柴垣 有吾. 水・電解質代謝異常とその治療. 腎臓内科レジデントマニュアル第5版. 診断と治療社. 東京. 2010; 2-58

柴垣 有吾. 薬剤性腎障害ケーススタディ. 南江堂. 東京. 2010; 55-65.

坂本 進、小寺 聰、鈴木 洋輝、櫛田 俊一、佐藤 寿俊、宮地 浩太郎、神田 順二：巨大卵巣腫瘍により下大静脈が圧迫され深部静脈血栓症、肺血栓症を生じた症例、心臓、42(7) : 953-955, 2010

横山葉子、三品浩基、松村理司、郡義明、名郷直樹、渡部一宏、福原俊一. 臨床研究および臨床研究者養成のための教育への病院上層部の関心——病院特性による比較. 医学教育 40 (5), 333-340, 2009.

三品浩基、横山葉子、川上浩司、福原俊一. 臨床医を対象とした臨床研究への関心および教育のあり方についての調査. 医学教育 40 (2), 105-112, 2009.

福原俊一編. 臨床研究の新しい潮流—医学研究のパラダイム・シフト. 医歯薬出版：東京；2008.

三品浩基、高山ジョン一郎、福原俊一. University of California, San Francisco で体験した医師の臨床研究教育におけるメンタリングについて. 医学教育 41(1), 2010.

