

33. Lee MH, Park IS, Min KS, Ahn SG, Park JM, Song KY, Park CW. Evaluation of in vitro and in vivo tests for surface modified titanium by  $H_2SO_4$  and  $H_2O_2$  treatment. *Met Mater Int*. 2007;13:109–15.
34. Lu X, Wang Y, Yang X, Zhang Q, Zhao Z, Weng LT, Leng Y. Spectroscopic analysis of titanium surface functional groups under various surface modification and their behaviors in invitro and invivo. *J Biomed Mater Res*. 2008;84A:523–34.
35. Lindberg F, Heinrichs J, Ericson F, Thomsen P, Engqvist H. Hydroxylapatite growth on single-crystal rutile substrates. *Biomaterials*. 2008;29:3317–23.
36. Sugino A, Ohtsuki C, Tsuru K, Hayakawa S, Nakano T, Okazaki Y, Osaka A. Effect of spatial design and thermal oxidation on apatite formation on Ti–15Zr–4Ta–4Nb alloy. *Acta Biomater*. 2009;5:298–304.
37. Kokubo T, Takadama H. How useful is SBF in predicting in vivo bone bioactivity? *Biomaterials*. 2006;27:2907–15.
38. Sun X, Li Y. Synthesis and characterization of ion-exchangeable titanate nanotubes. *Chem Eur J*. 2003;9:2229–38.
39. Tsai CC, Teng H. Structural features of nanotubes synthesized from NaOH treatment on  $TiO_2$  with different post-treatments. *Chem Mater*. 2006;18:367–73.
40. Textor M, Sittig C, Frauchiger V, Tosatti S, Brunette DM. Properties and biological significance of natural oxide films on titanium and its alloys. In: Brunette DM, Tengvall P, Textor M, Thomsen P, editors. *Titanium in medicine*. Germany: Springer; 2001. p. 171–230.
41. Kokubo T, Takagi H, Tashiro M. Alkaline durability of BaO– $TiO_2$ – $SiO_2$  glasses. *J Non Cryst Solids*. 1982;52:427–33.
42. Fujibayashi S, Nakamura T, Nishiguchi S, Tamura J, Uchida M, Kim HM, Kokubo T. Bioactive titanium: effect of sodium removal on the bone-bonding ability of bioactive titanium prepared by alkali and heat treatment. *J Biomed Mater Res*. 2001; 56:562–70.

