

Muraki S, Oka H, Akune T, En-Yo Y, Yoshida M, Suzuki T, Yoshida H, Ishibashi H, Tokimura F, Yamamoto S, Nakamura K, Kawaguchi H, Yoshimura N	Independent association of joint space narrowing and osteophyte formation at the knee with health-related quality of life in Japanese men: A cross-sectional study.	Arthritis Rheum	63	3859-3864	2011
Muraki S, Akune T, Okada H, En-Yo Y, Yoshida M, Nakamura K, Kawaguchi H, Yoshimura N	Prevalence of falls and its association with knee osteoarthritis and lumbar spondylosis as well as knee and lower back pain in Japanese men and women.	Arthritis Care Res (Hoboken)	63	1425-1431	2011
Hirata M, Kugimiya F, Fukai A, Saito T, Yae no F, Ikeda T, Mabuchi i A, Sapkota BR, Akune T, Nishida N, Yoshimura N, Nakagawa T, Tokunaga K, Nakamura K, Chung UI, Kawaguchi H	C/EBP β and RUNX2 cooperate to degrade cartilage with MMP-13 as the target and HIF-2 α as the inducer in chondrocytes.	Hum Mol Genet	21	1111-1123	2012
Muraki S, Akune T, Okada H, Ishimoto Y, Nagata K, Yoshida M, Tokimura F, Nakamura K, Kawaguchi H, Yoshimura N	Incidence and risk factors for radiographic knee osteoarthritis and knee pain in Japanese men and women: A longitudinal population-based cohort study.	Arthritis Rheum			in press
Muraki S, Akune T, Okada H, Ishimoto Y, Nagata K, Yoshida M, Tokimura F, Nakamura K, Kawaguchi H, Yoshimura N	Physical performance, bone and joint diseases, and incidence of falls in Japanese men and women: a longitudinal cohort study.	Osteoporos Int			in press
Muraki S, Akune T, Okada H, Ishimoto Y, Nagata K, Yoshida M, Tokimura F, Nakamura K, Kawaguchi H, Yoshimura N	Incidence and risk factors for radiographic lumbar spondylosis and lower back pain in Japanese men and women: the ROAD study.	Osteoarthritis Cartilage			in press
Kwok A, Leung J, Chan A, Au B, Lau E, Yuril anto H, Yuktanandana P, Yoshimura N, Murakami S, Oka H, Akune T, Chung Leung PC	The prevalence of vertebral fracture in asian men and women: comparison between Hong Kong, Thailand, Indonesia and Japan.	Public Health			in press
阿久根徹、村木重之、岡敬之、川口浩、中村耕三、吉村典子	コモティブシンドロームの基礎疾患である腰椎椎体骨折、変形性腰椎症、変形性膝関節症と運動機能との関連。	Osteoporosis Jap	19	221-224	2011

阿久根徹、村木重之、岡敬之、川口浩、 <u>中村耕三</u> 、吉村典子	要介護予防からみた地域住民における加齢性筋肉減少症の実態と予防に関する研究。	Osteoporosis Japan	19	583-587	2011
吉村典子、 <u>中村耕三</u> 、阿久根徹、藤原佐枝子、清水容子、吉田英世、大森折、吉田宗人、下方浩史	高齢者運動器疾患の疫学と新たな疾患概念 腰痛・膝痛・骨折に関する大規模コホート追跡研究。	運動器疾患の予防と治療 Advances in Aging and Health Research 2010	21-25	2011	
村木重之、阿久根徹、岡敬之、 <u>中村耕三</u> 、川口浩、吉村典子	骨・関節のアンチエイジング(抗加齢)の食事と運動学 大規模コホートスタディによる骨関節疾患と食事および運動との関連. The ROAD study(解説)。	Osteoporosis Japan	19	640-643	2011
吉村典子、村木重之、岡敬之、川口浩、 <u>中村耕三</u> 、阿久根徹	ビタミンD不足が要介護移行に及ぼす影響: The ROAD Study.	Osteoporosis Japan			in press
吉村典子、村木重之、岡敬之、川口浩、 <u>中村耕三</u> 、阿久根徹	骨代謝マーカーによる骨粗鬆症発生の予測。	Osteoporosis Japan			in press
中村耕三、吉村典子、阿久根徹、川口浩、 <u>石橋英明</u>	ロコモティブシンドローム.	日本臨床	69	1323-1331	2011
Nakamura K	The concept and treatment of locomotive syndrome: its acceptance and spread in Japan.	J Orthop Sci	16	489-491	2011
Fukai A, Kamekura S, Chikazu D, Nakagawa T, Hirata M, Saito T, Hosaka Y, Ikeda T, Nakamura K, Chung UI, Kawaguchi H	Lack of chondroprotective effect of cyclooxygenase-2 inhibition in a mouse surgical osteoarthritis model.	Arthritis Rheum	64	198-203	2012
Matsumoto T, Nagase Y, Iwasawa M, Yasui T, Masuda H, Kadono Y, Nakamura K, Tanaka S	Distinguishing the proapoptotic and antiresorptive functions of risedronate in murine osteoclasts: Role of the akt pathway and the ERK/Bim axis.	Arthritis Rheum	63	3908-3917	2011
Yasui T, Hirose J, Tsumi S, Nakamura K, Aburatani H, Tanaka S	Epigenetic regulation of osteoclast differentiation: possible involvement of Jmjd3 in the histone demethylation of Nfatc1.	J Bone Miner Res	26	2665-2671	2011

Yasui T, Kadono Y, Nakamura M, Oshima Y, Atsumoto T, Masuda H, Hirose J, Omata Y, Asuda H, Imamura T, Nakamura K, Tanaka S	Regulation of RANKL-induced osteoclastogenesis by TGFB- β through molecular interaction between Smad3 and Traf6.	J Bone Miner Res	26	1447–1456	2011
Takeda H, Nakagawa T, Nakamura K, Engebretsen L	Prevention and management of knee osteoarthritis and knee cartilage injury in sports.	Br J Sports Med	45	304–309	2011
Kim HK, Suzuki T, Saito K, Yoshida H, Kobayashi H, Kato H, Yamada M	Effects of exercise and amino acid supplementation on body composition and physical function in community-dwelling elderly Japanese sarcopenic women: a randomized controlled trial.	J Am Geriatr Soc	60	16–23	2012
Saito K, Yokoyama T, Yoshida H, Kim H, Shimada H, Yoshida Y, Iwasaki H, Shimizu Y, Yoshitaka K, Handa S, Maezu N, Ishigami A, Suzuki T	A Significant Relationship between Plasma Vitamin C Concentration and Physical Performance among Japanese Elderly Women.	J Gerontol A Biol Sci Med Sci	67	295–301	2012
Kim H, Yoshida H, Suzuki T	Effects of exercise treatment with or without heat and steam generating sheet on urine loss in community-dwelling Japanese elderly women with urinary incontinence.	Geriatr Gerontol Int	11	452–459	2011
Kim H, Yoshida H, Suzuki T	The effects of multidimensional exercise treatment on community-dwelling elderly Japanese women with stress, urge, and mixed urinary incontinence: a randomized controlled trial.	Int J Nurs Stud	48	1165–1172	2011
Ishizaki T, Furuna T, Yoshida Y, Iwasa H, Shimada H, Yoshida H, Kumagai S, Suzuki T	TMIG-LISA Research Group: Declines in physical performance by sex and age among nondisabled community-dwelling older Japanese during a 6-year period.	J Epidemiol	21	176–183	2011
Ohara Y, Hirano H, Yoshida H, Suzuki T	Ratio and associated factors of dry mouth among community-dwelling elderly Japanese women.	Geriatr Gerontol Int	11	83–89	2011

Kim H, Yoshida H, Suzuki T	The effects of multidimensional exercise on functional decline, urinary incontinence, and fear of falling in community-dwelling elderly women with multiple symptoms of geriatric syndrome: a randomized controlled and 6-month follow-up trial.	Arch Gerontol Geriatr	52	99–105	2011
Urano T, Narusawa K, Shiraki M, Sasaki N, Hosoi T, Ouchi Y, Nakamura T, Inoue S	Single-nucleotide polymorphism in the hyaluronan and proteoglycan link protein 1 (HAPLN1) gene is associated with spinal osteophyte formation and disc degeneration in Japanese women.	Eur Spine J	20	572–577	2011
Kojima T, Akishita M, Nakamura T, Nomura K, Ogawa S, Iijima K, Eto M, Ouchi Y	Association of polypharmacy with fall risk among geriatric outpatients.	Geriatr Gerontol Int	11	438–444	2011
Takemura A, Iijima K, Ota H, Son BK, Ito Y, Ogawa S, Eto M, Akishita M, Ouchi Y	Sirtuin 1 retards hyperphosphatemia-induced calcification of vascular smooth muscle cells.	Arterioscler Thromb Vasc Biol	31	2054–2062	2011
Fukai S, Akishita M, Yamada S, Ogawa S, Yamaguchi K, Kozaki K, Toba K, Ouchi Y	Plasma sex hormone levels and mortality in disabled older men and women.	Geriatr Gerontol Int	11	196–203	2011
Takahashi I, Abbott RA, Ohshita T, Takahashi T, Ozasa K, Akahoshi M, Fujiwara S, Kodama K, Matsumoto M	A prospective follow-up study of the association of radiation exposure with fatal and non-fatal stroke among atomic bomb survivors in Hiroshima and Nagasaki (1980–2003).	BMJ Open 2012 (http://bmjopen.bmjj.com/cgi/content/full/bmjopen-2011-000654)			2012
Masunari N, Fujiwara S, Kasagi F, Takahashi I, Yamada M, Naskamura T	Height loss starting in middle age predicts increased mortality in elderly.	J Bone Miner Res	27	138–145	2012
Fujiwara S, Hamaya E, Goto W, Masunari N, Furukawa K, Fukunaga M, Nakamura T, Chen P	Vertebral fracture status and the World Health Organization risk factors for predicting osteoporotic fracture risk in Japan.	Bone	49	520–525	2011

Douple EB, Mabuchi K, Cullings HM, Preston DL, Kodama K, Shimizu Y, <u>Fujiwara S</u> , Shore RE	Long-term radiation-related health effects in a unique human population: lessons learned from the atomic bomb survivors of Hiroshima and Nagasaki.	Disaster Med Public Health Prep	5 Suppl 1	S122-133	2011
Yoshida K, Ohishi W N, Akashima E, <u>Fujiwara S</u> et al.	Lymphocyte subset characterization associated with persistent hepatitis C virus infection and subsequent progression of liver fibrosis.	Human Immunology	72	821-826	2011
Bow CH, Cheung E, Cheung CL, Xiao SM, Loong C, Soong C, Tan KC, Luckey MM, Cauley JA, <u>Fujiwara S</u> , Kung AWC	Ethnic difference of clinical vertebral fracture risk.	Osteoporos Int	23	879-885	2012
Cauley JA, Fuleihan GH, Arabi A, <u>Fujiwara S</u> , Raggi-Eis S et al.	Official position for FRAX® Clinical Regarding International Differences.	J Clinical Densitometry	13	240-262	2011
Cauley JA, Fuleihan GH, Luckey MM, and FRAX® International Task Force of the 2010 Joint International Position Development Committee Members (Hans DB, Cooper C, <u>Fujiwara S</u> et al.)	FRAX® International Task Force of the 2010 Joint International Society for Clinical Conference Members National Osteoporosis Foundation Position Development Conference.	J Clin Densitometry	14	227-229	2011
Kanis JA, Hans D, Cooper C, Baim S, and Tasik Force of the FRAX initiative (Eugene M, <u>Fujiwara S</u> et al.)	Interpretation and use of FRAX in clinical practice.	Osteoporos Int	22	2394-2411	2011
Ferrari S, Nakamura T, <u>Hagino H</u> , <u>Fujiwara S</u> , Lange JL, Watta NB	Longitudinal change in hip fracture incidence after starting risedronate or raloxifene.	J Bone Miner Metab	29	561-570	2011
Ohishi W, <u>Fujiwara S</u> , Cologne JB, Suzuki G, Akahoshi M, Nishi N, Tsuge M, Chayama K	Impact of radiation and hepatitis virus infection on risk of hepatocellular carcinoma.	Hepatology	53	1237-1245	2011
藤原佐枝子	骨粗鬆症性椎体骨折の疫学.	日整会誌	85	923-927	2011
藤原佐枝子	標準化SOS/BUAを用いた骨折のカットオフ値の検討.	Osteoporosis Japan	19	627-630	2011
藤原佐枝子	危険因子と予防.	診断と治療	99	1679-1682	2011
藤原佐枝子	骨折リスク判定ツール FRAXとは.	Geriatric Medicine(老年医学)	49	993-995	2011

藤原佐枝子	骨折リスク評価ツール(FRAX)の有用性。	日本臨床	69	1239-1242	2011
藤原佐枝子	骨粗鬆症における骨折リスクの評価とFRAX。	腎と骨代謝	24	239-244	2011
藤原佐枝子	骨粗鬆症の診断と薬物治療開始基準。	医学のあゆみ	236	427-431	2011
藤原佐枝子	骨折の危険因子と個人における骨折の危険性評価—FRAXの利点と限界—。	The Bone	25	41-44	2011
藤原佐枝子	FRAX.	カレントテラピー	29	32-35	2011
伊藤和彦、大瀬修一、辻一郎	介護予防の効果に関する実証分析「介護予防事業等の効果に関する総合的評価・分析に関する研究」における傾向スコア調整法を導入した運動器の機能向上プログラムの効果に関する分析。	医療と社会	21	265-281	2011
Yamada M, Nishiwaki Y, Michikawa T, Takebayashi T	Impact of hearing difficulty on dependence in activities of daily living (ADL) and mortality: A 3-year cohort study of community-dwelling Japanese older adults.	Arch Gerontol Geriatr	52	245-249	2011
Matsumoto M, Okada E, Kaneko Y, Ichihara D, Watanabe K, Chiba K, Toyama Y, Fujiwara H, Momoshima S, Nishiwaki Y, Hashimoto T, Takahata T	Wedging of vertebral bodies at the thoracolumbar junction in asymptomatic healthy subjects on magnetic resonance imaging.	Surg Radiol Anat	33	223-228	2011
Okada E, Matsumoto M, Ichihara D, Chiba K, Toyama Y, Fujiwara H, Momoshima S, Nishiwaki Y, Takahata T	Cross-sectional area of posterior extensor muscles of the cervical spine in asymptomatic subjects: a 10-year longitudinal magnetic resonance imaging study.	Eur Spine J	20	1567-1573	2011
Nishiwaki Y, Michikawa T, Yamada M, Eto N, Takebayashi T	Knee pain and future self-reliance in older adults: Evidence from a community-based 3-year cohort study in Japan.	J Epidemiol	21	184-190	2011
Nishiwaki Y, Michikawa T, Eto N, Takebayashi T	Body mass index misclassification due to kyphotic posture in Japanese community-dwelling adults aged 65 years and older.	J Gerontol A Biol Sci Med Sci	66	326-331	2011

Jinzaki M, Matsumoto K, Kikuchi E, Sato K, Horiguchi Y, <u>Nishiwan ki</u> Y, Silverman SG	Comparison of CT urography and excretory urography in the detection and localization of urothelial carcinoma of the upper urinary tract.	AJR Am J Roentgenol	196	1102–1109	2011
Kono H, Machida M, Sa ito M, <u>Nishiwaki</u> Y, ato H, Hosogane N, Chiba K, Miyamoto T, Ma tsumoto M, Toyama Y	Mechanism of osteoporosis in adolescent idiopathic scoliosis: experimental scoliosis in pinealectomized chickens.	J Pineal Res	51	387–393	2011
Nakamura M, <u>Nishiwaki</u> Y, Ushida T, Toyama Y	Prevalence and characteristics of chronic musculoskeletal pain in Japan.	J Orthop Sci	16	424–432	2011
Uchino M, <u>Nishiwaki</u> Y, Michikawa T, Shirakawa K, Kuwahara E, Yamada M, Dogru M, Schäumberg DA, Kawakita T, Takebayashi T, Tsubota K	Prevalence and risk factors of dry eye disease in Japan: koumi study.	Ophthalmology	118	2361–2367	2011
Tanimura C, Morimoto M, Hiramatsu K, <u>Hagino</u> H	Difficulties in the daily life of patients with osteoarthritis of the knee: scale development and descriptive study.	J Clin Nurs	20	743–753	2011
Okano T, Enokida M, Otsuki R, <u>Hagino</u> H, Teishima R	Recent trends in adult-onset septic arthritis of the knee and hip: retrospective analysis of patients treated during the past 50 years.	J Infect Chemother	17	666–670	2011
Kondo A, Zierler BK, <u>Hagino</u> H	The timing of hip fracture surgery and mortality within 1 year: a comparison between the United States and Japan.	Orthop Nurs	30	54–61	2011
Oeki M, Mogami T, <u>Hagino</u> H	Self-perceived burden in patients with cancer: Scale development and descriptive study.	Eur J Oncol Nurs	16	145–152	2011
Sakuma M, Endo N, <u>Hagino</u> H, Harada A, Matsui Y, Nakano T, Nakamura K	Serum 25-hydroxyvitamin D status in hip and spine-fracture patients in Japan.	J Orthop Sci	16	418–423	2011
Hayashi I, <u>Hagino</u> H, Okano T, Enokida M, Teishima R	Effect of raloxifene on arthritis and bone mineral density in rats with collagen-induced arthritis.	Calcif Tissue Int	88	87–95	2011

Hagino H, Shiraki M, Fukunaga M, et al.	Three years of treatment with minodronate in patients with postmenopausal osteoporosis.	J Bone Miner Metab			2011 (e-pub)
Matsumoto H, Okuno M, Nakamura T, Yamamoto K, <u>Hagino H</u>	Fall incidence and risk factors in patients after total knee arthroplasty.	Arch Orthop Trauma Surg	132	555-563	2012
Okazaki R, <u>Hagino H</u> , Ito M, et al.	Efficacy and safety of monthly oral minodronate in patients with involutional osteoporosis.	Osteoporos Int			2011 (e-pub)
Hagino H, Sawaguchi T, Endo N, et al.	The Risk of a Second Hip Fracture in Patients after Their First Hip Fracture.	Calcif Tissue Int	90	14-21	2012
萩野浩	原発性骨粗鬆症の治療	医学のあゆみ	236	489-493	2011
萩野浩	ビスフォスフォネート	日本臨床	69	1253-1257	2011
萩野浩	骨粗鬆症と腰痛予防.	NB Med Reha,	134	57-62	2011
萩野浩	PTHの骨粗鬆症性骨折予防.	骨粗鬆症治療	10	124-127	2011
萩野浩	整形外科におけるSERM治療の位置づけ～ライフステージとの関連を含めて～.	医薬ジャーナル	47	2312-2316	2011
萩野浩	ビスフォスフォネート治療の進歩と課題.	腎と骨代謝	24	273-280	2011
萩野浩	新しいビスフォスフォネート-ミノドロネート-の使い方.	Geriat Med	49	997-1000	2011
萩野浩	新しいビスフォスフォネート-ミノドロネート月(4週)1回製剤-の使い方.	骨粗鬆症治療	10	209-213	2011
萩野浩	エルデカルシトールの骨密度増加作用と骨折防止効果～層別解析結果～.	CLINICAL CALCIUM	21	1695-1702	2011
松本博実、奥野誠、 <u>萩野浩</u>	人工膝関節のリハビリテーション.	MB Med Reha	139	32-38	2011
萩野浩	高齢者の転倒対策.	J Clinical Rehabilitation	21	272-277	2012
萩野浩	新しい骨粗鬆症治療薬「週1回投与 テリパラチド製剤」の高齢者への使い方.	Prog Med	32	373-378	2012
Ohashi S, Ohnishi I, Matsumoto T, Matsuyama J, Bessho M, Tobita K, Kaneko M, Nakamura K	Comparison of ultrasound speed in articular cartilages measured by different time-of-flight methods.	J Med Ultrasonics	38	225- 234	2011

Tobita K, Ohnishi I, Matsumoto T, Ohashi S, Bessho M, Kaneko M, Nakamura K	Measurement of mechanical properties on gap healing in a rabbit osteotomy model until the remodeling stage.	Clinical biomechanics	27	99–104	2012
Tobita K, Ohnishi I, Matsumoto T, Ohashi S, Bessho M, Kaneko M, Matsuyama J, Nakamura K	Effect of low-intensity pulsed ultrasound stimulation on callus remodeling in a gap-healing model : EVALUATION BY BONE MORPHOMETRY USING THREE-DIMENSIONAL QUANTITATIVE MICRO-CT.	The Journal of bone and joint surgery	British volume 2011 93–4	525–530	2011
Yamada K, Matsumoto K, Tokimura F, Okazaki H, Tanaka S	Are bone and serum cefazolin concentrations adequate for antimicrobial prophylaxis?	Clin Orthop Rel Res.	469	3486–3494	2011
高柴賢一郎、時村文秋、椎名盟子、濱路博、宮本恵成、穴水依人	Guyon管症候群を疑った多巣性運動ニューロパシーの1例。	整形外科	63	35–37	2011
堀内敏行、長田充、千葉優子、森聖二郎、時村文秋	プライマリケアにおける骨折予測ツールとしてのFRAXの有用性に関する検討。	Osteoporosis Japan	19	434–438	2011
田中純一、坪井寿和、熊木慎吾、田翔太、時村文秋	高齢者の大腿骨頸部内側骨折(外転陷入骨折)に対する骨接合術後の歩行能力の変化。	関東整形災害外科学会雑誌	42	234–239	2011
丸田浩貴、時村文秋、濱路博、穴水依人	手根管症候群様の症状を呈した甲状腺機能亢進症の1例。	関東整形災害外科学会雑誌	42	83–87	2011
時村文秋、安井大輔	疾患と看護がわかる看護過程ナーシングプロセス 大腿骨近位部骨折。	クリニカルスタディ	33	17–37	2012
Nishimura A, Matsumine A, Asanuma K, Matsubara T, Nakamura T, Uchida A, Kato K, Sudo A	The adverse effect of an unplanned surgical excision of foot soft tissue sarcoma.	World J Surg Oncol	9	160	2011
Nishimura A, Morita A, Fukuda A, Kato K, Sudo A	Functional recovery of the donor knee after autologous osteochondral transplantation for capitellar osteochondritis dissecans.	Am J Sports Med	39	838–842	2011
Nishimura A, Hasegawa M, Kato K, Yamada T, Uchida A, Sudo A	Risk factors for the incidence and progression of radiographic osteoarthritis of the knee among Japanese.	Int Orthop	35	839–843	2011
福田亜紀、西村明展、加藤公	化膿性膝関節炎に対する鏡視下滑膜切除術。	関節外科	31	224–226	2012
渥美覚、西村明展、福田亜紀、加藤公、藤澤幸三、須藤啓広	ラグビー選手に発症した菌血症を伴う恥骨結合部骨髓炎の1例。	整形外科	62	1391–1393	2011

齊藤裕子、稻谷則徒、松田和道、 <u>西村明展</u> 、加藤公、藤澤幸三	人工膝関節置換術の術前術後における身体活動の調査(第2報)。	東海スポーツ傷害研究会会誌	29	22-24	2011
西村明展、加藤公、福田亜紀、藤澤幸三、内田淳正、須藤啓広	Jones骨折に対するCannulate d Herbert screwの使用経験。	中部日本整形外科災害外科学会雑誌	54	929-930	2011
西村明展、加藤公、福田亜紀、内田淳正、須藤啓広	転倒しやすい高齢者の歩行解析 第7回三重県旧宮川村検診結果より。	日本臨床スポーツ医学会誌	19	598-602	2011
西村明展、加藤公、福田亜紀、須藤啓広	高齢者転倒に関与する危険因子としての運動機能の検討 第7回旧宮川村検診結果より。	日本整形外科スポーツ医学会誌	31	185-188	2011
Matsudaira K, Palmer KT, Reading I, Hirai M, <u>Yoshimura N</u> , Coggon D	Prevalence and correlates of regional pain and associated disability in Japanese workers.	Occup Environ Med	68	191-196	2011
Cooper C, Cole ZA, Hollroyd CR, Earl SC, Hadorn NC, Dennison EM, Melton LJ3, Cummings SR, Kanis JA and the IOF CSA Working Group on Fracture Epidemiology (Adachi J, Borgström F, Dimai HP, Clark P, Lau E, Lewiecki EM, Lips P, Lorenc R, McCloskey E, Ortolani S, Papaioannou A, Silverman S, Wahl DA, <u>Yoshimura N</u>)	Secular trends in the incidence of hip and other osteoporotic fractures.	Osteoporos Int	22	1277-1288	2011
Inoue I, Mukoubayashi C, <u>Yoshimura N</u> , Deguchi H, Watanabe M, Enomoto S, Maekita T, Uastritis: A population-based case-control study. Oka K, Tamai H, Oka M, Fujishiro M, Takeshita T, Iwane M, Mohara O, Ichinose M	Elevated risk of colorectal adenoma with Helicobacter pylori-related chronic gastritis: A population-based case-control study.	Int J Cancer	29	2704-2711	2011
Watanabe M, Kato J, <u>Yoshimura N</u> , Inoue I, Mukoubayashi C, Yoshihiko H, Enomoto S, Ueda K, Maekita T, Iguchi M, Tamai H, Utsunomiya H, Yamada T, Iwane M, Tarikishi T, Mohara O, Ushijima T, Ichinose M	Development of gastric cancer in non-atrophic stomach with highly active inflammation identified by serum levels of pepsinogen and Helicobacter pylori antibody together with endoscopic findings.	Int J Cancer			in press

吉村典子	大規模住民調査からみえてきた運動器疾患の実態: ROAD study.	医学のあゆみ	236	315-318	2011
吉村典子	わが国における変形性関節症の疫学: 大規模住民コホート研究ROADより.	Clinical Calcium	21	821-825	2011
吉村典子	ロコモの疫学.	Monthly Book Orthopaedics	24, 2011年特集号「運動器病対策の基本戦略 ロコモとマーズ」	27-32	2011
吉村典子	大腿骨頸部骨折の発生率の世界的動向.	Bone Journal Club b. 骨粗鬆症治療	10	170-171	2011
吉村典子	骨粗鬆症による骨折の疫学について: 椎体骨折、非椎体骨折それぞれについての現状.	Bone Joint Nerve	1	241-246	2011
岡敬之、吉村典子	変形性膝関節症の画像診断・評価の最前線.	日本薬理学雑誌	138	18-21	2011
吉村典子	ロコモティブシンドロームの概要と変形性関節症.	日本栄養士会雑誌 (栄養日本)	54	4-8	2011
吉村典子	骨粗鬆症の疫学. 知っておきたい骨粗鬆症診療マニュアル.	Monthly Book Orthopaedics 2012 増刊号			in press
吉村典子	変形性関節症の疫学: 大規模住民コホート調査ROADより.	Bone Joint Nerve	2		in press
吉村典子	運動器症候群(ロコモ)の疫学: 大規模住民調査ROADより.	整形外科, 運動器の慢性疼痛-治療新戦略			in press
帖佐悦男	ロコモティブシンドロームの基礎疾患としての変形性関節症～虚弱(Frailty)との係わりも含めて～.	CLINICAL CALCIUM	22	49-57	2012
帖佐悦男	シリーズ: ロコモティブシンドローム健康長寿な超高齢社会を目指す(2)「地域で取り組む介護予防」	Medical Tribune	44	49	2011
中村耕三、岩本幸英、帖佐悦男	ロコモティブシンドロームとロコモコールー家族・地域が支える超高齢社会ー	Nikkei Medical		153-155	2012
藤野圭司	ロコモティブシンドロームと要介護予防 ロコモ対策の実際 高齢者施設におけるロコモ予防.	Aging & Health	19	25-26	2011
藤野圭司	運動器病対策の新基軸 運動器不安定症(マーズ).	Orthopaedics	24	11-17	2011

藤野圭司	診療報酬からみたリハ-疾患別リハ導入のその後 運動器リハビリテーション.	総合リハビリテーション	40	23-30	2012
Kaneko C, Goto A, Watanabe K, <u>Yasumura S</u>	Time to presenting to hospital and associated factors in stroke patients: a hospital-based study in Japan.	Swiss Med Wkly			2011
Saito E, <u>Yasumura S</u> , Kaneko C, Ueki S	Comparison of characteristics and care-needs certification proportion between participants and non-participants in a geriatric health examination over a 3-year follow-up.	Archives of Gerontology and Geriatrics	53	e46-e50	2011
Suzuki Y, Goto A, Nguyen Quang Vinh, Nguyen Thi Tu Van, Pham Ngoc Hien, Chung Thien Mong Thuy, Trinh Huu Phuc, Pham Viet Thanh, <u>Yasumura S</u>	Postnatal depression and associated parenting indicators among Vietnamese women.	Asia-Pacific Psychiatry	3	219-227	2011
Makigami K, Ohtaki N, Ishii N, Tamashiro T, Yoshida S, <u>Yasumura S</u>	Risk factors for recurrence of scabies: A retrospective study of scabies patients in a long-term care hospital.	The Journal of Dermatology	38	874-879	2011
Nomura T, Nagano K, Takato J, Ueki S, Matsuzaki Y, <u>Yasumura S</u>	The development of a Tai Chi exercise regimen for the prevention of conditions requiring long-term care in Japan.	Archives of Gerontology and Geriatrics	52	193-203	2011
Goto A, Suzuki Y, Nguyen Quang Vinh, Nguyen Thi Tu Van, Trinh Huu Phuc, Pham Nghiem Minh, Nguyen Thanh Minh, <u>Yasumura S</u> , NDGD Parenting Support Team	Pilot study on a group-based parenting program in a Vietnamese public hospital: Program acceptance among mothers and staff.	Asia-Pacific Psychiatry	4	76-83	2012
Goto A, Yabe J, Sasaki H, <u>Yasumura S</u>	Short-Term Operational Evaluation of a Group-Parenting Program for Japanese Mothers With Poor Psychological Status: Adopting a Canadian Program Into the Asian Public Service Setting.	Health Care for Women International	28	636-651	2012
藤本聰、山崎幸子、若林章都、松崎裕美、安村誠司	虚弱高齢者に対する「太極拳ゆったり体操」の介護予防効果—新規要介護認定および生命予後との関連—。	日本老年医学会雑誌	48	699-706	2011

木村みどり、山崎幸子、長谷川美規、 <u>安村誠司</u>	地域高齢者における運動器の機能向上プログラムの社会活動促進への介入効果。	老年社会科学	33	395-404	2011
<u>安村誠司</u>	福島ではじまった県民対象の健康調査。	公衆衛生情報	41	18-21	2011
<u>安村誠司</u>	疫学の社会への応用 エビデンスを健康政策に活かす。	生命科学者のための疫学入門	8	92-95	2011
山崎幸子、 <u>安村誠司</u>	閉じこもりがちな高齢者の心理。	月刊デイ特集「閉じこもりの方に対するアプローチ」	134	32-37	2011
<u>安村誠司</u>	「県民健康管理調査」について。	福島県立医科大学大学医師会会報	97		2011
川井巧、後藤あや、渡辺英子、長澤真知子、金成由美子、 <u>安村誠司</u>	乳幼児の定期予防接種完了率と未完了のリスク要因。	日本プライマリ・ケア連合学会誌	34	209-214	2011
<u>安村誠司</u>	どうして太極拳ゆったり体操はひざ痛に効くのか？	山と渓谷	6	70-71	2011
<u>安村誠司</u>	東日本大震災から1年-福島県からの報告。	公衆衛生	76	222-225	2012
安村誠司、細矢光亮、山下俊一、神谷研二、阿部正文	県民健康管理調査の概要について。	福島県医師会報	74	7-17	2012
Tsuchie H, Fukata C, Takahashi K, Miyakoshi N, Kobayashi A, Kasukawa Y, Shimada Y, Inoue H	Impact of lumbar kyphosis on gastric myoelectrical activity and heart rate variability in a model using flexion posture in healthy young adults.	Biomed Res	32	271-278	2011
Tsuchie H, Nishi T, Tanai T, Maekawa S, Shimada Y	Lumbar diskal cyst containing intervertebral disk materials.	Orthopedics	34	e784-e787	2011
Sasaki S, Miyakoshi N, Matsuura H, Saito H, Nakanishi T, Kudo Y, Fujiya T, Shimada Y	Prospective study on the efficacies of fondaparinux and enoxaparin in preventing venous thromboembolism after hip fracture surgery.	J Orthop Sci	16	64-70	2011
島田洋一	末梢神経電気・磁気刺激による麻痺肢機能再建。	Peripheral Nerve	22	119-124	2011
田澤浩、宮腰尚久、粕川雄司、小玉弘之、湊昭策、島田洋一	運動器市民公開講座参加者におけるロコモティブシンドromeの該当率調査。	東日本整災会誌	23	268-271	2011
石川慶紀、宮腰尚久、本郷道生、小林孝、粕川雄司、千葉光穂、阿部栄二、島田洋一	腰椎多椎間変性疾患に対するskip fusionの検討。	東日本整災会誌	23	224-228	2011

木島泰明、西登美雄、菊池一馬、皆川洋至、 <u>島田洋一</u>	腱板断裂保存治療例の長期予後.	肩関節	35	417-420	2011
野坂光司、木村善明、柏倉剛、櫻場乾、宮腰尚久、 <u>島田洋一</u>	治療戦略と関連問題 関連問題-頸骨壊死、SSBT(骨代謝回転の過剰抑制)と非典型骨折 ビスホスホネート製剤による骨形成マーカー、骨吸収マーカーの過剰抑制はどのくらいの割合で起こっているのか。	別冊整形外科	60	208-211	2011
野坂光司、木村善明、柏倉剛、櫻場乾、宮腰尚久、 <u>島田洋一</u>	非外傷性の高齢者踵骨骨折の発生頻度に関する調査・検討.	別冊整形外科	60	186-188	2011
野坂光司、阿部秀一、千田秀一、富岡立、青沼宏、 <u>島田洋一</u>	高齢者脛骨プラトー骨折における内固定とIlizarov創外固定の治療成績の比較・検討.	別冊整形外科	60	181-185	2011
柏川雄司、宮腰尚久、本郷道生、石川慶紀、 <u>島田洋一</u>	骨盤部脆弱性骨折の病態・診断・治療.	別冊整形外科	60	170-174	2011
野坂光司、木村善明、柏倉剛、櫻場乾、宮腰尚久、 <u>島田洋一</u>	尿中ペントシジン高値例における骨折の発生頻度.	別冊整形外科	60	37-39	2011
野坂光司、木村善明、柏倉剛、櫻場乾、宮腰尚久、 <u>島田洋一</u>	血中ホモシスティン高値例と血中ホモシスティン正常例における骨粗鬆症性骨折の発生頻度の比較・検討.	別冊整形外科	60	34-36	2011
野坂光司、木村善明、柏倉剛、櫻場乾、宮腰尚久、 <u>島田洋一</u>	骨粗鬆症の病態と転帰 転帰、生命予後、ADL、QOL 高齢者両側大腿骨近位部骨折の死亡率と骨粗鬆症治療薬投与率の検討.	別冊整形外科	60	13-16	2011
千田秀一、永澤博幸、 <u>島田洋一</u> 、岡田恭司	血管肉腫.	関節外科	31	217-219	2012
Denda H, Kimura S, Yamazaki A, Hosaka N, Terebrospinal fluid nitric oxide concentrations in degenerative cervical and lumbar diseases.	Clinical significance of cervical and lumbar diseases.	Eur Spine J	20	604-611	2011
Shiraki M, Kuroda T, Miyakawa N, Fujinawa N, Tanzawa K, Ishizuka A, Tanaka S, Tanaka Y, Hosoi T, Itoi E, Morimoto S, Itabashi A, Sugimoto T, Yamashita T, Gorai I, Mori S, Kishimoto H, Mizunuma H, <u>Endo N</u> , Nishizawa Y, Takaoka K, Oharaishi Y, Ohta H, Fukunaga M, Nakamura T, Oriomo H	Design of a pragmatic approach to evaluate the effectiveness of concurrent treatment for the prevention of osteoporotic fractures: rationale, aims and organization of a Japanese Osteoporosis Intervention Trial (JOINT) initiated by the Research Group of Adequate Treatment of Osteoporosis (A-TOP).	J Bone Miner Metab	29	37-43	2011

Ito T, Endo N, Honma T, Hirano T	Late stress fracture of a well-consolidated strut graft after total spondylectomy in the thoracolumbar spine.	Spine	36	E551-555	2011
Xu Y, Ogose A, Ariizumi T, Kawashima H, Hotta T, Endo N, et al.	Lipoma-like lipoblastoma arising from the femoral vein.	J Orthop Sci	16	114-118	2011
Tanifuji O, Sato T, Kobayashi K, Mochizuki T, Koga Y, Yamagiwa H, Omori G, Endo N	Three-dimensional in vivo motion analysis of normal knees using single-plane fluoroscopy.	J Orthop Sci	16	710-718	2011
Li G, Kawashima H, Ogose A, Ariizumi T, Hotta T, Endo N, et al.	Frequent absence of tumor suppressor FUS1 protein expression in human bone and soft tissue sarcomas.	Anticancer Res	31	11-21	2011
Li G, Kawashima H, Ogose A, Ariizumi T, Hotta T, Endo N, et al.	Efficient virotherapy for osteosarcoma by telomerase-specific oncolytic adenovirus.	J Cancer Res Clin Oncol	137	1037-1051	2011
Sato T, Hirano T, Ito T, Morita O, Kikuchi R, Endo N, et al.	Back pain in adolescents with idiopathic scoliosis: epidemiological study for 43,630 pupils in Niigata City, Japan.	Eur Spine J	20	94-99	2011
Sato T, Ito T, Hirano T, Morita O, Kikuchi R, Endo N, et al.	Low back pain in childhood and adolescence: assessment of sports activities.	Eur Spine J	20	274-279	2011
Ariizumi T, Ogose A, Kawashima H, Hotta T, Endo N, et al.	Establishment and characterization of a novel dedifferentiated liposarcoma cell line, NDDLS-1.	Pathol Int	61	461-468	2011
Yongjun Xu, Ogose A, Kawashima H, Ariizumi T, Hotta T, Endo N, et al	Lipoma-Like Lipoblastoma Arising from the Femoral Vein.	J Orthop Sci	16	114-118	2011
Yongjun Xu, Ogose A, Kawashima H, Hotta T, Ariizumi T, Endo N, et al.	High-level expression of podoplanin in benign and malignant soft tissue tumors: Immunohistochemical and quantitative real-time RT-PCR analysis.	Oncol Rep	25	599-607	2011
佐野敦樹、平野徹、渡邊慶、和泉智博、遠藤直人、伊藤拓緯	頸椎インストゥルメンテーション手術における3次元CT血管造影法を用いた椎骨動脈-後交通動脈の術前評価。	臨床整形外科	46	1155-1159	2011

伊藤知之、須田健、宮坂大、 <u>遠藤直人</u> 、今井教雄、堂前洋一郎、北原洋、湯朝信博	Supine MIS-modified Watson-Jones approachを用いた人工股関節全置換術.	Hip Joint	37	188-192	2011
澤上公彦、山崎昭義、石川誠一、伊藤拓緯、渡辺慶、 <u>遠藤直人</u>	脊椎椎体骨折の病態・診断・治療 手術的治療-適応と手術術式 椎弓根スクリューPMMA補強法は骨粗鬆症性椎体骨折に対する初期固定性を向上させる PMMA補強法の有用性と問題点.	別冊整形外科	60	94-98	2011
澤上公彦、RoblingAlexander G、WarmanMatthew L、TurnerCharles H、 <u>遠藤直人</u>	骨粗鬆症の病態と転帰 病態、バイオメカニクス、骨折危険因子 Wnt共役受容体である低密度リポ蛋白質受容体関連蛋白質5(Lrp5)はメカニカルストレスによる骨形成において必須である.	別冊整形外科	60	2-8	2011
今井教雄、堂前洋一郎、須田健、宮坂大、伊藤知之、 <u>遠藤直人</u>	人工股関節全置換術におけるトライキサム酸投与による周術期総出血量の比較.	Hip Joint	37	912-915	2011
北原洋、湯朝信博、 <u>遠藤直人</u> 、伊藤知之	臼蓋側骨融解に伴う人工股関節全置換術再置換術施行例の検討.	Hip Joint	37	597-600	2011
須田健、伊藤知之、宮坂大、 <u>遠藤直人</u> 、湊泉、今井教雄:	カップ設置における簡易術中支援デバイスの精度検定.	Hip Joint	37	120-124	2011
岡村隆利、地神裕史、祖父江幸喜、山本康行、伊賀敏朗、 <u>遠藤直人</u>	外反母趾を有する変形性股関節症患者の歩容.	Hip Joint	37Suppl	149-152	2011
松田純平、原利昭、 <u>遠藤直人</u>	海綿骨の定量的圧縮に対する骨梁変形と石灰化度の関係.	日本骨形態計測学会雑誌	21	25-31	2011
近藤直樹、伊藤知之、宮坂大、須田健、藤澤純一、 <u>遠藤直人</u> 、荒井勝光	脊椎強直を伴う乾癬性関節炎に対し人工股関節置換術を行った1例.	日本脊椎関節炎学会誌	3	107-111	2011
大江慎、生越章、川島寛之、堀田哲夫、 <u>遠藤直人</u> 、山村倉一郎	骨軟部腫瘍に対する鎖骨切除術の成績.	東日本整形災害外科学会雑誌	23	245-248	2011
今井教雄、伊藤知之、須田健、宮坂大、湊泉、 <u>遠藤直人</u>	立位における前骨盤平面に対する大腿骨頸部前捻角の男女間の比較.	東日本整形災害外科学会雑誌	23	236-240	2011
今井教雄、伊藤知之、須田健、 <u>遠藤直人</u>	難治性踵骨骨髓炎に対して踵骨亜全摘術を施行した1例 跟骨亜全摘術を施行した1例.	東北整形災害外科学会雑誌	55	73-76	2011
權斎増、生越章、畠野宏史、守田哲郎、川島寛之、有泉高志、堀田哲夫、 <u>遠藤直人</u>	膝関節部に発生した骨巨細胞腫の再建法による術後成績の検討.	東北整形災害外科学会雑誌	55	40-44	2011

今井教雄、堂前洋一郎、須田健、宮坂大、伊藤知之、 <u>遠藤直人</u>	Curved Periacetabular Osteotomy術後恥骨下枝及び坐骨骨折例の検討。	東北整形災害外科学会雑誌	55	13-18	2011
村山敬之、山際浩史、渡邊聰、大森豪、 <u>遠藤直人</u>	膝後十字靭帯脛骨付着部剥離骨折に対する治療経験。	新潟整外研会誌	27	51-54	2011
<u>遠藤直人</u>	運動器不安定症の要因である骨粗鬆症の現状と今後。	日整会誌	85	21-24	2011
<u>遠藤直人</u>	運動療法・栄養指導。	日本臨床	69	1305-1309	2011
<u>遠藤直人</u>	骨粗鬆症とロコモ。	日関病誌	30	1-4	2011
<u>遠藤直人</u>	カルシトニン製剤の新たなエビデンス。	BONE CARE	12	10	2011
<u>遠藤直人</u>	新しい活性型ビタミンD製剤の意義と使い方。	Geriat Med	49	1017-1021	2011
二宮宗重、 <u>遠藤直人</u> 、三浦一人ほか	骨端核出現前の乳児に生じた上腕骨遠位骨端離開の1例。	整形外科	62	355-358	2011
工藤尚子、生越章、有泉高志、近藤直樹、川島寛之、 <u>遠藤直人</u>	培養ヒト骨髓細胞添加β-リシン酸三カルシウムのSCIDマウス移植における骨形成細胞の起源の解析—ヒト細胞はマウス骨形成細胞を誘導する。	整形外科	62	172-173	2011
Sorimachi Y, Iizuka H, Ara T, Nishinome M, Iizuka Y, Nakajima T, <u>Takagishi K</u>	Atlanto-axial joint of atlanto-axial subluxation patients due to rheumatoid arthritis before and after surgery, morphological evaluation using CT reconstruction.	Eur Spine J	20	798-803	2011
Hatayama K, Terauchi M, Higuchi H, Yanagisawa S, Saito K, <u>Takagishi K</u>	Relationship Between Femoral Component Rotation and Total Knee Flexion Gap Balance on Modified Axial Radiographs.	J Arthroplasty	26	649-653	2011
Terauchi M, Hatayama K, Yanagisawa S, Saito K, <u>Takagishi K</u>	Sagittal alignment of the knee and its relationship to noncontact anterior cruciate ligament injuries.	Am J Sports Med	39	1090-1094	2011
Yamamoto A, <u>Takagishi K</u> , Kobayashi T, Shitara H, Osawa T	Factors involved in the presence of symptoms associated with rotator cuff tears: a comparison of asymptomatic and symptomatic rotator cuff tears in the general population.	J Shoulder Elbow Surg	20	1133-1137	2011

Shitara H, Shinozaki T, <u>Takagishi K</u> , Honda M, Hanakawa T	Time course and spatial distribution of fMRI signal changes during single-pulse transcranial magnetic stimulation to the primary motor cortex.	NeuroImage	56	1469–1479	2011
Iizuka Y, Shinozaki T, Kobayashi T, Tsutsumi S, Osawa T, Ara T, Iizuka H, <u>Takagishi K</u>	Characteristics of neck and shoulder pain (called <i>katatori</i> in Japanese) among members of the nursing staff.	J Orthop Sci	17	46–50	2011
Nakajima D, Yamamoto A, Kobayashi T, Osawa T, Shitara H, Ichinose T, Takasawa E, <u>Takagishi K</u>	The effects of rotator cuff tears, including shoulders without pain, on activities of daily living in the general population.	J Orthop Sci	17	136–140	2012
Nishinome M, Iizuka H, Iizuka Y, <u>Takagishi K</u>	Anatomy of subaxial cervical foramen: the safety zone for lateral mass screwing.	Eur Spine J	21	309–313	2012
石橋英明	実践! ロコチェックはここを見る。	整形外科看護	17	83–87	2012
石橋英明	ロコモティブシンドローム.	Credentials	38	12–13	2011
石橋英明	ロコモティブシンドローム.	カレントテラピー	29	64	2011
石橋英明、藤田博暉	閉経後女性におけるロコモーショントレーニング(片脚立ちおよびスクワット)による運動機能改善効果の検討.	Osteoporosis Japan	19	391–397	2011
石橋英明	ロコモに対する介入効果 ロコモーショントレーニングー片脚起立とスクワットーによる運動機能改善効果.	Orthopaedics	24	57–63	2011
石橋英明	ロコモティブシンドロームの概念と現状.	理学療法ジャーナル	45	285–291	2011
石橋英明	骨粗鬆症の検査と薬.	整形外科看護	16	416–422	2011
石橋英明、中村耕三	ロコモティブシンドロームの考え方と実際.	日本薬剤師会雑誌	63	407–411	2011
石橋英明	骨折を予防し寝たきりを回避するために.	カレントテラピー	29	166	2011
石橋英明	ロコチェックの運動機能低下の予見性と、ロコトレの運動機能改善効果.	医学のあゆみ	236	353–359	2011
千田益生、西田圭一郎	人工肘関節のリハビリテーション.	MEDICAL REHABILITATION	139	13–17	2011

堅山佳美、千田益生、迫間巧将、馬崎哲朗、田中雅人、杉本佳久、三澤治夫、尾崎敏文	針筋電図での脱神経所見における頸椎症とALSの検討.	臨床神経生理学	39	440	2011
千田益生	整形外科ナースのためのお悩み相談室 松葉杖の正しい合わせ方と使用法について教えて下さい(Q&A).	整形外科看護	16	1150-1152	2011
千田益生	リハ医のモヤモヤ解決! こんなときどうする? 運動器リハを勉強したい(Q&A) . . .	Source : Journal of Clinical Rehabilitation	20	980-982	2011
千田益生、堅山佳美、迫間巧将、馬崎哲朗	慢性疼痛へのアプローチ 運動療法 慢性腰痛に対する運動療法.	総合リハビリテーション	39	759-764	2011
佐々木賢太郎、千田益生、太田晴之	変性腰部脊柱管狭窄症の女性患者の身体的特徴.	理学療法	28	614-616	2011
千田益生	高齢者の変形性膝関節症と運動療法-有効性と限界- 運動療法の有効性と限界 RCTからみた考察.	臨床スポーツ医学	28	655-660	2011
千田益生	メタボとロコモの深い関係 ロコトレ編.	Doctor's eye	23	53-56	2011
千田益生	ロコモティブシンドロームと要介護予防 ロコトレのすすめ 家庭でもできるロコトレ.	Aging & Health	9	11-14	2011
石田健司、永野靖典、牛田享宏	運動器の治療と介護予防 一ロコモティブシンドロームの現状と介護予防を中心.	ペインクリニック	32	549-559	2011
石田健司、永野靖典	関節病に対する水中運動の有用性.	日本関節病学会誌	30	95-100	2011
三宮奈穂、永野靖典、石田健司	高齢者の変形性膝関節症と運動療法-有効性と限界- 水中運動の有効性と限界.	臨床スポーツ医学	28	643-649	2011
石田健司	腰痛の診断 特集/腰痛予防とリハビリテーション.	Monthly Book Medical Rehabilitation	134	13-18	2011
石田健司	R A下肢 特集/リハビリテーション医に必要な関節疾患のみかたのコツ.	Monthly Book Medical Rehabilitation	130	71-77	2011

IV. 研究成果の刊行物・別刷