

- Butcher EC, Picker LJ. 1996. Lymphocyte homing and homeostasis. *Science*. 272:60–66.
- Chen YT, Holcomb C, Moore HP. 1993. Expression and localization of two low molecular weight GTP-binding proteins, Rab8 and Rab10, by epitope tag. *Proc Natl Acad Sci U S A*. 90:6508–6512.
- de Graffenried CL, Bertozzi CR. 2003. Golgi localization of carbohydrate sulfotransferases is a determinant of L-selectin ligand biosynthesis. *J Biol Chem*. 278:40282–40295.
- de Graffenried CL, Bertozzi CR. 2004. The stem region of the sulfotransferase GlcNAc6ST-1 is a determinant of substrate specificity. *J Biol Chem*. 279:40035–40043.
- Desko MM, Gross DA, Kohler JJ. 2009. Effects on *N*-glycosylation on the activity and localization of GlcNAc-6-sulfotransferase 1. *Glycobiology*. 19:1068–1077.
- Dogan A, Du M, Koulis A, Briskin MJ, Isaacson PG. 1997. Expression of lymphocyte homing receptor and vascular addressins in low-grade gastric B-cell lymphomas of mucosa-associated lymphoid tissue. *Am J Pathol*. 151:1361–1369.
- Fukuda M, Hiraoka N, Akama TO, Fukuda MN. 2001. Carbohydrate-modifying sulfotransferases: structure, function, and pathophysiology. *J Biol Chem*. 276:47747–47750.
- Grunwell JR, Bertozzi CR. 2002. Carbohydrate sulfotransferases of the GalNAc/Gal/GlcNAc6ST family. *Biochemistry*. 41:13117–13126.
- Grunwell JR, Rath VL, Rasmussen J, Cabrilo Z, Bertozzi CR. 2002. Characterization and mutagenesis of Gal/GlcNAc-6-*O*-sulfotransferases. *Biochemistry*. 41:15590–15600.
- Hirakawa J, Tsuboi K, Sato K, Kobayashi M, Watanabe S, Takakura A, Imai Y, Ito Y, Fukuda M, Kawashima H. 2010. Novel anti-carbohydrate antibodies reveal the cooperative function of sulfated *N*- and *O*-glycans in lymphocyte homing. *J Biol Chem*. 285:40864–40878.
- Hiraoka N, Petryniak B, Nakayama J, Tsuboi S, Suzuki M, Yeh JC, Izawa D, Tanaka T, Miyasaka M, Lowe JB, et al. 1999. A novel, high endothelial venule-specific sulfotransferase expresses 6-sulfo sialyl Lewis X, an L-selectin ligand displayed by CD34. *Immunity*. 11:79–89.
- Imai Y, Lasky LA, Rosen SD. 1993. Sulphation requirement for GlyCAM-1, an endothelial ligand for L-selectin. *Nature*. 361:555–557.
- Kawashima H, Petryniak B, Hiraoka N, Mitoma J, Huckaby V, Nakayama J, Uchimura K, Kadomatsu K, Muramatsu T, Lowe JB, et al. 2005. *N*-acetylglucosamine-6-*O*-sulfotransferase 1 and 2 cooperatively control lymphocyte homing through L-selectin ligand biosynthesis in high endothelial venules. *Nat Immunol*. 6:1096–1104.
- Kizuka Y, Tonoyama Y, Oka S. 2009. Distinct transport and intracellular activities of two GlcAT-P isoforms. *J Biol Chem*. 284:9247–9256.
- Kobayashi M. 2006. Expression profiling of glycosyltransferases using RT-PCR. *Methods Enzymol*. 416:129–140.
- Kobayashi M, Hoshino H, Masumoto J, Fukushima M, Suzawa K, Kageyama S, Suzuki M, Ohtani H, Fukuda M, Nakayama J. 2009. GlcNAc6ST-1-mediated decoration of MAdCAM-1 protein with L-selectin ligand carbohydrates directs disease activity of ulcerative colitis. *Inflamm Bowel Dis*. 15:697–706.
- Kobayashi M, Mitoma J, Hoshino H, Yu SY, Shimojo Y, Suzawa K, Khoo KH, Fukuda M, Nakayama J. 2011. Prominent expression of sialyl Lewis X-capped core 2-branched *O*-glycans on high endothelial venule-like vessels in gastric MALT lymphoma. *J Pathol*. 224:67–77.
- Kobayashi M, Mitoma J, Nakamura N, Katsuyama T, Nakayama J, Fukuda M. 2004. Induction of peripheral lymph node addressin in human gastric mucosa infected by *Helicobacter pylori*. *Proc Natl Acad Sci U S A*. 101:17807–17812.
- Kozak M. 1989. Context effects and inefficient initiation at non-AUG codons in eukaryotic cell-free translation systems. *Mol Cell Biol*. 9:5073–5080.
- Kozak M. 1991. Structural features in eukaryotic mRNAs that modulate the initiation of translation. *J Biol Chem*. 266:19867–19870.
- Lee JK, Bistrup A, van Zante A, Rosen SD. 2003. Activities and expression pattern of the carbohydrate sulfotransferase GlcNAc6ST-3 (I-GlcNAc6ST): functional implications. *Glycobiology*. 13:245–254.
- Li X, Tedder TF. 1999. CHST1 and CHST2 sulfotransferases expressed by human vascular endothelial cells: cDNA cloning, expression, and chromosomal localization. *Genomics*. 55:345–347.
- Li X, Tu L, Murphy PG, Kadono T, Steeber DA, Tedder TF. 2001. CHST1 and CHST2 sulfotransferase expression by vascular endothelial cells regulates shear-resistant leukocyte rolling via L-selectin. *J Leukoc Biol*. 69:565–574.
- Lopez LC, Youakim A, Evans SC, Shur BD. 1991. Evidence for a molecular distribution between Golgi and cell surface forms of β 1,4-galactosyltransferase. *J Biol Chem*. 266:15984–15991.
- Lowe SL, Peter F, Subramaniam VN, Wong SH, Hong W. 1997. A SNARE involved in protein transport through the Golgi apparatus. *Nature*. 389:881–884.
- Michie SA, Streeter PR, Bolt PA, Butcher EC, Picker LJ. 1993. The human peripheral lymph node vascular addressin: an inducible endothelial antigen involved in lymphocyte homing. *Am J Pathol*. 143:1688–1698.
- Nakamura N, Rabouille C, Watson R, Nilsson T, Hui N, Slusarewicz P, Kreis TE, Warren G. 1995. Characterization of a *cis*-Golgi matrix protein, GM130. *J Cell Biol*. 131:1715–1726.
- Renkonen J, Tynninen O, Hayry P, Paavonen T, Renkonen R. 2002. Glycosylation might provide endothelial zip codes for organ-specific leukocyte traffic into inflammatory sites. *Am J Pathol*. 161:543–550.
- Rosen SD. 2004. Ligand for L-selectin: homing, inflammation, and beyond. *Annu Rev Immunol*. 22:129–156.
- Salmi M, Granfors K, MacDermott R, Jalkanen S. 1994. Aberrant binding of lamina propria lymphocytes to vascular endothelium in inflammatory bowel disease. *Gastroenterology*. 106:596–605.
- Springer TA. 1994. Traffic signals for lymphocyte recirculation and leukocyte emigration: the multistep paradigm. *Cell*. 76:301–314.

- Streeter PR, Rouse BT, Butcher EC. 1988. Immunohistologic and functional characterization of a vascular addressin involved in lymphocyte homing into peripheral lymph nodes. *J Cell Biol.* 107:1853–1862.
- Suzawa K, Kobayashi M, Sakai Y, Hoshino H, Watanabe M, Harada O, Ohtani H, Fukuda M, Nakayama J. 2007. Preferential induction of peripheral lymph node addressin on high endothelial venule-like vessels in the active phase of ulcerative colitis. *Am J Gastroenterol.* 102:1499–1509.
- Tangemann K, Bistrup A, Hemmerich S, Rosen SD. 1999. Sulfation of a high endothelial venule-expressed ligand for L-selectin: effects on tethering and rolling of lymphocytes. *J Exp Med.* 190:935–942.
- Uchimura K, El-Fasakhany FM, Hori M, Hemmerich S, Blink SE, Kansas GS, Kanamori A, Kumamoto K, Kannagi R, Muramatsu T. 2002. Specificities of *N*-acetylglucosamine-6-*O*-sulfotransferases in relation to L-selectin ligand synthesis and tumor-associated enzyme expression. *J Biol Chem.* 277:3979–3984.
- Uchimura K, Gauguet JM, Singer MS, Tsay D, Kannagi R, Muramatsu T, von Andrian UH, Rosen SD. 2005. A major class of L-selectin ligands is eliminated in mice deficient in two sulfotransferases expressed in high endothelial venules. *Nat Immunol.* 6:1105–1113.
- Uchimura K, Muramatsu H, Kaname T, Ogawa H, Yamakawa T, Fan QW, Mitsuoka C, Kannagi R, Habuchi O, Yokoyama I, et al. 1998. Human *N*-acetylglucosamine-6-*O*-sulfotransferase involved in the biosynthesis of 6-sulfo sialyl Lewis X: molecular cloning, chromosomal mapping, and expression in various organs and tumor cells. *J Biochem.* 124:670–678.
- Uchimura K, Rosen SD. 2006. Sulfated L-selectin ligands as a therapeutic target in chronic inflammation. *Trends Immunol.* 27:559–565.
- Uemura S, Yoshida S, Shishido F, Inokuchi J. 2009. The cytoplasmic tail of GM3 synthase defines its subcellular localization, stability, and in vivo activity. *Mol Biol Cell.* 20:3088–3100.
- von Andrian UH, Mempel TR. 2003. Homing and cellular traffic in lymph nodes. *Nat Rev Immunol.* 3:867–878.
- Yeh JC, Hiraoka N, Petryniak B, Nakayama J, Ellies LG, Rabuka D, Hinds Gaul O, Marth JD, Lowe JB, Fukuda M. 2001. Novel sulfated lymphocyte homing receptors and their control by a core 1 extension β 1,3-*N*-acetylglucosaminyltransferase. *Cell.* 105:957–969.

