

Yoshino O., Hayashi T., <u>Osuga Y.</u> , Orisaka M., Asada H., Okuda S., Hori M., Furuya M., Onuki H., Sadoshima Y., Hiroi H., Fujiwara T., Kotsuji F., Yoshimura Y., Nishii O., Taketani Y	Decreased pregnancy rate is linked to abnormal uterine peristalsis caused by intramural fibroids.	Hum Reprod	25	2475- 2479	2010
Mori M., Kitazume M., Ose R., Kurokawa J., Koga K., <u>Osuga Y.</u> , Arai S., Miyazaki T.	Death effector domain-containing protein (DEDD) is required for uterine decidualization during early pregnancy in mice.	J Clin Invest	121	318-3 27	2011
Taguchi A., Koga K., <u>Osuga Y.</u> , Fujimoto A., Miyasaka A., Yano T., Kurokawa M., Taketani Y.	Successful management of a ruptured endometrial cyst in acute leukemia.	Fertil Steril.	95	292 e291- 293	2011
Saito A., Osuga Y., Yoshino O., Takamura M., Hirata T., Hirota Y., Koga K., Harada M., Takemura Y., Yano T., Taketani Y.	TGF-beta1 induces proteinase-activated receptor 2 (PAR2) expression in endometriotic stromal cells and stimulates PAR2 activation-induced secretion of IL-6.	Hum Reprod	26	1892- 1898	2011

Wang B., Koga K., <u>Osuga Y.</u> , Cardenas I., Izumi G., Takamura M., Hirata T., Yoshino O., Hirota Y., Harada M., Mor G., Taketani Y.	Toll-like receptor-3 ligation-induced indoleamine 2, 3-dioxygenase expression in human trophoblasts.	Endocrino logy	152	4984- 4992	2011
Wang B., Koga K., <u>Osuga Y.</u> , Hirata T., Saito A., Yoshino O., Hirota Y., Harada M., Takemura Y., Fuji T., Taketani Y.	High mobility group box 1 (HMGB1) levels in the placenta and in serum in preeclampsia.	Am J Reprod Immunol	66	143-1 48	2011
Yoshino O., Hori M., <u>Osuga Y.</u> , Hayashi T., Sadoshima Y., Tsuchiya H., Nishii O., Taketani Y.	Myomectomy reduces endometrial T2 relaxation times.	Fertil Steril.	95	2781- 2783	2011
Yoshino O., Izumi G., Shi J., <u>Osuga Y.</u> , Hirota Y., Hirata T., Harada M., Nishii O., Koga K., Taketani Y.	Activin-A is induced by interleukin-1beta and tumor necrosis factor-alpha and enhances the mRNA expression of interleukin-6 and protease-activated receptor-2 and proliferation of stromal cells from endometrioma.	Fertil Steril	96	118-1 21	2011

Yoshino O., Nishii O., <u>Osuga Y.</u> , Asada H., Okuda S., Orisaka M., Hori M., Fujiwara T., Hayashi T.	Myomectomy decreases abnormal uterine peristalsis and increases pregnancy rate.	J Minim Invasive Gynecol	19	63-67	2012
Shibasaki T, Iuchi Y, Okada F, Kuwata K, Yamanobe T, Bannai S, Tomita Y, Sato H, <u>Fujii J.</u>	Aggravation of ischemia-reperfusion-triggered acute renal failure in xCT-deficient mice	Arch Biochem Biophys	490(1)	63-69	2009
Onuma K, Sato Y, Ogawara S, Shirasawa N, Kobayashi M, Yoshitake J, Yoshimura T, Iigo M, <u>Fujii J.</u> , Okada F.	Nano-scaled Particles of Titanium Dioxide Convert Benign Mouse Fibrosarcoma Cells into Aggressive Tumor Cells.	Am J Pathol	175(5)	2171-2183	2009
Iuchi Y, Okada F, Takamiya R, Kibe N, Tsunoda S, Nakajima O, Toyoda K, Nagae R, Suematsu M, Soga T, Uchida K, <u>Fujii J.</u>	Rescue of Anemia and Autoimmune Responses in SOD1-Deficient Mice by Transgenic Expression of Human SOD1 in Erythrocytes.	Biochem J	422(2)	313-320	2009

Iuchi Y, Okada F, Tsunoda S, Kibe N, Shirasawa N, Ikawa M, Okabe M, Ikeda Y, <u>Fujii J.</u>	Peroxiredoxin 4 knockout results in elevated spermatogenic cell death via oxidative stress.	Biochem J	419(1)	149-158	2009
Harvey CJ, Thimmulappa RK, Singh A, Blake DJ, Ling G, Wakabayashi N, <u>Fujii J.</u> , Myers A, Biswal S.	Nrf2-regulated glutathione recycling independent of biosynthesis is critical for cell survival during oxidative stress.	Free Radic Biol Med	46(4)	443-453	2009
Kimura N, Tsunoda S, Iuchi Y, Abe H, Totsukawa K, <u>Fujii J.</u>	Intrinsic oxidative stress causes either two-cell arrest or cell death depending on developmental stage of the embryos from SOD1-deficient mice	Mol Hum Reprod	16(7)	441-451	2010
Iuchi Y, Kibe N, Tsunoda S, Suzuki S, Mikami T, Okada F, Uchida K, <u>Fujii J.</u>	Implication of oxidative stress as a cause of autoimmune hemolytic anemia in the NZB mice.	Free Radic Biol Med	48	935-944	2010
Ikeda Y, Ito R, Ihara H, Okada T, <u>Fujii J</u>	Expression of N-terminally truncated forms of rat peroxiredoxin-4 in insect cells.	Protein Expr Purif	72	1-7	2010
Kimura N, Tsunoda S, Iuchi Y, Abe H, Totsukawa K, <u>Fujii J.</u>	Intrinsic oxidative stress causes either two-cell arrest or cell death depending on developmental stage of the embryos from SOD1-deficient mice	Mol Hum Reprod	16	441-451	2010

Iuchi Y, Kibe N, Tsunoda S, Suzuki S, Mikami T, Okada F, Uchida K, <u>Fujii J.</u>	Implication of oxidative stress as a cause of autoimmune hemolytic anemia in the NZB mice.	Free Radic Biol Med	48	935-9 44	2010
Iuchi Y, Roy D, Okada F, Kibe N, Tsunoda S, Suzuki S, Takahashi M, Yokoyama H, Yoshitake J, Kondo S, <u>Fujii J</u>	Spontaneous skin damage and delayed wound healing in SOD1-deficient mice.	Mol Cell Biochem	341	181-1 94	2010
Bertolotti M, Yim SH, Masciarelli S, Kim YJ, Garcia-Manteiga JM, Vene' R, Iuchi Y, Kang MH, <u>Fujii J,</u> Rubartelli A, Rhee SG, Sitia R.	B to plasma cell terminal differentiation entails oxidative stress and profound reshaping of the antioxidant responses.	Antioxid Redox Signal	13	1133- 1144	2010
Otaki N, hikazawa M, Nagae R, Shimozu Y, Shibata T, Ito S, Takasaki Y, <u>Fujii J,</u> Uchida K	Identification of a lipid peroxidation product as the source of oxidation-specific epitopes recognized by anti-DNA autoantibodies	J Biol Chem	285	33834 -3384 2	2010

Yim SH, Kim YJ, Oh SY, <u>Fujii J</u> , Zhang Y, Gladyshev VN, Rhee SG.	Identification and characterization of an alternatively transcribed form of peroxiredoxin IV that is specifically expressed in spermatids of the postpubertal mouse testis.	J Biol Chem,	286(45)	39002-39012	2011
Palande K, Roovers O, Gits J, Verwijmeren C, Iuchi Y, <u>Fujii J</u> , Neel BG, Karisch R, Tavernier J, Touw IP.	Peroxiredoxin-controlled G-CSF signalling at the endoplasmic reticulum-early endosome interface.	J Cell Sci	124(21)	3695-3705	2011
Ikeda Y, Nakano M, Ihara H, Ito R, Taniguchi N, <u>Fujii J</u> .	Different consequences of the reactions with hydrogen peroxide and t-butyl hydroperoxide in the hyperoxidative inactivation of rat peroxiredoxin-4.	J Biochem	149(4)	443-453	2011
Onuma K, Suenaga Y, Sakaki R, Yoshitome S, Sato Y, Ogawara S, Suzuki S, Kuramitsu M, Yokoyama H, Murakami A, Hamada J, Nicolson GL, Kobayashi M, <u>Fujii J</u> , Okada F.	Development of a Quantitative Bioassay to Assess Preventive Compounds against Inflammation-based Carcinogenesis	Nitric Oxide	25(2)	183-194	2011

<u>Fujii J</u> , Ito JI, Zhang X, Kurahashi	Unveiling the Roles of the Glutathione Redox System In Vivo by Analyzing Genetically Modified Mice.	J Clin Biochem Nutr	49 (2)	70-78	2011
<u>Fujii J</u> , Tsunoda S	Redox regulation of spermatogenic process and fertilization	Asian J Androl	13 (3)	420-423	2011
Chen A, Egli D, Niakan K, Deng J, <u>Akutsu H</u> , Yamaki M, Chad C, Fitz-Gerald F, Zhang K, Melton D, Eggan K.	Optimal timing of inner cell mass isolation increases the efficiency of human embryonic stem cell derivation and allows generation of sibling cell lines.	Cell Stem Cell	4	103-106	2009
<u>Akutsu H</u> , Miura T, Machida M, Birumachi JI, Hamada A, Yamada M, Sullivan S, Miyado K, Umezawa A	Maintenance of pluripotency and self-renewal ability of mouse embryonic stem cells in the absence of tetraspanin CD9	Differentiation	78	137-142	2009
Yamada M, Hamatani T, <u>Akutsu H</u> , Chikazawa N, Kuji N, Y oshimura Y, Umezawa A	Involvement of a novel preimplantation-specific gene encoding the high mobility group box protein Hmgpi in early embryonic development	Human Molecular Genetics	19	480-493	2009

Nagata S, Toyoda M, Yamaguchi S, Hirano K, Makino H, Nishino K, Miyagawa Y, Okita H, Kiyokawa N, Nakagawa M, Yamanaka S, <u>Akutsu H</u> , Umezawa A, Tada T	Efficient reprogramming of human and mouse primary extra-embryonic cells to pluripotent stem cells.	Genes to Cells	14	1395-404	2009
Sasaki N, Hirano T, Kobayashi K, Toyoda M, Miyakawa Y, Okita H, Kiyokawa N, <u>Akutsu H</u> , Umezawa A, Nishihara S.	Chemical inhibition of sulfation accelerates neural differentiation of mouse embryonic stem cells and human induced pluripotent stem cells.	Biochem Biophys Res Commun	401	480-486	2010
Nishino K, Toyoda M, Yamazaki-Inoue M, Makino H, Fukawatase Y, Chikazawa E, Takahashi Y, Miyagawa Y, Okita H, Kiyokawa N, <u>Akutsu H</u> , Umezawa A.	Defining hypo-methylated regions of stem cell-specific promoters in human iPS cells derived from extra-embryonic amnions and lung fibroblasts.	PLoS One	5	e13017	2010
Adachi T, Wang X, Murata T, Obara M, <u>Akutsu H</u> , Machida M, Umezawa A, Tomita M.	Production of a non-triple helical collagen alpha chain in transgenic silkworms and its evaluation as a gelatin substitute for cell culture.	Biotechnol Bioeng.	106	860-870	2010

Stadtfeld M, Apostolou E, <u>Akutsu H</u> , Fukuda A, Follett P, Natesan S, Kono T, Shioda T, Hochedlinger K.	Aberrant silencing of imprinted genes on chromosome 12qF1 in mouse induced pluripotent stem cells.	Nature	465	175-181	2010
Yamada M, Hamatani T, <u>Akutsu H</u> , Chikazawa N, Kuji N, Yoshimura Y, Umezawa A.	Involvement of a novel preimplantation-specific gene encoding the high mobility group box protein Hmgpi in early embryonic development.	Hum Mol Genet.	19	480-493	2010
Egli D, <u>Akutsu H</u>	Aging of the Female Reproductive System.	J Mamm Ova Re	28	118-125	2011
Takezawa Y, Yoshida K, Miyado K, Sato M, Nakamura A, Kawano N, Sakakibara K, Kondo T, Harada Y, Ohnami N, Kanai S, Miyado M, Saito H, Takahashi Y, <u>Akutsu H</u> , Umezawa A	Beta-catenin is a molecular switch that regulates transition of cell-cell adhesion to fusion.	Scientific Reports	1	68	2011

Gokoh M, Nishio M, Nakamura N, Matsuyama S, Nakahara M, Suzuki S, Mitsumoto M, <u>Akutsu H.</u> Umezawa A, Yasuda K, Yuo A, Saeki K	Early senescence is not an inevitable fate of human-induced pluripotent stem-derived cells	Cell Repr ogram	13	361-3 70	2011
Tateno H, Toyota M, Saito S, Onuma Y, Ito Y, Hiemori K, Fukumura M, Matsushima A, Nakanishi M, Ohnuma K, <u>Akutsu H.</u> Umezawa A, Horimoto K, Hirabayashi J, Asashima M	Glycome diagnosis of human induced pluripotent stem cells using lectin microarray.	J Biol Chem	286	20345 -2035 3	2011
Nishino K, Toyoda M, Yamazaki-Inoue M, Fukawatase Y, Chikazawa E, Sakaguchi H, <u>Akutsu H.</u> Umezawa A	DNA methylation dynamics in human induced pluripotent stem cells over time.	PLoS Genet.	7	e1002 085	2011
Sato B, Katagiri YU, Miyado K, Okino N, Ito M, <u>Akutsu H.</u> Okita H, Umezawa A, Fujimoto J, Toshimori K, Kiyokawa N	Lipid rafts enriched in monosialylGb5Cer carrying the stage-specific embryonic antigen-4 epitope are involved in development of mouse preimplantation embryos at cleavage stage.	BMC Dev Biol	11	22	2011

Nishi M, <u>Akutsu H</u> , Masui S, Kondo A, Nagashima Y, Kimura H, Perrem K, Shigeri Y, Toyoda M, Okayama A, Hirano H, Umezawa A, Yamamoto N, Lee SW, Ryo A	A distinct role for Pin1 in the induction and maintenance of pluripotency.	J Biol Chem	286	11593-11603	2011
Akutsu H, Miura T, Machida M, Birumachi JI, Hamada A, Yamada M, Sullivan S, <u>Miyado K</u> , Umezawa A.	Maintenance of pluripotency and self-renewal ability of mouse embryonic stem cells in the absence of tetraspanin CD9.	Differentiation	78(2-3)	137-142	2009
Yamatoya K, Yoshida K, Ito C, Maekawa M, Yanagida M, Takamori K, Ogawa H, Araki Y, <u>Miyado K</u> , Toyama Y, Toshimori K.	Equatorin: Identification and Characterization of the Epitope of the MN9 Antibody in the Mouse.	Biology of Reproduction	81(5)	889-897	2009
Takahashi H, Toyoda M, Birumachi J, Horie A, Uyama T, <u>Miyado K</u> , Matsumoto K, Saito H, Umezawa A.	Shortening of human cell life span by induction of p16ink4a through the platelet-derived growth factor receptor beta. J Cell Physiol, 221(2):335-342, 2009.	Journal of Cell Physiology	221(2)	335-342	2009

<u>宮戸健二</u>	目で見る生殖に関連したモデル動物－受精障害モデル動物－	Hormone Frontier in Gynecology	16(3)	2-5	2009
Kawano N, Yoshida K, Harada Y, Onami N, Takezawa Y, <u>Miyado K</u>	Roles of CD9 and CD9-containing exosomes in sperm-egg membrane fusion.	Journal of Mammalian Ova Research	27(4)	191-197	2010
Ito M, <u>Miyado K</u> , Nakagawa K, Muraki M, Imai M, Yamakawa N, Qin J, Hosoi Y, Saito H, Takahashi Y.	Age-associated changes in the subcellular localization of phosphorylated p38 MAPK in human granulosa cells.	Molecular Human Reproduction	16(12)	928-937	2010
Kawano N., Kang W., Yamashita M., Koga Y., Yamazaki T., Hata T., <u>Miyado K.</u> , Baba T.	Mice lacking two sperm serine proteases, ACR and PRSS21, are subfertile, but the Mutant Sperm are infertile in vitro.	Biology of Reproduction	83(3)	359-369	2010
Ito C, Yamatoya K, Yoshida K, Maekawa M, <u>Miyado K</u> , Toshimori K.	Tetraspanin family protein CD9 in the mouse sperm: unique localization, appearance, behavior and fate during fertilization.	Cell Tissue and Research	340(3)	583-594	2010

Kawano N, Yoshida K, Harada Y, Onami N, Takezawa Y, <u>Miyado K</u>	Roles of CD9 and CD9-containing exosomes in sperm-egg membrane fusion.	Journal of Mammalian Ova Research	27(4)	191-197	2010
Takezawa Y, Yoshida K, <u>Miyado K</u> , Sato M, Nakamura A, Kawano N, Sakakibara K, Kondo T, Harada Y, Ohnami N, Kanai S, Miyado M, Saito H, Takahashi Y, Akutsu H, Umezawa A.	β -catenin is a molecular switch that regulates transition of cell-cell adhesion to fusion	Scientific Reports	1	Article 68	2011
Sato B, Katagiri Y, <u>Miyado K</u> , Okino N, Ito M, Akutsu H, Okita H, Umezawa A, Fujimoto J, Toshimori K, Kiyokawa N.	Lipid rafts enriched in monosialylGb5Cer carrying the stage-specific embryonic antigen-4 epitope are involved in development of mouse preimplantation embryos at cleavage stage.	BMC Dev Biol	11	22	2011
Zhang J, Dong J, Gu H, Yu S, Zhang X, Gou Y, Xu W, Burd A, Huang L, <u>Miyado K</u> , Huang Y, Chan HC.	CD9 is critical for cutaneous wound healing through JNK signaling.	Journal of Investigative Dermatology	132(1)	226-36	2012

Ito M, Imai M, Muraki M, <u>Miyado K</u> , Qin J, Kyuwa S, Yoshikawa Y, Hosoi Y, Saito H, Takahashi Y.	GSTT1 is upregulated by oxidative stress through p38-MK2 signaling pathway in human granulosa cells: possible association with mitochondrial activity.	Aging	3(12)	1213-23	2012
Haga, S., Nagata, N., <u>Okamura, T.</u> , Yamamoto, N., Sata, T., Yamamoto, N., Sasazuki, T.and Ishizaka, Y.	TACE antagonists blocking ACE2 shedding caused by the spike protein of SARS-CoV are candidate antiviral compounds.	Antiviral Res.	85	551-555	2010

