




among infants with live birth, remained and IVH



among infants with live birth and remained



among infants with live birth, remained and IVH




among infants with live birth and remained

資料55

Analysis results on infants born in 2010




II-38/56




資料56


Analysis results on infants born in 2010

II-39/56







among infants with live birth and remained



among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained




資料59
Analysis results on infants born in 2010


II-42/56




資料60
Analysis results on infants born in 2010

II-43/56






among infants with live birth and remained




among infants with live birth and remained


—221—




among infants with live birth and remained




among infants with live birth and remained



among infants with live birth and remained





Treatment for ROP




among infants with live birth and remained

Congenital anomaly







among infants with live birth, remained and congenital anomaly



among infants with live birth and remained



among infants with live birth, remained and congenital anomaly




among infants with live birth and remained

資料67

Analysis results on infants born in 2010




II-50/56







資料68

Analysis results on infants born in 2010

II-51/56






資料71

Analysis results on infants born in 2010


II-54/56





資料72


Analysis results on infants born in 2010

II-55/56




—226—







among infants with live birth and alive at discharge







among infants with number of fetus 2>








among infants with live birth and alive at discharge





among infants with number of fetus 2>
















among infants with positive histologic CAM









among infants with positive histologic CAM



















among infants with inborn





among infants with inborn





among infants with live birth and remained



among infants with live birth and remained