

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
古村和恵, 山岸暁美, 赤澤輝和, 鈴木聰, 和泉典子, <u>的場元弘</u> , 森田達也, 江口研二	市民の緩和ケアに対するイメージの変化	緩和ケア	22 (1)	79-83	2012
Torigoe K, Nakahara K, Rahmadi M, Yoshizawa K, Horiuchi H, Hirayama S, Imai S, Kuzumaki N, Itoh T, Yamashita A, Shakunaga K, Yamasaki M, Nagase H, <u>Matoba M</u> , Suzuki T, Narita M	Usefulness of olanzapine as an adjunct to opioid treatment and for the treatment of neuropathic pain.	Issue of Anesthesiology	116 (1)	159-169	2012
Onizuka S, Tamura R, Yonaha T, Oda N, Kawasaki Y, <u>Shirasaka T</u> , Shiraishi S, Tsuneyoshi I	Clinical dose of lidocaine destroys the cell membrane and induces both necrosis and epoptosis in an identified Lymnaea neuron.	J Anesth	26 (1)	54-61	2012
Onizuka S, Shiraishi S, Tamura R, Yonaha T, Oda N, Kawasaki Y, Syed NI, Shirasaka T, Tsuneyoshi I	Lidocaine treatment during synapse reformation periods permanently inhibits NGF-induced excitation in an identified reconstructed synapse of <i>Lymnaea stagnalis</i> .	J Anesth	26 (1)	45-53	2012
山口重樹, 北島敏光, Donald R Taylor	プライマリケア医に必要な鎮痛薬の知識～アセトアミノフェンはプライマリケアに必須の鎮痛薬～	医事新報	4579	95-100	2012
矢吹省司, 中村雅也, 牛田享宏, <u>山口重樹</u> , 西田圭一郎	運動器慢性疼痛の診療－現状をめぐる問題－	Locomotive Pain Froniter	1	5-13	2012
山口重樹	突出痛ごとに自己決定した用量のレスキュー・ドーズを使うことで, ADLを高く保ち, 母親の介護を続けることが可能であった乳がん骨転移患者	がんの痛みをとる	11	6-7	2012

杉浦宗敏, 宮下光令, 佐藤一樹, 森田達也, 佐野元彦, <u>的場元弘</u> , 恒藤暁, 志真泰夫	がん診療連携拠点病院における緩和ケア提供体制と薬剤業務の困難感	日本緩和医療薬学雑誌	4 (4)	103–109	2011
古村和恵, 宮下光令, 木澤義之, 川越正平, 秋月伸哉, 山岸暁美, <u>的場元弘</u> , 鈴木聰, 木下寛也, 白髭豊, 森田達也, 江口研二	進行がん患者と遺族のがん治療と緩和ケアに対する要望—821名の自由記述からの示唆—	Palliative Care Research	6 (2)	237–245	2011
Hirai K, Kudo T, Akiyama M, <u>Matoba M</u> , Shiozaki M, Yamaki T, Yamagishi A, Miyashita M, Morita T, Eguchi K	Public Awareness, Knowledge of Availability, and Readiness for Cancer Palliative Care Services : A Population-Based Survey across Four Regions in Japan.	J Palliat Med	14 (8)	918–922	2011
Akiyama M, Takebayashi T, Morita T, Miyashita M, Hirai K, <u>Matoba M</u> , Akizuki N, Shirahige Y, Yamagishi A, Eguchi K	Knowledge, beliefs, and concerns about opioids, palliative care, and homecare of advanced cancer patients: a nationwide survey in Japan.	Supportive Care in Cancer	20	923–931	2012
Narita M, Niikura K, Nanko-Niikura K, Narita M, Furuya M, Yamashita A, Saeki M, Matsushima Y, Imai S, Shimizu T, Asato M, Kuzumaki N, Okutsu D, Miyoshi K, Suzuki M, Tsukiyama Y, Konno M, Yomiya K, <u>Matoba M</u> , Suzuki T	Sleep disturbances in a neuropathic pain-like condition in the mouse are associated with altered GABAergic transmission in the cingulate cortex.	PAIN	152	1358–1372	2011
Mieno MN, <u>Yamaguchi T</u> , Ohashi Y	Alternative statistical methods for estimating efficacy of interferon beta-1b for multiple sclerosis clinical trials.	BMC Medical Research Methodology	26 (11)	80	2011
Tanaka K, Sakuraba M, Ebihara M, et al.	Analysis of operative mortality and post-operative lethal complications after head and neck reconstruction with free tissue transfer.	JJCO	41 (6)	758–763	2011

Nishino T	Dyspnea and its interaction with pain.	J Anesth	25	157–161	2011
Nishino T	Dyspnoea: Underlying mechanisms and treatment.	Brit J Anaesth	106	463–474	2011
Yashiro E, Nishino T, et al.	Effects of different forms of dyspnoea on pain perception induced by cold-pressor test.	Respir Physiol Neurobiol	177	320–326	2011
Takemura Y, Yamashita A, Horiuchi H, Furuya M, Yanase M, Niikura K, Imai S, Hatakeyama N, Kinoshita H, Tsukiyama Y, Senba E, Matoba M, Kuzumaki N, Yamazaki M, Suzuki T, Narita M	Effects of gabapentin on brain hyperactivity related to pain and sleep disturbance under a neuropathic pain-like state using fMRI and brain wave analysis.	Synapse	65	668–676	2011
Yokoyama T, Minami K, Sudo Y, Horishita T, Ogata J, Yanagita T, Uezono Y	Effects of sevoflurane on voltage-gated sodium channel Nav1.8, Nav1.7, and Nav1.4 expressed in Xenopus oocytes.	J Anesth	25 (4)	609–613	2011
Miyamoto S, Sakuraba M, Ebihara M, et al.	Free jejunal patch graft for reconstruction after partial hypopharyngectomy with laryngeal preservation.	Arch Otolaryngol Head Neck Surg	137 (2)	181–186	2011
Ikeno S, Nagano M, Tanaka S, Nishimura C, Kawamata T, Kawamata M	Gastric tube insertion under visual control with the use of the Pentax-AWS®.	J Anesth	25	475–476	2011
Shinozaki T, Hayashi R, Ebihara M, et al.	Narrow band imaging endoscopy for unknown primary tumor sites of the neck.	Head and Neck	E-pub		2011

Takeda T, Yamaguchi T, Yaegashi N	Perceptions and attitudes of Japanese gynecologic cancer patients to Kampo (Japanese herbal) medicines.	International Journal of Clinical Oncology	E-pub		2011
Iwase S, Yamamoto D, Kuroda Y, Kawaguchi T, Kitamura K, Odagiri H, Teramoto S, Akazawa K, Nagumo Y	Phase II trial of preoperative chemotherapy for breast cancer: Japan Breast Cancer Research Network (JBCRN)-02 trial.	Anticancer Res	31 (4)	1483-1487	2011
Daiko H, Hayashi R, Ebihara M, et al.	Pilot Study of Post-operative Radiotherapy with Concurrent Chemotherapy for High-risk Squamous Cell Carcinoma of the Cervical Esophagus.	JJC0	41 (4)	508-513	2011
Imai S, Sudo Y, Nakamura A, Ozeki A, Asato M, Hojo M, Devi LA, Kuzumaki N, Suzuki T, Uezono Y, Narita, M	Possible involvement of β -endorphin in a loss of the coordinated balance of β -opioid receptors trafficking processes by fentanyl.	Synapse	65 (9)	962-966	2011
Kiya T, Kawamata T, Namiki A, Yamakage M	Role of satellite cell-derived L-serine in the dorsal root ganglion in paclitaxel-induced painful peripheral neuropathy.	Neuroscience	174	190-199	2011
Ando Y, Hojo M, Kanaike M, Takada M, Sudo Y, Shiraishi S, Sumikawa K, Uezono Y	S(+)-ketamine suppresses desensitization of γ -aminobutyric acid type B receptor-mediated signaling by inhibition of the interaction of γ -aminobutyric acid type B receptors with G protein-coupled receptor kinase 4 or 5.	Anesthesiology	114 (2)	401-411	2011
Minami K, Sudo Y, Yokoyama T, Ogata J, Takeuchi M, Uezono Y	Sevoflurane inhibits the μ -opioid receptor function expressed in Xenopus oocytes.	Pharmacology	88 (3-4)	127-132	2011

Minami K, Yokoyama T, Ogata J, Uezono Y	The tramadol metabolite O-Desmethyl tramadol inhibits substance P-receptor functions expressed in Xenopus Oocytes.	J Pharmacol Sci	115 (3)	421–424	2011
Yanagita T, Satoh S, Uezono Y, Matsuo K, Nemoto T, Maruta T, Yoshioka N, Iwakiri T, Minami K, Murakami M	Transcriptional up-regulation of cell surface NaV1.7 sodium channels by insulin-like growth factor-1 via inhibition of glycogen synthase kinase-3β in adrenal chromaffin cells: enhancement of 22Na ⁺ influx, 45Ca ²⁺ influx and catecholamine secretion.	Neuropharmacology	61 (8)	1265–1274	2011
Ebihara M, Kishimoto S, Hayashi R, et al.	Window resection of the trachea and secondary reconstruction for invasion by differentiated thyroid carcinoma.	Auris Nasus Larynx	38	271–275	2011
川股知之	がん疼痛を科学する	麻酔増刊	60	S177–S182	2011
川股知之	がん疼痛モデル	ペインクリニック	32	1659–1668	2011
国分秀也, 的場元弘, 山田安彦, 矢後和夫	わが国のがん疼痛治療薬における問題点とその解決方法	YAKUGAKU ZASHI	131 (1)	113–127	2011
山口重樹, Donald R Taylor	オピオイドは患者を救うことができるのか?	ペインクリニック	32	629–630	2011
川股知之	ケタミン	Anesthesia	21 13	29–36	2011
山口重樹, 永尾勝, 北島敏光, Donald R Taylor	緩和ケア特集 イラストでわかるがん症状緩和のための各科治療と看護】痛みに対する緩和治療 オピオイドの使い分け	プロフェッショナルがんナーシング	1	320–323	2011
川股知之, 山本克己, 布施谷仁志, 平林高暢, 坂本明之, 川真田樹人	癌性疼痛の発生機序	麻酔	60	1010–1017	2011
西野卓	呼吸困難の発生機序と治療に関する研究	麻酔増刊	60	S170–S176	2011

山口重樹, 北島敏光, Donald R Taylor	高用量アセトアミノフェンの使い方, 従来の約2倍量が投与可能に	日経メディカル	528	121-123	2011
山口重樹	最新のがん性疼痛マネジメントの知識	ホスピスケア	22	17-42	2011
山口重樹, 北島敏光, Donald R Taylor	新しいオピオイドを活用する, フェントス®テープ	緩和ケア	21	578-581	2011
山口重樹, 北島敏光, Donald R Taylor	日常診療での痛みへの対応(第1回) 新しい疼痛コントロールの基本	レジデントノート	13	1615-1621	2011
鈴木健介, 篠崎剛, 海老原充, 他	副耳下腺に発生した粘表皮癌の1例	頭頸部外科	21 (2)	185-190	2011
西野卓	麻酔と性差	総合臨床	60	2323-2324	2011
西野卓	麻酔科臨床EBMをめぐる問題点、緒言とまとめ	麻酔	60	274-276	2011
Miyano K, Morioka N, Sugimoto T, Shiraiashi S, Uezono Y, Nakata Y	Activation of the neuropeptidergic receptor in rat spinal astrocytes induces Ca ²⁺ release from IP ₃ -sensitive Ca ²⁺ stores and extracellular Ca ²⁺ influx through TRPC3.	Neurochem Int	57 (8)	923-934	2010
Tezuka N, Egawa H, Fukagawa D, Yamaguchi S, Hamaguchi S, Kitajima T, Minami J	Assessment of QT interval and QT dispersion during electroconvulsive therapy using computerized measurements	J ECT	26	41-46	2010
Yanagisawa Y, Furue H, Kawamata T, Uta D, Yamamoto J, Furuse S, Katafuchi T, Imoto K, Iwamoto Y, Yoshimura M	Bone cancer induces a unique central sensitization through synaptic changes in a wide area of the spinal cord.	Mol Pain	6	38	2010

Otani T, Shinozaki M, Takahashi Y, Ikeda T, Kimura Y, Nagao M, Yamaguchi S, Kitajima T	Comparison of 2% mepivacaine, clipping, and radiofrequency thermocoagulation for duration and magnitude of action in peripheral arterial blood flow induced by sympathetic block in anesthetized dogs.	Reg Anesth Pain Med	35	525–528	2010
Hashimoto T, Iwasaki T, Takahashi Y, Kimura Y, Nagao M, Yamaguchi S, Hamaguchi S, Kitajima T	Comparison of bupivacaine, ropivacaine, and levobupivacaine in an equal doses and concentration for sympathetic block in dogs	Reg Anesth Pain Med	35	409–411	2010
Nishino T, et al.	Comparison of pain and perceptual responses in healthy subjects.	Pain	148	426–430	2010
Narimatsu E, Niiya T, Kawamata T, Kawamata M, Yamakage M	Effects of atropine and pralidoxime on neuronal actions of paraoxon in rat hippocampal slices.	Neurosci Res	68	276–284	2010
Narimatsu E, Niiya T, Kawamata T, Kawamata M, Yamakage M	Effects of atropine and pralidoxime on neuronal actions of paraoxon in rat hippocampal slices	Neurosci Res	174	190–199	2010
Ikegami D et al.	Epigenetic modulation at the CCR2 gene correlates with the maintenance of behavioral sensitization to methamphetamine.	Addict. Biol.	15	358–361	2010
Narita M et al.	Implication of dopaminergic projection from the ventral tegmental area to the anterior cingulate cortex in μ -opioid-induced place preference.	Addict. Biol.	15	434–447	2010

Liang J, Kawamata T, Ji W	Molecular signaling of pruritus induced by endothelin-1 in mice.	Exp Biol Med	235	1300–1305	2010
Niikura K et al.	Neuropathic and chronic pain stimuli downregulate central μ-opioid and dopaminergic transmission.	Trends Pharmacol. Sci.	31	299–305	2010
山口重樹, 北島敏光, Donald R. Taylor	Q&A 非がん性の慢性疼痛患者へのオピオイド処方についての注意点	ペインクリニック	31	657–660	2010
Nibu K, Ebihara Y, Ebihara M, et al.	Quality of life after neck dissection: a multicenter longitudinal study by the Japanese Clinical Study Group on Standardization of Treatment for Lymph Node Metastasis of Head and Neck Cancer.	Int J Clin Oncol	15 (1)	33–38	2010
Kawamata T, Niiyama Y, Yamamoto J, Furuse S	Reduction of bone cancer pain by CB1 activation and TRPV1 inhibition.	J Anesth	24	328–332	2010
Tagaito Y, Nishino T, et al.	Sitting posture decreases collapsibility of the passive pharynx in anesthetized paralyzed patients with obstructive sleep apnea.	Anesthesiology	113	812–818	2010
Diko H, Nagai K, Ebihara M, et al.	The Role of pulmonary resection in metastatic tumors from head and neck carcinomas.	JJCO	40 (7)	639–644	2010
Minami K, Sudo Y, Shirashi S, Seo M, Uezono Y	The analysis of the effects of anesthetics and ethanol on μ -opioid receptors.	J Pharmacol Sci	112 (4)	424–431	2010
Dobashi T, Nishino T, et al.	Valproate attenuates the development of morphine antinociceptive tolerance.	Neurosci Lett	485	125–128	2010

<u>山口重樹</u> , 北島敏光	がん患者さんにおけるオピオイド製剤の使い方	実験治療	697	15-27	2010
吉本鉄介, 久田純生, 余宮きのみ, 富安志郎, 長谷川徹, 村上敏史, 的場元弘	がん性疼痛に対する治療を目的とした複方オキシコドン注射液の有効性と安全性—多施設での処方調査—	癌と化学療法	第37巻5号	871-878	2010
宮崎東洋, 並木昭義, 小川節郎, 北島敏光, 増田豊, 巖康秀, 内田英二, 井関雅子, 的場元弘, 橋爪隆弘	がん疼痛に対する1日1回貼付のフェンタニルクエン酸塩 経皮吸収型製剤の第Ⅱ相臨床試験	癌と化学療法	第37巻9号	1748-1752	2010
宮崎東洋, 並木昭義, 小川節郎, 北島敏光, 増田豊, 巖康秀, 内田英二, 井関雅子, 的場元弘, 橋爪隆弘	がん疼痛に対するHFT-290の第Ⅲ相臨床試験	臨床医薬	26巻9号	649-660	2010
<u>山口重樹</u> , 北島敏光	よくある関連痛とその診断	がん患者と対症療法	21	28-35	2010
<u>山口重樹</u> , 北島敏光	アセトアミノフェンの新たなる展開	ペインクリニック	31	S255-S270	2010
今井哲司, 成田年, 富安志郎, 的場元弘, 木下浩之, 上園保仁, 葛巻直子, 鈴木勉	オピオイドの薬理学	Mebio	27 (8)	70-78	2010
<u>山口重樹</u> , 北島敏光, Donald R. Taylor	オピオイドの乱用と依存の予防と治療	ペインクリニック	31	1459-1475	2010
白石成二	ストレスと副腎髄質と麻酔	Anesthesia Century	12 21	4-10	2010
内田英二, 宮崎東洋, 並木和義, 小川節郎, 北島敏光, 増田豊, 巖康秀, 井関雅子, 的場元弘, 橋爪隆弘, 鈴木克己	フェンタニルクエン酸塩含有経皮吸収型製剤(HFT-290)のがん疼痛患者における薬物動態の検討	臨床医学	26巻5号	335-351	2010
的場元弘, 小川節郎, 井関雅子	新しいフェンタニルクエン酸塩含有経皮吸収型製剤の臨床的有用性	Pharma Medica	28 (8)	126-131	2010
鈴木雅美, 上園保仁	鎮痛剤による臓器障害	ペインクリニック	31 (9)	1177-1183	2010

<u>川股知之</u>	痛みのメカニズム－末梢で感じて脊髄に伝える－	Practice of Pain Management	1	26-31	2010
山口重樹, 北島敏光, Donald R. Taylor	非がん性の慢性疼痛患者へのオピオイド処方についての注意点	ペインクリニック	31	657-660	2010
山口重樹, 北島敏光, Donald R. Taylor	非がん性慢性疼痛へのオピオイド使用	麻酔科学レクチャー	2	658-667	2010
山口重樹, 北島敏光, Donald R. Taylor	非がん性慢性疼痛オピオイドを用いた慢性疼痛治療の光と影－患者の生活改善をめざして－	Mebio	28	4-9	2010
<u>西野卓</u>	麻酔管理に役立つ呼吸生理	麻酔増刊	59	S147-S156	2010
Nishino T	Aggravation of dyspnea by coughing—Vagal mechanisms	Pulm Pharmacol Ther	22	102-107	2009
Yomiya K, Matoba M	Baclofen as an Adjuvant Analgesic for Cancer Pain.	American Journal of Hospice & Palliative Medicine	Vol26, No. 2	112-118	2009
Hashimoto K, Suzuki T, et al.	Cell-dependent physiological synaptic action of morphine in the rat habenular nucleus: morphine both inhibits and facilitates excitatory synaptic transmission.	Neurosci Lett	451	270-273	2009
Yanagita T, Maruta T, Nemoto T, Uezono Y, Matsuo K, Satoh S, Yoshioka N, Kanai T, Kobayashi H, Wada A	Chronic lithium treatment up-regulates cell surface Nav1.7 sodium channels via inhibition of glycogen synthase kinase-3 in adrenal chromaffin cells: enhancement of Na ⁺ influx, Ca ²⁺ influx and catecholamine secretion after lithium withdrawal.	Neuropharmacology	57 (3)	311-321	2009

Kaneko M, Yamaguchi S, Hamaguchi S Egawa H, Fujii K, Ishikawa K, Kitajima T	Effects of ländiolol on QT interval and QT dispersion during induction of anesthesia using computerized measurement.	J Clin Anesth	22	555–561	2009
Takiguchi T, Yamaguchi S, Tezuka M, Kitajima T	Measurement of shift of the cauda equina in the subarachnoid space by changing position.	Reg Anesth Pain Med	34	326–329	2009
Minami K, Suzuki T, et al.	Morphine, oxycodone, and fentanyl exhibit different analgesic profiles in mouse pain models.	J Pharmacol Sci	111	60–72	2009
Nishino T	Pathophysiology of dyspnea evaluated by breath-holding test: studies of furosemide treatment	Respir Physiol & Neurobiol	167	20–25	2009
Torashima Y, Uezono Y, Kanaide M, Ando Y, Enjoji A, Kanematsu T, Taniyama K	Presence of GABAB receptors forming heterodimers with GABAB1 and GABAB2 subunits in human lower esophageal sphincter.	J Pharmacol Sci	111 (3)	253–259	2009
Fujii H, Suzuki T, et al.	Synthesis of novel twin drug consisting of 8-oxaendoethonotetrahydromorphides with a 1,4-dioxane spacer and its pharmacological activities: mu, kappa, and putative epsilon opioid receptor antagonists.	Bioorg Med Chem Lett	19	438–441	2009
Nishino T, et al.	THAM improves an experimentally-induced severe dyspnea.	J Pain Symptom Manag	37	212–219	2009
吉本鉄介, 的場元弘	がん性疼痛における複方オキシコドン注持続皮下注の有効性と安全性—4年間の処方調査—	がんと化学療法	36 (10)	1683–1685	2009

並木昭義, 有賀悦子, 川股知之, 坂下美彦, 山口重樹	がん性疼痛治療におけるフェンタニルパッチ 製剤の意義と今後の展望	Pharma Medica	27	631-637	2009
<u>上園保仁</u>	がん対策基本法とがん 疼痛基礎医学研究	がん患者と対症 療法	20 (2)	71-73	2009
Hashimoto K, Suzuki T, et al.	μ -opioid receptor-independent fashion of the suppression of sodium currents by μ -opioid analgesics in thalamic neurons.	Neurosci Lett.,	453	62-67	2009
篠崎剛, 林隆一, 海老原充, 宮崎眞和, 斎川雅久, 海老原敏	下咽頭癌治療における 化学放射線治療の役割	頭頸部外科	19 (1)	1-4	2009
<u>上園保仁</u> , 須藤結香	急速に世界に広まった TRPV6チャネル変異体 のチャネル特性の解析 - TRPV6クローン発 現細胞を用いての解析 -	自律神経	46 (3)	190-197	2009
西野卓	呼吸管理と呼吸中枢	人工呼吸	26	150-156	2009
西野卓	呼吸困難の生理	日本臨床麻酔学会誌	29	341-350	2009
<u>上園保仁</u>	自律神経の薬理	自律神経	46 (3)	139-146	2009
山口重樹, 北島敏光	神経障害性疼痛の基礎 と臨床 I III. 神経 障害性疼痛の治療 C) 薬物療法 5. 各種 鎮痛薬 1) 持続くも 膜下注入による慢性疼 痛治療—モルヒネから ジコノタイドまで—	ペインクリニック	30	S253-S262	2009
秋山美紀, 的場元弘, 他	地域診療医師の在宅 緩和ケアに関する意識 調査	Palliative Care Research	4 (2)	112-122	2009
Mori T, Shibasaki M, Abe M, Udagawa Y, Suzuki T	Effects of dronabinol on morphine-induced dopamine-related behavioral effects in animals.	Synapse			

Mori T, Sudo Y, Shibasaki M, Hojo M, Yoneyama H, Harumiya M, Nishida N, <u>Uezono Y</u> , <u>Suzuki T</u>	Synergistic interactions between μ -opioid and cannabinoid CB1 receptors: an in vivo and in vitro study.	J Pharmacol Sci	In preparation		
---	--	-----------------	----------------	--	--

