

研究成果の刊行に関する一覧表

雑誌

37	Fotovati, A., Abu-Ali, S., Lee, C., Wang, PS., Franciosi, S., Nakamura, Y., Chou, A., Kanemura, Y., Yamada, T., Sugita, Y., Uchiumi, T., <u>Kuwano, M.</u> , Roskams, J., Blair, Levit, B., Pallen, CJ., and SE, Dunn.	YB-1 bridges neural stem cells and brain tumor-initiating cells via its roles in differentiation and cell growth.	Cancer Res.	71(16) 78	5569-55 78	2011
38	Fujiwara, T., Fukushi, J., Yamamoto, S., Matsumoto, Y., Setsu, N., Oda, Y., Yamada, H., Okada, S., Watari, K., Ono, M., <u>Kuwano, M.</u> , Kamura, S., Iida, K., Okada, Y., Koga, M., Iwamoto, Y.	Macrophage infiltration predicts poor prognosis for the human Ewing's sarcoma family of tumors.	Am. J. Pathol.	179(3) 70	1157-11 70	2011
39	Fotovati, A., Abu-Ali, S., Kage, M., Shirouzu, K., Yamana, H., <u>Kuwano, M.</u>	N-myc downstream-regulated gene 1 (NDRG1) a differentiation marker of human breast cancer.	Pathol Oncol Res.	17(3)	525-533	2011
40	Nakano, K., Kobayashi, M., Nakamura, KI., Nakanishi, T., Asano, R., Kumagai, I., Tahara, H., <u>Kuwano, M.</u> , Cohen, JB. and Glorioso, JC.	Mechanism of HSV infection through soluble adapter-mediated virus bridging to the EGF receptor.	Virology	413(1)	12-18	2011
41	Kawahara, A., Akiba, J., Hattori, S., Yamaguchi, T., Abe, H., Taira, T., Ureshino, H., Murakami, Y., Watari, K., Koufaji, K., Shirouzu, K., <u>Kuwano, M.</u> , Ono, M., and Kage, M.	Nuclear expression of N-myc downstream regulated gene 1/Ca2+-associated protein 43 is closely correlated with tumor angiogenesis and poor survival in patients with gastric cancer.	Exp Ther Med.	2	471-479	2011

研究成果の刊行に関する一覧表

雑誌

42	Akiba, J., Murakami, Y., Noda, M., Watari, K., Ogasawara, S., Yoshida, T., Kawahara, A., Sanada, S., Yasumoto, M., Yamaguchi, R., <u>Kuwano, M.</u> , Ono, M., Yano, H.	N-myc downstream regulated gene1/Cap43 overexpression suppresses tumor growth by hepatic cancer cells through cell cycle arrest at G0/G1 phase.	Cancer Lett.	310(1)	25-34	2011
43	Ohno, Y., <u>Hattori, A.</u> , Ueda, M., Kageyama, T., Yoshiki, T., Kakeya, H.	Multiple NF-Y binding CCAAT boxes are essential for transcriptional regulation of the human C7orf24 gene, a novel tumor-associated gene.	FEBS Journal	278(21)	4088-40 99	2011
44	Yamazaki, R., Nishiyama, Y., Furuta, T., Hatano, H., Igarashi, Y., Kodaira, H., Takahashi, H., Aiyama, R., Matsuzaki, T., Yagi, N., <u>Sugimoto, Y.</u>	Novel acrylonitrile derivatives, YHO-13177 and YHO-13351, reverse BCRP/ABCG2-mediated drug resistance <i>in vitro</i> and <i>in vivo</i> .	Mol. Cancer Ther.	10(7)	1252-12 63	2011
45	Masuda, Y., Noguchi, K., Segawa, H., Tanaka, N., Katayama, K., Mitsuhashi, J., <u>Sugimoto, Y.</u>	Novel regulatory role for Kaposi's sarcoma-associated herpesvirus-encoded vFLIP in chemosensitization to bleomycin.	Biochem Biophys Res Commun.	415(2)	305-312	2011
46	Yasuda, A., Noguchi, K., Minoshima, M., Kashiwazaki, G., Kanda, T., Katayama, K., Mitsuhashi, J., Bando, T., Sugiyama, H., <u>Sugimoto, Y.</u>	A DNA ligand designed to antagonize EBNA1 represses Epstein–Barr virus-induced immortalization.	Cancer Sci.	102(12)	2221-22 30	2011
47	Tanizaki, J., <u>Okamoto, I.</u> , Fumita, S., Okamoto, W., <u>Nishio, K.</u> , Nakagawa, K.	Roles of BIM induction and survivin down-regulation in lapatinib-induced apoptosis in breast cancer cells with HER2 amplification.	Oncogene.	30(39)	4097-41 06	2011

研究成果の刊行に関する一覧表

雑誌

48	Yonesaka, K., Zejnullahu, K., <u>Okamoto, I.</u> , Satoh, T., Cappuzzo, F., Souglakos, J., Ercan, D., Rogers, A., Roncalli, M., Takeda, M., Fujisaka Y., Philips, J., Shimizu, T., Maenishi, O., Cho, Y., Sun, J., Destro, A., Taira, K., Takeda, K., Okabe, T., Swanson, J., Itoh, H., Takada, M., Lifshits, E., Okuno, K., Engelman, A, J, Shviddasani, A, R., <u>Nishio, K.</u> , Fukuoka, M., Garcia, V, M., Nakagawa, K., and, Jänne, A. P.	Activation of ERBB2 signaling causes resistance to the EGFR-directed therapeutic antibody cetuximab.	Sci Translation Medicine.	3(99)	99ra86	2011
49	Tanizaki, J., <u>Okamoto, I.</u> , Okamoto, K., Takezawa, K., Kuwata, K., Yamaguchi, H., Nakagawa, K.	MET Tyrosine Kinase Inhibitor Crizotinib (PF-02341066) Shows Differential Antitumor Effects in Non-small Cell Lung Cancer According to MET Alterations.	J Thorac Oncol.	6(10)	1624-16 31	2011
50	Tanizaki, J., <u>Okamoto, I.</u> , Sakai, K., Nakagawa, K.	Differential roles of trans-phosphorylated EGFR, HER2, HER3, and RET as heterodimerisation partners of MET in lung cancer with MET amplification.	British J Cancer	105(6)	807-813	2011
51	<u>Okamoto, I.</u> , Takahashi, T., Okamoto, H., Nakagawa, K., Watanabe, K., Nakamatsu, K., Nishimura, Y., Fukuoka, M., Yamamoto, N.	Single-agent gefitinib with concurrent radiotherapy for locally advanced non-small cell lung cancer harboring mutations of the epidermal growth factor receptor.	Lung Cancer	72(1)	199-204	2011

研究成果の刊行に関する一覧表

雑誌

52	Takezawa, K., <u>Okamoto, I.</u> , Okamoto, W., Takeda, M., Sakai, K., Tsukioka, S., Kuwata, K., Yamaguchi, H., <u>Nishio, K.</u> , Nakagawa, K.	Tymidylate synthase as a determinant of pemetrexed sensitivity in non-small cell lung cancer.	British J Cancer	104(10)	1594-1601	2011
53	Takezawa, K., <u>Okamoto, I.</u> , <u>Nishio, K.</u> , Janne, P., Nakagawa, K.	Role of ERK-BIM and STAT3-survivin signaling pathways in ALK inhibitor-induced apoptosis in EML4-ALK-positive lung cancer.	Clinical Cancer Res	17(8)	2140-2148	2011
54	Okamoto, W., <u>Okamoto, I.</u> , Arao, T., Yanagihara, K., <u>Nishio, K.</u> , Nakagawa, K.	Differential roles of STAT3 depending on the mechanism of STAT3 activation in gastric cancer cells.	British Journal of Cancer	105(3)	407-412	2011
55	Takeda, M., <u>Okamoto, I.</u> , Hirabayashi, N., Kitano, M., Nakagawa, K.	Thymidylate synthase and dihydropyrimidine dehydrogenase expression levels are associated with response to S-1 plus carboplatin in advanced non-small cell lung cancer.	Lung Cancer	73(1)	103-109	2011
56	Iwamoto, T., Yamamoto, N., Taguchi, T., Tamaki, Y., <u>Noguchi, S.</u>	BRCA1 promoter methylation in peripheral blood cells is associated with increased risk of breast cancer with BRCA1 promoter methylation.	Breast Cancer Res Treat.	129(1)	69-77	2011
57	Kim, S.J., Masago, A., Tamaki, Y., Akazawa, K., Tsukamoto, F., Sato, J., Ozawa, T., Tsujino, Y., <u>Noguchi, S.</u>	A novel approach using telomerase-specific replication-selective adenovirus for detection of circulating tumor cells in breast cancer patients.	Breast Cancer Res Treat	128(3)	765-773	2011
58	Naoi, Y., Kishi, K., Tanei, T., Tsunashima, R., Tominaga, N., Baba, Y., Kim, S.J., Taguchi, T., Tamaki Y., <u>Noguchi S</u>	Development of 95-gene classifier as a powerful predictor of recurrences in node-negative and ER-positive breast cancer patients.	Breast Cancer Res Treat.	128(3)	633-641	2011
59	Naoi, Y., Kishi, K., Tanei, T., Tsunashima, R., Tominaga, N., Baba, Y., Kim, S.J., Taguchi, T., Tamaki, Y., <u>Noguchi, S.</u>	High genomic grade index associated with poor prognosis for lymph node-negative and estrogen receptor-positive breast cancers and with good response to chemotherapy.	Cancer	117(3)	472-479	2011

研究成果の刊行に関する一覧表

雑誌

60	Naoi, Y., Kishi, K., Tanei, T., Tsunashima, R., Tominaga, N., Baba, Y., Kim, S.J., Taguchi, T., Tamaki, Y., <u>Noguchi, S.</u>	Prediction of pathologic complete response to sequential paclitaxel and 5-fluorouracil/epirubicin/cyclophosphamide therapy using a 70-gene classifier for breast cancers.	Cancer	117(16))	3682-36 90	2011
61	Nukatsuka, M., Saito, H., Nakagawa, F., Abe, M., Uchida, J., Shibata, J., Matsuo, K., <u>Noguchi, S.</u> , Kiniwa, M.	Oral fluoropyrimidine may augment the efficacy of aromatase inhibitor via the down-regulation of estrogen receptor in estrogen-responsive breast cancer xenografts.	Breast cancer research and treat.	128(2)	381-390	2011
62	Oshima, K., Naoi, Y., Kishi, K., Nakamura, Y., Iwamoto, T., Shimazu, K., Nakayama, T., Kim, S.J., Baba, Y., Tamaki, Y., <u>Noguchi, S.</u>	Gene expression signature of TP53 but not its mutation status predicts response to sequential paclitaxel and 5-FU/epirubicin/cyclophosphamide in human breast cancer.	Cancer Lett.	307(2)	149-157	2011
63	Tanei, T., Shimomura, A., Shimazu, K., Nakayama, T., Kim, S.J., Iwamoto, T., Tamaki, Y., <u>Noguchi, S.</u>	Prognostic significance of Ki67 index after neoadjuvant chemotherapy in breast cancer.	Eur J Surg Oncol.	37(2)	155-161	2011
64	Yasojima, H., Shimomura, A., Naoi, Y., Kishi, K., Baba, Y., Shimazu, K., Nakayama, T., Kim, S.J., Tamaki, Y., <u>Noguchi, S.</u>	Association between c-myc amplification and pathological complete response to neoadjuvant chemotherapy in breast cancer.	Eur J Cancer	47(12) 88	1779-17	2011
65	Nishio, M., Yamanaka, T., Matsumoto, K., Kimura, H., Sakai, K., Sakai, A., Sone, T., Horiike, A., <u>Koizumi, F.</u> , Kasahara, K., Ohira, T., Ikeda, N., Saijo, N., Arao, T., <u>Nishio, K.</u>	Serum heparan sulfate concentration is correlated with the failure of epidermal growth factor receptor tyrosine kinase inhibitor treatment in patients with lung adenocarcinoma.	J Thorac Oncol.	6(11) 94	1889-18 94	2011

研究成果の刊行に関する一覧表

雑誌

66	Fujita, Y., Islam, R., Kaneda, H., Kudo, K., Tamura, D., Aomatsu, K., Nagai, T., Kimura, H., Matsutomo, K., Velasco, MA., Arao, T., Okawara, T., <u>Nishio, K.</u>	Aza-derivatives of resveratrol are potent macrophage migration inhibitory factor inhibitors.	Invest New Drugs		in press	2011
67	Kaneda, H., Arao, T., Matsumoto, K., Velasco, MA., Tamura, D., Aomatsu, K., Kudo, K., Sakai, K., Nagai, T., Fujita, Y., Tanaka, K., Yanagihara, K., Yamada, Y., <u>Okamoto, I.</u> , Nakagawa, K., <u>Nishio, K.</u>	Activin a inhibits vascular endothelial cell growth and suppresses tumor angiogenesis in gastric cancer.	Br J Cancer	5(8)	1210-1217	2011
68	Azuma, K., Tsurutani, J., Sakai, K., Kaneda, H., Fujisaka, Y., Takeda, M., Watatani, M., Arao, T., Satoh, T., <u>Okamoto, I.</u> , Kurata, T., <u>Nishio, K.</u> , Nakagawa, K.	Switching addictions between HER2 and FGFR2 in HER2-positive breast tumor cells: FGFR2 as a potential target for salvage after lapatinib failure.	Biochem Biophys Res Commun.	407(1)	219-224	2011
69	Kato, H., Nishimura, T., Ikeda, N., Yamada, T., Kondo, T., Saijo, N., <u>Nishio, K.</u> , Fujimoto, J., Nomura, M., Oda, Y., Lindmark, B., Maniwa, J., Hibino, H., Unno, M., Ito, T., Sawa, Y., Tojo, H., Egawa, S., Edula, G., Lopez, M., Wigmore, M., Inase, N., Yoshizawa, Y., Nomura, F., Marko-Varga, G.	Developments for a growing Japanese patient population: Facilitating new technologies for future health care.	J Proteomics	74(6)	759-764	2011

研究成果の刊行に関する一覧表

雑誌

70	Aaomatsu, K., Arao, T., Sugioka, K., Matsumoto, K., Tamura, D., Kudo, K., Kaneda, H., Tanaka, K., Fujita, Y., Shimomura, Y., <u>Nishio, K.</u>	TGF-β induces sustained up-regulation of SNAI1 and SNAI2 through Smad and non-Smad pathways in a human corneal epithelial cell line.	Invest Ophthalmol Vis Sci.	52(5) 43	2437-24	2011
----	--	--	----------------------------	-------------	---------	------

