

枝園和彦, <u>久保義郎</u> , 他	治癒切除不能StageIV 大腸癌に対する腹腔鏡 手術と開腹手術の比較 検討.	日本内視鏡外科学 会雑誌	16	181-186	2011
青野祥司, <u>久保義郎</u> , 他	腸骨動脈尿管瘻に対し てステントグラフトを 用いて治療した1例.	臨床放射線	56	219-223	2011
野崎功雄, <u>久保義郎</u> , 他	腹腔鏡補助下胃癌手術 における手縫い Billroth I法再建.	日本内視鏡外科学 会雑誌	16	631-636	2011
Hiroishi K, Inomata M, Kashima K, Yasuda K, Shiraishi N, Yokoyama S, <u>Kitano S</u>	Cancer stem cell-related factors are associated with the efficacy of pre-operative chemoradiotherapy for locally advanced rectal cancer.	Experimental and Therapeutic Medicine,	2	465-470	2011
Hirashima Y, Yama da Y, Tateishi U, Kato K, Miyake M, Horita Y, Akiyoshi K, Takashima A, Oki ta N, Takahari D, Nakajima T, Hama guchi T, <u>Shimada</u> Y, Shirao K.	Pharmacokinetic parameters from 3-Tesla DCE-MRI as surrogate biomarkers of antitumor effects of bevacizumab plus FOLFIRI in colorectal cancer with liver metastasis.	Int J Cancer.	130 (10)	2359-2365	2012
Hori N, Iwasa S, Hashimoto H, Yanai T, Kato K, Hama guchi T, Yamada Y, Murakoshi K, Yokote N, Yamamoto H, <u>Shimada Y.</u>	Reasons for avoidance of bevacizumab with first-line FOLFOX for advanced colorectal cancer.	Int J Clin Oncol.		Epub ahead of print	In press

Yoshino T, Yamazaki K, Hamaguchi T, <u>Shimada Y</u> , Kato K, Yasui H, Boku N, Lechuga MJ, Hirohashi T, Shibata A, Hashigaki S, Li Y, Ohtsu A.	Phase I study of sunitinib plus modified FOLFOX6 in Japanese patients with treatment-naive colorectal cancer.	Anticancer Res.	32(3)	973-979	2012
Sugihara K, Ohtsu A, <u>Shimada Y</u> , Mizunuma N, Lee PH, de Gramont A, Goldberg RM, Rothenberg ML, Andre T, Brienza S, Gomi K.	Safety analysis of FOLFOX4 treatment in colorectal cancer patients: a comparison between two asian studies and four western studies.	Clin Colorectal Cancer.	11	127-137	2012
Watanabe T, Itabashi M, <u>Shimada Y</u> , Tanaka S, Ito Y, Ajioka Y, Hamaguchi T, Hyodo I, Igarashi M, Ishida H, Ishiguro M, Kanemitsu Y, Kokudo N, Muro K, Ochiai A, Oguchi M, Ohkura Y, Saito Y, Sakai Y, Ueno H, Yoshino T, Fuji mori T, Koinuma N, Morita T, Nishi mura G, Sakata Y, Takahashi K,	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2010 for the treatment of colorectal cancer.	Int J Clin Oncol.	17(1)	1-29	2012

Takiuchi H, Tsuruta O, Yamaguchi T, Yoshida M, Yamaguchi N, Kotake K, Sugihara K; Japanese Society for Cancer of the Colon and Rectum.					
<u>Shimada Y.</u>	Liver resection for colorectal metastases: Is there an age limit? The Japanese perspective.	Curr Colorectal Cancer Rep.	7	187-190	2011
Horita Y, Yamada Y, Kato K, Hirashima Y, Akiyoshi K, Nagashima K, Nakajima T, Hamaguchi T, <u>Shimada Y.</u>	Phase II clinical trial of second-line FOLFIRI plus bevacizumab for patients with metastatic colorectal cancer: AVASIRI trial.	Int J Clin Oncol.		Epub ahead of print	In press
Yamada Y, Yamagu chi T, Matsumoto H, Ichikawa Y, Goto A, Kato K, Hamaguchi T, <u>Shimada Y.</u> [Epub ahead of print	Phase II study of oral S-1 with irinotecan and bevacizumab (SIRB) as first-line therapy for patients with metastatic colorectal cancer.	Invest New Drugs.		Epub ahead of print	In press

Takashima A, <u>Shimada Y,</u> Hamaguchi T, Ito Y, Nakano A, Nakamura K, Shibata T, Fukuda H, Moriya Y; Colorectal Cancer Study Group of the Japan Clinical Oncology Group.	A Phase I/II trial of chemoradiotherapy concurrent with S-1 plus mitomycin C in patients with clinical Stage II/III squamous cell carcinoma of anal canal (JCOG0903: SMART-AC).	Jpn J Clin Oncol.	41(5)	713-717.	2011
Kato K, Inaba Y, Tsuji Y, Esaki T, Yoshioka A, Mizunuma N, Mizuno T, Kusaba H, Fujii H, Muro K, <u>Shimada</u> <u>Y</u> , Shirao K.	A multicenter phase-II study of 5-FU, leucovorin and oxaliplatin (FOLFOX6) in patients with pretreated metastatic colorectal cancer.	Jpn J Clin Oncol.	41(1)	63-68	2011

