

表E12(問C9) 現在の最も飲酒する場所(1つ選択)

	n	自宅	居酒屋、酒場、バー、レストランなどの飲食店	他の人の家	公園、路上、駅、電車の中などの公共の場	カラオケ店	飲食店の付属していない酒屋	その他
男性								
18-19歳	31	11 35.5%	13 41.9%	4 12.9%	0 0%	0 0%	0 0%	0 0%
20-29歳	747	351 47.0%	315 42.3%	17 2.3%	1 0.1%	0 0%	3 0.4%	1 0.1%
30-39歳	446	268 60.1%	148 33.2%	3 0.7%	1 0.2%	0 0%	0 0%	2 0.4%
40-49歳	469	295 62.9%	123 26.2%	3 0.6%	2 0.4%	0 0%	0 0%	1 0.2%
50-59歳	250	190 76.0%	40 16.0%	1 0.4%	0 0%	0 0%	0 0%	0 0%
60-69歳	215	166 77.2%	34 15.8%	0 0%	0 0%	0 0%	0 0%	0 0%
	全く飲まない							
18-19歳	3 9.7%							
20-29歳	58 7.8%							
30-39歳	24 5.4%							
40-49歳	45 9.6%							
50-59歳	19 7.6%							
60-69歳	15 7.0%							

	n	自宅	居酒屋、酒場、バー、レストランなどの飲食店	他の人の家	公園、路上、駅、電車の中などの公共の場	カラオケ店	飲食店の付属していない酒屋	その他
女性								
18-19歳	50	17 34.0%	21 42.0%	7 14.0%	0 0%	1 2.0%	0 0%	1 2.0%
20-29歳	763	337 44.2%	312 40.9%	24 3.1%	1 0.1%	2 0.3%	1 0.1%	2 0.3%
30-39歳	430	229 53.3%	141 32.8%	4 0.9%	0 0%	2 0.5%	0 0%	1 0.2%
40-49歳	437	277 63.4%	93 21.3%	4 0.9%	0 0%	0 0%	0 0%	1 0.2%
50-59歳	229	158 69.0%	40 17.5%	2 0.9%	0 0%	0 0%	0 0%	0 0%
60-69歳	176	128 72.7%	19 10.8%	3 1.7%	0 0%	1 0.6%	0 0%	2 1.1%
	全く飲まない							
18-19歳	3 6.0%							
20-29歳	84 11.0%							
30-39歳	53 12.3%							
40-49歳	62 14.2%							
50-59歳	29 12.7%							
60-69歳	23 13.1%							

表E13(問C10) 性・年齢階級別の18歳になるまでの間の父親の飲酒状況

	n	全く飲まない	少量飲酒	適度な飲酒	大量飲酒	アルコール 依存症	わからない
男性							
18-19歳	86	17 19.8%	17 19.8%	36 41.9%	11 12.8%	0 0%	5 5.8%
20-29歳	914	130 14.2%	159 17.4%	411 45.0%	131 14.3%	9 1.0%	74 8.1%
30-39歳	500	66 13.2%	89 17.8%	202 40.4%	106 21.2%	11 2.2%	26 5.2%
40-49歳	500	71 14.2%	90 18.0%	216 43.2%	93 18.6%	7 1.4%	23 4.6%
50-59歳	269	34 12.6%	65 24.2%	106 39.4%	57 21.2%	1 0.4%	6 2.2%
60-69歳	231	46 19.9%	49 21.2%	88 38.1%	31 13.4%	2 0.9%	15 6.5%
女性							
18-19歳	101	13 12.9%	18 17.8%	51 50.5%	8 7.9%	1 1.0%	10 9.9%
20-29歳	899	139 15.5%	140 15.6%	411 45.7%	154 17.1%	7 0.8%	48 5.3%
30-39歳	500	68 13.6%	94 18.8%	208 41.6%	105 21.0%	4 0.8%	21 4.2%
40-49歳	500	88 17.6%	100 20.0%	189 37.8%	90 18.0%	9 1.8%	24 4.8%
50-59歳	265	66 24.9%	51 19.2%	88 33.2%	44 16.6%	5 1.9%	11 4.2%
60-69歳	235	65 27.7%	54 23.0%	84 35.7%	22 9.4%	1 0.4%	9 3.8%

表E14(問C11) 性・年齢階級別の18歳になるまでの間の母親の飲酒状況

	n	全く飲まない	少量飲酒	適度な飲酒	大量飲酒	アルコール 依存症	わからない
男性							
18-19歳	86	34 39.5%	30 34.9%	15 17.4%	3 3.5%	1 1.2%	3 3.5%
20-29歳	914	310 33.9%	331 36.2%	192 21.0%	25 2.7%	4 0.4%	52 5.7%
30-39歳	500	209 41.8%	190 38.0%	76 15.2%	10 2.0%	0 0.0%	15 3.0%
40-49歳	500	243 48.6%	171 34.2%	56 11.2%	6 1.2%	1 0.2%	23 4.6%
50-59歳	269	166 61.7%	79 29.4%	14 5.2%	2 0.7%	0 0%	8 3.0%
60-69歳	231	166 71.9%	40 17.3%	12 5.2%	0 0%	0 0%	13 5.6%
女性							
18-19歳	101	33 32.7%	34 33.7%	24 23.8%	5 5.0%	0 0%	5 5.0%
20-29歳	899	313 34.8%	316 35.2%	210 23.4%	35 3.9%	3 0.3%	22 2.4%
30-39歳	500	211 44.2%	152 30.4%	98 19.6%	12 2.4%	1 0.2%	16 3.2%
40-49歳	500	231 46.2%	178 35.6%	63 12.6%	13 2.6%	3 0.6%	12 2.4%
50-59歳	265	148 55.8%	85 32.1%	22 8.3%	2 0.8%	0 0%	8 3.0%
60-69歳	235	140 59.6%	67 28.5%	16 6.8%	3 1.3%	0 0%	9 3.8%

表E15(問C12) 性・年齢階級別の普段の飲酒頻度

	n	全く飲まない	1ヶ月に1回以下	1ヶ月に2～4回	1週に2～3回	1週に4回以上
男性						
18-19歳	31	7 22.6%	12 38.7%	8 25.8%	4 12.9%	0 0%
20-29歳	747	95 12.7%	177 23.7%	219 29.3%	155 20.7%	101 13.5%
30-39歳	446	44 9.9%	75 16.5%	110 24.7%	85 19.1%	132 29.6%
40-49歳	469	61 13.0%	76 16.2%	65 13.9%	81 17.3%	186 39.7%
50-59歳	250	25 10.0%	18 7.2%	25 10.0%	41 16.4%	141 56.4%
60-69歳	215	23 10.7%	18 8.4%	31 14.4%	33 15.3%	110 51.2%
女性						
18-19歳	50	8 16.0%	23 46.0%	16 32.0%	2 4.0%	1 2.0%
20-29歳	763	149 19.5%	242 31.7%	190 24.9%	112 14.7%	70 9.2%
30-39歳	430	93 21.6%	117 27.2%	101 23.5%	58 13.5%	61 14.2%
40-49歳	437	84 19.2%	105 24.0%	85 19.5%	63 14.4%	100 22.9%
50-59歳	229	43 18.8%	43 18.8%	51 22.3%	36 15.7%	56 24.5%
60-69歳	176	27 15.3%	27 15.3%	36 20.5%	38 21.6%	48 27.3%

表E16(問C13) 性・年齢階級別の飲酒時1回の飲酒量(問C12で「全く飲まない」人は対象外)

	n	1～2単位以下	3～4単位	5～6単位	7～9単位	10単位以上
男性						
18-19歳	24	15 62.5%	4 16.7%	3 12.5%	1 4.2%	1 4.2%
20-29歳	652	359 55.1%	169 25.9%	68 10.4%	36 5.5%	20 3.1%
30-39歳	402	191 47.5%	135 33.6%	44 10.9%	16 4.0%	16 4.0%
40-49歳	408	189 46.3%	110 27.0%	68 16.7%	21 5.1%	20 4.9%
50-59歳	225	94 41.8%	76 33.8%	30 13.3%	16 7.1%	9 4.0%
60-69歳	192	89 46.4%	68 35.4%	20 10.4%	9 4.7%	6 3.1%
女性						
18-19歳	42	26 61.9%	11 26.2%	3 7.1%	0 0.0%	2 4.8%
20-29歳	614	405 66.0%	136 22.1%	50 8.1%	15 2.4%	8 1.3%
30-39歳	337	248 73.6%	61 18.1%	17 5.0%	8 2.4%	3 0.9%
40-49歳	353	255 72.2%	62 17.6%	20 5.7%	10 2.8%	6 1.7%
50-59歳	186	148 79.6%	29 15.6%	9 4.8%	0 0.0%	0 0.0%
60-69歳	149	124 83.2%	19 12.8%	5 3.4%	1 0.7%	0 0.0%

表E17(問C14) 性・年齢階級別の一度に6単位以上飲酒する頻度(問C12で「全く飲まない」人は対象外)

	n	ない	1ヶ月に1回 未満	1ヶ月に1回	1週に1回	毎日あるい はほとんど 毎日
男性						
18-19歳	24	16 66.7%	6 25.0%	2 8.3%	0 0%	0 0%
20-29歳	652	304 46.6%	219 33.6%	78 12.0%	37 5.7%	14 2.1%
30-39歳	402	152 37.8%	142 35.3%	60 14.9%	30 7.5%	18 4.5%
40-49歳	408	141 34.6%	130 31.9%	62 15.2%	52 12.7%	23 5.6%
50-59歳	225	73 32.4%	55 24.4%	32 14.2%	37 16.4%	28 12.4%
60-69歳	192	82 42.7%	48 25.0%	27 14.1%	17 8.9%	18 9.4%
女性						
18-19歳	42	32 76.2%	8 19.0%	1 2.4%	1 2.4%	0 0.0%
20-29歳	614	380 61.9%	177 28.8%	37 6.0%	18 2.9%	2 0.3%
30-39歳	337	225 66.8%	77 22.8%	18 5.3%	11 3.3%	6 1.8%
40-49歳	353	242 68.6%	75 21.2%	21 5.9%	11 3.1%	4 1.1%
50-59歳	186	139 74.7%	30 16.1%	8 4.3%	9 4.8%	0 0.0%
60-69歳	149	119 79.9%	22 14.8%	5 3.4%	2 1.3%	1 0.7%

表E18(問C15) 性・年齢階級別の過去1年間の飲み始めて止められなかった頻度

	n	ない	1ヶ月に1回 未満	1ヶ月に1回	1週に1回	毎日あるい はほとんど 毎日
男性						
18-19歳	31	29 93.5%	1 3.2%	0 0%	0 0%	1 3.2%
20-29歳	747	630 84.3%	52 7.0%	36 4.8%	19 2.5%	10 1.3%
30-39歳	446	342 76.7%	52 11.7%	21 4.7%	17 3.8%	14 3.1%
40-49歳	469	361 77.0%	50 10.7%	23 4.9%	18 3.8%	17 3.6%
50-59歳	250	182 72.8%	26 10.4%	13 5.2%	16 6.4%	13 5.2%
60-69歳	215	166 77.2%	21 9.8%	8 3.7%	6 2.8%	14 6.5%
女性						
18-19歳	50	48 96.0%	1 2.0%	0 0.0%	1 2.0%	0 0.0%
20-29歳	763	685 89.8%	48 6.3%	13 1.7%	14 1.8%	3 0.4%
30-39歳	430	387 90.0%	22 5.1%	7 1.6%	9 2.1%	5 1.2%
40-49歳	437	394 90.2%	25 5.7%	4 0.9%	10 2.3%	4 0.9%
50-59歳	229	207 90.4%	13 5.7%	5 2.2%	3 1.3%	1 0.4%
60-69歳	176	164 93.2%	5 2.8%	2 1.1%	5 2.8%	0 0.0%

表E19(問C16) 性・年齢階級別の普段できるが飲酒のためにできなかったことの頻度

	n	ない	1ヶ月に1回 未満	1ヶ月に1回	1週に1回	毎日ある いはほとんど 毎日
男性						
18-19歳	31	27 87.1%	3 9.7%	1 3.2%	0 0%	0 0%
20-29歳	747	576 77.1%	112 15.0%	39 5.2%	10 1.3%	10 1.3%
30-39歳	446	319 71.5%	86 19.3%	19 4.3%	15 3.4%	7 1.6%
40-49歳	469	334 71.2%	88 18.8%	28 6.0%	10 2.1%	9 1.9%
50-59歳	250	174 69.6%	44 17.6%	16 6.4%	12 4.8%	4 1.6%
60-69歳	215	164 76.3%	28 13.0%	12 5.6%	8 3.7%	3 1.4%
女性						
18-19歳	50	47 94.0%	1 2.0%	2 4.0%	0 0.0%	0 0.0%
20-29歳	763	646 84.7%	99 13.0%	11 1.4%	6 0.8%	1 0.1%
30-39歳	430	373 86.7%	48 11.2%	4 0.9%	3 0.7%	2 0.5%
40-49歳	437	388 88.8%	35 8.0%	10 2.3%	4 0.9%	0 0.0%
50-59歳	229	205 89.5%	17 7.4%	5 2.2%	2 0.9%	0 0.0%
60-69歳	176	163 92.6%	10 5.7%	0 0.0%	3 1.7%	0 0.0%

表E20(問C17) 性・年齢階級別深酒の後で体調を整えるために、翌朝飲酒(迎え酒)の頻度

	n	ない	1ヶ月に1回 未満	1ヶ月に1回	1週に1回	毎日ある いはほとんど 毎日
男性						
18-19歳	31	31 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20-29歳	747	663 88.8%	54 7.2%	23 3.1%	7 0.9%	0 0%
30-39歳	446	393 88.1%	35 7.8%	9 2.0%	6 1.3%	3 0.7%
40-49歳	469	413 88.1%	39 8.3%	8 1.7%	6 1.3%	3 0.6%
50-59歳	250	218 87.2%	20 8.0%	8 3.2%	2 0.8%	2 0.8%
60-69歳	215	194 90.2%	13 6.0%	6 2.8%	1 0.5%	1 0.5%
女性						
18-19歳	50	49 98.0%	0 0.0%	1 2.0%	0 0.0%	0 0.0%
20-29歳	763	726 95.2%	30 3.9%	6 0.8%	1 0.1%	0 0.0%
30-39歳	430	406 94.4%	15 3.5%	4 0.9%	2 0.5%	3 0.7%
40-49歳	437	418 95.7%	14 3.2%	4 0.9%	0 0.0%	1 0.2%
50-59歳	229	220 96.1%	8 3.5%	1 0.4%	0 0.0%	0 0.0%
60-69歳	176	169 96.0%	4 2.3%	0 0.0%	3 1.7%	0 0.0%

表E21(問C18) 性・年齢階級別の飲酒後の罪悪感や自責の念の頻度

	n	ない	1ヶ月に1回 未満	1ヶ月に1回	1週に1回	毎日あるい はほとんど 毎日
男性						
18-19歳	31	30 96.8%	1 3.2%	0 0%	0 0%	0 0%
20-29歳	747	585 78.3%	120 16.1%	30 4.0%	11 1.5%	1 0.1%
30-39歳	446	322 72.2%	89 20.0%	19 4.3%	12 2.7%	4 0.9%
40-49歳	469	359 76.5%	83 17.7%	17 3.6%	6 1.3%	4 0.9%
50-59歳	250	192 76.8%	45 18.0%	10 4.0%	3 1.2%	0 0%
60-69歳	215	186 86.5%	21 9.8%	4 1.9%	2 0.9%	2 0.9%
女性						
18-19歳	50	43 86.0%	6 12.0%	0 0.0%	1 2.0%	0 0.0%
20-29歳	763	641 84.0%	96 12.6%	19 2.5%	6 0.8%	1 0.1%
30-39歳	430	372 86.5%	46 10.7%	10 2.3%	0 0.0%	2 0.5%
40-49歳	437	385 88.1%	45 10.3%	6 1.4%	0 0.0%	1 0.2%
50-59歳	229	207 90.4%	20 8.7%	1 0.4%	1 0.4%	0 0.0%
60-69歳	176	160 90.9%	12 6.8%	0 0.0%	4 2.3%	0 0.0%

表E22(問C19) 性・年齢階級別の飲酒のために前夜の出来事が思い出せない頻度

	n	ない	1ヶ月に1回 未満	1ヶ月に1回	1週に1回	毎日あるい はほとんど 毎日
男性						
18-19歳	31	30 96.8%	1 3.2%	0 0%	0 0%	0 0%
20-29歳	747	609 81.5%	99 13.3%	33 4.4%	6 0.8%	0 0%
30-39歳	446	335 74.6%	83 17.7%	22 4.7%	11 2.3%	3 0.6%
40-49歳	469	350 74.6%	83 17.7%	22 4.7%	11 2.3%	3 0.6%
50-59歳	250	160 64.0%	67 26.8%	19 7.6%	4 1.6%	0 0%
60-69歳	215	158 73.5%	36 16.7%	13 6.0%	4 1.9%	4 1.9%
女性						
18-19歳	50	46 92.0%	3 6.0%	1 2.0%	0 0.0%	0 0.0%
20-29歳	763	671 87.9%	73 9.6%	15 2.0%	3 0.4%	1 0.1%
30-39歳	430	385 89.5%	34 7.9%	8 1.9%	2 0.5%	1 0.2%
40-49歳	437	391 89.5%	38 8.7%	6 1.4%	2 0.5%	0 0.0%
50-59歳	229	205 89.5%	20 8.7%	2 0.9%	1 0.4%	1 0.4%
60-69歳	176	159 90.3%	14 8.0%	1 0.6%	2 1.1%	0 0.0%

表E23(問C20) 性・年齢階級別の飲酒のために怪我をした頻度(自分および他者)

	n	ない	あるが、過去1年間にはない	過去1年間にある
男性				
18-19歳	31	31 100%	0 0%	0 0%
20-29歳	747	691 92.5%	40 5.4%	16 2.1%
30-39歳	446	387 86.8%	52 11.7%	7 1.6%
40-49歳	469	409 87.2%	49 10.4%	11 2.3%
50-59歳	250	205 82.0%	39 15.6%	6 2.4%
60-69歳	215	181 84.2%	31 14.4%	3 1.4%
女性				
18-19歳	50	49 98.0%	0 0.0%	1 2.0%
20-29歳	763	722 94.6%	26 3.4%	15 2.0%
30-39歳	430	412 95.8%	17 4.0%	1 0.2%
40-49歳	437	409 93.6%	22 5.0%	6 1.4%
50-59歳	229	220 96.1%	8 3.5%	1 0.4%
60-69歳	176	167 94.9%	8 4.5%	1 0.6%

表E24(問C21) 性・年齢階級別の他者に飲酒について心配されたり、飲酒量を減らすように言われたこと

	n	ない	あるが、過去1年間にはない	過去1年間にある
男性				
18-19歳	31	29 93.5%	0 0.0%	2 6.5%
20-29歳	747	680 91.0%	42 5.6%	25 3.3%
30-39歳	446	377 84.5%	47 10.5%	22 4.9%
40-49歳	469	371 79.1%	56 11.9%	42 9.0%
50-59歳	250	181 72.4%	40 16.0%	29 11.6%
60-69歳	215	158 73.5%	37 17.2%	20 9.3%
女性				
18-19歳	50	46 92.0%	1 2.0%	3 6.0%
20-29歳	763	720 94.4%	28 3.7%	15 2.0%
30-39歳	430	400 93.0%	22 5.1%	8 1.9%
40-49歳	437	405 92.7%	24 5.5%	8 1.8%
50-59歳	229	215 93.9%	6 2.6%	8 3.5%
60-69歳	176	168 95.5%	4 2.3%	4 2.3%

表E25(問C22) 性・年齢階級別の飲酒が健康(肝臓障害)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	65 75.6%	14 16.3%	1 1.2%	6 7.0%
20-29歳	914	693 75.8%	110 12.0%	26 2.8%	85 9.3%
30-39歳	500	409 81.8%	46 9.2%	14 2.8%	31 6.2%
40-49歳	500	405 81.0%	62 12.4%	14 2.8%	19 3.8%
50-59歳	269	224 83.3%	34 12.6%	5 1.9%	6 2.2%
60-69歳	231	193 83.5%	23 10.0%	6 2.6%	9 3.9%
女性					
18-19歳	101	87 86.1%	5 5.0%	0 0.0%	9 8.9%
20-29歳	899	768 85.4%	72 8.0%	14 1.6%	45 5.0%
30-39歳	500	429 85.8%	34 6.8%	9 1.8%	28 5.6%
40-49歳	500	417 83.4%	55 11.0%	6 1.2%	22 4.4%
50-59歳	265	225 84.9%	31 11.7%	4 1.5%	5 1.9%
60-69歳	235	182 77.4%	33 14.0%	7 3.0%	13 5.5%

表E26(問C22) 性・年齢階級別の飲酒が健康(高血圧)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	42 48.8%	32 37.2%	3 3.5%	9 10.5%
20-29歳	914	366 40.0%	366 40.0%	90 9.8%	92 10.1%
30-39歳	500	191 38.2%	210 42.0%	60 12.0%	39 7.8%
40-49歳	500	169 33.8%	256 51.2%	48 9.6%	27 5.4%
50-59歳	269	84 31.2%	138 51.3%	35 13.0%	12 4.5%
60-69歳	231	89 38.5%	102 44.2%	28 12.1%	12 5.2%
女性					
18-19歳	101	52 51.5%	38 37.6%	5 5.0%	6 5.9%
20-29歳	899	400 44.5%	367 40.8%	75 8.3%	57 6.3%
30-39歳	500	181 36.2%	228 45.6%	39 7.8%	52 10.4%
40-49歳	500	174 34.8%	251 50.2%	37 7.4%	38 7.6%
50-59歳	265	108 40.8%	116 43.8%	29 10.9%	12 4.5%
60-69歳	235	86 36.6%	100 42.6%	30 12.8%	19 8.1%

表E27(問C22) 性・年齢階級別の飲酒が健康(高脂血症)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	21 24.4%	30 34.9%	15 17.4%	20 23.3%
20-29歳	914	262 28.7%	372 40.7%	122 13.3%	158 17.3%
30-39歳	500	184 36.8%	189 37.8%	78 15.6%	49 9.8%
40-49歳	500	164 32.8%	236 47.2%	62 12.4%	38 7.6%
50-59歳	269	84 31.2%	126 46.8%	41 15.2%	18 6.7%
60-69歳	231	74 32.0%	111 48.1%	30 13.0%	16 6.9%
女性					
18-19歳	101	35 34.7%	40 39.6%	12 11.9%	14 13.9%
20-29歳	899	317 35.3%	362 40.3%	97 10.8%	123 13.7%
30-39歳	500	162 32.4%	222 44.4%	47 9.4%	69 13.8%
40-49歳	500	172 34.4%	235 47.0%	37 7.4%	56 11.2%
50-59歳	265	85 32.1%	126 47.5%	35 13.2%	19 7.2%
60-69歳	235	72 30.6%	106 45.1%	31 13.2%	26 11.1%

表E28(問C22) 性・年齢階級別の飲酒が健康(膵炎)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	15 17.4%	31 36.0%	7 8.1%	33 38.4%
20-29歳	914	215 23.5%	343 37.5%	99 10.8%	257 28.1%
30-39歳	500	131 26.2%	201 40.2%	61 12.2%	107 21.4%
40-49歳	500	118 23.6%	241 48.2%	48 9.6%	93 18.6%
50-59歳	269	67 24.9%	129 48.0%	32 11.9%	41 15.2%
60-69歳	231	59 25.5%	99 42.9%	35 15.2%	38 16.5%
女性					
18-19歳	101	26 25.7%	35 34.7%	5 5.0%	35 34.7%
20-29歳	899	254 28.3%	306 34.0%	77 8.6%	262 29.1%
30-39歳	500	134 26.8%	204 40.8%	46 9.2%	116 23.2%
40-49歳	500	153 30.6%	212 42.4%	38 7.6%	97 19.4%
50-59歳	265	90 34.0%	107 40.4%	25 9.4%	43 16.2%
60-69歳	235	72 30.6%	89 37.9%	28 11.9%	46 19.6%

表E29(問C22) 性・年齢階級別の飲酒が健康(脳卒中)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	29 33.7%	30 34.9%	14 16.3%	13 15.1%
20-29歳	914	303 33.2%	380 41.6%	115 12.6%	116 12.7%
30-39歳	500	163 32.6%	213 42.6%	72 14.4%	52 10.4%
40-49歳	500	148 29.6%	254 50.8%	62 12.4%	36 7.2%
50-59歳	269	81 30.1%	138 51.3%	32 11.9%	18 6.7%
60-69歳	231	98 42.4%	89 38.5%	27 11.7%	17 7.4%
女性					
18-19歳	101	45 44.6%	41 40.6%	8 7.9%	7 6.9%
20-29歳	899	314 34.9%	418 46.5%	93 10.3%	74 8.2%
30-39歳	500	158 31.6%	234 46.8%	49 9.8%	59 11.8%
40-49歳	500	160 32.0%	258 51.6%	32 6.4%	50 10.0%
50-59歳	265	118 44.5%	107 40.4%	24 9.1%	16 6.0%
60-69歳	235	99 42.1%	98 41.7%	20 8.5%	18 7.7%

表E30(問C22) 性・年齢階級別の飲酒が健康(食道がん)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	21 24.4%	39 45.3%	16 18.6%	10 11.6%
20-29歳	914	212 23.2%	374 40.9%	201 22.0%	127 13.9%
30-39歳	500	119 23.8%	217 43.4%	113 22.6%	51 10.2%
40-49歳	500	95 19.0%	257 51.4%	105 21.0%	43 8.6%
50-59歳	269	48 17.8%	136 50.6%	67 24.9%	18 6.7%
60-69歳	231	44 19.0%	104 45.0%	60 26.0%	23 10.0%
女性					
18-19歳	101	31 30.7%	43 42.6%	19 18.8%	8 7.9%
20-29歳	899	192 21.4%	430 47.8%	185 20.6%	92 10.2%
30-39歳	500	108 21.6%	236 47.2%	99 19.8%	57 11.4%
40-49歳	500	114 22.8%	248 49.6%	87 17.4%	51 10.2%
50-59歳	265	62 23.4%	130 49.1%	54 20.4%	19 7.2%
60-69歳	235	59 25.1%	108 46.0%	49 20.9%	19 8.1%

表E31(問C22) 性・年齢階級別の飲酒が健康(うつ病)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	7 8.1%	31 36.0%	38 44.2%	10 11.6%
20-29歳	914	103 11.3%	344 37.6%	349 38.2%	118 12.9%
30-39歳	500	78 15.6%	185 37.0%	182 36.4%	55 11.0%
40-49歳	500	38 7.6%	233 46.6%	191 38.2%	38 7.6%
50-59歳	269	23 8.6%	116 43.1%	109 40.5%	21 7.8%
60-69歳	231	15 6.5%	82 35.5%	108 46.8%	26 11.3%
女性					
18-19歳	101	8 7.9%	38 37.6%	47 46.5%	8 7.9%
20-29歳	899	132 14.7%	380 42.3%	301 33.5%	86 9.6%
30-39歳	500	69 13.8%	232 46.4%	143 28.6%	56 11.2%
40-49歳	500	70 14.0%	238 47.6%	141 28.2%	51 10.2%
50-59歳	265	27 10.2%	124 46.8%	89 33.6%	25 9.4%
60-69歳	235	21 8.9%	90 38.3%	93 39.6%	31 13.2%

表E32(問C22) 性・年齢階級別の飲酒が健康(妊婦への悪影響)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	62 72.1%	15 17.4%	3 3.5%	6 7.0%
20-29歳	914	614 67.2%	187 20.5%	37 4.0%	76 8.3%
30-39歳	500	348 69.6%	98 19.6%	27 5.4%	27 5.4%
40-49歳	500	319 63.8%	133 26.6%	28 5.6%	20 4.0%
50-59歳	269	172 63.9%	63 23.4%	18 6.7%	16 5.9%
60-69歳	231	155 67.1%	50 21.6%	7 3.0%	19 8.2%
女性					
18-19歳	101	88 87.1%	11 10.9%	0 0.0%	2 2.0%
20-29歳	899	764 85.0%	87 9.7%	16 1.8%	32 3.6%
30-39歳	500	406 81.2%	69 13.8%	9 1.8%	16 3.2%
40-49歳	500	377 75.4%	86 17.2%	11 2.2%	26 5.2%
50-59歳	265	200 75.5%	47 17.7%	7 2.6%	11 4.2%
60-69歳	235	164 69.8%	50 21.3%	1 0.4%	20 8.5%

表E33(問C22) 性・年齢階級別の飲酒が健康(未成年)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	61 70.9%	18 20.9%	1 1.2%	6 7.0%
20-29歳	914	625 68.4%	180 19.7%	40 4.4%	69 7.5%
30-39歳	500	348 69.6%	99 19.8%	27 5.4%	26 5.2%
40-49歳	500	340 68.0%	115 23.0%	25 5.0%	20 4.0%
50-59歳	269	195 72.5%	55 20.4%	13 4.8%	6 2.2%
60-69歳	231	170 73.6%	44 19.0%	7 3.0%	10 4.3%
女性					
18-19歳	101	92 91.1%	5 5.0%	2 2.0%	2 2.0%
20-29歳	899	777 86.4%	82 9.1%	13 1.4%	27 3.0%
30-39歳	500	409 81.8%	64 12.8%	7 1.4%	20 4.0%
40-49歳	500	406 81.2%	66 13.2%	6 1.2%	22 4.4%
50-59歳	265	223 84.2%	27 10.2%	5 1.9%	10 3.8%
60-69歳	235	189 80.4%	31 13.2%	2 0.9%	13 5.5%

表E34(問C22) 性・年齢階級別の飲酒が健康(交通事故)に与える影響

	n	飲酒と関係が強い	どちらともいえない	飲酒と関係がない	わからない(病気を知らない)
男性					
18-19歳	86	62 72.1%	19 22.1%	1 1.2%	4 4.7%
20-29歳	914	657 71.9%	168 18.4%	33 3.6%	56 6.1%
30-39歳	500	380 76.0%	78 15.6%	23 4.6%	19 3.8%
40-49歳	500	370 74.0%	102 20.4%	16 3.2%	12 2.4%
50-59歳	269	209 77.0%	42 15.6%	15 5.6%	3 1.1%
60-69歳	231	193 83.5%	25 10.8%	6 2.6%	7 3.0%
女性					
18-19歳	101	86 85.1%	13 12.9%	0 0.0%	2 2.0%
20-29歳	899	722 80.3%	138 15.4%	16 1.8%	23 2.6%
30-39歳	500	387 77.4%	85 17.0%	16 3.2%	12 2.4%
40-49歳	500	369 73.8%	107 21.4%	7 1.4%	17 3.4%
50-59歳	265	215 81.1%	40 15.1%	4 1.5%	6 2.3%
60-69歳	235	187 79.6%	35 14.9%	4 1.7%	9 3.8%

表E35(問C23)性・年齢階級別の未成年の飲酒をどう思うか

	n	全く飲酒すべ きではない	少しなら飲 酒してもよ	普通に飲酒 して構わな	わからない
男性					
18-19歳	86	41 47.7%	32 37.2%	5 5.8%	8 9.3%
20-29歳	914	566 61.9%	271 29.6%	33 3.6%	44 4.8%
30-39歳	500	315 63.0%	153 30.6%	13 2.6%	19 3.8%
40-49歳	500	302 60.4%	178 35.6%	8 1.6%	12 2.4%
50-59歳	269	169 62.8%	85 31.6%	3 1.1%	12 4.5%
60-69歳	231	182 78.8%	39 16.9%	6 2.6%	4 1.7%
女性					
18-19歳	101	45 44.6%	49 48.5%	2 2.0%	5 5.0%
20-29歳	899	608 67.6%	245 27.3%	11 1.2%	35 3.9%
30-39歳	500	360 72.0%	110 22.0%	2 0.4%	28 5.6%
40-49歳	500	410 82.0%	77 15.4%	2 0.4%	11 2.2%
50-59歳	265	213 80.4%	46 17.4%	1 0.4%	5 1.9%
60-69歳	235	210 89.4%	19 8.1%	1 0.4%	5 2.1%

表E36(問C23)性・年齢階級別の妊婦の飲酒をどう思うか

	n	全く飲酒すべ きではない	少しなら飲 酒してもよ	普通に飲酒 して構わな	わからない
男性					
18-19歳	86	66 76.7%	12 14.0%	1 1.2%	7 8.1%
20-29歳	914	680 74.4%	172 18.8%	18 2.0%	44 4.8%
30-39歳	500	379 75.8%	101 20.2%	3 0.6%	17 3.4%
40-49歳	500	373 74.6%	113 22.6%	2 0.4%	12 2.4%
50-59歳	269	197 73.2%	63 23.4%	2 0.7%	7 2.6%
60-69歳	231	189 81.8%	36 15.6%	2 0.9%	4 1.7%
女性					
18-19歳	101	80 79.2%	18 17.8%	0 0.0%	3 3.0%
20-29歳	899	750 83.4%	127 14.1%	5 0.6%	17 1.9%
30-39歳	500	396 79.2%	93 18.6%	2 0.4%	9 1.8%
40-49歳	500	381 76.2%	109 21.8%	2 0.4%	8 1.6%
50-59歳	265	215 81.1%	45 17.0%	1 0.4%	4 1.5%
60-69歳	235	204 86.8%	24 10.2%	1 0.4%	6 2.6%

表E37(問C23)性・年齢階級別の授乳中の女性の飲酒をどう思うか

	n	全く飲酒すべ きではない	少しなら飲 酒してもよ	普通に飲酒 して構わな	わからない
男性					
18-19歳	86	70 81.4%	6 7.0%	1 1.2%	9 10.5%
20-29歳	914	688 75.3%	155 17.0%	22 2.4%	49 5.4%
30-39歳	500	392 78.4%	79 15.8%	6 1.2%	23 4.6%
40-49歳	500	383 76.6%	98 19.6%	2 0.4%	17 3.4%
50-59歳	269	211 78.4%	48 17.8%	1 0.4%	9 3.3%
60-69歳	231	193 83.5%	30 13.0%	3 1.3%	5 2.2%
女性					
18-19歳	101	85 84.2%	11 10.9%	0 0.0%	5 5.0%
20-29歳	899	755 84.0%	113 12.6%	7 0.8%	24 2.7%
30-39歳	500	395 79.0%	93 18.6%	2 0.4%	10 2.0%
40-49歳	500	428 85.6%	61 12.2%	3 0.6%	8 1.6%
50-59歳	265	233 87.9%	26 9.8%	1 0.4%	5 1.9%
60-69歳	235	203 86.4%	22 9.4%	1 0.4%	9 3.8%

表E38(問C23)性・年齢階級別の薬を内服している人の飲酒をどう思うか

	n	全く飲酒すべ きではない	少しなら飲 酒してもよ	普通に飲酒 して構わな	わからない
男性					
18-19歳	86	51 59.3%	19 22.1%	2 2.3%	14 16.3%
20-29歳	914	583 63.8%	232 25.4%	31 3.4%	68 7.4%
30-39歳	500	309 61.8%	138 27.6%	22 4.4%	31 6.2%
40-49歳	500	277 55.4%	172 34.4%	17 3.4%	34 6.8%
50-59歳	269	149 55.4%	94 34.9%	13 4.8%	13 4.8%
60-69歳	231	124 53.7%	90 39.0%	10 4.3%	7 3.0%
女性					
18-19歳	101	54 53.5%	32 31.7%	1 1.0%	14 13.9%
20-29歳	899	534 59.4%	279 31.0%	16 1.8%	70 7.8%
30-39歳	500	296 59.2%	165 33.0%	4 0.8%	35 7.0%
40-49歳	500	311 62.2%	149 29.8%	3 0.6%	37 7.4%
50-59歳	265	148 55.8%	94 35.5%	3 1.1%	20 7.5%
60-69歳	235	140 59.6%	67 28.5%	7 3.0%	21 8.9%

表E39(問C23)性・年齢階級別の風呂に入る前の人の飲酒をどう思うか

	n	全く飲酒す きではない	少しなら飲 酒してもよ	普通に飲酒 して構わな	わからない
男性					
18-19歳	86	43 50.0%	23 26.7%	7 8.1%	13 15.1%
20-29歳	914	427 46.7%	363 39.7%	68 7.4%	56 6.1%
30-39歳	500	232 46.4%	215 43.0%	36 7.2%	17 3.4%
40-49歳	500	229 45.7%	219 43.8%	30 6.0%	22 4.4%
50-59歳	269	123 45.7%	118 43.9%	19 7.1%	9 3.3%
60-69歳	231	112 48.5%	96 41.6%	19 8.2%	4 1.7%
女性					
18-19歳	101	55 54.5%	36 35.6%	3 3.0%	7 6.9%
20-29歳	899	500 55.6%	337 37.5%	23 2.6%	39 4.3%
30-39歳	500	282 56.4%	177 35.4%	17 3.4%	24 4.8%
40-49歳	500	295 59.0%	171 34.2%	15 3.0%	19 3.8%
50-59歳	265	179 67.5%	74 27.9%	4 1.5%	8 3.0%
60-69歳	235	169 71.9%	51 21.7%	7 3.0%	8 3.4%

表E40(問C23)性・年齢階級別の運動する前または運動中の人の飲酒をどう思うか

	n	全く飲酒す きではない	少しなら飲 酒してもよ	普通に飲酒 して構わな	わからない
男性					
18-19歳	86	62 72.1%	15 17.4%	3 3.5%	6 7.0%
20-29歳	914	659 72.1%	174 19.0%	34 3.7%	47 5.1%
30-39歳	500	366 73.2%	108 21.6%	12 2.4%	14 2.8%
40-49歳	500	373 74.6%	109 21.8%	5 1.0%	13 2.6%
50-59歳	269	208 77.3%	51 19.0%	5 1.9%	5 1.9%
60-69歳	231	184 79.4%	37 16.0%	6 2.6%	4 1.7%
女性					
18-19歳	101	82 81.2%	10 9.9%	1 1.0%	6 7.9%
20-29歳	899	760 84.5%	102 11.3%	7 0.8%	30 3.3%
30-39歳	500	416 83.2%	67 13.4%	2 0.4%	15 3.0%
40-49歳	500	433 86.6%	52 10.4%	4 0.8%	11 2.2%
50-59歳	265	238 89.8%	20 7.5%	2 0.8%	5 1.9%
60-69歳	235	210 89.4%	18 7.7%	3 1.3%	4 1.7%

表E41(問C23)性・年齢階級別の車を運転する前または運転中の人の飲酒をどう思うか

	n	全く飲酒すべきではない	少しなら飲酒してもよ	普通に飲酒して構わな	わからない
男性					
18-19歳	86	78 90.7%	2 2.3%	1 1.2%	5 5.8%
20-29歳	914	843 92.2%	29 3.2%	15 1.6%	27 3.0%
30-39歳	500	477 95.4%	14 2.8%	3 0.6%	6 1.2%
40-49歳	500	485 97.0%	12 2.4%	2 0.4%	1 0.2%
50-59歳	269	262 97.4%	2 0.7%	2 0.7%	3 1.1%
60-69歳	231	221 95.7%	4 1.7%	4 1.7%	2 0.9%
女性					
18-19歳	101	98 97.0%	1 1.0%	0 0.0%	2 2.0%
20-29歳	899	881 98.0%	4 0.4%	4 0.4%	10 1.1%
30-39歳	500	492 98.4%	3 0.6%	2 0.4%	3 0.6%
40-49歳	500	491 98.2%	4 0.8%	2 0.4%	3 0.6%
50-59歳	265	261 98.5%	1 0.4%	1 0.4%	2 0.8%
60-69歳	235	226 96.2%	3 1.3%	2 0.9%	4 1.7%

表E42(問C23)性・年齢階級別の仕事前または仕事中の人の飲酒をどう思うか

	n	全く飲酒すべきではない	少しなら飲酒してもよ	普通に飲酒して構わな	わからない
男性					
18-19歳	86	62 72.1%	15 17.4%	1 1.2%	8 9.3%
20-29歳	914	708 77.5%	138 15.1%	22 2.4%	46 5.0%
30-39歳	500	415 83.0%	62 12.4%	8 1.6%	15 3.0%
40-49歳	500	438 87.6%	47 9.4%	6 1.2%	9 1.8%
50-59歳	269	239 88.8%	24 8.9%	2 0.7%	4 1.5%
60-69歳	231	204 88.3%	19 8.2%	6 2.6%	2 0.9%
女性					
18-19歳	101	85 84.2%	11 10.9%	0 0.0%	5 5.0%
20-29歳	899	778 86.5%	88 9.8%	7 0.8%	26 2.9%
30-39歳	500	439 87.8%	45 9.0%	2 0.4%	14 2.8%
40-49歳	500	453 90.6%	27 5.4%	3 0.6%	17 3.4%
50-59歳	265	254 95.8%	8 3.0%	1 0.4%	2 0.8%
60-69歳	235	222 94.5%	6 2.6%	2 0.9%	5 2.1%

表E43(問C12-21)性・年齢階級別AUDIT得点(問C1で飲んだことがあると回答した人のみ対象)

	n	8点以上	10点以上	12点以上	13点以上	15点以上	16点以上	20点以上
男性全体	2158	510 23.6%	510 23.6%	383 17.7%	326 15.1%	245 11.4%	208 9.6%	108 5.0%
18-19歳	31	2 6.5%	2 6.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20-29歳	747	112 15.0%	112 15.0%	80 10.7%	68 9.1%	47 6.3%	43 5.8%	25 3.3%
30-39歳	446	112 25.1%	112 25.1%	79 17.7%	64 14.3%	47 10.5%	39 8.7%	18 4.0%
40-49歳	469	125 26.7%	125 26.7%	99 21.1%	87 18.6%	72 15.4%	61 13.0%	31 6.6%
50-59歳	250	94 37.6%	94 37.6%	75 30.0%	68 27.2%	45 18.0%	38 15.2%	19 7.6%
60-69歳	215	65 30.2%	65 30.2%	50 23.3%	39 18.1%	34 15.8%	27 12.6%	15 7.0%
女性全体	1983	155 7.4%	155 7.4%	102 4.9%	83 4.0%	63 3.0%	54 2.6%	28 1.3%
18-19歳	50	1 2.0%	1 2.0%	1 2.0%	1 2.0%	1 2.0%	1 2.0%	1 2.0%
20-29歳	763	55 7.2%	55 7.2%	35 4.6%	31 4.1%	22 2.9%	19 2.5%	10 1.3%
30-39歳	430	34 7.9%	34 7.9%	19 4.4%	18 4.2%	15 3.5%	12 2.8%	6 1.4%
40-49歳	437	40 9.2%	40 9.2%	26 5.9%	18 4.1%	13 3.0%	11 2.5%	5 1.1%
50-59歳	229	15 6.6%	15 6.6%	12 5.2%	10 4.4%	7 3.1%	7 3.1%	3 1.7%
60-69歳	176	10 5.7%	10 5.7%	9 5.1%	5 2.8%	5 2.8%	4 2.6%	3 1.3%

F 生活や健康に関する質問項目の性・年齢階級別表

表F1(問B1)性・年齢階級別の喫煙経験(今まで100本以上の喫煙)の有無

	n	100本以上 喫煙したこ とがある	ない
男性			
18-19歳	86	2 2.3%	84 97.7%
20-29歳	914	263 28.8%	651 71.2%
30-39歳	500	255 51.0%	245 49.0%
40-49歳	500	319 63.8%	181 36.2%
50-59歳	269	195 72.5%	74 27.5%
60-69歳	231	159 68.8%	72 31.2%
女性			
18-19歳	101	2 2.0%	99 98.0%
20-29歳	899	174 19.4%	725 80.6%
30-39歳	500	137 27.4%	363 72.6%
40-49歳	500	152 30.4%	348 69.6%
50-59歳	265	81 30.6%	184 69.4%
60-69歳	235	48 20.4%	187 79.6%

表F2(問B2)性・年齢階級別の喫煙開始年齢(100本以上の喫煙経験者のうち)

	n	14歳以下	15-17歳	18-19歳	20歳	21-29歳	30歳以上	不明
男性								
18-19歳	2	0 0.0%	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20-29歳	263	20 7.6%	35 13.3%	40 15.2%	115 43.7%	36 13.7%	0 0.0%	17 6.5%
30-39歳	255	10 3.9%	45 17.6%	53 20.8%	110 43.1%	33 12.9%	0 0.0%	4 1.6%
40-49歳	319	12 3.8%	45 14.1%	73 22.9%	141 44.2%	38 11.9%	3 0.9%	7 2.2%
50-59歳	195	2 1.0%	22 11.3%	63 32.3%	86 44.1%	15 7.7%	2 1.0%	5 2.6%
60-69歳	159	0 0%	9 5.7%	51 32.1%	70 44.0%	24 15.1%	2 1.3%	3 1.9%
女性								
18-19歳	2	0 0.0%	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20-29歳	174	9 5.2%	40 23.0%	41 23.6%	47 27.0%	28 16.1%	0 0.0%	9 5.2%
30-39歳	137	2 1.5%	22 16.1%	37 27.0%	47 34.3%	21 15.3%	0 0.0%	8 5.8%
40-49歳	152	4 2.6%	20 13.2%	29 19.1%	59 38.8%	29 19.1%	6 3.9%	5 3.3%
50-59歳	81	0 0%	10 12.3%	18 22.2%	31 38.3%	12 14.8%	8 9.9%	2 2.5%
60-69歳	48	1 2.1%	1 2.1%	6 12.5%	12 25.0%	14 29.2%	10 20.8%	4 8.3%

表F3(問B4)性・年齢階級別の1日当たりの平均喫煙本数(100本以上の喫煙経験者のうち)

	n	10本未満	10～19本	20～29本	30～39本	40～49本	50本以上	不明
男性								
18-19歳	2	0 0%	1 50.0%	0 0%	0 0%	0 0%	0 0%	1 50.0%
20-29歳	263	68 25.9%	116 44.1%	57 21.7%	10 3.8%	3 1.1%	3 1.1%	6 2.3%
30-39歳	255	45 17.6%	99 38.8%	83 32.5%	17 6.7%	7 2.7%	1 0.4%	3 1.2%
40-49歳	319	37 11.6%	75 23.5%	141 44.2%	38 11.9%	17 5.3%	9 2.8%	2 0.6%
50-59歳	195	11 5.6%	42 21.5%	81 41.5%	28 14.4%	21 10.8%	9 4.7%	3 1.5%
60-69歳	159	12 7.5%	44 27.7%	46 28.9%	33 20.8%	15 9.4%	7 4.4%	2 1.3%
女性								
18-19歳	2	0 0%	2 100%	0 0%	0 0%	0 0%	0 0%	0 0%
20-29歳	174	67 38.5%	56 32.2%	42 24.1%	4 2.3%	0 0.0%	1 0.6%	4 2.3%
30-39歳	137	33 24.1%	46 33.6%	42 30.7%	9 6.6%	2 1.5%	0 0.0%	5 3.6%
40-49歳	152	25 16.4%	72 47.4%	39 25.7%	7 4.6%	4 2.6%	1 0.7%	4 2.6%
50-59歳	81	11 13.6%	37 45.7%	26 32.1%	4 4.9%	1 1.2%	1 1.2%	1 1.2%
60-69歳	48	11 22.9%	19 39.6%	13 27.1%	0 0.0%	2 4.2%	1 2.1%	2 4.2%