

Nagasawa H, Yokota C, <u>Toyoda K</u> , Ito A, Minematsu K	High Level of Plasma Adiponectin in Acute Stroke Patients is Associated with Stroke Mortality.	J Neurol Sci,	304	102-106	2011
Nezu T, <u>Koga M</u> , <u>Nakagawara J</u> , <u>Shiokawa Y</u> , <u>Yamagami H</u> , <u>Furui E</u> , <u>Kimura K</u> , <u>Hasegawa Y</u> , <u>Okada Y</u> , <u>Okuda S</u> , <u>Kario K</u> , Naganuma M, Maeda K, Minematsu K, <u>Toyoda K</u>	Early ischemic change on CT versus DWI for stroke patients receiving intravenous rt-PA therapy: SAMURAI rt-PA Registry.	Stroke	42	2196-2200	2011
Tomii Y, Matsuoka H, Torii T, Uehara T, <u>Toyoda K</u> , Minematsu K	A new ultrasound method for evaluating dysphagia in acute stroke patients.	Int J Stroke.	6(3)	279-80	2011
Tomii Y, <u>Toyoda K</u> , Nakashima T, Nezu T, <u>Koga M</u> , Yokota C, Nagatsuka K, Minematsu K	Effects of hyperacute blood pressure and heart rate on stroke outcomes after intravenous tissue plasminogen activator.	J Hypertens	29	1980-7	2011
Tomii Y, Toyoda K, Suzuki R, Naganuma M, Fujinami J, Yokota C, Minematsu K	Effects of 24-hour blood pressure and heart rate recorded with abpm on recovery from acute ischemic stroke.	Stroke	42	3511-7	2011
Nezu T, <u>Arihiro S</u> , <u>Toyoda K</u> , Minematsu K.	Small-vessel disease in the basal ganglia: lacune or microbleed?	J Stroke Cerebrovasc Dis		Epub ahead of print	2011
<u>Toyoda K</u>	The cerebro-renal interaction in stroke neurology. (Editorial)	Neurology s		in press	2012
Uchiyama S, Ibayashi S, Matsumoto M, Nagao T, Nagata K, <u>Nakagawara J</u> , Tanahashi N, Tanaka K, <u>Toyoda K</u> , Yasaka M	Dabigatran and factor Xa inhibitors for stroke prevention in patients with nonvalvular atrial fibrillation.	J Stroke Cerebrovasc Dis	21	165-173	2012
<u>Koga M</u> , <u>Shiokawa Y</u> , <u>Nakagawara J</u> , <u>Furui E</u> , <u>Kimura K</u> , <u>Yamagami H</u> , <u>Okada Y</u> , <u>Hasegawa Y</u> , <u>Kario K</u> , <u>Okuda S</u> , Endo K, Miyagi T, Osaki M, Minematsu K, <u>Toyoda K</u>	Low-dose intravenous rt-PA therapy for stroke patients outside European indications: SAMURAI rt-PA Registry.	Stroke	43	253-255	2012

Maeda K, <u>Koga M</u> , <u>Okada Y</u> , <u>Kimura K</u> , <u>Yamagami H</u> , <u>Okuda S</u> , <u>Hasegawa Y</u> , <u>Shiokawa Y</u> , <u>Furui E</u> , <u>Nakagawara J</u> , <u>Kario K</u> , <u>Nezu T</u> , <u>Minematsu K</u> , <u>Toyoda K</u>	Nationwide survey of neuro-specialists opinions on anticoagulant therapy after intracerebral hemorrhage in patients with atrial fibrillation.	J Neurol Sci	312	82-85	2012
Makihara N, <u>Okada Y</u> , <u>Koga M</u> , <u>Shiokawa Y</u> , <u>Nakagawara J</u> , <u>Furui E</u> , <u>Kimura K</u> , <u>Yamagami H</u> , <u>Hasegawa Y</u> , <u>Kario K</u> , <u>Okuda S</u> , <u>Naganuma M</u> , <u>Toyoda K</u>	The effect of serum lipid levels on stroke outcome after rt-PA therapy: SAMURAI rt-PA Registry.	Cerebrovasc Dis	33	272-279	2012
Nezu T, <u>Yokota C</u> , <u>Uehara T</u> , <u>Yamauchi M</u> , <u>Fukushima K</u> , <u>Toyoda K</u> , <u>Matsumoto M</u> , <u>Iida H</u> , <u>Minematsu K</u>	Acetazolamide reactivity and oxygen metabolism in lacunar patients with white matter lesions.	J Cereb Blood Flow Metab	32	844-850	2012
Suzuki R, <u>Koga M</u> , <u>Mori M</u> , <u>Endo K</u> , <u>Toyoda K</u> , <u>Minematsu K</u>	Visibility of the lesser sphenoid wing is an important indicator for detecting the middle cerebral artery on transcranial color-coded sonography.	Cerebrovasc Dis	33	272-279	2012
Suzuki R, <u>Koga M</u> , <u>Toyoda K</u> , <u>Uemura M</u> , <u>Nagasawa H</u> , <u>Yakushiji Y</u> , <u>Moriwaki H</u> , <u>Yamada N</u> , <u>Minematsu K</u>	Identification of internal carotid artery dissection by transoral carotid ultrasonography.	Cerebrovasc Dis	33	369-377	2012
Doijiri R, <u>Yokota C</u> , <u>Suzuki R</u> , <u>Toyoda K</u> , <u>Minematsu K</u>	Intravenous recombinant tissue plasminogen activator thrombolysis in acute ischemic stroke due to middle cerebral artery dissection.	J Stroke Cerebrovasc Dis		Epub ahead of print	2012
Suzuki R, <u>Osaki M</u> , <u>Endo K</u> , <u>Amano T</u> , <u>Minematsu K</u> , <u>Toyoda K</u>	Common carotid artery dissection caused by a frontal thrust in Kendo (Japanese swordsmanship).	Circulation	125(17)	e617-9	2012
Tanaka K, <u>Koga M</u> , <u>Ishibashi-Ueda H</u> , <u>Matsumoto C</u> , <u>Toyoda K</u>	Churg-Strauss syndrome with concomitant occurrence of ischemic stroke and relapsing purpura.	J Stroke Cerebrovasc Dis		Epub ahead of print	2012
Tanaka K, <u>Uehara T</u> , <u>Sato K</u> , <u>Amano T</u> , <u>Minematsu K</u> , <u>Toyoda K</u>	Successful intravenous rt-PA thrombolysis for a childhood cardioembolic stroke with Emery-Dreifuss muscular dystrophy.	Cerebrovasc Dis	33	92-93	2012

Kuwashiro T, <u>Toyoda K</u> , Oyama N, Kawase K, Okazaki S, Nagano K, <u>Koga M</u> , Matsuo H, Naritomi H, Minematsu K	High Plasma D-Dimer Is a Marker of Deep Vein Thrombosis in Acute Stroke.	J Stroke Cerebrovasc Dis	21	205-9	2012
上原敏志、 <u>豊田一則</u> .	SAMURAI Study, SUMO Study: 脳卒中急性期の治療手段、治療の場.	分子脳血管病	10(2)	168-173	2011
古賀政利、 <u>豊田一則</u> .	脳出血後の至適血圧管理.	脳神経外科速報	21	1128-1133	2011
有廣昇司、 <u>豊田一則</u> .	特集/脳卒中のトータルケア-発症予防から地域連携パスまで-脳卒中の発症予防(心房細動患者を中心に)	神経治療学	28	231-237	2011
Matsui Y, Ishikawa J, Shibasaki S, Shimada K, <u>Kario K</u> .	Association between home arterial stiffness index and target organ damage in hypertension: Comparison with pulse wave velocity and augmentation index.	Atherosclerosis.	219	637-642	2011
Nagai M, <u>Kario K</u> .	Chronic kidney disease, 24-h blood pressure burden and their effects on silent cerebral injury and cognitive impairment: might age serve as a modulator?	Hypertens Res.	34	1253-1254	2011
<u>Kario K</u> , Yano Y, Matsuo T, Hoshide S, Asada Y, Shimada K.	Morning blood pressure surge, morning platelet aggregation, and silent cerebral infarction in older Japanese hypertensive patients.	J Hypertens.	29	2433-2439	2011
Hoshide S, Parati G, Matsui Y, Shibasaki S, Eguchi K, <u>Kario K</u> .	Orthostatic hypertension: home blood pressure monitoring for detection and assessment of treatment with doxazosin.	Hypertens Res.	35(1)	100-106	2011
Nagai M, Hoshide S, <u>Kario K</u> .	Visit-to-visit blood pressure variability and carotid artery atherosclerosis: heart rate was not a confounder.	Hypertension	58	e16	2011
<u>Kario K</u> .	Are melatonin and its receptor agonist specific antihypertensive modulators of resistant hypertension caused by disrupted circadian rhythm?	J Am Soc Hypertens	5	354-358	2011

Yano Y, Hoshide S, Tamaki N, Nagata M, Sasaki K, Kanemaru Y, Shimada K, <u>Kario K.</u>	Efficacy of eplerenone added to renin-angiotensin blockade in elderly hypertensive patients: the Jichi-Eplerenone Treatment (JET) study.	J Renin Angiotensin Aldosterone Syst.	12	340-347	2011
Ishikawa J, Eguchi K, Hoshide S, Shimada K, <u>Kario K.</u>	Relationship between the change in left ventricular hypertrophy and asleep blood pressure after sodium restriction and/or diuretic treatment.	Blood Press Monit.	16	172-179	2011
Yano Y, Haimoto H, Hoshide S, Kabutoya T, Eguchi K, <u>Kario K.</u>	Evening heart rate measured at home is associated with visceral obesity and abnormal fat distribution in patients with hypertension.	Am J Hypertens.	24	783-788	2011
Matsui Y, Ishikawa J, Eguchi K, Shibasaki S, Shimada K, <u>Kario K.</u>	Maximum value of home blood pressure: a novel indicator of target organ damage in hypertension.	Hypertension	57	1087-1093	2011
Nagai M, Hoshide S, Ishikawa J, Shimada K, <u>Kario K.</u>	Visit-to-visit blood pressure variations: new independent determinants for carotid artery measures in the elderly at high risk of cardiovascular disease.	J Am Soc Hypertens.	5	184-192	2011
Yano Y, Hoshide S, Tamaki N, Inokuchi T, Nagata M, Yokota N, Hidaka T, Kanemaru Y, Matsuda S, Kuwabara M, Shimada K, <u>Kario K.</u>	Regional differences in hypertensive cardiovascular remodeling between fishing and farming communities in Japan.	Am J Hypertens.	24	437-443	2011
Matsui Y, Eguchi K, Ishikawa J, Shimada K, <u>Kario K.</u>	Urinary albumin excretion during angiotensin II receptor blockade: comparison of combination treatment with a diuretic or a calcium-channel blocker.	Am J Hypertens.	24	466-473.	2011
Wang JG, <u>Kario K.</u> , Lau T, Wei YQ, Park CG, Kim CH, Huang J, Zhang W, Li Y, Yan P, Hu D; Asian Pacific Heart Association.	Use of dihydropyridine calcium channel blockers in the management of hypertension in Eastern Asians: a scientific statement from the Asian Pacific Heart Association.	Hypertens Res.	34	423-430	2011
Yano Y, Inokuchi T, Hoshide S, Kanemaru Y, Shimada K, <u>Kario K.</u>	Association of poor physical function and cognitive dysfunction with high nocturnal blood pressure level in treated elderly hypertensive patients.	Am J Hypertens.	24	285-291	2011

Matsui Y, Eguchi K, O'Rourke MF, Ishikawa J, Shimada K, <u>Kario K.</u>	Association between aldosterone induced by antihypertensive medication and arterial stiffness reduction: the J-CORE study.	Atherosclerosis.	215	184-188	2011
<u>Kario K</u> , Yano Y, Matsuo T, Hoshide S, Eguchi K, Shimada K.	Additional impact of morning haemostatic risk factors and morning blood pressure surge on stroke risk in older Japanese hypertensive patients.	Eur Heart J	32	574-580	2011
Yano Y, <u>Kario K.</u>	The risk of cold temperature: an important aspect of the determination of morning blood pressure surge.	Hypertens Res.	34	36-38	2011
Yano Y, Hoshide S, Shimizu M, Eguchi K, Ishikawa J, Ishikawa S, Shimada K, <u>Kario K.</u>	Association of Home and Ambulatory Blood Pressure Changes With Changes in Cardiovascular Biomarkers During Antihypertensive Treatment.	Am J Hypertens.	25(3)	306-312	2012
Yano Y, <u>Kario K.</u>	Nocturnal blood pressure and cardiovascular disease: a review of recent advances.	Hypertens Res.		[Epub ahead of print]	2012
<u>中川原譲二</u>	rt-PA適正治療指針	脳と循環	16	31-35	2011
<u>中川原譲二</u>	脳血管障害合併高血圧の降圧戦略	循環plus	11	7-9	2011
Kazutoshi Nishiyama, Hidenori Seyama, Haruko Okano, Satomi Yamada, Shin Yamada, Hiroki Kurita, Atsuro Chiba, Yoshihiro Yamaguchi, <u>Yoshiaki Shiokawa</u>	Escalation regime of cilostazol for Acute brain infarction.	Intern. Med.	50	1559-1563	2011
内山真一郎、 <u>塩川芳昭</u> 、阿部康二、片山泰朗、松本昌泰、鈴木倫保	座談会 脳卒中への新たなチャレンジ.	分子脳血管病	10(1)	1-10	2011
<u>塩川芳昭</u>	はじめに 脳動脈瘤 予防と治療の最前線.	医学のあゆみ	236(2)	99	2011

塩川芳昭	小型の無症候性未破裂脳動脈瘤に対する治療適応と外科治療の現状.	脳神経外科ジャーナル	20(7)	491-497	2011
宮本 享、位田隆一、峰松一夫、鈴木倫保、塩川芳昭、飯原弘二、橋本洋一郎、中島 弘、森 久恵 (重症脳卒中における生命倫理に関する研究班)	急性期脳卒中 無輸血治療希望事例対応マニュアル.	脳卒中	33	532-535	2011
佐藤栄志、塩川芳昭	脳静脈血栓症・脳静脈洞血栓症 脳卒中専門医のためのKey word解説.	分子脳血管病	10(2)	99-107	2011
團志朗、高橋秀寿、岡島康友、千野直一、小林洋和、脊山英徳、西山和利、塩川芳昭	大都市圏の脳卒中ユニットと転帰先の実態調査.	脳卒中	33	89-97	2011
宮越睦、池田隆徳、星田京子、柳澤亮爾、三輪陽介、石黒晴久、塚田雄大、阿部敦子、米良尚晃、柚須悟、吉野秀朗、西山和利、塩川芳昭	脳卒中センターに搬送された非弁膜症性心房細動由来の心原性脳塞栓患者における危険因子からみたCHADS2スコアの成因・意義について.	Pharma Medica	29	189-193	2011
平岩直也、岡村耕一、山田智美、西山和利、高橋秀寿、塩川芳昭	European licenseに沿った使用制限時間緩和がrt-PA静注療法に及ぼす影響に関する臨床的検討.	Neurosurg Emerg	16	26-33	2011
脊山英徳、岡野晴子、小林洋和、西山和利、高橋秀寿、塩川芳昭	後下小脳動脈に局限した動脈解離の自然歴.	The Mt. Fuji Workshop on CVD	29	187-189	2011
脊山英徳、塩川芳昭	クリッピング手術の現状と将来 予防と治療の最前線.	医学のあゆみ	236(2)	128-133	2011
綾野水樹、脊山英徳、岡村耕一、小林洋和、西山和利、高橋秀寿、塩川芳昭:	難聴を呈した動脈解離の2例.	The Mt. Fuji Workshop on CVD	29	151-154	2011
脊山英徳、塩川芳昭	脳血管障害 (脳卒中) の外科的治療.	BRAIN	1(2)	191-197	2011
岡村 耕一、脊山英徳、小林洋和、西山和利、高橋秀寿、塩川芳昭	杏林大学病院における脳動脈解離治療の現状と課題.	The Mt. Fuji Workshop on CVD	29	45-49	2011

Isahaya K, Yamada K, Yamatoku M, Sakurai K, Takaishi S, Kato B, Hirayama T, <u>Hasegawa Y</u>	Effects of Edaravone, a Free Radical Scavenger, on Serum Levels of Inflammatory Biomarkers in Acute Brain Infarction.	J Stroke Cerebrovasc Dis.	21(2)	102-7	2012
Shimizu K, Shimomura K, Tokuyama Y, Sakurai K, Isahaya K, Takaishi S, Kato B, Usuki N, Shimizu T, Yamada K, <u>Hasegawa Y</u>	Association between Inflammatory Biomarkers and Progression of Intracranial Large Artery Stenosis after Ischemic Stroke.	J Stroke Cerebrovasc		[Epub ahead of print]	2011
白石眞, 牧口寛子, 山徳雅人, 眞木二葉, <u>長谷川泰弘</u>	Wallenberg症候群急性期の嚥下機能評価とリハビリテーションの有用性.	神経治療学	28 (4)	429-435	2011
清水高弘, 下出淳子, 佐々木央我, 徳山承明, 伊佐早健司, 今井健, 萩原悠太, 鶴岡淳, 熱海千尋, 水上平祐, 榛沢和彦, <u>長谷川泰弘</u>	急性期脳血管障害患者の下肢深部静脈血栓症における臥位膝窩静脈径計測の意義	脳卒中	33 (3)	319-325	2011
櫻井謙三, 眞木二葉, 平山俊和, <u>長谷川泰弘</u> .	動作時に体幹部および両大腿部に著明な有痛性筋攣縮を認めた骨軟化症の1例	神経治療学	28 (3)	291-294	2011
下邨華菜, 清水華奈子, 徳山承明, 櫻井謙三, 伊佐早健司, 高石智, 加藤文太, <u>長谷川泰弘</u> .	急性期炎症性バイオマーカーと脳梗塞臨床亜病型との関連	脳卒中	33(6)	564-571	2011
櫻井謙三, 伊佐早健司, 高石智, 加藤文太, 清水華奈子, 下邨華菜, 徳山承明, <u>長谷川泰弘</u> .	脳梗塞急性期のスタチン投与が末梢血炎症性サイトカイン動態と急性期の進行増悪に与える影響	臨床神経学	51(1)	6-13	2011
櫻井健三, 佐々木直, 眞木二葉, 平山俊和, <u>長谷川泰弘</u>	診断に苦慮し早期発見に至れなかった中枢神経系原発悪性リンパ腫の1例	神経内科	75(6)	604 - 607	2011
徳山承明, 清水高弘, 伊佐早健司, 高石智, 清水華奈子, 下邨華菜, 高田達郎, <u>長谷川泰弘</u> .	頸動脈エコーの最大内膜中膜複合体厚は、塞栓源となりうる大動脈複合粥腫病変の予測に有用である。	Neurosonology			印刷中
山上 宏	AHA/ ASA Scientific Statement: Definition and Evaluation of Transient Ischemic Attack	International Review of Thrombosis	6(1)	52-54	2011
山上 宏	最短ルートで塞栓源をさがす！ 頸動脈エコー	Vasclar Lab	8 (1)	20-25	2011

山上 宏	急性脳血管症候群の頸動脈超音波検査	Modern Physician	31 (10)	1210-1215	2011
Makihara N, Okada Y, Koga M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Hasegawa Y, Kario K, Okuda S, Naganuma M, Toyoda K.	Effects of serum lipid levels on stroke outcome after rt-PA therapy: SAMURAI rt-PA registry.	Cerebrovascular Disease	33	240-247	2012
長束一行	わかりやすい血管疾患と薬物療法 脳血管障害における抗凝固療法	Vascular Lab	8	417-419	2011
Koga M, Uehara T, Yasui N, Hasegawa Y, Nagatsuka K, Okada Y, Minematsu K	Influencing factors of cooperation among healthcare providers in a community-based stroke care system in Japan.	J Stroke and Cerebrovascular Diseases	20	413-423	2011
古賀政利	rt-PA静注療法の治療開始時間と転帰の関係：ECASS, ATLANTIS, NINDSとEPITHET試験の最新統合解析結果.	分子脳血管病	10	83-87	2011
古賀政利、峰松一夫	実地医家のための脳卒中診療の新しい展開. 脳梗塞急性期治療の新しい展開.	Medical Practice	28	580-589	2011
古賀政利、遠藤薫、鈴木理恵子	経頭蓋超音波による急性期虚血性脳卒中の評価とその治療への応用.	循環器病研究の進歩	32	9-17	2011
古賀政利、上原敏志	欧米諸国での取り組み—rt-PA療法における看護師やコーディネーターの役割.	BRAIN	2	84-89	2012
福田真弓, 有廣昇司, 峰松一夫	頸動脈・椎骨動脈狭窄を伴う高血圧-CASと降圧療法のタイミングと治療のすすめかた.	Medical Practice	28	885-888	2011

