

Hansman G. S., Taylor D. W., McLellan J. S., Smith T. J., Georgiev I., Tame J. R. H., Park Sam-Yong., Yamazaki M., Gondaira F., Miki M., Katayama K., Murata K., Kwong P. D.	Structural basis for broad detection of genogroup II noroviruses by a monoclonal antibody that binds to a site occluded in the viral particle.	J. Virol.	publishe d ahead of print		2012
Y. Someya, H. Shirato, K. Hasegawa, T. Kumasaka and N. Takeda.	Assembly of Homogeneous Norovirus-like Particles Accomplished by Amino Acid Substitution.	J. Gen. Virol.	92	2320-2323	2011
Yuichi Someya.	From head to toe of the norovirus 3C-like protease.	BioMol. Concepts	in press		2012
Oka T, Mori K, Iritani N, Harada S, Ueki Y, Iizuka S, Mise K, Murakami K, Wakita T, Katayama K.	Human sapovirus classification based on complete capsid nucleotide sequences.	Arch Virol.	[Epub ahead of print]		2011
勢戸和子	下痢原性大腸菌の検査	検査と技術	39	659-664	2011
寺嶋 淳、伊豫田 淳、泉谷秀昌、三戸 部治郎、石原明子、 大西 真	腸管出血性大腸菌感染症の最近 の動向	食品衛生研究	61	7-15	2011
寺嶋 淳、伊豫田 淳、泉谷秀昌、三戸 部治郎、石原明子、 大西 真、渡辺治雄	腸管出血性大腸菌サーベイラン ス 感染症サーベイランス—そ の役割と展望	臨床と微生物	38	59-63	2011
寺嶋 淳	生食と腸管出血性大腸菌 特集 生食のリスク	公衆衛生	76	19-23	2012

市原祥子、江藤良樹、濱崎光宏、村上光一、竹中重幸、堀川和美	稀な O 血清群の志賀毒素産生性大腸菌検出における CHROMagar™ STEC の有用性の検討	福岡県保健環境研究所年報	38	62-65	2011
市原祥子、竹中重幸、江藤良樹、濱崎光宏、村上光一、堀川和美、泉谷秀昌	Multilocus variable-number tandem-repeat analysis (MLVA) を用いた <i>Shigella sonnei</i> のクラスター解析の試み	福岡県保健環境研究所年報	38	85-86	2011
田中智之	消化器症候群 ノロウイルス ウイルス感染症の検査・診断スタンダード	羊土社		129-133	2011

