

Hansman, G. S., Biertumpfel, C., Georgiev, I., McLellan, J. S., Chen, L., Zhou, T., Katayama, K., Kwong, P. D.	Crystal structures of GII.10 and GII.12 norovirus protruding domains in complex with histo-blood group antigens reveal details for a potential site of vulnerability.	J of Virol.	85	6687-701	2011
Hansman, G. S., Shahzad-Ul-Hussan , S., McLellan, J. S., Chuang, G. Y., Georgiev, I., Shimoike, T., Katayama, K., Bewley, C. A., Kwong, P. D.	Structural basis for norovirus inhibition and fucose mimicry by citrate.	J of Virol.	86	284-92	2012
Matsuhira, T. Kaji, C. Murakami, S. Maebashi, K. Oka, T. Takeda, N. Katayama, K.	Evaluation of four antiseptics using a novel murine norovirus.	Exp Anim.	61	35-40	2012
Hansman G. S., Taylor D. W., McLellan J. S., Smith T. J., Georgiev I., Tame J. R. H., Park Sam-Yong., Yamazaki M., Gondaira F., Miki M., Katayama K., Murata K., Kwong P. D.	Structural basis for broad detection of genogroup II noroviruses by a monoclonal antibody that binds to a site occluded in the viral particle.	J. Virol.		publishe d ahead of print	2012
Y. Someya, H. Shirato, K. Hasegawa, T. Kumasaka and N. Takeda.	Assembly of Homogeneous Norovirus-like Particles Accomplished by Amino Acid Substitution.	J. Gen. Virol.	92	2320-2323	2011

Yuichi Someya.	From head to toe of the norovirus 3C-like protease.	BioMol. Concepts	in press		2012
Oka T, Mori K, Iritani N, Harada S, Ueki Y, Iizuka S, Mise K, Murakami K, Wakita T, Katayama K.	Human sapovirus classification based on complete capsid nucleotide sequences.	Arch Virol.	[Epub ahead of print]		2011
Bull RA, Hyde J, Mackenzie JM, Hansman GS, Oka T, Takeda N, White PA.	Comparison of the replication properties of murine and human calicivirus RNA-dependent RNA polymerases.	Virus Genes.	42	16-27	2011
Y. Someya, and N. Takeda.	Functional consequences of mutational analysis of norovirus protease.	FEBS Lett.	585	369-374	2011
Izumiya H, Pei Y, Terajima J, Ohnishi M, Hayashi T, Iyoda S, Watanabe H.	New system for multilocus variable-number tandem-repeat analysis of the enterohemorrhagic Escherichia coli strains belonging to three major serogroups: O157, O26, and O111.	Microbiol Immunol.	54	569-577	2010
Tadao Hasegawa, Akira Okamoto, Takuya Kamimura, Ichiro Tatsuno, Sin-Nosuke Hashikawa, Mitsutaka Yabutani, Masakado Matsumoto, Keiko Yamada, Masanori Isaka, Masaaki Minami, Michio Ohta	Detection of invasive protein profile of <i>Streptococcus pyogenes</i> M1 isolates from pharyngitis patients.	Acta Pathologica Microbiologica et Immunologica Scandinavica	118	167-178	2010

Masaaki Minami, Yukio Wakimoto , <u>Masakado</u> <u>Matsumoto</u> , Hideyuki Matsui, Yasue Kubota, Atsushi Okada, Masanori Isaka, Ichiro Tatsuno, Yasuhito Tanaka, Tadao Hasegawa	Characterization of <i>Streptococcus pyogenes</i> isolated from balanoposthitis patients presumably transmitted by penile-oral sexual intercourse.	Current Microbiology	61	101-105	2010
Sharp, T. M., Guix, S., <u>Katayama K.</u> , Crawford, S. E., Estes, M. K.	Inhibition of Cellular Protein Secretion by Norwalk Virus Nonstructural Protein p22 Requires a Mimic of an Endoplasmic Reticulum Export Signal.	PLoS ONE	5	e13130	2010
Kitajima M, Oka T, Takagi H, Tohya Y, Katayama H, Takeda N, <u>Katayama K.</u>	Development and application of a broadly reactive real-time reverse transcription-PCR assay for detection of murine noroviruses.	J. Virol. Methods.	169	269-73	2010
Kitajima M, Oka T, Haramoto E, Takeda N, <u>Katayama K.</u> , Katayama H.	Seasonal distribution and genetic diversity of genogroups I, II, and IV noroviruses in the Tamagawa River, Japan.	Environ Sci Technol.	44	7116-22	2010
Ueki Y, Shoji M, Okimura Y, Miyota Y, Masago Y, Oka T, <u>Katayama K.</u> , Takeda N, Noda M, Miura T, Sano D, Omura T.	Detection of Sapovirus in oysters.	Microbiol Immunol.	54	483-6	2010

Motomura K, Yokoyama M, Ode H, Nakamura H, Mori H, Kanda T, Oka T, <u>Katayama K</u> , Noda M, Tanaka T, Takeda N, Sato H;	Norovirus Surveillance Group of Japan. Divergent evolution of norovirus GII/4 by genome recombination from May 2006 to February 2009 in Japan.	J. Virol.	84	8085-97	2010
Iizuka S., Oka T., Tabara K., Omura T., <u>Katayama K</u> , Takeda N., Noda M.	Detection of sapoviruses and noroviruses in an outbreak of gastroenteritis linked genetically to shellfish	J. Med. Virol.	82	1247-54	2010
Kitajima M., Oka T., Haramoto E., Katayama H., Takeda N., <u>Katayama K</u> , Ohgaki S.	Detection and Genetic Analysis of Human Sapoviruses in River Water in Japan	Appl Environ Microbiol.	76	2461-7	2010
Yamashita Y, Ootsuka Y, Kondo R, Oseto M, Doi M, Miyamoto T, Ueda T, Kondo H, Tanaka T, Wakita T, <u>Katayama K</u> , Takeda N, Oka T.	Molecular Characterization of Sapovirus Detected in a Gastroenteritis Outbreak at a Wedding Hall.	J. Med. Virol.	82	720-6	2010
Murakami K, Suzuki S, Aoki N, Okajima T, Nadano D, Uchida K, Yamashita K, Oka T, <u>Katayama K</u> , Takeda N, Matsuda T.	Binding of Norovirus virus-like particles (VLPs) to human intestinal Caco-2 cells and the suppressive effect of pasteurized bovine colostrum on this VLP binding.	Bioscience, Biotechnology, and Biochemistry.	74	541-547	2010

Ooka T, <u>Terajima J</u> , Kusumoto M, Iguchi A, Kurokawa K, Ogura Y, Asadulghani M, Nakayama K, Murase K, Ohnishi M, Iyoda S, Watanabe H, Hayashi T.	Development of a multiplex PCR-based rapid typing method for enterohemorrhagic <i>Escherichia coli</i> O157 strains.	J Clin Microbiol.	47	2888-94	2009
Izumiya H, Tada Y, Ito K, Morita-Ishihara T, Ohnishi M, <u>Terajima J</u> , Watanabe H.	Characterization of <i>Shigella</i> <i>sonnei</i> isolates from travel-associated cases in Japan.	Journal of Medical Microbiology	58	1486-91	2009
Oka T., Yokoyama M., <u>Katayama K.</u> , Tsunemitsu H., Yamamoto M., Miyashita K., Ogawa S., Motomura K., Mori H., Nakamura H., Wakita T., Takeda N., Sato H.	Structural and biological constraints on diversity of regions immediately upstream of cleavage sites in calicivirus precursor proteins.	Virology.	394	119-129	2009
Kitajima M., Oka T., Tohya Y., Katayama H., Takeda N., <u>Katayama K.</u>	Development of a broadly reactive nested reverse transcription-PCR assay to detect murine noroviruses, and investigation of the prevalence of murine noroviruses in laboratory mice in Japan.	Microbiology and Immunology.	53	531-534	2009
Oka T., Miyashita K., <u>Katayama K.</u> , Wakita T., Takeda N.	Distinct genotype and antigenicity among genogroup II sapoviruses.	Microbiology and Immunology.	53	417-420	2009

Shinkawa N., Noda M., Yoshizumi S., Tokutake Y., Shiraishi T., Arita-Nishida T., Nishio O., Oka T., Hansman GS., Takeda N., Kimura H.	Molecular epidemiology of noroviruses detected in food handler-associated outbreaks of gastroenteritis in Japan.	Intervirology.	51	422-426	2009
Harada S., Okada M., Yahiro S., Nishimura K., Matsuo S., Miyasaka J., Nakashima R., Shimada Y., Ueno T., Ikezawa S., Shinozaki K., <u>Katayama K.</u> , Wakita T., Takeda N., Oka T.	Surveillance of pathogens in outpatients with gastroenteritis and characterization of sapovirus strains between 2002 and 2007 in Kumamoto Prefecture, Japan.	Journal of Medical Virology.	81	1117-1127	2009
Ootsuka Y., Yamashita Y., Ichikawa T., Kondo R., Oseto M., <u>Katayama K.</u> , Takeda N., Oka T.	Molecular characterization of sapoviruses detected in sporadic gastroenteritis cases in 2007 in Ehime Prefecture, Japan.	Japanese Journal of Infectious Diseases.	62	246-248	2009
Yoshida T., Kasuo S., Azegami Y., Uchiyama Y., Satsumabayashi K., Shiraishi T., <u>Katayama K.</u> , Wakita T., Takeda N., Oka T.	Characterization of sapoviruses detected in gastroenteritis outbreaks and identification of asymptomatic adults with high viral load.	Journal of Clinical Virology.	45	67-71	2009

Iwakiri A., Ganmyo H., Yamamoto S., Otao K., Mikasa M., Kizoe S., <u>Katayama K.</u> , Wakita T., Takeda N., Oka T.	Quantitative analysis of fecal sapovirus shedding: identification of nucleotide substitutions in the capsid protein during prolonged excretion.	Archives of Virology.	154	689-693	2009
Y. Someya, and N. Takeda.	Insights into the Enzyme-Substrate Interaction in the Norovirus 3C-like Protease.	J. Biochem.	146	509-521	2009
勢戸和子	下痢原性大腸菌の検査	検査と技術	39	659-664	2011
<u>寺嶋 淳</u> 、伊豫田 淳、泉谷秀昌、三戸部治郎、石原明子、大西 真	腸管出血性大腸菌感染症の最近の動向	食品衛生研究	61	7-15	2011
<u>寺嶋 淳</u> 、伊豫田 淳、泉谷秀昌、三戸部治郎、石原明子、大西 真、渡辺治雄	腸管出血性大腸菌サーベイランス 感染症サーベイランスーその役割と展望	臨床と微生物	38	59-63	2011
<u>寺嶋 淳</u>	生食と腸管出血性大腸菌 特集 生食のリスク	公衆衛生	76	19-23	2012
市原祥子、江藤良樹、濱崎光宏、村上光一、竹中重幸、堀川和美	稀な O 血清群の志賀毒素産生性大腸菌検出における CHROMagar™ STEC の有用性の検討	福岡県保健環境研究所年報	38	62-65	2011
市原祥子、竹中重幸、江藤良樹、濱崎光宏、村上光一、堀川和美、泉谷秀昌	Multilocus variable-number tandem-repeat analysis (MLVA) を用いた <i>Shigella sonnei</i> のクラスター解析の試み	福岡県保健環境研究所年報	38	85-86	2011
田中智之	消化器症候群 ノロウイルス ウイルス感染症の検査・診断スタンダード	羊土社		129-133	2011
岡智一郎、 <u>片山和彦</u> 、小林慎一、飯高順子、野田衛	愛知県と川崎市の食中毒事例から検出されたサポウイルス GI/2 の塩基配列の比較	病原体微生物情報 (IASR)	31	13-14	2010
田中智之	院内感染予防におけるノロウイルス迅速診断法の活用	感染対策 ICT ジャーナル	5	427-433	2010

田中 智之	改良ノロウイルス抗原検出 EIA キットの評価	医学と新薬	61	93-98	2009
田中智之、田尻 仁、奥田真珠美、 後 藤泰浩、豊田 茂、 佐藤雅久、五十嵐隆 夫、田村 務、西川 眞.	ノロウイルス抗原迅速診断試薬 クイックナビ™-ノロの評価.	医学と新薬	61	779-785	2009
田中智之、三好龍 也、内野清子.	ノロウイルス迅速診断法	診断と治療	97	1728-1731	2009
田中智之	ロタウイルス、ノロウイルス、エ ンテロウイルス.	小児の市中感染症 パーフェクトガイ ド		147-156	2009
片山和彦	ノロウイルスについて	健康教室	894	74-79	2009
片山和彦	ノロウイルス、ロタウイルス	最新学校保健安全 ハンドブック		77-80	
片山和彦、岡智一 郎、高木弘隆	ノロウイルス研究の現状とマウ スノロウイルス	LABIO21	39	20-26	2010
岡 智一郎	ノロウイルス、サポウイルス感染 症	臨床検査	53	665-672	2009
東京都健康安全研 究センター 微生 物部食品微生物研 究科	東京都内の3保育園で発生した 腸管出血性大腸菌 O26 感染事例	病原微生物検出情 報	30	9-10	2009
勢戸和子、田口真 澄、原田哲也、川 津健太郎、神吉政 史、依田知子、井 上清、柴田敏之、 萩原粒子、山本サ エコ、中田栄子、 長澤登美代、伊吹 てるみ、濱石裕紀	保育所における EHEC O157 集団 感染事例、2008 年一大阪府	病原微生物検出情 報	30	77-78	2009
勢戸和子	STEC	食品由来感染症と 食品微生物			2009



