

表50. 喫煙・飲酒状況(年齢階級別)

	年齢階級													
	10代		20代		30代		40代		50代以上		無回答		合計	
	n=282		n=1,284		n=1,182		n=667		n=226		n=44		n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
喫煙頻度														
吸わない	241	(85.5)	912	(71.0)	790	(66.8)	432	(64.8)	151	(66.8)	27	(61.4)	2,553	(69.3)
時々	17	(6.0)	92	(7.2)	59	(5.0)	29	(4.3)	13	(5.8)	5	(11.4)	215	(5.8)
毎日	17	(6.0)	268	(20.9)	325	(27.5)	199	(29.8)	58	(25.7)	9	(20.5)	876	(23.8)
無回答	7	(2.5)	12	(0.9)	8	(0.7)	7	(1.0)	4	(1.8)	3	(6.8)	41	(1.1)
ゲイバーでの問題飲酒行動(過去1年間)														
イッキ飲み	10	(3.5)	164	(12.8)	119	(10.1)	49	(7.3)	7	(3.1)	2	(4.5)	351	(9.5)
Binge drinking*1	12	(4.3)	193	(15.0)	223	(18.9)	132	(19.8)	21	(9.3)	3	(6.8)	584	(15.8)
酔いつぶれ	8	(2.8)	120	(9.3)	110	(9.3)	49	(7.3)	10	(4.4)	3	(6.8)	300	(8.1)
飲み過ぎによる嘔吐	5	(1.8)	113	(8.8)	101	(8.5)	37	(5.5)	6	(2.7)	1	(2.3)	263	(7.1)
ブラックアウト*2	7	(2.5)	80	(6.2)	97	(8.2)	39	(5.8)	10	(4.4)	2	(4.5)	235	(6.4)
急性アルコール中毒	1	(0.4)	5	(0.4)	2	(0.2)	1	(0.1)	0	(0.0)	0	(0.0)	9	(0.2)
ゲイバー以外の場所での問題飲酒行動(過去1年間)														
イッキ飲み	55	(19.5)	424	(33.0)	222	(18.8)	86	(12.9)	13	(5.8)	10	(22.7)	810	(22.0)
Binge drinking*1	81	(28.7)	664	(51.7)	537	(45.4)	250	(37.5)	60	(26.5)	16	(36.4)	1,608	(43.6)
酔いつぶれ	50	(17.7)	390	(30.4)	286	(24.2)	101	(15.1)	28	(12.4)	10	(22.7)	865	(23.5)
飲み過ぎによる嘔吐	55	(19.5)	446	(34.7)	299	(25.3)	113	(16.9)	27	(11.9)	13	(29.5)	953	(25.9)
ブラックアウト*2	22	(7.8)	224	(17.4)	211	(17.9)	87	(13.0)	23	(10.2)	5	(11.4)	572	(15.5)
急性アルコール中毒	0	(0.0)	11	(0.9)	8	(0.7)	2	(0.3)	2	(0.9)	1	(2.3)	24	(0.7)

*1: Binge drinking(暴飲)2時間以内に5杯以上飲んだ経験と定義 *2: ブラックアウト、飲酒による一時的な記憶喪失

表51. 薬物使用状況(年齢階級別)

	年齢階級													
	10代 n=282		20代 n=1,284		30代 n=1,182		40代 n=667		50代以上 n=226		無回答 n=44		合計 n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
薬物使用経験(生涯)														
アルコール	69	(24.5)	665	(51.8)	659	(55.8)	328	(49.2)	77	(34.1)	16	(36.4)	1,814	(49.2)
大麻	6	(2.1)	38	(3.0)	80	(6.8)	45	(6.7)	12	(5.3)	4	(9.1)	185	(5.0)
MDMA	3	(1.1)	21	(1.6)	31	(2.6)	16	(2.4)	2	(0.9)	2	(4.5)	75	(2.0)
覚せい剤	2	(0.7)	18	(1.4)	36	(3.0)	24	(3.6)	4	(1.8)	2	(4.5)	86	(2.3)
ケタミン	2	(0.7)	10	(0.8)	16	(1.4)	7	(1.0)	1	(0.4)	2	(4.5)	38	(1.0)
シンナー	3	(1.1)	13	(1.0)	15	(1.3)	4	(0.6)	4	(1.8)	3	(6.8)	42	(1.1)
コカイン	4	(1.4)	8	(0.6)	14	(1.2)	9	(1.3)	3	(1.3)	2	(4.5)	40	(1.1)
LSD	4	(1.4)	8	(0.6)	10	(0.8)	7	(1.0)	2	(0.9)	2	(4.5)	33	(0.9)
ラッシュ	16	(5.7)	302	(23.5)	545	(46.1)	318	(47.7)	68	(30.1)	9	(20.5)	1,258	(34.1)
ガス(エアダスター)	5	(1.8)	47	(3.7)	54	(4.6)	34	(5.1)	7	(3.1)	5	(11.4)	152	(4.1)
5MeO-DIPT	3	(1.1)	68	(5.3)	166	(14.0)	110	(16.5)	19	(8.4)	6	(13.6)	372	(10.1)
ED改善薬*1	6	(2.1)	44	(3.4)	117	(9.9)	120	(18.0)	57	(25.2)	5	(11.4)	349	(9.5)
漢方精力剤*2	6	(2.1)	104	(8.1)	200	(16.9)	151	(22.6)	33	(14.6)	7	(15.9)	501	(13.6)
睡眠薬・抗不安薬	23	(8.2)	121	(9.4)	208	(17.6)	119	(17.8)	29	(12.8)	6	(13.6)	506	(13.7)
薬物使用経験(過去1年間)														
アルコール	39	(13.8)	417	(32.5)	395	(33.4)	156	(23.4)	33	(14.6)	8	(18.2)	1,048	(28.4)
大麻	2	(0.7)	6	(0.5)	6	(0.5)	1	(0.1)	1	(0.4)	0	(0.0)	16	(0.4)
MDMA	1	(0.4)	7	(0.5)	2	(0.2)	2	(0.3)	1	(0.4)	0	(0.0)	13	(0.4)
覚せい剤	0	(0.0)	7	(0.5)	4	(0.3)	5	(0.7)	1	(0.4)	0	(0.0)	17	(0.5)
ケタミン	0	(0.0)	4	(0.3)	2	(0.2)	0	(0.0)	1	(0.4)	0	(0.0)	7	(0.2)
シンナー	1	(0.4)	0	(0.0)	1	(0.1)	0	(0.0)	1	(0.4)	0	(0.0)	3	(0.1)
コカイン	1	(0.4)	3	(0.2)	1	(0.1)	1	(0.1)	1	(0.4)	0	(0.0)	7	(0.2)
LSD	1	(0.4)	3	(0.2)	1	(0.1)	1	(0.1)	1	(0.4)	0	(0.0)	7	(0.2)
ラッシュ	12	(4.3)	106	(8.3)	116	(9.8)	68	(10.2)	12	(5.3)	1	(2.3)	315	(8.5)
ガス(エアダスター)	2	(0.7)	18	(1.4)	8	(0.7)	11	(1.6)	2	(0.9)	0	(0.0)	41	(1.1)
5MeO-DIPT	1	(0.4)	4	(0.3)	8	(0.7)	10	(1.5)	2	(0.9)	1	(2.3)	26	(0.7)
ED改善薬	2	(0.7)	15	(1.2)	51	(4.3)	67	(10.0)	25	(11.1)	0	(0.0)	160	(4.3)
漢方精力剤	2	(0.7)	49	(3.8)	89	(7.5)	74	(11.1)	15	(6.6)	1	(2.3)	230	(6.2)
睡眠薬・抗不安薬	9	(3.2)	64	(5.0)	100	(8.5)	49	(7.3)	12	(5.3)	1	(2.3)	235	(6.4)
薬物使用経験(過去6ヶ月間)														
アルコール	33	(11.7)	371	(28.9)	355	(30.0)	133	(19.9)	31	(13.7)	7	(15.9)	930	(25.2)
大麻	1	(0.4)	2	(0.2)	5	(0.4)	1	(0.1)	1	(0.4)	0	(0.0)	10	(0.3)
MDMA	1	(0.4)	5	(0.4)	2	(0.2)	1	(0.1)	1	(0.4)	0	(0.0)	10	(0.3)
覚せい剤	0	(0.0)	5	(0.4)	3	(0.3)	5	(0.7)	1	(0.4)	0	(0.0)	14	(0.4)
ケタミン	0	(0.0)	4	(0.3)	1	(0.1)	0	(0.0)	1	(0.4)	0	(0.0)	6	(0.2)
シンナー	1	(0.4)	0	(0.0)	0	(0.0)	0	(0.0)	1	(0.4)	0	(0.0)	2	(0.1)
コカイン	1	(0.4)	2	(0.2)	1	(0.1)	1	(0.1)	1	(0.4)	0	(0.0)	6	(0.2)
LSD	1	(0.4)	2	(0.2)	1	(0.1)	1	(0.1)	1	(0.4)	0	(0.0)	6	(0.2)
ラッシュ	9	(3.2)	74	(5.8)	89	(7.5)	53	(7.9)	10	(4.4)	1	(2.3)	236	(6.4)
ガス(エアダスター)	2	(0.7)	13	(1.0)	7	(0.6)	5	(0.7)	2	(0.9)	0	(0.0)	29	(0.8)
5MeO-DIPT	1	(0.4)	1	(0.1)	5	(0.4)	5	(0.7)	2	(0.9)	1	(2.3)	15	(0.4)
ED改善薬	1	(0.4)	10	(0.8)	38	(3.2)	58	(8.7)	22	(9.7)	0	(0.0)	129	(3.5)
漢方精力剤	1	(0.4)	36	(2.8)	68	(5.8)	60	(9.0)	15	(6.6)	1	(2.3)	181	(4.9)
睡眠薬・抗不安薬	6	(2.1)	51	(4.0)	86	(7.3)	46	(6.9)	12	(5.3)	1	(2.3)	202	(5.5)
セックス時の使用経験*3														
アルコール	24	(34.8)	338	(50.8)	356	(54.0)	173	(52.7)	37	(48.1)	6	(37.5)	934	(51.5)
大麻	2	(33.3)	15	(39.5)	25	(31.3)	8	(17.8)	3	(25.0)	2	(50.0)	55	(29.7)
MDMA	3	(100.0)	9	(42.9)	14	(45.2)	8	(50.0)	1	(50.0)	2	(100.0)	37	(49.3)
覚せい剤	2	(100.0)	11	(61.1)	27	(75.0)	16	(66.7)	3	(75.0)	0	(0.0)	59	(68.6)
ケタミン	1	(50.0)	5	(50.0)	8	(50.0)	2	(28.6)	1	(100.0)	0	(0.0)	17	(44.7)
シンナー	1	(33.3)	2	(15.4)	5	(33.3)	0	(0.0)	1	(25.0)	2	(66.7)	11	(26.2)
コカイン	2	(50.0)	2	(25.0)	4	(28.6)	1	(11.1)	1	(33.3)	0	(0.0)	10	(25.0)
LSD	1	(25.0)	4	(50.0)	3	(30.0)	3	(42.9)	1	(50.0)	2	(100.0)	14	(42.4)
ラッシュ	14	(87.5)	190	(62.9)	326	(59.8)	198	(62.3)	38	(55.9)	5	(55.6)	771	(61.3)
ガス(エアダスター)	2	(40.0)	27	(57.4)	32	(59.3)	18	(52.9)	5	(71.4)	0	(0.0)	84	(55.3)
5MeO-DIPT	1	(33.3)	46	(67.6)	105	(63.3)	64	(58.2)	11	(57.9)	3	(50.0)	230	(61.8)
ED改善薬	4	(66.7)	20	(45.5)	81	(69.2)	84	(70.0)	32	(56.1)	2	(40.0)	223	(63.9)
漢方精力剤	3	(50.0)	67	(64.4)	148	(74.0)	101	(66.9)	19	(57.6)	1	(14.3)	339	(67.7)
睡眠薬・抗不安薬	3	(13.0)	25	(20.7)	37	(17.8)	16	(13.4)	6	(20.7)	2	(33.3)	89	(17.6)
薬物乱用をすすめられた経験(生涯)														
	16	(5.7)	271	(21.1)	370	(31.3)	186	(27.9)	42	(18.6)	8	(18.2)	893	(24.2)
医薬品の使用をすすめられた経験(生涯)														
	13	(4.6)	92	(7.2)	131	(11.1)	88	(13.2)	26	(11.5)	3	(6.8)	353	(9.6)
注射器を用いた薬物使用(生涯)														
	3	(1.1)	23	(1.8)	27	(2.3)	21	(3.1)	2	(0.9)	2	(4.5)	78	(2.1)
注射器を用いた薬物使用(過去1年間)														
	0	(0.0)	7	(0.5)	10	(0.8)	4	(0.6)	1	(0.4)	0	(0.0)	22	(0.6)
注射器・針の共有経験(生涯)														
	2	(0.7)	11	(0.9)	14	(1.2)	9	(1.3)	2	(0.9)	2	(4.5)	40	(1.1)
注射器・針の共有経験(過去1年間)														
	1	(0.4)	2	(0.2)	6	(0.5)	1	(0.1)	1	(0.4)	2	(4.5)	13	(0.4)

*1:バイアグラ、シアリスなど *2三便宝、威哥王など *3各薬物の使用経験者を分母とする

表52. 喫煙・飲酒状況(居住地エリア別)

	居住地エリア														
	北海道		東北		関東		東京都		北陸信越		東海		愛知県		
	n=164	n=141	n=757	n=802	n=90	n=139	n=185	n	(%)	n	(%)	n	(%)	n	(%)
喫煙頻度															
吸わない	104	(63.4)	92	(65.2)	541	(71.5)	557	(69.5)	60	(66.7)	104	(74.8)	127	(68.6)	
時々	13	(7.9)	8	(5.7)	49	(6.5)	49	(6.1)	8	(8.9)	3	(2.2)	7	(3.8)	
毎日	46	(28.0)	40	(28.4)	158	(20.9)	186	(23.2)	21	(23.3)	31	(22.3)	48	(25.9)	
無回答	1	(0.6)	1	(0.7)	9	(1.2)	10	(1.2)	1	(1.1)	1	(0.7)	3	(1.6)	
ゲイバーでの問題飲酒行動(過去1年間)															
イッキ飲み	10	(6.1)	10	(7.1)	63	(8.3)	102	(12.7)	6	(6.7)	13	(9.4)	12	(6.5)	
Binge drinking*1	21	(12.8)	18	(12.8)	97	(12.8)	186	(23.2)	10	(11.1)	19	(13.7)	20	(10.8)	
酔いつぶれ	15	(9.1)	5	(3.5)	53	(7.0)	86	(10.7)	7	(7.8)	8	(5.8)	14	(7.6)	
飲み過ぎによる嘔吐	9	(5.5)	9	(6.4)	43	(5.7)	78	(9.7)	6	(6.7)	8	(5.8)	9	(4.9)	
ブラックアウト*2	14	(8.5)	5	(3.5)	45	(5.9)	70	(8.7)	5	(5.6)	8	(5.8)	8	(4.3)	
急性アルコール中毒	1	(0.6)	0	(0.0)	1	(0.1)	2	(0.2)	1	(1.1)	1	(0.7)	0	(0.0)	
ゲイバー以外の場所での問題飲酒行動(過去1年間)															
イッキ飲み	30	(18.3)	33	(23.4)	167	(22.1)	190	(23.7)	16	(17.8)	31	(22.3)	35	(18.9)	
Binge drinking*1	77	(47.0)	69	(48.9)	318	(42.0)	388	(48.4)	32	(35.6)	56	(40.3)	68	(36.8)	
酔いつぶれ	46	(28.0)	34	(24.1)	175	(23.1)	203	(25.3)	17	(18.9)	23	(16.5)	33	(17.8)	
飲み過ぎによる嘔吐	47	(28.7)	34	(24.1)	185	(24.4)	232	(28.9)	24	(26.7)	29	(20.9)	39	(21.1)	
ブラックアウト*2	31	(18.9)	24	(17.0)	105	(13.9)	153	(19.1)	13	(14.4)	19	(13.7)	25	(13.5)	
急性アルコール中毒	2	(1.2)	3	(2.1)	0	(0.0)	5	(0.6)	2	(2.2)	2	(1.4)	1	(0.5)	

*1: Binge drinking(暴飲)2時間以内に5杯以上飲んだ経験と定義 *2: ブラックアウト、飲酒による一時的な記憶喪失

居住地エリア

近畿 n=280		大阪府 n=382		中四国 n=229		福岡県 n=193		九州 n=186		沖縄 n=53		無回答 n=84		合計 n=3,685	
n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
209	(74.6)	258	(67.5)	160	(69.9)	128	(66.3)	122	(65.6)	41	(77.4)	50	(59.5)	2,553	(69.3)
18	(6.4)	20	(5.2)	8	(3.5)	17	(8.8)	7	(3.8)	2	(3.8)	6	(7.1)	215	(5.8)
53	(18.9)	100	(26.2)	58	(25.3)	48	(24.9)	57	(30.6)	10	(18.9)	20	(23.8)	876	(23.8)
0	(0.0)	4	(1.0)	3	(1.3)	0	(0.0)	0	(0.0)	0	(0.0)	8	(9.5)	41	(1.1)
15	(5.4)	49	(12.8)	15	(6.6)	23	(11.9)	19	(10.2)	6	(11.3)	8	(9.5)	351	(9.5)
29	(10.4)	70	(18.3)	28	(12.2)	36	(18.7)	29	(15.6)	12	(22.6)	9	(10.7)	584	(15.8)
20	(7.1)	32	(8.4)	10	(4.4)	19	(9.8)	18	(9.7)	8	(15.1)	5	(6.0)	300	(8.1)
16	(5.7)	32	(8.4)	7	(3.1)	16	(8.3)	17	(9.1)	5	(9.4)	8	(9.5)	263	(7.1)
11	(3.9)	22	(5.8)	6	(2.6)	14	(7.3)	14	(7.5)	8	(15.1)	5	(6.0)	235	(6.4)
1	(0.4)	0	(0.0)	0	(0.0)	1	(0.5)	0	(0.0)	0	(0.0)	1	(1.2)	9	(0.2)
44	(15.7)	89	(23.3)	55	(24.0)	51	(26.4)	35	(18.8)	12	(22.6)	22	(26.2)	810	(22.0)
106	(37.9)	162	(42.4)	98	(42.8)	91	(47.2)	92	(49.5)	17	(32.1)	34	(40.5)	1,608	(43.6)
63	(22.5)	89	(23.3)	47	(20.5)	51	(26.4)	54	(29.0)	12	(22.6)	18	(21.4)	865	(23.5)
74	(26.4)	94	(24.6)	49	(21.4)	52	(26.9)	53	(28.5)	17	(32.1)	24	(28.6)	953	(25.9)
40	(14.3)	50	(13.1)	28	(12.2)	28	(14.5)	36	(19.4)	10	(18.9)	10	(11.9)	572	(15.5)
0	(0.0)	3	(0.8)	0	(0.0)	4	(2.1)	1	(0.5)	1	(1.9)	0	(0.0)	24	(0.7)

表53. 薬物使用状況(居住地エリア別)

	居住地エリア													
	北海道		東北		関東		東京都		北陸信越		東海		愛知県	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
薬物使用経験(生涯)														
アルコール	84	(51.2)	55	(39.0)	358	(47.3)	461	(57.5)	43	(47.8)	66	(47.5)	81	(43.8)
大麻	6	(3.7)	9	(6.4)	17	(2.2)	77	(9.6)	4	(4.4)	4	(2.9)	5	(2.7)
MDMA	4	(2.4)	5	(3.5)	9	(1.2)	25	(3.1)	3	(3.3)	5	(3.6)	1	(0.5)
覚せい剤	4	(2.4)	4	(2.8)	11	(1.5)	39	(4.9)	2	(2.2)	6	(4.3)	1	(0.5)
ケタミン	3	(1.8)	2	(1.4)	7	(0.9)	14	(1.7)	3	(3.3)	3	(2.2)	0	(0.0)
シンナー	3	(1.8)	3	(2.1)	6	(0.8)	10	(1.2)	4	(4.4)	4	(2.9)	1	(0.5)
コカイン	3	(1.8)	2	(1.4)	6	(0.8)	14	(1.7)	3	(3.3)	5	(3.6)	0	(0.0)
LSD	3	(1.8)	1	(0.7)	4	(0.5)	11	(1.4)	2	(2.2)	2	(1.4)	1	(0.5)
ラッシュ	68	(41.5)	34	(24.1)	219	(28.9)	350	(43.6)	24	(26.7)	39	(28.1)	60	(32.4)
ガス(エアダスター)	7	(4.3)	7	(5.0)	22	(2.9)	43	(5.4)	5	(5.6)	6	(4.3)	7	(3.8)
5MeO-DIPT	23	(14.0)	9	(6.4)	51	(6.7)	117	(14.6)	10	(11.1)	13	(9.4)	22	(11.9)
ED改善薬*1	15	(9.1)	12	(8.5)	55	(7.3)	110	(13.7)	8	(8.9)	14	(10.1)	13	(7.0)
漢方精力剤*2	17	(10.4)	21	(14.9)	83	(11.0)	152	(19.0)	13	(14.4)	15	(10.8)	29	(15.7)
睡眠薬・抗不安薬	23	(14.0)	20	(14.2)	95	(12.5)	141	(17.6)	15	(16.7)	14	(10.1)	21	(11.4)
薬物使用経験(過去1年間)														
アルコール	41	(25.0)	23	(16.3)	214	(28.3)	291	(36.3)	19	(21.1)	38	(27.3)	43	(23.2)
大麻	0	(0.0)	0	(0.0)	2	(0.3)	3	(0.4)	1	(1.1)	0	(0.0)	0	(0.0)
MDMA	0	(0.0)	0	(0.0)	4	(0.5)	3	(0.4)	1	(1.1)	0	(0.0)	1	(0.5)
覚せい剤	0	(0.0)	0	(0.0)	3	(0.4)	4	(0.5)	1	(1.1)	1	(0.7)	1	(0.5)
ケタミン	0	(0.0)	0	(0.0)	4	(0.5)	1	(0.1)	1	(1.1)	0	(0.0)	0	(0.0)
シンナー	0	(0.0)	0	(0.0)	2	(0.3)	0	(0.0)	1	(1.1)	0	(0.0)	0	(0.0)
コカイン	0	(0.0)	0	(0.0)	2	(0.3)	1	(0.1)	1	(1.1)	0	(0.0)	0	(0.0)
LSD	0	(0.0)	0	(0.0)	2	(0.3)	1	(0.1)	0	(0.0)	0	(0.0)	1	(0.5)
ラッシュ	16	(9.8)	7	(5.0)	49	(6.5)	116	(14.5)	6	(6.7)	8	(5.8)	16	(8.6)
ガス(エアダスター)	0	(0.0)	2	(1.4)	9	(1.2)	10	(1.2)	0	(0.0)	2	(1.4)	2	(1.1)
5MeO-DIPT	1	(0.6)	0	(0.0)	3	(0.4)	8	(1.0)	1	(1.1)	2	(1.4)	3	(1.6)
ED改善薬	9	(5.5)	7	(5.0)	21	(2.8)	52	(6.5)	2	(2.2)	9	(6.5)	2	(1.1)
漢方精力剤	8	(4.9)	10	(7.1)	38	(5.0)	75	(9.4)	5	(5.6)	5	(3.6)	11	(5.9)
睡眠薬・抗不安薬	11	(6.7)	8	(5.7)	45	(5.9)	65	(8.1)	5	(5.6)	3	(2.2)	12	(6.5)
薬物使用経験(過去6ヶ月間)														
アルコール	38	(23.2)	19	(13.5)	192	(25.4)	273	(34.0)	13	(14.4)	32	(23.0)	36	(19.5)
大麻	0	(0.0)	0	(0.0)	2	(0.3)	2	(0.2)	0	(0.0)	0	(0.0)	0	(0.0)
MDMA	0	(0.0)	0	(0.0)	3	(0.4)	3	(0.4)	1	(1.1)	0	(0.0)	1	(0.5)
覚せい剤	0	(0.0)	0	(0.0)	3	(0.4)	3	(0.4)	1	(1.1)	1	(0.7)	1	(0.5)
ケタミン	0	(0.0)	0	(0.0)	4	(0.5)	0	(0.0)	1	(1.1)	0	(0.0)	0	(0.0)
シンナー	0	(0.0)	0	(0.0)	2	(0.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
コカイン	0	(0.0)	0	(0.0)	2	(0.3)	1	(0.1)	1	(1.1)	0	(0.0)	0	(0.0)
LSD	0	(0.0)	0	(0.0)	2	(0.3)	1	(0.1)	0	(0.0)	0	(0.0)	1	(0.5)
ラッシュ	12	(7.3)	5	(3.5)	33	(4.4)	91	(11.3)	4	(4.4)	7	(5.0)	10	(5.4)
ガス(エアダスター)	0	(0.0)	0	(0.0)	7	(0.9)	8	(1.0)	0	(0.0)	2	(1.4)	2	(1.1)
5MeO-DIPT	1	(0.6)	0	(0.0)	2	(0.3)	5	(0.6)	0	(0.0)	1	(0.7)	2	(1.1)
ED改善薬	9	(5.5)	7	(5.0)	18	(2.4)	44	(5.5)	1	(1.1)	7	(5.0)	1	(0.5)
漢方精力剤	8	(4.9)	10	(7.1)	30	(4.0)	57	(7.1)	3	(3.3)	4	(2.9)	6	(3.2)
睡眠薬・抗不安薬	10	(6.1)	8	(5.7)	39	(5.2)	57	(7.1)	5	(5.6)	3	(2.2)	10	(5.4)
セックス時の使用経験*3														
アルコール	44	(52.4)	21	(38.2)	180	(50.3)	277	(60.1)	17	(39.5)	27	(40.9)	34	(42.0)
大麻	2	(33.3)	1	(11.1)	6	(35.3)	22	(28.6)	2	(50.0)	1	(25.0)	3	(60.0)
MDMA	3	(75.0)	2	(40.0)	6	(66.7)	14	(56.0)	2	(66.7)	1	(20.0)	0	(0.0)
覚せい剤	2	(50.0)	3	(75.0)	11	(100.0)	27	(69.2)	0	(0.0)	3	(50.0)	1	(100.0)
ケタミン	1	(33.3)	2	(100.0)	5	(71.4)	7	(50.0)	0	(0.0)	1	(33.3)	0	(0.0)
シンナー	2	(66.7)	1	(33.3)	3	(50.0)	2	(20.0)	1	(25.0)	0	(0.0)	0	(0.0)
コカイン	1	(33.3)	1	(50.0)	3	(50.0)	3	(21.4)	0	(0.0)	1	(20.0)	0	(0.0)
LSD	2	(66.7)	1	(100.0)	4	(100.0)	4	(36.4)	1	(50.0)	0	(0.0)	1	(100.0)
ラッシュ	35	(51.5)	20	(58.8)	148	(67.6)	228	(65.1)	11	(45.8)	24	(61.5)	34	(56.7)
ガス(エアダスター)	2	(28.6)	3	(42.9)	16	(72.7)	23	(53.5)	1	(20.0)	4	(66.7)	4	(57.1)
5MeO-DIPT	11	(47.8)	6	(66.7)	34	(66.7)	72	(61.5)	4	(40.0)	7	(53.8)	16	(72.7)
ED改善薬	10	(66.7)	7	(58.3)	37	(67.3)	82	(74.5)	5	(62.5)	9	(64.3)	10	(76.9)
漢方精力剤	9	(52.9)	16	(76.2)	67	(80.7)	108	(71.1)	6	(46.2)	8	(53.3)	19	(65.5)
睡眠薬・抗不安薬	4	(17.4)	4	(20.0)	17	(17.9)	31	(22.0)	2	(13.3)	1	(7.1)	2	(9.5)
薬物乱用をすすめられた経験(生涯)														
	49	(29.9)	30	(21.3)	157	(20.7)	226	(28.2)	18	(20.0)	34	(24.5)	44	(23.8)
医薬品の使用をすすめられた経験(生涯)														
	19	(11.6)	19	(13.5)	50	(6.6)	92	(11.5)	10	(11.1)	12	(8.6)	18	(9.7)
注射器を用いた薬物使用(生涯)														
	3	(1.8)	4	(2.8)	9	(1.2)	25	(3.1)	5	(5.6)	4	(2.9)	1	(0.5)
注射器を用いた薬物使用(過去1年間)														
	0	(0.0)	1	(0.7)	5	(0.7)	7	(0.9)	0	(0.0)	1	(0.7)	1	(0.5)
注射器・針の共有経験(生涯)														
	3	(1.8)	4	(2.8)	6	(0.8)	9	(1.1)	3	(3.3)	1	(0.7)	1	(0.5)
注射器・針の共有経験(過去1年間)														
	1	(0.6)	1	(0.7)	4	(0.5)	3	(0.4)	1	(1.1)	0	(0.0)	0	(0.0)

*1: バイアグラ、シアリスなど *2: 三便宝、威哥王など *3: 各薬物の使用経験者を分母とする

居住地エリア

近畿 n=280		大阪府 n=382		中四国 n=229		福岡県 n=193		九州 n=186		沖縄 n=53		無回答 n=84		合計 n=3,685	
n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
135	(48.2)	195	(51.0)	104	(45.4)	89	(46.1)	87	(46.8)	29	(54.7)	27	(32.1)	1,814	(49.2)
12	(4.3)	26	(6.8)	6	(2.6)	7	(3.6)	7	(3.8)	2	(3.8)	3	(3.6)	185	(5.0)
2	(0.7)	7	(1.8)	2	(0.9)	5	(2.6)	4	(2.2)	2	(3.8)	1	(1.2)	75	(2.0)
3	(1.1)	11	(2.9)	1	(0.4)	2	(1.0)	2	(1.1)	0	(0.0)	0	(0.0)	86	(2.3)
1	(0.4)	3	(0.8)	0	(0.0)	1	(0.5)	0	(0.0)	0	(0.0)	1	(1.2)	38	(1.0)
4	(1.4)	4	(1.0)	1	(0.4)	0	(0.0)	1	(0.5)	0	(0.0)	1	(1.2)	42	(1.1)
2	(0.7)	3	(0.8)	1	(0.4)	1	(0.5)	0	(0.0)	0	(0.0)	0	(0.0)	40	(1.1)
2	(0.7)	2	(0.5)	2	(0.9)	2	(1.0)	1	(0.5)	0	(0.0)	0	(0.0)	33	(0.9)
95	(33.9)	140	(36.6)	66	(28.8)	68	(35.2)	56	(30.1)	19	(35.8)	20	(23.8)	1,258	(34.1)
9	(3.2)	19	(5.0)	8	(3.5)	11	(5.7)	4	(2.2)	2	(3.8)	2	(2.4)	152	(4.1)
25	(8.9)	44	(11.5)	16	(7.0)	22	(11.4)	12	(6.5)	4	(7.5)	4	(4.8)	372	(10.1)
17	(6.1)	32	(8.4)	25	(10.9)	19	(9.8)	20	(10.8)	5	(9.4)	4	(4.8)	349	(9.5)
36	(12.9)	57	(14.9)	26	(11.4)	22	(11.4)	19	(10.2)	7	(13.2)	4	(4.8)	501	(13.6)
31	(11.1)	53	(13.9)	39	(17.0)	18	(9.3)	30	(16.1)	2	(3.8)	4	(4.8)	506	(13.7)
85	(30.4)	115	(30.1)	48	(21.0)	51	(26.4)	53	(28.5)	17	(32.1)	10	(11.9)	1,048	(28.4)
2	(0.7)	6	(1.6)	0	(0.0)	1	(0.5)	1	(0.5)	0	(0.0)	0	(0.0)	16	(0.4)
1	(0.4)	2	(0.5)	0	(0.0)	1	(0.5)	0	(0.0)	0	(0.0)	0	(0.0)	13	(0.4)
2	(0.7)	5	(1.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	17	(0.5)
0	(0.0)	1	(0.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.2)
0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	3	(0.1)
1	(0.4)	1	(0.3)	1	(0.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.2)
1	(0.4)	1	(0.3)	1	(0.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.2)
23	(8.2)	37	(9.7)	13	(5.7)	9	(4.7)	9	(4.8)	4	(7.5)	2	(2.4)	315	(8.5)
3	(1.1)	5	(1.3)	5	(2.2)	1	(0.5)	2	(1.1)	0	(0.0)	0	(0.0)	41	(1.1)
3	(1.1)	2	(0.5)	3	(1.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	26	(0.7)
11	(3.9)	12	(3.1)	16	(7.0)	8	(4.1)	9	(4.8)	1	(1.9)	1	(1.2)	160	(4.3)
17	(6.1)	34	(8.9)	9	(3.9)	10	(5.2)	5	(2.7)	3	(5.7)	0	(0.0)	230	(6.2)
15	(5.4)	29	(7.6)	19	(8.3)	8	(4.1)	13	(7.0)	1	(1.9)	1	(1.2)	235	(6.4)
73	(26.1)	102	(26.7)	41	(17.9)	43	(22.3)	48	(25.8)	12	(22.6)	8	(9.5)	930	(25.2)
1	(0.4)	4	(1.0)	0	(0.0)	0	(0.0)	1	(0.5)	0	(0.0)	0	(0.0)	10	(0.3)
0	(0.0)	1	(0.3)	0	(0.0)	1	(0.5)	0	(0.0)	0	(0.0)	0	(0.0)	10	(0.3)
1	(0.4)	4	(1.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	14	(0.4)
0	(0.0)	1	(0.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.2)
0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	2	(0.1)
0	(0.0)	1	(0.3)	1	(0.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.2)
0	(0.0)	1	(0.3)	1	(0.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.2)
17	(6.1)	31	(8.1)	10	(4.4)	7	(3.6)	5	(2.7)	3	(5.7)	1	(1.2)	236	(6.4)
2	(0.7)	4	(1.0)	3	(1.3)	1	(0.5)	0	(0.0)	0	(0.0)	0	(0.0)	29	(0.8)
0	(0.0)	1	(0.3)	3	(1.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	15	(0.4)
7	(2.5)	9	(2.4)	12	(5.2)	4	(2.1)	8	(4.3)	1	(1.9)	1	(1.2)	129	(3.5)
14	(5.0)	26	(6.8)	8	(3.5)	8	(4.1)	5	(2.7)	2	(3.8)	0	(0.0)	181	(4.9)
11	(3.9)	27	(7.1)	14	(6.1)	6	(3.1)	10	(5.4)	1	(1.9)	1	(1.2)	202	(5.5)
60	(44.4)	109	(55.9)	47	(45.2)	46	(51.7)	49	(56.3)	12	(41.4)	11	(40.7)	934	(51.5)
5	(41.7)	8	(30.8)	2	(33.3)	1	(14.3)	2	(28.6)	0	(0.0)	0	(0.0)	55	(29.7)
0	(0.0)	5	(71.4)	2	(100.0)	2	(40.0)	0	(0.0)	0	(0.0)	0	(0.0)	37	(49.3)
2	(66.7)	8	(72.7)	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	59	(68.6)
0	(0.0)	1	(33.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	17	(44.7)
1	(25.0)	0	(0.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	11	(26.2)
0	(0.0)	0	(0.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	10	(25.0)
0	(0.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	14	(42.4)
59	(62.1)	74	(52.9)	48	(72.7)	39	(57.4)	33	(58.9)	9	(47.4)	9	(45.0)	771	(61.3)
6	(66.7)	12	(63.2)	6	(75.0)	5	(45.5)	0	(0.0)	2	(100.0)	0	(0.0)	84	(55.3)
21	(84.0)	27	(61.4)	8	(50.0)	14	(63.6)	7	(58.3)	1	(25.0)	2	(50.0)	230	(61.8)
8	(47.1)	13	(40.6)	14	(56.0)	10	(52.6)	13	(65.0)	2	(40.0)	3	(75.0)	223	(63.9)
25	(69.4)	40	(70.2)	12	(46.2)	13	(59.1)	12	(63.2)	3	(42.9)	1	(25.0)	339	(67.7)
5	(16.1)	8	(15.1)	5	(12.8)	1	(5.6)	9	(30.0)	0	(0.0)	0	(0.0)	89	(17.6)
67	(23.9)	94	(24.6)	48	(21.0)	58	(30.1)	40	(21.5)	13	(24.5)	15	(17.9)	893	(24.2)
32	(11.4)	40	(10.5)	23	(10.0)	18	(9.3)	12	(6.5)	4	(7.5)	4	(4.8)	353	(9.6)
5	(1.8)	14	(3.7)	2	(0.9)	4	(2.1)	1	(0.5)	0	(0.0)	1	(1.2)	78	(2.1)
0	(0.0)	6	(1.6)	0	(0.0)	1	(0.5)	0	(0.0)	0	(0.0)	0	(0.0)	22	(0.6)
4	(1.4)	5	(1.3)	2	(0.9)	1	(0.5)	1	(0.5)	0	(0.0)	0	(0.0)	40	(1.1)
0	(0.0)	1	(0.3)	1	(0.4)	1	(0.5)	0	(0.0)	0	(0.0)	0	(0.0)	13	(0.4)

表54. 喫煙・飲酒状況(HIV抗体検査歴別)

	HIV抗体検査歴									
	検査歴無し		あり(過去1年間無し)		あり(過去1年間あり)		無回答		合計	
	n=1,895		n=809		n=863		n=118		n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
喫煙頻度										
吸わない	1,312	(69.2)	562	(69.5)	605	(70.1)	74	(62.7)	2,553	(69.3)
時々	123	(6.5)	36	(4.4)	47	(5.4)	9	(7.6)	215	(5.8)
毎日	440	(23.2)	203	(25.1)	203	(23.5)	30	(25.4)	876	(23.8)
無回答	20	(1.1)	8	(1.0)	8	(0.9)	5	(4.2)	41	(1.1)
ゲイバーでの問題飲酒行動(過去1年間)										
イッキ飲み	119	(6.3)	92	(11.4)	132	(15.3)	8	(6.8)	351	(9.5)
Binge drinking*1	177	(9.3)	165	(20.4)	230	(26.7)	12	(10.2)	584	(15.8)
酔いつぶれ	90	(4.7)	82	(10.1)	120	(13.9)	8	(6.8)	300	(8.1)
飲み過ぎによる嘔吐	93	(4.9)	70	(8.7)	96	(11.1)	4	(3.4)	263	(7.1)
ブラックアウト*2	78	(4.1)	68	(8.4)	82	(9.5)	7	(5.9)	235	(6.4)
急性アルコール中毒	6	(0.3)	2	(0.2)	1	(0.1)	0	(0.0)	9	(0.2)
ゲイバー以外の場所での問題飲酒行動(過去1年間)										
イッキ飲み	426	(22.5)	148	(18.3)	213	(24.7)	23	(19.5)	810	(22.0)
Binge drinking*1	818	(43.2)	345	(42.6)	398	(46.1)	47	(39.8)	1,608	(43.6)
酔いつぶれ	447	(23.6)	176	(21.8)	223	(25.8)	19	(16.1)	865	(23.5)
飲み過ぎによる嘔吐	508	(26.8)	189	(23.4)	235	(27.2)	21	(17.8)	953	(25.9)
ブラックアウト*2	293	(15.5)	123	(15.2)	145	(16.8)	11	(9.3)	572	(15.5)
急性アルコール中毒	15	(0.8)	3	(0.4)	5	(0.6)	1	(0.8)	24	(0.7)

*1: Binge drinking(暴飲)2時間以内に5杯以上飲んだ経験と定義 *2: ブラックアウト、飲酒による一時的な記憶喪失

表55. 薬物使用状況(HIV抗体検査歴別)

	HIV抗体検査歴									
	検査歴無し n=1,895		あり(過去1年間無し) n=809		あり(過去1年間あり) n=863		無回答 n=118		合計 n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
薬物使用経験(生涯)										
アルコール	817	(43.1)	457	(56.5)	497	(57.6)	43	(36.4)	1,814	(49.2)
大麻	56	(3.0)	56	(6.9)	67	(7.8)	6	(5.1)	185	(5.0)
MDMA	25	(1.3)	20	(2.5)	29	(3.4)	1	(0.8)	75	(2.0)
覚せい剤	27	(1.4)	25	(3.1)	33	(3.8)	1	(0.8)	86	(2.3)
ケタミン	15	(0.8)	10	(1.2)	13	(1.5)	0	(0.0)	38	(1.0)
シンナー	22	(1.2)	8	(1.0)	10	(1.2)	2	(1.7)	42	(1.1)
コカイン	19	(1.0)	7	(0.9)	13	(1.5)	1	(0.8)	40	(1.1)
LSD	16	(0.8)	6	(0.7)	11	(1.3)	0	(0.0)	33	(0.9)
ラッシュ	411	(21.7)	413	(51.1)	407	(47.2)	27	(22.9)	1,258	(34.1)
ガス(エアースター)	41	(2.2)	49	(6.1)	59	(6.8)	3	(2.5)	152	(4.1)
5MeO-DIPT	92	(4.9)	136	(16.8)	141	(16.3)	3	(2.5)	372	(10.1)
ED改善薬*1	111	(5.9)	102	(12.6)	129	(14.9)	7	(5.9)	349	(9.5)
漢方精力剤*2	137	(7.2)	150	(18.5)	207	(24.0)	7	(5.9)	501	(13.6)
睡眠薬・抗不安薬	184	(9.7)	144	(17.8)	170	(19.7)	8	(6.8)	506	(13.7)
薬物使用経験(過去1年間)										
アルコール	460	(24.3)	251	(31.0)	319	(37.0)	18	(15.3)	1,048	(28.4)
大麻	6	(0.3)	2	(0.2)	7	(0.8)	1	(0.8)	16	(0.4)
MDMA	6	(0.3)	2	(0.2)	5	(0.6)	0	(0.0)	13	(0.4)
覚せい剤	5	(0.3)	5	(0.6)	7	(0.8)	0	(0.0)	17	(0.5)
ケタミン	5	(0.3)	0	(0.0)	2	(0.2)	0	(0.0)	7	(0.2)
シンナー	2	(0.1)	0	(0.0)	1	(0.1)	0	(0.0)	3	(0.1)
コカイン	5	(0.3)	0	(0.0)	2	(0.2)	0	(0.0)	7	(0.2)
LSD	5	(0.3)	0	(0.0)	2	(0.2)	0	(0.0)	7	(0.2)
ラッシュ	87	(4.6)	90	(11.1)	130	(15.1)	8	(6.8)	315	(8.5)
ガス(エアースター)	11	(0.6)	14	(1.7)	16	(1.9)	0	(0.0)	41	(1.1)
5MeO-DIPT	8	(0.4)	7	(0.9)	11	(1.3)	0	(0.0)	26	(0.7)
ED改善薬	47	(2.5)	45	(5.6)	66	(7.6)	2	(1.7)	160	(4.3)
漢方精力剤	58	(3.1)	65	(8.0)	103	(11.9)	4	(3.4)	230	(6.2)
睡眠薬・抗不安薬	80	(4.2)	73	(9.0)	79	(9.2)	3	(2.5)	235	(6.4)
薬物使用経験(過去6ヶ月間)										
アルコール	409	(21.6)	222	(27.4)	283	(32.8)	16	(13.6)	930	(25.2)
大麻	3	(0.2)	2	(0.2)	4	(0.5)	1	(0.8)	10	(0.3)
MDMA	6	(0.3)	1	(0.1)	3	(0.3)	0	(0.0)	10	(0.3)
覚せい剤	5	(0.3)	4	(0.5)	5	(0.6)	0	(0.0)	14	(0.4)
ケタミン	5	(0.3)	0	(0.0)	1	(0.1)	0	(0.0)	6	(0.2)
シンナー	2	(0.1)	0	(0.0)	0	(0.0)	0	(0.0)	2	(0.1)
コカイン	5	(0.3)	0	(0.0)	1	(0.1)	0	(0.0)	6	(0.2)
LSD	5	(0.3)	0	(0.0)	1	(0.1)	0	(0.0)	6	(0.2)
ラッシュ	64	(3.4)	72	(8.9)	93	(10.8)	7	(5.9)	236	(6.4)
ガス(エアースター)	8	(0.4)	11	(1.4)	10	(1.2)	0	(0.0)	29	(0.8)
5MeO-DIPT	5	(0.3)	4	(0.5)	6	(0.7)	0	(0.0)	15	(0.4)
ED改善薬	38	(2.0)	37	(4.6)	52	(6.0)	2	(1.7)	129	(3.5)
漢方精力剤	46	(2.4)	47	(5.8)	84	(9.7)	4	(3.4)	181	(4.9)
睡眠薬・抗不安薬	67	(3.5)	64	(7.9)	69	(8.0)	2	(1.7)	202	(5.5)
セックス時の使用経験*3										
アルコール	358	(43.8)	248	(54.3)	309	(62.2)	19	(44.2)	934	(51.5)
大麻	15	(26.8)	14	(25.0)	24	(35.8)	2	(33.3)	55	(29.7)
MDMA	12	(48.0)	10	(50.0)	15	(51.7)	0	(0.0)	37	(49.3)
覚せい剤	13	(48.1)	20	(80.0)	25	(75.8)	1	(100.0)	59	(68.6)
ケタミン	6	(40.0)	3	(30.0)	8	(61.5)	0	(0.0)	17	(44.7)
シンナー	7	(31.8)	0	(0.0)	4	(40.0)	0	(0.0)	11	(26.2)
コカイン	7	(36.8)	0	(0.0)	2	(15.4)	1	(100.0)	10	(25.0)
LSD	8	(50.0)	2	(33.3)	4	(36.4)	0	(0.0)	14	(42.4)
ラッシュ	219	(53.3)	248	(60.0)	293	(72.0)	11	(40.7)	771	(61.3)
ガス(エアースター)	15	(36.6)	29	(59.2)	40	(67.8)	0	(0.0)	84	(55.3)
5MeO-DIPT	53	(57.6)	82	(60.3)	95	(67.4)	0	(0.0)	230	(61.8)
ED改善薬	66	(59.5)	64	(62.7)	90	(69.8)	3	(42.9)	223	(63.9)
漢方精力剤	76	(55.5)	105	(70.0)	153	(73.9)	5	(71.4)	339	(67.7)
睡眠薬・抗不安薬	29	(15.8)	19	(13.2)	40	(23.5)	1	(12.5)	89	(17.6)
薬物乱用をすすめられた経験(生涯)										
	308	(16.3)	259	(32.0)	307	(35.6)	19	(16.1)	893	(24.2)
医薬品の使用をすすめられた経験(生涯)										
	130	(6.9)	92	(11.4)	126	(14.6)	5	(4.2)	353	(9.6)
注射器を用いた薬物使用(生涯)										
	27	(1.4)	19	(2.3)	31	(3.6)	1	(0.8)	78	(2.1)
注射器を用いた薬物使用(過去1年間)										
	8	(0.4)	5	(0.6)	9	(1.0)	0	(0.0)	22	(0.6)
注射器・針の共有経験(生涯)										
	16	(0.8)	11	(1.4)	12	(1.4)	1	(0.8)	40	(1.1)
注射器・針の共有経験(過去1年間)										
	8	(0.4)	1	(0.1)	4	(0.5)	0	(0.0)	13	(0.4)

*1:バイアグラ、シアリスなど *2三便宝、威哥王など *3各薬物の使用経験者を分母とする

表56. 喫煙・飲酒状況(K10スコアカットオフ値別)

	K10スコア							
	6点以下		7点以上		無回答		合計	
	n=1,411		n=2,049		n=225		n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)
喫煙頻度								
吸わない	1,014	(71.9)	1,396	(68.1)	143	(63.6)	2,553	(69.3)
時々	79	(5.6)	122	(6.0)	14	(6.2)	215	(5.8)
毎日	305	(21.6)	512	(25.0)	59	(26.2)	876	(23.8)
無回答	13	(0.9)	19	(0.9)	9	(4.0)	41	(1.1)
ゲイバーでの問題飲酒行動(過去1年間)								
イッキ飲み	138	(9.8)	188	(9.2)	25	(11.1)	351	(9.5)
Binge drinking*1	235	(16.7)	311	(15.2)	38	(16.9)	584	(15.8)
酔いつぶれ	110	(7.8)	171	(8.3)	19	(8.4)	300	(8.1)
飲み過ぎによる嘔吐	85	(6.0)	152	(7.4)	26	(11.6)	263	(7.1)
ブラックアウト*2	90	(6.4)	126	(6.1)	19	(8.4)	235	(6.4)
急性アルコール中毒	3	(0.2)	1	(0.0)	5	(2.2)	9	(0.2)
ゲイバー以外の場所での問題飲酒行動(過去1年間)								
イッキ飲み	309	(21.9)	452	(22.1)	49	(21.8)	810	(22.0)
Binge drinking*1	630	(44.6)	876	(42.8)	102	(45.3)	1,608	(43.6)
酔いつぶれ	303	(21.5)	514	(25.1)	48	(21.3)	865	(23.5)
飲み過ぎによる嘔吐	359	(25.4)	537	(26.2)	57	(25.3)	953	(25.9)
ブラックアウト*2	206	(14.6)	331	(16.2)	35	(15.6)	572	(15.5)
急性アルコール中毒	5	(0.4)	15	(0.7)	4	(1.8)	24	(0.7)

*1: Binge drinking(暴飲)2時間以内に5杯以上飲んだ経験と定義 *2: ブラックアウト、飲酒による一時的な記憶喪失

表57. 薬物使用状況(K10スコアカットオフ値別)

	K10スコア							
	6点以下 n=1,411		7点以上 n=2,049		無回答 n=225		合計 n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)
薬物使用経験(生涯)								
アルコール	669	(47.4)	1,045	(51.0)	100	(44.4)	1,814	(49.2)
大麻	71	(5.0)	95	(4.6)	19	(8.4)	185	(5.0)
MDMA	17	(1.2)	48	(2.3)	10	(4.4)	75	(2.0)
覚せい剤	26	(1.8)	50	(2.4)	10	(4.4)	86	(2.3)
ケタミン	11	(0.8)	21	(1.0)	6	(2.7)	38	(1.0)
シンナー	10	(0.7)	26	(1.3)	6	(2.7)	42	(1.1)
コカイン	11	(0.8)	22	(1.1)	7	(3.1)	40	(1.1)
LSD	11	(0.8)	18	(0.9)	4	(1.8)	33	(0.9)
ラッシュ	482	(34.2)	709	(34.6)	67	(29.8)	1,258	(34.1)
ガス(エアースター)	54	(3.8)	82	(4.0)	16	(7.1)	152	(4.1)
5MeO-DIPT	138	(9.8)	207	(10.1)	27	(12.0)	372	(10.1)
ED改善薬*1	130	(9.2)	191	(9.3)	28	(12.4)	349	(9.5)
漢方精力剤*2	188	(13.3)	273	(13.3)	40	(17.8)	501	(13.6)
睡眠薬・抗不安薬	106	(7.5)	373	(18.2)	27	(12.0)	506	(13.7)
薬物使用経験(過去1年間)								
アルコール	403	(28.6)	597	(29.1)	48	(21.3)	1,048	(28.4)
大麻	5	(0.4)	11	(0.5)	0	(0.0)	16	(0.4)
MDMA	2	(0.1)	11	(0.5)	0	(0.0)	13	(0.4)
覚せい剤	4	(0.3)	12	(0.6)	1	(0.4)	17	(0.5)
ケタミン	1	(0.1)	6	(0.3)	0	(0.0)	7	(0.2)
シンナー	0	(0.0)	2	(0.1)	1	(0.4)	3	(0.1)
コカイン	2	(0.1)	5	(0.2)	0	(0.0)	7	(0.2)
LSD	3	(0.2)	4	(0.2)	0	(0.0)	7	(0.2)
ラッシュ	124	(8.8)	180	(8.8)	11	(4.9)	315	(8.5)
ガス(エアースター)	17	(1.2)	22	(1.1)	2	(0.9)	41	(1.1)
5MeO-DIPT	8	(0.6)	18	(0.9)	0	(0.0)	26	(0.7)
ED改善薬	66	(4.7)	88	(4.3)	6	(2.7)	160	(4.3)
漢方精力剤	90	(6.4)	128	(6.2)	12	(5.3)	230	(6.2)
睡眠薬・抗不安薬	40	(2.8)	186	(9.1)	9	(4.0)	235	(6.4)
薬物使用経験(過去6ヶ月間)								
アルコール	358	(25.4)	530	(25.9)	42	(18.7)	930	(25.2)
大麻	3	(0.2)	7	(0.3)	0	(0.0)	10	(0.3)
MDMA	2	(0.1)	8	(0.4)	0	(0.0)	10	(0.3)
覚せい剤	4	(0.3)	9	(0.4)	1	(0.4)	14	(0.4)
ケタミン	1	(0.1)	5	(0.2)	0	(0.0)	6	(0.2)
シンナー	0	(0.0)	1	(0.0)	1	(0.4)	2	(0.1)
コカイン	2	(0.1)	4	(0.2)	0	(0.0)	6	(0.2)
LSD	3	(0.2)	3	(0.1)	0	(0.0)	6	(0.2)
ラッシュ	92	(6.5)	135	(6.6)	9	(4.0)	236	(6.4)
ガス(エアースター)	13	(0.9)	15	(0.7)	1	(0.4)	29	(0.8)
5MeO-DIPT	6	(0.4)	9	(0.4)	0	(0.0)	15	(0.4)
ED改善薬	55	(3.9)	70	(3.4)	4	(1.8)	129	(3.5)
漢方精力剤	68	(4.8)	102	(5.0)	11	(4.9)	181	(4.9)
睡眠薬・抗不安薬	34	(2.4)	160	(7.8)	8	(3.6)	202	(5.5)
セックス時の使用経験*3								
アルコール	345	(51.6)	541	(51.8)	48	(48.0)	934	(51.5)
大麻	18	(25.4)	32	(33.7)	5	(26.3)	55	(29.7)
MDMA	8	(47.1)	25	(52.1)	4	(40.0)	37	(49.3)
覚せい剤	20	(76.9)	34	(68.0)	5	(50.0)	59	(68.6)
ケタミン	6	(54.5)	10	(47.6)	1	(16.7)	17	(44.7)
シンナー	2	(20.0)	7	(26.9)	2	(33.3)	11	(26.2)
コカイン	3	(27.3)	6	(27.3)	1	(14.3)	10	(25.0)
LSD	3	(27.3)	9	(50.0)	2	(50.0)	14	(42.4)
ラッシュ	291	(60.4)	441	(62.2)	39	(58.2)	771	(61.3)
ガス(エアースター)	29	(53.7)	50	(61.0)	5	(31.3)	84	(55.3)
5MeO-DIPT	83	(60.1)	131	(63.3)	16	(59.3)	230	(61.8)
ED改善薬	82	(63.1)	129	(67.5)	12	(42.9)	223	(63.9)
漢方精力剤	129	(68.6)	189	(69.2)	21	(52.5)	339	(67.7)
睡眠薬・抗不安薬	14	(13.2)	68	(18.2)	7	(25.9)	89	(17.6)
薬物乱用をすすめられた経験(生涯)								
	313	(22.2)	532	(26.0)	48	(21.3)	893	(24.2)
医薬品の使用をすすめられた経験(生涯)								
	120	(8.5)	211	(10.3)	22	(9.8)	353	(9.6)
注射器を用いた薬物使用(生涯)								
	26	(1.8)	40	(2.0)	12	(5.3)	78	(2.1)
注射器を用いた薬物使用(過去1年間)								
	7	(0.5)	13	(0.6)	2	(0.9)	22	(0.6)
注射器・針の共有経験(生涯)								
	10	(0.7)	24	(1.2)	6	(2.7)	40	(1.1)
注射器・針の共有経験(過去1年間)								
	5	(0.4)	7	(0.3)	1	(0.4)	13	(0.4)

*1: バイアグラ、シアリスなど *2三便宝、威哥王など *3各薬物の使用経験者を分母とする

表58. メンタルヘルス関連項目(年齢階級別)

	年齢階級													
	10代 n=282		20代 n=1,284		30代 n=1,182		40代 n=667		50代以上 n=226		無回答 n=44		合計 n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
K10														
mean	13		11		11		10		9		11		11	
K10陽性	185	(65.6)	742	(57.8)	649	(54.9)	350	(52.5)	103	(45.6)	20	(45.5)	2,049	(55.6)
自己破壊行動あり(生涯)														
むちゃ食い	129	(45.7)	624	(48.6)	625	(52.9)	333	(49.9)	84	(37.2)	18	(40.9)	1,813	(49.2)
痩せるために吐いた	16	(5.7)	93	(7.2)	97	(8.2)	42	(6.3)	9	(4.0)	6	(13.6)	263	(7.1)
痩せるために大量の下剤を使った	12	(4.3)	48	(3.7)	53	(4.5)	30	(4.5)	9	(4.0)	4	(9.1)	156	(4.2)
刃物などでわざと自分の身体を傷つけた	48	(17.0)	152	(11.8)	109	(9.2)	41	(6.1)	12	(5.3)	7	(15.9)	369	(10.0)
自己破壊行動あり(過去6ヶ月間)														
むちゃ食い	67	(23.8)	296	(23.1)	308	(26.1)	132	(19.8)	29	(12.8)	4	(9.1)	836	(22.7)
痩せるために吐いた	8	(2.8)	35	(2.7)	31	(2.6)	11	(1.6)	4	(1.8)	1	(2.3)	90	(2.4)
痩せるために大量の下剤を使った	5	(1.8)	16	(1.2)	17	(1.4)	10	(1.5)	3	(1.3)	1	(2.3)	52	(1.4)
刃物などでわざと自分の身体を傷つけた	15	(5.3)	37	(2.9)	20	(1.7)	7	(1.0)	3	(1.3)	1	(2.3)	83	(2.3)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(生涯)														
心理カウンセリング	43	(15.2)	171	(13.3)	162	(13.7)	104	(15.6)	26	(11.5)	10	(22.7)	516	(14.0)
心療内科	27	(9.6)	166	(12.9)	261	(22.1)	112	(16.8)	29	(12.8)	8	(18.2)	603	(16.4)
精神科	22	(7.8)	124	(9.7)	190	(16.1)	115	(17.2)	29	(12.8)	6	(13.6)	486	(13.2)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(過去6ヶ月間)														
心理カウンセリング	13	(4.6)	54	(4.2)	38	(3.2)	27	(4.0)	10	(4.4)	2	(4.5)	144	(3.9)
心療内科	9	(3.2)	49	(3.8)	72	(6.1)	39	(5.8)	8	(3.5)	0	(0.0)	177	(4.8)
精神科	8	(2.8)	40	(3.1)	68	(5.8)	52	(7.8)	9	(4.0)	0	(0.0)	177	(4.8)
心理カウンセリングを受けた場所(生涯)														
教育機関(学生相談室、スクールカウンセリングなど)	32	(11.3)	86	(6.7)	27	(2.3)	13	(1.9)	0	(0.0)	0	(0.0)	158	(4.3)
病院・クリニック	14	(5.0)	98	(7.6)	107	(9.1)	66	(9.9)	19	(8.4)	7	(15.9)	311	(8.4)
公的相談機関(精神保健福祉センター、保健所)	3	(1.1)	3	(0.2)	13	(1.1)	10	(1.5)	4	(1.8)	0	(0.0)	33	(0.9)
民間カウンセリング室	7	(2.5)	28	(2.2)	35	(3.0)	22	(3.3)	6	(2.7)	2	(4.5)	100	(2.7)
その他	0	(0.0)	5	(0.4)	7	(0.6)	5	(0.7)	1	(0.4)	1	(2.3)	19	(0.5)
心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験														
ある	23	(8.2)	82	(6.4)	118	(10.0)	71	(10.6)	17	(7.5)	4	(9.1)	315	(8.5)
ない	35	(12.4)	186	(14.5)	266	(22.5)	140	(21.0)	34	(15.0)	7	(15.9)	668	(18.1)
無回答	0	(0.0)	3	(0.2)	3	(0.3)	2	(0.3)	0	(0.0)	1	(2.3)	9	(0.2)
自分の性的指向を話した際の医療機関の対応に対する印象*1														
差別や偏見のある対応に感じた	6	(26.1)	13	(15.9)	9	(7.6)	5	(7.0)	0	(0.0)	1	(25.0)	34	(10.8)
中立的な対応に感じた	10	(43.5)	42	(51.2)	79	(66.9)	48	(67.6)	11	(64.7)	2	(50.0)	192	(61.0)
中立的な対応を超えた、より性的指向に理解のある対応に感じた	7	(30.4)	26	(31.7)	30	(25.4)	17	(23.9)	6	(35.3)	1	(25.0)	87	(27.6)
現在悩んでいること														
恋人がいない	153	(54.3)	579	(45.1)	431	(36.5)	177	(26.5)	56	(24.8)	8	(18.2)	1,404	(38.1)
結婚のプレッシャー	70	(24.8)	391	(30.5)	417	(35.3)	122	(18.3)	8	(3.5)	6	(13.6)	1,014	(27.5)
経済的問題	92	(32.6)	616	(48.0)	605	(51.2)	307	(46.0)	93	(41.2)	9	(20.5)	1,722	(46.7)
親の介護のこと	28	(9.9)	240	(18.7)	344	(29.1)	212	(31.8)	33	(14.6)	2	(4.5)	859	(23.3)
自分の老後のこと	102	(36.2)	593	(46.2)	732	(61.9)	406	(60.9)	117	(51.8)	15	(34.1)	1,965	(53.3)
家を継ぐこと	54	(19.1)	219	(17.1)	229	(19.4)	91	(13.6)	11	(4.9)	3	(6.8)	607	(16.5)
お墓のこと	16	(5.7)	92	(7.2)	147	(12.4)	81	(12.1)	24	(10.6)	3	(6.8)	363	(9.9)
マンション購入のこと	4	(1.4)	61	(4.8)	132	(11.2)	36	(5.4)	8	(3.5)	1	(2.3)	242	(6.6)
自分の健康のこと	102	(36.2)	517	(40.3)	524	(44.3)	302	(45.3)	105	(46.5)	11	(25.0)	1,561	(42.4)
パートナーシップの法的保障のこと	37	(13.1)	161	(12.5)	163	(13.8)	80	(12.0)	15	(6.6)	2	(4.5)	458	(12.4)
その他	18	(6.4)	101	(7.9)	77	(6.5)	41	(6.1)	12	(5.3)	1	(2.3)	250	(6.8)

*1:心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験を有する者を分母とする。

表59. メンタルヘルス関連項目(居住地エリア別)

	居住地エリア													
	北海道 n=164		東北 n=141		関東 n=757		東京都 n=802		北陸信越 n=90		東海 n=139		愛知県 n=185	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
K10														
mean	11		13		12		10		13		11		10	
K10陽性	101	(61.6)	90	(63.8)	440	(58.1)	395	(49.3)	61	(67.8)	80	(57.6)	104	(56.2)
自己破壊行動あり(生涯)														
むちゃ食い	91	(55.5)	72	(51.1)	368	(48.6)	400	(49.9)	55	(61.1)	73	(52.5)	77	(41.6)
痩せるために吐いた	14	(8.5)	14	(9.9)	55	(7.3)	62	(7.7)	10	(11.1)	8	(5.8)	7	(3.8)
痩せるために大量の下剤を使った	10	(6.1)	10	(7.1)	28	(3.7)	38	(4.7)	5	(5.6)	7	(5.0)	3	(1.6)
刃物などでわざと自分の身体を傷つけた	19	(11.6)	19	(13.5)	79	(10.4)	82	(10.2)	13	(14.4)	17	(12.2)	17	(9.2)
自己破壊行動あり(過去6ヶ月間)														
むちゃ食い	42	(25.6)	37	(26.2)	174	(23.0)	202	(25.2)	22	(24.4)	26	(18.7)	34	(18.4)
痩せるために吐いた	10	(6.1)	5	(3.5)	14	(1.8)	25	(3.1)	3	(3.3)	1	(0.7)	2	(1.1)
痩せるために大量の下剤を使った	2	(1.2)	6	(4.3)	9	(1.2)	12	(1.5)	2	(2.2)	1	(0.7)	3	(1.6)
刃物などでわざと自分の身体を傷つけた	2	(1.2)	7	(5.0)	12	(1.6)	24	(3.0)	2	(2.2)	3	(2.2)	1	(0.5)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(生涯)														
心理カウンセリング	22	(13.4)	19	(13.5)	104	(13.7)	136	(17.0)	13	(14.4)	19	(13.7)	24	(13.0)
心療内科	21	(12.8)	21	(14.9)	109	(14.4)	170	(21.2)	13	(14.4)	18	(12.9)	30	(16.2)
精神科	27	(16.5)	21	(14.9)	99	(13.1)	118	(14.7)	17	(18.9)	23	(16.5)	23	(12.4)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(過去6ヶ月間)														
心理カウンセリング	8	(4.9)	7	(5.0)	26	(3.4)	40	(5.0)	2	(2.2)	4	(2.9)	6	(3.2)
心療内科	7	(4.3)	6	(4.3)	26	(3.4)	54	(6.7)	3	(3.3)	2	(1.4)	10	(5.4)
精神科	12	(7.3)	9	(6.4)	39	(5.2)	45	(5.6)	1	(1.1)	3	(2.2)	11	(5.9)
心理カウンセリングを受けた場所(生涯)														
教育機関(学生相談室、スクールカウンセリングなど)	6	(3.7)	7	(5.0)	38	(5.0)	35	(4.4)	7	(7.8)	7	(5.0)	6	(3.2)
病院・クリニック	14	(8.5)	14	(9.9)	68	(9.0)	82	(10.2)	7	(7.8)	8	(5.8)	17	(9.2)
公的相談機関(精神保健福祉センター、保健所)	4	(2.4)	0	(0.0)	3	(0.4)	12	(1.5)	1	(1.1)	0	(0.0)	0	(0.0)
民間カウンセリング室	6	(3.7)	1	(0.7)	17	(2.2)	29	(3.6)	1	(1.1)	4	(2.9)	6	(3.2)
その他	1	(0.6)	0	(0.0)	5	(0.7)	8	(1.0)	0	(0.0)	0	(0.0)	0	(0.0)
心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験														
ある	8	(4.9)	10	(7.1)	56	(7.4)	97	(12.1)	7	(7.8)	10	(7.2)	19	(10.3)
ない	35	(21.3)	25	(17.7)	134	(17.7)	154	(19.2)	19	(21.1)	26	(18.7)	29	(15.7)
無回答	1	(0.6)	0	(0.0)	0	(0.0)	3	(0.4)	0	(0.0)	0	(0.0)	1	(0.5)
自分の性的指向を話した際の医療機関の対応に対する印象*1														
差別や偏見のある対応に感じた	1	(12.5)	0	(0.0)	6	(10.7)	11	(11.3)	2	(28.6)	1	(10.0)	2	(10.5)
中立的な対応に感じた	5	(62.5)	8	(80.0)	31	(55.4)	59	(60.8)	4	(57.1)	8	(80.0)	14	(73.7)
中立的な対応を超えた、より性的指向に理解のある対応に感じた	2	(25.0)	2	(20.0)	19	(33.9)	26	(26.8)	1	(14.3)	1	(10.0)	3	(15.8)
現在悩んでいること														
恋人がいない	53	(32.3)	59	(41.8)	346	(45.7)	261	(32.5)	38	(42.2)	53	(38.1)	74	(40.0)
結婚のプレッシャー	34	(20.7)	43	(30.5)	217	(28.7)	186	(23.2)	33	(36.7)	39	(28.1)	54	(29.2)
経済的問題	73	(44.5)	70	(49.6)	362	(47.8)	394	(49.1)	40	(44.4)	60	(43.2)	86	(46.5)
親の介護のこと	36	(22.0)	21	(14.9)	186	(24.6)	196	(24.4)	24	(26.7)	47	(33.8)	37	(20.0)
自分の老後のこと	85	(51.8)	63	(44.7)	411	(54.3)	456	(56.9)	43	(47.8)	83	(59.7)	89	(48.1)
家を継ぐこと	14	(8.5)	34	(24.1)	125	(16.5)	114	(14.2)	30	(33.3)	27	(19.4)	36	(19.5)
お墓のこと	10	(6.1)	7	(5.0)	79	(10.4)	76	(9.5)	10	(11.1)	20	(14.4)	20	(10.8)
マンション購入のこと	5	(3.0)	4	(2.8)	67	(8.9)	77	(9.6)	4	(4.4)	6	(4.3)	13	(7.0)
自分の健康のこと	63	(38.4)	56	(39.7)	323	(42.7)	360	(44.9)	40	(44.4)	63	(45.3)	77	(41.6)
パートナーシップの法的保障のこと	16	(9.8)	14	(9.9)	113	(14.9)	117	(14.6)	11	(12.2)	17	(12.2)	32	(17.3)
その他	9	(5.5)	10	(7.1)	49	(6.5)	58	(7.2)	2	(2.2)	14	(10.1)	17	(9.2)

*1:心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験を有する者を分母とする。

居住地エリア																	
近畿 n=280		大阪府 n=382		中四国 n=229		福岡県 n=193		九州 n=186		沖縄 n=53		無回答 n=84		合計 n=3,685			
n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
11		10		11		10		10		12		10		11			
153	(54.6)	215	(56.3)	143	(62.4)	100	(51.8)	91	(48.9)	33	(62.3)	43	(51.2)	2,049	(55.6)		
123	(43.9)	198	(51.8)	113	(49.3)	90	(46.6)	85	(45.7)	28	(52.8)	40	(47.6)	1,813	(49.2)		
15	(5.4)	30	(7.9)	18	(7.9)	11	(5.7)	11	(5.9)	1	(1.9)	7	(8.3)	263	(7.1)		
12	(4.3)	20	(5.2)	8	(3.5)	5	(2.6)	7	(3.8)	0	(0.0)	3	(3.6)	156	(4.2)		
21	(7.5)	35	(9.2)	26	(11.4)	15	(7.8)	16	(8.6)	5	(9.4)	5	(6.0)	369	(10.0)		
56	(20.0)	96	(25.1)	49	(21.4)	40	(20.7)	36	(19.4)	12	(22.6)	10	(11.9)	836	(22.7)		
6	(2.1)	8	(2.1)	7	(3.1)	5	(2.6)	3	(1.6)	0	(0.0)	1	(1.2)	90	(2.4)		
4	(1.4)	5	(1.3)	2	(0.9)	3	(1.6)	1	(0.5)	0	(0.0)	2	(2.4)	52	(1.4)		
5	(1.8)	8	(2.1)	8	(3.5)	5	(2.6)	5	(2.7)	0	(0.0)	1	(1.2)	83	(2.3)		
37	(13.2)	47	(12.3)	35	(15.3)	26	(13.5)	19	(10.2)	9	(17.0)	6	(7.1)	516	(14.0)		
37	(13.2)	64	(16.8)	41	(17.9)	30	(15.5)	28	(15.1)	13	(24.5)	8	(9.5)	603	(16.4)		
32	(11.4)	51	(13.4)	23	(10.0)	23	(11.9)	18	(9.7)	5	(9.4)	6	(7.1)	486	(13.2)		
12	(4.3)	15	(3.9)	5	(2.2)	8	(4.1)	9	(4.8)	2	(3.8)	0	(0.0)	144	(3.9)		
16	(5.7)	21	(5.5)	13	(5.7)	7	(3.6)	9	(4.8)	2	(3.8)	1	(1.2)	177	(4.8)		
9	(3.2)	19	(5.0)	8	(3.5)	9	(4.7)	10	(5.4)	1	(1.9)	1	(1.2)	177	(4.8)		
15	(5.4)	11	(2.9)	13	(5.7)	6	(3.1)	5	(2.7)	0	(0.0)	2	(2.4)	158	(4.3)		
18	(6.4)	26	(6.8)	20	(8.7)	15	(7.8)	11	(5.9)	7	(13.2)	4	(4.8)	311	(8.4)		
2	(0.7)	2	(0.5)	3	(1.3)	3	(1.6)	1	(0.5)	2	(3.8)	0	(0.0)	33	(0.9)		
10	(3.6)	12	(3.1)	3	(1.3)	6	(3.1)	5	(2.7)	0	(0.0)	0	(0.0)	100	(2.7)		
2	(0.7)	0	(0.0)	1	(0.4)	1	(0.5)	1	(0.5)	0	(0.0)	0	(0.0)	19	(0.5)		
19	(6.8)	35	(9.2)	16	(7.0)	15	(7.8)	15	(8.1)	5	(9.4)	3	(3.6)	315	(8.5)		
45	(16.1)	67	(17.5)	47	(20.5)	35	(18.1)	30	(16.1)	12	(22.6)	10	(11.9)	668	(18.1)		
0	(0.0)	2	(0.5)	1	(0.4)	0	(0.0)	0	(0.0)	1	(1.9)	0	(0.0)	9	(0.2)		
3	(15.8)	3	(8.6)	1	(6.3)	2	(13.3)	2	(13.3)	0	(0.0)	0	(0.0)	34	(10.8)		
13	(68.4)	20	(57.1)	6	(37.5)	11	(73.3)	7	(46.7)	3	(60.0)	3	(100.0)	192	(61.0)		
3	(15.8)	11	(31.4)	9	(56.3)	2	(13.3)	6	(40.0)	2	(40.0)	0	(0.0)	87	(27.6)		
122	(43.6)	140	(36.6)	87	(38.0)	69	(35.8)	54	(29.0)	24	(45.3)	24	(28.6)	1,404	(38.1)		
85	(30.4)	95	(24.9)	82	(35.8)	57	(29.5)	57	(30.6)	17	(32.1)	15	(17.9)	1,014	(27.5)		
127	(45.4)	177	(46.3)	105	(45.9)	91	(47.2)	80	(43.0)	27	(50.9)	30	(35.7)	1,722	(46.7)		
68	(24.3)	81	(21.2)	49	(21.4)	42	(21.8)	49	(26.3)	16	(30.2)	7	(8.3)	859	(23.3)		
160	(57.1)	191	(50.0)	116	(50.7)	105	(54.4)	99	(53.2)	33	(62.3)	31	(36.9)	1,965	(53.3)		
48	(17.1)	47	(12.3)	56	(24.5)	31	(16.1)	28	(15.1)	7	(13.2)	10	(11.9)	607	(16.5)		
27	(9.6)	38	(9.9)	28	(12.2)	15	(7.8)	19	(10.2)	8	(15.1)	6	(7.1)	363	(9.9)		
17	(6.1)	22	(5.8)	9	(3.9)	13	(6.7)	3	(1.6)	1	(1.9)	1	(1.2)	242	(6.6)		
124	(44.3)	177	(46.3)	91	(39.7)	75	(38.9)	74	(39.8)	20	(37.7)	18	(21.4)	1,561	(42.4)		
32	(11.4)	30	(7.9)	24	(10.5)	18	(9.3)	26	(14.0)	5	(9.4)	3	(3.6)	458	(12.4)		
15	(5.4)	34	(8.9)	19	(8.3)	10	(5.2)	5	(2.7)	5	(9.4)	3	(3.6)	250	(6.8)		

表60. メンタルヘルス関連項目(HIV抗体検査歴別)

	HIV抗体検査歴									
	検査歴無し		あり(過去1年間無し)		あり(過去1年間あり)		無回答		合計	
	n=1,895		n=809		n=863		n=118		n=3,685	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
K10										
mean	11		10		11		10		11	
K10陽性	1,075	(56.7)	433	(53.5)	486	(56.3)	55	(46.6)	2,049	(55.6)
自己破壊行動あり(生涯)										
むちゃ食い	919	(48.5)	409	(50.6)	439	(50.9)	46	(39.0)	1,813	(49.2)
痩せるために吐いた	135	(7.1)	56	(6.9)	65	(7.5)	7	(5.9)	263	(7.1)
痩せるために大量の下剤を使った	84	(4.4)	24	(3.0)	45	(5.2)	3	(2.5)	156	(4.2)
刃物などでわざと自分の身体を傷つけた	189	(10.0)	74	(9.1)	98	(11.4)	8	(6.8)	369	(10.0)
自己破壊行動あり(過去6ヶ月間)										
むちゃ食い	407	(21.5)	190	(23.5)	216	(25.0)	23	(19.5)	836	(22.7)
痩せるために吐いた	44	(2.3)	21	(2.6)	21	(2.4)	4	(3.4)	90	(2.4)
痩せるために大量の下剤を使った	28	(1.5)	8	(1.0)	15	(1.7)	1	(0.8)	52	(1.4)
刃物などでわざと自分の身体を傷つけた	54	(2.8)	9	(1.1)	17	(2.0)	3	(2.5)	83	(2.3)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(生涯)										
心理カウンセリング	193	(10.2)	143	(17.7)	165	(19.1)	15	(12.7)	516	(14.0)
心療内科	217	(11.5)	167	(20.6)	205	(23.8)	14	(11.9)	603	(16.4)
精神科	177	(9.3)	147	(18.2)	152	(17.6)	10	(8.5)	486	(13.2)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(過去6ヶ月間)										
心理カウンセリング	54	(2.8)	36	(4.4)	49	(5.7)	5	(4.2)	144	(3.9)
心療内科	57	(3.0)	51	(6.3)	63	(7.3)	6	(5.1)	177	(4.8)
精神科	53	(2.8)	57	(7.0)	63	(7.3)	4	(3.4)	177	(4.8)
心理カウンセリングを受けた場所(生涯)										
教育機関(学生相談室、スクールカウンセリングなど)	81	(4.3)	35	(4.3)	38	(4.4)	4	(3.4)	158	(4.3)
病院・クリニック	104	(5.5)	88	(10.9)	108	(12.5)	11	(9.3)	311	(8.4)
公的相談機関(精神保健福祉センター、保健所)	12	(0.6)	9	(1.1)	12	(1.4)	0	(0.0)	33	(0.9)
民間カウンセリング室	39	(2.1)	25	(3.1)	34	(3.9)	2	(1.7)	100	(2.7)
その他	3	(0.2)	9	(1.1)	7	(0.8)	0	(0.0)	19	(0.5)
心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験										
ある	72	(3.8)	108	(13.3)	129	(14.9)	6	(5.1)	315	(8.5)
ない	304	(16.0)	172	(21.3)	178	(20.6)	14	(11.9)	668	(18.1)
無回答	5	(0.3)	2	(0.2)	2	(0.2)	0	(0.0)	9	(0.2)
自分の性的指向を話した際の医療機関の対応に対する印象*1										
差別や偏見のある対応に感じた	8	(11.1)	11	(10.2)	15	(11.6)	0	(0.0)	34	(10.8)
中立的な対応に感じた	48	(66.7)	62	(57.4)	77	(59.7)	5	(83.3)	192	(61.0)
中立的な対応を超えた、より性的指向に理解のある対応に感じた	16	(22.2)	34	(31.5)	36	(27.9)	1	(16.7)	87	(27.6)

*1:心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験を有する者を分母とする。

表61. メンタルヘルス関連項目(K10スコアカットオフ値別)

	K10スコア							
	6点以下		7点以上		無回答		合計	
	n	(%)	n	(%)	n	(%)	n	(%)
自己破壊行動あり(生涯)								
むちゃ食い	503	(35.6)	1,213	(59.2)	97	(43.1)	1,813	(49.2)
痩せるために吐いた	69	(4.9)	168	(8.2)	26	(11.6)	263	(7.1)
痩せるために大量の下剤を使った	29	(2.1)	110	(5.4)	17	(7.6)	156	(4.2)
刃物などでわざと自分の身体を傷つけた	57	(4.0)	290	(14.2)	22	(9.8)	369	(10.0)
自己破壊行動あり(過去6ヶ月間)								
むちゃ食い	168	(11.9)	631	(30.8)	37	(16.4)	836	(22.7)
痩せるために吐いた	21	(1.5)	61	(3.0)	8	(3.6)	90	(2.4)
痩せるために大量の下剤を使った	7	(0.5)	40	(2.0)	5	(2.2)	52	(1.4)
刃物などでわざと自分の身体を傷つけた	9	(0.6)	67	(3.3)	7	(3.1)	83	(2.3)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(生涯)								
心理カウンセリング	103	(7.3)	381	(18.6)	32	(14.2)	516	(14.0)
心療内科	132	(9.4)	431	(21.0)	40	(17.8)	603	(16.4)
精神科	83	(5.9)	382	(18.6)	21	(9.3)	486	(13.2)
気分の落ち込み・不安・不眠などの症状に基づく受診歴あり(過去6ヶ月間)								
心理カウンセリング	9	(0.6)	126	(6.1)	9	(4.0)	144	(3.9)
心療内科	19	(1.3)	148	(7.2)	10	(4.4)	177	(4.8)
精神科	11	(0.8)	157	(7.7)	9	(4.0)	177	(4.8)
心理カウンセリングを受けた場所(生涯)								
教育機関(学生相談室、スクールカウンセリングなど)	29	(2.1)	120	(5.9)	9	(4.0)	158	(4.3)
病院・クリニック	53	(3.8)	234	(11.4)	24	(10.7)	311	(8.4)
公的相談機関(精神保健福祉センター、保健所)	7	(0.5)	24	(1.2)	2	(0.9)	33	(0.9)
民間カウンセリング室	20	(1.4)	72	(3.5)	8	(3.6)	100	(2.7)
その他	5	(0.4)	14	(0.7)	0	(0.0)	19	(0.5)
心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験								
ある	58	(4.1)	243	(11.9)	14	(6.2)	315	(8.5)
ない	157	(11.1)	471	(23.0)	40	(17.8)	668	(18.1)
無回答	4	(0.3)	4	(0.2)	1	(0.4)	9	(0.2)
自分の性的指向を話した際の医療機関の対応に対する印象*1								
差別や偏見のある対応に感じた	7	(12.1)	25	(10.3)	2	(14.3)	34	(10.8)
中立的な対応に感じた	29	(50.0)	154	(63.4)	9	(64.3)	192	(61.0)
中立的な対応を超えた、より性的指向に理解のある対応に感じた	22	(37.9)	62	(25.5)	3	(21.4)	87	(27.6)

*1:心理カウンセリング・心療内科・精神科で、自分の性的指向について話した経験を有する者を分母とする。

表62. 基本属性(年齢階級別)

	年齢階級													
	10代		20代		30代		40代		50代以上		無回答		合計	
	n=632		n=2,908		n=2,118		n=768		n=219		n=112		n=6757	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
居住地区														
北海道	28	(4.4)	138	(4.7)	99	(4.7)	38	(4.9)	15	(6.8)	1	(0.9)	319	(4.7)
東北	45	(7.1)	168	(5.8)	121	(5.7)	48	(6.3)	16	(7.3)	1	(0.9)	399	(5.9)
関東(東京都を除く)	144	(22.8)	566	(19.5)	344	(16.2)	111	(14.5)	28	(12.8)	9	(8.0)	1,202	(17.8)
東京都	73	(11.6)	493	(17.0)	351	(16.6)	133	(17.3)	40	(18.3)	4	(3.6)	1,094	(16.2)
北陸信越	23	(3.6)	71	(2.4)	51	(2.4)	21	(2.7)	6	(2.7)	1	(0.9)	173	(2.6)
東海(愛知県を除く)	22	(3.5)	96	(3.3)	72	(3.4)	33	(4.3)	11	(5.0)	1	(0.9)	235	(3.5)
愛知県	33	(5.2)	127	(4.4)	115	(5.4)	27	(3.5)	9	(4.1)	5	(4.5)	316	(4.7)
近畿(大阪府を除く)	51	(8.1)	284	(9.8)	171	(8.1)	56	(7.3)	16	(7.3)	3	(2.7)	581	(8.6)
大阪府	48	(7.6)	258	(8.9)	244	(11.5)	84	(10.9)	17	(7.8)	4	(3.6)	655	(9.7)
中四国	43	(6.8)	174	(6.0)	167	(7.9)	73	(9.5)	21	(9.6)	1	(0.9)	479	(7.1)
福岡県	39	(6.2)	220	(7.6)	160	(7.6)	60	(7.8)	16	(7.3)	3	(2.7)	498	(7.4)
九州(福岡県を除く)	53	(8.4)	186	(6.4)	157	(7.4)	60	(7.8)	22	(10.0)	3	(2.7)	481	(7.1)
沖縄県	14	(2.2)	67	(2.3)	31	(1.5)	12	(1.6)	0	(0.0)	1	(0.9)	125	(1.8)
無回答	16	(2.5)	60	(2.1)	35	(1.7)	12	(1.6)	2	(0.9)	75	(67.0)	200	(3.0)
最終学歴*1														
中学	61	(9.7)	158	(5.4)	99	(4.7)	34	(4.4)	16	(7.3)	4	(3.6)	372	(5.5)
高校	371	(58.7)	769	(26.4)	602	(28.4)	253	(32.9)	90	(41.1)	15	(13.4)	2,100	(31.1)
専門学校	43	(6.8)	504	(17.3)	364	(17.2)	105	(13.7)	10	(4.6)	6	(5.4)	1,032	(15.3)
高専	13	(2.1)	50	(1.7)	46	(2.2)	13	(1.7)	6	(2.7)	1	(0.9)	129	(1.9)
短大	8	(1.3)	73	(2.5)	58	(2.7)	23	(3.0)	4	(1.8)	0	(0.0)	166	(2.5)
大学	120	(19.0)	1,164	(40.0)	810	(38.2)	293	(38.2)	82	(37.4)	17	(15.2)	2,486	(36.8)
大学院	0	(0.0)	127	(4.4)	109	(5.1)	38	(4.9)	7	(3.2)	3	(2.7)	284	(4.2)
無回答	16	(2.5)	63	(2.2)	30	(1.4)	9	(1.2)	4	(1.8)	66	(58.9)	188	(2.8)
年収														
無職・学生	462	(73.1)	652	(22.4)	89	(4.2)	27	(3.5)	9	(4.1)	3	(2.7)	1,242	(18.4)
100万円未満	53	(8.4)	192	(6.6)	43	(2.0)	16	(2.1)	3	(1.4)	2	(1.8)	309	(4.6)
100-200万円	72	(11.4)	555	(19.1)	198	(9.3)	61	(7.9)	22	(10.0)	4	(3.6)	912	(13.5)
200-300万円	21	(3.3)	662	(22.8)	437	(20.6)	112	(14.6)	21	(9.6)	7	(6.3)	1,260	(18.6)
300-400万円	4	(0.6)	441	(15.2)	460	(21.7)	144	(18.8)	35	(16.0)	6	(5.4)	1,090	(16.1)
400-500万円	1	(0.2)	196	(6.7)	394	(18.6)	112	(14.6)	23	(10.5)	9	(8.0)	735	(10.9)
500-600万円	0	(0.0)	67	(2.3)	213	(10.1)	103	(13.4)	24	(11.0)	2	(1.8)	409	(6.1)
600-700万円	0	(0.0)	21	(0.7)	94	(4.4)	52	(6.8)	17	(7.8)	0	(0.0)	184	(2.7)
700-800万円	0	(0.0)	15	(0.5)	61	(2.9)	42	(5.5)	21	(9.6)	3	(2.7)	142	(2.1)
800-900万円	0	(0.0)	10	(0.3)	25	(1.2)	32	(4.2)	8	(3.7)	1	(0.9)	76	(1.1)
900-1000万円	0	(0.0)	6	(0.2)	12	(0.6)	13	(1.7)	9	(4.1)	0	(0.0)	40	(0.6)
1000-1100万円	0	(0.0)	6	(0.2)	10	(0.5)	8	(1.0)	2	(0.9)	0	(0.0)	26	(0.4)
1100-1200万円	0	(0.0)	4	(0.1)	3	(0.1)	10	(1.3)	0	(0.0)	1	(0.9)	18	(0.3)
1200万円以上	2	(0.3)	16	(0.6)	25	(1.2)	18	(2.3)	12	(5.5)	2	(1.8)	75	(1.1)
無回答	17	(2.7)	65	(2.2)	54	(2.5)	18	(2.3)	13	(5.9)	72	(64.3)	239	(3.5)
性的指向														
男性同性愛者	356	(56.3)	1,788	(61.5)	1,490	(70.3)	568	(74.0)	154	(70.3)	56	(50.0)	4,412	(65.3)
両性愛者	229	(36.2)	908	(31.2)	507	(23.9)	163	(21.2)	50	(22.8)	40	(35.7)	1,897	(28.1)
異性愛者	2	(0.3)	25	(0.9)	16	(0.8)	5	(0.7)	1	(0.5)	2	(1.8)	51	(0.8)
その他	1	(0.2)	7	(0.2)	4	(0.2)	4	(0.5)	2	(0.9)	2	(1.8)	20	(0.3)
わからない	32	(5.1)	108	(3.7)	63	(3.0)	6	(0.8)	3	(1.4)	6	(5.4)	218	(3.2)
決めたくない	11	(1.7)	66	(2.3)	33	(1.6)	15	(2.0)	3	(1.4)	5	(4.5)	133	(2.0)
無回答	1	(0.2)	6	(0.2)	5	(0.2)	7	(0.9)	6	(2.7)	1	(0.9)	26	(0.4)
親にカミングアウトしている														
していない	532	(84.2)	2,370	(81.5)	1,724	(81.4)	628	(81.8)	176	(80.4)	82	(73.2)	5,512	(81.6)
両親に	34	(5.4)	208	(7.2)	157	(7.4)	66	(8.6)	11	(5.0)	8	(7.1)	484	(7.2)
母のみ	45	(7.1)	235	(8.1)	153	(7.2)	33	(4.3)	3	(1.4)	5	(4.5)	474	(7.0)
父のみ	4	(0.6)	14	(0.5)	15	(0.7)	4	(0.5)	3	(1.4)	1	(0.9)	41	(0.6)
親はいない	17	(2.7)	64	(2.2)	53	(2.5)	32	(4.2)	25	(11.4)	5	(4.5)	196	(2.9)
無回答	0	(0.0)	17	(0.6)	16	(0.8)	5	(0.7)	1	(0.5)	11	(9.8)	50	(0.7)
家族以外の異性愛者にカミングアウトしている														
	277	(43.8)	1,370	(47.1)	867	(40.9)	259	(33.7)	42	(19.2)	40	(35.7)	2,855	(42.3)
カミングアウトしている人数														
1人のみ	40	(6.3)	126	(4.3)	79	(3.7)	26	(3.4)	3	(1.4)	6	(5.4)	280	(4.1)
2~3人	54	(8.5)	262	(9.0)	195	(9.2)	58	(7.6)	10	(4.6)	10	(8.9)	589	(8.7)
4~5人	45	(7.1)	253	(8.7)	152	(7.2)	42	(5.5)	8	(3.7)	2	(1.8)	502	(7.4)
6~9人	34	(5.4)	143	(4.9)	60	(2.8)	15	(2.0)	0	(0.0)	1	(0.9)	253	(3.7)
10人以上	104	(16.5)	568	(19.5)	362	(17.1)	115	(15.0)	20	(9.1)	11	(9.8)	1,180	(17.5)

*1在学中の者を含む

表63. 基本属性(居住地エリア別)

	居住地エリア													
	北海道		東北		関東		東京都		北陸信越		東海		愛知県	
	n=319		n=399		n=1,202		n=1,094		n=173		n=235		n=316	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
最終学歴*1														
中学	23	(7.2)	19	(4.8)	69	(5.7)	46	(4.2)	8	(4.6)	15	(6.4)	18	(5.7)
高校	114	(35.7)	163	(40.9)	363	(30.2)	247	(22.6)	57	(32.9)	81	(34.5)	120	(38.0)
専門学校	68	(21.3)	50	(12.5)	192	(16.0)	184	(16.8)	41	(23.7)	26	(11.1)	35	(11.1)
高専	6	(1.9)	9	(2.3)	13	(1.1)	20	(1.8)	2	(1.2)	8	(3.4)	8	(2.5)
短大	4	(1.3)	13	(3.3)	24	(2.0)	22	(2.0)	11	(6.4)	4	(1.7)	8	(2.5)
大学	90	(28.2)	125	(31.3)	481	(40.0)	507	(46.3)	43	(24.9)	88	(37.4)	112	(35.4)
大学院	12	(3.8)	19	(4.8)	53	(4.4)	63	(5.8)	9	(5.2)	13	(5.5)	12	(3.8)
無回答	2	(0.6)	1	(0.3)	7	(0.6)	5	(0.5)	2	(1.2)	0	(0.0)	3	(0.9)
年収														
無職・学生	64	(20.1)	89	(22.3)	253	(21.0)	203	(18.6)	33	(19.1)	41	(17.4)	52	(16.5)
100万円未満	17	(5.3)	24	(6.0)	62	(5.2)	35	(3.2)	8	(4.6)	10	(4.3)	11	(3.5)
100-200万円	56	(17.6)	72	(18.0)	155	(12.9)	93	(8.5)	21	(12.1)	33	(14.0)	45	(14.2)
200-300万円	66	(20.7)	82	(20.6)	202	(16.8)	180	(16.5)	38	(22.0)	33	(14.0)	78	(24.7)
300-400万円	40	(12.5)	60	(15.0)	210	(17.5)	178	(16.3)	32	(18.5)	49	(20.9)	57	(18.0)
400-500万円	30	(9.4)	33	(8.3)	145	(12.1)	129	(11.8)	23	(13.3)	30	(12.8)	28	(8.9)
500-600万円	20	(6.3)	20	(5.0)	68	(5.7)	101	(9.2)	4	(2.3)	19	(8.1)	15	(4.7)
600-700万円	7	(2.2)	7	(1.8)	35	(2.9)	42	(3.8)	6	(3.5)	3	(1.3)	10	(3.2)
700-800万円	3	(0.9)	5	(1.3)	25	(2.1)	36	(3.3)	1	(0.6)	9	(3.8)	6	(1.9)
800-900万円	6	(1.9)	2	(0.5)	12	(1.0)	21	(1.9)	1	(0.6)	0	(0.0)	2	(0.6)
900-1000万円	0	(0.0)	1	(0.3)	3	(0.2)	13	(1.2)	1	(0.6)	6	(2.6)	3	(0.9)
1000-1100万円	0	(0.0)	0	(0.0)	8	(0.7)	7	(0.6)	1	(0.6)	0	(0.0)	0	(0.0)
1100-1200万円	0	(0.0)	1	(0.3)	4	(0.3)	6	(0.5)	0	(0.0)	1	(0.4)	0	(0.0)
1200万円以上	6	(1.9)	1	(0.3)	6	(0.5)	35	(3.2)	2	(1.2)	0	(0.0)	4	(1.3)
無回答	4	(1.3)	2	(0.5)	14	(1.2)	15	(1.4)	2	(1.2)	1	(0.4)	5	(1.6)
性的指向														
男性同性愛者	180	(56.4)	231	(57.9)	794	(66.1)	801	(73.2)	112	(64.7)	143	(60.9)	213	(67.4)
両性愛者	105	(32.9)	135	(33.8)	336	(28.0)	228	(20.8)	51	(29.5)	78	(33.2)	83	(26.3)
異性愛者	8	(2.5)	6	(1.5)	5	(0.4)	8	(0.7)	0	(0.0)	3	(1.3)	1	(0.3)
その他	2	(0.6)	0	(0.0)	3	(0.2)	2	(0.2)	1	(0.6)	0	(0.0)	0	(0.0)
わからない	11	(3.4)	15	(3.8)	34	(2.8)	33	(3.0)	6	(3.5)	6	(2.6)	12	(3.8)
決めたくない	11	(3.4)	12	(3.0)	24	(2.0)	21	(1.9)	3	(1.7)	4	(1.7)	5	(1.6)
無回答	2	(0.6)	0	(0.0)	6	(0.5)	1	(0.1)	0	(0.0)	1	(0.4)	2	(0.6)
親にカミングアウトしている														
していない	271	(85.0)	342	(85.7)	992	(82.5)	866	(79.2)	146	(84.4)	190	(80.9)	260	(82.3)
両親に	21	(6.6)	15	(3.8)	100	(8.3)	98	(9.0)	7	(4.0)	21	(8.9)	19	(6.0)
母のみ	17	(5.3)	18	(4.5)	77	(6.4)	89	(8.1)	15	(8.7)	8	(3.4)	26	(8.2)
父のみ	2	(0.6)	1	(0.3)	4	(0.3)	4	(0.4)	1	(0.6)	5	(2.1)	2	(0.6)
親はいない	6	(1.9)	22	(5.5)	27	(2.2)	32	(2.9)	4	(2.3)	9	(3.8)	9	(2.8)
無回答	2	(0.6)	1	(0.3)	2	(0.2)	5	(0.5)	0	(0.0)	2	(0.9)	0	(0.0)
家族以外の異性愛者にカミングアウトしている														
	112	(35.1)	144	(36.1)	505	(42.0)	558	(51.0)	62	(35.8)	88	(37.4)	141	(44.6)
カミングアウトしている人数														
1人のみ	8	(2.5)	18	(4.5)	51	(4.2)	48	(4.4)	11	(6.4)	9	(3.8)	15	(4.7)
2~3人	26	(8.2)	31	(7.8)	97	(8.1)	98	(9.0)	13	(7.5)	22	(9.4)	36	(11.4)
4~5人	22	(6.9)	27	(6.8)	94	(7.8)	99	(9.0)	11	(6.4)	17	(7.2)	20	(6.3)
6~9人	14	(4.4)	15	(3.8)	47	(3.9)	49	(4.5)	0	(0.0)	3	(1.3)	11	(3.5)
10人以上	40	(12.5)	50	(12.5)	206	(17.1)	260	(23.8)	25	(14.5)	36	(15.3)	58	(18.4)

*1在学中の者を含む

居住地エリア

近畿 n=581		大阪府 n=655		中四国 n=479		福岡県 n=498		九州 n=481		沖縄 n=125		無回答 n=200		合計 n=6,757	
n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
31	(5.3)	44	(6.7)	27	(5.6)	33	(6.6)	31	(6.4)	7	(5.6)	1	(0.5)	372	(5.5)
170	(29.3)	188	(28.7)	181	(37.8)	151	(30.3)	204	(42.4)	43	(34.4)	18	(9.0)	2,100	(31.1)
83	(14.3)	90	(13.7)	68	(14.2)	92	(18.5)	81	(16.8)	14	(11.2)	8	(4.0)	1,032	(15.3)
12	(2.1)	17	(2.6)	11	(2.3)	12	(2.4)	5	(1.0)	6	(4.8)	0	(0.0)	129	(1.9)
22	(3.8)	13	(2.0)	13	(2.7)	11	(2.2)	15	(3.1)	5	(4.0)	1	(0.5)	166	(2.5)
236	(40.6)	274	(41.8)	160	(33.4)	175	(35.1)	127	(26.4)	43	(34.4)	25	(12.5)	2,486	(36.8)
22	(3.8)	25	(3.8)	15	(3.1)	16	(3.2)	15	(3.1)	7	(5.6)	3	(1.5)	284	(4.2)
5	(0.9)	4	(0.6)	4	(0.8)	8	(1.6)	3	(0.6)	0	(0.0)	144	(72.0)	188	(2.8)
131	(22.5)	97	(14.8)	86	(18.0)	77	(15.5)	79	(16.4)	28	(22.4)	9	(4.5)	1,242	(18.4)
32	(5.5)	36	(5.5)	18	(3.8)	22	(4.4)	19	(4.0)	15	(12.0)	0	(0.0)	309	(4.6)
86	(14.8)	79	(12.1)	56	(11.7)	81	(16.3)	108	(22.5)	24	(19.2)	3	(1.5)	912	(13.5)
114	(19.6)	121	(18.5)	101	(21.1)	116	(23.3)	94	(19.5)	27	(21.6)	8	(4.0)	1,260	(18.6)
75	(12.9)	125	(19.1)	92	(19.2)	78	(15.7)	67	(13.9)	16	(12.8)	11	(5.5)	1,090	(16.1)
65	(11.2)	76	(11.6)	54	(11.3)	53	(10.6)	50	(10.4)	7	(5.6)	12	(6.0)	735	(10.9)
23	(4.0)	58	(8.9)	27	(5.6)	28	(5.6)	21	(4.4)	5	(4.0)	0	(0.0)	409	(6.1)
17	(2.9)	22	(3.4)	14	(2.9)	14	(2.8)	7	(1.5)	0	(0.0)	0	(0.0)	184	(2.7)
16	(2.8)	8	(1.2)	13	(2.7)	6	(1.2)	13	(2.7)	0	(0.0)	1	(0.5)	142	(2.1)
8	(1.4)	9	(1.4)	1	(0.2)	6	(1.2)	7	(1.5)	1	(0.8)	0	(0.0)	76	(1.1)
1	(0.2)	3	(0.5)	3	(0.6)	2	(0.4)	3	(0.6)	1	(0.8)	0	(0.0)	40	(0.6)
1	(0.2)	4	(0.6)	0	(0.0)	2	(0.4)	2	(0.4)	1	(0.8)	0	(0.0)	26	(0.4)
0	(0.0)	2	(0.3)	2	(0.4)	2	(0.4)	0	(0.0)	0	(0.0)	0	(0.0)	18	(0.3)
3	(0.5)	2	(0.3)	4	(0.8)	8	(1.6)	3	(0.6)	0	(0.0)	1	(0.5)	75	(1.1)
9	(1.5)	13	(2.0)	8	(1.7)	3	(0.6)	8	(1.7)	0	(0.0)	155	(77.5)	239	(3.5)
362	(62.3)	468	(71.5)	301	(62.8)	316	(63.5)	294	(61.1)	88	(70.4)	109	(54.5)	4,412	(65.3)
174	(29.9)	151	(23.1)	149	(31.1)	148	(29.7)	154	(32.0)	36	(28.8)	69	(34.5)	1,897	(28.1)
9	(1.5)	1	(0.2)	2	(0.4)	3	(0.6)	4	(0.8)	0	(0.0)	1	(0.5)	51	(0.8)
2	(0.3)	0	(0.0)	3	(0.6)	2	(0.4)	4	(0.8)	0	(0.0)	1	(0.5)	20	(0.3)
19	(3.3)	20	(3.1)	13	(2.7)	18	(3.6)	19	(4.0)	1	(0.8)	11	(5.5)	218	(3.2)
15	(2.6)	12	(1.8)	8	(1.7)	9	(1.8)	4	(0.8)	0	(0.0)	5	(2.5)	133	(2.0)
0	(0.0)	3	(0.5)	3	(0.6)	2	(0.4)	2	(0.4)	0	(0.0)	4	(2.0)	26	(0.4)
463	(79.7)	497	(75.9)	403	(84.1)	411	(82.5)	405	(84.2)	105	(84.0)	161	(80.5)	5,512	(81.6)
45	(7.7)	53	(8.1)	25	(5.2)	34	(6.8)	28	(5.8)	8	(6.4)	10	(5.0)	484	(7.2)
50	(8.6)	69	(10.5)	32	(6.7)	32	(6.4)	29	(6.0)	4	(3.2)	8	(4.0)	474	(7.0)
7	(1.2)	5	(0.8)	6	(1.3)	1	(0.2)	2	(0.4)	0	(0.0)	1	(0.5)	41	(0.6)
11	(1.9)	25	(3.8)	8	(1.7)	16	(3.2)	14	(2.9)	8	(6.4)	5	(2.5)	196	(2.9)
5	(0.9)	6	(0.9)	5	(1.0)	4	(0.8)	3	(0.6)	0	(0.0)	15	(7.5)	50	(0.7)
236	(40.6)	301	(46.0)	168	(35.1)	220	(44.2)	185	(38.5)	62	(49.6)	73	(36.5)	2,855	(42.3)
26	(4.5)	27	(4.1)	18	(3.8)	22	(4.4)	16	(3.3)	4	(3.2)	7	(3.5)	280	(4.1)
52	(9.0)	59	(9.0)	38	(7.9)	45	(9.0)	41	(8.5)	16	(12.8)	15	(7.5)	589	(8.7)
38	(6.5)	38	(5.8)	33	(6.9)	37	(7.4)	38	(7.9)	13	(10.4)	15	(7.5)	502	(7.4)
19	(3.3)	28	(4.3)	20	(4.2)	20	(4.0)	13	(2.7)	8	(6.4)	6	(3.0)	253	(3.7)
99	(17.0)	143	(21.8)	59	(12.3)	90	(18.1)	74	(15.4)	19	(15.2)	21	(10.5)	1,180	(17.5)

表64. 基本属性(HIV抗体検査歴別)

	HIV抗体検査歴									
	検査歴無し		あり(過去1年間無し)		あり(過去1年間あり)		無回答		合計	
	n=3,850		n=1,230		n=1,649		n=28		n=6,757	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
年代										
10代	549	(14.3)	12	(1.0)	70	(4.2)	1	(3.6)	632	(9.4)
20代	1,771	(46.0)	420	(34.1)	706	(42.8)	11	(39.3)	2,908	(43.0)
30代	969	(25.2)	547	(44.5)	598	(36.3)	4	(14.3)	2,118	(31.3)
40代	377	(9.8)	201	(16.3)	189	(11.5)	1	(3.6)	768	(11.4)
50代以上	117	(3.0)	36	(2.9)	61	(3.7)	5	(17.9)	219	(3.2)
無回答	67	(1.7)	14	(1.1)	25	(1.5)	6	(21.4)	112	(1.7)
居住地区										
北海道	208	(5.4)	50	(4.1)	59	(3.6)	2	(7.1)	319	(4.7)
東北	283	(7.4)	48	(3.9)	68	(4.1)	0	(0.0)	399	(5.9)
関東(東京都を除く)	705	(18.3)	204	(16.6)	290	(17.6)	3	(10.7)	1,202	(17.8)
東京都	497	(12.9)	247	(20.1)	345	(20.9)	5	(17.9)	1,094	(16.2)
北陸信越	110	(2.9)	28	(2.3)	35	(2.1)	0	(0.0)	173	(2.6)
東海(愛知県を除く)	134	(3.5)	50	(4.1)	49	(3.0)	2	(7.1)	235	(3.5)
愛知県	169	(4.4)	58	(4.7)	89	(5.4)	0	(0.0)	316	(4.7)
近畿(大阪府を除く)	348	(9.0)	88	(7.2)	145	(8.8)	0	(0.0)	581	(8.6)
大阪府	324	(8.4)	146	(11.9)	185	(11.2)	0	(0.0)	655	(9.7)
中四国	294	(7.6)	87	(7.1)	97	(5.9)	1	(3.6)	479	(7.1)
福岡県	272	(7.1)	93	(7.6)	127	(7.7)	6	(21.4)	498	(7.4)
九州(福岡県を除く)	307	(8.0)	80	(6.5)	93	(5.6)	1	(3.6)	481	(7.1)
沖縄県	78	(2.0)	21	(1.7)	25	(1.5)	1	(3.6)	125	(1.8)
無回答	121	(3.1)	30	(2.4)	42	(2.5)	7	(25.0)	200	(3.0)
最終学歴*1										
中学	249	(6.5)	47	(3.8)	75	(4.5)	1	(3.6)	372	(5.5)
高校	1,336	(34.7)	337	(27.4)	421	(25.5)	6	(21.4)	2,100	(31.1)
専門学校	539	(14.0)	215	(17.5)	273	(16.6)	5	(17.9)	1,032	(15.3)
高専	71	(1.8)	24	(2.0)	33	(2.0)	1	(3.6)	129	(1.9)
短大	99	(2.6)	26	(2.1)	41	(2.5)	0	(0.0)	166	(2.5)
大学	1,313	(34.1)	489	(39.8)	677	(41.1)	7	(25.0)	2,486	(36.8)
大学院	126	(3.3)	66	(5.4)	90	(5.5)	2	(7.1)	284	(4.2)
無回答	117	(3.0)	26	(2.1)	39	(2.4)	6	(21.4)	188	(2.8)
年収										
無職・学生	903	(23.5)	106	(8.6)	229	(13.9)	4	(14.3)	1,242	(18.4)
100万円未満	217	(5.6)	30	(2.4)	61	(3.7)	1	(3.6)	309	(4.6)
100-200万円	554	(14.4)	151	(12.3)	204	(12.4)	3	(10.7)	912	(13.5)
200-300万円	704	(18.3)	230	(18.7)	322	(19.5)	4	(14.3)	1,260	(18.6)
300-400万円	545	(14.2)	255	(20.7)	286	(17.3)	4	(14.3)	1,090	(16.1)
400-500万円	368	(9.6)	167	(13.6)	198	(12.0)	2	(7.1)	735	(10.9)
500-600万円	179	(4.6)	107	(8.7)	121	(7.3)	2	(7.1)	409	(6.1)
600-700万円	73	(1.9)	55	(4.5)	56	(3.4)	0	(0.0)	184	(2.7)
700-800万円	65	(1.7)	27	(2.2)	49	(3.0)	1	(3.6)	142	(2.1)
800-900万円	31	(0.8)	22	(1.8)	23	(1.4)	0	(0.0)	76	(1.1)
900-1000万円	16	(0.4)	13	(1.1)	11	(0.7)	0	(0.0)	40	(0.6)
1000-1100万円	15	(0.4)	6	(0.5)	5	(0.3)	0	(0.0)	26	(0.4)
1100-1200万円	10	(0.3)	4	(0.3)	4	(0.2)	0	(0.0)	18	(0.3)
1200万円以上	28	(0.7)	21	(1.7)	25	(1.5)	1	(3.6)	75	(1.1)
無回答	142	(3.7)	36	(2.9)	55	(3.3)	6	(21.4)	239	(3.5)
性的指向										
男性同性愛者	2,215	(57.5)	930	(75.6)	1,249	(75.7)	18	(64.3)	4,412	(65.3)
両性愛者	1,323	(34.4)	238	(19.3)	330	(20.0)	6	(21.4)	1,897	(28.1)
異性愛者	39	(1.0)	4	(0.3)	7	(0.4)	1	(3.6)	51	(0.8)
その他	15	(0.4)	2	(0.2)	3	(0.2)	0	(0.0)	20	(0.3)
わからない	154	(4.0)	32	(2.6)	29	(1.8)	3	(10.7)	218	(3.2)
決めたくない	88	(2.3)	19	(1.5)	26	(1.6)	0	(0.0)	133	(2.0)
無回答	16	(0.4)	5	(0.4)	5	(0.3)	0	(0.0)	26	(0.4)
親にカミングアウトしている										
していない	3,358	(87.2)	924	(75.1)	1,211	(73.4)	19	(67.9)	5,512	(81.6)
両親に	162	(4.2)	136	(11.1)	182	(11.0)	4	(14.3)	484	(7.2)
母のみ	183	(4.8)	117	(9.5)	173	(10.5)	1	(3.6)	474	(7.0)
父のみ	15	(0.4)	9	(0.7)	17	(1.0)	0	(0.0)	41	(0.6)
親はいない	104	(2.7)	35	(2.8)	56	(3.4)	1	(3.6)	196	(2.9)
無回答	28	(0.7)	9	(0.7)	10	(0.6)	3	(10.7)	50	(0.7)
家族以外の同性愛者にカミングアウトしている										
	1,328	(34.5)	665	(54.1)	854	(51.8)	8	(28.6)	2,855	(42.3)
カミングアウトしている人数										
1人のみ	171	(4.4)	42	(3.4)	66	(4.0)	1	(3.6)	280	(4.1)
2-3人	303	(7.9)	131	(10.7)	152	(9.2)	3	(10.7)	589	(8.7)
4-5人	242	(6.3)	115	(9.3)	144	(8.7)	1	(3.6)	502	(7.4)
6-9人	126	(3.3)	57	(4.6)	70	(4.2)	0	(0.0)	253	(3.7)
10人以上	462	(12.0)	306	(24.9)	410	(24.9)	2	(7.1)	1,180	(17.5)

*1在学中の者を含む

表65. 基本属性(K6スコアカットオフ値別)

	K6スコア							
	4点以下 n=3,038		5点以上 n=3,514		無回答 n=205		合計 n=6,757	
	n	(%)	n	(%)	n	(%)	n	(%)
年代								
10代	249	(8.2)	370	(10.5)	13	(6.3)	632	(9.4)
20代	1,249	(41.1)	1,584	(45.1)	75	(36.6)	2,908	(43.0)
30代	1,000	(32.9)	1,050	(29.9)	68	(33.2)	2,118	(31.3)
40代	374	(12.3)	369	(10.5)	25	(12.2)	768	(11.4)
50代以上	114	(3.8)	93	(2.6)	12	(5.9)	219	(3.2)
無回答	52	(1.7)	48	(1.4)	12	(5.9)	112	(1.7)
居住地区								
北海道	155	(5.1)	155	(4.4)	9	(4.4)	319	(4.7)
東北	162	(5.3)	221	(6.3)	16	(7.8)	399	(5.9)
関東(東京都を除く)	542	(17.8)	625	(17.8)	35	(17.1)	1,202	(17.8)
東京都	476	(15.7)	575	(16.4)	43	(21.0)	1,094	(16.2)
北陸信越	86	(2.8)	82	(2.3)	5	(2.4)	173	(2.6)
東海(愛知県を除く)	109	(3.6)	119	(3.4)	7	(3.4)	235	(3.5)
愛知県	153	(5.0)	154	(4.4)	9	(4.4)	316	(4.7)
近畿(大阪府を除く)	251	(8.3)	311	(8.9)	19	(9.3)	581	(8.6)
大阪府	289	(9.5)	346	(9.8)	20	(9.8)	655	(9.7)
中四国	216	(7.1)	256	(7.3)	7	(3.4)	479	(7.1)
福岡県	225	(7.4)	258	(7.3)	15	(7.3)	498	(7.4)
九州(福岡県を除く)	213	(7.0)	262	(7.5)	6	(2.9)	481	(7.1)
沖縄県	63	(2.1)	62	(1.8)	0	(0.0)	125	(1.8)
無回答	98	(3.2)	88	(2.5)	14	(6.8)	200	(3.0)
最終学歴*1								
中学	125	(4.1)	242	(6.9)	5	(2.4)	372	(5.5)
高校	899	(29.6)	1,148	(32.7)	53	(25.9)	2,100	(31.1)
専門学校	491	(16.2)	508	(14.5)	33	(16.1)	1,032	(15.3)
高専	53	(1.7)	71	(2.0)	5	(2.4)	129	(1.9)
短大	75	(2.5)	88	(2.5)	3	(1.5)	166	(2.5)
大学	1,162	(38.2)	1,245	(35.4)	79	(38.5)	2,486	(36.8)
大学院	151	(5.0)	122	(3.5)	11	(5.4)	284	(4.2)
無回答	82	(2.7)	90	(2.6)	16	(7.8)	188	(2.8)
年収								
無職・学生	496	(16.3)	716	(20.4)	30	(14.6)	1,242	(18.4)
100万円未満	103	(3.4)	198	(5.6)	8	(3.9)	309	(4.6)
100~200万円	363	(11.9)	527	(15.0)	22	(10.7)	912	(13.5)
200~300万円	551	(18.1)	673	(19.2)	36	(17.6)	1,260	(18.6)
300~400万円	530	(17.4)	523	(14.9)	37	(18.0)	1,090	(16.1)
400~500万円	345	(11.4)	368	(10.5)	22	(10.7)	735	(10.9)
500~600万円	217	(7.1)	178	(5.1)	14	(6.8)	409	(6.1)
600~700万円	101	(3.3)	79	(2.2)	4	(2.0)	184	(2.7)
700~800万円	68	(2.2)	71	(2.0)	3	(1.5)	142	(2.1)
800~900万円	49	(1.6)	23	(0.7)	4	(2.0)	76	(1.1)
900~1000万円	28	(0.9)	11	(0.3)	1	(0.5)	40	(0.6)
1000~1100万円	18	(0.6)	6	(0.2)	2	(1.0)	26	(0.4)
1100~1200万円	12	(0.4)	5	(0.1)	1	(0.5)	18	(0.3)
1200万円以上	40	(1.3)	31	(0.9)	4	(2.0)	75	(1.1)
無回答	117	(3.9)	105	(3.0)	17	(8.3)	239	(3.5)
性的指向								
男性同性愛者	1,858	(61.2)	2,409	(68.6)	145	(70.7)	4,412	(65.3)
両性愛者	996	(32.8)	852	(24.2)	49	(23.9)	1,897	(28.1)
異性愛者	28	(0.9)	21	(0.6)	2	(1.0)	51	(0.8)
その他	9	(0.3)	10	(0.3)	1	(0.5)	20	(0.3)
わからない	86	(2.8)	128	(3.6)	4	(2.0)	218	(3.2)
決めたくない	48	(1.6)	82	(2.3)	3	(1.5)	133	(2.0)
無回答	13	(0.4)	12	(0.3)	1	(0.5)	26	(0.4)
親にカミングアウトしている								
していない	2,556	(84.1)	2,804	(79.8)	152	(74.1)	5,512	(81.6)
両親に	204	(6.7)	268	(7.6)	12	(5.9)	484	(7.2)
母のみ	170	(5.6)	284	(8.1)	20	(9.8)	474	(7.0)
父のみ	15	(0.5)	25	(0.7)	1	(0.5)	41	(0.6)
親はいない	73	(2.4)	116	(3.3)	7	(3.4)	196	(2.9)
無回答	20	(0.7)	17	(0.5)	13	(6.3)	50	(0.7)
家族以外の異性愛者にカミングアウトしている	1,202	(39.6)	1,569	(44.6)	84	(41.0)	2,855	(42.3)
カミングアウトしている人数								
1人のみ	132	(4.3)	140	(4.0)	8	(3.9)	280	(4.1)
2~3人	251	(8.3)	321	(9.1)	17	(8.3)	589	(8.7)
4~5人	212	(7.0)	272	(7.7)	18	(8.8)	502	(7.4)
6~9人	104	(3.4)	144	(4.1)	5	(2.4)	253	(3.7)
10人以上	482	(15.9)	664	(18.9)	34	(16.6)	1,180	(17.5)

*1在学中の者を含む