

- liver steatosis by ultrasound, computed tomography and magnetic resonance. *J Hepatol* 2009; 51: 433-5.
- 8 Iijima H, Moriyasu F, Miyahara T, Yanagisawa K. Ultrasound contrast agent, Levovist microbubbles are phagocytosed by Kupffer cells-In vitro and in vivo studies. *Hepatol Res* 2006; 35: 235-7.
 - 9 Iijima H, Moriyasu F, Tsuchiya K, Suzuki S, Yoshida M. Decrease in accumulation of ultrasound contrast microbubbles in non-alcoholic steatohepatitis. *Hepatol Res* 2007; 37: 722-30.
 - 10 Tsujimoto T, Kawaratani H, Kitazawa T *et al.* Decreased phagocytic activity of Kupffer cells in a rat nonalcoholic steatohepatitis model. *World J Gastroenterol* 2008; 14: 6036-43.
 - 11 Yanagisawa K, Moriyasu F, Miyahara T, Yuki M, Iijima H. Phagocytosis of ultrasound contrast agent microbubbles by Kupffer cells. *Ultrasound Med Biol* 2007; 33: 318-25.
 - 12 Watanabe R, Matsumura M, Munemasa T, Fujimaki M, Suematsu M. Mechanism of hepatic parenchyma-specific contrast of microbubble-based contrast agent for ultrasonography: microscopic studies in rat liver. *Invest Radiol* 2007; 42: 643-51.
 - 13 Weltman MD, Farrell GC, Liddle C. Increased hepatocyte CYP2E1 expression in a rat nutritional model of hepatic steatosis with inflammation. *Gastroenterology* 1996; 111: 1645-53.
 - 14 Sasaki S, Iijima H, Moriyasu F, Hidehiko W. Definition of contrast enhancement phases of the liver using a perfluorobased microbubble agent. *Ultrasound Med Biol* 2009; 35: 1819-27.
 - 15 Tsutsui H, Mizoguchi Y, Morisawa S. Importance of direct hepatocytolysis by liver macrophages in experimental fulminant hepatitis. *Hepatogastroenterology* 1992; 39: 553-9.
 - 16 Skelly MM, James PD, Ryder SD. Findings on liver biopsy to investigate abnormal liver function tests in the absence of diagnostic serology. *J Hepatol* 2001; 35: 195-9.
 - 17 Green RM. NASH: hepatic metabolism and not simply the metabolic syndrome. *Hepatology* 2003; 38: 14-7.
 - 18 Charlton M. Nonalcoholic fatty liver disease: a review of current understanding and future impact. *Clin Gastroenterol Hepatol* 2004; 2: 1048-58.
 - 19 Harvey CJ, Blomley MJ, Eckersley RJ, Heckemann RA, Butler-Barnes J, Cosgrove DO. Pulse-inversion mode imaging of liver specific microbubbles: improved detection of subcentimetre metastases. *Lancet* 2000; 355: 807-8.
 - 20 Gaiani S, Celli N, Piscaglia F *et al.* Usefulness of contrast-enhanced perfusional sonography in the assessment of hepatocellular carcinoma hypervascular at spiral computed tomography. *J Hepatol* 2004; 41: 421-6.
 - 21 Taylor KJ, Carpenter DA, Hill CR, McCready VR. Gray scale ultrasound imaging. The anatomy and pathology of the liver. *Radiology* 1976; 119: 415-23.
 - 22 Joseph AE, Dewbury KC, McGuire PG. Ultrasound in the detection of chronic liver disease (the 'bright liver'). *Br J Radiol* 1979; 52: 184-8.
 - 23 Foster KJ, Dewbury KC, Griffith AH, Wright R. The accuracy of ultrasound in the detection of fatty infiltration of the liver. *Br J Radiol* 1980; 53: 440-2.
 - 24 Yajima Y, Ohta K, Narui T, Abe R, Suzuki H, Ohtsuki M. Ultrasonographical diagnosis of fatty liver: significance of the liver-kidney contrast. *Tohoku J Exp Med* 1983; 139: 43-50.
 - 25 Ricci C, Longo R, Gioulis E *et al.* Noninvasive in vivo quantitative assessment of fat content in human liver. *J Hepatol* 1997; 27: 108-13.
 - 26 Otagawa K, Kinoshita K, Fujii H *et al.* Erythrophagocytosis by liver macrophages (Kupffer cells) promotes oxidative stress, inflammation, and fibrosis in a rabbit model of steatohepatitis: implications for the pathogenesis of human nonalcoholic steatohepatitis. *Am J Pathol* 2007; 170: 967-80.
 - 27 Sontum PC, Ostensen J, Dyrstad K, Hoff L. Acoustic properties of NC100100 and their relation with the microbubble size distribution. *Invest Radiol* 1999; 34: 268-75.
 - 28 Sontum PC. Physicochemical characteristics of Sonazoid, a new contrast agent for ultrasound imaging. *Ultrasound Med Biol* 2008; 34: 824-33.
 - 29 Ijaz S, Yang W, Winslet MC, Seifalian AM. Impairment of hepatic microcirculation in fatty liver. *Microcirculation* 2003; 10: 447-56.
 - 30 McCuskey RS, Ito Y, Robertson GR, McCuskey MK, Perry M, Farrell GC. Hepatic microvascular dysfunction during evolution of dietary steatohepatitis in mice. *Hepatology* 2004; 40: 386-93.
 - 31 Farrell GC, Teoh NC, McCuskey RS. Hepatic microcirculation in fatty liver disease. *Anat Rec (Hoboken)* 2008; 291: 684-92.

