

Sawada M, Kaneko N, Inada H, Wake H, Kato Y, Yanagawa Y, Kobayashi K, Nemoto T, Nabekura J, Sawamoto K.	Sensory input regulates spatial and subtype-specific patterns of neuronal turnover in the adult olfactory bulb.	The Journal of Neuroscience	31(32)	11578-96	2011
Wang Y, Kaneko N, Asai N, Enomoto A, Isotani-Sakakibara M, Kato T, Asai M, Murakumo Y, Ota H, Hikita T, Namba T, Kuroda K, Kaibuchi K, Ming G, Song H, Sawamoto K, Takahashi M.	Girdin is an intrinsic regulator of neuroblast chain migration in the rostral migratory stream of the postnatal brain.	The Journal of Neuroscience	31(22)	8109-22	2011
Nakaguchi K, Masuda H, Kaneko N, Sawamoto K	Strategies for regenerating striatal neurons in the adult brain by using endogenous neural stem cells	Neurology Research International	2011	898012	2011
Shunsuke Nojiri, Atsunori Kusakabe, Noboru Shinkai, Kentaro Matsuura, Etsuko Iio, Tomokatsu Miyaki, Takashi Joh.	Factors influencing distant recurrence of hepatocellular carcinoma following combined radiofrequency ablation and transarterial chemoembolization therapy in patients with hepatitis C.	Cancer Management and Research	3	267-272	2011
Nori S, Okada Y, Yasuda A, Tsuji O, Takahashi Y, Kobayashi Y, Fujiyoshi K, Koike M, Uchiyama Y, Ikeda E, Toyama Y, Yamanaka S, Masayana N, Okano H.	Grafted human induced pluripotent stem cell-derived neurospheres promotes motor functional recovery after spinal cord injury in mice.	Proc.Natl.Acad.Sci.U.S.A	108(40)	16825-30	2011
Yagi T, Ito D, Okada Y, Akamatsu W, Nihei Y, Yoshizaki T, Yamanaka S, Okano H, Suzuki N.	Modeling familial Alzheimer's disease with induced pluripotent stem cells.	Hum Mol Genet.	20(23)	4530-39	2011

Renault-Mihara F, Katoh H, Ikegami T, Iwanami A, Mukaino M, Yasuda A, Nori S, Mabuchi Y, Tada H, Shibata S, Saito K, Matsushita M, Kaibuchi K, Okada S, Toyama Y, Nakamura M, Okano H.	Beneficial compaction of spinal cord lesion by migrating astrocytes through glycogen synthase kinase-3 inhibition.	EMBO Mol Med.	3(11)	682-96	2011
Fujioka M, Tokano H, Fujioka-Shiina K, Okano H, Edge A.S.	Cre/lox mediated in vivomosaic cell ablation to generate novel models for early stages of degenerative disease and tissue repair.	J. Clin. Invest.	121(6)	2462-2469	2011
Kubota Y, Hirashima M, Takubo K, Nagoshi N, Kishi K, Murakami M, Shibuya M, Takakura N, Okano H, Suda T.	Isolation and function of mouse tissue resident vascular precursors marked by myelin protein zero.	J. Exp. Med	208(5)	949-960	2011
Ishizuka K, Kamiya A, Oh EC, Kanki H, Sehadri S, Robinson J, Murdoch H, Dunlop AJ, Kubo KI, Furukori K, Huang B, Zeledon M, Hayashi-Takagi A, Okano H, Nakajima K, Houslay MD, Katsanis N, Sawa A.	DISC1-dependent switch from progenitor proliferation to migration in the developing cortex.	Nature	473(7345)	92-96	2011
Nagoshi N, Shibata S, Nakamura M, Mabuchi Y, Matsuzaki Y, Toyama Y, and Okano H	Schwann Cell Plasticity After Spinal Cord Injury Shown by Neural Crest Lineage Tracing.	Glia	59(5)	771-84	2011
Sawamoto K, Hirota Y, Alfaro-Cervello C, Soriano-Navarro M, He X, Hayakawa-Yano Y, Yamada M, Hikishima K, Tabata H, Iwanami A, Nakajima K, Toyama Y, Itoh T, Alvarez-Buylla A, Garcia-Verdugo JM, and Okano H	Cellular composition and organization of the subventricular zone and rostral migratory stream in the adult and neonatal common marmoset brain.	J. Comp. Neurol.	519(4)	690-713	2011

Fujimoto Y., Abematsu M., Falk A., Tsujimura K., Sanosaka T., Juliandi B., Semi K., Namihira M., Komiya S., Smith A. & Nakashima K.	Treatment of a mouse model of spinal cord injury by transplantation of human iPS cell-derived long-term self-renewing neuroepithelial-like stem cells.	Stem Cells	in press		2012
Mutoh T., Sanosaka T., Ito K. & Nakashima K.	Oxygen levels epigenetically regulate fate switching of neural precursor cells via HIF1 α -Notch signal interaction in the developing brain.	Stem Cells	30	561-569	2012
Juliandi B., Abematsu M., Sanosaka T., Tsujimura K., Smith A. & Nakashima K.	Induction of superficial cortical layer neurons from mouse embryonic stem cells by valproic acid.	Neurosci Res	72	23-31	2012
Nagao H., Ijiri K., Hirotsu M., Ishidou Y., Yamamoto T., Nagano S., Takizawa T., Nakashima K., Komiya S. & Setoguchi T.	Role of GLI2 in the growth of human osteosarcoma.	J Pathol	224	169-179	2011
Kuwabara T., Kagawa M.N., Onuma Y., Ito Y., Warashina M., Terashima K., Sanosaka T., Nakashima K., Gage F.H. & Asashima M.	Insulin biosynthesis in neuronal progenitors derived from adult hippocampus and the olfactory bulb.	EMBO Mol Med	3	742-754	2011
Kato S., Kuramochi M., Takasumi K., Kobayashi K., Inoue K.-i., Takahara D., Hitoshi S., Ikenaka K., Shimada T., Takada M., Kobayashi K.	Neuron-specific gene transfer through retrograde transport of lentiviral vector pseudotyped with a novel type of fusion envelope glycoprotein.	Human Gene Therapy	22	1511-1523	2011
Hitoshi S., Ishino Y., Kumar A., Jasmine S., Tanaka K.F., Kondo T., Kato S., Hosoya T., Hotta Y., Ikenaka K.	Mammalian Gcm genes induce Hes5 expression by active DNA demethylation and induce neural stem cells.	Nature Neuroscience	14	957-964	2011

Kamitani A., Hamada M., Moriguchi T., Miyai M., Hitoshi S., Ikenaka K., Hosoya T., Hotta Y., Takahashi S., Kataoka K.	MafB interacts with Gcm2 and regulates parathyroid hormone expression and parathyroid development.	Journal of Bone & Mineral Research	26	2463-2472	2011
Seto WK, Tanaka Y, Liu K, Lai CL, Yuen MF.	The Effects of IL-28B and ITPA Polymorphisms on Treatment of Hepatitis C Virus Genotype 6	Am J Gastroenterol.	106(5)	1007-1008	2011
Tanaka Y, Kurosaki M, Nishida N, Sugiyama M, Matsuura K, Sakamoto N, Enomoto N, Yatsushiro H, Nishiguchi S, Hino K, Hige S, Itoh Y, Tanaka E, Mochida S, Honda M, Hiasa Y, Koike A, Sugauchi F, Kaneko S, Izumi N, Tokunaga K, Mizokami M.	Genome-wide association study identified ITPA/DDRGK1 variants reflecting thrombocytopenia in pegylated interferon and ribavirin therapy for chronic hepatitis C	Hum Mol Genet.	20(17)	3507-3516	2011
Kurosaki M, Tanaka Y, Tanaka K, Suzuki Y, Hoshioka Y, Tamaki N, Kato T, Yasui Y, Hosokawa T, Ueda K, Tsuchiya K, Kuzuya T, Nakanishi H, Itakura J, Takahashi Y, Asahina Y, Matsuura K, Sugauchi F, Enomoto N, Nishida N, Tokunaga K, Mizokami M, Izumi N.	Relationship between polymorphisms of the inosine triphosphatase gene and anaemia or outcome after treatment with pegylated interferon and ribavirin.	Antivir Ther.	16(5)	685-694	2011
Tomiyama Y, Yoshiooka N, Yanai Y, Kawase T, Nishina S, Hara Y, Yoshida K, Korenaga K, Korenaga M, Hino K.	Type 1 interferon receptor in peripheral blood mononuclear cells may predict response to intra-arterial 5-fluorouracil + interferon therapy for advanced hepatocellular carcinoma	Hepatic Medicine : Evidence and Research	3	45-52	2011
Korenaga M, Hidaka I, Nishina S, Sakai A, Shinozaki A, Gondo T, Furutani T, Kawano H, Sakaida I, Hino K.	A glycyrrhizin-containing preparation reduces hepatic steatosis induced by hepatitis C virus protein and iron in mice.	Liver Int	31	552-60	2011

Ito K, Higami K, Masaki N, Sugiyama M, Mukaide M, Saito H, Aoki Y, Sato Y, Imamura M, Murata K, Nomura H, Hige S, Adachi H, Hino K, Yatsuhashi H, Orito E, Kani S, Tanaka Y, Mizokami M.	The rs8099917 polymorphism, when determined by a suitable genotyping method, is a better predictor for response to pegylated alpha interferon/ribavirin therapy in Japanese patients than other single nucleotide polymorphisms associated with interleukin-28B.	J Clin Microbiol	49	1853-60	2011
Doi N, Tomiyama Y, Kawase T, Nishina S, Yoshioka N, Hara Y, Yoshida K, Korenaga K, Korenaga M, Moriya T, Urakami A, Nakashima O, Kojiro M, Hino K	Focal nodular hyperplasia-like nodule with reduced expression of organic anion transporter 1B3 in alcoholic liver cirrhosis.	Intern Med	50	1193-9	2011
Matsuura K, Tanaka Y, Kusakabe A, Hige S, Inoue J, Komatsu M, Kuramitsu, T, Hirano K, Ohno T, Hasegawa, I, Kobashi H, Hino K, Hiasa Y, Nomura H, Sugauchi F, Nojiri S, Joh T, Mizokami M.	Recommendation of lamivudine-to-entecavir switching treatment in chronic hepatitis B responders: Randomized controlled trial.	Hepatol Res	41	505-11	2011
Matsui M, Motoki Y, Inomoto T, Miura D, Kato Y, Suenaga H, Hino K, Nojima J.	Temperature-related effects of adenosine triphosphatase-activated microglia on pro-inflammatory factors.	Neurocrit Care		in press	2012
仁科惣治, 是永匡紹, 日野啓輔	HCV感染にかかわる病態-HCV感染と酸化ストレス-	日本臨床	Vo1.69 (増刊号4)	149-155	2011
富山恭行, 是永匡紹, 日野啓輔	非B非C肝細胞癌, 特に成因不明肝細胞癌の臨床的特徴についての検討	第46回 日本肝癌研究会記録集		124-125	2011
仁科惣治, 是永匡紹, 日野啓輔	肝炎ウイルスによる発癌のメカニズム	Medical Practice	28	1402-1407	2011
仁科惣治, 是永匡紹, 日野啓輔	Glycyrrhizinはミトコンドリア保護作用を介してHCV蛋白と鉄負荷による肝脂肪化を抑制する	G.I.Research	19	400-401	2011

原 裕一、日野啓輔	Core蛋白による肝脂肪化・肝発 癌機構	肝胆膵	63	935-9	2011
是永匡紹、仁科惣 治、日野啓輔	C型肝炎進展・発癌と酸化スト レス	肝胆膵	63	984-94	2011
Ito K, Higami K, M asaki N, Sugiyama M, Mukaide M, Sait o H, Aoki Y, Sato Y, Imamura M, Mur ata K, Nomura H, Hige S, Adachi H, Hino K, Yatsunami H, Orito E, Kani S, Tanaka Y, Mizoka mi M.	The rs8099917 polymorphism, when determined by a suitable genotyping method, is a better predictor for response to peg ylated alpha interferon/ribavirin therapy in Japanese patients than other single nucleotide poly morphisms associated with inter leukin-28B.	J Clin Microbiol.	49	1853-1860	2011
Chayama K, Hayes CN, Yoshioka K, M oriwaki H, Okanoue T, Sakisaka S, Tak ehara T, Oketani M, Toyota J, Izumi N, Hiasa Y, Matsumot o A, Nomura H, Se ike M, Ueno Y, Yo tsuyanagi H, Kumad a H.	Factors predictive of sustained virological response following 72 weeks of combination thera py for genotype 1b hepatitis C.	J Gastroenterol.	46	545-555	2011
Kainuma M, Furus o N, Azuma K, Kaj iwaru E, Takahashi K, Nomura H, Tanai be Y, Satoh T, Mar uyama T, Nakamuta M, Kotoh K, Shim oda S, Hayashi J	Pegylated interferon α -2b plus ribavirin for Japanese chronic hepatitis C patients with norma l alanine aminotransferase.	Hepato Res.	42	33-41	2011
Nomura H, Miyagi Y, Tanimoto H, Ya mashita N, Oohashi S, Nishiura S.	Occurrence of clinical depressi on during combination therapy with pegylated interferon alph a or natural human interferon beta plus ribavirin	Hepato Res.	42	241-247	2012
Matsuura K, Tanaka Y, Kusakabe A, Hi ge S, Inoue J, Kom atsu M, Kuramitsu T, Hirano K, Ohno T, Hasegawa I, Kob ashi H, Hino K, Hi asa Y, Nomura H, Sugauchi F, Nojiri S, Joh T, Mizokami M.	Recommendation of lamivudine to-entecavir switching treatmen t in chronic hepatitis B respon ders: Randomized controlled tri al	Hepato Res.	41	505-511	2011
野村秀幸	C型肝炎の抗ウイルス療法の 実際	Medical Practice	28	1435-1439	2011

野村秀幸	C型急性肝炎の動向と診断・治療	日本臨床	69	161-164	2011
野村秀幸	新しいプロテアーゼ阻害剤:MK7009	肝胆膵	63	1219-1223	2011
Nakamura Y, Ishida Y, Yamada T, Shimada S.	Anticancer drug irinotecan inhibits homomeric 5-HT(3A) and heteromeric 5-HT(3AB) receptor responses.	Biochem Biophys Res Commun	415	416-420	2011
Iwamoto, K., Bundo, M., Ukai, W. et al.	Neurons show distinctive DNA methylation profile and higher interindividual variations compared with non-neurons.	Genome Res	21	688-696	2011
Iwai T, Saitoh A, Ukai W et al.	Rhotekin modulates differentiation of cultured neural stem cells to neurons.	J Neurosci Res.	-	-	2012 [Epub ahead of print]
Shirasaka T, Ukai W, Yoshinaga T et al.	Promising therapy of neural stem cell transplantation for FASD model--neural network reconstruction and behavior recovery.	Nihon Arukoru Yakubutsu Igakkai Zasshi	46	576-584	2011

