

II. 研究組織

平成 21 年度～23 年度厚生労働科学研究費補助金

難治性疾患克服研究事業

「疾患特異的 iPS 細胞を用いた難治性疾患の
画期的診断・治療法の開発に関する研究」班

研 究 組 織

	氏 名	所 属
研究代表者	中畑龍俊	京都大学 iPS 細胞研究所
分担研究者	斎藤潤	京都大学 iPS 細胞研究所
	高橋政代	理化学研究所 発生再生科学総合研究センター
	高橋淳	京都大学 再生医科学研究所・iPS 細胞研究所
	戸口田淳也	京都大学 再生医科学研究所・iPS 細胞研究所
	高橋良輔	京都大学 医学研究科 脳病態生理学
	井上治久	京都大学 iPS 細胞研究所
	長船健二	京都大学 iPS 細胞研究所
	平家俊男	京都大学 医学研究科 発達小児科学
	中西淳	武田薬品工業 医薬研究本部 生物研究所
	高橋和利	京都大学 iPS 細胞研究所
	浅香勲	京都大学 iPS 細胞研究所
	三嶋理晃	京都大学 医学研究科 呼吸器内科学

Ⅲ. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
中畑龍俊	さい帯血造血幹細胞の発見からさい帯血移植へ.	谷口修一、野村正満	日本さい帯血バンクネットワーク設立10周年記念『そして明日から』	日本さい帯血バンクネットワーク	日本	2009	26-27
Inoue H, Kondo T, Lin L, Mi S, Isacson O, Takahashi R	Protein Misfolding and Axonal Protection in Neurodegenerative Diseases.	Ovadi J	In Protein folding and misfolding: neurodegenerative diseases	Springer	Hungary	2009	97-109
戸口田淳也	間葉系幹細胞 - 疑問と期待に満ちた組織幹細胞	梅澤明弘、末盛博文、高橋淳	再生医療の最前線2010	羊土社	日本	2010	121-126
Osafune K, Yamanaka S	Stem cells in regenerative processes; Induced pluripotent stem cells.	Michael S. Goligorsky	Regenerative nephrology	Elsevier	米国	2010	203-215
今村恵子, 井上治久	iPS細胞を用いた神経・精神疾患モデル研究	鈴木則宏、祖父江元、荒木信夫、宇川義一、川原信隆	Annual Review 神経2012	中外医学社	日本	2012	92-96
Kitaoka S., Kondoh H., Inoue H.	Chapter V: Induced Pluripoten Stem Cell Technology for the Study of Neurodegenerative Diseases.	Patrick J. Sullivan Elena K. Mortensen	Induced Stem Cells	Nova Science Publishers, Inc.	USA		in press -
近藤孝之 井上治久 高橋良輔	第V章 iPS細胞を用いた神経疾患研究		再生医療叢書	朝倉書店	日本		印刷中
長船健二 山中伸弥	人工多能性幹 (iPS) 細胞の樹立その臨床応用		最新内科学	西村書店	日本		印刷中

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Chang H, Yoshimoto M, Umeda K, Iwasa T, Mizuno Y, Fukada SI, Yamamoto H, Motohashi N, Suzuki YM, Takeda S, <u>Heike T</u> , <u>Nakahata T</u> .	Generation of transplantable, functional satellite-like cells from mouse embryonic stem cells.	FASEB J.	23	1907-1919	2009
Watanabe M, Adachi S, Matsubara H, Imai T, Yui Y, Mizushima Y, Hiraumi Y, Watanabe K, Kamitsuji Y, Toyokuni S, Hosoi H, Sugimoto T, <u>Toguchida J</u> , <u>Nakahata T</u>	Induction of autophagy in malignant rhabdoid tumor cells by the histone deacetylase inhibitor FK228 through AIF translocation.	Int J Cancer	124	55-67	2009
Matsubara H, Watanabe M, Imai T, Yui Y, Mizushima Y, Hiraumi Y, Kamitsuji Y, Watanabe K, Nishijo K, Toguchida J, <u>Nakahata T</u> , Adachi S.	Involvement of extracellular signal- regulated kinase activation in human osteosarcoma cell resistance to the histone deacetylase inhibitor FK228 [(1S,4S,7Z,10S,16E,21R)- 7-ethylidene-4,21- bis(propan-2-yl)- 2-oxa- 12,13-dithia-5,8,20,23- tetraazabicyclo[8.7.6]tricos -16-ene-3,6,9,19,22- pentone].	J Pharmacol Exp Ther.	328	839-848	2009
Okafuji I, Nishikomori R, Kanazawa N, Kambe N, Fujisawa A, Yamazaki S, <u>Saito</u> <u>M</u> , Yoshioka T, Kawai T, Sakai H, Tanizaki H, <u>Heike</u> <u>T</u> , Miyachi Y, <u>Nakahata T</u> .	Role of the NOD2 genotype in the clinical phenotype of Blau syndrome and early-onset sarcoidosis.	Arthritis Rheum.	60	242-250	2009

Niwa A, Umeda K, Awaya T, Yui Y, Matsubara H, Hiramatsu H, Watanabe KI, Adachi S, Itoh T, Uemoto S, <u>Nakahata T</u>	Successful autologous peripheral blood stem cell transplantation with a double-conditioning regimen for recurrent hepatoblastoma after liver transplantation.	Pediatr Transplant.	13	259-262	2009
Hiraumi Y, Iwai-Kanai E, Baba S, Yui Y, Kamitsuji Y, Mizushima Y, Matsubara H, Watanabe M, Watanabe KI, Toyokuni S, Matsubara H, <u>Nakahata T</u> , Adachi S.	Granulocyte colony-stimulating factor protects cardiac mitochondria in the early phase of cardiac injury.	Am J Physiol Heart Circ Physiol.	296	H823-H832	2009
Fukushima-Shintani M, Suzuki KI, Iwatsuki Y, Abe M, Sugawara K, Hirayama F, Kawasaki T, <u>Nakahata T</u> .	AKR-501 (YM477) a novel orally-active thrombopoietin receptor agonist.	Eur J Haematol.	82	247-254	2009
Higashi A.Y., Ikawa T, Muramatsu M, Economides A.N., Niwa A, Okuda T, Murphy AJ., Rojas J, <u>Heike T</u> , <u>Nakahata T</u> , Kawamoto H, Kita T, Yanagita M.	Direct hematological toxicity and illegitimate chromosomal recombination caused by the systemic activation of CreERT2. .	J Immunol.	182	5633-5640	2009
Hasegawa D., Manabe A., Yagasaki H., Ohtsuka Y., Inoue M., Kikuchi A., Ohara A., Tsuchida M., Kojima S., <u>Nakahata T</u> .	Treatment of Childhood MDS Study Group Trial (MDS99).	Pediatr. Blood Cancer	53	1011-1015	2009
Yokoo N., Baba S., Kaichi S., Niwa A., Mima T., Doi H., Yamanaka S., <u>Nakahata T.</u> , <u>Heike T</u> .	The effects of cardioactive drugs on cardiomyocytes derived from human induced pluripotent stem cells. Biochem.	Biophys. Res. Com.	387	482-488	2009

Kusunoki T, Morimoto T, Nishikomori R, Yasumi T, <u>Heike T</u> , <u>Fujii T</u> , <u>Nakahata T</u> .	Changing Prevalence and Severity of Childhood Allergic Diseases in Kyoto, Japan, from 1996 to 2006.	Allergol Int.	58	543-548	2009
Kusunoki T, Morimoto T, Nishikomori R, <u>Heike T</u> , <u>Fujii T</u> , <u>Nakahata T</u> .	Allergic status of schoolchildren with food allergy to eggs, milk or wheat in infancy.	Pediatr Allergy Immunol.	20	642-647	2009
Nie C, Sato K, Misawa N, Kitayama H, Fujino H, Hiramatsu H, <u>Heike T</u> , <u>Nakahata T</u> , Tanaka Y, Ito M, Koyanagi Y	Selective infection of CD(4)+ effector memory T lymphocytes leads to preferential depletion of memory T lymphocytes in R5 HIV-infected humanized NOD/SCID/IL-2Rnull mice.	Virology	394	64-72	2009
Kato M, Sanada M, Kato I, Sato Y, Takita J, Takeuchi K, Niwa A, Chen Y, Nakazaki K, Nomoto J, Asakura Y, Muto S, Tamura A, Iio M, Akatsuka Y, Hayashi Y, Mori H, Igarashi T, Kurokawa M, Chiba S, Mori S, Ishikawa Y, Okamoto K, Tobinai K, Nakagama H, <u>Nakahata T</u> , Yoshino T, Kobayashi Y, Ogawa S	Frequent inactivation of A20 in B-cell lymphomas	Nature	459	712-716	2009
Niwa A., Umeda K., Chang H., <u>Saito M.</u> , Okita K., <u>Takahashi K.</u> , Nakagawa M., Yamanaka S., <u>Nakahata T.</u> , <u>Heike T</u>	Orderly Hematopoietic Development of Induced Pluripotent Stem Cells via Flk-1+ Hemoangiogenic Progenitors.	J. Cell. Physiol.	221	367-377	2009

Miyara M., Yoshioka Y., Kitoh A., Shima T., Wing K., Niwa A., Perizot C., Taflin C., <u>Heike T.</u> , Valeyre D., Mathian A., <u>Nakahata T.</u> , Yamaguchi T., Nomura T., Ono M., Amoura Z., Gorochov G., Sakaguchi S.	Functional delineation and differentiation dynamics of human CD4+ T cells expressing the FoxP3 transcription factor.	Immunity	30	899-911	2009
Suzuki N, Yumura- Yagi K, Yoshisa M, Hara J, Nishimura S, Kudoh T, Tawa A, Usami I, Tanizawa A, Hori H, Ito Y, Miyaji R, Oda M, Kato K, Hamamoto K, Osugi Y, Hashii Y, <u>Nakahata T.</u> , Horibe K	Outcome of childhood acute lymphoblastic leukemia with induction failure treated by the Japan Association of Childhood Leukemia Study (JACLS) ALL F-protocol.	Pediatric Blood Cancer.	54	71-78	2009
Kato I., Umeda K., Awaya T., Yui Y., Niwa A., Fujino H., Matsubara H., Watanabe K., <u>Heike T.</u> , Adachi N., Endo H., Mizukami T., Nunoi H., <u>Nakahata T.</u> , Adachi S.	Successful treatment of refractory donor lymphocyte infusion- induced immune-mediated pancytopenia by Rituximab.	Pediatr Blood Cancer.	54	329-331	2009
Sakai H, Ito S, Nishikomori R, Takaoka Y, Kawai T, <u>Saito M.</u> , Okafuji I, Yasumi T, <u>Heike T.</u> , <u>Nakahata T.</u>	A case of early-onset sarcoidosis with a six-base deletion in the NOD2 gene.	Rheumatology (Oxford).	49	194-196	2009
Yoshimoto M, <u>Heike T.</u> , Chang H, Kanatsu-Shinohara M, Baba S, Varnau JT, Shinohara T, Yoder MC, <u>Nakahata T</u>	Bone marrow engraftment but limited expansion of hematopoietic cells from multipotent germline stem cells derived from neonatal mouse testis.	Exp Hematol	37	1400-1410	2009

Hirami Y,Osakada F,Takahashi K,Okita K,Yamanaka S,Ikeda H,Yoshimura N, <u>Takahashi M.</u>	Generation of retinal cells from mouse and human induced pluripotent stem cells.	Neurosci Lett.	458	126-131	2009
Osakada F,Ikeda H,Sasai Y, <u>Takahashi M.</u>	Stepwise differentiation of pluripotent stem cells into retinal cells.	Nature Protocols.	4(6)	811-824	2009
Otsuka S, Aoyama T, Furu M, Ito K,Jin Y,Nasu A,Fukiage K, Kohno Y, Maruyama T, Kanaji T,Nishiura A, Sugihara H, Fujimura S,Otsuka T, Nakamura T, <u>Toguchida J</u>	PGE2 signal via EP2 receptors evoked by a selective agonist enhances regeneration of injured articular cartilage	Osteoarthritis Cartilage	17	529-38	2009
<u>Takahashi R</u>	Edaravone in ALS. (commentary)	Exp Neurol.	217	235-6	2009
Takeuchi H, Yanagida T, Inden M, Takata K, Kitamura Y, Yamakawa K, Sawada H, Izumi Y, Yamamoto N, Kihara T, Uemura K, Inoue H, Taniguchi T, Akaike A, <u>Takahashi R,</u> Shimohama S	Nicotinic receptor stimulation protects nigral dopaminergic neurons in rotenone-induced Parkinson's disease models.	J Neurosci Res.	87	576-85	2009
Sawada H, Oeda T, Yamamoto K, Kitagawa N, Mizuta E, Hosokawa R, Ohba M, Nishio R, Yamakawa K, Takeuchi H, Shimohama S, <u>Takahashi R,</u> Kawamura T	Diagnostic accuracy of cardiac metaiodobenzylguanidine scintigraphy in Parkinson disease.	Eur J Neurol.	16	174-82	2009

Ikeuchi K, Marusawa H, Fujiwara M, Matsumoto Y, Endo Y, Watanabe T, Iwai A, Sakai Y, <u>Takahashi R</u> , Chiba T	Attenuation of proteolysis-mediated cyclin E regulation by alternatively spliced Parkin in human colorectal cancers.	Int J Cancer	125	2029-35	2009
Matsui H, Taniguchi Y, Inoue H, Uemura K, Takeda S, <u>Takahashi R</u>	A chemical neurotoxin, MPTP induces Parkinson's disease like phenotype, movement disorders and persistent loss of dopamine neurons in medaka fish.	Neurosci Res.	65	65	2009
Uyama N, Uchihara T, Mochizuki Y, Nakamura A, <u>Takahashi R</u> , Mizutani T	Selective nuclear shrinkage of oligodendrocytes lacking glial cytoplasmic inclusions in multiple system atrophy: a 3-dimensional volumetric study.	J Neuropathol Exp Neurol.	68	1084-91	2009
Yamakawa K, Izumi Y, Takeuchi H, Yamamoto N, Kume T, Akaike A, <u>Takahashi R</u> , Shimohama S, Sawada H	Dopamine facilitates alpha-synuclein oligomerization in human neuroblastoma SH-SY5Y cells.	Biochem Biophys Res Commun.	391	129-34	2009
Inoue H., Kitaoka S., Naitoh M., <u>Takahashi K.</u> , Yoshikawa K., Yamawaki S., Suzuki S., <u>Nakahata T.</u> , Takahashi R., Yamanaka S.	Neurodegenerative disease-specific induced pluripotent Stem cells research.	Neuroscience Research	65(1)	S10	2009
Lau F., Ahfeldt T., <u>Osafune K.</u> , Akutsu H., Cowan CA.	Induced pluripotent stem (iPS) cells: an up-to-the-minute review	F1000 Biology Reports	1	84	2009
<u>Takahashi K.</u> , Narita M., Yokura M., Ichisaka T., Yamanaka S.	Human induced pluripotent stem cells on autologous feeders	PLoS ONE.	4	e8067	2009
<u>Mishima M</u>	Physiological differences and similarities in asthma and COPD--based on respiratory function testing	Allergol Int	58(3)	333-40	2009

Tsuboi T, Oga T, Machida K, Chihara Y, Matsumoto H, Niimi A, Sumi K, Ohi M, <u>Mishima M</u> , Chin K	Importance of ventilator mode in long-term noninvasive positive pressure ventilation	Respir Med	103(12)	1854-61	2009
Sato A, Watanabe T, Maki Y, Ueta M, Yoshida H, Ito Y, Wada A, <u>Mishima M</u>	Solution structure of the E. coli ribosome hibernation promoting factor HPF: Implications for the relationship between structure and function	Biochem Biophys Res Commun	389(4)	580-5	2009
Terada K, Muro S, Ohara T, Haruna A, Marumo S, Kudo M, Ogawa E, Hoshino Y, Hirai T, Niimi A, <u>Mishima M</u>	Cough-reflex sensitivity to inhaled capsaicin in COPD associated with increased exacerbation frequency	Respirology	14(8)	1151-5	2009
Handa T, Nagai S, Kitaichi M, Chin K, Ito Y, Oga T, Takahashi K, Watanabe K, <u>Mishima M</u> , Izumi T	Long-term complications and prognosis of chronic beryllium disease	Sarcoidosis Vasc Diffuse Lung Dis	26(1)	24-31	2009
Oga T, Matsuoka T, Yao C, Nonomura K, Kitaoka S, Sakata D, Kita Y, Tanizawa K, Taguchi Y, Chin K, <u>Mishima M</u> , Shimizu T, Narumiya S	Prostaglandin F(2alpha) receptor signaling facilitates bleomycin-induced pulmonary fibrosis independently of transforming growth factor-beta	Nat Med	15(12)	1426-30	2009
Oga T, Chin K, Tabuchi A, Kawato M, Morimoto T, Takahashi K, Handa T, Takahashi K, Taniguchi R, Kondo H, <u>Mishima M</u> , Kita T, Horiuchi H	Effects of obstructive sleep apnea with intermittent hypoxia on platelet aggregability	J Atheroscler Thromb	16(6)	862-9	2009

Mizuno Y., Chang H., Umeda K., Niwa A., Iwasa T., Awaya T., Fukada S., Hiroshi Yamamoto H., Yamanaka S., <u>Nakahata T., Heike T.</u>	Generation of skeletal muscle stem/progenitor cells from murine induced pluripotent stem cells.	FASEB J.	24	2245-2253	2010
Matsuda K., Taira C., Sakashita K., Saito S., Yanagisawa MT., Yanagisawa R., Yozo Nakazawa Y., Shiohara M., Fukushima K., Oda M., Honda T., <u>Nakahata T., Koike K.:</u>	Long-term survival after non-intensive chemotherapy in some juvenile myelomonocytic leukemia patients with CBL mutations, and the possible presence of normal individuals with the mutations.	Blood	115	5429-5431	2010
Takeuchi M., Kimura S., Kuroda J., Ashihara E., Kawatani M., Osada H., Umezawa K., Yasui E., Imoto M., Tsuruo T., Yokota A., Tanaka R., Nagao R., <u>Nakahata T., Fujiyama Y., Maekawa T.</u>	Glyoxalase-I is a novel target against Bcr-Abl+ leukemic cells acquiring stem-like characteristics in a hypoxic environment.	Cell Death and Defferentiation	17	1211-1220	2010
Kubota M, Adachi S, Usami I, Okada M, Kitoh T, Shiota M, Taniguchi Y, Tanizawa A, Nanbu M, Hamahata K, Fujino H, Matsubara K, Wakazono Y, <u>Nakahata T.</u>	Characterization of chronic idiopathic thrombocytopenic purpura in Japanese children: a retrospective multi-center study.	Int J Hematol.	91	252-257	2010

Kuroda Y, Kitada M, Wakao S, Nishikawa K, Tanimura Y, Makinoshima H, Goda M, Akashi H, Inutsuka A, Niwa A, Shigemoto T, Nabeshima Y, <u>Nakahata T</u> , Nabeshima Y, Fujiyoshi Y, Dezawa M.	Unique multipotent cells in adult human mesenchymal cell populations.	Proc Natl Acad Sci U S A.	107	8639-8643	2010
Kaichi S, Hasegawa K, Takaya T, Yokoo N, Mima T, Kawamura T, Morimoto T, Ono K, Baba S, Doi H, Yamanaka S, <u>Nakahata T</u> , <u>Heike T</u> .	Cell line-dependent differentiation of induced pluripotent stem cells into cardiomyocytes in mice.	Cardiovasc Res.	88	314-323	2010
Iwasa T, Baba S, Doi H, Kaichi S, Yokoo N, Mima T, Kanatsu-Shinohara M, Shinohara T, <u>Nakahata T</u> , <u>Heike T</u> .	Neonatal mouse testis-derived multipotent germline stem cells improve the cardiac function of acute ischemic heart mouse model.	Biochem Biophys Res Commun.	400	27-33	2010
Kumada T, Yamanaka Y, Kitano A, Shibata M, Awaya T, Kato T, Okawa K, Abe T, Oshima N, <u>Nakahata T</u> , <u>Heike T</u> .	Ttyh1, a Ca(2+)-binding protein localized to the endoplasmic reticulum, is required for early embryonic development.	Dev Dyn.	239	2233-2245	2010
Matsuse D, Kitada M, Kohama M, Nishikawa K, Makinoshima H, Wakao S, Fujiyoshi Y, Heike T, <u>Nakahata T</u> , Akutsu H, Umezawa A, Harigae H, Kira J, Dezawa M.	Human umbilical cord-derived mesenchymal stromal cells differentiate into functional Schwann cells that sustain peripheral nerve regeneration.	J Neuropathol Exp Neurol.	69	973-985	2010

Yamanaka Y, Kitano A, Takao K, Prasansuklab A, Mushiroda T, Yamazaki K, Kumada T, Shibata M, Takaoka Y, Awaya T, Kato T, Abe T, Iwata N, Miyakawa T, Nakamura Y, <u>Nakahata T, Heike T.</u>	Inactivation of fibroblast growth factor binding protein 3 causes anxiety- related behaviors.	Mol Cell Neurosci.	46	200-212	2010
Kambe N, Nakamura Y, <u>Saito M.</u> , Nishikomori R.	The inflammasome, an innate immunity guardian, participates in skin urticarial reactions and contact hypersensitivity.	Allergol Int	59	105-113	2010
Ito K, Aoyama T, Fukiage K, Otsuka S, Furu M, Jin Y, Nasu A, Ueda M, Kasai Y, Ashihara E, Kimura S, Maekawa T, Kobayashi A, Yoshida S, Niwa H, Otsuka T, Nakamura T, <u>Toguchida J</u>	A novel method to isolate mesenchymal stem cells from bone marrow in a closed system using a device made by non-woven fabric	Tissue Eng Part C Methods	16	81-91	2010
Jin Y, Kato T, Furu M, Nasu A, Kajita Y, Mitsui H, Ueda M, Aoyama T, Nakayama T, Nakamura T, <u>Toguchida J</u>	Mesenchymal stem cells cultured under hypoxia escape from senescence via down-regulation of p16 and extracellular signal regulated kinase.	Biochem Biophys Res Commun	391	1471-6	2010
Aoyama T, Okamoto T, Fukiage K, Otsuka S, Furu M, Ito K, Jin Y, Ueda M, Nagayama S, Nakayama T, Nakamura T, <u>Toguchida J.</u>	Histone modifiers, YY1 and p300, regulate the expression of cartilage- specific gene, chondromodulin-I, in mesenchymal stem cells	J Biol Chem	285	29842-50	2010

Matsui H, Taniguchi Y, <u>Inoue H</u> , Kobayashi Y, Sakaki Y, Toyoda A, Uemura K, Kobayashi D, Takeda S, <u>Takahashi R</u>	Loss of PINK1 in medaka fish (<i>Oryzias latipes</i>) causes late-onset decrease in spontaneous movement.	Neurosci Res.	66	151-61	2010
Kawamoto Y, Ito H, Kobayashi Y, Suzuki Y, Ihara M, Kawamata, J, Akiguchi I, Fujimura H, Sakoda S, Kusaka H, Hirano A, <u>Takahashi R.</u>	HtrA2/Omi-immunoreactive intraneuronal inclusions in the anterior horn from patients with sporadic and SOD1 mutant amyotrophic lateral sclerosis.	Neuropath Appl Neurobiol.	36	331-44	2010
Matsui H, Ito H, <u>Inoue H</u> , Taniguchi Y, Takeda S, <u>Takahashi R.</u>	Proteasome inhibition in medaka brain induces the features of Parkinson disease.	J Neurochem.	115	178-87	2010
Hideyama T, Yamashita T, Suzuki T, Tsuji S, Higuchi M, Seeburg PH, <u>Takahashi R</u> , Misawa H, Kwak S.	Induced loss of ADAR2 engenders slow death of motor neurons from Q/R site-unedited GluR2.	J Neurosci.	30	11917-25	2010
Matsui H, Ito H, Taniguchi Y, Takeda S, <u>Takahashi R.</u>	Ammonium chloride and tunicamycin are novel toxins for dopaminergic neurons and induced Parkinson's disease-like phenotypes in medaka fish.	J Neurochem.	115	1150-60	2010
<u>Inoue H.</u>	Neurodegenerative disease-specific induced pluripotent stem cell research.	Experimental Cell Research	316(16)	2560-2564	2010
Komatsu K., <u>Inoue H.</u> , Kondo T., Kitaoka S., Ichisaka T., <u>Takahashi K.</u> , Yamanaka S., <u>Takahashi R.</u>	Establishment of iPS cells from amyotrophic lateral sclerosis model mice.	Neuroscience Research	68(1)	e197	2010

Kitaoka K., <u>Inoue H.</u> , Tsukita K., Kawada M., Naitoh M., <u>Takahashi K.</u> , Yoshikawa K., Kondo T., Yamawaki S., Watanabe D., Suzuki S., <u>Nakahata T.</u> , <u>Takahashi R.</u> , Yamanaka S.	Differentiation of induced pluripotent stem cells from ALS patients generates motor neurons.	Neuroscience Research	68(1)	e197	2010
Kondo T., <u>Inoue H.</u> , Egawa N., Yoshikawa K., Yamawaki S., Naitoh M., Suzuki S., <u>Takahashi K.</u> , Hasegawa K., <u>Nakahata T.</u> , Yamanaka S., <u>Takahashi R.</u>	Generation of disease-specific induced pluripotent stem cells from hereditary Parkinson's disease.	Neuroscience Research	68(1)	e306	2010
Mizuno Y, Chang H, Umeda K, Niwa A, Iwasa T, Awaya T, Fukada SI, Yamamoto H, Yamanaka S, <u>Nakahata T.</u> , <u>Heike T.</u>	Generation of skeletal muscle stem/progenitor cells from murine induced pluripotent cells	FASEB J	24	2245-2253	2010
Homma, K., Sone, M., Taura, D., Yamahara, K., Suzuki, Y., <u>Takahashi, K.</u> , Sonoyama, T., Inuzuka, M., Fukunaga, Y., Tamura, N., Itoh, H., Yamanaka, S., Nakao, K.	Sirt1 plays an important role in mediating greater functionality of human ES/iPS-derived vascular endothelial cells.	Atherosclerosis	212	42-7	2010

Tamaoki, N., Takahashi, K., Tanaka, T., Ichisaka, T., Aoki, H., Takeda- Kawaguchi, T., Iida, K., Kunisada, T., Shibata, T., Yamanaka, S., Tezuka, K.	Dental Pulp Cells for Induced Pluripotent Stem Cell Banking.	J Dent Res	89	773-8	2010
Takahashi, K.	Direct reprogramming 101.	Dev. Growth. Differ.	52	319-333	2010
Takayama, N., Nishimura, S., Nakamura, S., Shimizu, T., Ohnishi, R., Endo, H., Yamaguchi, T., Otsu, M., Nishimura, K., Nakanishi, M., Sawaguchi, A., Nagai, R., Takahashi, K., Yamanaka, S., Nakauchi, H., Eto, K.	Transient activation of c- MYC expression is critical for efficient platelet generation from human induced pluripotent stem cells.	J. Exp. Med	20	2817-30	2010
Takeda T, Oga T, Niimi A, Matsumoto H, Ito I, Yamaguchi M, Matsuoka H, Jinnai M, Otsuka K, Oguma T, Nakaji H, Chin K, Mishima M	Relationship between small airway function and health status, dyspnea and disease control in asthma	Respiration	80(2)	120-6	2010
Terada K, Muro S, Ohara T, Kudo M, Ogawa E, Hoshino Y, Hirai T, Niimi A, Chin K, Mishima M	Abnormal swallowing reflex and COPD exacerbations	Chest	137(2)	326-32	2010

Ichinose M, Seyama K, Nishimura M, Fukuchi Y, Nagai A, <u>Mishima M</u> , Kubo K; Beta-2 Agonist Research and Evaluation Committee in COPD (BAREC) Study Group	Additive effects of transdermal tulobuterol to inhaled tiotropium in patients with COPD	Respir Med	104(2)	267-74	2010
Sakai H, Nakano Y, Muro S, Hirai T, Takubo Y, Oku Y, Hamakawa H, Takahashi A, Sato T, Chen F, Sahara H, Fujinaga T, Sato K, Sonobe M, Shoji T, Miyahara R, Okubo K, Bando T, Hirata T, Date H, <u>Mishima M</u>	Age-related changes in the trachea in healthy adults	Adv Exp Med Biol	662	115-20	2010
Haruna A, Oga T, Muro S, Ohara T, Sato S, Marumo S, Kinose D, Terada K, Nishioka M, Ogawa E, Hoshino Y, Hirai T, Chin K, <u>Mishima M</u>	Relationship between peripheral airway function and patient-reported outcomes in COPD: a cross-sectional study	BMC Pulm Med	10	10	2010
Haruna A, Muro S, Nakano Y, Ohara T, Hoshino Y, Ogawa E, Hirai T, Niimi A, Nishimura K, Chin K, <u>Mishima M</u>	CT scan findings of emphysema predict mortality in COPD	Chest	138(3)	635-40	2010
Nishioka M, Ogawa E, Kinose D, Haruna A, Ohara T, Ito I, Hoshino Y, Ito Y, Matsumoto H, Niimi A, Mio T, Chin K, Hirai T, Muro S, <u>Mishima M</u>	Lipopolysaccharide induced connective tissue growth factor gene expression in human bronchial epithelial cells	Respirology	15(4)	669-76	2010

Tsuboi T, Ohi M, Oga T, Machida K, Chihara Y, Harada Y, Takahashi K, Sumi K, Handa T, Niimi A, <u>Mishima M</u> , Chin K	Importance of the PaCO ₂ from 3 to 6 months after initiation of long-term non-invasive ventilation	Respir Med	104(12)	1850-7	2010
Watanabe K, Chin K, Takahashi K, Murata M, Doi H, Handa T, Oga T, Tsuboi T, Ikeda T, Nakahata T, Sakata R, <u>Mishima M</u>	Avoidance of reintubation by using sedation during noninvasive positive pressure ventilation in a 3-month-old infant with postoperative respiratory failure	Intern Med	49(12)	1159-62	2010
Tomii K, Tachikawa R, Chin K, Murase K, Handa T, <u>Mishima M</u> , Ishihara K	Role of non-invasive ventilation in managing life-threatening acute exacerbation of interstitial pneumonia	Intern Med	49(14)	1341-7	2010
Oga T, Tsukino M, Hajiro T, Ikeda A, Koyama H, <u>Mishima M</u> , Chin K, Nishimura K	Multidimensional analyses of long-term clinical courses of asthma and chronic obstructive pulmonary disease	Allergol Int	59(3)	257-65	2010
Aihara K, Chin K, Oga T, Takahashi K, Hitomi T, Takegami M, Handa T, Niimi A, Tsuboi T, <u>Mishima M</u>	Long-term nasal continuous positive airway pressure treatment lowers blood pressure in patients with obstructive sleep apnea regardless of age	Hypertens Res	33(10)	1025-31	2010
Narita M, Tanizawa K, Chin K, Iikai I, Handa T, Oga T, Niimi A, Tsuboi T, <u>Mishima M</u> , Uemoto S, Hatano E	Noninvasive ventilation improves the outcome of pulmonary complications after liver resection	Intern Med	49(15)	1501-7	2010
Sato A, <u>Mishima M</u> , Nagai A, Kim SY, Ito Y, Hakoshima T, Jee JG, Kitano K	Solution structure of the HRDC domain of human Bloom syndrome protein BLM	J Biochem	148(4)	517-25	2010
Tatsumi K, Nakanishi N, Tanabe N, Kasahara Y, Kubo K, Hirai T, <u>Mishima M</u>	Pulmonary arterial hypertension and chronic thromboembolic pulmonary hypertension	Nihon Kokyuki Gakkai Zasshi	48(8)	551-64	2010

Handa T, Nagai S, Ueda S, Chin K, Ito Y, Watanabe K, Tanizawa K, Tamaya M, <u>Mishima M</u> , Izumi T	Significance of plasma NT-proBNP levels as a biomarker in the assessment of cardiac involvement and pulmonary hypertension in patients with sarcoidosis	Sarcoidosis Vasc Diffuse Lung Dis	27(1)	27-35	2010
Tanizawa K, Handa T, Nagai S, Ito EY, Watanabe K, Aihara K, Izumi T, <u>Mishima M</u>	CD24 gene exon 2 dimorphism does not affect disease susceptibility in Japanese sarcoidosis patients	Sarcoidosis Vasc Diffuse Lung Dis	27(1)	64-9	2010
<u>Osafune K</u>	In vitro regeneration of kidney from pluripotent stem cells.	Experimental Cell Research	316	2571-2577	2010
Morishima T., Watanabe K., Niwa A., Fujino H., Matsubara H., Adachi S., Suemori H., <u>Nakahata T.</u> , <u>Heike T.</u>	Neutrophil differentiation from human-induced pluripotent stem cells.	J. Cell. Physiol.	226(5)	1283-1291	2011
<u>Heike T.</u> , <u>Saito M.</u> , Nishikomori R., Yasumi T., <u>Nakahata T.</u>	Autoinflammatory diseases-a new entity of inflammation.	Inflammation and Regeneration	31	125-136	2011
Yamanaka Y., Kitano A., Takao K., Prasansuklab A., Mushiroad T., Yamazaki K., Kumada T., Shibata M., Takaoka Y., Awaya T., Kato T., <u>Nakahata T.</u> , <u>Heike T.</u>	Inactivation of fibroblast growth factor binding protein 3 causes anxiety-related behaviors.	Mol. Cell. Neurosci.	46	200-212	2011