

Morikawa T, Nishimura SL, Nakayama K, Kuwano K (2011) Insulin-dependent phosphatidylinositol 3-kinase/Akt and ERK signaling pathways inhibit TLR3-mediated human bronchial epithelial cell apoptosis. *J Immunol* 187: 510-519.

3. Minagawa S, Araya J, Numata T, Nojiri S, Hara H, Yumino Y, Kawaishi M, Odaka M, Morikawa T, Nishimura SL, Nakayama K, Kuwano K (2011) Accelerated epithelial cell senescence in IPF and the inhibitory role of SIRT6 in TGF-beta-induced senescence of human bronchial epithelial cells. *Am J Physiol Lung Cell Mol Physiol* 300: L391-401.
4. Hara H, Araya J, Takasaka N, Fujii S, Kojima J, Yumino Y, Shimizu K, Ishikawa T, Numata T, Kawaishi M, Saito K, Hirano J, Odaka M, Morikawa T, Hano H, Nakayama K, Kuwano K (2011) Involvement of Creatine Kinase B in Cigarette Smoke Induced-Bronchial Epithelial Cell Senescence. *Am J Respir Cell Mol Biol*.
5. Takagi M, Kuwano K, Watanabe K, Akiba T (2009) A case of recurrence and rapid growth of pleural solitary fibrous tumor 8 years after initial surgery. *Ann Thorac Cardiovasc Surg* 15: 178-181.
6. Kuwano K, Araya J, Nakayama K (2008) Epithelial cell fate following lung injury. *Expert Rev Respir Med* 2: 573-582.
7. Kuwano K (2008) Involvement of epithelial cell apoptosis in interstitial lung diseases. *Intern Med* 47: 345-353.

冲永壮治

1. Tanaka T, Matsuoka M, Sutani A, Gemma A, Maemondo M, Inoue A, Okinaga S, Nagashima M, Oizumi S, Uematsu K, Nagai Y, Moriyama G, Miyazawa H, Ikebuchi K, Morita S, Kobayashi K, Hagiwara K (2010) Frequency of and variables associated with the EGFR mutation and its subtypes. *Int J Cancer* 126: 651-655.
2. Maemondo M, Inoue A, Kobayashi K, Sugawara S, Oizumi S, Isobe H, Gemma A, Harada M, Yoshizawa H, Kinoshita I, Fujita Y, Okinaga S, Hirano H, Yoshimori K, Harada T, Ogura T, Ando M, Miyazawa H, Tanaka T, Saijo Y, Hagiwara K, Morita S, Nukiwa T (2010) Gefitinib or chemotherapy for non-small-cell lung cancer with mutated EGFR. *N Engl J Med* 362: 2380-2388.
3. Inoue A, Kobayashi K, Usui K, Maemondo M, Okinaga S, Mikami I, Ando M, Yamazaki K, Saijo Y, Gemma A, Miyazawa H, Tanaka T, Ikebuchi K, Nukiwa T, Morita S, Hagiwara K (2009) First-line gefitinib for patients with advanced non-small-cell lung cancer harboring epidermal growth factor receptor mutations without indication for chemotherapy. *J Clin Oncol* 27: 1394-1400.

西條康夫

1. Suzuki K, Sun R, Origuchi M, Kanehira M, Takahata T, Itoh J, Umezawa A, Kijima H, Fukuda S, Saijo Y (2011) Mesenchymal stromal cells promote tumor growth through the enhancement of neovascularization. *Mol Med* 17: 579-587.
2. Satoh H, Inoue A, Kobayashi K, Maemondo M, Oizumi S, Isobe H, Gemma A, Saijo Y, Yoshizawa H, Hagiwara K, Nukiwa T (2011) Low-dose gefitinib treatment for patients with advanced non-small cell lung cancer harboring sensitive epidermal growth factor receptor mutations. *J Thorac Oncol* 6: 1413-1417.
3. Ohkouchi S, Block GJ, Katsha AM, Kanehira M, Ebina M, Kikuchi T, Saijo Y, Nukiwa T, Prockop DJ (2011) Mesenchymal Stromal Cells Protect Cancer Cells From ROS-induced Apoptosis and Enhance the Warburg Effect by Secreting STC1. *Mol Ther*.
4. Katsha AM, Ohkouchi S, Xin H, Kanehira M, Sun R, Nukiwa T, Saijo Y (2011) Paracrine factors of multipotent stromal cells ameliorate lung injury in an elastase-induced emphysema model. *Mol Ther* 19: 196-203.
5. Sakakibara T, Inoue A, Sugawara S, Maemondo M, Ishida T, Usui K, Abe T, Kanbe M, Watanabe H, Saijo Y, Nukiwa T (2010) Randomized phase II trial of weekly paclitaxel combined with carboplatin versus standard paclitaxel combined with carboplatin for elderly patients with advanced non-small-cell lung cancer. *Ann Oncol* 21: 795-799.

6. Maemondo M, Inoue A, Kobayashi K, Sugawara S, Oizumi S, Isobe H, Gemma A, Harada M, Yoshizawa H, Kinoshita I, Fujita Y, Okinaga S, Hirano H, Yoshimori K, Harada T, Ogura T, Ando M, Miyazawa H, Tanaka T, Saijo Y, Hagiwara K, Morita S, Nukiwa T (2010) Gefitinib or chemotherapy for non-small-cell lung cancer with mutated EGFR. *N Engl J Med* 362: 2380-2388.
7. Asahina H, Oizumi S, Inoue A, Kinoshita I, Ishida T, Fujita Y, Sukoh N, Harada M, Maemondo M, Saijo Y, Dosaka-Akita H, Isobe H, Nukiwa T, Nishimura M (2010) Phase II study of gefitinib readministration in patients with advanced non-small cell lung cancer and previous response to gefitinib. *Oncology* 79: 423-429.
8. Xin H, Sun R, Kanehira M, Takahata T, Itoh J, Mizuguchi H, Saijo Y (2009) Intratracheal delivery of CX3CL1-expressing mesenchymal stem cells to multiple lung tumors. *Mol Med* 15: 321-327.
9. Inoue A, Kobayashi K, Usui K, Maemondo M, Okinaga S, Mikami I, Ando M, Yamazaki K, Saijo Y, Gemma A, Miyazawa H, Tanaka T, Ikebuchi K, Nukiwa T, Morita S, Hagiwara K (2009) First-line gefitinib for patients with advanced non-small-cell lung cancer harboring epidermal growth factor receptor mutations without indication for chemotherapy. *J Clin Oncol* 27: 1394-1400.
10. Sakakibara T, Saijo Y, Fukuhara T, Gomi K, Inoue A, Ishimoto O, Sugawara S, Nukiwa T (2008) Adenocarcinoma with epidermal growth factor receptor gene mutations in three siblings. *J Thorac Oncol* 3: 311-313.
11. Inoue A, Xin H, Suzuki T, Kanehira M, Kuroki Y, Fukuhara T, Kikuchi T, Maemondo M, Nukiwa T, Saijo Y (2008) Suppression of surfactant protein A by an epidermal growth factor receptor tyrosine kinase inhibitor exacerbates lung inflammation. *Cancer Sci* 99: 1679-1684.
12. Inoue A, Sugawara S, Yamazaki K, Maemondo M, Suzuki T, Gomi K, Takanashi S, Inoue C, Inage M, Yokouchi H, Watanabe H, Tsukamoto T, Saijo Y, Ishimoto O, Hommura F, Nukiwa T (2008) Randomized phase II trial comparing amrubicin with topotecan in patients with previously treated small-cell lung cancer: North Japan Lung Cancer Study Group Trial 0402. *J Clin Oncol* 26: 5401-5406.
13. Fukuhara T, Saijo Y, Sakakibara T, Inoue A, Morikawa N, Kanamori M, Nakashima I, Nukiwa T (2008) Successful treatment of carcinomatous meningitis with gefitinib in a patient with lung adenocarcinoma harboring a mutated EGF receptor gene. *Tohoku J Exp Med* 214: 359-363.

藤田結花

1. Maemondo M, Inoue A, Kobayashi K, Sugawara S, Oizumi S, Isobe H, Gemma A, Harada M, Yoshizawa H, Kinoshita I, Fujita Y, Okinaga S, Hirano H, Yoshimori K, Harada T, Ogura T, Ando M, Miyazawa H, Tanaka T, Saijo Y, Hagiwara K, Morita S, Nukiwa T (2010) Gefitinib or chemotherapy for non-small-cell lung cancer with mutated EGFR. *N Engl J Med* 362: 2380-2388.
2. Asahina H, Oizumi S, Inoue A, Kinoshita I, Ishida T, Fujita Y, Sukoh N, Harada M, Maemondo M, Saijo Y, Dosaka-Akita H, Isobe H, Nukiwa T, Nishimura M (2010) Phase II study of gefitinib readministration in patients with advanced non-small cell lung cancer and previous response to gefitinib. *Oncology* 79: 423-429.
3. Yamamoto Y, Fujiuchi S, Hiramatsu M, Nishigaki Y, Takeda A, Fujita Y, Yamazaki Y (2008) Resistin is closely related to systemic inflammation in obstructive sleep apnea. *Respiration* 76: 377-385.

稲瀬直彦

1. Yamasaki M, Sumi Y, Sakakibara Y, Tamaoka M, Miyazaki Y, Arai H, Kojima K, Itoh F, Amano T, Yoshizawa Y, Inase N (2011) Pulmonary Artery Leiomyosarcoma Diagnosed without Delay. *Case Rep Oncol* 4: 287-298.
2. Unoura K, Miyazaki Y, Sumi Y, Tamaoka M, Sugita T, Inase N (2011) Identification of fungal DNA in BALF from patients with home-related hypersensitivity pneumonitis. *Respir Med* 105: 1696-1703.
3. Tateishi T, Ohtani Y, Takemura T, Akashi T, Miyazaki Y, Inase N, Yoshizawa Y (2011) Serial high-resolution computed tomography findings of acute and chronic hypersensitivity pneumonitis induced by avian antigen. *J Comput Assist Tomogr* 35: 272-279.

4. Takayama S, Tamaoka M, Takayama K, Okayasu K, Tsuchiya K, Miyazaki Y, Sumi Y, Martin JG, Inase N (2011) Synthetic double-stranded RNA enhances airway inflammation and remodelling in a rat model of asthma. *Immunology* 134: 140-150.
5. Okamoto T, Miyazaki Y, Shirahama R, Tamaoka M, Inase N (2011) Proteome Analysis of Bronchoalveolar Lavage Fluid in Chronic Hypersensitivity Pneumonitis. *Allergol Int* 0.
6. Mitaka K, Miyazaki Y, Yasui M, Furuie M, Miyake S, Inase N, Yoshizawa Y (2011) Th2-biased immune responses are important in a murine model of chronic hypersensitivity pneumonitis. *Int Arch Allergy Immunol* 154: 264-274.
7. Kuramochi J, Inase N, Miyazaki Y, Kawachi H, Takemura T, Yoshizawa Y (2011) Lung cancer in chronic hypersensitivity pneumonitis. *Respiration* 82: 263-267.
8. Kato H, Nishimura T, Ikeda N, Yamada T, Kondo T, Saijo N, Nishio K, Fujimoto J, Nomura M, Oda Y, Lindmark B, Maniwa J, Hibino H, Unno M, Ito T, Sawa Y, Tojo H, Egawa S, Edula G, Lopez M, Wigmore M, Inase N, Yoshizawa Y, Nomura F, Marko-Varga G (2011) Developments for a growing Japanese patient population: facilitating new technologies for future health care. *J Proteomics* 74: 759-764.
9. Honda T, Tsuzaki Y, Mitaka K, Fukasawa K, Miyashita Y, Marino K, Saito A, Oyama T, Inase N (2011) Tracheoesophageal fistula closed by chemoradiotherapy in lung cancer. *Case Rep Oncol* 4: 350-357.
10. Fujii M, Sumi Y, Atarashi K, Takemura T, Inase N (2011) Muscle weakness in extremities and diffuse centrilobular nodules in lungs. HTLV-1-associated bronchiolo-alveolar disorder. *Thorax* 66: 546-547, 552.
11. Shirahama R, Miyazaki Y, Okamoto T, Inase N, Yoshizawa Y (2010) Proteome analysis of bronchoalveolar lavage fluid in lung fibrosis associated with systemic sclerosis. *Allergol Int* 59: 409-415.
12. Ohba T, Motoi N, Kimura Y, Okumura S, Kawabata K, Yoshizawa Y, Inase N, Ishikawa Y (2010) Cytokeratin expression profiling is useful for distinguishing between primary squamous cell carcinoma of the lung and pulmonary metastases from tongue cancer. *Pathol Int* 60: 575-580.
13. Kuramochi J, Inase N, Takayama K, Miyazaki Y, Yoshizawa Y (2010) Detection of indoor and outdoor avian antigen in management of bird-related hypersensitivity pneumonitis. *Allergol Int* 59: 223-228.
14. Jinta T, Miyazaki Y, Kishi M, Akashi T, Takemura T, Inase N, Yoshizawa Y (2010) The pathogenesis of chronic hypersensitivity pneumonitis in common with idiopathic pulmonary fibrosis: expression of apoptotic markers. *Am J Clin Pathol* 134: 613-620.
15. Furuiye M, Yoshimura N, Kobayashi A, Tamaoka M, Miyazaki Y, Ohtani Y, Miyake S, Inase N, Yoshizawa Y (2010) Churg-Strauss syndrome versus chronic eosinophilic pneumonia on high-resolution computed tomographic findings. *J Comput Assist Tomogr* 34: 19-22.
16. Okayasu K, Ohtani Y, Takemura T, Uchibori K, Tamaoka M, Furuiye M, Miyazaki Y, Inase N, Yoshizawa Y (2009) Nonspecific interstitial pneumonia (NSIP) associated with anti-KS antibody: differentiation from idiopathic NSIP. *Intern Med* 48: 1301-1306.
17. Ohba T, Yamasaki T, Endo Y, Furuie M, Ohtani Y, Inase N, Yoshizawa Y (2009) A phase I study of TS-1 plus carboplatin in patients with advanced non-small-cell lung cancer. *J Chemother* 21: 80-85.
18. Akashi T, Takemura T, Ando N, Eishi Y, Kitagawa M, Takizawa T, Koike M, Ohtani Y, Miyazaki Y, Inase N, Yoshizawa Y (2009) Histopathologic analysis of sixteen autopsy cases of chronic hypersensitivity pneumonitis and comparison with idiopathic pulmonary fibrosis/usual interstitial pneumonia. *Am J Clin Pathol* 131: 405-415.
19. Miyazaki Y, Tateishi T, Akashi T, Ohtani Y, Inase N, Yoshizawa Y (2008) Clinical predictors and histologic appearance of acute exacerbations in chronic hypersensitivity pneumonitis. *Chest* 134: 1265-1270.

上甲剛

1. Tobino K, Hirai T, Johkoh T, Kurihara M, Fujimoto K, Tomiyama N, Mishima M, Takahashi K, Seyama K (2011)

- Differentiation between Birt-Hogg-Dube syndrome and lymphangioliomyomatosis: Quantitative analysis of pulmonary cysts on computed tomography of the chest in 66 females. *Eur J Radiol*.
2. Tobino K, Gunji Y, Kurihara M, Kunogi M, Koike K, Tomiyama N, Johkoh T, Kodama Y, Iwakami S, Kikkawa M, Takahashi K, Seyama K (2011) Characteristics of pulmonary cysts in Birt-Hogg-Dube syndrome: thin-section CT findings of the chest in 12 patients. *Eur J Radiol* 77: 403-409.
 3. Sumikawa H, Johkoh T, Fujimoto K, Ichikado K, Colby TV, Fukuoka J, Taniguchi H, Kondoh Y, Kataoka K, Yanagawa M, Koyama M, Honda O, Tomiyama N (2011) Usual interstitial pneumonia and nonspecific interstitial pneumonia: Correlation between CT findings at the site of biopsy with pathological diagnoses. *Eur J Radiol*.
 4. Raghu G, Collard HR, Egan JJ, Martinez FJ, Behr J, Brown KK, Colby TV, Cordier JF, Flaherty KR, Lasky JA, Lynch DA, Ryu JH, Swigris JJ, Wells AU, Ancochea J, Bouros D, Carvalho C, Costabel U, Ebina M, Hansell DM, Johkoh T, Kim DS, King TE, Jr., Kondoh Y, Myers J, Muller NL, Nicholson AG, Richeldi L, Selman M, Dudden RF, Griss BS, Protzko SL, Schunemann HJ (2011) An official ATS/ERS/JRS/ALAT statement: idiopathic pulmonary fibrosis: evidence-based guidelines for diagnosis and management. *Am J Respir Crit Care Med* 183: 788-824.
 5. Kim HJ, Lee KS, Johkoh T, Tomiyama N, Lee HY, Han J, Kim TS (2011) Pulmonary Langerhans cell histiocytosis in adults: high-resolution CT-pathology comparisons and evolutionary changes at CT. *Eur Radiol* 21: 1406-1415.
 6. Kameda H, Tokuda H, Sakai F, Johkoh T, Mori S, Yoshida Y, Takayanagi N, Taki H, Hasegawa Y, Hatta K, Yamanaka H, Dohi M, Hashimoto S, Yamada H, Kawai S, Takeuchi T, Tateda K, Goto H (2011) Clinical and radiological features of acute-onset diffuse interstitial lung diseases in patients with rheumatoid arthritis receiving treatment with biological agents: importance of *Pneumocystis pneumonia* in Japan revealed by a multicenter study. *Intern Med* 50: 305-313.
 7. Hozumi H, Nakamura Y, Johkoh T, Sumikawa H, Colby TV, Karayama M, Hayakawa H, Yokomura K, Imokawa S, Yasuda K, Toyoshima M, Suganuma H, Shirai T, Inui N, Suda T, Nakamura H, Chida K (2011) Nonspecific interstitial pneumonia: prognostic significance of high-resolution computed tomography in 59 patients. *J Comput Assist Tomogr* 35: 583-589.
 8. Fujimoto K, Tonan T, Azuma S, Kage M, Nakashima O, Johkoh T, Hayabuchi N, Okuda K, Kawaguchi T, Sata M, Qayyum A (2011) Evaluation of the mean and entropy of apparent diffusion coefficient values in chronic hepatitis C: correlation with pathologic fibrosis stage and inflammatory activity grade. *Radiology* 258: 739-748.
 9. Arakawa H, Johkoh T, Sakai F, Kusumoto M, Hataji O, Taguchi O (2011) Exacerbation of radiation fibrosis with erlotinib: another pattern of radiation recall phenomenon. *Jpn J Radiol* 29: 587-589.
 10. Yanagawa M, Tomiyama N, Honda O, Kikuyama A, Sumikawa H, Koyama M, Inoue A, Johkoh T, Okumura M, Morii E (2010) CT-guided percutaneous cutting needle biopsy of thymic epithelial tumors comparison to the accuracy of computed tomographic diagnosis according to the world health organization classification. *Acad Radiol* 17: 772-778.
 11. Yanagawa M, Tanaka Y, Kusumoto M, Watanabe S, Tsuchiya R, Honda O, Sumikawa H, Inoue A, Inoue M, Okumura M, Tomiyama N, Johkoh T (2010) Automated assessment of malignant degree of small peripheral adenocarcinomas using volumetric CT data: correlation with pathologic prognostic factors. *Lung Cancer* 70: 286-294.
 12. Tasaka S, Tokuda H, Sakai F, Fujii T, Tateda K, Johkoh T, Ohmagari N, Ohta H, Araoka H, Kikuchi Y, Yasui M, Inuzuka K, Goto H (2010) Comparison of clinical and radiological features of *pneumocystis pneumonia* between malignancy cases and acquired immunodeficiency syndrome cases: a multicenter study. *Intern Med* 49: 273-281.
 13. Sakamoto K, Taniguchi H, Kondoh Y, Johkoh T, Sumikawa H, Kimura T, Nishiyama O, Kato K, Kataoka K, Ono K, Kitaichi M, Hasegawa Y (2010) Serum KL-6 in fibrotic NSIP: Correlations with physiologic and radiologic

parameters. *Respir Med* 104: 127-133.

14. Kondoh Y, Taniguchi H, Katsuta T, Kataoka K, Kimura T, Nishiyama O, Sakamoto K, Johkoh T, Nishimura M, Ono K, Kitaichi M (2010) Risk factors of acute exacerbation of idiopathic pulmonary fibrosis. *Sarcoidosis Vasc Diffuse Lung Dis* 27: 103-110.
15. Kondoh Y, Taniguchi H, Kataoka K, Kato K, Suzuki R, Ogura T, Johkoh T, Yokoi T, Wells AU, Kitaichi M (2010) Prognostic factors in rapidly progressive interstitial pneumonia. *Respirology* 15: 257-264.
16. Hagiwara K, Johkoh T, Tachibana T (2010) Pulmonary Alveolar Microlithiasis. In: Panos R, Trapnell B, McCormack F, editors. *Molecular Basis of Lung Disease, Insights from Rare Lung Disorders*: Humana Press.
17. Boiselle PM, Aberle DR, Bankier AA, de Roos A, Gefter WB, Goodman L, Grenier P, Hansell DM, Herold CJ, Im JG, Johkoh T, Kauczor HU, Kazerooni E, Kono M, Levin DC, MacMahon H, McLoud TC, Miller SW, Muller NL, Naidich DP, Prince MR, Remy-Jardin MR, Schoepf UJ, Stillman AE, Webb WR, White CS (2010) 25-on-25: twenty-five perspectives on twenty-five years of cardiopulmonary imaging. Part III. *J Thorac Imaging* 25: W61-66.
18. Yanagawa M, Tomiyama N, Sumikawa H, Inoue A, Daimon T, Honda O, Mihara N, Johkoh T, Nakamura H (2009) Thin-section CT of lung without ECG gating: 64-detector row CT can markedly reduce cardiac motion artifact which can simulate lung lesions. *Eur J Radiol* 69: 102-107.
19. Yanagawa M, Kuriyama K, Kunitomi Y, Tomiyama N, Honda O, Sumikawa H, Inoue A, Mihara N, Yoshida S, Johkoh T, Nakamura H (2009) One-dimensional quantitative evaluation of peripheral lung adenocarcinoma with or without ground-glass opacity on thin-section CT images using profile curves. *Br J Radiol* 82: 532-540.
20. Yanagawa M, Honda O, Yoshida S, Ono Y, Inoue A, Daimon T, Sumikawa H, Mihara N, Johkoh T, Tomiyama N, Nakamura H (2009) Commercially available computer-aided detection system for pulmonary nodules on thin-section images using 64 detectors-row CT: preliminary study of 48 cases. *Acad Radiol* 16: 924-933.
21. Tomiyama N, Honda O, Tsubamoto M, Inoue A, Sumikawa H, Kuriyama K, Kusumoto M, Johkoh T, Nakamura H (2009) Anterior mediastinal tumors: diagnostic accuracy of CT and MRI. *Eur J Radiol* 69: 280-288.
22. Tachibana T, Hagiwara K, Johkoh T (2009) Pulmonary alveolar microlithiasis: review and management. *Curr Opin Pulm Med* 15: 486-490.
23. Sumikawa H, Johkoh T, Yamamoto S, Yanagawa M, Inoue A, Honda O, Yoshida S, Tomiyama N, Nakamura H (2009) Computed tomography values calculation and volume histogram analysis for various computed tomographic patterns of diffuse lung diseases. *J Comput Assist Tomogr* 33: 731-738.
24. Sumikawa H, Johkoh T, Ichikado K, Taniguchi H, Kondoh Y, Fujimoto K, Yanagawa M, Inoue A, Mihara N, Honda O, Tomiyama N, Nakamura H, Colby TV (2009) Nonspecific interstitial pneumonia: histologic correlation with high-resolution CT in 29 patients. *Eur J Radiol* 70: 35-40.
25. Inoue A, Tomiyama N, Tatsumi M, Ikeda N, Okumura M, Shiono H, Inoue M, Higuchi I, Aozasa K, Johkoh T, Nakamura H, Hatazawa J (2009) (18)F-FDG PET for the evaluation of thymic epithelial tumors: Correlation with the World Health Organization classification in addition to dual-time-point imaging. *Eur J Nucl Med Mol Imaging* 36: 1219-1225.
26. Honda O, Kawai M, Gyobu T, Kawata Y, Johkoh T, Sekiguchi J, Tomiyama N, Yoshida S, Sumikawa H, Inoue A, Yanagawa M, Daimon T, Nakamura H (2009) Reproducibility of temporal volume change in CT of lung cancer: comparison of computer software and manual assessment. *Br J Radiol* 82: 742-747.
27. Honda O, Johkoh T, Sekiguchi J, Tomiyama N, Mihara N, Sumikawa H, Inoue A, Yanagawa M, Daimon T, Okumura M, Nakamura H (2009) Doubling time of lung cancer determined using three-dimensional volumetric software: comparison of squamous cell carcinoma and adenocarcinoma. *Lung Cancer* 66: 211-217.
28. Daimon T, Johkoh T, Honda O, Sumikawa H, Ichikado K, Kondoh Y, Taniguchi H, Fujimoto K, Yanagawa M, Inoue A, Tomiyama N, Nakamura H, Sugiyama Y (2009) Nonspecific interstitial pneumonia associated with collagen vascular disease: analysis of CT features to distinguish the various types. *Intern Med* 48: 753-761.

29. Daimon T, Fujimoto K, Tanaka K, Yamamoto J, Nishimura K, Tanaka Y, Yanagawa M, Sumikawa H, Inoue A, Honda O, Tomiyama N, Nakamura H, Sugiyama Y, Johkoh T (2009) Volume of pulmonary lobes and segments in chronic obstructive pulmonary diseases calculated using newly developed three-dimensional software. *Jpn J Radiol* 27: 115-122.
30. Arakawa H, Shida H, Saito Y, Johkoh T, Tomiyama N, Tsubamoto M, Honma K (2009) Pulmonary malignancy in silicosis: factors associated with radiographic detection. *Eur J Radiol* 69: 80-86.
31. Sumikawa H, Johkoh T, Colby TV, Ichikado K, Suga M, Taniguchi H, Kondoh Y, Ogura T, Arakawa H, Fujimoto K, Inoue A, Mihara N, Honda O, Tomiyama N, Nakamura H, Muller NL (2008) Computed tomography findings in pathological usual interstitial pneumonia: relationship to survival. *Am J Respir Crit Care Med* 177: 433-439.
32. Johkoh T (2008) Imaging of idiopathic interstitial pneumonias. *Clin Chest Med* 29: 133-147, vi.

服部登

1. Tanaka S, Hattori N, Ishikawa N, Shoda H, Takano A, Nishino R, Okada M, Arihiro K, Inai K, Hamada H, Yokoyama A, Kohno N (2012) Krebs von den Lungen-6 (KL-6) is a prognostic biomarker in patients with surgically resected nonsmall cell lung cancer. *Int J Cancer* 130: 377-387.
2. Shiota N, Yokoyama A, Haruta Y, Hattori N, Kohno N (2011) Association of airway inflammation with asthma control level evaluated by the asthma control test. *J Asthma* 48: 907-913.
3. Nakashima T, Yokoyama A, Ohnishi H, Yamasaki M, Shiode M, Haruta Y, Hattori N, Hozawa S, Yamakido H, Kohno N (2011) Chronic hepatitis C virus infection is associated with more severe asthma. *Allergol Int* 60: 299-304.
4. Nakashima T, Yokoyama A, Inata J, Ishikawa N, Haruta Y, Hattori N, Kohno N (2011) Mucins carrying selectin ligands as predictive biomarkers of disseminated intravascular coagulation complication in ARDS. *Chest* 139: 296-304.
5. Nagao S, Hattori N, Fujitaka K, Iwamoto H, Ohshimo S, Kanehara M, Ishikawa N, Haruta Y, Murai H, Kohno N (2011) Regression of a primary pulmonary adenocarcinoma after zoledronic acid monotherapy. *Hiroshima J Med Sci* 60: 7-9.
6. Mukaida K, Hattori N, Kondo K, Morita N, Murakami I, Haruta Y, Yokoyama A, Kohno N (2011) A pilot study of the multiherb Kampo medicine bakumondoto for cough in patients with chronic obstructive pulmonary disease. *Phytomedicine* 18: 625-629.
7. Miyamoto S, Hattori N, Senoo T, Onari Y, Iwamoto H, Kanehara M, Ishikawa N, Fujitaka K, Haruta Y, Murai H, Yokoyama A, Kohno N (2011) Intra-airway administration of small interfering RNA targeting plasminogen activator inhibitor-1 attenuates allergic asthma in mice. *Am J Physiol Lung Cell Mol Physiol* 301: L908-916.
8. Masuda T, Hattori N, Hamada A, Iwamoto H, Ohshimo S, Kanehara M, Ishikawa N, Fujitaka K, Haruta Y, Murai H, Kohno N (2011) Erlotinib efficacy and cerebrospinal fluid concentration in patients with lung adenocarcinoma developing leptomeningeal metastases during gefitinib therapy. *Cancer Chemother Pharmacol* 67: 1465-1469.
9. Kondo T, Hattori N, Ishikawa N, Murai H, Haruta Y, Hirohashi N, Tanigawa K, Kohno N (2011) KL-6 concentration in pulmonary epithelial lining fluid is a useful prognostic indicator in patients with acute respiratory distress syndrome. *Respir Res* 12: 32.
10. Kawase S, Hattori N, Ishikawa N, Horimasu Y, Fujitaka K, Furonaka O, Isobe T, Miyoshi S, Hamada H, Yamane T, Yokoyama A, Kohno N (2011) Change in serum KL-6 level from baseline is useful for predicting life-threatening EGFR-TKIs induced interstitial lung disease. *Respir Res* 12: 97.
11. Ishikawa N, Hattori N, Tanaka S, Horimasu Y, Haruta Y, Yokoyama A, Kohno N, Kinnula VL (2011) Levels of surfactant proteins A and D and KL-6 are elevated in the induced sputum of chronic obstructive pulmonary disease patients: a sequential sputum analysis. *Respiration* 82: 10-18.
12. Doi M, Hattori N, Yokoyama A, Onari Y, Kanehara M, Masuda K, Tonda T, Ohtaki M, Kohno N (2011) Effect of

- mustard gas exposure on incidence of lung cancer: a longitudinal study. *Am J Epidemiol* 173: 659-666.
13. Yamane T, Hattori N, Kitahara Y, Haruta Y, Sasaki H, Yokoyama A, Kohno N (2010) Productive cough is an independent risk factor for the development of COPD in former smokers. *Respirology* 15: 313-318.
 14. Senoo T, Hattori N, Tanimoto T, Furonaka M, Ishikawa N, Fujitaka K, Haruta Y, Murai H, Yokoyama A, Kohno N (2010) Suppression of plasminogen activator inhibitor-1 by RNA interference attenuates pulmonary fibrosis. *Thorax* 65: 334-340.
 15. Kohno H, Amatya VJ, Takeshima Y, Kushitani K, Hattori N, Kohno N, Inai K (2010) Aberrant promoter methylation of WIF-1 and SFRP1, 2, 4 genes in mesothelioma. *Oncol Rep* 24: 423-431.
 16. Kitahara Y, Hattori N, Yokoyama A, Yamane K, Sekikawa K, Inamizu T, Kohno N (2010) The influence of lung function on exercise capacity in patients with type 2 diabetes. *Hiroshima J Med Sci* 59: 7-13.
 17. Tanimoto T, Hattori N, Senoo T, Furonaka M, Ishikawa N, Fujitaka K, Haruta Y, Yokoyama A, Igarashi K, Kohno N (2009) Genetic ablation of the Bach1 gene reduces hyperoxic lung injury in mice: role of IL-6. *Free Radic Biol Med* 46: 1119-1126.
 18. Onari Y, Yokoyama A, Haruta Y, Nakashima T, Iwamoto H, Hattori N, Kohno N (2009) IL-12p40 is essential for the down-regulation of airway hyperresponsiveness in a mouse model of bronchial asthma with prolonged antigen exposure. *Clin Exp Allergy* 39: 290-298.
 19. Ohnishi H, Haruta Y, Yokoyama A, Nakashima T, Hattori N, Kohno N (2009) Metastatic breast cancer presenting as air-space consolidation on chest computed tomography. *Intern Med* 48: 727-731.
 20. Furonaka M, Hattori N, Tanimoto T, Senoo T, Ishikawa N, Fujitaka K, Haruta Y, Yokoyama A, Kohno N (2009) Suplatast tosilate prevents bleomycin-induced pulmonary fibrosis in mice. *J Pharmacol Exp Ther* 328: 55-61.
 21. Nakashima T, Yokoyama A, Onari Y, Shoda H, Haruta Y, Hattori N, Naka T, Kohno N (2008) Suppressor of cytokine signaling 1 inhibits pulmonary inflammation and fibrosis. *J Allergy Clin Immunol* 121: 1269-1276.
 22. Nakashima T, Yokoyama A, Ohnishi H, Hamada H, Ishikawa N, Haruta Y, Hattori N, Tanigawa K, Kohno N (2008) Circulating KL-6/MUC1 as an independent predictor for disseminated intravascular coagulation in acute respiratory distress syndrome. *J Intern Med* 263: 432-439.
 23. Kanehara M, Yokoyama A, Tomoda Y, Shiota N, Iwamoto H, Ishikawa N, Taooka Y, Haruta Y, Hattori N, Kohno N (2008) Anti-inflammatory effects and clinical efficacy of theophylline and tulobuterol in mild-to-moderate chronic obstructive pulmonary disease. *Pulm Pharmacol Ther* 21: 874-878.
 24. Iwamoto H, Yokoyama A, Shiota N, Shoda H, Haruta Y, Hattori N, Kohno N (2008) Tiotropium bromide is effective for severe asthma with noneosinophilic phenotype. *Eur Respir J* 31: 1379-1380.
 25. Ishikawa N, Hattori N, Yokoyama A, Tanaka S, Nishino R, Yoshioka K, Ohshimo S, Fujitaka K, Ohnishi H, Hamada H, Arihiro K, Kohno N (2008) Usefulness of monitoring the circulating Krebs von den Lungen-6 levels to predict the clinical outcome of patients with advanced nonsmall cell lung cancer treated with epidermal growth factor receptor tyrosine kinase inhibitors. *Int J Cancer* 122: 2612-2620.
 26. Hirata S, Hattori N, Ishikawa N, Fujitaka K, Kumagai K, Taooka Y, Haruta Y, Yokoyama A, Kohno N (2008) A case of pulmonary asbestosis presenting with temporal arteritis involving multiple medium-sized vessels. *Mod Rheumatol* 18: 100-104.

岡崎康司

1. Ohte S, Shin M, Sasanuma H, Yoneyama K, Akita M, Ikebuchi K, Jimi E, Maruki Y, Matsuoka M, Namba A, Tomoda H, Okazaki Y, Ohtake A, Oda H, Owan I, Yoda T, Furuya H, Kamizono J, Kitoh H, Nakashima Y, Susami T, Haga N, Komori T, Katagiri T (2011) A novel mutation of ALK2, L196P, found in the most benign case of fibrodysplasia ossificans progressiva activates BMP-specific intracellular signaling equivalent to a typical mutation, R206H. *Biochem Biophys Res Commun* 407: 213-218.
2. Hishida T, Nozaki Y, Nakachi Y, Mizuno Y, Okazaki Y, Ema M, Takahashi S, Nishimoto M, Okuda A (2011)

- Indefinite self-renewal of ESCs through Myc/Max transcriptional complex-independent mechanisms. *Cell Stem Cell* 9: 37-49.
3. Hagiwara K, Morino H, Shiihara J, Tanaka T, Miyazawa H, Suzuki T, Kohda M, Okazaki Y, Seyama K, Kawakami H (2011) Homozygosity mapping on homozygosity haplotype analysis to detect recessive disease-causing genes from a small number of unrelated, outbred patients. *PLoS ONE* 6: e25059.
 4. Tokuzawa Y, Yagi K, Yamashita Y, Nakachi Y, Nikaido I, Bono H, Ninomiya Y, Kanesaki-Yatsuka Y, Akita M, Motegi H, Wakana S, Noda T, Sablitzky F, Arai S, Kurokawa R, Fukuda T, Katagiri T, Schonbach C, Suda T, Mizuno Y, Okazaki Y (2010) Id4, a new candidate gene for senile osteoporosis, acts as a molecular switch promoting osteoblast differentiation. *PLoS Genet* 6: e1001019.
 5. Suzuki K, Ohbayashi F, Nikaido I, Okuda A, Takaki H, Okazaki Y, Mitani K (2010) Integration of exogenous DNA into mouse embryonic stem cell chromosomes shows preference into genes and frequent modification at junctions. *Chromosome Res* 18: 191-201.
 6. Nojima J, Kanomata K, Takada Y, Fukuda T, Kokabu S, Ohte S, Takada T, Tsukui T, Yamamoto TS, Sasanuma H, Yoneyama K, Ueno N, Okazaki Y, Kamijo R, Yoda T, Katagiri T (2010) Dual roles of smad proteins in the conversion from myoblasts to osteoblastic cells by bone morphogenetic proteins. *J Biol Chem* 285: 15577-15586.
 7. Ninomiya Y, Sugahara-Yamashita Y, Nakachi Y, Tokuzawa Y, Okazaki Y, Nishiyama M (2010) Development of a rapid culture method to induce adipocyte differentiation of human bone marrow-derived mesenchymal stem cells. *Biochem Biophys Res Commun* 394: 303-308.
 8. Maekawa M, Iwayama Y, Arai R, Nakamura K, Ohnishi T, Toyota T, Tsujii M, Okazaki Y, Osumi N, Owada Y, Mori N, Yoshikawa T (2010) Polymorphism screening of brain-expressed FABP7, 5 and 3 genes and association studies in autism and schizophrenia in Japanese subjects. *J Hum Genet* 55: 127-130.
 9. Iwayama Y, Hattori E, Maekawa M, Yamada K, Toyota T, Ohnishi T, Iwata Y, Tsuchiya KJ, Sugihara G, Kikuchi M, Hashimoto K, Iyo M, Inada T, Kunugi H, Ozaki N, Iwata N, Nanko S, Iwamoto K, Okazaki Y, Kato T, Yoshikawa T (2010) Association analyses between brain-expressed fatty-acid binding protein (FABP) genes and schizophrenia and bipolar disorder. *Am J Med Genet B Neuropsychiatr Genet* 153B: 484-493.
 10. Iseki H, Takeda A, Andoh T, Takahashi N, Kurochkin IV, Yarmishyn A, Shimada H, Okazaki Y, Koyama I (2010) Human Arm protein lost in epithelial cancers, on chromosome X 1 (ALEX1) gene is transcriptionally regulated by CREB and Wnt/beta-catenin signaling. *Cancer Sci* 101: 1361-1366.
 11. Huqun, Fukuyama S, Morino H, Miyazawa H, Tanaka T, Suzuki T, Kohda M, Kawakami H, Okazaki Y, Seyama K, Hagiwara K (2010) A quantitatively-modeled homozygosity mapping algorithm, qHomozygosityMapping, utilizing whole genome single nucleotide polymorphism genotyping data. *BMC Bioinformatics* 11 Suppl 7: S5.
 12. Higashi T, Hashimoto K, Takagi R, Mizuno Y, Okazaki Y, Tanaka Y, Matsushita S (2010) Curdlan induces DC-mediated Th17 polarization via Jagged1 activation in human dendritic cells. *Allergol Int* 59: 161-166.
 13. Fujita K, Ando Y, Yamamoto W, Miya T, Endo H, Sunakawa Y, Araki K, Kodama K, Nagashima F, Ichikawa W, Narabayashi M, Akiyama Y, Kawara K, Shiomi M, Ogata H, Iwasa H, Okazaki Y, Hirose T, Sasaki Y (2010) Association of UGT2B7 and ABCB1 genotypes with morphine-induced adverse drug reactions in Japanese patients with cancer. *Cancer Chemother Pharmacol* 65: 251-258.
 14. Yamada K, Hattori E, Iwayama Y, Toyota T, Ohnishi T, Iwata Y, Tsuchiya KJ, Sugihara G, Kikuchi M, Okazaki Y, Yoshikawa T (2009) Failure to confirm genetic association of the CHI3L1 gene with schizophrenia in Japanese and Chinese populations. *Am J Med Genet B Neuropsychiatr Genet* 150B: 508-514.
 15. Nomura J, Maruyama M, Katano M, Kato H, Zhang J, Masui S, Mizuno Y, Okazaki Y, Nishimoto M, Okuda A (2009) Differential requirement for nucleostemin in embryonic stem cell and neural stem cell viability. *Stem Cells* 27: 1066-1076.
 16. Mizuno Y, Tokuzawa Y, Ninomiya Y, Yagi K, Yatsuka-Kanesaki Y, Suda T, Fukuda T, Katagiri T, Kondoh Y,

- Amemiya T, Tashiro H, Okazaki Y (2009) miR-210 promotes osteoblastic differentiation through inhibition of AcvR1b. *FEBS Lett* 583: 2263-2268.
17. Hattori E, Toyota T, Ishitsuka Y, Iwayama Y, Yamada K, Ujike H, Morita Y, Kodama M, Nakata K, Minabe Y, Nakamura K, Iwata Y, Takei N, Mori N, Naitoh H, Yamanouchi Y, Iwata N, Ozaki N, Kato T, Nishikawa T, Kashiwa A, Suzuki M, Shioe K, Shinohara M, Hirano M, Nanko S, Akahane A, Ueno M, Kaneko N, Watanabe Y, Someya T, Hashimoto K, Iyo M, Itokawa M, Arai M, Nankai M, Inada T, Yoshida S, Kunugi H, Nakamura M, Iijima Y, Okazaki Y, Higuchi T, Yoshikawa T (2009) Preliminary genome-wide association study of bipolar disorder in the Japanese population. *Am J Med Genet B Neuropsychiatr Genet* 150B: 1110-1117.
 18. Fukuda T, Kohda M, Kanomata K, Nojima J, Nakamura A, Kamizono J, Noguchi Y, Iwakiri K, Kondo T, Kurose J, Endo K, Awakura T, Fukushi J, Nakashima Y, Chiyonobu T, Kawara A, Nishida Y, Wada I, Akita M, Komori T, Nakayama K, Nanba A, Maruki Y, Yoda T, Tomoda H, Yu PB, Shore EM, Kaplan FS, Miyazono K, Matsuoka M, Ikebuchi K, Ohtake A, Oda H, Jimi E, Owan I, Okazaki Y, Katagiri T (2009) Constitutively activated ALK2 and increased SMAD1/5 cooperatively induce bone morphogenetic protein signaling in fibrodysplasia ossificans progressiva. *J Biol Chem* 284: 7149-7156.
 19. Takeshita M, Yamada K, Hattori E, Iwayama Y, Toyota T, Iwata Y, Tsuchiya KJ, Sugihara G, Hashimoto K, Watanabe H, Iyo M, Kikuchi M, Okazaki Y, Yoshikawa T (2008) Genetic examination of the PLXNA2 gene in Japanese and Chinese people with schizophrenia. *Schizophr Res* 99: 359-364.
 20. Takagi R, Higashi T, Hashimoto K, Nakano K, Mizuno Y, Okazaki Y, Matsushita S (2008) B cell chemoattractant CXCL13 is preferentially expressed by human Th17 cell clones. *J Immunol* 181: 186-189.
 21. Nakachi Y, Yagi K, Nikaido I, Bono H, Tonouchi M, Schonbach C, Okazaki Y (2008) Identification of novel PPARgamma target genes by integrated analysis of ChIP-on-chip and microarray expression data during adipocyte differentiation. *Biochem Biophys Res Commun* 372: 362-366.
 22. Mizuno Y, Yagi K, Tokuzawa Y, Kanasaki-Yatsuka Y, Suda T, Katagiri T, Fukuda T, Maruyama M, Okuda A, Amemiya T, Kondoh Y, Tashiro H, Okazaki Y (2008) miR-125b inhibits osteoblastic differentiation by down-regulation of cell proliferation. *Biochem Biophys Res Commun* 368: 267-272.
 23. Mizuno Y, Kurochkin IV, Herberth M, Okazaki Y, Schonbach C (2008) Predicted mouse peroxisome-targeted proteins and their actual subcellular locations. *BMC Bioinformatics* 9 Suppl 12: S16.
 24. Kakiuchi C, Ishiwata M, Nanko S, Ozaki N, Iwata N, Umekage T, Tochigi M, Kohda K, Sasaki T, Imamura A, Okazaki Y, Kato T (2008) Up-regulation of ADM and SEPX1 in the lymphoblastoid cells of patients in monozygotic twins discordant for schizophrenia. *Am J Med Genet B Neuropsychiatr Genet* 147B: 557-564.
 25. Fukuda T, Kanomata K, Nojima J, Kokabu S, Akita M, Ikebuchi K, Jimi E, Komori T, Maruki Y, Matsuoka M, Miyazono K, Nakayama K, Nanba A, Tomoda H, Okazaki Y, Ohtake A, Oda H, Owan I, Yoda T, Haga N, Furuya H, Katagiri T (2008) A unique mutation of ALK2, G356D, found in a patient with fibrodysplasia ossificans progressiva is a moderately activated BMP type I receptor. *Biochem Biophys Res Commun* 377: 905-909.

迎寛

1. Yatera K, Yamasaki K, Kawanami T, Tokuyama S, Ogoshi T, Kouzaki M, Nagata S, Nishida C, Yoshii C, Mukae H (2011) A case of successful treatment with polymyxin B-immobilized fiber column direct hemoperfusion in acute respiratory distress syndrome after influenza A infection. *Intern Med* 50: 601-605.
2. Yatera K, Morimoto Y, Kim HN, Myojo T, Mukae H (2011) Foam cell formation of alveolar macrophages in Clara cell ablated mice inhaling crystalline silica. *Inhal Toxicol* 23: 736-744.
3. Yamashita Y, Aoki T, Hanagiri T, Yoshii C, Mukae H, Uramoto H, Korogi Y (2011) Osteosclerotic lesions in patients treated with gefitinib for lung adenocarcinomas: a sign of favorable therapeutic response. *Skeletal Radiol*.
4. Moon SD, Ohguri T, Imada H, Yahara K, Yamaguchi S, Hanagiri T, Yasumoto K, Yatera K, Mukae H, Terashima

- H, Korogi Y (2011) Definitive radiotherapy plus regional hyperthermia with or without chemotherapy for superior sulcus tumors: a 20-year, single center experience. *Lung Cancer* 71: 338-343.
5. Kozu R, Senjyu H, Jenkins SC, Mukae H, Sakamoto N, Kohno S (2011) Differences in response to pulmonary rehabilitation in idiopathic pulmonary fibrosis and chronic obstructive pulmonary disease. *Respiration* 81: 196-205.
 6. Kido T, Yatera K, Noguchi S, Sakurai Y, Nagata S, Kozaki M, Tokuyama S, Ogoshi T, Kawanami T, Yoshii C, Mukae H (2011) Detection of MALT1 Gene Rearrangements in BALF Cells for the Diagnosis of Pulmonary Mucosa-Associated Lymphoid Tissue Lymphoma. *Chest*.
 7. Kido T, Tamagawa E, Bai N, Suda K, Yang HH, Li Y, Chiang G, Yatera K, Mukae H, Sin DD, Van Eeden SF (2011) Particulate matter induces translocation of IL-6 from the lung to the systemic circulation. *Am J Respir Cell Mol Biol* 44: 197-204.
 8. Kawanami T, Yatera K, Fukuda K, Yamasaki K, Kunimoto M, Nagata S, Nishida C, Ishimoto H, Ogawa M, Taniguchi H, Mukae H (2011) Diagnosis of fulminant pneumonia caused by *Legionella pneumophila* serogroup 8 with the sequence analysis of the 16S rRNA gene. *Tohoku J Exp Med* 225: 65-69.
 9. Kawanami T, Fukuda K, Yatera K, Kido M, Mukae H, Taniguchi H (2011) A higher significance of anaerobes: the clone library analysis of bacterial pleurisy. *Chest* 139: 600-608.
 10. Ishii H, Komiya K, Yamagata E, Yatera K, Chojin Y, Yamamoto H, Mukae H, Kadota JI (2011) Clarithromycin has limited effects in non-elderly, non-severe patients with seasonal influenza virus A infection. *J Infect*.
 11. Hara S, Ishimoto H, Sakamoto N, Mukae H, Kakugawa T, Ishimatsu Y, Mine M, Kohno S (2011) Direct hemoperfusion using immobilized polymyxin B in patients with rapidly progressive interstitial pneumonias: a retrospective study. *Respiration* 81: 107-117.
 12. Fujita H, Sakamoto N, Ishimatsu Y, Kakugawa T, Hara S, Hara A, Amenomori M, Ishimoto H, Nagata T, Mukae H, Kohno S (2011) Effects of doxycycline on production of growth factors and matrix metalloproteinases in pulmonary fibrosis. *Respiration* 81: 420-430.
 13. Yoshioka D, Sakamoto N, Ishimatsu Y, Kakugawa T, Ishii H, Mukae H, Kadota J, Kohno S (2010) Primary ciliary dyskinesia that responded to long-term, low-dose clarithromycin. *Intern Med* 49: 1437-1440.
 14. Sakamoto N, Ishimatsu Y, Kakugawa T, Hara A, Hara S, Amenomori M, Fujita H, Mukae H, Kohno S (2010) Sarcoidosis in a patient with systemic sclerosis and primary biliary cirrhosis. *Intern Med* 49: 1609-1611.
 15. Kozu R, Jenkins S, Senjyu H, Mukae H, Sakamoto N, Kohno S (2010) Peak power estimated from 6-minute walk distance in Asian patients with idiopathic pulmonary fibrosis and chronic obstructive pulmonary disease. *Respirology* 15: 706-713.
 16. Kakugawa T, Mukae H, Hishikawa Y, Ishii H, Sakamoto N, Ishimatsu Y, Fujii T, Koji T, Kohno S (2010) Localization of HSP47 mRNA in murine bleomycin-induced pulmonary fibrosis. *Virchows Arch* 456: 309-315.
 17. Izumikawa K, Nakano K, Kurihara S, Imamura Y, Yamamoto K, Miyazaki T, Sakamoto N, Seki M, Ishimatsu Y, Kakeya H, Yamamoto Y, Yanagihara K, Tsuchiya T, Yamasaki N, Tagawa T, Mukae H, Nagayasu T, Kohno S (2010) Diffuse alveolar hemorrhage following itraconazole injection. *Intern Med* 49: 497-500.
 18. Ishimatsu Y, Mukae H, Matsumoto K, Harada T, Hara A, Hara S, Amenomori M, Fujita H, Sakamoto N, Hayashi T, Kohno S (2010) Two cases with pulmonary mucosa-associated lymphoid tissue lymphoma successfully treated with clarithromycin. *Chest* 138: 730-733.
 19. Hara S, Henmi T, Kawakami A, Fujikawa K, Mukae H, Ishimatsu Y, Sakamoto N, Kakugawa T, Kaji K, Fujimoto M, Kuwana M, Tsukada T, Satoh K, Motomura M, Tamai M, Nakamura H, Ida H, Hayashi T, Origuchi T, Eguchi K, Kohno S (2010) Clinical, serologic and magnetic resonance imaging of 3 cases of inflammatory myopathy with abundant macrophages in the Japanese population. *Rheumatol Int*.
 20. Hara A, Mukae H, Hara S, Amenomori M, Ishimoto H, Kakugawa T, Fujita H, Sakamoto N, Ishii H, Ishimatsu Y, Kohno S (2010) Drug-induced eosinophilic pneumonia with pulmonary alveolar hemorrhage caused by

benzbromarone. *Intern Med* 49: 435-438.

21. Amenomori M, Sakamoto N, Ashizawa K, Hayashi T, Kohno R, Yamamoto K, Ishimoto H, Mukae H, Kohno S (2010) Dyspnea with a slow-growing mass in the breast. *Respiration* 79: 346-350.
22. Amenomori M, Mukae H, Sakamoto N, Kakugawa T, Hayashi T, Hara A, Hara S, Fujita H, Ishimoto H, Ishimatsu Y, Nagayasu T, Kohno S (2010) HSP47 in lung fibroblasts is a predictor of survival in fibrotic nonspecific interstitial pneumonia. *Respir Med* 104: 895-901.
23. Amenomori M, Mukae H, Ishimatsu Y, Sakamoto N, Kakugawa T, Hara A, Hara S, Fujita H, Ishimoto H, Hayashi T, Kohno S (2010) Differential effects of human neutrophil peptide-1 on growth factor and interleukin-8 production by human lung fibroblasts and epithelial cells. *Exp Lung Res* 36: 411-419.
24. Yamaguchi N, Isomoto H, Mukae H, Ishimoto H, Ohnita K, Shikuwa S, Mizuta Y, Nakazato M, Kohno S (2009) Concentrations of alpha- and beta-defensins in plasma of patients with inflammatory bowel disease. *Inflamm Res* 58: 192-197.
25. Sakamoto N, Hayashi S, Mukae H, Vincent R, Hogg JC, van Eeden SF (2009) Effect of atorvastatin on PM10-induced cytokine production by human alveolar macrophages and bronchial epithelial cells. *Int J Toxicol* 28: 17-23.
26. Mukae H, Ishimoto H, Sakamoto N, Hara S, Kakugawa T, Nakayama S, Ishimatsu Y, Kawakami A, Eguchi K, Kohno S (2009) Clinical differences between interstitial lung disease associated with clinically amyopathic dermatomyositis and classic dermatomyositis. *Chest* 136: 1341-1347.
27. Morinaga Y, Yanagihara K, Miyashita N, Seki M, Izumikawa K, Kakeya H, Yamamoto Y, Mukae H, Yamada Y, Kohno S, Kamihira S (2009) Azithromycin, clarithromycin and telithromycin inhibit MUC5AC induction by *Chlamydomyces pneumoniae* in airway epithelial cells. *Pulm Pharmacol Ther* 22: 580-586.
28. Izumikawa K, Tomiyama Y, Ishimoto H, Sakamoto N, Imamura Y, Seki M, Sawai T, Kakeya H, Yamamoto Y, Yanagihara K, Mukae H, Yoshimura K, Kohno S (2009) Unique mutations of the cystic fibrosis transmembrane conductance regulator gene of three cases of cystic fibrosis in Nagasaki, Japan. *Intern Med* 48: 1327-1331.
29. Ishimoto H, Mukae H, Sakamoto N, Amenomori M, Kitazaki T, Imamura Y, Fujita H, Ishii H, Nakayama S, Yanagihara K, Kohno S (2009) Different effects of telithromycin on MUC5AC production induced by human neutrophil peptide-1 or lipopolysaccharide in NCI-H292 cells compared with azithromycin and clarithromycin. *J Antimicrob Chemother* 63: 109-114.
30. Ishii H, Iwata A, Sakamoto N, Mizunoe S, Mukae H, Kadota J (2009) Desquamative interstitial pneumonia (DIP) in a patient with rheumatoid arthritis: is DIP associated with autoimmune disorders? *Intern Med* 48: 827-830.
31. Hisatomi K, Sakamoto N, Mukae H, Hayashi T, Amenomori M, Ishimoto H, Fujita H, Ishii H, Nakayama S, Ishimatsu Y, Kohno S (2009) Elevated levels of tenascin-C in patients with cryptogenic organizing pneumonia. *Intern Med* 48: 1501-1507.
32. Fujikawa K, Kawakami A, Kaji K, Fujimoto M, Kawashiri S, Iwamoto N, Aramaki T, Ichinose K, Tamai M, Kamachi M, Nakamura H, Ida H, Origuchi T, Ishimoto H, Mukae H, Kuwana M, Kohno S, Takehara K, Sato S, Eguchi K (2009) Association of distinct clinical subsets with myositis-specific autoantibodies towards anti-155/140-kDa polypeptides, anti-140-kDa polypeptides, and anti-aminoacyl tRNA synthetases in Japanese patients with dermatomyositis: a single-centre, cross-sectional study. *Scand J Rheumatol* 38: 263-267.
33. Seki M, Suyama N, Hashiguchi K, Hara A, Kosai K, Kurihara S, Nakamura S, Yamamoto K, Imamura Y, Izumikawa K, Kakaya H, Yanagihara K, Yamamoto Y, Mukae H, Tashiro T, Kohno S (2008) A patient with fulminant influenza-related bacterial pneumonia due to *Streptococcus pneumoniae* followed by *Mycobacterium tuberculosis* infection. *Intern Med* 47: 2043-2047.
34. Nakayama S, Mukae H, Sakamoto N, Kakugawa T, Yoshioka S, Soda H, Oku H, Urata Y, Kondo T, Kubota H, Nagata K, Kohno S (2008) Pirfenidone inhibits the expression of HSP47 in TGF-beta1-stimulated human lung fibroblasts. *Life Sci* 82: 210-217.

35. Kakugawa T, Yokota S, Mukae H, Kubota H, Sakamoto N, Mizunoe S, Matsuoka Y, Kadota J, Fujii N, Nagata K, Kohno S (2008) High serum concentrations of autoantibodies to HSP47 in nonspecific interstitial pneumonia compared with idiopathic pulmonary fibrosis. *BMC Pulm Med* 8: 23.
36. Kakugawa T, Mukae H, Saito M, Ishii K, Ishimoto H, Sakamoto N, Takazono T, Fukuda Y, Ooe N, Kohno S (2008) Rapidly progressive interstitial pneumonia associated with clinically amyopathic dermatomyositis successfully treated with polymyxin B-immobilized fiber column hemoperfusion. *Intern Med* 47: 785-790.
37. Kakugawa T, Mukae H, Kajiki S, Tanaka A, Yamayoshi T, Inoue M, Ohtani H, Sakamoto N, Izumikawa K, Tasaki H, Ooe N, Kohno S (2008) Mycobacterium avium pleuritis in a non-immunocompromised patient. *Intern Med* 47: 1727-1731.
38. Ide M, Ishii H, Mukae H, Iwata A, Sakamoto N, Kadota J, Kohno S (2008) High serum levels of thrombospondin-1 in patients with idiopathic interstitial pneumonia. *Respir Med* 102: 1625-1630.
39. Ehara N, Fukushima K, Kakeya H, Mukae H, Akamatsu S, Kageyama A, Saito A, Kohno S (2008) A novel method for rapid detection of Streptococcus pneumoniae antigen in sputum and its application in adult respiratory tract infections. *J Med Microbiol* 57: 820-826.

幸山正

1. Kamitani S, Yamauchi Y, Kawasaki S, Takami K, Takizawa H, Nagase T, Kohyama T (2011) Simultaneous stimulation with TGF-beta1 and TNF-alpha induces epithelial mesenchymal transition in bronchial epithelial cells. *Int Arch Allergy Immunol* 155: 119-128.
2. Yamauchi Y, Kohyama T, Takizawa H, Kamitani S, Desaki M, Takami K, Kawasaki S, Kato J, Nagase T (2010) Tumor necrosis factor-alpha enhances both epithelial-mesenchymal transition and cell contraction induced in A549 human alveolar epithelial cells by transforming growth factor-beta1. *Exp Lung Res* 36: 12-24.
3. Li YJ, Takizawa H, Azuma A, Kohyama T, Yamauchi Y, Takahashi S, Yamamoto M, Kawada T, Kudoh S, Sugawara I (2010) Nrf2 is closely related to allergic airway inflammatory responses induced by low-dose diesel exhaust particles in mice. *Clin Immunol* 137: 234-241.
4. Kohyama T, Yamauchi Y, Takizawa H, Kamitani S, Kawasaki S, Nagase T (2010) Histamine stimulates human lung fibroblast migration. *Mol Cell Biochem* 337: 77-81.
5. Saito RA, Watabe T, Horiguchi K, Kohyama T, Saitoh M, Nagase T, Miyazono K (2009) Thyroid transcription factor-1 inhibits transforming growth factor-beta-mediated epithelial-to-mesenchymal transition in lung adenocarcinoma cells. *Cancer Res* 69: 2783-2791.
6. Li YJ, Takizawa H, Azuma A, Kohyama T, Yamauchi Y, Kawada T, Kudoh S, Sugawara I (2009) The effects of oxidative stress induced by prolonged low-dose diesel exhaust particle exposure on the generation of allergic airway inflammation differ between BALB/c and C57BL/6 mice. *Immunopharmacol Immunotoxicol* 31: 230-237.
7. Kikuchi K, Kohyama T, Yamauchi Y, Kato J, Takami K, Okazaki H, Desaki M, Nagase T, Rennard SI, Takizawa H (2009) C-reactive protein modulates human lung fibroblast migration. *Exp Lung Res* 35: 48-58.
8. Li YJ, Takizawa H, Azuma A, Kohyama T, Yamauchi Y, Takahashi S, Yamamoto M, Kawada T, Kudoh S, Sugawara I (2008) Disruption of Nrf2 enhances susceptibility to airway inflammatory responses induced by low-dose diesel exhaust particles in mice. *Clin Immunol* 128: 366-373.
9. Li YJ, Kawada T, Takizawa H, Azuma A, Kudoh S, Sugawara I, Yamauchi Y, Kohyama T (2008) Airway inflammatory responses to oxidative stress induced by prolonged low-dose diesel exhaust particle exposure from birth differ between mouse BALB/c and C57BL/6 strains. *Exp Lung Res* 34: 125-139.
10. Kohyama T, Yamauchi Y, Takizawa H, Itakura S, Kamitani S, Kato J, Nagase T (2008) Clarithromycin inhibits fibroblast migration. *Respir Med* 102: 1769-1776.
11. Kage H, Kohyama T, Kitagawa H, Takai D, Kanda Y, Ohishi N, Nagase T (2008) Non-infectious bronchiolitis as

an early pulmonary complication of hematopoietic stem cell transplantation. *Intern Med* 47: 61-64.

前門戸任

1. Watanabe A, Goto H, Soma K, Kikuchi T, Gomi K, Miki H, Maemondo M, Ikeda H, Kuroki J, Wada H, Yokoyama T, Izumi S, Mitsutake K, Ueda Y (2011) Usefulness of linezolid in the treatment of hospital-acquired pneumonia caused by MRSA: a prospective observational study. *J Infect Chemother*.
2. Satoh H, Inoue A, Kobayashi K, Maemondo M, Oizumi S, Isobe H, Gemma A, Saijo Y, Yoshizawa H, Hagiwara K, Nukiwa T (2011) Low-dose gefitinib treatment for patients with advanced non-small cell lung cancer harboring sensitive epidermal growth factor receptor mutations. *J Thorac Oncol* 6: 1413-1417.
3. Tanaka T, Matsuoka M, Sutani A, Gemma A, Maemondo M, Inoue A, Okinaga S, Nagashima M, Oizumi S, Uematsu K, Nagai Y, Moriyama G, Miyazawa H, Ikebuchi K, Morita S, Kobayashi K, Hagiwara K (2010) Frequency of and variables associated with the EGFR mutation and its subtypes. *Int J Cancer* 126: 651-655.
4. Sakakibara T, Inoue A, Sugawara S, Maemondo M, Ishida T, Usui K, Abe T, Kanbe M, Watanabe H, Saijo Y, Nukiwa T (2010) Randomized phase II trial of weekly paclitaxel combined with carboplatin versus standard paclitaxel combined with carboplatin for elderly patients with advanced non-small-cell lung cancer. *Ann Oncol* 21: 795-799.
5. Maemondo M, Inoue A, Kobayashi K, Sugawara S, Oizumi S, Isobe H, Gemma A, Harada M, Yoshizawa H, Kinoshita I, Fujita Y, Okinaga S, Hirano H, Yoshimori K, Harada T, Ogura T, Ando M, Miyazawa H, Tanaka T, Saijo Y, Hagiwara K, Morita S, Nukiwa T (2010) Gefitinib or chemotherapy for non-small-cell lung cancer with mutated EGFR. *N Engl J Med* 362: 2380-2388.
6. Inoue A, Ishimoto O, Fukumoto S, Usui K, Suzuki T, Yokouchi H, Maemondo M, Kanbe M, Ogura S, Harada T, Oizumi S, Harada M, Sugawara S, Fukuhara T, Nukiwa T (2010) A phase II study of amrubicin combined with carboplatin for elderly patients with small-cell lung cancer: North Japan Lung Cancer Study Group Trial 0405. *Ann Oncol* 21: 800-803.
7. Asahina H, Oizumi S, Inoue A, Kinoshita I, Ishida T, Fujita Y, Sukoh N, Harada M, Maemondo M, Saijo Y, Dosaka-Akita H, Isobe H, Nukiwa T, Nishimura M (2010) Phase II study of gefitinib readministration in patients with advanced non-small cell lung cancer and previous response to gefitinib. *Oncology* 79: 423-429.
8. Maemondo M, Masuda N, Sekine I, Kubota K, Segawa Y, Shibuya M, Imamura F, Katakami N, Hida T, Takeo S (2009) A phase II study of palonosetron combined with dexamethasone to prevent nausea and vomiting induced by highly emetogenic chemotherapy. *Ann Oncol* 20: 1860-1866.
9. Inoue A, Kobayashi K, Usui K, Maemondo M, Okinaga S, Mikami I, Ando M, Yamazaki K, Saijo Y, Gemma A, Miyazawa H, Tanaka T, Ikebuchi K, Nukiwa T, Morita S, Hagiwara K (2009) First-line gefitinib for patients with advanced non-small-cell lung cancer harboring epidermal growth factor receptor mutations without indication for chemotherapy. *J Clin Oncol* 27: 1394-1400.
10. Inoue A, Xin H, Suzuki T, Kanehira M, Kuroki Y, Fukuhara T, Kikuchi T, Maemondo M, Nukiwa T, Saijo Y (2008) Suppression of surfactant protein A by an epidermal growth factor receptor tyrosine kinase inhibitor exacerbates lung inflammation. *Cancer Sci* 99: 1679-1684.
11. Inoue A, Sugawara S, Yamazaki K, Maemondo M, Suzuki T, Gomi K, Takanashi S, Inoue C, Inage M, Yokouchi H, Watanabe H, Tsukamoto T, Saijo Y, Ishimoto O, Hommura F, Nukiwa T (2008) Randomized phase II trial comparing amrubicin with topotecan in patients with previously treated small-cell lung cancer: North Japan Lung Cancer Study Group Trial 0402. *J Clin Oncol* 26: 5401-5406.

柴田陽光

1. Shibata Y, Watanabe T, Osaka D, Abe S, Inoue S, Tokairin Y, Igarashi A, Yamauchi K, Kimura T, Kishi H, Aida Y, Nunomiya K, Nemoto T, Sato M, Konta T, Kawata S, Kato T, Kayama T, Kubota I (2011) Impairment of

- pulmonary function is an independent risk factor for atrial fibrillation: the Takahata study. *Int J Med Sci* 8: 514-522.
2. Sato M, Shibata Y, Kimura T, Yamauchi K, Abe S, Inoue S, Kishi H, Oizumi H, Kubota I (2011) Immunohistochemical staining for transcription factor MafB in alveolar macrophages is correlated with spirometric measures of airflow limitation in smokers. *Respirology* 16: 124-130.
 3. Osaka D, Shibata Y, Kanouchi K, Nishiwaki M, Kimura T, Kishi H, Abe S, Inoue S, Tokairin Y, Igarashi A, Yamauchi K, Aida Y, Nemoto T, Nunomiya K, Fukuzaki K, Kubota I (2011) Soluble endothelial selectin in acute lung injury complicated by severe pneumonia. *Int J Med Sci* 8: 302-308.
 4. Nemoto T, Shibata Y, Osaka D, Abe S, Inoue S, Tokairin Y, Igarashi A, Yamauchi K, Kimura T, Kishi H, Nishiwaki M, Aida Y, Nunomiya K, Sato M, Watanabe T, Konta T, Kawata S, Kato T, Kayama T, Kubota I (2011) Impact of cigarette smoking on maximal expiratory flows in a general population: the Takahata study. *Intern Med* 50: 2547-2555.
 5. Mashima Y, Konta T, Kudo K, Takasaki S, Ichikawa K, Suzuki K, Shibata Y, Watanabe T, Kato T, Kawata S, Kubota I (2011) Increases in urinary albumin and beta2-microglobulin are independently associated with blood pressure in the Japanese general population: the Takahata Study. *Hypertens Res* 34: 831-835.
 6. Mashima Y, Konta T, Kudo K, Suzuki K, Ikeda A, Ichikawa K, Shibata Y, Watanabe T, Tamiya G, Kato T, Kawata S, Kubota I (2011) Polymorphism of proinflammatory cytokine genes and albuminuria in the Japanese general population: the Takahata study. *Nephrol Dial Transplant* 26: 3902-3907.
 7. Kishi H, Shibata Y, Osaka D, Abe S, Inoue S, Tokairin Y, Igarashi A, Yamauchi K, Kimura T, Sato M, Aida Y, Watanabe T, Konta T, Kawata S, Kato T, Kubota I (2011) FEV6 and FEV1/FEV6 in Japanese participants of the community-based annual health check: the Takahata study. *Intern Med* 50: 87-93.
 8. Kimura T, Shibata Y, Yamauchi K, Igarashi A, Inoue S, Abe S, Fujita K, Uosaki Y, Kubota I (2011) Oxidized Phospholipid, 1-Palmitoyl-2-(9'-Oxo-Nonanoyl)-Glycerophosphocholine (PON-GPC), Produced in the Lung Due to Cigarette Smoking, Impairs Immune Function in Macrophages. *Lung*.
 9. Aida Y, Shibata Y, Osaka D, Abe S, Inoue S, Fukuzaki K, Tokairin Y, Igarashi A, Yamauchi K, Nemoto T, Nunomiya K, Kishi H, Sato M, Watanabe T, Konta T, Kawata S, Kato T, Kubota I (2011) The relationship between serum uric acid and spirometric values in participants in a health check: the Takahata study. *Int J Med Sci* 8: 470-478.
 10. Uchiyama S, Shibata Y, Hirabayashi T, Mihara B, Hamashige N, Kitagawa K, Goto S, Origasa H, Shimada K, Kobayashi H, Isozaki M, Ikeda Y (2010) Risk factor profiles of stroke, myocardial infarction, and atrial fibrillation: a Japanese Multicenter Cooperative Registry. *J Stroke Cerebrovasc Dis* 19: 190-197.
 11. Osaka D, Shibata Y, Abe S, Inoue S, Tokairin Y, Igarashi A, Yamauchi K, Kimura T, Sato M, Kishi H, Takabatake N, Sata M, Watanabe T, Konta T, Kawata S, Kato T, Kubota I (2010) Relationship between habit of cigarette smoking and airflow limitation in healthy Japanese individuals: the Takahata study. *Intern Med* 49: 1489-1499.
 12. Nishiyama S, Watanabe T, Arimoto T, Takahashi H, Shishido T, Miyashita T, Miyamoto T, Nitobe J, Shibata Y, Konta T, Kawata S, Kato T, Fukao A, Kubota I (2010) Trends in coronary risk factors among patients with acute myocardial infarction over the last decade: the Yamagata AMI registry. *J Atheroscler Thromb* 17: 989-998.
 13. Konta T, Takasaki S, Ichikawa K, Emi M, Toriyama S, Satoh H, Ikeda A, Suzuki K, Mashima Y, Shibata Y, Watanabe T, Kato T, Kawata S, Kubota I (2010) The novel and independent association between single-point SNP of NPHP4 gene and renal function in non-diabetic Japanese population: the Takahata study. *J Hum Genet* 55: 791-795.
 14. Yamauchi K, Shibata Y, Kimura T, Abe S, Inoue S, Osaka D, Sato M, Igarashi A, Kubota I (2009) Azithromycin suppresses interleukin-12p40 expression in lipopolysaccharide and interferon-gamma stimulated macrophages. *Int J Biol Sci* 5: 667-678.

15. Takabatake N, Toriyama S, Igarashi A, Tokairin Y, Takeishi Y, Konta T, Inoue S, Abe S, Shibata Y, Kubota I (2009) A novel polymorphism in CDC6 is associated with the decline in lung function of ex-smokers in COPD. *Biochem Biophys Res Commun* 381: 554-559.
16. Suzuki K, Konta T, Takasaki S, Ikeda A, Ichikawa K, Sato H, Shibata Y, Watanabe T, Kato T, Kawata S, Kubota I (2009) High variability of albuminuria in nondiabetic population: the Takahata Study. *Clin Exp Nephrol* 13: 452-459.
17. Ikeda A, Konta T, Takasaki S, Hao Z, Suzuki K, Sato H, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I (2009) In a non-diabetic Japanese population, the combination of macroalbuminuria and increased urine beta 2-microglobulin predicts a decline of renal function: the Takahata study. *Nephrol Dial Transplant* 24: 841-847.
18. Igarashi A, Shibata Y, Yamauchi K, Osaka D, Takabatake N, Abe S, Inoue S, Kimura T, Yamaguchi Y, Ishizaki J, Hanasaki K, Kubota I (2009) Gly80Ser polymorphism of phospholipase A2-IIID is associated with cytokine inducibility in A549 cells. *Respiration* 78: 312-321.
19. Ichikawa K, Konta T, Emi M, Toriyama S, Takasaki S, Ikeda A, Shibata Y, Takabatake N, Takeishi Y, Kato T, Kawata S, Kubota I (2009) Genetic polymorphisms of paraoxonase-1 are associated with chronic kidney disease in Japanese women. *Kidney Int* 76: 183-189.
20. Abiko H, Konta T, Hao Z, Takasaki S, Suzuki K, Ichikawa K, Ikeda A, Shibata Y, Takeishi Y, Kawata S, Kato T, Kubota I (2009) Factors correlated with plasma renin activity in general Japanese population. *Clin Exp Nephrol* 13: 130-137.
21. Tokairin Y, Shibata Y, Sata M, Abe S, Takabatake N, Igarashi A, Ishikawa T, Inoue S, Kubota I (2008) Enhanced immediate inflammatory response to *Streptococcus pneumoniae* in the lungs of mice with pulmonary emphysema. *Respirology* 13: 324-332.
22. Shibata Y, Abe S, Inoue S, Takabatake N, Igarashi A, Takeishi Y, Sata M, Kubota I (2008) Altered expression of antimicrobial molecules in cigarette smoke-exposed emphysematous mice lungs. *Respirology* 13: 1061-1065.
23. Konta T, Emi M, Toriyama S, Ariumi H, Ishii M, Takasaki S, Ikeda A, Ichikawa K, Shibata Y, Takabatake N, Takeishi Y, Kato T, Kawata S, Kubota I (2008) Association of CC chemokine ligand 5 genotype with urinary albumin excretion in the non-diabetic Japanese general population: the Takahata study. *J Hum Genet* 53: 267-274.
24. Ishikawa M, Konta T, Hao Z, Takasaki S, Abiko H, Takahashi T, Ikeda A, Ichikawa K, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I (2008) Relationship between antinuclear antibody and microalbuminuria in the general population: the Takahata study. *Clin Exp Nephrol* 12: 200-206.

岸一馬

1. Izumikawa K, Motoi N, Takaya H, Miyamoto A, Eishi Y, Yoshimura K, Kishi K (2011) A case of concurrent sarcoidosis, aortitis syndrome and Crohn's disease. *Intern Med* 50: 2915-2917.
2. Uruga H, Kishi K, Fujii T, Beika Y, Enomoto T, Takaya H, Miyamoto A, Morokawa N, Kurosaki A, Yoshimura K (2010) Efficacy of gefitinib for elderly patients with advanced non-small cell lung cancer harboring epidermal growth factor receptor gene mutations: a retrospective analysis. *Intern Med* 49: 103-107.
3. Kohno T, Fujimori S, Kishi K, Fujii T (2010) Safe and effective minimally invasive approaches for small ground glass opacity. *Ann Thorac Surg* 89: S2114-2117.
4. Kishi K, Fujii T, Kurosaki A, Nakata K, Yoshimura K (2009) Recurrence of inflammatory pseudotumor of the lung after eleven years of remission. *Intern Med* 48: 1079-1083.
5. Kishi K, Fujii T, Kohno T, Yoshimura K (2009) Inflammatory pseudotumour affecting the lung and orbit. *Respirology* 14: 449-451.
6. Kishi K, Fujii T, Takaya H, Miyamoto A, Kurosaki A, Kohno T, Yoshimura K (2008) Pulmonary coccidioidomycosis found in healthy Japanese individuals. *Respirology* 13: 252-256.

白井一裕

1. Usui K, Tanai C, Tanaka Y, Noda H, Ishihara T (2011) The prevalence of pulmonary fibrosis combined with emphysema in patients with lung cancer. *Respirology* 16: 326-331.
2. Usui K, Katou Y, Furushima K, Tanaka Y, Tanai C, Ishihara T (2011) Interstitial lung disease during chemotherapy combined with oxaliplatin and/or bevacizumab in advanced colorectal cancer patients. *Jpn J Clin Oncol* 41: 498-502.
3. Sakakibara T, Inoue A, Sugawara S, Maemondo M, Ishida T, Usui K, Abe T, Kanbe M, Watanabe H, Saijo Y, Nukiwa T (2010) Randomized phase II trial of weekly paclitaxel combined with carboplatin versus standard paclitaxel combined with carboplatin for elderly patients with advanced non-small-cell lung cancer. *Ann Oncol* 21: 795-799.
4. Inoue A, Ishimoto O, Fukumoto S, Usui K, Suzuki T, Yokouchi H, Maemondo M, Kanbe M, Ogura S, Harada T, Oizumi S, Harada M, Sugawara S, Fukuhara T, Nukiwa T (2010) A phase II study of amrubicin combined with carboplatin for elderly patients with small-cell lung cancer: North Japan Lung Cancer Study Group Trial 0405. *Ann Oncol* 21: 800-803.
5. Inoue A, Kobayashi K, Usui K, Maemondo M, Okinaga S, Mikami I, Ando M, Yamazaki K, Saijo Y, Gemma A, Miyazawa H, Tanaka T, Ikebuchi K, Nukiwa T, Morita S, Hagiwara K (2009) First-line gefitinib for patients with advanced non-small-cell lung cancer harboring epidermal growth factor receptor mutations without indication for chemotherapy. *J Clin Oncol* 27: 1394-1400.

今野哲

1. Shimizu K, Hasegawa M, Makita H, Nasuhara Y, Konno S, Nishimura M (2011) Comparison of airway remodelling assessed by computed tomography in asthma and COPD. *Respir Med* 105: 1275-1283.
2. Nishimura M, Makita H, Nagai K, Konno S, Nasuhara Y, Hasegawa M, Shimizu K, Betsuyaku T, Ito YM, Fuke S, Igarashi T, Akiyama Y, Ogura S (2011) Annual Change in Pulmonary Function and Clinical Phenotype in Chronic Obstructive Pulmonary Disease. *Am J Respir Crit Care Med*.
3. Konno S, Makita H, Hasegawa M, Nasuhara Y, Nagai K, Betsuyaku T, Hizawa N, Nishimura M (2011) Beta2-adrenergic receptor polymorphisms as a determinant of preferential bronchodilator responses to beta2-agonist and anticholinergic agents in Japanese patients with chronic obstructive pulmonary disease. *Pharmacogenet Genomics* 21: 687-693.
4. Konno S, Kurokawa M, Uede T, Nishimura M, Huang SK (2011) Role of osteopontin, a multifunctional protein, in allergy and asthma. *Clin Exp Allergy* 41: 1360-1366.
5. Shimizu K, Konno S, Nasuhara Y, Tanino M, Matsuno Y, Nishimura M (2010) A case of follicular bronchiolitis associated with asthma, eosinophilia, and increased immunoglobulin E. *J Asthma* 47: 1161-1164.
6. Shigemura M, Nasuhara Y, Konno S, Hattori T, Shimizu C, Matsuno K, Nishimura M (2010) Levels of transferrin in bronchoalveolar lavage fluid in sarcoidosis. *Lung* 188: 151-157.
7. Konno S, Oizumi S, Shinagawa N, Kikuchi E, Konishi J, Ito K, Hizawa N, Takiyama A, Tanaka S, Nishimura M (2010) Primary mediastinal liposarcoma, with 6 years of follow-up to autopsy, revealed histopathological features of primary and metastatic lesions. *Intern Med* 49: 771-775.
8. Isada A, Konno S, Hizawa N, Tamari M, Hirota T, Harada M, Maeda Y, Hattori T, Takahashi A, Nishimura M (2010) A functional polymorphism (-603A --> G) in the tissue factor gene promoter is associated with adult-onset asthma. *J Hum Genet* 55: 167-174.
9. Hattori T, Konno S, Takahashi A, Isada A, Shimizu K, Taniguchi N, Gao P, Yamaguchi E, Hizawa N, Huang SK, Nishimura M (2010) Genetic variants in mannose receptor gene (MRC1) confer susceptibility to increased risk of sarcoidosis. *BMC Med Genet* 11: 151.
10. Hattori T, Konno S, Takahashi A, Isada A, Shigemura M, Matsuno K, Shimizu C, Hizawa N, Yamaguchi E,

Nishimura M (2010) The role of atopy in the clinical course of pulmonary sarcoidosis in the Japanese population. *Allergy Asthma Proc* 31: 238-243.

11. Kurokawa M, Konno S, Takahashi A, Plunkett B, Rittling SR, Matsui Y, Kon S, Morimoto J, Uede T, Matsukura S, Kokubu F, Adachi M, Nishimura M, Huang SK (2009) Regulatory role of DC-derived osteopontin in systemic allergen sensitization. *Eur J Immunol* 39: 3323-3330.
12. Konno S, Takahashi D, Hizawa N, Hattori T, Takahashi A, Isada A, Maeda Y, Huang SK, Nishimura M (2009) Genetic impact of a butyrophilin-like 2 (BTNL2) gene variation on specific IgE responsiveness to *Dermatophagoides farinae* (Der f) in Japanese. *Allergol Int* 58: 29-35.
13. Hattori T, Konno S, Hizawa N, Isada A, Takahashi A, Shimizu K, Gao P, Beaty TH, Barnes KC, Huang SK, Nishimura M (2009) Genetic variants in the mannose receptor gene (MRC1) are associated with asthma in two independent populations. *Immunogenetics* 61: 731-738.
14. Nagai K, Betsuyaku T, Konno S, Ito Y, Nasuhara Y, Hizawa N, Kondo T, Nishimura M (2008) Diversity of protein carbonylation in allergic airway inflammation. *Free Radic Res* 42: 921-929.
15. Hizawa N, Makita H, Nasuhara Y, Hasegawa M, Nagai K, Ito Y, Betsuyaku T, Konno S, Nishimura M (2008) Functional single nucleotide polymorphisms of the CCL5 gene and nonemphysematous phenotype in COPD patients. *Eur Respir J* 32: 372-378.

須谷顯尚

1. Tanaka T, Matsuoka M, Sutani A, Gemma A, Maemondo M, Inoue A, Okinaga S, Nagashima M, Oizumi S, Uematsu K, Nagai Y, Moriyama G, Miyazawa H, Ikebuchi K, Morita S, Kobayashi K, Hagiwara K (2010) Frequency of and variables associated with the EGFR mutation and its subtypes. *Int J Cancer* 126: 651-655.

小暮啓人

1. Oki M, Saka H, Kitagawa C, Kogure Y, Mori K, Kajikawa S, Adachi T (2010) Double Y-stent placement for tracheobronchial stenosis. *Respiration* 79: 245-249.
2. Kogure Y, Oki M, Saka H (2010) Endobronchial foreign body removed by rigid bronchoscopy after 39 years. *Interact Cardiovasc Thorac Surg* 11: 866-868.
3. Oki M, Saka H, Kitagawa C, Kogure Y, Mori K, Kajikawa S (2009) Endobronchial ultrasound-guided transbronchial biopsy using novel thin bronchoscope for diagnosis of peripheral pulmonary lesions. *J Thorac Oncol* 4: 1274-1277.
4. Oki M, Saka H, Kitagawa C, Kogure Y (2009) Silicone y-stent placement on the carina between bronchus to the right upper lobe and bronchus intermedius. *Ann Thorac Surg* 87: 971-974.

石田正之

1. Oki M, Saka H, Kitagawa C, Kogure Y, Mori K, Kajikawa S, Adachi T (2010) Double Y-stent placement for tracheobronchial stenosis. *Respiration* 79: 245-249.
2. Kogure Y, Oki M, Saka H (2010) Endobronchial foreign body removed by rigid bronchoscopy after 39 years. *Interact Cardiovasc Thorac Surg* 11: 866-868.
3. Oki M, Saka H, Kitagawa C, Kogure Y, Mori K, Kajikawa S (2009) Endobronchial ultrasound-guided transbronchial biopsy using novel thin bronchoscope for diagnosis of peripheral pulmonary lesions. *J Thorac Oncol* 4: 1274-1277.
4. Oki M, Saka H, Kitagawa C, Kogure Y (2009) Silicone y-stent placement on the carina between bronchus to the right upper lobe and bronchus intermedius. *Ann Thorac Surg* 87: 971-974.

森秀法

1. Mori H, Ohno Y, Tsuge Y, Kawasaki M, Ito F, Endo J, Funaguchi N, La BL, Kanematsu M, Minatoguchi S (2010) Use of multidetector row CT to evaluate the need for bronchial arterial embolization in hemoptysis patients. *Respiration* 80: 24-31.
2. Mori H, Ohno Y, Ito F, Funaguchi N, Yanase K, Endo J, Nakano M, Bai La BL, Minatoguchi S (2010) Massive hematuria from the bilateral upper urinary tract in a patient treated for advanced lung cancer with gefitinib. *Jpn J Clin Oncol* 40: 263-266.
3. Mori H, Ohno Y, Ito F, Endo J, Yanase K, Funaguchi N, Bai La BL, Minatoguchi S (2010) Polymerase chain reaction positivity of *Pneumocystis jirovecii* during primary lung cancer treatment. *Jpn J Clin Oncol* 40: 658-662.
4. Mori H, Tanaka H, Ohno Y, Ito F, Funaguchi N, Endo J, La BL, Minatoguchi S (2009) Effect of intermittent systemic corticosteroid on bone metabolism in bronchial asthma patients. *J Asthma* 46: 142-146.

厚生労働科学研究補助金
難治性疾患克服研究事業
特発性肺線維症急性増悪及び薬剤性肺障害に関与する日本人特異的遺伝素因に関する研究
平成 23 年度研究報告書

編集, 印刷, 発行
平成 24 年 3 月 31 日
〒 350-0495 埼玉県入間郡毛呂山町毛呂本郷 38
埼玉医科大学 呼吸器内科 萩原弘一
TEL 049-276-1319, FAX 049-276-1635, E-mail hagiwark@saitama-med.ac.jp
