


図 - 5 感染細胞によるウイルス伝播における gp46-197 ペプチドの効果



G. 研究発表

1. 論文発表

・M. Matsushita, D. Kilpatrick, H. Shiraki,
Y. Liu, K. Tateishi, M. Tsujimura, Y. Endo,
T. Fujita Ficolins Methods in Molecular
Biology. In press 2012

2. 学会発表

なし

H. 知的財産権の出願・登録状況（予定を含む）

1. 特許取得

なし

2. 実用新案

なし

3. その他

なし

Ⅲ.研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|---|---|---|-----------------|--------|---------|------|-----------|
| Sato T., Araya N., Yagishita N., Ando H., Yamano Y. | Host Immune System Abnormalities Among Patients with Human T-Lymphotropic Virus Type 1 (HTLV-1)-Associated Disorders. | Babusikova O. Dovat S. Payne K.J. | T-Cell Leukemia | InTech | Croatia | 2011 | 65-80/234 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|--------------------------|--------|---------|------|
| Abdullah HM, Higuchi I, Kubota R, Matsuura E, Hashiguchi A, Abdelbary NH, Inamori Y, Takashima H, | Histopathologic differences between human T-lymphotropic virus type 1 (HTLV-1)-positive and HTLV-1-negative polymyositis. | Clin Exp Neuroimmunol. | 2 | 12-17 | 2011 |
| Abdelbary NH, Abdullah HM, Matsuzaki T, Hayashi D, Tanaka Y, Takashima H, Izumo S, Kubota R: | Reduced Tim-3 expression on HTLV-I Tax-specific cytotoxic T lymphocytes in HTLV-I infection. | J Infect Dis. | 203(7) | 948-959 | 2011 |
| 出雲周二, 松崎敏男, 久保田龍二 | HAM の新しい展開. | 神経内科 | 75(4) | 369-373 | 2011 |
| Piao, L., H. Nakagawa, K. Ueda, S. Chung, K. Kashiwaya, H. Eguchi, H. Ohigashi, O. Ishikawa, Y. Daigo, K. Matsuda, Y. Nakamura. | C12orf48, termed PARP-1 binding protein, enhances poly (ADP-ribose) polymerase-1 (PARP-1) activity and protects pancreatic cancer cells from DNA damage. | Genes Chromosomes Cancer | 50 | 13-24 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|-----------------------------|----|---------|------|
| Toyama, A., H. Nakagawa, K. Matsuda, N. Ishikawa, N. Kohno, Y. Daigo, T. A. Sato, Y. Nakamura, K. Ueda. | Deglycosylation and label-free quantitative LC-MALDI MS applied to efficient serum biomarker discovery of lung cancer. | Proteome Sci | 9 | 18 | 2011 |
| Tanikawa, C., M. Espinosa, A. Suzuki, K. Masuda, K. Yamamoto, E. Tsuchiya, K. Ueda, Y. Daigo, Y. Nakamura, K. Matsuda. | Regulation of histone modification and chromatin structure by the p53-PADI4 pathway. | Nature communications | 3 | 676 | 2012 |
| Ueda, K., N. Saichi, S. Takami, D. Kang, A. Toyama, Y. Daigo, N. Ishikawa, N. Kohno, K. Tamura, T. Shuin, M. Nakayama, T. A. Sato, Y. Nakamura, H. Nakagawa. | A comprehensive peptidome profiling technology for the identification of early detection biomarkers for lung denocarcinoma. | PLoS One | 6 | e18567 | 2011 |
| Ishioka T, Kimura H, Kita H, Obuchi M, Hoshino H, Noda M, Nishina A, Kozawa K, Kato M | Effects of respiratory syncytial virus infection and major basic protein derived from eosinophils in pulmonary alveolar epithelial cells (A549) | Cell Biology International | 35 | 467-474 | 2011 |
| Shinagawa M, Jinno- Oue A, Shimizu N, Roy BB, Shimizu A, Hoque SA, Hoshino H | Human T-cell leukemia viruses are highly Unstable over a wide range of temperatures | Journal of General Virology | 93 | 608-617 | 2012 |
| Mori T, Shimizu N, Jinno-Oue A, Tanaka A, Shinagawa M, Tokizawa S, Akagi T, Hoshino H | Tax1-expressing feline 8C cells are useful to monitor the life cycle of human T-cell leukemia virus type I | Journal of General Virology | 93 | 588-593 | 2012 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|------------------------|----------|-----------|------|
| Hoque SA, Ohtsuki T, Tatsumi M, Shimizu N, Islam S, Jinno-Oue A, Hoshino H | Lack of the trans-receptor mechanism of HIV-1 infection: CD4- and coreceptor-Independent incorporation of HIV-1-resistant cells into syncytia induced by HIV-1 | Microbes and Infection | 14 | 357-368 | 2012 |
| Tanaka A, Jinno-Oue A, Shimizu N, Hoque A, Mori T, Islam S, Nakatani Y, Shinagawa M, Hoshino H | Entry of human T-cell leukemia virus type 1 is augmented by heparan sulfate proteoglycans bearing short heparin-like structures | Journal of Virology | 86 | 2959-2969 | 2012 |
| Nakamura K, Ohtsuki T, Mori H, Hoshino H, Hoque A, OueA, Kano F, Sakagami H, Tanamoto K, Ushijima H, Kawasaki N, Akiyama H, Ogawa H | Novel anti-HIV-1 activity produced by conjugating unsulfated dextran with polyL-lysine | Antiviral Research | 94 | 89-97 | 2012 |
| Shimizu A, Tamura A, Nakatani Y, Shimizu N, Hoshino H, Ishikawa O | Pigmented plaque-type condyloma acuminatum associated with human papillomavirus type 6 | Journal of Dermatology | In press | | 2012 |
| Kozako T, Akimoto M, Toji S, White Y, Suzuki S, Arima T, Suruga Y, Matsushita K, Shimeno H, Soeda S, Kubota R, Izumo S, Uozumi K, Arima N | Target epitopes of HTLV-1 recognized by class I MHC-restricted cytotoxic T lymphocytes in HAM/TSP patients and infected patients with autoimmune disorders. | J Med Virol. | 83(3) | 501-509 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|-------------------------------------|----------|-----------|-------|
| Kozako T, Yoshimitsu M, Akimoto M, White Y, Matsushita K, Soeda S, Shimeno H, Kubota R, Izumo S, Arima N. | Programmed death-1 (PD-1)/PD-1 ligand pathway- mediated immune responses against human T-lymphotropic virus type 1 (HTLV-1) in HTLV-1-associated myelopathy/tropical spastic paraparesis and carriers with autoimmune disorders. | Hum Immunol. | 72(11) | 1001-1006 | 2011 |
| 久保田龍二 | HAM スペクトラム | 臨床神経学 | 51 | 1044-1046 | 2011 |
| Saito M, Bangham CR. | Immunopathogenesis of Human T-cell leukemia virus type 1 (HTLV-1)-associated myelopathy/tropical spastic paraparesis (HAM/TSP): Recent perspectives. | Leukemia Research and Treatment. | I259045 | | 2012 |
| Adachi T, Tanaka R, Kodama A, Saito M, Takahashi Y, Ansari AA, Tanaka Y | Identification of an unique CXCR4 epitope whose ligation inhibits infection by both CXCR4 and CCR5 tropic human immunodeficiency type-I virus- es. | Retrovirology. | 8 | 84 | 2012 |
| Saito M | HTLV-1. Encyclopedia of Genetics 2nd Edition. Stanley Maloy, Kelly Hughesed. | Elsevier, Oxford, UK, | in press | | 2012. |
| Araya N, Takahashi K, Sato T, Nakamura T, Sawa C Hasegawa D, Ando H, Aratani S, Yagishita N, Fujii R, Oka H, Nishioka K, Nakajima T, Mori N, Yamano Y. | Fucoidan therapy decreases the proviral load in patients with human T-lymphotropic virus type-1-associated neurological disease. | Antivir Ther. | 16 | 89-98 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|----------------------------|--------|---------------|------|
| Kitazono T, Okazaki T, Araya N, Yamano Y, Yamada Y, Nakamura T, Tanaka Y, Inoue M, Ozaki S: | Advantage of higher-avidity specife CTL for Tax against human T- lymphotropic virus-1 infected cells and tumors. | Cell Immunol. | 272 | 11-17 | 2011 |
| 中村龍文, 福田 卓, 西浦義博 | HAMの治療法の概略と進歩 | 神経内科 | 75 | 380-386 | 2011 |
| Sato T., Araya N., Yagishita N., Ando H., Yamano Y. | Host Immune System Abnormalities Among Patients with Human T-Lymphotropic Virus Type 1 (HTLV-1)- Associated Disorders. T-Cell Leukemia | InTech | 234 | 65-80 | 2011 |
| Araya N., Sato T., Yagishita N., Ando H., Utsunomiya A., Jacobson S., Yamano Y. | Human T-Lymphotropic Virus Type 1 (HTLV-1) and Regulatory T Cells in HTLV-1- Associated Neuroinflammatory Disease. | Viruses | 3 | 1532- 1548 | 2011 |
| Sato T., Fujii R., Konomi K., Yagishita N., Aratani S., Araya N., Aono H., Yudoh K., Suzuki N., Beppu M., Yamano Y., Nishioka K., Nakajima T. | Overexpression of SPACIA1 /SAAL1, a new gene that is involved in synoviocyte proliferation, accelerates the progression of synovitis in mice and humans. | Arthritis Rheum | 63(12) | 3833- 3842 | 2011 |
| 安藤仁、八木下尚子、 新谷奈津美、 佐藤知雄、山野嘉久 | HTLV-1関連脊髄症 (HAM) の病態と治療 | 医療と検査機器・ 試薬 別冊 機器・試薬 | 34(4) | 472-477 | 2011 |
| 山野嘉久 | HTLV-1キャリアー, HTLV-1-associated myelopathy (HAM)患者診療の現状と問題 点 | 血液内科 | 63(1) | 81-86 | 2011 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|------------------------------------|----------|-----------|------|
| Takamori A., Hasegawa A., Utsunomiya A., Maeda Y., Yamano Y., Masuda M., Shimizu Y., Tamai Y., Sasada A., Zeng N., Choi I., Uike N., Okamura J., Watanabe T., Masuda T., Kannagi M. | Functional impairment of Tax-specific but not cytomegalovirus-specific CD8+ cytotoxic T lymphocytes in a minor population of asymptomatic human T-cell leukemia virus type 1-carriers. | Retrovirology | 7(8) | 100(1-15) | 2011 |
| 山野嘉久、佐藤知雄、 新谷奈津美、安藤仁、 八木下尚子 | HAM専門外来の取り組み | 神経内科 | 75(4) | 387-392 | 2011 |
| 山野嘉久、 佐藤知雄、安藤仁、 新谷奈津美、 八木下尚子 | HTLV-1関連脊髄症 (HAM) の治療法を確立していくため に —その現状と展望— | 日本臨床 | 70(4) | 705-713 | 2012 |
| Taki M, Nin F, Hasegawa T, Sakaguchi H, Suzuki T, Hisa Y, Azuma Y, Nakagawa M. | A case report of HTLV-I associated myelopathy presenting with cerebellar ataxia and nystagmus | Auris Nasus Larynx. | 38(3) | 411-414 | 2011 |
| 武澤信夫、奥田求己、 中川正法 | HAMのリハビリテーション | 神経内科 | 75(4) | 393-401 | 2011 |
| Hara H, Nanri Y, Tabata E, Mitsutake S, Tabira T | Identification of astrocyte -derived immune suppressor factor that induces apoptosis of autoreactive T cells. | Journal of Neuroimmunology | 233 | 135-146 | 2011 |
| M.Matsushita, D. Kilpatrick, H. Shiraki, Y. Liu, K.Tateishi, M. Tsujimura, Y. Endo, T. Fujita | Ficolins | Methods in Molecu- lar Biology. | In press | | 2012 |

