

|  |   |                |         |           |      |
|--|---|----------------|---------|-----------|------|
| 宮崎泰司,飛内賢正,鈴木憲史,小澤敬也  | 難治性血液疾患の現状と将来   | HUMAN SCIENCE  |         | 4-13      | 2011 |
| 対馬秀樹, 宮崎泰司   | 高リスク MDS に対するメチル化阻害薬の役割   | 血液内科           | 63(2)   | 190-194   | 2011 |
| 宮崎泰司   | 低リスク/高リスクMDSの治療方針   | Pharma Medica  | 29(9)   | 25-28     | 2011 |
| 宮崎泰司   | MDS/AMLに対するアザシチジンの臨床応用  | 血液フロンティア       | 21(9)   | 1307-1314 | 2011 |
| 谷本光音, 黒川峰夫, 直江知樹, 宮崎泰司   | (座談会) 変貌を遂げつつある血液疾患の治療  | 日本医師会雑誌        | 140(7)  | 1401-1412 | 2011 |
| 宮崎泰司   | 骨髄異形成症候群－診断と治療の新たな展開－   | 日本内科学会雑誌       | 100(11) | 3346-3353 | 2011 |
| 糸永英弘,宮崎泰司  | 中等度～高リスク高齢MDS患者に対するdecitabineとbest supportive careの比較試験   | 血液内科           | 64(1)   | 37-42     | 2012 |
| 宮崎泰司   | 骨髄異形成症候群  | 臨床血液           | 53(1)   | 51-58     | 2012 |
| 宮崎泰司   | 骨髄異形成症候群に対する脱メチル化薬  | 最新医学           | 67(2)   | 308-313   | 2012 |
| Tominaga-Sato S, Tsushima H, Ando K, Itonaga H, Imaizumi Y, Imanishi D, Iwanaga M, Taguchi J, Fukushima T, Yoshida S, Hata T, Moriuchi Y, Kuriyama K, Mano H, Tomonaga M, Miyazaki Y | Expression of myeloperoxidase and gene mutations in AML patients with normal karyotype: double CEBPA mutations are associated with high percentage of MPO positivity in leukemic blasts | Int J Hematol. | 94(1)   | 81-89     | 2011 |
| Tsushima H, Iwanaga M, Miyazaki Y  | Late effect of Atomic bomb radiation on myeloid disorders: leukemia and myelodysplastic syndromes   | Int J Hematol. | 95(3)   | 232-238   | 2012 |
| Sato T, Ichinohe T, Kanda J, Yamashita K, Kondo T, Ishikawa T, Uchiyama T, Takaori-Kondo A.  | Clinical significance of subcategory and severity of chronic graft-versus-host disease evaluated by National Institutes of Health consensus criteria.                                   | Int J Hematol  | 93(4)   | 532-41    | 2011 |

|  |   |                             |           |        |      |
|--|---|-----------------------------|-----------|--------|------|
| Espinoza JL, Takami A, Nakata K, Yamada K, Onizuka M, Kawase T, Sao H, Akiyama H, Miyamura K, Okamoto S, Inoue M, Fukuda T, Morishima Y, Kodera Y, Nakao S, Japan Marrow Donor Program                           | Genetic variants of human granzyme B predict transplant outcomes after HLA matched unrelated bone marrow transplantation for myeloid malignancies.  | PLos One                    | 6 (8)     |        | 2011 |
| Mori T, Kato J, Shimizu T, Aisa Y, Nakazato T, Yamane A, Ono Y, Kunimoto H, Okamoto S  | Effect of Early Posttransplantation Tacrolimus Concentration on the Development of Acute Graft-versus-Host Disease after Allogeneic Hematopoietic Stem Cell Transplantation from Unrelated Donors | Bio Blood Marrow Transplant | Jun 25    |        | 2011 |
| Mori T, Kato J, Yamane A, Aisa Y, Nakazato T, Okamoto S  | Comparison of the results of quantitative polymerase chain reaction for cytomegalovirus among laboratories;   | Rinsho Ketsueki             | Apr:52(4) | 204-9  | 2011 |
| Shirasugi Y, Ando K, Miyazaki K, Tomiyama Y, Okamoto S, Kurokawa M, Kirito K, Yonemura Y, Mori S, Usuki K, Iwato K, Hashino S, Wei H, Lizambri R.  | Romiplostim for the treatment of chronic immune thrombocytopenia in adult Japanese patients:a double-blind, randomized Phase III clinical trial.  | Int J Hematol.              | Jul:94(1) | 71-80  | 2011 |
| Nakaseko C, Ozawa S, Sakaida E, Sakai M, Kanda Y, Oshima K, Kurokawa M, Takahashi S, Ooi J, Shimizu T, Yokota A, Yoshiba F, Fujimaki K, Kanamori H, Sakai R, Saitoh T, Sakura T, Maruta A, Sakamaki H, Okamoto S | Incidence risk f factors and outcomes of bronchiolitis obliterans after allogeneic stem cell transplantation  | Int J Hematol.              | Mar:93(3) | 375-82 | 2011 |
| Yamane A, Mori T, Kato J, Ono Y, Okamoto S   | Discrepancy in the kinetics of total and active anti-thymocyte globulin blood concentrations in recipients of allogeneic hematopoietic stem cell transplantation.                                 | Int J Hematol               | Mar:93(3) | 406-7  | 2011 |

|   |  |                           |              |        |      |
|---|--|---------------------------|--------------|--------|------|
| Matsuki E, Miyakawa Y, Asakawa S, Tsukada Y, Yamada T, Yokoyama K, Kudoh J, Ikeda Y, Okamoto S  | Identification of loss of p16 expression and upregulation of MDR-1 as genetic events resulting from two novel chromosomal translocations found in a plasmablastic lymphoma of the uterus | Cin Cancer Res            | Apr 15;17(8) | 2101-9 | 2011 |
| Matsuki E, Miyakawa Y, Okamoto S  | A novel factor X II mutation,FX II R84P, causing factor X II deficiency in a patient with hereditary spastic paraplegia  | Blood Coagul Fibrinolysis | Apr;22(3)    | 227-30 | 2011 |
| Yokota A, Ozawa S, Masanori T, Akiyama H, Oshima K, Kanda Y, Takahashi S, Mori T, Nakaseko C, Onoda M, Kishi K, Doki N, Aotsuka N, Kanamori H, Murata A, Sakamaki H, Okamoto S    | Secondary solid tumors after allogeneic hematopoietic SCT in Japan.  | Bone Marrow Transplant    | Feb 28       |        | 2011 |
| Ishizawa J, Kuninaka S, Sugihara E, Naoe H, Kobayashi Y, Chiyoda T, Ueki A, Araki K, Yamamura K, Matsuzaki Y, Nakajima H, Ikeda Y, Okamoto S, Saya H                              | The cell cycle regulator Cdh1 controls the pool sizes of hematopoietic stem cells and mature lineage progenitors by protecting from genotoxic stress                                     | Cancer Sci                | May;102(5)   | 967-74 | 2011 |
| Kanakura Y, Ohyashiki K, Shichishima T, Okamoto S, Ando K, Ninomiya H, Kawaguchi T, Nakao S, Nakakuma J, Kinoshita T, Bedrosian CL, Valentine ME, Khursigara G, Ozawa K, Omine M. | Safety and efficacy of the terminal complement inhibitor eculizumab in Japanese patients with paroxysmal nocturnal hemoglobinuria the AEGIS clinical trial.                              | Int J Hematol             | Jan;93(1)    | 36-46  | 2011 |
| Espinoza JL, Takami A, Onizuka M, Kawase T, Sao H, Akiyama H, Miyamura K, Okamoto S, Inoue M, Ohtake S, Fukuda T, Morishima Y, Kodera Y, Nakao S                                  | A single nucleotide polymorphism of IL-17 gene in the recipient is associated with acute GVHD after HLA-matched unrelated BMT  | Bone Marrow Transplant    | Jan10.       |        | 2011 |

|   |  |                               |           |           |      |
|---|--|-------------------------------|-----------|-----------|------|
| Mori T, Nakamura Y, Kato J, Yamane A, Aisa Y, Takeshita K, Okamoto S  | Oral ribavirin therapy for lower respiratory tract infection of respiratory syncytial virus complicating bronchiolitis obliterans after allogeneic hematopoietic stem cell transplantation | Int J Hematol.                | Jan;93(1) | 132-4     | 2011 |
| Hattori Y, Miyakawa Y, Yokoyama K, Yamada T, Du W, Jinzaki M, Shinmoto H, Okamoto S,  | Prospective study of combination therapy with low-dose thalidomide plus prednisolone ameliorating cytopenia in primary myelofibrosis   | Int J Hematol                 | Jan;93(1) | 129-31    | 2011 |
| Tauchi T, Kizaki M, Okamoto S, Tanaka H, Tanimoto M, Inokuchi K, Murayama T, Saburi Y, Hino M, Tsudo M, Shimomura T, Isobe Y, Oshimi K, Dan K, Ohyashiki K, Ikeda Y, TARGET Investigators   | Seven-year follow-up of patients receiving imatinib for the treatment of newly diagnosed chronic myelogenous leukemia by the TARGET system.  | Leuk Res                      | May;35(5) | 585-90    | 2011 |
| Morishima T, Watanabe K, Niwa A., Fujino H., Matsubara H., Adachi S., Suemori H., Nakahata T., Heike T.   | Neutrophil differentiation from human-induced pluripotent stem cells.  | J. Cell. Physiol.             | 226(5)    | 1283-1291 | 2011 |
| Heike T., Saito M., Nishikomori R., Yasumi T., Nakahata T.  | Autoinflammatory diseases-a new entity of inflammation.  | Inflammation and Regeneration | 31        | 125-136   | 2011 |
| Yamanaka Y., Kitano A., Takao K., Prasansuklab A., Mushiroda T., Yamazaki K., Kumada T., Shibata M., Takaoka Y., Awaya T., Kato T., Nakahata T., Heike T.   | Inactivation of fibroblast growth factor binding protein 3 causes anxiety-related behaviors.   | Mol. Cell. Neurosci.          | 46        | 200-212   | 2011 |
| Kamio T., Ito E., Ohara A., Kosaka Y., Tsuchida M., Yagasaki H., Mugishima H., Yabe H., Morimoto A., Ohga S., Muramatsu H., Hama A., Kaneko T., Nagasawa M., Kikuta A., Osugi Y., Bessho F., Nakahata T., Tsukimoto I., Kojima S. | Relapse of aplastic anemia in children after immunosuppressive therapy: a report from the Japan Childhood Aplastic Anemia Study Group.   | Haematologica                 | 96        | 814-819   | 2011 |

|  |  |                            |       |           |      |
|--|--|----------------------------|-------|-----------|------|
| Yoshida N., Yagasaki H., Hama A., Takahashi Y., Kosaka Y., Kobayashi R., Yabe H., Kaneko T., Tsuchida M., Ohara A., Nakahata T., Kojima S.                                       | Predicting response to immunosuppressive therapy in childhood aplastic anemia.   | Haematologica              | 96    | 771-774   | 2011 |
| Kawagoe S., Higuchi T., Xing-Li M., Shimada Y., Dhimizu H., Fukuda T., Chang H., Nakahata T., Fukada S., Ida H., Ohashi T., Eto Y.   | Generation of induced pluripotent stem (iPS) cells derived from a murine model of Pompe disease and differentiation of Pompe-iPS cells into skeletal muscle cells. | Mol. Genet. Metab.         | 104   | 123-128   | 2011 |
| Wakao S., Kitada M., Kuroda Y., Shigemoto T., Matsuse D., Akashi H., Tanimura Y., Tsuchiyama K., Kikuchi T., Goda M., Nakahata T., Fujiyoshi Y., Dezawa M.                       | Multilineage-differentiating Stress Enduring (Muse) cells are a primary source of iPS cells in human fibroblasts.  | Proc. Natl. Acad. Sci. USA | 108   | 9875-9880 | 2011 |
| Niwa A., Heike T., Umeda K., Oshima K., Kato I., Sakai H., Suemori H., Nakahata T., Saito M.   | A novel serum-free monolayer culture for orderly hematopoietic differentiation of human pluripotent cells via mesodermal progenitors.                              | PloS ONE                   | 6(7)  | e22261    | 2011 |
| Murata Y., Yasumi T., Shirakawa R., Izawa K., Sakai H., Abe J., Tanaka N., Kawai T., Oshima K., Saito M., Nishikomori R., Ohara O., Ishii E., Nakahata T., Horiuchi H., Heike T. | Rapid diagnosis of familial hemophagocytic lymphohistiocytosis type 3 (FHL3) by flow cytometric detection of intraplatelet Munc 13-4 protein.                      | Blood                      | 118   | 1225-1230 | 2011 |
| Yahata N., Asai M., Kitaoka S., Takahashi K., Asaka I., Hioki H., Kaneko T., Maruyama K., Saido T.C., Nakahata T., Asada T., Yamanaka S., Iwata N., Inoue H.                     | Anti-A $\beta$ Drug Screening Platform Using Human iPS Cell-Derived Neurons for the Treatment of Alzheimer's Disease.  | PLoS ONE                   | 6(9)  | e25788    | 2011 |
| Kato I, Niwa A, Heike T, Fujino H, Saito MK, Umeda K., Hiramatsu H., Ito M., Morita M., Nishinaka Y., Adachi S., Ishikawa F., Nakahata T.  | Identification of Hepatic Niche Harboring Human Acute Lymphoblastic Leukemic Cells via the SDF-1/CXCR4 Axis.   | PLoS ONE                   | 6(11) | e27042    | 2011 |

|   |   |                          |         |           |          |
|---|---|--------------------------|---------|-----------|----------|
| Tanaka N., Nishikomori R., Saito M., Izawa K., Sakuma M., Morimoto T., Kambe N., Watanabe S., Oshima K., Ohara O., Goldbach-Mansky R., Akseptijevich I., Arostegui J.I., Yague Jm Joost F., van Gijn M.E., SaintBasile G., Pontillo A., Kawai T., Yasumi T., Nakahata T., Horiuchi H., Heike T. | High incidence of somatic NLRP3 mosaicism in chronic infantile neurological cutaneous and articular syndrome patients; the results of an international multicenter collaborative study. | Arthritis Rheum.         | 63      | 3625-3632 | 2011     |
| Hiejima E., Komatsu H., Takeda Y., Sogo T., Inui A., Okafuji I., Nishikomori R., Nakahata T., Fujisawa T.   | Acute liver failure in young children with systemic-onset juvenile idiopathic arthritis without macrophage activation syndrome: Report of two cases.                                    | J. Pediatr. Child Health |         |           | in press |
| Sakai H., Okafuji I., Nishikomori R., Abe J., Izawa K., Kambe N., Yasumi T., Nakahata T., Heike T.  | The CD40-CD40L axis and INF-g play critical roles in Langerhans giant cell formation.   | Int. Immunol.            |         |           | in press |
| Izawa K., Hijikata A., Tanaka N., Kawai T., Saito MK, Goldbach-Mansky R., Akseptijevich I., Yasumi T., Nakahata T., Heike T., Nishikomori R., Ohara O.  | Detection of Base Substitution-Type Somatic Mosaicism of the NLRP3 Gene with >99.9% Statistical Confidence by Massively Parallel Sequencing.  | DNA Res                  |         |           | in press |
| 中畑龍俊  | iPS細胞は長寿へ導く夢のタイムマシーンである (特集 02 カラダを再生する画期的な細胞の誕生)   | Back Up                  | 30      | 8-12      | 2011     |
| 中畑龍俊  | 小児医療をめぐる最先端医学 iPS細胞を用いた今後の医療。(特集 小児医療の最先端—これからの新たな展望—)  | 東京小児科医学会報                | 29 (3)  | 26-33     | 2011     |
| 中畑龍俊  | iPS細胞の臨床応用の展望   | BIO Clinica              | 26 (9)  | 16-17     | 2011     |
| 中畑龍俊  | 疾患特異的 iPS細胞を用いた遺伝子治療・個別化医療  | 小児科                      | 52 (12) | 1743-1749 | 2011     |

|   |   |                    |       |                   |      |
|---|---|--------------------|-------|-------------------|------|
| 中畑龍俊  | 対談「血液および血液疾患を語る(22) 造血幹細胞の体外増幅—iPS細胞の応用も含めて—」   | 最新医学               | 66(1) | 123-132           | 2011 |
| 大封智雄、渡邊健一郎、加藤格、瓜生久美子、徳舛麻友、梅田雄嗣、松原央、足立壮一、岡本晋弥、上本伸二、中畑龍俊  | 治療前に胸水を伴ったWilms腫瘍の一女児例  | 小児がん               | 48(1) | 28-31             | 2011 |
| 中畑龍俊  | 幹細胞に魅せられて(リレー随想)  | 小児科臨床              | 64(7) | 1638(70)-1645(77) | 2011 |
| 加藤元博、真田昌、加藤格、佐藤康晴、滝田順子、竹内賢吾、丹羽明、陳玉彦、中崎久美、野本順子、朝倉義崇、赤塚美紀、林泰秀、森啓、五十嵐隆、黒川峰夫、千葉滋、森茂郎、石川雄一、岡本康司、飛内賢正、中釜斉、中畑龍俊、吉野正、小林幸夫、小川誠司                        | B細胞性悪性リンパ腫におけるA20の遺伝子変異による不活性化  | 臨床血液               | 52(6) | 313-319           | 2011 |
| 今村雅寛、庄野雄介   | 造血ニッチとGVHD  | 血液フロンティア           | 21    | 100-103           | 2011 |
| 今村雅寛、庄野雄介   | GVHDによる造血障害の機序  | 臨床免疫・アレルギー科        | 56    | 326-330           | 2011 |
| 大橋春彦、日高道弘、澤村守夫、花田修一、米野琢哉、岡村精一、下村壮司、井上仁、酒巻一平、堀部敬三  | 本邦における慢性貧血患者の対する赤血球輸血の実態調査  | 医療                 | 65    | 278-282           | 2011 |
| Terakura S, Atsuta Y, Sawa M, Ohashi H, Kato T, Nishiwaki S, Imahashi N, Yasuda T, Murata M, Miyamura K, Suzuki R, Naoe T, Ito T, Morishita Y | Optimization of fludarabine plus melphalan conditioning for marrow transplantation from unrelated donors for patients with hematopoietic malignancies: a prospective dose-finding trial using a modified continual reassessment method. | Annals of Oncology | 22    | 1865-1871         | 2011 |

|   |  |                                   |         |           |      |
|---|--|-----------------------------------|---------|-----------|------|
| Uchida T, Ogawa Y, Kobayashi Y, Ishikawa T, Ohashi H, Hata T, Usui N, Taniwaki M, Ohnishi K, Akiyama H, Ozawa K, Ohyashiki K, Okamoto S, Tomita A, Nakao S, Tobinai K, Ogura M, Ando K, Hotta T | Phase I and II study of azacitidine in Japanese patients with myelodysplastic syndromes.   | Cancer Science                    | 102     | 1680-1686 | 2011 |
| Yagasaki H, Ohashi H, Ito M, Kobayashi S, Kato M, Shichino H, Chin M, Mugishima H   | A novel mechanism of transplacental cancer transmission: natural killer/T-cell lymphoma in the paratesticular region is of maternal origin                   | Blood                             | 117     | 6046-6047 | 2011 |
| Saito H, Tomita A, Ohashi H, Maeda H, Hayashi H, Naoe T   | Determination of ferritin and hemosiderin iron in patients with normal iron stores and iron overload by serum ferritin kinetics.                             | Nagoya Journal of Medical Science | 74      | 39-49     | 2012 |
| Hasegawa D, Manabe A, Ohara A, Kikuchi A, Koh K, Kiyokawa N, Fukushima T, Ishida Y, Saito T, Hanada R, Tsuchida M   | The Utility of Performing the Initial Lumbar Puncture on Day 8 in Remission Induction Therapy for Childhood Acute Lymphoblastic Leukemia: TCCSG L99-15 Study | Pediatr Blood Cancer,             | 8       | 23-30     | 2012 |
| Watanabe S, Azami Y, Ozawa M, Kamiya T, Hasegawa D, Ogawa C, Ishida Y, Hosoya R, Kizu J, Manabe A   | Intellectual development after treatment in children with acute leukemia and brain tumor.  | Pediatr Int                       | 53      | 694-700   | 2011 |
| Tsuji N, Kakee N, Ishida Y, Asami K, Tabuchi K, Nakadate H, Iwai T, Maeda M, Okamura J, Kazama T, Terao Y, Ohyama W, Yuza Y, Kaneko T, Manabe A, Kobayashi K, Kamibeppu K, Matsushima E         | Validation of the Japanese version of the Pediatric Quality of Life Inventory (PedsQL) Cancer Module. Health   | Qual Life Outcomes                | 10:9(1) | 22        | 2011 |
| 中川真智子、草川功、平田倫生、齊藤怜、笠井恵美、長谷川大輔、真部淳、細谷良太  | 生後早期に少量シタラビン (Ara-C) 療法を施行した一過性骨髄増殖症 (TAM) の1例   | 日本周産期・新生児医学会雑誌                    | 47      | 161-164   | 2011 |



|   |   |                    |        |           |      |
|---|---|--------------------|--------|-----------|------|
| 吉田奈央、平林真介、渡辺静、在家裕司、土田昌宏、吉見礼美、増永敦子、大塚欣敏、伊藤雅文、小島勢二、中畑龍俊、真部淳   | 若年性骨髄単球性白血病75例の予後：小児血液学会MDS委員会中央診断登録例の検討  | 臨床血液               | 52(12) | 1853-1858 | 2011 |
| Hama A, Yoshimi A, Sakaguchi H, Doisaki S, Muramatsu H, Shimada A, Takahashi Y, Nozawa K, Ito M, Tsuchida M, Manabe A, Ohara A, Kojima S. | Bone marrow findings of childhood aplastic anemia: analysis of 140 cases by central reviews   | Jpn J Clin Hematol | 52(8)  | 653-658   | 2011 |
| Nakata J, Tamaki H, Ikegame K, Kato R, Yoshihara S, Kaida K, Inoue T, Kamesaki T, Okada M, Ogawa H.                                       | Direct antiglobulin test-negative autoimmune hemolytic anemia associated with HLA-haploidentical stem cell transplantation.                                     | Int J Hematol      | 93(4)  | 558-560   | 2011 |
| 豊辻智則、亀崎豊実、梶井英治  | 専門医に紹介すべき貧血自己免疫性溶血性貧血   | Mebio              | 28(9)  | 72-81     | 2011 |
| 亀崎豊実  | 診療の秘訣 クームス試験が陰性のAIHA  | Modern Physician   | 31(5)  | 651-652   | 2011 |
| 下田晴子、下田和哉   | 骨髄増殖性疾患の分子病態と治療   | 血液内科               | 62(5)  | 648-655   | 2011 |
| 上運天綾子、下田和哉  | 血小板増加症  | 診断と治療              | 99(7)  | 1143-1147 | 2011 |
| 関根雅明、下田和哉   | 骨髄増殖性腫瘍と J A K 変異   | 日本検査血液学雑誌          | 12(2)  | 224-229   | 2011 |
| Murakami Y, Kanzawa N, Saito K, Krawitz PM, Mundlos S, Robinson PN, Karadimitris A, Maeda Y, Kinoshita T.                                 | Mechanism for release of alkaline phosphatase caused by glycosylphosphatidylinositol deficiency in patients with hyperphosphatasia mental retardation syndrome. | J Biol Chem.       | 287    | 6318-25.  | 2012 |
| Murakami Y, Inoue N, Shichishima T, Ohta R, Noji H, Maeda Y, Nishimura J, Kanakura Y, Kinoshita T.  | Deregulated expression of HMGA2 is implicated in clonal expansion of PIGA deficient cells in paroxysmal nocturnal haemoglobinuria.                              | Br J Haematol.     | 156    | 383-7     | 2012 |

|  |  |                       |            |           |      |
|--|--|-----------------------|------------|-----------|------|
| Nitta H, Harada Y, Okikawa Y, Fujii M, Arihiro K, Kimura A, Harada H   | Good's syndrome-associated pure red cell aplasia with myelodysplastic syndrome.  | Internal Medicine     | 50         | 2011-2014 | 2011 |
| Nitta H, Harada Y, Hyodo H, Kimura A, Harada H   | Expansion of CD8 <sup>+</sup> /perforin <sup>+</sup> T-cells predicts response to ciclosporin A therapy in patients with erythroid hypoplasia/aplasia. | Brit. J. Haematol.    | in press   |           | 2012 |
| Matsuda A, Taniwaki M, Jinnai I, Harada H, Watanabe M, Suzuki K, Yanagita S, Suzuki T, Yoshida Y, Kimura A, Tsudo M, Tohyama K, Takatoku M, Ozawa K. | Morphologic analysis in myelodysplastic syndromes with del(5q) treated with lenalidomide. A Japanese multiinstitutional study.                         | Leukemia Research     |            |           | 2011 |
| 木村昭郎   | 教育講演 5.放射線障害としての血液疾患 骨髄異形成症候群・白血病を中心に。「第108回日本内科学会講演会教育講演」.  | 日本内科学会雑誌              | 100        | 2612-2618 | 2011 |
| 木村昭郎   | 放射線と造血器腫瘍－白血病と骨髄異形成症候群－放射線障害－基礎疫学から診療・安全対策まで－  | 日本臨床                  | 3月1日出版     |           | 2012 |
| Nitta H, Harada Y, Kimura A, Harada H.   | Myelodysplastic syndrome with pure red cell aplasia, clinical new entity.  | Jpn J. Clin. Hematol. | 52         | 1230      | 2011 |
| Tanaka H, Li Z, Ikuta K, Addo L, Akutsu H, Nakamura M, Sasaki K, Ohtake T, Fujiya M, Torimoto Y, Glass J, Kohgo Y                                    | Iron facilitator LS081 reduces hypoxia-inducible factor-1 $\alpha$ protein and functions as anticancer agent in hepatocellular carcinoma.              | Cancer Sci            | 103(4)     | 767-74    | 2011 |
| Ikuta K, Ito S, Tanaka H, Sasaki K, Torimoto Y, Fujiya M, Kohgo Y  | Interference of deferasirox with assays for serum iron and serum unsaturated iron binding capacity during iron chelating therapy.                      | Clin Chim Acta        | 412(23-24) | 2261-2266 | 2011 |

|   |   |                |             |           |      |
|---|---|----------------|-------------|-----------|------|
| Sasaki K, Ikuta K, Tanaka H, Ohtake T, Torimoto Y, Fujiya M, Kohgo Y  | Improved quantification for non-transferrin-bound iron measurement using high-performance liquid chromatography by reducing iron contamination.               | Mol Med Report | 4(5)        | 913-918   | 2011 |
| Sato K, Torimoto Y, Hosoki T, Ikuta K, Takahashi H, Yamamoto M, Ito S, Okamura N, Ichiki K, Tanaka H, Shindo M, Hirai K, Mizukami Y, Otake T, Fujiya M, Sasaki K, Kohgo Y | Loss of ABCB7 gene: pathogenesis of mitochondrial iron accumulation in erythroblasts in refractory anemia with ringed sideroblast with isodicentric (X)(q13). | Int J Hematol  | 93(3)       | 311-318   | 2011 |
| Ohnishi K, Torimoto Y, Ikuta K, Tanaka H, Hosoki T, Tanaka S, Hamano A, Sato K, Fujiya M, Sasaki K, Kohgo Y   | Detection of soluble HFE associated with soluble transferrin receptor in human serum.   | Int J Mol Med  | 27(3).      | 435-439   | 2011 |
| 生田克哉  | 臨床検査の分子生物学：鉄代謝関連マーカーの検査と消化器疾患。  | 分子消化器病         | vol.9 no.1  | 48-53     | 2012 |
| 生田克哉, 高後裕   | 【内科 疾患インストラクションガイド 何をどう説明するか】 血液・造血器疾患 多血症  | Medicina       | 48(11)      | 414-416   | 2011 |
| 生田克哉, 高後裕   | 【消化管の輸送体】 鉄輸送体  | G.I.Research   | 19(5)       | 455-461   | 2011 |
| 高後裕   | 鉄代謝と鉄過剰   | 日本内科学会雑誌       | 100(9)      | 2412-2424 | 2011 |
| 生田克哉, 高後裕   | 【腎臓と貧血】 鉄代謝   | 腎と透析           | 71(2)       | 199-204   | 2011 |
| 鳥本悦宏, 生田克哉, 高後裕   | 【日常診療でみられる血液異常と血液疾患】 総論 鉄代謝 鉄代謝総論(解説/特集)  | 診断と治療          | 99(7)       | 1155-1161 | 2011 |
| 細木卓明, 生田克哉, 佐々木勝則, 鳥本悦宏, 高後裕  | 鉄代謝状態の評価の現状と今後の展望   | 血液内科           | 62(6)       | 774-780   | 2011 |
| 生田克哉, 高後裕   | 【見直されつつある生体鉄】 鉄の生理 鉄のリサイクリング機構  | 血液フロンティア       | 21(6)       | 813-820   | 2011 |
| 高後裕   | 鉄代謝と鉄過剰   | 日本内科学会雑誌       | 100(Sup pl) | 46-50     | 2011 |

|   |  |                               |         |           |      |
|---|--|-------------------------------|---------|-----------|------|
| Yagasaki H, Kojima S, Yabe H, Kato K, Kigasawa H, Sakamaki H, Tsuchida M, Kato S, Kawase T, Morishima Y, Kodera Y.  | Acceptable HLA-mismatching in unrelated donor bone marrow transplantation for patients with acquired severe aplastic anemia.   | Blood                         | 118(11) | 3186-3190 | 2011 |
| Nishio N, Takahashi Y, Ohashi H, Doisaki S, Muramatsu H, Hama A, Shimada A, Yagasaki H, Kojima S.   | Reduced-intensity conditioning for alternative donor hematopoietic stem cell transplantation in patients with dyskeratosis congenita.  | Pediatr Transplant.           | 15(2)   | 161-166   | 2011 |
| Pulsipher MA, Young NS, Tolar J, Risitano AM, Deeg HJ, Anderlini P, Calado R, Kojima S, Eapen M, Harris R, Scheinberg P, Savage S, Maciejewski JP, Tiu RV, Difronzo N, Horowitz MM, Antin JH.   | Optimization of Therapy for Severe Aplastic Anemia Based on Clinical, Biological and Treatment Response Parameters: Conclusions of an International Working Group on Severe Aplastic Anemia Convened by the Blood and Marrow Transplant Clinical Trials Network, March 2010. | Biol Blood Marrow Transplant. | 17(3)   | 291-299   | 2011 |
| Kamio T, Ito E, Ohara A, Kosaka Y, Tsuchida M, Yagasaki H, Mugishima H, Yabe H, Morimoto A, Ohga S, Muramatsu H, Hama A, Kaneko T, Nagasawa M, Kikuta A, Osugi Y, Bessho F, Nakahata T, Tsukimoto I, Kojima S; Japan Childhood Aplastic Anemia Study Group. | Relapse of aplastic anemia in children after immunosuppressive therapy: a report from the Japan Childhood Aplastic Anemia Study Group.   | Haematologica                 | 96(6)   | 814-819   | 2011 |
| Yoshida N, Yagasaki H, Hama A, Takahashi Y, Kosaka Y, Kobayashi R, Yabe H, Kaneko T, Tsuchida M, Ohara A, Nakahata T, Kojima S.   | Predicting response to immunosuppressive therapy in childhood aplastic anemia.   | Haematologica                 | 96(5)   | 771-774   | 2011 |
| Kojima S, Nakao S, Young N, Bacigalupo A, Gerard G, Hirano N, Maciejewski J, Deeg J, Marsh J, Zhang FK, Lee JW, Ozawa K.  | The Third Consensus Conference on the treatment of aplastic anemia.  | Int J Hematol.                | 93(6)   | 832-837   | 2011 |

|  |  |  |     |             |      |
|--|--|--|-----|-------------|------|
| Morishita S, Komatsu N, Kirito K, Koda H A, Sekiguchi Y, Tsuneda S, and Noda N   | Alternately binding probe competitive PCR as a simple, cost-effective, and accurate method for JAK2V617F allele burden in myeloproliferative neoplasms | Leuk. Res.   | 35  | (1632-1636) | 2011 |
| 山口博樹   | MDSに対する新規治療薬開発の現状  | 血液内科   | 63  | 195-201     | 2011 |
| 千葉滋  | 白血病幹細胞に対する分指標的療法   | 細胞工学   | 31  | 58-62       | 2012 |
| 千葉滋  | 急性放射性症候群 (Acute Radiation Syndrome: ARS) ~東海村JCO自己被ばくと造血幹細胞移植  | 血液フロンティア   | 21  | 1741-1745   | 2011 |
| 坂田—柳元麻実子、千葉滋   | Notchシグナルを標的にした分子標的治療薬の開発  | 血液内科   | 63  | 458-573     | 2011 |
| 栗田尚樹、千葉滋   | 白血球減少症   | 診断と治療  | 99  | 1137-1142   | 2011 |
| 田岡謙一、大越靖、千葉滋   | 高齢者の中枢神経原発悪性リンパ腫をどこまで治療するか   | 血液内科   | 62  | 707-712     | 2011 |
| 坂田—柳元麻実子、千葉滋   | 慢性骨髄性白血病とHes1  | 血液フロンティア   | 21  | 62-66       | 2011 |
| Hidekazu Nishikii, Naoya Nakamura, Yuzuru Kondo, Yasushi Okoshi, Kazumi Suzukawa, Yuichi Hasegawa, Yasuhisa Yokoyama, Mamiko Sakata-Yanagimoto, Terukazu Enami, Masayuki Noguchi, Shigeru Chiba          | Treatment outcome of adult Burkitt lymphoma in Japanese patients with modified LMB protocol: a single center retrospective analysis                    | Journal of Clinical and Experimental Hematopathology | 51  | 109-114     | 2011 |
| Manabu Kusakabe, Kazuteru Hasegawa, Michito Hamada, Megumi Nakamura, Takayuki Ohsumi, Hirona Suzuki, Tran Thi Nhu Mai, Takashi Kudo, Kazuhiko Uchida, Haruhiko Ninomiya, Shigeru Chiba, Satoru Takahashi | c-Maf plays a crucial role for the definitive erythropoiesis that accompanies erythroblastic island formation in the fetal liver                       | Blood  | 118 | 1374-1385   | 2011 |

|  |   |                                   |     |           |      |
|--|---|-----------------------------------|-----|-----------|------|
| Yukinori Kozuma, Yuka Sawahata, Yumi Takei, Shigeru Chiba, Haruhiko Ninomiya   | Procoagulant properties of microparticles released from red blood cells in paroxysmal nocturnal haemoglobinuria | British Journal of Haematology    | 152 | 631-639   | 2011 |
| Kenichi Yoshida, Masashi Sanada, Yuichi Shiraishi, Daniel Nowak, Yasunobu Nagata, Ryo Yamamoto, Yusuke Sato, Akiko Sato-Otsubo, Ayana Kon, Masao Nagasaki, George Chalkidis, Yutaka Suzuki, Masashi Shiosaka, Ryoichiro Kawahata, Tomoyuki Yamaguchi, Makoto Otsu, Naoshi Obara, Mamiko Sakata-Yanagimoto, Ken Ishiyama, Hiraku Mori, Florian Nolte, Wolf-Karsten Hofmann, Shuichi Miyawaki, Sumio Sugano, Claudia Haferlach, H.Phillip Koeffler, Lee-Yung Shih, Torsten Haferlach, Shigeru Chiba, Hiromitsu Nakauchi, Satoru Miyano, Seishi Ogawa | Frequent pathway mutations of splicing machinery in myelodysplasia  | Nature                            | 478 | 64-69     | 2011 |
| Nagisa Sakurai, Maeda M, Sung-Uk Lee, Yuichi Ishikawa, Min L, John C. Williams, Lisheng Wang, Leila Su, Mai Suzuki, Toshiki I. Saito, Shigeru Chiba, Stefano Casola, Hideo Yagita, Julie Teruya-Feldstein, Shinonbu Tsuzuki, Ravi Bhatia, Takanori Maeda   | The LRF transcription factor regulates mature B cell development and the germinal center response in mice       | Journal of Clinical Investigation | 121 | 2583-2598 | 2011 |

|   |   |                                     |     |           |      |
|---|---|-------------------------------------|-----|-----------|------|
| Chikashi Yoshida, Takuya Komeno, Mitsuo Hori, Tomofumi Kimura, Masami Fujii, Yasushi Okoshi, Kazumi Suzukawa, Shigeru Chiba, Yuichi Hasegawa, Harumi Yamamoto-Mukai, Takami Ito, Seiichi Shimizu, Masaharu Kamoshita, Daisuke Kudo, Atsushi Shinagawa, Norio Chikatsu, Yuriko Monma, Norimichi Watanabe, Hiroshi Kojima | Adherence to the standard dose of imatinib, rather than dose adjustment based on its plasma concentration, is critical to achieve a deep molecular response in patients with chronic myeloid leukemia | International Journal of Hematology | 93  | 618-623   | 2011 |
| Yokoyama K, Kaji H, He J, Tanaka C, Hazama R, Kamigaki T, Ku Y, Tohyama K, Tohyama Y  | Rab27a negatively regulates phagocytosis by prolongation of the actin-coating stage around phagosomes.  | J Biol Chem                         | 286 | 5375-5382 | 2011 |
| Starczynowski DT, Morin R, McPherson A, Lam J, Chari R, Wegrzyn J, Kuchenbauer F, Hirst M, Tohyama K, Humphries RK, Lam RL, Marra M, Karsan A   | Genome-wide identification of human microRNAs located in leukemia-associated genomic alterations.   | Blood                               | 117 | 595-607   | 2011 |
| Tasaka T, Tohyama K, Ohyashiki K, Ozawa K   | 5q- syndrome in Japan.  | Int J Hematol                       | 93  | 827-829   | 2011 |
| Inaba T, Yuki Y, Yuasa S, Fujita N, Yoshitomi K, Kamisako T, Torii K, Okada T, Urasaki Y, Ueda T, Tohyama K   | Clinical utility of the neutrophil distribution pattern obtained using the CELL-DYN SAPPHERE hematology analyzer for the diagnosis of myelodysplastic syndrome.                                       | Int J Hematol                       | 94  | 169-177   | 2011 |
| Tanaka C, Kaji H, He J, Hazama R, Yokoyama K, Kinoshita E, Tsujioka T, Tohyama K, Yamamura H, Nishio H, Tohyama Y   | Rab27b regulates c-kit expression by controlling the secretion of stem cell factor.   | Biochem Biophys Res Comm            | 419 | 368-373   | 2012 |
| 奥野菜々子、近藤敏範、岸本光代、辻岡貴之、末盛晋一郎、松岡亮仁、久山亜紀、田坂大象、大倉貢、野田幸代、通山薫  | 骨髄増殖性腫瘍における JAK2-V617F 変異遺伝子比率と好中球アルカリホスファターゼスコアとの関連  | 日本検査血液学会雑誌                          | 12  | 170-176   | 2011 |

|   |   |                  |          |           |      |
|---|---|------------------|----------|-----------|------|
| 通山薫   | 第57回学術集会シンポジウム12 「造血器腫瘍をもっと理解しよう-改訂WHO2008分類をふまえて：総括」   | 臨床病理             | 59       | 502-503   | 2011 |
| 通山薫   | 特集 骨髄異形成症候群(MDS)「MDSに対するレナリドミド」   | Pharma Medica    | 29       | 35-39     | 2011 |
| 辻岡貴之、通山薫  | 緊急報告すべき検査結果のすべて・すぐに使えるパニック値事典：白血球数〔WBC〕   | 検査と技術 (増刊号)      | 39       | 800-802   | 2011 |
| 辻岡貴之、通山薫  | 緊急報告すべき検査結果のすべて・すぐに使えるパニック値事典：ヘモグロビン〔Hb〕  | 検査と技術 (増刊号)      | 39       | 803-805   | 2011 |
| 通山薫   | 綜説シリーズ-現代医学の焦点「骨髄異形成症候群診療の展望」   | 日本臨床             | 69       | 2257-2266 | 2011 |
| 辻岡貴之、通山薫  | 貧血診療のアプローチ「日本人の貧血の疫学」   | Medical Practice | 28       | 2080-2086 | 2011 |
| 通山薫   | 第12回日本検査血液学会学術集会会長講演：MDSの過去、現在そして未来   | 日本検査血液学会雑誌       | 12       | 378-389   | 2011 |
| Hanaoka N, Murakami Y, Nagata M, Nagakura S, Yonemura Y, Kinoshita T, and Nakakuma H. | Persistently high quality of life conferred by coexisting congenital deficiency of terminal complement C9 in a paroxysmal nocturnal hemoglobinuria patient. | Blood (Lett)     | in press |           | 2012 |
| 花岡伸佳、中熊秀喜   | 発作性夜間ヘモグロビン尿症の病態解析と治療の新展開   | 血液内科             | 62       | 469-475   | 2011 |
| 中熊秀喜  | エクリズマブによるPNH治療の新展開  | 臨床血液             | 52       | 633-644   | 2011 |
| 松田晃   | 骨髄異形成症候群の診断と病診連携  | Medical Practice | 28       | 2165-2172 | 2011 |
| 松田晃   | MDSの病型分類；FAB分類とWHO分類  | Pharma Medica    | 29 (9)   | 13-17     | 2011 |
| 松田晃   | MDSの予後スコアリングシステムの進歩   | 血液内科             | 63       | 179-183   | 2011 |



|  |  |               |       |           |          |
|--|--|---------------|-------|-----------|----------|
| Nakamae H, Shibayama H, Kurokawa M, Fukuda T, Nakaseko C, Kanda Y, Nagai T, Ohnishi K, Maeda Y, Matsuda A, Amagasaki T, Yanada M   | Nilotinib as frontline therapy for patients with newly diagnosed Ph+ chronic myeloid leukemia in chronic phase: results from the Japanese subgroup of ENESTnd. | Int J Hematol | 93    | 624-632   | 2011     |
| Matsuda A, Taniwaki M, Jinnai I, Harada H, Watanabe M, Suzuki K, Yanagita S, Suzuki T, Yoshida Y, Kimura A, Tsudo M, Tohyama K, Takatoku M, Ozawa K.   | Morphologic analysis in myelodysplastic syndromes with del(5q) treated with lenalidomide. A Japanese multiinstitutional study.                                 | Leuk Res      |       |           | in press |
| 田中宏和、松村到   | ニロチニブの最適な用量  | 腫瘍内科          | 9、2   | 186-190   | 2012     |
| 田中宏和、松村到   | 慢性骨髄性白血病   | 血液フロンティア      | 22、3  | 33-41     | 2012     |
| 松村到  | CMLに対する第二世代チロシンキナーゼ阻害薬   | 臨床血液          | 52、10 | 1610-1618 | 2011     |
| 森田泰慶、松村到   | 新規キナーゼ阻害薬の白血病治療への導入と展望   | 血液内科          | 62、1  | 63-70     | 2011     |
| 嶋田高広、松村到   | 急性白血病におけるアポトーシス抑制  | 血液内科          | 62、2  | 151-158   | 2011     |
| 松村到  | 慢性期の慢性骨髄性白血病の治療におけるシンキナーゼ阻害薬の使い分けをどうするか？   | 内科            | 107、6 | 1328-1336 | 2011     |
| 平瀬主税、松村到   | 白血球増加症   | 診断と治療         | 99、7  | 1132-1136 | 2011     |
| 嶋田高広、松村到   | 特発性高酸球増加症候群  | 検査と技術         | 39、8  | 593-598   | 2011     |
| 松村到  | 高齢者 AML に対する高用量レナリドミドの効果   | 血液内科          | 63、6  | 698-701   | 2011     |
| Mai Suzuki, Hirokazu Tanaka, Akira Tanimura, Kenji Tanabe, Natsuko Oe, Shinya Rai, Syunsuke Kon, Manabu Fukumoto, Kohji Takei, Takaya Abe, Itaru Matsumura, Yuzuru Kanakura, Toshio Watanabe | The Clathrin assembly Protein PICALM Is Required for Erythroid Maturation and Transferrin Internalization in Mice  | PLoS ONE      | 7、2   |           | 2012     |

|   |   |                             |        |           |      |
|---|---|-----------------------------|--------|-----------|------|
| Matsui K, Ezoe S, Oritani K, Shibata M, Tokunaga M, Fujita N, Tanimura A, Sudo T, Tanaka H, McBurney MW, Matsumura I, Kanakura Y.                                   | NAD-dependent histone deacetylase, SIRT1, plays essential roles in the maintenance of hematopoietic stem cells.   | Biochem Biophys Res Commun. | 418, 4 | 811-817   | 2012 |
| Satoh Y, Matsumura I, Tanaka H, Harada H, Harada Y, Matsui K, Shibata M, Mizuki M, Kanakura Y.  | C-terminal mutation of RUNX1 attenuates the DNA-damage repair response in hematopoietic stem cells.   | Leukemia                    | 26, 2  | 303-311   | 2012 |
| Ohyashiki K, Katagiri SI, Tauchi T, Ohyashiki JH, Maeda Y, Matsumura I, Kyo TI.   | Increased natural killer cells and decreased CD3(+) CD8(+) CD62L(+) T cells in CML patients who sustained complete molecular remission after discontinuation of imatinib. | Br J Haematol               | 157, 2 | 254-256   | 2012 |
| Morita Y, Shimada T, Yamaguchi T, Rai S, Hirase C, Emoto M, Serizawa K, Taniguchi Y, Ojima M, Tatsumi Y, Ashida T, Matsumura I.                                     | Cytokine profiles in relapsed multiple myeloma patients undergoing febrile reactions to lenalidomide.   | Int J Hematol.              | 94     | 583-584   | 2011 |
| Yasuyoshi Morita, Yuichi Ohyama, Shinya Rai, Masaya Kawauchi, Terufumi Yamaguchi, Takahiro Shimada, Yoichi Tatsumi, Takashi Ashida, Yasuhiro Maeda, Itaru Matsumura | A Case of Chronic Myelomonocytic leukemia Who Developed Pericardial Effusion during Stably Controlled Leukocytosis  | INTERNAL MEDICINE           | 50     | 1737-1740 | 2011 |
| Maeda Y, Kawauchi M, Miyatake JI, Hirase C, Yamaguchi T, Matsumura I.   | Effects of tamibarotene for the treatment of adult T cell leukemia.   | Ann Hematol                 | 91, 4  | 629-631   | 2011 |
| Saito Y, Shibayama H, Tanaka H, Tanimura A, Matsumura I, Kanakura Y.  | PICOT is a molecule which binds to anamorsin.   | Biochem Biophys Res Commun. | 408    | 329-333   | 2011 |
| Chihara T, Wada N, Ikeda J, Fujita S, Hori Y, Ogawa H, Sugiyama H, Nomura S, Matsumura I, Hino M, Kanakura Y, Morii E, Aozasa K.                                    | Frequency of intravascular large B-cell lymphoma in Japan   | J Hematol Oncol             | 11     | 14        | 2011 |

|  |   |                               |           |                     |      |
|--|---|-------------------------------|-----------|---------------------|------|
| Masaru Shibayama, Sachiko Ezoe, Kenji Matsui, Masahiro Tokunaga, Natsuko Fujita, Yuri Saito, Takayuki Takahashi, Masayuki Hino, Itaru Matsumura, Yuzuru Kanakura                       | Predictability of the response to tyrosine kinase inhibitors via in vitro analysis of Bcr-Abl phosphorylation   | Leukemia Research             | 35        | 1205-1211           | 2011 |
| Fujita J, Mizuki M, Otsuka M, Ezoe S, Tanaka H, Satoh Y, Fukushima K, Tokunaga M, Matsumura I, Kanakura Y  | Myeloid neoplasm-related gene abnormalities differentially affect dendritic cell differentiation from murine hematopoietic stem/progenitor cells.   | Immunol Lett.                 | 30        | 61-73               | 2011 |
| Yasuhiro Maeda, Masaya Kawauchi, Chikara Hirase, Terufumi Yamaguchi, Jyun-Ichi Miyatake, Itaru Matsumura   | Cellular senescence induction by retinoid on adult T-cell leukemia cells  | RETROVIROLOGY                 | 8.Suppl 1 | A 31                | 2011 |
| Hyodo H, Ishiguro H, Tomita Y, Takakura H, Koike T, Shimizu T, Morimoto T, Yabe H, Yabe M, Kojima SI, Shiraishi K, Minemura T, Kato S.   | Decreased serum testosterone levels in long-term adult survivors with fatty liver after childhood stem cell transplant.   | Biol Blood Marrow Transplant. | Jan 13    | Epub ahead of print | 2012 |
| Koike T, Yanagimachi N, Ishiguro H, Yabe H, Yabe M, Morimoto T, Shimizu T, Takakura H, Kato S.   | High Incidence of Radiation-Induced Cavernous Hemangioma in Long-Term Survivors Who Underwent Hematopoietic Stem Cell Transplantation with Radiation Therapy during Childhood or Adolescence. | Biol Blood Marrow Transplant  | Dec 23    | Epub ahead of print | 2011 |
| Mynarek M, Tolar J, Albert MH, Escolar ML, Boelens JJ, Cowan MJ, Finnegan N, Glomstein A, Jacobsohn DA, Köhl JS, Yabe H, Kurtzberg J, Malm D, Orchard PJ, Klein C, Lücke T, Sykora KW. | Allogeneic hematopoietic SCT for alpha-mannosidosis: an analysis of 17 patients.  | Bone Marrow Transplant        | May 9.    | Epub ahead of print | 2011 |

|   |   |                        |          |                      |      |
|---|---|------------------------|----------|----------------------|------|
| Maekawa K, Yoshimitsu M, Fujiwara H, Matsushita K, Kawada H, Hamada H, Suzuki S, Uozumi K, Ohtsuka M, Hanada S, Yabe M, Yabe H and Arima N  | Successful allo-HSCT with a minimal myeloablative conditioning regimen in an adult patient with Fanconi's anemia.                       | Bone Marrow Transplant |          | doi: 10.1038/bmt.201 | 2011 |
| Yagasaki H, Kojima S, Yabe H, Kato K, Kigasawa H, Sakamaki H, Tsuchida M, Kato S, Kawase T, Morishima Y, Koder Y  | Acceptable HLA-mismatching in unrelated donor bone marrow transplantation for patients with acquired severe aplastic anemia             | Blood                  | 118(11)  | 3186-3190            | 2011 |
| Yabe M, Shimizu T, Morimoto T, Koike T, Takakura H, Suganuma E, Sugiyama N, Kato S, Yabe H  | Alternative donor marrow transplantation in children with aplastic anemia using low-dose irradiation and fludarabine-based conditioning | Bone Marrow Transplant | 46(8)    | 1148-1150            | 2011 |
| Kamio T, Ito E, Ohara A, Kosaka Y, Tsuchida M, Yagasaki H, Mugishima H, Yabe H, Morimoto A, Ohga S, Muramatsu H, Hama A, Kaneko T, Nagasawa M, Kikuta A, Osugi Y, Bessho F, Nakahata T, Tsukimoto I, Kojima S | Relapse of aplastic anemia in children after immunosuppressive therapy: a report from the Japan Childhood Aplastic Anemia Study Group.  | Haematologica          | 96(6)    | 814-819              | 2011 |
| Yoshida N, Yagasaki H, Hama A, Takahashi Y, Kosaka Y, Kobayashi R, Yabe H, Kaneko T, Tsuchida M, Ohara A, Nakahata T, Kojima S  | Predicting response to immunosuppressive therapy in childhood aplastic anemia   | Haematologica          | 96(5)    | 771-774              | 2011 |
| Sugimoto T, Tomita A, Abe A, Iriyama C, Kiyoi H, Naoe T.  | Chimeric antisense RNA derived from chromosomal translocation modulates target gene expression.   | Haematologica          | in press | in press             | 2012 |
| Goto E, Tomita A, Hayakawa F, Atsumi A, Kiyoi H, Naoe T.  | Missense mutations in PML-RARA are critical for the lack of responsiveness to arsenic trioxide treatment.                               | Blood                  | 118(6)   | 1600-9               | 2011 |