

Hikami K, Kawasaki A, Ito I, Koga M, Ito S, Hayashi T, Matsumoto I, Tsutsumi A, Kusaoi M, Takasaki Y, Hashimoto H, Arinami T, Sumida T, Tsuchiya N.	Association of a functional polymorphism in the 3' untranslated region of <i>SPI1</i> with systemic lupus erythematosus.	Arthritis Rheum	63	755-763	2011
Kawasaki A, Furukawa H, Kondo Y, Ito S, Hayashi T, Kusaoi M, Matsumoto I, Tohma S, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N.	<i>TLR7</i> single-nucleotide polymorphisms in the 3' untranslated region and intron 2 independently contribute to systemic lupus erythematosus in Japanese women: a case-control association study.	Arthritis Res Ther	13	R41	2011
Koga M, Kawasaki A, Ito I, Furuya T, Ohashi J, Kyogoku C, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N.	Cumulative association of eight susceptibility genes with systemic lupus erythematosus in a Japanese female population.	J Hum Genet	56	503-507	2011
Furuya T, Koga M, Hikami K, Kawasaki A, Tsuchiya N.	Effects of <i>APRIL</i> (<i>TNFSF13</i>) polymorphisms and splicing isoforms on the secretion of soluble APRIL.	Mod Rheumatol	doi: 10.1007/s10165-011-0539-z		2011
Kraisin S, Naka I, Patarapotkul J, Nantakomol D, Nuchnoi P, Hananantachai H, Tsuchiya N, Ohashi J.	Association of <i>ADAMTS13</i> polymorphism with cerebral malaria.	Malar J	in press		2011
土屋尚之	関節リウマチにおける疾患抵抗性 HLA-DRB1 アリル	リウマチ科	45	62-67	2011
土屋尚之	ANCA 関連血管炎の遺伝因子	リウマチ科	46	421-426	2011
土屋尚之	次世代シークエンサーを用いた、日本人集団における膠原病疾患感受性遺伝子の包括的同定	アレルギア	40	105-108	2011
Hasegawa H, Lei J, Matsumoto T, Onishi S, Suemori K, Yasukawa M.	Lysophosphatidylcholine enhances the suppressive function of human naturally occurring regulatory T cells through TGF-beta production.	Biochem. Biophys. Res. Commun.	415	526-531	2011

Suemori K, Hasegawa H, Nanba C, Kohno M, Matsumoto T, Kawamoto Y, Murakami S, Sada E, Hashimoto K, Yasukawa M.	Syndrome of inappropriate secretion of antidiuretic hormone induced by tacrolimus in a patient with systemic lupus erythematosus.	Mod. Rheumatol.	21	97-100	2011
Iwasaki S, Masuda S, Baba T, Tomaru U, Katsumata K, Kasahara M, Ishizu A.	Plasma-dependent, antibody- and Fc γ receptor-mediated translocation of CD8 molecules from T cells to monocytes.	Cytometry A	79(1)	46-56	2011
Furuya M, Nagahama K, Ishizu A, Otsuka N, Nagashima Y, Aoki I.	Complexity of tumor vasculature and molecular targeting therapies.	Front Biosci	(Elite Ed) 3	549-561	2011
JCS Joint Working Group (Ozaki S, Ando M, Isobe M, Kobayashi S, Matsunaga N, Miyata T, Nakabayashi K, Nakajima Y, Nose M, Ohta T, Shigematsu H, Sueishi K, Tanemoto K, Yoshida A, Yoshida M, Yutani C, Arimura Y, Fukaya S, Hamaguchi S, Hashimoto H, Hiromura K, Ishizu A, Iwai T, Kaneko K, Kataoka H, Kawana S, Kida I, Kobayashi Y, Komori K, Masaki H, Matsumoto T, Nagaoka T, Nagasawa K, Nojima Y, Okada M, Okazaki T, Sakamoto I, Shigematsu K, Shiiya N, Takahashi A, Takizawa H, Yamada H, Yoshida S, Fukui T, Horie M, Koike T, Kumagai S, Sasajima T.)	Guideline for management of vasculitis syndrome (JCS 2008).	Circ J	75(2)	474-503	2011
Shinohara N, Takahashi M, Kamishima T, Ikushima H, Otsuka N, Ishizu A, Sazawa A, Kanayama H, Nonomura K.	The incidence and the mechanism of sunitinib-induced thyroid atrophy in patients with metastatic renal cell carcinoma.	Br J Cancer	104(2)	241-247	2011
Watari H, Michimata R, Yasuda M, Ishizu A, Tomaru U, Xiong Y, Hassan MK, Sakuragi N.	High prevalence of multiple human papillomavirus infection in Japanese patients with invasive uterine cervical cancer.	Pathobiology	78(4)	220-226	2011

Yamada Y, Tomaru U, Ishizu A, Kiuchi T, Marukawa K, Matsuno Y, Kasahara M.	Expression of proteasome subunit β 5t in thymic epithelial tumors.	Am J Surg Pathol	35(9)	1296-1304	2011
Ozaki S, Atsumi T, Hayashi T, Ishizu A, Kobayashi S, Kumagai S, Kurihara Y, Kurokawa MS, Makino H, Nagafuchi H, Nakabayashi K, Nishimoto N, Suka M, Tomino Y, Yamada H, Yamagata K, Yoshida M, Yumura W for the JMAAV Study Group.	Severity-based treatment for Japanese patients with MPO-ANCA-associated vasculitis: the JMAAV study.	Mod Rheumatol (in press)			
Tomaru U, Takahashi S, Ishizu A, Miyatake Y, Gohda A, Suzuki S, Ono A, Ohara J, Baba T, Murata S, Tanaka K, Kasahara M.	Decreased proteasomal activity causes age-related phenotypes and promotes the development of metabolic abnormalities.	Am J Pathol (in press)			
1. Kaneko H, Anzai T, Horiuchi K, Kohno T, Nagai T, Anzai A, Takahashi T, Sasaki A, Shimoda M, Maekawa Y, Yoshimura K, Aoki H, Shimizu H, Yoshikawa T, Okada Y, Yozu R and Fukuda K.	Tumor necrosis factor- α converting enzyme is a key mediator of abdominal aortic aneurysm development.	Atherosclerosis	218	470-478	2011
2. Kaneko H, Anzai T, Morisawa M, Kohno T, Nagai T, Anzai A, Takahashi T, Shimoda M, Sasaki A, Maekawa Y, Yoshimura K, Aoki H, Tsubota K, Yoshikawa T, Okada Y, Ogawa S and Fukuda K.	Resveratrol prevents development of abdominal aortic aneurysm through attenuation of inflammation, oxidative stress, and neovascularization.	Atherosclerosis	217	350-357	2011
Kawasaki A, Furukawa H, Kondo Y, Ito S, Hayashi T, Kusaoi M, Matsumoto I, Tohma S, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N.	TLR7 single-nucleotide polymorphisms in the 3' untranslated region and intron 2 independently contribute to systemic lupus erythematosus in Japanese women: a case-control association study.	Arthritis Res Ther	13	R41	2011
Koga M, Kawasaki A, Ito I, Furuya T, Ohashi J, Kyogoku C, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N.	Cumulative association of eight susceptibility genes with systemic lupus erythematosus in a Japanese female population.	J Hum Genet	56	503-507	2011
3. Kaneko H, Anzai T, Takahashi T, Kohno T, Shimoda M, Sasaki A, Shimizu H, Nagai T, Maekawa Y, Yoshimura K, Aoki H, Yoshikawa T, Okada Y, Yozu R, Ogawa S and Fukuda K.	Role of vascular endothelial growth factor-A in development of abdominal aortic aneurysm.	Cardiovasc Res.	91	358-367	2011

Kraisin S, Naka I, Patarapotikul J, Nantakomol D, Nuchnoi P, Hananantachai H, Tsuchiya N, Ohashi J.	Association of <i>ADAMTS13</i> polymorphism with cerebral malaria.	Malar J	in press		2011
4. Okubo M., Kimura T., Fujita Y., Mochizuki S., Niki Y., Enomoto H., Suda Y., Toyama Y. and Okada Y.	Semaphorin 3A is expressed in human osteoarthritic cartilage and antagonizes vascular endothelial growth factor165-promoted chondrocyte migration: an implication for chondrocyte cloning.	Arthritis Rheum	63	3000-3009	2011
Matsumoto Y, Sada KE, Takano M, Toyota N, Yamanaka R, Sugiyama K, Wakabayashi H, Kawabata T, Otsuka F, Makino H.	Risk factors for infection in patients with remitted rheumatic diseases treated with glucocorticoids.	Acta Med Okayama.	65 卷 5 号	329-334	2011
Matsumoto Y, Sada KE, Otsuka F, Takano M, Toyota N, Sugiyama K, Wakabayashi H, Kawabata T, Makino H.	Evaluation of weekly-reduction regimen of glucocorticoids in combination with cyclophosphamide for anti-neutrophil cytoplasmic antibody (ANCA)-associated vasculitis in Japanese patients.	Rheumatol Int.	Epub ahead of print		2011
中山龍太郎, 佐田憲映, 横野博史	【全身性疾患と腎障害】 ANCA 関連血管炎の診療ガイドライン	総合臨床	60 卷 6 号	1301-1308	2011
松本佳則, 佐田憲映	【血管炎症候群 up to date】 顕微鏡的多発血管炎	リウマチ科	45 卷 4 号	379-385	2011
山村昌弘, 佐田憲映, 針谷正祥, 藤井隆夫, 有村義宏, 横野博史	わが国の難治性血管炎研究の現況 過去から未来へ RemIT-JAV 研究 わが国の ANCA 関連血管炎の診察実態の把握を目指して	脈管学	51 卷 1 号	79-85	2011
横野博史, 佐田憲映	【難治性内科疾患の克服に向けて】 ANCA 関連血管炎の診断と治療の現況	日本内科学会雑誌	100 卷 3 号	668-672	2011
高野真理子、佐田憲映、横野博史	顕微鏡的多発血管炎の重症度の判定と治療指針	Medical Practice	28 卷 7 号	1223-1228	2011
Okuyama A, Nagasawa H, Suzuki K, Kameda H, Kondo H, Amano K, Takeuchi T.	I Fc{gamma} receptor IIIb polymorphism and use of glucocorticoids at baseline are associated with infusion reactions to infliximab in patients with rheumatoid arthritis.	Ann Rheum Dis	70	299-304	2011

Suzuki K, Kameda H, Amano K, Nagasawa H, Takei H, Nishi E, Okuyama A, Tsuzaka K, Takeuchi T	Single center prospective study of tacrolimus efficacy and safety in the treatment of various manifestations in systemic lupus erythematosus.	Rheumatol Int	31	757-763	2011
Takeuchi T, Tanaka Y, Amano K, Hoshi D, Nawata M, Nagasawa H, Sato E, Saito K, Kaneko Y, Fukuyo S, Kurasawa T, Hanami K, Kameda H and Yamanaka H	Clinical, radiographic, and functional effectiveness of tocilizumab for rheumatoid arthritis patients - REACTION 52-week study.	Rheumatol	50	1908-1915	2011
Tokuhira M, Watanabe R, Nemoto T, Sagawa M, Tomikawa T, Tamari JI, Itoyama S, Nagasawa H, Amano K, Kameda H, Takeuchi T, Mori S, Kizaki M.	Clinicopathological analyses in patients with other iatrogenic immunodeficiency-associated lymphoproliferative diseases and rheumatoid arthritis.	Leuk Lymphoma		in press	2011
天野宏一	アレルギー性肉芽腫性血管炎／Churg Strauss Syndrome (CSS)	リウマチ科	45	386-392	2011
天野宏一	生物学的製剤の有用性の相互比較	リウマチ科	46	51-56	2011
Furuichi K, Hisada Y, Shimizu M, Okumura T, Kitagawa K, Yoshimoto K, Iwata Y, Yokoyama H, Kaneko S, <u>Wada T</u>	Matrix metalloproteinase-2(MMP-2) and membrane-type 1 MMP (MT1-MMP) affect the remodeling of glomerulosclerosis in diabetic	Nephrol Dial Transplant	26(10):	3124-3131	2011
Wada T, Sakai N, Sakai Y, Matsushima K, Kaneko S, Furuichi K.	Involvement of bone marrow-derived cells in kidney fibrosis.	Clin Exp Nephrol	15	81-87	2011
Shimizu K, Furuichi K, Sakai N, Kitagawa K, Matsushima K, Mukaida N, Kaneko S, <u>Wada T</u>	Fractalkine and its receptor, CX3CR1, promote hypertensive interstitial fibrosis in the kidney.	Hypertens Res	34	747-752	2011
Wada T, Shimizu M, Toyama T, Hara A, Kaneko S, Furuichi K	Clinical impact of albuminuria in diabetic nephropathy.	Clin Exp Nephrol			2011 Aug 10. [Epub ahead of print]

Nakade Y, Takamura T, Sakurai M, Misu H, Nagata M, Nanbu Y, Oe H, Takamura T, Sakai Y, Kaneko S, <u>Wada T</u> .	Association between coefficients of variation of the R-R intervals on electrocardiograms and post-challenge hyperglycemia in patients with newly diagnosed type2 diabetes.	J Diabetes Invest	2(4)	324-327	2011
Kokubo S, Sakai N, Furuichi K, Toyama T, Kitajima S, Okumura T, Matsushima K, Kaneko S, <u>Wada T</u> .	Activation of p38 mitogen-activated protein kinase promotes peritoneal fibrosis by regulating fibrocytes.	Perit Dial Int			2011 Jun 30. [Epub ahead of print]
Takabatake Y, Li XK, Mizui M, Miyasato K, Matsui I, Kawada N, Imai E, Hüning T, Takahara S, <u>Wada T</u> , Furuichi K, Rakugi H, Isaka Y.	A superagonistic monoclonal antibody for CD28 ameliorates crescentic glomerulonephritis in wistar-kyoto rats.	Mol Med	17(7-8)	686-696	2011
Ito M, Sugihara K, Asaka T, Toyama T, Yoshihara T, Furuichi K, Wada T, Asano M.	Glycoprotein Hyposialylation Gives Rise to a Nephrotic-Like Syndrome That Is Prevented by Sialic Acid Administration in GNE V572L Point-Mutant Mice.	PLoS ONE			
Wada T, Hara A, Arimura Y, Sada K, Makino H, and the Research Group of Intractable Vasculitis, Ministry of Health, Labor, and Welfare of Japan.	Risk factors associated with relapse in Japanese patients with microscopic polyangiitis.	J Rheumatol			2011 Dec 15. [Epub ahead of print]
Furuichi K, Kokubo S, Hara A, Imamura R, Wang Q, Kitajima S, Toyama T, Okumura T, Matsushima K, Suda T, Mukaida N, Kaneko S, Wada T.	Fas ligand has a greater impact than TNF- α on apoptosis and inflammation in ischemic acute kidney injury.	Nephron Extra			
Tsuboi H, Wakamatsu E, Iizuka M, Nakamura Y, Sugihara M, Suzuki T, Ogishima H, Hayashi T, Goto D, Ito S, Matsumoto I, Sumida T.	Importance of serine 727 phosphorylated STAT1 in IFN γ -induced signaling and apoptosis of human salivary gland cells.	Int J Rheum Dis	14(1)	86-91	2011

Kawasaki A, Furukawa H, Kondo Y Ito S, Hayashi T, Kusaoi M, Matsumoto I, Tohma S, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N.	TLR7 single-nucleotide polymorphisms in the 3' untranslated region and intron 2 independently contribute to systemic lupus erythematosus in Japanese women: a case-control association study.	Arthritis Res Ther	13	R41	2011
Hikami K, Kawasaki A, Ito I, Koga M, Ito S, Hayashi T, Matsumoto I, Tsutsumi A, Kusaoi M, Takasaki Y, Hashimoto H, Arinami T, Sumida T, Tsuchiya N.	Association of a functional polymorphism in the 3'-untranslated region of SPI1 with systemic lupus erythematosus.	Arthritis Rheum	63 (3)	755-763	2011
Koga M, Kawasaki A, Ito I, Furuya T, Ohashi J, Kyogoku C, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N.	Cumulative association of eight susceptibility genes with systemic lupus erythematosus in a Japanese female population.	J Hum Genet	56(7)	503-507	2011
Komano Y, Tanaka M, Nanki T, Koike R, Sakai R, Kameda H, Nakajima A, Saito K, Takeno M, Atsumi T, Tohma S, Ito S, Tamura N, Fujii T, Sawada T, Ida H, Hashiramoto A, Koike T, Ishigatsuno Y, Eguchi K, Tanaka Y, Takeuchi T, Miyasaka N, Harigai M, for the REAL Study Group.	Incidence and risk factors for serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors: a report from the registry of Japanese rheumatoid arthritis patients for longterm safety.	J Rheumatol	38 (7)	1258-1264	2011
Sakai R, Komano Y, Tanaka M, Nanki T, Koike R, Nakajima A, Atsumi T, Yasuda S, Tanaka Y, Saito K, Tohma S, Fujii T, Ihata A, Tamura N, Kawakami A, Sugihara T, Kameda H, Nakajima A, Takeno M, Ito S, Miyasaka N, Harigai M.	The REAL database reveals no significant risk of serious infection during treatment with a methotrexate dose of more than 8 mg/week in patients with rheumatoid arthritis.	Mod Rheumatol	21(4)	444-448	2011
Okada M, Kobayashi T, Ito S, Yokoyama T, Komatsu Y, Abe A, Murasawa A, Yoshie H.	Antibody responses to periodontopathic bacteria in relation to rheumatoid arthritis in Japanese adults.	J Periodontol	82(10)	1433-1441	2011
伊藤 聰、住田孝之	ループス腎炎におけるサイトカインバランス	炎症と免疫	19(1)	43-48	2011

伊藤 聰	特集 全身性エリテマトーデスの診断と治療の進歩	V型ループス腎炎に対する治療法の進歩 リウマチ科	45(3)	266-271	2011
針谷正祥	日本の生物学的製剤使用ガイドライン(特集 世界のリウマチガイドラインをみわたす)。	分子リウマチ治療	4(2)	27(77)-30(80)	2011
針谷正祥	日常臨床とファーマコビジランス(薬害監視)(特集 全身性疾患と腎障害)	総合臨床	60(6)	1451-1452	2011
針谷正祥	治療目標—目標達成に向けた治療(Treat to Target)のエビデンスと実際	別冊・医学のあゆみ(関節リウマチ"治癒をめざす"最新治療コンセンサス)	別冊	14-19	2011
針谷正祥、野々村美紀、酒井良子	REALコホートにおける検証(特集 2010 関節リウマチ新分類基準を検証する)	分子リウマチ治療	4(4)	15-18(193-196)	2011
渡部香織、針谷正祥	関節リウマチ患者が妊娠した場合に生物学的製剤は継続すべきか中止すべきか?(特集)内科診療における論点	内科	107(6)	1411-1416	2011
山村昌弘、佐田憲映、針谷正祥、藤井隆夫、有村義宏、楳野博史	RemIT-JAV研究:わが国のANCA関連血管炎の診察実態の把握を目指して	脈管学	51(1)	79-85	2011
萩山裕之、針谷正祥	抗体療法の副作用対策	医学のあゆみ	238(6)	637-642	2011
長坂憲治、針谷正祥	生物学的製剤の利点と欠点(特集 ここまでわかった自己免疫疾患)	臨床検査(増刊号)	55(11)	1349-1358	2011
山崎隼人、針谷正祥	エタネルセプトは週1回投与が可能。(特集:生物学的製剤時代の関節リウマチ最新治療戦略)	Mebio(Graphic Medical Magazine)	29(1)	47-53	2012

Harigai M, Tanaka Y, Maisawa S.	Safety and Efficiency of Various Dosages of Ocrelizumab in Japanese Rheumatoid Arthritis Patients with an Inadequate Response to Methotrexate Therapy: A Placebo-controlled, Double-blind, Parallel-group Study.	J Rheumatol.			in press.
Yamazaki H, Nanki T, Miyasaka N, Harigai, M.	Methotrexate and trimethoprim-sulfamethoxazole use for PCP prophylaxis.	J Rheumatol.	38(4)	777	2011
Ryoko Sakai, Yukiko Komano, Michi Tanaka, Toshihiro Nanki, Ryuji Koike, Atsuo Nakajima, Tatsuya Atsumi, Shinsuke Yasuda, Yoshiya Tanaka, Kazuyoshi Saito, Shigeto Tohma, Takao Fujii, Atsushi Ihata, Naoto Tamura, Atsushi Kawakami, Takahiko Sugihara, Satoshi Ito, Nobuyuki Miyasaka, Masayoshi Harigai, for the REAL Study Group.	The REAL database reveals no significant risk for serious infection during treatment with methotrexate over 8 mg/week in patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	444-8	2011
Koike R, Tanaka M, Komano Y, Sakai F, Sugiyama H, Nanki T, Ide H, Jodo S, Katayama K, Matsushima H, Miwa Y, Morita K, Nakashima H, Nakamura H, Natsumeda M, Sato Y, Semba S, Tateishi M, Miyasaka N, Harigai M.	Tacrolimus-induced Pulmonary Injury in Rheumatoid Arthritis Patients.	Pulmonary Pharmacology and Therapeutics	24 (4)	401-6	2011
Komano Y, Tanaka M, Nanki T, Koike R, Sakai R, Kameda H, Nakajima A, Saito K, Takeno M, Atsumi T, Toma S, Ito S, Tamura N, Fujii T, Sawada T, Ida H, Hashiramoto A, Koike T, Ishigatubo Y, Eguchi K, Tanaka Y, Takeuchi T, Miyasaka N, Harigai M, for the REAL Study Group.	Incidence and risk factors for serious infection in rheumatoid arthritis patients treated with tumor necrosis factor (TNF) inhibitors; a report from the Registry of Japanese Rheumatoid Arthritis Patients for Long-Term Safety (REAL).	J Rheumatol.	38(7)	1258-64	2011
Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness of switching from infliximab to etanercept in patients with rheumatoid arthritis: results from a large Japanese postmarketing surveillance study.	Rheumatol Int.			in press.

Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.			in press.
Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Postmarketing surveillance of safety and effectiveness of etanercept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	21(4)	343-51	2011
Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Kanazawa M, Oba T, Yoshinari T, Baker D, and the GO-FORTH Study Group.	Golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis: results of the GO-FORTH study.	Ann Rheum Dis.			in press.
Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Tanaka Y, Yamanaka H, Fujii K, Yoshinaga T, Freundlich B, Suzukawa M.	Safety and effectiveness responses to etanercept for rheumatoid arthritis in Japan: a sub-analysis of a post-marketing surveillance study focusing on the duration of rheumatoid arthritis.	Rheumatol Int.			in press.
Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: postmarketing surveillance report of the first 3,000 patients.	Mod Rheumatol.			in press.
Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Ito K, Yamanaka H.	Postmarketing surveillance of tocilizumab for rheumatoid arthritis in Japan: interim analysis of 3881 patients.	Ann Rheum Dis.	70(12)	2148-51	2011
Harigai M, Takeuchi T, Tanaka Y, Matsubara T, Yamanaka H, Miyasaka N, for the BRIGHT study investigators group.	Discontinuation of adalimumab treatment in rheumatoid arthritis patients after achieving low disease activity.	Mod Rheumatol.			in press.

Minowa K, Amano H, Nakano S, Ando S, Watanabe T, Nakiri Y, Amano E, Tokano Y, Morimoto S, Takasaki Y	Elevated serum level of circulating syndecan-1(CD138)in active systemic lupus erythematosus.	Autoimmunity	44	357-362	2011
Kawamoto T, Abe Y, Ito J, Makino F, Kojima Y, Usui Y, Ma J, Morimoto S, Yagita H, Okumura K, Akiba H, Takasaki Y	Anti-T cell immunoglobulin and mucin domain-2 monoclonal antibody exacerbates collagen-induced arthritis by stimulating B cells.	Arthritis Res Ther	13	R47	2011
Kida I, Kobayashi S, Takeuchi K, Tsuda H, Hashimoto H, Takasaki Y	Antineutrophil cytoplasmic antibodies against myeloperoxidase, proteinase 3, elastase, cathepsin G and lactoferrin in Japanese patients with rheumatoid arthritis.	Mod Rheumatol	21	43-50	2011
Kawasaki1 A, Furukawa H, Kondo Y, Ito S, Hayashi T, Kusaoi M, Matsumoto I, Tohma S, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N	TLR7 single-nucleotide polymorphisms in the 3' untranslated region and intron 2 independently contribute to systemic lupus erythematosus in Japanese women: a case-control association study.	Arthritis Res Ther	13	R41	2011
Hikami K, Kawasaki A, Ito I, Koga M, Ito S, Hayashi T, Matsumoto I, Tsutsumi A, Kusaoi M, Takasaki Y, Hashimoto H, Arinami T, Sumida T, Tsuchiya N	Association of a Functional Polymorphism in the 3' -Untranslated Region of SPI1 With Systemic Lupus Erythematosus.	Arthritis Rheum	63	755-763	2011
Yamada R, Nozawa K, Yoshimine T, Takasaki Y, Ogawa H, Takamori K, Sekigawa I	A Case of Thrombotic Thrombocytopenia Purpura Associated with Systemic Lupus Erythematosus: Diagnostic Utility of ADAMTS-13 Activity.	Autoimmune Dis		Article ID 483642	2011
Hotatsu K, Yamaji K, Yamada R, Oda K, Kageyama M, Kusaoi M, Onuma S, Kawamoto T, Sugimoto K, Sekiya F, Kon T, Ogasawara M, Kempe K, Tsuda H, Takasaki Y	Effect of Various Anticoagulant Agents on Large-Volume Leukocytapheresis Using New Cellsorba CS-180S Filter.	Ther Apher Dial	15	355-359	2011

Matsudaira R, Tamura N, Sekiya F, Ogasawara M, Yamanaka K, Takasaki Y	Anti-Ro/SSA Antibodies Are an Independent Factor Associated with an Insufficient Response to Tumor Necrosis Factor Inhibitors in Patients with Rheumatoid Arthritis.	J Rheumatol	38	2346-2354	2011
Nawata M, Matsushita M, Matsudaira R, Yamada H, Kaneda K, Asano M, Yamanaka K, Murakami A, Takasaki Y	Clinical Significance of Anti-U1 RNP Aniibodies Recognizing The Conformation Structure on U1 RNA/70-kd Protein Complex in Patients woth Mixed Connective Tissue Disease.	Juntendo Med Journa	157	477-487	2011
高崎芳成, 松下雅和, 松平蘭, 土江健太郎, 蛭間香織, 野澤和久	膠原病患者におけるユニキャップ エリアを用いた自己抗体の測定.	医学と薬学	65	537-545	2011
高崎芳成	関節リウマチにおけるステロイドの位置づけと使い方.	成人病と生活習慣病	41	82-85	2011
高崎芳成	全身性エリテマトーデスー最近の診断と治療の進歩ー.	日内会誌	100	736-742	2011
高崎芳成	メトレキサート関連リンパ増殖性疾患.	呼吸器内科	19	242-246	2011
高崎芳成	膠原病早期診断と重症度判定に必要な検査ーその読みかたと使いかたー.	Medical Practice	28	1150-1159	2011
高崎芳成	新時代の全身性エリテマトーデス薬物療法-免疫抑制薬の普及で、死に至る病から克服できる病へ-	めんえきサポート	7	18-21	2011
高崎芳成	膠原病と類縁疾患 全身性エリテマトーデス.	臨床検査(増刊号)	55	1135-1140	2011
高崎芳成	全身性エリテマトーデス (systemic lupus erythematosus;SLE).	Frontiers in Rheumatology & Clinical Immunology	5	4-7	2011
高崎芳成	特殊な関節リウマチ 悪性関節リウマチ.	日本臨牀(増刊号)	68	560-564	2011
高崎芳成	certolizumab- 生物学的製剤戦国時代にどう使うか?.	Mebio	29	88-93	2011

小笠原倫大, 渡邊朋子, 安藤誠一郎, 松平蘭, 山路健, 田村直人, 高崎芳成, 安倍能之, 梁広石, 津田裕士, 菱沼留加, 池田圭吾, 関川巖, 木田一成, 小林茂人, 小田啓介, 山口絢子, 片桐彰, 山田雅人, 土江健太郎, 小沼心, 名切裕	順天堂大学医学部附属病院 6 施設におけるトシリズマブ投与例のレトロペクティブ解析.	Pharma Medica	29	159-165	2011
高崎芳成	膠原病における免疫抑制療法の有用性.	PROGRESS IN MEDICINE	31	137-142	2011
Koga M, Kawasaki A, Ito I, Furuya T, Ohashi J, Kyogoku C, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Takasaki Y, Hashimoto H, Sumida T, Tsuchiya N	Cumulative association of eight susceptibility genes with systemic lupus erythematosus in a Japanese female population.	SourceJ Hum Genet	56	503-507	2011
Ogasawara M, Tamura N, Kageyama M, Onuma S, Kusaoi M, Toyama S, Sekiya F, Matsudaira R, Nawata M, Tada K, Matsushita M, Kempe K, Amano H, Morimoto S, Yamaji K, Takasaki Y	Single-center, retrospective analysis of efficacy and safety of tacrolimus as a second-line DMARD in combination therapy and the risk factors contributing to adverse events in 115 patients with rheumatoid arthritis	Clin Rheumatol	inpress		2011
Inami Y, Yamaji K, Sato M, Gohda T, Io H, Nawata M, Hamada C, Takasaki Y, Tomino Y	Effects of dialysis on the pharmacokinetics of salazosulfapyridine.	Rheumatol Int	inpress		2011
Fujishiro M, Nozawa K, Kawasaki M, Yamaguchi A, Iwabuchi K, Yanagida M, Suzuki F, Miyazawa K, Fukui H, Kaneko K, ogawa H, Takamori K, Takasaki Y, Sekigawa I	Regenerating gene(REG) 1 alpha promotes pannus progression in patients with rheumatoid arthritis.	Mod Rheumatol	inpress		2011
Ishikawa Y, Fujii T, et al	A case of antisynthetase syndrome in a rheumatoid arthritis patient with anti-PL-12 antibody following treatment with etanercept.	Clin Rheum	30	429-432	2011

Sakai R, Fujii T, et al	The REAL database reveals no significant risk of serious infection during treatment with a methotrexate dose of more than 8 mg/week in patients with rheumatoid arthritis.	Mod Rheumatol	21	444-448	2011
Kurihara Y, Fujii T, et al	Polymyositis associated with autoimmune hepatitis, primary biliary cirrhosis, and autoimmune thrombocytopenic purpura.	Mod Rheumatol	21	325-329	2011
Komano Y, Fujii T, et al	Incidence and risk factors for serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors: A report from the registry of Japanese rheumatoid arthritis patients for long-term safety.	J Rheumatol	38	1258-1264	2011
Takeda N, Fujii T, et al	Interferon-gamma release assay for diagnosing <i>Mycobacterium tuberculosis</i> infections in patients with systemic lupus erythematosus.	Lupus	20	792-800	2011
Fujimoto S, Watts RA, Kobayashi S, Suzuki K, Jayne DRW, Scott GDI, Hashimoto H, Nunoi H	Comparison of the epidemiology of anti-neutrophil cytoplasm antibody (ANCA)-associated vasculitis between Japan and the UK.	Rheumatology (Oxford)	50	1916-20	2011
小林茂人、藤元昭一、鈴木和男	血管炎の分類に関する世界的動向	脈管学	51	73-77	2011
小林茂人、藤元昭一、鈴木和男	ANCA 関連血管炎 - 欧州リウマチ学会/アメリカリウマチ学会による新しい血管炎の分類・診断基準の作成	病理と臨床	29	245-248	2011
Homma S, Azuma A, Taniguchi H, Ogura T, Mochiduki Y, Sugiyama Y, Nakata K, Yoshimura K, TakeuchiM, Kudoh S, the Japan NAC clinical study group	Efficacy of inhaled N-acetylcysteine monotherapy in patients with early stage idiopathic pulmonary fibrosis.	Respirology	in press		2011

後町杏子、坂本 晋、笠本修一、渋谷和俊、高木啓吾、本間 栄	3D-CTにより診断し、異常血管のみの切除にて治癒した肺底動脈大動脈起始症の1例。	日呼吸会誌	49	221-225	2011
Inoue Y, Aizaki H, Hara H, Matsuda M, Ando T, Shimoji T, Murakami K, Masaki T, Shoji I, Homma S, Matsuura Y, Miyamura T, Wakita T, Suzuki T	Chaperonin TRiC/CCT participates in replication of hepatitis C virus genome via interaction with the viral NS5B protein.	Virology	410	38-47	2011
Sakamoto S, Homma S, Mun M, Fujii T, Kuroasaki A, Yoshimura K	Acute exacerbation of idiopathic interstitial pneumonia following lung surgery in 3 of 68 consecutive patients	A retrospective study. Intern Med	50	77-85	2011
Sugino K, Hebisawa A, Uekusa T, Hatanaka K, Abe H, Homma S	Histopathological bronchial reconstruction of human bronchiolitis obliterans.	Pathol Intern	61	192-201	2011
徳橋英美子、阪口真之、磯部和順、杉野圭史、羽鳥努、本間 栄	ゲフィチニブ投与前にL858RとT790MのEGFR遺伝子変異を認めた原発性肺癌の1剖検例	肺癌	51	84-88	2011
山越志保、本間 栄、川畑雅照	Multidetector-row CT angiographyが気管支動脈塞栓術に有用であった、びまん性汎細気管支炎に伴う喀血の1例	気管支学	33	256-260	2011
磯部和順、永田梨耶、太田宏樹、杉野圭史、渋谷和俊、本間 栄	化学療法中に傍腫瘍性辺縁系脳炎を合併した肺小細胞癌の1例	日呼吸会誌	49	602-606	2011
磯部和順、秦 美暢、佐藤敬太、佐野 剛、杉野圭史、坂本 晋、高井雄二郎、本間 栄	末梢血液中の循環細胞を用いたEGFR遺伝子変異検出の検討	肺癌	51	689-693	2011
杉野圭史、石田文昭、高井雄二郎、渋谷和俊、植草利公、本間 栄	関節リウマチの治療中に発症した好酸球性肺炎の1例	日胸	70	1167-1175	2011

Isobe K, Hata Y, Sakguchi S, Sato K, Sano G, Sugino K, Sakamoto S, Takai Y, Shibuya K, Takagi K, Homma S	The role of fluoro-2-deoxyglucose positron emission tomography for the detection of gastrointestinal tract lesions in patients with lung cancer.	Thoracic Cancer	2	190-195	2011
Hijikata M, Matsushita I, Tanaka G, Tsuchiya T, Ito H, Tokunaga K, Ohashi J, Homma S, Kobashi Y, Taguchi Y, Azuma A, Kudoh S, Keicho N	Molecular cloning of two novel mucin-like genes in the disease-susceptibility locus for diffuse panbronchiolitis.	Human Genetics	129	117-128	2011
佐藤敬太、本間 栄	ANCA関連血管炎の肺病変-MPAの肺病変を中心に.	医学のあゆみ	236	765-769	2011
杉野圭史、本間 栄	Hermansky-Pudlak症候群と間質性肺炎.	呼吸	30	371-378	2011
本間 栄、村松陽子、杉野圭史、坂本 晋	PFの新しい治療戦略.	臨床呼吸生理	43	57-63	2011
村松陽子、杉野圭史、佐藤敬太、坂本 晋、建部順子、盛田俊介、本間 栄	特発性肺線維症における NAC 単独吸入療法の効果とレドックス制御.	臨床呼吸生理	43	51-54	2011
本間 栄、村松陽子	間質性肺炎を管理・治療する-N-アセチルシステイン(N-acetylcysteine)-.	Mebio	28	85-93	2011
本間 栄、村松陽子	IPF の 治 療 -2)N- アセ チ ル シ ス テ イ ン (N-acetylcysteine)-.	呼吸器内科	19	575-582	2011
Kizu H, Dobashi H, Kameda T, Susaki K, Kawanishi M, Ishida T.	Improvement of irregularity of brain vessel walls in systemic lupus erythematosus by tacrolimus.	Clin Rheumatol.	30 (5)	715-8	2011

Kanaji N, Bandoh S, Ishii T, Kushida Y, Haba R, Kohno K, Dobashi H, Ohnishi H, Matsunaga T.	Detection of Epidermal Growth Factor Receptor Mutations in a Few Cancer Cells from Transbronchial Cytologic Specimens by Reverse Transcriptase-Polymerase Chain Reaction.	Mol Diagn Ther.	Epub ahead of print	2011	
土橋 浩章	分担執筆	ANCA 関連血管炎の診療ガイドライン		2011	
土橋 浩章	皮膚筋炎に合併する急速進行性間質性肺炎にステロイドパルス療法は有効か?	内科	107(6)	1429-1433	2011
亀田智広(香川大学 医学部内分泌代謝・血液・免疫・呼吸器内科), 土橋浩章	【内科診療における論点】 膜原病・リウマチ 皮膚筋炎に合併する急速進行性間質性肺炎にステロイドパルス療法は有効か?(解説/特集)	内科	107(6)	1429-1433	2011
亀田智広, 土橋浩章	グルココルチコイド徐放剤による関節リウマチ治療	リウマチ科	46(3)	264-267	2011
Kobayashi S, Harigai M, Mozaffarian N, Pangan A, Sharma S, Brown S, Miyasaka N	A multi-center,open-label, efficacy,pharmacokinetic, and safety study of adalimumab in Japanese patients with ankylosing spondylitis	Mod Rheumatol			in Press
Kobayashi S, Ichikawa G	Reactive arthritis induced by tonsillitis: a type of 'focal infection'.	Adv Otorhinolaryngol.	72	79-82	2011
Kida I, Kobayashi S, Takeuchi K, Tsuda H, Hashimoto H, Takasaki Y.	ntineutrophil cytoplasmic antibodies against myeloperoxidase, proteinase 3, elastase, cathepsin G and lactoferrin in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	21	43-50	2010

Suzuki Y, Takeda Y, Sato D, Kanaguchi Y, Tanaka Y, Kobayashi S, Suzuki K, Hashimoto H, Ozaki S, Horikoshi S, Tomino Y	Clinicoepidemiological manifestations of RPGN and ANCA-associated vasculitides: an 11-year retrospective hospital-based study in Japan.	Mod Rheumatol	20	54-62	2010
有井薫, 吉本幸生, 谷口義典, 次田誠, 寺田典生, 公文義雄, 小林茂人	脊椎関節炎の疾患活動性モニタリングにおけるFDG-PET/CT有用性の検討	日本脊椎関節炎学会誌	3	51-56	2011
谷口義典, 次田誠, 香川亨, 寺田典生, 公文義雄, 有井薫, 小林茂人	若年発症および高齢発症脊椎関節炎の臨床的特徴の検討	日本脊椎関節炎学会誌	3	43-49	2011
田村直人, 多田久里守, 高崎芳成, 井上久, 小林茂人	強直性脊椎炎における骨リモデリング	日本脊椎関節炎学会誌	3	35-41	2011
小林茂人, 市川銀一郎	扁桃炎に伴う反応性関節炎と扁桃摘出術の効果	日本脊椎関節炎学会誌	3	17-20	2011
小林茂人	稀な肺疾患 強直性脊椎炎	呼吸	30	712-718	2011
小林茂人	他科からみた扁桃摘出術のクリニカルエビデンス 扁桃炎に伴う反応性関節炎と扁桃摘出術の効果	口腔・咽頭科	24	237	2011
小林茂人	ベーチェット病と強直性脊椎炎のブドウ膜炎に対するインフリキシマブ治療 内科医からみた視点	神経眼科	28巻2号	183-186	2011
小林茂人	【関節リウマチと鑑別が必要な膠原病類縁疾患】反応性関節炎と扁桃炎に伴う反応性関節炎	リウマチ科	45巻5号	467-474	2011
小林茂人	【骨・関節疾患の抗体療法】骨・関節疾患に対する抗体療法 強直性脊椎炎に対するTNF α 阻害療法	THE BONE	25巻2号	147-152	2011
小林茂人, 藤元昭一, 鈴木和男	わが国の難治性血管炎研究の現況 過去から未来へ 厚生労働科学研究費 難治性血管炎調査研究班研究から 血管炎の分類に関する世界的動向	脈管学	51巻1号	73-77	2011
小林茂人, 藤元昭一, 鈴木和男	血管病理 ANCA 関連血管炎 欧州リウマチ学会/アメリカリウマチ学会による新しい血管炎の分類・診断基準の作成	病理と臨床	29巻3号	245-248	2011

小林茂人	【脊椎関節炎診療 従来の常識からの脱却を目指して】 反応性関節炎(reactive arthritis)	Modern Physician	30巻12号	1525-1528	2011
大久保光修、平橋淳一	ANCA 関連血管炎の発症機序 Up to Date	炎症と免疫	19(6)	45-51	2011
花房規男、平橋淳一	健康診断で発見された IgA 腎症	Medical Practice	28(6)	1110-1114	2011
川嶋聰子, 有村義宏, 中林公正, 山田 明	MPO-ANCA 関連血管炎における糸球体内 MPO 陽性細胞および細胞外 MPO についての腎病理組織学的検討.	日腎会誌	51	56-67	2009
有村義宏, 川嶋聰子, 吉原堅	ANCA 関連血管炎と RPGN.	日腎会誌	51	88-93	2009
小西文晴, 大塚貴子, 渡邊沙也花, 川嶋聰子, 福岡利仁, 軽部美穂, 吉原 堅, 要 伸也, 有村義宏, 山田 明	広範囲の下腿皮膚潰瘍を生じた MPO-ANCA 陽性 Churgstrausse 症候群 (CSS) の 1 例.	日本内科学会関東地方会	560	18	2009
有村義宏	免疫抑制療法と免疫療法—薬の上手な使い方— 腎炎, 腎症の免疫抑制療法. 総論	腎と透析	66	927-930	2009
岩澤彰子, 池谷紀子, 斎藤督芸, 要伸也, 有村義宏, 山田明, 小川勝	症例報告 維持透析導入後も 18 年間 MPO-ANCA 高値が維持し、肺胞出血で再燃した顕微鏡的多発血管炎の 1 例.	透析会誌	42 (10)	777-783	2009
吉原堅, 有村義宏	抗好中球細胞質抗体-ANCA.	診断と治療	97(9)	1911-1915	2009
有村義宏	尿からさぐる病態と疾患・潜血（血尿）	腎と透析	67(6)	736-740	2009
有村義宏	膠原病—血管炎.	腎と透析	臨時増刊号	379-383	2009
Koyama A, Yamagata K, Makino H, Arimura Y, Wada T, Nitta K, Nihei H, Muso E, Taguma Y, Shigematsu H, Sakai H, Tomino Y, & Matsuo S	A nationwide survey of rapidly progressive glomerulonephritis in Japan: etiology, prognosis and treatment diversity.Japan RPGN Registry Group.	Clin Exp Nephrol.	13(6)	633-50	2009

Nakabayashi K, Arimura Y, Yoshihara K, Fukuoka T, Karube M, Yamato T, Koji H, Ikegaya N, Ohtuka T, Kawashima S, Sudo M & Yamada A	Classification of clinical subtypes, patient survival, kidney prognosis, and relapse in patients with MPO-ANCA-associated vasculitis: a single-center experience.	Mod Rheumatol.	19(4)	420-6	2009
Nakabayashi K, Sumiishi A, Sano K, Fujioka Y, Yamada A, Karube M, Koji H, Arimura Y & Nagasawa T	Tubulointerstitial nephritis without glomerular lesions in three patients with myeloperoxidase-ANCA-associated vasculitis.	Clin Exp Nephrol.	13	605-613	2009
吉原堅, 有村義宏	ANCAの力価と病態.	腎と透析	68(1)	95-99	2010
有村義宏	顕微鏡的多発血管炎.	腎と透析	68(1)	47-51	2010
有村義宏	ANCA関連血管炎・膠原病による腎障害の免疫抑制療法.	Pharma Medica	28(2)	39-44	2010
有村義宏, 川嶋聰子, 吉原堅	顕微鏡的多発血管炎の腎障害.	腎と透析	68(2)	246-251	2010
小西文春, 渡邊沙也花, 大塚貴子, 軽部美穂, 要伸也, 犬野葉子, 有村義宏, 川嶋聰子, 福岡利仁, 吉原堅, 山田明	広範囲の血疱・下腿皮膚潰瘍を生じた ANCA陽性 Churg-Strauss症候群の1例.	臨床リウマチ	22 (2)	229-235	2010
有村義宏	全身性エリテマトーデス 第4章 管理・治療補助療法: 透析治療.	最新医学社	67(4)	197-203	2010
有村義宏	内科疾患の診断基準病型分類・重症度 IV.腎臓 ループス腎炎.	南江堂	105(6)	1104-1109	2010
有村義宏	膠原病と腎障害 血管炎による腎障害の up date	Nephrology Frontier	9(3)	44-49	2010
有村義宏	ANCA関連血管炎: 腎炎治療と腎予後.	リウマチ科	44(3)	314-321	2010
Kurata A, Arimura Y, Iwasawa A, Kawashima S, Ikegaya N, Kojima K, Fujioka Y, Nakabayashi K, Yamada A.	Identification of MPO-positive capillaries of the pleura by immunohistochemistry in MPO-ANCA associated vasculitis.	Pathol Int.	60(9)	626-9	2010
有村 義宏, 川嶋 聰子, 吉原 堅	自己免疫疾患 4. ANCA関連腎炎.	日本内科学会雑誌	100(5)	1254-1261	2011