

英文原著・症例報告

| 著者名   | 論文題名   | 雑誌名                              | 巻        | 頁         | 出版西暦年 | GRANTへの謝辞の有無 |
|---|--|----------------------------------|----------|-----------|-------|--------------|
| Doi Y, Yokoyama T, Nakamura Y, Nagai M, Fujimoto K, <u>Nakano I</u>   | How can the national burden of Parkinson's disease comorbidity and mortality be estimated for the Japanese population?                                   | J Epidemiol                      | 21       | 211-216   | 2011  | 有            |
| Asari S, Fujimoto K, Miyauchi A, Sato T, <u>Nakano I</u> , Muramatsu S  | Subregional 6-[18F]fluoro-L-m-tyrosine uptake in the striatum in Parkinson's disease.  | BMC Neurology                    | 11       | 35        | 2011  | 有            |
| Akimoto C, Morita M, Atsuta N, Sobue G, <u>Nakano I</u>   | High-Resolution Melting (HRM) analysis of the Cu/Zn superoxide dismutase (SOD1) gene in Japanese sporadic amyotrophic lateral sclerosis (SALS) patients. | Neurology Research International | in press | in press  | 2011  | 有            |
| Sakushima K, Tsuboi S, Yabe I, Hida K, Terae S, Uehara R, <u>Nakano I</u> , Sasaki H  | Nationwide survey on the epidemiology of syringomyelia in Japan.   | J Neurol sci                     | in press | in press  | 2011  | 有            |
| Iida A, Takahashi A, Kubo M, Saito S, Hosono N, Ohnishi Y, Kiyotani K, Mushiroda T, Nakajima M, Ozaki K, Tanaka T, Tsunoda T, Oshima S, Sano M, Kamei T, Tokubo T, Aoki M, Hasegawa K, Mizoguchi K, Morita M, Takahashi Y, Katsuno M, Atsuta N, Watanabe H, Tanaka F, Kaji R, <u>Nakano I</u> , Kamatani N, Tsuji S, Sobue G, Nakamura Y, Ikegawa S | A functional variant in ZNF512B is associated with susceptibility to amyotrophic lateral sclerosis in Japanese.  | Human Mol Genet                  | 20       | 3684-3692 | 2011  | 無            |
| Katsuno M, Banno H, Suzuki K, Adachi H, Tanaka F, <u>Sobue G</u>  | Molecular Pathophysiology and Disease-Modifying Therapies for Spinal and Bulbar Muscular Atrophy.  | Arch Neurol                      | in press | in press  | 2012  | 無            |
| Sone J, Tanaka F, Koike H, Inukai A, Katsuno M, Yoshida M, Watanabe H, <u>Sobue G</u>   | Skin biopsy is useful for the antemortem diagnosis of neuronal intranuclear inclusion disease.   | Neurology                        | 76       | 1372-1376 | 2011  | 無            |
| Banno H, Katsuno M, Suzuki K, <u>Sobue G</u>  | Dutasteride for spinal and bulbar muscular atrophy.  | Lancet Neurol                    | 10       | 113-115   | 2011  | 無            |
| Katsuno M, Adachi H, Banno H, Suzuki K, Tanaka F, <u>Sobue G</u>  | Transforming growth factor- $\beta$ signaling in motor neuron diseases   | Curr Mol Med                     | 11       | 48-56     | 2011  | 無            |
| Taniguchi-Ikeda M, Kobayashi K, Kanagawa M, Yu CC, Mori K, Oda T, Kuga A, Kurahashi H, Akman HO, DiMauro S, Kaji R, Yokota T, Takeda S, <u>Toda T</u>   | Pathogenic exon-trapping by SVA retrotransposon and rescue in Fukuyama muscular dystrophy.   | Nature                           | 478      | 127-131   | 2011  | 無            |
| Kuga A, Ohsawa Y, Okada T, Kanda F, Kanagawa M, <u>Toda T</u> , Sunada Y  | Endoplasmic reticulum stress response in P104L mutant caveolin-3 transgenic mice.  | Hum Mol Genet                    | 20       | 2975-2983 | 2011  | 無            |

英文原著・症例報告

| 著者名   | 論文題名  | 雑誌名                                  | 巻        | 頁         | 出版西暦年 | GRANTへの<br>謝辞の有無 |
|---|---|--------------------------------------|----------|-----------|-------|------------------|
| Sun H, Satake W, Zhang C, Nagai Y, Tian Y, Fu S, Yu J, Qian Y, Qian Y, Chu J, <u>Toda T.</u>  | Genetic and clinical analysis in a Chinese parkinsonism-predominant spinocerebellar ataxia type 2 family.             | J Hum Genet                          | 56       | 330-334   | 2011  | 有                |
| Uemura Y, Wada-Isoe K, Nakasita S, Nakashima K  | Mild Parkinsonian signs in a community-dwelling elderly population sample in Japan                                    | Journal of the Neurological Sciences | 304      | 61-66     | 2011  | 有                |
| Nomura T, Inoue Y, Kagimura T, Uemura Y, <u>Nakashima K</u>   | Utility of the REM sleep behavior disorder screening questionnaire(RBDSQ) in Parkinson's disease patients             | Sleep Medicine                       | 12       | 711-713   | 2011  | 無                |
| Koshiba S, Tokuoka H, Yokoyama T, Horiuchi E, Ichinose H, Hasegawa K  | Biopterin levels in the cerebrospinal fluid of patients with PARK8 (I2020T).  | J Neural Transm                      | 118      | 899-903   | 2011  | 無                |
| Iida A, Takahashi T, Kubo M, Saito S, Hosono N, Ohnishi Y, Kiyotani K, Mishiroda T, Nakajima M, Ozaki K, Tanaka T, Tsunoda T, Oshima S, Sano M, Kamei T, Tokuda T, Aoki M, Hasegawa K, Mizoguchi K, Morita M, Takahashi Y, Katsuno M, Atsuta N, Watanabe H, Tanaka F, Kaji R, Nakano I, Kamatani N, Tsuji S, Sobue G, Nakamura Y, Ikegawa S | A functional variant in ZNF512B is associated with susceptibility to amyotrophic lateral sclerosis in Japan.          | HMG                                  | 20       | 3684-92   | 2011  | 無                |
| Kuwahara H, Nishina K, Yoshida K, Nishina T, Yamamoto M, Saito Y, Piao W, Yoshida M, <u>Mizusawa H</u> , Yokota T   | Efficient in vivo delivery of siRNA into brain capillary endothelial cells along with endogenous lipoprotein          | Mol Ther                             | 19       | 2213-2221 | 2011  | 無                |
| Kubodera T, Yamada H, Anzai M, Ohira S, Yokota S, Hirai Y, Mochizuki H, Shimada T, Mitani T, <u>Mizusawa H</u> , Yokota T   | In vivo application of an RNAi strategy for the selective suppression of a mutant allele                              | Hum Gene Ther                        | 22       | 27-34     | 2011  | 無                |
| Mayra A, Tomimitsu H, Kubodera T, Kobayashi M, Piao W, Sunaga F, Hirai Y, Shimada T, <u>Mizusawa H</u> , Yokota T   | Intraperitoneal AAV9-shRNA inhibits target expression in neonatal skeletal and cardiac muscles                        | Biochem Biophys Res Commun           | 405      | 204-209   | 2011  | 無                |
| Uchida A, Sasaguri H, Kimura N, Tajiri M, Ohkubo T, Ono F, Sakae F, Kanai K, Hirai T, Sano T, Shibuya K, Kobayashi M, Ueno T, Yamamoto M, Sunaga F, Kubodera T, Tomori M, Sakaki K, Enomoto M, Hirai Y, Kumagai J, Yasutomi Y, Mochizuki H, Uchihara T, Kuwabara S, <u>Mizusawa H</u> and Yokota T  | Non-human primate model of amyotrophic lateral sclerosis with cytoplasmic mislocalization of TDP-43                   | Brain                                | in press | in press  | 2011  | 有                |
| Suzuki N, Akiyama T, Takahashi T, Komuro H, Warita H, Tateyama M, Itoyama Y, <u>Aoki M.</u>   | Continuous administration of poloxamer 188 reduces overload-induced muscular atrophy in dysferlin-deficient SJL mice. | Neurosci Res                         | in press | in press  | 2011  | 有                |

英文原著・症例報告

| 著者名   | 論文題名  | 雑誌名                       | 巻                     | 頁                     | 出版西暦年 | GRANTへの謝辞の有無 |
|---|---|---------------------------|-----------------------|-----------------------|-------|--------------|
| Aoki M, Warita H, Mizuno H, Suzuki N, Yuki S, Itoyama Y.  | Feasibility study for functional test battery of SOD transgenic rat (H46R) and evaluation of edaravone, a free radical scavenger.             | Brain Res                 | 1382                  | 321–325               | 2011  | 無            |
| Kitamura K, Fujiyoshi K, Yamane J, Toyota F, Hikishima K, Nomura T, Funakoshi H, Nakamura T, Aoki M, Toyama Y, Okano H, Nakamura M. | Human hepatocyte growth factor promotes functional recovery in primates after spinal cord injury.   | PLoS One                  | Volume 6              | e27706                | 2011  | 無            |
| Tian F, Morimoto N, Liu W, Ohta Y, Deguchi K, Abe K.  | In vivo optical imaging of motor neuron autophagy in a mouse model of amyotrophic lateral sclerosis.  | Autophagy                 | 7                     | 985–92                | 2011  | 有            |
| Morimoto N, Deguchi K, Sato K, Yunoki T, Deguchi S, Ohta Y, Kurata T, Takao Y, Ikeda Y, Matsuura T, Abe K.                          | Correlation of cerebral spinal fluid pH and HCO3(−) with disease progression in ALS.  | J Neurol Sci.             | 307                   | 74–8                  | 2011  | 有            |
| Miyazaki K, Masamoto K, Morimoto N, Kurata T, Mimoto T, Obata T, Kanno I, Abe K.  | Early and progressive impairment of spinal blood flow–glucose metabolism coupling in motor neuron degeneration of ALS model mice.             | J Cereb Blood Flow Metab. | [Epub ahead of print] | [Epub ahead of print] | 2011  | 有            |
| Miyazaki K, Ohta Y, Nagai M, Morimoto N, Kurata T, Takehisa Y, Ikeda Y, Matsuura T, Abe K.  | Disruption of neurovascular unit prior to motor neuron degeneration in amyotrophic lateral sclerosis.   | J Neurosci Res.           | 89                    | 718–28                | 2011  | 有            |
| Kurata T, Miyazaki K, Kozuki M, Morimoto N, Ohta Y, Ikeda Y, Abe K.   | Progressive neurovascular disturbances in the cerebral cortex of Alzheimer's disease-model mice: protection by atorvastatin and pitavastatin. | Neuroscience.             | 197                   | 358–68                | 2011  | 有            |
| Kurata T, Miyazaki K, Kozuki M, Panin VL, Morimoto N, Ohta Y, Nagai M, Ikeda Y, Matsuura T, Abe K.                                  | Atorvastatin and pitavastatin improve cognitive function and reduce senile plaque and phosphorylated tau in aged APP mice.                    | Brain Res.                | 1371                  | 161–70                | 2011  | 有            |
| Kozuki M, Kurata T, Miyazaki K, Morimoto N, Ohta Y, Ikeda Y, Abe K.   | Atorvastatin and pitavastatin protect cerebellar Purkinje cells in AD model mice and preserve the cytokines MCP-1 and TNF-α.                  | Brain Res.                | 1388                  | 32–8                  | 2011  | 有            |
| Fujita Y, Ikeda M, Yanagisawa T, Senoo Y, Okamoto K   | Different clinical and neuropathologic phenotypes of familial ALS with A315E TARDBP mutation  | Neurology                 | 77                    | 1427–1431             | 2011  | 有            |
| Fujita Y, Watabe K, Ikeda K, Mizuno Y, Okamoto K  | Morphological changes of Golgi apparatus in adult rats after facial nerve injuries  | Neuropathology            | 31                    | 42–47                 | 2011  | 有            |

## 英文原著・症例報告

| 著者名  | 論文題名  | 雑誌名  | 巻        | 頁        | 出版西暦年 | GRANTへの謝辞の有無 |
|--|---|--|----------|----------|-------|--------------|
| Fujita Y, Fujita S, Takatama M, Ikeda M, <u>Okamoto K</u>  | Numerous FUS-positive inclusions in an elderly woman with motor neuron disease  | Neuropathology                               | 31       | 170-176  | 2011  | 有            |
| Mizuno Y, Fujita Y, Takatama M, <u>Okamoto K</u>   | Peripherin partially localizes in Bunina bodies in amyotrophic lateral sclerosis  | J Neurol Sci                                 | 302      | 14-18    | 2011  | 有            |
| Osawa T, Mizuno Y, Fujita Y, Takatama M, Nakazato Y, <u>Okamoto K</u>  | Optineurin in neurodegenerative diseases  | Neuropathology                               | 31       | 569-574  | 2011  | 有            |
| Yamaguchi H, Takahashi S, Kosaka K, <u>Okamoto K</u> , Yamazaki T, Ikeda M, Osawa M, Amari M, Harigaya Y, Awata S, MD, Maki Y  | Yamaguchi fox-pigeon imitation test (YFPIT) for dementia in clinical practice   | Psychogeriatrics                             | 11       | 221-226  | 2011  | 無            |
| Kosaka T, Fu YJ, Shiga A, Ishidaira H, Tan CF, Tani T, Koike R, Onodera O, Nishizawa M, Kakita A, <u>Takahashi H</u>   | Primary lateral sclerosis: Upper-motor-predominant amyotrophic lateral sclerosis with frontotemporal lobar degeneration - immunohistochemical and biochemical analyses of TDP-43. | Neuropathology                               | in press | in press | 2011  | 有            |
| Soma K, Fu YJ, Wakabayashi K, Onodera O, Kakita A, <u>Takahashi H</u>  | Co-occurrence of argyrophilic grain disease in sporadic amyotrophic lateral sclerosis.  | Neuropathol Appl Neurobiol.                  | in press | in press | 2011  | 有            |
| Pan W, <u>Kwak S</u> , Lu Y, Fang Z, Zhu X, Yamamoto Y   | Traditional Chinese medicine improves nocturnal activity with nighttime in Parkinson's disease  | Sleep Med                                    | 12       | 307-308  | 2011  | 有            |
| Pan W, <u>Kwak S</u> , Fang Z, Zhi H, Gu G, Lu Y, Yamamoto Y   | Traditional Chinese medicine improves motor and non-motor symptoms in Parkinson's disease.  | Parkinson's Disease                          | 2011     | 789506   | 2011  | 有            |
| Hideyama T, <u>Kwak S</u>  | When does ALS start? ADAR2-GluA2 hypothesis for the etiology of sporadic ALS.   | Front Mol Neurosci                           | 4        | 1-11     | 2011  | 有            |
| Hideyama T, Yamashita Y, H Aizawa, Tsuji S, Kakita A, <u>Takahashi H</u> , <u>Kwak S</u>   | Profound downregulation of the RNA editing enzyme ADAR2 in ALS motor neurons.   | Neurobiol Dis                                | in press | in press | 2011  | 有            |
| Okita T, Nodera H, Shibuta Y, Nodera A, Asanuma K, Shimatani Y, Sato K, Izumi Y, <u>Kaji R</u>   | Can Awaji ALS criteria provide earlier diagnosis than the revised El Escorial criteria?   | J Neurol Sci                                 | 302      | 29-32    | 2011  | 無            |
| Snappinn KW, Larson EB, Kawakami H, Ujike H, Borenstein AR, Izumi Y, <u>Kaji R</u> , Maruyama H, Mata IF, Morino H, Oda M, Tsuang DW, Yearout D, Edwards KL, Zabetian CP | The UCHL1 S18Y polymorphism and Parkinson's disease in a Japanese population.   | Parkinsonism Relat Disord 17: 473-475, 2011. | 17       | 473-475  | 2011  | 無            |

英文原著・症例報告

| 著者名   | 論文題名   | 雑誌名                                  | 巻        | 頁         | 出版西暦年    | GRANTへの謝辞の有無 |
|---|--|--------------------------------------|----------|-----------|----------|--------------|
| Fujita K, Yoshida M, Sako W, Maeda K, Hashizume Y, Goto S, Sobue G, Izumi Y, <u>Kaji R</u>  | Brainstem and spinal cord motor neuron involvement with optineurin inclusions in proximal-dominant hereditary motor and sensory neuropathy | J Neurol Neurosurg Psychiatry        | 82       | 1402-1403 | 2011     | 有            |
| Kuroda Y, Sako W, Goto S, Sawada T, Uchida D, Izumi Y, Takahashi T, Kagawa N, Matsumoto M, Matsumoto M, Takahashi R, <u>Kaji R</u> , Mitsui T                         | Parkin interacts with Klok1nl for mitochondrial import and maintenance of membrane potential   | Hum Mol Genet                        | 2011     | in press  | in press | 2011         |
| Takao Mitsui, Yukiko Kuroda, Shu-ichi Ueno, <u>Ryuji Kaji</u>   | The effects of FK506 on refractory inflammatory myopathies   | Acta Neurol. Belg                    | 111      | 188-194   | 2011     | 無            |
| Kashihara K, Imamura T  | Clinical correlates of anterior nad lateral flexion of the thoracolumbar spine and dropped head in patients with Parkinson's disease       | Parkinsonism and Related Disorders   | E pub    | E pub     | 2011     | 有            |
| Kashihara K, Hanaoka A, Imamura T   | Frequency and characteristics of taste impairment in patients with Parkinson's disease: results of a clinical interview                    | Internal Medicine                    | 50       | 2311-2315 | 2011     | 無            |
| Kashihara K, Shinya T, Higaki F   | Reduction of neuromelanin-positive nigral volume in patients with MSA, PSP and CBD   | Internal Medicine                    | 50       | 1683-1687 | 2011     | 無            |
| Kashihara K, Shinya T, Higaki F   | Neuromelanin magnetic resonance imaging of nigral volume loss in patients with Parkinson's disease   | J Clin Neurosci                      | 18       | 1093-1096 | 2011     | 無            |
| Shibuya K, Misawa S, Arai K, Nakata M, Kanai K, Yoshiyama Y, Ito K, Isobe S, Noto Y, Nasu S, Sekiguchi Y, Fujimaki Y, Ohmori S, Kitamura H, Sato Y, <u>Kuwabara S</u> | Markedly reduced axonal potassium channel expression in human sporadic amyotrophic lateral sclerosis: an immunohistochemical study         | Experimental Neurology               | 232      | 149-153   | 2011     | 有            |
| Noto YI, Misawa S, Kanai K, Shibuya K, Isobe S, Nasu S, Sekiguchi Y, Fujimaki Y, Nakagawa M, <u>Kuwabara S</u>  | Awaji ALS criteria increase the diagnostic sensitivity in patients with bulbar onset   | Clinical Neurophysiology             | in press | in press  | 2011     | 有            |
| Uchiyama T, Sakakibara R, Yamamoto T, Ito T, Yamaguchi C, Awa Y, Yanagisawa M, Higuchi Y, Sato Y, Ichikawa T, Yamanishi T, Hattori T, <u>Kuwabara S</u>               | Urinary dysfunction in early and untreated Parkinson's disease   | J Neurol Neurosurg Psychiatry        | 82       | 382-386   | 2011     | 無            |
| Makino T, Ito S, <u>Kuwabara S</u>  | Involvement of pontine transverse and longitudinal fibers in multiple system atrophy: a tractography-based study                           | Journal of the Neurological Sciences | 303      | 61-66     | 2011     | 無            |
| Noto Y, Kanai K, Misawa S, Shibuya K, Isobe S, Nasu S, Sekiguchi Y, Fujimaki Y, Nakagawa M, <u>Kuwabara S</u>   | Distal motor axonal dysfunction in amyotrophic lateral sclerosis   | Journal of the Neurological Sciences | 302      | 58-62     | 2011     | 有            |

## 英文原著・症例報告

| 著者名   | 論文題名   | 雑誌名                                  | 巻             | 頁        | 出版西暦年 | GRANTへの謝辞の有無 |
|---|--|--------------------------------------|---------------|----------|-------|--------------|
| Noto Y, Shibuya K, Sato Y, Kanai K, Misawa S, Sawai S, Mori M, Uchiyama T, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Kasai T, Tokuda T, Nakagawa M, <u>Kuwabara S</u>                   | Elevated CSF TDP-43 levels in amyotrophic lateral sclerosis: specificity, sensitivity, and a possible prognostic value   | Amyotroph Lateral Scler              | 13            | 140-143  | 2011  | 有            |
| Shibuya K, Misawa S, Arai K, Nakata M, Kanai K, Yoshiyama Y, Ito K, Isose S, Noto Y, Nasu S, Sekiguchi Y, Fujimaki Y, Ohmori S, Kitamura H, Sato Y, <u>Kuwabara S</u>                   | Markedly reduced axonal potassium channel expression in human sporadic amyotrophic lateral sclerosis: an immunohistochemical study   | Experimental Neurology               | 232           | 149-153  | 2011  | 有            |
| Noto YI, Misawa S, Kanai K, Shibuya K, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Nakagawa M, <u>Kuwabara S</u>  | Awaji ALS criteria increase the diagnostic sensitivity in patients with bulbar onset   | Clinical Neurophysiology             | in press      | in press | 2011  | 有            |
| Uchiyama T, Sakakibara R, Yamamoto T, Ito T, Yamaguchi C, Awa Y, Yanagisawa M, Higuchi Y, Sato Y, Ichikawa T, Yamanishi T, Hattori T, <u>Kuwabara S</u>                                 | Urinary dysfunction in early and untreated Parkinson's disease   | J Neurol Neurosurg Psychiatry        | 82            | 382-386  | 2011  | 無            |
| Makino T, Ito S, <u>Kuwabara S</u>  | Involvement of pontine transverse and longitudinal fibers in multiple system atrophy: a tractography-based study   | Journal of the Neurological Sciences | 303           | 61-66    | 2011  | 無            |
| Noto Y, Kanai K, Misawa S, Shibuya K, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Nakagawa M, <u>Kuwabara S</u>   | Distal motor axonal dysfunction in amyotrophic lateral sclerosis   | Journal of the Neurological Sciences | 302           | 58-62    | 2011  | 有            |
| Noto Y, Shibuya K, Sato Y, Kanai K, Misawa S, Sawai S, Mori M, Uchiyama T, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Kasai T, Tokuda T, Nakagawa M, <u>Kuwabara S</u>                   | Elevated CSF TDP-43 levels in amyotrophic lateral sclerosis: specificity, sensitivity, and a possible prognostic value   | Amyotroph Lateral Scler              | 13            | 140-143  | 2011  | 有            |
| Hiroyuki Tomiyama, Hiroyo Yoshino, Kotaro Ogaki, Lin Li, Chikara Yamashita, Yuanzhe Li, Manabu Funayama, Ryogen Sasaki, <u>Yasumasa Kokubo</u> , Shigeki Kuzuhara, and Nobutaka Hattori | PLA2G6 variant in Parkinson's disease  | J Hum Genet.                         | 56            | 2300-1   | 2011  | 有            |
| <u>Yasumasa Kokubo</u> , Satoru Morimoto, Akihiro Shindo, Yoshihumi Hirokawa, Taizo Shiraishi, Yuko Saito, Shigeo Murayama, Shigeki Kuzuhara  | Cardiac 123I-Meta-Iodobenzylguanidine Scintigraphy and Lewy Body Pathology in a Patient with Amyotrophic Lateral Sclerosis and Parkinsonism-Dementia Complex of Kii, Japan | Mov Disord.                          | 26            | 401-3    | 2011  | 有            |
| Kokubo Y, Nomura Y, Morimoto S, Kuzuhara S.   | Cardiac (123)I-meta-iodobenzylguanidine scintigraphy in patients with amyotrophic lateral sclerosis and parkinsonism-dementia complex of the Kii peninsula, Japan.         | Parkinsonism Relat Disord.           | In press      | In press | 2011  | 有            |
| Yumi Takahashi, Kana Hosoki, Masafumi Matsushita, Makoto Funatsuka, <u>Kayoko Saito</u> , Hiroshi Kanazawa, Yu-ichi Goto, and Shinji Saitoh   | A Loss-of-Function Mutation in the SLC9A6 Gene Causes X-Linked Mental Retardation Resembling Angelman Syndrome   | American Journal Of Medical Genetics | Part B 156(7) | 799-807  | 2011  | 無            |

英文原著・症例報告

| 著者名  | 論文題名   | 雑誌名                                   | 巻        | 頁         | 出版西暦年 | GRANTへの謝辞の有無 |
|--|--|---------------------------------------|----------|-----------|-------|--------------|
| Yabe I, Tsuji-Akimoto S, Shiga T, Hamada S, Hirata K, Otsuki M, Kuge Y, Tamaki N, <u>Sasaki H</u>  | Writing errors in ALS related to loss of neuronal integrity in the anterior cingulate gyrus.                               | J Neurol Sci                          | in press | in press  | 2011  | 有            |
| Sakushima K, Tsuboi S, Yabe I, Hida K, Terae S, Uehara R, Nakano I, <u>Sasaki H</u> .  | Nationwide survey on the epidemiology of syringomyelia in Japan.   | J Neurol Sci                          | in press | in press  | 2011  | 有            |
| Sato K, Yabe I, Yaguchi H, Nakano F, Kunieda Y, Saitoh S, <u>Sasaki H</u> .  | Genetic analysis of two Japanese families with progressive external ophthalmoplegia and parkinsonism.                      | J Neurol                              | 258(7)   | 1327-32   | 2011  | 有            |
| Tsuji-Akimoto S, Hamada S, Yabe I, Tamura I, Otsuki M, Kobashi S, <u>Sasaki H</u> .  | Writing errors as a result of frontal dysfunction in Japanese patients with amyotrophic lateral sclerosis.                 | J Neurol                              | 257(12)  | 2071-7    | 2010  | 有            |
| Shimo H, Nakamura M, Tomiyasu A, Ichiba M, Ueno S, <u>Sano A</u>   | Comprehensive analysis of the genes responsible for neuroacanthocytosis in mood disorder and schizophrenia.                | Neurosci Res                          | 69       | 196-202   | 2011  | 無            |
| Tomiyasu A, Nakamura M, Ichiba M, Ueno S, Saiki S, Morimoto M, Kobal J, Kageyama Y, Inui T, Wakabayashi K, Yamada T, Kanemori Y, Jung H, Tanaka H, Orimo S, Afawi Z, Blatt I, Aasly J, Ujike H, Babovic-Vuksanovic D, Josephs K, Tohge R, Rodrigues G, Dupré N, Yamada H, Yokochi F, Kotschet K, Takei T, Rudzińska M, Szczudlik A, Penco S, Fujiwara M, Tojo K, <u>Sano A</u> | Novel pathogenic mutations and copy number variations in the VPS13A gene in patients with chorea-acanthocytosis            | Am J Med Genet B Neuropsychiatr Genet | 156      | 620-631   | 2011  | 有            |
| Higashihara M, <u>Sonoo M</u> , Imafuku I, et al.  | Fasciculation potentials in ALS and the diagnostic yield of the Awaji algorithm.   | Muscle Nerve                          | in print | in print  | 2011  | 有            |
| <u>Sonoo M</u> , Kurokawa K, Higashihara M, et al.   | Origin of far-field potentials in the ulnar compound muscle action potential.  | Muscle Nerve                          | 43       | 671-678   | 2011  | 有            |
| Uesugi H, <u>Sonoo M</u> , Stålberg E, et al.  | "Clustering index method": a new technique for differentiation between neurogenic and myopathic changes using surface EMG. | Clin Neurophysiol                     | 122      | 1032-1041 | 2011  | 有            |
| Higashihara M, <u>Sonoo M</u> , Yamamoto T, et al.   | Evaluation of spinal and bulbar muscular atrophy using the Clustering Index method.  | Muscle Nerve                          | 44       | 539-546   | 2011  | 有            |
| Iwanami T, <u>Sonoo M</u> , Hatanaka Y, et al.   | Decremental responses to repetitive nerve stimulation (RNS) in motor neuron disease.                                       | Clin Neurophysiol                     | 122      | 2530-2536 | 2011  | 有            |

## 英文原著・症例報告

| 著者名   | 論文題名  | 雑誌名                        | 巻        | 頁        | 出版西暦年 | GRANTへの謝辞の有無 |
|---|---|----------------------------|----------|----------|-------|--------------|
| Hokkoku K, Sonoo M, Higashihara M, et al.   | EMGs of the flexor digitorum profundus muscle in inclusion body myositis  | Muscle Nerve               | in print | in print | 2011  | 有            |
| Piao Y, Hashimoto T, Takahama S, Kakita A, Komori T, Morita T, <u>Takahashi H</u> , Mizutani T, Oyanagi K   | Survival motor neuron (SMN) protein in the spinal anterior horn cells of patients with sporadic amyotrophic lateral sclerosis.                      | Brain Res                  | 1372     | 152-159  | 2011  | 無            |
| Mori F, Tanji K, Kakita A, <u>Takahashi H</u> , Wakabayashi K   | Enhancement of native and phosphorylated TDP-43 immunoreactivity by proteinase K treatment following autoclave heating.                             | Neuropathology             | 31       | 401-40   | 2011  | 無            |
| Tanji K, Mori F, Kakita A, <u>Takahashi H</u> , Wakabayashi K   | Alteration of autophagosomal proteins (LC3, GABARAP and GATE-16) in Lewy body disease.  | Neurobiol Dis              | 43       | 690-697  | 2011  | 無            |
| Toyoshima Y, Tanaka H, Shimohata M, Kimura K, Morita T, Kakita A, <u>Takahashi H</u>  | Spinocerebellar ataxia type 2 (SCA2) is associated with TDP-43 pathology.   | Acta Neuropathol           | 122      | 375-378  | 2011  | 無            |
| Tanji K, Mori F, Kito K, Kakita A, Miura J, Itoh K, <u>Takahashi H</u> , Kamitani T, Wakabayashi K  | Synphilin-1-binding protein NUB1 is colocalized with non-fibrillar, proteinase K-resistant $\alpha$ -synuclein in presynapses in Lewy body disease. | J Neuropathol Exp Neurol   | 70       | 879-889  | 2011  | 有            |
| Miki Y, Mori F, Tanji K, Kakita A, <u>Takahashi H</u> , Wakabayashi K   | Accumulation of histone deacetylase 6, an aggresome-related protein, is specific to Lewy bodies and glial cytoplasmic inclusions.                   | Neuropathology             | 31       | 561-568  | 2011  | 有            |
| Orimo S, Uchihara T, Kanazawa T, Itoh Y, Wakabayashi K, Kakita A, <u>Takahashi H</u>  | Unmyelinated axons are more vulnerable to degeneration than myelinated axons of the cardiac nerve in Parkinson's disease.                           | Neuropathol Appl Neurobiol | 37       | 791-802  | 2011  | 有            |
| Ito H, Nakamura M, Komure O, Ayaki T, Wate R, Maruyama H, Nakamura Y, Fujita K, Kaneko S, Okamoto Y, Ihara M, Konishi T, Ogasawara K, Hirano A, Kusaka H, Kaji R, <u>Takahashi H</u> , Kawakami H | Clinicopathologic study on an ALS family with a heterozygous E478G optineurin mutation.   | Acta Neuropathol.          | 122      | 223-9    | 2011  | 無            |
| Fujii C, Tokuda T, Ishigami N, Mizuno T, Nakagawa M.  | Usefulness of serum S100B as a marker for the acute phase of aquaporin-4 autoimmune syndrome.   | Neurosci Lett.             | 494      | 86-88    | 2011  | 無            |
| Noto Y, Shibusawa K, Sato Y, Kanai K, Misawa S, Sawai S, Mori M, Uchiyama T, Isose S, Nasu S, Sekiguchi Y, Fujimaki Y, Kasai T, <u>Tokuda T</u> , Nakagawa M, Kuwabara S.                         | Elevated CSF TDP-43 levels in amyotrophic lateral sclerosis: specificity, sensitivity, and a possible prognostic value.                             | Amyotroph Lateral Scler    | 12       | 140-143  | 2011  | 無            |

英文原著・症例報告

| 著者名  | 論文題名   | 雑誌名  | 巻                     | 頁                     | 出版西暦年 | GRANTへの謝辞の有無 |
|--|--|--|-----------------------|-----------------------|-------|--------------|
| El-Agnaf OMA, Tokuda T.  | Correspondence: Detection of elevated levels of $\alpha$ -synuclein oligomers in CSF from patients with parkinson disease.   | Neurology                                  | 77                    | 510-511               | 2011  | 無            |
| Hideyuki Sawada, Tomoko Oeda, Sadako Kuno, <u>Masahiro Nomoto</u> , Kenji Yamamoto, Mitsutoshi Yamamoto, Kinya Hisanaga, Takashi Kawamura, for the Amantadine Study Group  | Amantadine for Dyskinesias in Parkinson's Disease: A Randomized Controlled Trial   | PLOS ONE                                   | 5(12) e15298          | 1-7                   | 2010  | 無            |
| Mizuno Y, Kondo T, Kuno S, <u>Nomoto M</u> , Yanagisawa N.   | Early addition of selegiline to L-Dopa treatment is beneficial for patients with Parkinson disease.  | Clin Neuropharmacol.                       | 33(1)                 | 1-4                   | 2010  | 無            |
| Mohammed Emamussalehin Choudhury, Takashi Moritoyo, Madoka Kubo, Win Thiri Kyaw, Hayato Yabe, Noriko Nishikawa, Masahiro Nagai, Seiji Matsuda, <u>Masahiro Nomoto</u>  | Zonisamide-induced long-lasting recovery of dopaminergic neurons from MPTP-toxicity  | BRAIN RESEARCH                             | 1384                  | 170-178               | 2011  | 有            |
| Hiroaki Yanagawa, Minoru Irahara, Hitoshi Houchi, Yoshiyuki Kakehi, Takashi Moritoyo, <u>Masahiro Nomoto</u> , Mitsuhiro Miyamura, Taro Shuin, and the Shikoku Collaborative Group for Promotion of Clinical Trials. | View and present status of personnel involved in clinical trials: a survey of participants from the First Symposium of the Shikoku Collaborative Group for Promotion of Clinical Trials. | J Med Invest                               | 58(1, 2)              | 81-85                 | 2011  | 無            |
| Takashi Fujiwara, Mai Nishimura, Ryoko Honda, Takashi Nishiyama, <u>Masahiro Nomoto</u> , Naoto Kobayashi, Masayuki Ikeda  | Comparison of peer-led versus professional-led training in basic life support for medical students   | Advances in Medical Education and Practice | 2                     | 187-191               | 2011  | 無            |
| Noriko Nishikawa, Masahiro Nagai, Tomoaki Tsujii, Nachi Tanabe, Hiroshi Takashima and <u>Masahiro Nomoto</u>   | Three Spinocerebellar Ataxia Type 2 Siblings with Ataxia, Parkinsonism, and Motor Neuronopathy   | INTERNAL MEDICINE                          | 50                    | 1429-1432             | 2011  | 有            |
| Mohammed Emamussalehin Choudhury, Kana Sugimoto, Madoka Kubo, Masahiro Nagai, <u>Masahiro Nomoto</u> , Hisaaki Takahashi, Hajime Yano & Junya Tanaka   | A cytokine mixture of GM-CSF and IL-3 that induces a neuroprotective phenotype of microglia leading to amelioration of (6-OHDA)-induced Parkinsonism of rats                             | Brain and Behavior                         | 1(1)                  | 26-43                 | 2011  | 無            |
| Noda K, Fukae J, Fujishima K, Mori K, Urabe T, <u>Hattori N</u> , Okuma Y.   | Reversible cerebral vasoconstriction syndrome presenting as cortical subarachnoid hemorrhage.  | Intern Med.                                | 51(1)                 | 137                   | 2011  | 無            |
| Yamashiro K, Furuya T, Noda K, Urabe T, <u>Hattori N</u> , Okuma Y.  | Convulsive movements in bilateral paramedian thalamic and midbrain infarction.   | Case Rep Neurol.                           | 3(3)                  | 289-93                | 2011  | 無            |
| Inoue Y, Uchimura N, Kuroda K, Hirata K, <u>Hattori N</u> .  | Long-term efficacy and safety of gabapentin enacarbil in Japanese restless legs syndrome patients.   | Prog Neuropsychopharmacol Biol Psychiatry. | [Epub ahead of print] | [Epub ahead of print] | 2011  | 有            |

## 英文原著・症例報告

| 著者名  | 論文題名  | 雑誌名                                       | 巻                     | 頁                     | 出版西暦年 | GRANTへの謝辞の有無 |
|--|---|---|-----------------------|-----------------------|-------|--------------|
| Shimura H, Tanaka R, Urabe T, Tanaka S, <u>Hattori N.</u>  | Art and Parkinson's disease: a dramatic change in an artist's style as an initial symptom.  | J Neurol.                                 | [Epub ahead of print] | [Epub ahead of print] | 2011  | 無            |
| Morita A, Okuma Y, Kamei S, Yoshii F, Yamamoto T, Hashimoto S, Utsumi H, Hatano T, <u>Hattori N.</u> , Matsumura M, Takahashi K, Nogawa S, Watanabe Y, Miyamoto T, Miyamoto M, Hirata K. | Pramipexole reduces the prevalence of fatigue in patients with Parkinson's disease.   | Intern Med.                               | 50(19)                | 2163-8                | 2011  | 無            |
| Kawanabe T, Tanaka R, Sakaguchi Y, Akiyama O, Shimura H, Yasumoto Y, Ito M, <u>Hattori N.</u> , Tanaka S.  | Posterior reversible encephalopathy syndrome complicating intracranial hemorrhage after phenylpropanolamine exposure.                                   | Neurol Med Chir (Tokyo)                   | 51(8)                 | 582-5.                | 2011  | 無            |
| Yasuda T, Hayakawa H, Nihira T, Ren YR, Nakata Y, Nagai M, <u>Hattori N.</u> , Miyake K, Takada M, Shimada T, Mizuno Y, Mochizuki H.   | Parkin-mediated protection of dopaminergic neurons in a chronic MPTP-minipump mouse model of Parkinson disease.   | J Neuropathol Exp Neurol                  | 70(8)                 | 686-97                | 2011  | 有            |
| Noda K, Fukae J, Fujishima K, Mori K, Urabe T, <u>Hattori N.</u> , Okuma Y.  | Reversible cerebral vasoconstriction syndrome presenting as subarachnoid hemorrhage, reversible posterior leukoencephalopathy, and cerebral infarction. | Intern Med.                               | 50(11)                | 1227-33               | 2011  | 無            |
| Usui C, Hatta K, Doi N, Kubo S, Kamigaichi R, Nakanishi A, Nakamura H, <u>Hattori N.</u> , Arai H.   | Improvements in both psychosis and motor signs in Parkinson's disease, and changes in regional cerebral blood flow after electroconvulsive therapy      | Prog Neuropsychopharmacol Biol Psychiatry | 35(7)                 | 1704-8                | 2011  | 有            |
| Tanaka R, Sasaki-Ikesawa K, Shimura H, Nishioka K, <u>Hattori N.</u> , Tanaka S.   | Methotrexate leukoencephalopathy mimics acute progressive stroke.   | J Neurol.                                 | 258(11)               | 2083-5                | 2011  | 無            |
| Teramoto S, Miyamoto N, Yatomi K, Tanaka Y, Oishi H, Arai H, <u>Hattori N.</u> , Urabe T.  | Exendin-4, a glucagon-like peptide-1 receptor agonist, provides neuroprotection in mice transient focal cerebral ischemia.                              | J Cereb Blood Flow Metab                  | 31(8)                 | 1696-705              | 2011  | 無            |
| Kamagata K, Motoi Y, Hori M, Suzuki M, Nakanishi A, Shimoji K, Kyogoku S, Kuwatsuru R, Sasai K, Abe O, Mizuno Y, Aoki S, <u>Hattori N.</u>   | Posterior hypoperfusion in Parkinson's disease with and without dementia measured with arterial spin labeling MRI.                                      | J Magn Reson Imaging                      | 33(4)                 | 803-7                 | 2011  | 無            |
| Doi Y, Yokoyama T, Nakamura Y, Nagai M, <u>Fujimoto K.</u> , Nakano I  | How can the national burden of Parkinson's disease comorbidity and mortality be estimated for the Japanese population?                                  | J Epidemiol                               | 21                    | 211-216               | 2011  | 有            |
| Asari S, <u>Fujimoto K.</u> , Miyauchi A, Sato T, Nakano I, Muramatsu S  | Subregional 6-[18F]fluoro-L-m-tyrosine uptake in the striatum in Parkinson's disease  | BMC Neurol                                | 11                    | 35-40                 | 2011  | 有            |

英文原著・症例報告

| 著者名  | 論文題名   | 雑誌名                              | 巻                           | 頁                           | 出版西暦年 | GRANTへの謝辞の有無 |
|--|--|----------------------------------|-----------------------------|-----------------------------|-------|--------------|
| Izawa M-O, <u>Miwa H</u> , Kajimoto Y and Kondo T  | Combination of transcranial sonography, olfactory testing, and MIBG myocardial scintigraphy as a diagnostic indicator for Parkinson's disease. | European Journal of Neurology    | in press                    | in press                    | 2011  | 無            |
| Uimoto M, <u>Miwa H</u> , Ando R, Kajimoto Y and Kondo T   | White matter hyperintensities in patients with multiple system atrophy.  | Parkinsonism & Related Disorders | 16                          | 249-251                     | 2011  | 無            |
| <u>Miwa H</u> and Miwa T   | Fatigue in patients with Parkinson's disease: impact on quality of life.   | Internal Medicine                | in press                    | in press                    | 2011  | 無            |
| <u>Miwa H</u> and Kondo T  | Bicycle sign for differential diagnosis of Parkinsonism: is it of use in a hilly country like Japan?   | Journal of Parkinson's disease   | 1                           | 1, 2                        | 2011  | 無            |
| Yamamoto T, Ikeda K, Usui H, Miyamoto M, <u>Murata M</u> .   | Validation of the Japanese translation of the Swallowing Disturbance Questionnaire in parkinson's disease patients.                            | Qual Life Res                    | Published online:07 October | Published online:07 October | 2011  | 無            |
| Furusawa Y, Mori-Yoshimura M, Yamamoto T, Sakamoto C, Wakita M, Kobayashi Y, Fukumoto Y, Oya Y, Fukuda T, Sugie H, Hayashi Y K, Nishino I, Nonaka I, <u>Murata M</u> . | Effects of enzyme replacement therapy on five patients with advanced late-onset glycogen storage disease type II: a 2-year follow-up study     | J Inherit Metab Dis              | Published online:16 October | Published online:16 October | 2011  | 無            |
| Takao M, Aoyama M, Ishikawa K, Sakiyama Y, Yomono H, Saito Y, Kurisaki H, Mihara B, <u>Murayama S</u> .  | Spinocerebellar ataxia type 2 is associated with Parkinsonism and Lewy body pathology.   | BMJ Case Reports 2011(in press). | in press                    | in press                    | 2011  | 無            |
| Takamura A, Kawarabayashi T, Yokoseki T, Shibata M, Morishima-Kawashima M, Saito Y, <u>Murayama S</u> , Ihara Y, Abe K, Shoji M, Michikawa M, Matsubara E              | The Dissociation of A $\beta$ from Lipoprotein in Cerebrospinal Fluid from Alzheimer's Disease accelerates A $\beta$ 42 assembly.              | J Neuroscie Res (in press).      | in press                    | in press                    | 2011  | 無            |
| Seki N, Takahashi Y, Tomiyama H, Rogaeva E, <u>Murayama S</u> , Mizuno Y, Hattori N, Marras C, Lang AE, St George-Hyslop P, Goto J, Tsuji S                            | Comprehensive mutational analysis of LRRK2 reveals variants supporting association with autosomal dominant Parkinson's disease.                | J. Human Gen. (in press)         | in press                    | in press                    | 2011  | 無            |
| Takao M, <u>Murayama S</u> , Yoshida Y, Mihara B.  | Superficial siderosis associated with abundant tau and $\alpha$ -synuclein accumulation.   | BMJ Case Reports. ( in press)    | in press                    | in press                    | 2011  | 無            |
| Murakami, K., Murata, N., Noda, Y., Tahara, S., Kaneko, T., Kinoshita, N., Hatsuta, H., <u>Murayama, S.</u> , Barnham, K. J., Irie, K., Shirasawa, T., & Shimizu, T.   | SOD1 deficiency drives amyloid beta oligomerization and memory loss in a mouse model of Alzheimer's disease.                                   | J Biol Chem. (in press)          | in press                    | in press                    | 2011  | 無            |
| Murata K, Mochizuki H, et al.  | Compensation of depleted neuronal subsets by new neurons in a local area of the adult olfactory bulb   | J Neurosci.                      | 31                          | 10540-57                    | 2011  | 有            |

## 英文原著・症例報告

| 著者名  | 論文題名  | 雑誌名                           | 巻   | 頁   | 出版西暦年 | GRANTへの謝辞の有無 |
|--|---|-------------------------------|---|---|-------|--------------|
| Namba T, Mochizuki H, et al.   | Time-Lapse Imaging Reveals Symmetric Neurogenic Cell Division of GFAP-Expressing Progenitors for Expansion of Postnatal Dentate Granule Neurons | PLoS One                      | 6   | e25303  | 2011  | 有            |
| Irie S, Mochizuki H, et al.  | A case of parkinsonism and dopa-induced severe dyskinesia associated with novel mutation in the GTP cyclohydrolase I gene                       | Parkinsonism Relat Disord     | 17  | 769-70  | 2011  | 有            |
| Yasuda T, Mochizuki H, et al.  | Parkin-mediated dopaminergic neuroprotection in an MPTP-minipump mouse model of Parkinson's disease   | J Neuropathol Exp Neurol      | 70  | 686-97  | 2011  | 有            |
| Ono K, Mochizuki H, et al.   | Effect of melatonin on $\alpha$ -synuclein self-assembly and cytotoxicity   | Neurobiology of Aging         | in press  | in press  | 2011  | 有            |
| Mori F, Tanji K, Kon T, Odagiri S, Hattori M, Hoshikawa Y, Kono C, Yasui K, Yokoi S, Hasegawa Y, Yoshida M, Wakabayashi K.                       | FUS immunoreactivity of neuronal and glial intranuclear inclusions in intranuclear inclusion body disease.                                      | Neuropathol Appl Neurobiol    | 2011 Aug 25. doi: 10.1111/j.1365-2990.2011.01217.x. [Epub ahead of print] | 2011 Aug 25. doi: 10.1111/j.1365-2990.2011.01217.x. [Epub ahead of print] | 2011  | 無            |
| Fujita K, Yoshida M, Sako W, Maeda K, Hashizume Y, Goto S, Sobue G, Izumi Y, Kaji R.   | Brainstem and spinal cord motor neuron involvement with optineurin inclusions in proximal-dominant hereditary motor and sensory neuropathy.     | J Neurol Neurosurg Psychiatry | 82  | 1402-03   | 2011  | 有            |
| Hasegawa M, Nonaka T, Tsuji H, Tamaoka A, Yamashita M, Kametani F, Yoshida M, Arai T, Akiyama H.   | Molecular Dissection of TDP-43 Proteinopathies.   | J Mol Neurosci                | 45  | 480-485   | 2011  | 無            |
| Muramatsu R, Kubo T, Mori M, Nakamura Y, Fujita Y, Akutsu T, Okuno T, Taniguchi J, Kumanogoh A, Yoshida M, Mochizuki H, Kuwabara S, Yamashita T. | RGMA modulates T cell responses and is involved in autoimmune encephalomyelitis.  | Nat Med                       | 17  | 488-494   | 2011  | 無            |
| Horimoto Y, Matsumoto M, Akatsu H, Kojima A, Yoshida M, Nokura K, Yuasa H, Katada E, Yamamoto T, Kosaka K, Hashizume Y, Yamamoto H, Mitake S.    | Longitudinal study on MRI intensity changes of Machado-Joseph disease: correlation between MRI findings and neuropathological changes.          | J Neurol                      | 258   | 1657-1664   | 2011  | 無            |
| Hishikawa N, Niwa H, Hara T, Hara K, Ito M, Shimada S, Yoshida M, Hashizume Y, Murakami N.   | An autopsy case of lymphomatosis cerebri showing pathological changes of intravascular large B-cell lymphoma in visceral organs.                | Neuropathology                | 31  | 612-619   | 2011  | 無            |
| Iwasaki Y, Mori K, Ito M, Nagaoaka M, Ieda T, Kitamoto T, Yoshida M, Hashizume Y.  | An autopsied case of V180I Creutzfeldt-Jakob disease presenting with panencephalopathic-type pathology and a characteristic prion protein type. | Neuropathology                | 31  | 540-548   | 2011  | 無            |
| Saito Y, Iwasaki Y, Aiba I, Kitamoto T, Yoshida M, Hashizume Y.  | An autopsy case of MM2-cortical + thalamic-type sporadic Creutzfeldt-Jakob disease.   | Neuropathology                | 31  | 523-530   | 2011  | 無            |

英文原著・症例報告

| 著者名  | 論文題名  | 雑誌名                        | 巻                                | 頁                                | 出版西暦年 | GRANTへの謝辞の有無 |
|--|---|----------------------------|----------------------------------|----------------------------------|-------|--------------|
| Hashizume M, Takagi J, Kanehira T, Otake K, Mimuro M, <u>Yoshida M</u> , Hashizume Y.  | Histologic study of age-related change in the posterior pituitary gland focusing on abnormal deposition of tau protein  | Pathol Int                 | 61                               | 13-18                            | 2011  | 無            |
| Yoshida T, Sasaki M, <u>Yoshida M</u> , Namekawa M, Okamoto Y, Tsujino S, Sasayama H, Mizuta I, Nakagawa M, The Alexander Disease Study Group in Japan.  | Nationwide survey of Alexander disease in Japan and proposed new guidelines for diagnosis   | J Neurol                   | 258                              | 1998-2008                        | 2011  | 無            |
| Kokubo Y, Nomura Y, Morimoto S, <u>Kuzuhara S</u>  | Cardiac (123)I-meta-iodobenzylguanidine scintigraphy in patients with amyotrophic lateral sclerosis and parkinsonism-dementia complex of the Kii peninsula, Japan | Parkinsonism Relat Disord. | Aug 30.<br>[Epub ahead of print] | Aug 30.<br>[Epub ahead of print] | 2011  | 有            |
| Tomiyama H, Yoshino H, Ogaki K, Li L, Yamashita C, Li Y, Funayama M, Sasaki R, Kokubo Y, <u>Kuzuhara S</u> , Hattori N.  | PLA2G6 variant in Parkinson's disease   | J Hum Genet.               | 56(5):401-3.<br>Epub 2011 Mar 3  | 56(5):401-3.<br>Epub 2011 Mar 3  | 2011  | 有            |
| Shimizu T, Honda M, Ohashi T, Tsujino M, Nagaoka U, Kawata A, Watabe K, Matsubara S, Hayashi H.  | Hyperosmolar hyperglycemic state in advanced amyotrophic lateral sclerosis.   | Amyotroph Lateral Scler    | 12                               | 379-381                          | 2011  | 無            |
| Shimizu T, Hayashi M, Kawata A, Mizutani T, Watabe K, Matsubara S.   | A morphometric study of vagus nerve in amyotrophic lateral sclerosis with circulatory collapse.   | Amyotroph Lateral Scler    | 12                               | 356-362                          | 2011  | 有            |
| Mochizuki Y, Mizutani T, <u>Shimizu T</u> , Kawata A.  | Proportional neuronal loss between the primary motor and sensory cortex in amyotrophic lateral sclerosis.   | Neurosci Lett              | 503                              | 73-75                            | 2011  | 無            |
| Shindo K, Watanabe H, Ohta E, Nagasaka T, Shiozawa Z, <u>Takiyama Y</u>  | Sympathetic sudomotor neural function in amyotrophic lateral sclerosis.   | Amyotroph Lateral Scler    | 12                               | 39-44                            | 2011  | 有            |
| Nagasaka T, Nagasaka K, Ohta E, Shindo K, <u>Takiyama Y</u> , Shiozawa Z, Miyazawa N, Yamasaki N, Mori N, Onda H, Shinohara T  | Cerebral hypermetabolism demonstrated by FDG-PET in familial Creutzfeldt-Jakob disease.   | Clinical Nuclear Medicine  | 36                               | 725-727                          | 2011  | 無            |
| Prust M, Wang J, Morizoni H, Messing A, Brenner M, Gordon E, Hartka T, Sokohl A, Schiffmann R, Gordish-Dressman H, Albin R, Amartino H, Brockman K, Dinopoulos A, Dotti MT, Fain D, Fernandez R, Ferreira J, Fleming J, Gill D, Griebel M, Heilstedt H, Kaplan P, Lewis D, Nakagawa M, Pedersen R, Alyssa R, Sawaiishi Y, Schneider M, Sherr E, <u>Takiyama Y</u> , Wakabayashi K, Gorospe JR, Vanderver A | GFAP mutations, age of onset and clinical subtypes in Alexander disease.  | Neurology                  | 77                               | 1287-1294                        | 2011  | 無            |

英文原著・症例報告

| 著者名   | 論文題名   | 雑誌名         | 巻        | 頁           | 出版西暦年 | GRANTへの謝辞の有無 |
|---|--|-------------|----------|-------------|-------|--------------|
| Namekawa M, <u>Takiyama Y</u> , Honda J, Sakoe K, Naoi T, Shimazaki H, Yamagata T, Momoi M, Nakano I      | A novel adult case of juvenile-onset Alexander disease: complete remission of neurological symptoms for over 12 years, despite insidiously progressive cervicomedullary atrophy. | Neurol Sci  | Epub     | 24-Dec      | 2011  | 無            |
| Asari S, Fujimoto K, Miyauchi A, Sato T, Nakano I and <u>Muramatsu S</u>                                  | Subregional 6-[18F]fluoro-L-m-tyrosine uptake in the striatum in Parkinson's disease.  | BMC Neurol  | -        | 11-35       | 2011  | 有            |
| Tokuoka H, <u>Muramatsu S</u> , Ichinose C, Sakane H, Kojima M, Aso Y, Nomura T, Metzger D and Ichinose H | Compensatory regulation of dopamine after ablation of the tyrosine hydroxylase gene in the nigrostriatal projection.   | J Biol Chem | 286(50)  | 43549-43558 | 2011  | 無            |
| Miyamoto M, Miyamoto T, Iwanami M, <u>Muramatsu S</u> , Asari S, Nakano I and Hirata K                    | Precclinical substantia nigra dysfunction in rapid eye movement sleep behaviour disorder.  | Sleep Med   | in press | in press    | 2011  | 無            |

## 英文総説

| 著者名   | 論文題名  | 雑誌名                              | 巻                     | 頁                     | 出版西暦年 |
|---|---|----------------------------------|-----------------------|-----------------------|-------|
| Eisen A, <u>Kuwabara S</u>  | The split hand syndrome in amyotrophic lateral sclerosis  | J Neurol Neurosurg Psychiatry    | in press              | in press              | 2011  |
| Kuwabara S,   | Excitability testing: from nerve to muscle  | Clinical Neuropjhsiology         | 122                   | 629-630               | 2011  |
| <u>Kuwabara S, Yokota T</u>   | Propagation: prion-like mechanisms can explain spreading of motor neuronal death in amyotrophic lateral sclerosis?                                | J Neurol Neurosurg Psychiatry    | 82                    | 1181-1182             | 2011  |
| Ince PG, Highley JR, Kirby J, Wharton SB, <u>Takahashi H</u> , Strong MJ, Shaw PJ | Molecular pathology and genetic advances in amyotrophic lateral sclerosis: an emerging molecular pathway and the significance of glial pathology. | Acta Neuropathol                 | 122                   | 657-671               | 2011  |
| Hattori N.  | Autosomal dominant Parkinsonism: its etiologies and differential diagnoses.   | Parkinsonism Relat Disord        | 18 Suppl 1            | S1-3                  | 2011  |
| Saiki S, Sato S, <u>Hattori N.</u>  | Molecular pathogenesis of Parkinson's disease: update.  | J Neurol Neurosurg Psychiatry    | [Epub ahead of print] | [Epub ahead of print] | 2011  |
| Kawajiri S, Saiki S, Sato S, <u>Hattori N.</u>                                    | Genetic mutations and functions of PINK1.   | Trends Pharmacol Sci             | 32(10)                | 573-80                | 2011  |
| Sato S, <u>Hattori N.</u>   | Genetic mutations and mitochondrial toxins shed new light on the pathogenesis of Parkinson's disease.   | Parkinsons Dis.                  | 2011                  | 979231                | 2011  |
| <u>Miwa H</u> and Kondo T   | T-type calcium channel as new therapeutic target for tremor   | Cerebellum                       | 10                    | 563-569               | 2011  |
| Ohta E and <u>Takiyama Y</u>  | MRI findings in neuroferritinopathy.  | Neurology Research International | Epub                  | 21-Jul                | 2011  |

## 邦文単行本

| 著者名        | 論文題名  | 書名                                       | (編集者名)                       | 発行社名    | (発行地名) | 出版西暦年       | 頁                       |
|------------|---|--|------------------------------|---------|--------|-------------|-------------------------|
| 長谷川一子      | ドバミンアゴニスト、ドバミンアゴニストの副作用、ドバミンアゴニストの選択基準  | パーキンソン病治療ガイドライン2011                      | 日本神経学会監修                     | 医学書院    | 東京     | 2011        | 1-201                   |
| 長谷川一子      | 早期パーキンソン病の治療  | よくわかるパーキンソン病のすべて 改訂第2版                   | 水野美邦、近藤智善                    | 永井書店    | 東京     | 2011        | 35-58                   |
| 饗場郁子       | 進行性核上性麻痺、皮質基底核変性症   | 神經疾患最新の治療 2012-2014                      | 小林祥泰、水澤英洋                    | 株式会社南江堂 | 東京都文京区 | 2012年2月(予定) | 未定                      |
| 日出山拓人、郭伸   | 髄液(CSF)-細胞数-<br>髄液(CSF)-糖-<br>髄液(CSF)-外観、圧-<br>髄液(CSF)-蛋白-<br>髄液オリゴクローナルバンド(OG)<br>髄液ミエリン塩基性蛋白(MBP) | パーフェクトガイド<br>検査事典                        | 中原一彦                         | 総合医学社   | 東京     | 2011        | 696-697-698-699-700-701 |
| 嘉藤加代子、荒川玲子 | ウェルドニッヒ・ホフマン病   | 症候群ハンドブック                                | 総編集:井村裕夫、<br>編集:福井次矢、<br>辻省次 | 中山書店    | 東京     | 2011        | 72-73                   |
| 中村雅之、佐野輝   | 有棘赤血球を伴う舞蹈病   | 症候群ハンドブック                                | 総編集:井村裕夫、<br>編集:福井次矢/<br>辻省次 | 中山書店    | 東京     | 2011        | 117-121                 |
| 野元正弘       | Parkinson病/Huntington病  | 病気がみえるvol.7 脳・神経                         | 株式会社メディカル                    | 東京      | 2011   | 274-291     |                         |
| 服部信孝、河尻澄宏  | 遺伝性パーキンソン病、III. 基礎応用編。よくわかるパーキンソン病のすべて。   | Clinical Textbook of Parkinson's Disease | 水野美邦                         | 永井書店    | 大阪     | 2011        | 380-388                 |
| 三輪英人       | Dopamine dysregulation syndrome の原因とその対策  | よくわかるパーキンソン病のすべて 第二版                     | 水野美邦、近藤智善                    | 永井書店    | 大阪     | 2011        | 165-173                 |
| 村田美穂       | 性機能障害の原因とその対策   | よくわかるパーキンソン病のすべて                         | 水野美邦、近藤智善編                   | 永井書店    | 東京     | 2011        | pp112-115               |
| 村田美穂       | パーキンソン病治療ガイドライン2011   | パーキンソン病治療ガイドライン2011                      | 日本神経学会                       | 医学書院    | 東京     | 2011        | 1-201                   |
| 吉田眞理       | 第23章 神経系  | ロビンス基礎病理学 原書8版                           | 監訳者 豊國伸哉<br>高橋雅英             | 丸善出版    | 東京     | 2011        | 987-1034                |

邦文原著・症例報告

| 著者名                               | 論文題名  | 雑誌名  | 巻      | 頁         | 出版西暦年 | GRANTへの謝辞の有無 |
|-----------------------------------|---|--|--------|-----------|-------|--------------|
| 石原健司、堀部有三、大野英樹、杉江正行、塩田純一、中野今治、河村満 | 若年性認知症2剖検例の臨床病理学的検討。  | Brain and Nerve  | 63     | 1117-1123 | 2011  | 無            |
| 中原圭一、嶋崎晴雄、澤田幹雄、中野今治               | 当院におけるposterior reversible encephalopathy syndrome(PRES)12症例の検討           | Journal of Japanese Congress on Neurological Emergencies | 23     | 24-28     | 2011  | 無            |
| 中下聰子、和田健二、足立芳樹、渡辺保裕、中島健二          | 多発性の大脳微小出血を認めたパーキンソンズム  | 神経内科   | 74     | 324-326   | 2011  | 無            |
| 古和久典、瀧川洋史、野村哲志、安井建一、中島健二          | Parkinson病患者における葉酸・ビタミンB12補充療法による高ホモシスティン血症は正効果の臨床薬理学的検討—栄養障害関連因子の検討を含めて— | 臨床薬理の進歩  | 32     | 46-52     | 2011  | 無            |
| 小柴梢子、徳岡宏文、横山照夫、堀内恵美子、長谷川一子、一瀬宏    | 神経疾患患者の脳脊髄液における還元型ブテリジンレベルの測定：臨床資料中の還元型ブテリジン測定のポストカラム酸化法の応用。              | ビタミン   | 85     | 63-69     | 2011  | 無            |
| 林 信太郎、岡本幸市                        | 頭部外傷を契機に発症したLeber's hereditary optic neuropathyの1例                        | 臨床神経   | 51     | 781-783   | 2011  | 無            |
| 織田雅也、和泉唯信、梶龍兒                     | 家族性ALSの原因遺伝子  | Brain Nerve  | 63     | 165-170   | 2011  | 無            |
| 和泉唯信、鎌田正紀、梶龍兒                     | 家族性ALS ALS-OPTNの臨床と病理   | Clinical Neuroscience                                    | 29     | 136-137   | 2011  | 無            |
| 有井敬治、乾俊夫、浅沼光太郎、和泉唯信、梶龍兒、三ツ井貴夫     | Parkinson病に対する新しいリハビリテーション  | Brain Nerve  | 63     | 878-883   | 2011  | 無            |
| 森蓉子、永井将弘、田邊奈千、矢部勇人、西川典子、野元正弘      | パンコマイシン血中濃度からMunchausen症候群が疑われた1例   | 愛媛医学   | 30 (1) | 55-58     | 2011  | 無            |
| 野元正弘                              | 用量の地域差について  | 臨床評価   | 38 (4) | 690-696   | 2011  | 無            |
| 山崎知恵子、森豊隆志、山下梨沙子、野元正弘             | ネットワーク治験における「訪問C R C」の有用性—愛媛大学病院における検討—                                   | 臨床薬理   | 42 (3) | 117-120   | 2011  | 無            |

|  |   |                          |        |           |      |   |
|--|---|--------------------------|--------|-----------|------|---|
| 野元正弘   | 病態時薬物動態試験の現状と課題   | 臨床薬理                     | 42 (3) | 179-180   | 2011 | 無 |
| 野元正弘   | マイアミ大学のPhase I Unitについて   | 臨床評価                     | 39 (1) | 117-119   | 2011 | 無 |
| 矢部勇人, 西川典子, 永井将弘, 野元正弘   | レボドバ合剤で発症したParkinson病の突発性睡眠   | 神経内科                     | 75(4)  | 407-409   | 2011 | 無 |
| 野川茂, 高橋裕秀, 服部信孝  | パーキンソン病症状の新しい包括的自記式質問票(MASAC-PD31)の開発・評価                                    | 臨床神経学                    | 51巻5号  | 321-329   | 2011 | 無 |
| 藤本健一, 村田美穂, 服部信孝, 近藤智善   | 大規模患者調査で明らかになった日本におけるParkinson病薬物治療の実態<br>Parkinson病患者の服薬状況および疾患・治療に対する意識調査 | BRAIN and NERVE: 神経研究の進歩 | 63巻3号  | 255-265   | 2011 | 無 |
| 深野崇之, 深江治郎, 高梨雅史, 飯塚崇, 服部信孝                                      | 咽喉頭部に皮疹を認め、両側顔面神経麻痺を呈した水痘帯状疱疹ヘルペス感染症の1                                      | 神経内科                     | 74巻4号  | 427-429   | 2011 | 無 |
| 藤本健一, 村田美穂, 服部信孝, 近藤智善   | 大規模患者調査で明らかになった日本におけるParkinson病薬物治療の実態; Parkinson病患者の服薬状況および疾患・治療に対する意識調査   | Brain and Nerve          | 63     | 255-265   | 2011 | 無 |
| 高梨雅史, 舟辺さやか, 村山繁雄, 横地正之  | 左側の失行とパーキンソニズムを認め、経過6年で寝てきりとなった84歳男性。                                       | BRAIN and NERVE.         | 63     | 901-908   | 2011 | 無 |
| 宮本鋼, 中江吉希, 宮腰重三郎, 福松孝思, 村山繁雄, 原田和昌, 沢辺元司, 徳丸阿耶, 豊田昌子, 新井富生, 大田雅嗣 | 同種臍帯血移植後に意識障害が遷延した高齢者骨髄異形成症候群の1例。   | 「内科」                     | 107(5) | 885-894   | 2011 | 無 |
| 飯田円, 川上治, 安藤哲朗, 吉田真理, 橋詰良夫, 早川清順                                 | 進行性多巣性白質脳症(PML)の1剖検例<br>MRIと病理所見の対比   | Brain Nerve              | 63     | 1001-1007 | 2011 | 無 |
| 岩崎靖, 森恵子, 伊藤益美, 三室マヤ, 吉田真理                                       | 初期には脊髄小脳変性症と診断され、オリーブ・橋・小脳病変が高度であった進行性核上性麻痺の1剖検例                            | 臨床神経                     | 51     | 756-760   | 2011 | 無 |
| 岩崎靖, 森恵子, 伊藤益美, 吉田真理   | 無動性無言で長期間安定した状態を呈した孤発性Creutzfeldt-Jakob病の1剖検                                | 神経内科                     | 74     | 410-415   | 2011 | 無 |
| 岩崎靖, 森恵子, 伊藤益美, 出口晃, 吉田真理  | 高齢発症の前頭側頭葉変性症の1剖検例  | 臨床神経                     | 51     | 426-429   | 2011 | 無 |

## 邦文総説

| 著者名                    | 論文題名  | 雑誌名                    | 巻      | 頁         | 出版西暦年 |
|------------------------|---|------------------------|--------|-----------|-------|
| 中野今治                   | 進行性核上性麻痺 (PSP) の発見から現在まで  | 難病と在宅ケア                | 17     | 8-10      | 2011  |
| 中野今治                   | 孤発性ALS 疫学, 症候, 神経病理   | Clinical Neuroscience  | 29     | 982-986   | 2011  |
| 久我敦, 金川基, 戸田達史         | 【筋疾患update】 $\alpha$ -ジストログリカン異常症                               | BRAIN and NERVE        | 63巻11号 | 1189-1195 | 2011  |
| 金川基, 戸田達史              | 【筋ジストロフィーの分子病態から治療へ】 福山型筋ジストロフィー症の成因                            | 生体の科学                  | 62巻2号  | 91-94     | 2011  |
| 戸田達史                   | 国際共同研究におけるGenome-Wide Association Study (GWAS)                  | Medical Science Digest | 37巻9号  | 346-347   | 2011  |
| 戸田達史, 佐竹涉              | 【パーキンソン病発症のメカニズム】 パーキンソン病の分子遺伝学 ゲノム関連解析研究                       | BIO Clinica            | 26巻8号  | 701-705   | 2011  |
| 戸田達史                   | 【変わりゆくパーキンソン病診療】 早期診断から進行期患者の治療まで】 孤発性パーキンソン病の分子病態機序はどこまで解明されたか | 内科                     | 107巻5号 | 759-766   | 2011  |
| 中島健二                   | 進行性核上性麻痺  | 今日の治療指針2011            | 1      | 818       | 2011  |
| 中島健二                   | 認知症の病態解明の進歩—認知症と蛋白異常による分類と病態                                    | 日本内科学会雑誌 臨時増刊号         | 100    | 71        | 2011  |
| 和田健二, 中島健二             | レビューサーベイ認知症   | 臨床と研究                  | 88     | 9-12      | 2011  |
| 和田健二, 植村佑介, 中下聰子, 中島健二 | 地域住民におけるうつに関する調査  | 分子精神医学                 | 11     | 86-87     | 2011  |
| 和田健二, 田中健一郎, 中島健二      | レビューサーベイ認知症 (DLB)・認知症を伴うパーキンソン病 (PDD)の治療                        | Geriatric Medicine     | 49     | 787-794   | 2011  |
| 野村哲志, 井上雄一, 中島健二       | レム睡眼行動異常症の原因とその対策   | 改訂第2版 よくわかるパーキンソン病のすべて | 1      | 136-144   | 2011  |
| 和田健二, 田中健一郎, 中島健二      | ロッテルダム研究  | 日本臨牀                   | 69     | 581-586   | 2011  |
| 和田健二, 山脇美香, 中島健二       | 大山町研究と海士町研究   | 日本臨牀                   | 69     | 616-620   | 2011  |

邦文総説

| 著者名                          | 論文題名   | 雑誌名                   | 巻    | 頁         | 出版西暦年 |
|------------------------------|--|-----------------------|------|-----------|-------|
| 中島健二                         | 認知症病態解明の進歩—認知症と蛋白異常による分類と病態 1) 認知症と蛋白異常—概説     | 日本内科学会雑誌              | 100  | 2465      | 2011  |
| 古和久典, 中島健二                   | パーキンソン病における認知症の臨床的特徴                           | Parkinson's disease   | 2    | 51-59     | 2011  |
| 中島健二, 植村佑介, 野村哲志, 山脇美香, 和田健二 | 疫学   | Medicament News       | 2069 | 3-4       | 2011  |
| 長谷川一子                        | パーキンソン病の臨床診断および鑑別診断—臨床症状から                     | 総合臨床                  | 59   | 2404-2412 | 2010  |
| 長谷川一子                        | 比較的まれな認知症疾患：診断と治療のポイント ハンチントン病                 | Clinical Neuroscience | 29   | 346-348   | 2011  |
| 長谷川一子                        | 抗パーキンソン病薬 塩酸アマンタジン                             | Clinical Neuroscience | 29   | 570-571   | 2011  |
| 長谷川一子                        | パーキンソン病の治療はできるだけ早く始める方がよい Yes                  | MDSJ letters          | 4    | 1～3       | 2011  |
| 長谷川一子                        | ハンチントン病：UPDATE                                 | MDSJ letters          | 4    | 4～9       | 2011  |
| 長谷川一子, 斎木栄資, 伊藤和則, 前田哲也      | 1日1回錠の有用性とプラミペキソール徐放錠の可能性について                  | Parma Medica          | 29   | 79-83     | 2011  |
| 長谷川一子                        | 視床手  | 脊椎脊髄ジャーナル             | 24   | 697-699   | 2011  |
| 長谷川一子, 徳田隆彦, 服部信孝, 中野今治      | パーキンソン病の現状と将来                                  | Human science         | 24   | 4～12      | 2011  |
| 岡本幸市                         | シンポジウム1. 認知症の病態解明の進歩—認知症と蛋白異常の分類と病態. 5) TDP-43 | 日内会誌                  | 100  | 2489-2494 | 2011  |
| 岡本幸市                         | 前頭側頭葉変性症の最近の病理学的分類                             | 日本臨牀                  | 69   | 375-378   | 2011  |
| 藤田行雄, 岡本幸市                   | ALS-FUSの臨床と病理                                  | Clin Neurosci         | 29   | 1030-1031 | 2011  |
| 藤田行雄, 岡本幸市                   | FUS/TLSと前頭側頭葉変性症                               | 日本臨牀                  | 69   | 88-92     | 2011  |